

APPENDIX C - DEPRECIATION CALCULATIONS

AmerenUE - ELECTRIC

ACCOUNT 311 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
MERAMEC							
INTERIM SURVIVOR CURVE.. IOWA 115-R1.5							
PROBABLE RETIREMENT YEAR.. 1-2022							
NET SALVAGE PERCENT.. -2							
1952	17,141.72	64.11	1.56	272.76	12.70	.8019	14,021
1953	40,065.70	63.30	1.58	645.70	12.70	.7994	32,669
1954	2,674.00	62.48	1.60	43.64	12.71	.7966	2,173
1955	8,321,947.21	61.66	1.62	137,511.86	12.72	.7937	6,737,232
1956	5,639.00	60.84	1.64	94.33	12.73	.7908	4,549
1957	22,288.76	60.01	1.67	379.67	12.73	.7879	17,913
1958	14,971.00	59.17	1.69	258.07	12.74	.7847	11,983
1959	5,215,997.79	58.34	1.71	90,977.43	12.75	.7815	4,157,828
1960	24,921.00	57.50	1.74	442.30	12.75	.7783	19,784
1961	4,463,099.68	56.65	1.77	80,576.80	12.76	.7748	3,527,170
1962	21,634.00	55.80	1.79	394.99	12.76	.7713	17,020
1963	10,539.00	54.95	1.82	195.65	12.77	.7676	8,252
1964	76,875.00	54.09	1.85	1,450.63	12.78	.7637	59,884
1965	76,696.00	53.23	1.88	1,470.72	12.78	.7599	59,447
1966	6,555.00	52.37	1.91	127.70	12.78	.7560	5,055
1967	10,402.00	51.50	1.94	205.83	12.79	.7517	7,976
1968	7,785.00	50.63	1.98	157.23	12.80	.7472	5,933
1970	57,142.00	48.87	2.05	1,194.84	12.81	.7379	43,008
1971	7,119.00	47.99	2.08	151.04	12.81	.7331	5,323
1972	2,220.00	47.11	2.12	48.01	12.82	.7279	1,648
1973	9,637.00	46.22	2.16	212.32	12.82	.7226	7,103
1974	909.00	45.33	2.21	20.49	12.83	.7170	665
1975	1,974.00	44.43	2.25	45.30	12.83	.7112	1,432
1976	27,574.00	43.54	2.30	646.89	12.83	.7053	19,837
1977	196,143.00	42.64	2.35	4,701.55	12.84	.6989	139,826
1978	20,204.81	41.73	2.40	494.61	12.84	.6923	14,268
1979	37,380.00	40.83	2.45	934.13	12.85	.6853	26,129
1980	90,292.33	39.92	2.51	2,311.66	12.85	.6781	62,452
1981	215,422.00	39.01	2.56	5,625.10	12.85	.6706	147,351
1982	143,269.19	38.09	2.63	3,843.34	12.86	.6624	96,800
1983	438,482.00	37.17	2.69	12,031.07	12.86	.6540	292,503
1984	25,211.13	36.25	2.76	709.74	12.87	.6450	16,586
1985	45,058.40	35.33	2.83	1,300.66	12.87	.6357	29,216
1986	184,976.32	34.40	2.91	5,490.47	12.87	.6259	118,092
1987	344,651.00	33.48	2.99	10,511.17	12.88	.6153	216,305

AmerenUE - ELECTRIC

ACCOUNT 311 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCRUAL-- AMOUNT	EXP.	-ACCRUED FACTOR	DEPREC.- AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
MERAMEC							
INTERIM SURVIVOR CURVE.. IOWA 115-R1.5							
PROBABLE RETIREMENT YEAR.. 1-2022							
NET SALVAGE PERCENT.. -2							
1988	54,209.00	32.54	3.07	1,697.50	12.88	.6042	33,408
1989	52,468.00	31.61	3.16	1,691.15	12.88	.5925	31,709
1990	326,154.00	30.67	3.26	10,845.27	12.89	.5797	192,853
1991	981,271.00	29.73	3.36	33,630.12	12.89	.5664	566,908
1992	545,971.73	28.79	3.47	19,324.12	12.89	.5523	307,571
1993	114,961.60	27.85	3.59	4,209.66	12.90	.5368	62,946
1994	1,121,713.34	26.90	3.72	42,562.29	12.90	.5204	595,414
1995	568,633.54	25.96	3.85	22,330.24	12.90	.5031	291,801
1996	959,790.25	25.00	4.00	39,159.44	12.90	.4840	473,829
1997	311,455.02	24.05	4.16	13,215.66	12.91	.4632	147,151
1998	123,088.38	23.10	4.33	5,436.32	12.91	.4411	55,380
1999	669,317.74	22.14	4.52	30,858.23	12.91	.4169	284,619
2000	672,432.22	21.18	4.72	32,373.58	12.92	.3900	267,494
2001	3,558,330.58	20.22	4.95	179,660.11	12.92	.3610	1,310,248
2002	2,696,712.25	19.25	5.19	142,758.55	12.92	.3288	904,413
2003	666,139.62	18.29	5.47	37,166.59	12.93	.2931	199,150
2004	2,178,062.99	17.32	5.77	128,187.72	12.93	.2535	563,182
2005	394,518.75	16.35	6.12	24,627.44	12.93	.2092	84,184
2006	1,602,531.99	15.38	6.50	106,247.87	12.93	.1593	260,389
2007	1,342,644.50	14.40	6.94	95,043.12	12.94	.1014	138,867
2008	693,539.24	13.43	7.45	52,702.05	12.94	.0365	25,820
	39,820,842.78			1,389,204.73			22,724,769

SIOUX

INTERIM SURVIVOR CURVE.. IOWA 115-R1.5
PROBABLE RETIREMENT YEAR.. 9-2033
NET SALVAGE PERCENT.. -2

1967	5,818,859.10	61.39	1.63	96,744.35	23.65	.6148	3,648,983
1968	4,157,437.50	60.56	1.65	69,969.67	23.67	.6091	2,582,941
1969	38,210.94	59.73	1.67	650.89	23.69	.6034	23,518
1970	1,337.40	58.90	1.70	23.19	23.71	.5975	815
1971	11,285.00	58.06	1.72	197.98	23.73	.5913	6,806
1972	13,129.00	57.22	1.75	234.35	23.75	.5849	7,833

AmerenUE - ELECTRIC

ACCOUNT 311 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SIOUX							
INTERIM SURVIVOR CURVE.. IOWA 115-R1.5							
PROBABLE RETIREMENT YEAR.. 9-2033							
NET SALVAGE PERCENT.. -2							
1973	33,717.01	56.37	1.77	608.73	23.76	.5785	19,895
1974	42,504.47	55.52	1.80	780.38	23.78	.5717	24,786
1975	13,730.00	54.66	1.83	256.28	23.80	.5646	7,907
1976	17,765.00	53.81	1.86	337.04	23.81	.5575	10,102
1977	774,075.25	52.94	1.89	14,922.62	23.83	.5499	434,177
1978	213,031.82	52.08	1.92	4,172.02	23.84	.5422	117,816
1979	126,855.00	51.21	1.95	2,523.15	23.86	.5341	69,108
1980	270,126.15	50.34	1.99	5,483.02	23.88	.5256	144,818
1981	175,689.21	49.46	2.02	3,619.90	23.89	.5170	92,648
1982	328,173.89	48.58	2.06	6,895.59	23.91	.5078	169,980
1983	142,107.00	47.70	2.10	3,043.93	23.92	.4985	72,257
1984	215,876.20	46.82	2.14	4,712.15	23.93	.4889	107,653
1985	87,026.00	45.93	2.18	1,935.11	23.95	.4786	42,484
1986	797,867.00	45.03	2.22	18,066.90	23.96	.4679	380,788
1987	243,735.00	44.14	2.27	5,643.44	23.97	.4570	113,615
1988	135,781.00	43.24	2.31	3,199.27	23.99	.4452	61,659
1989	58,534.00	42.34	2.36	1,409.03	24.00	.4332	25,864
1990	281,413.00	41.44	2.41	6,917.69	24.01	.4206	120,730
1991	132,165.00	40.53	2.47	3,329.77	24.03	.4071	54,880
1992	861,363.99	39.62	2.52	22,140.50	24.04	.3932	345,462
1993	1,156,534.19	38.70	2.58	30,435.35	24.05	.3786	446,621
1994	2,159,908.55	37.79	2.65	58,382.33	24.06	.3633	800,389
1995	581,060.40	36.87	2.71	16,061.67	24.07	.3472	205,779
1996	822,172.72	35.95	2.78	23,313.53	24.08	.3302	276,911
1997	591,569.73	35.02	2.86	17,257.27	24.10	.3118	188,140
1998	158,178.24	34.10	2.93	4,727.31	24.11	.2930	47,273
1999	224,804.14	33.17	3.01	6,901.94	24.12	.2728	62,553
2000	126,785.00	32.24	3.10	4,008.94	24.13	.2516	32,537
2001	62,659.05	31.30	3.19	2,038.80	24.14	.2288	14,623
2002	406,526.49	30.36	3.29	13,642.22	24.15	.2045	84,797
2003	1,825,799.49	29.42	3.40	63,318.73	24.16	.1788	332,982
2004	526,154.41	28.48	3.51	18,837.38	24.17	.1513	81,199
2005	1,097,643.02	27.54	3.63	40,641.33	24.18	.1220	136,591
2006	46,525.03	26.59	3.76	1,784.33	24.19	.0903	4,285
2007	3,506,238.70	25.64	3.90	139,478.18	24.20	.0562	200,992

AmerenUE - ELECTRIC

ACCOUNT 311 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	-----------------------------------	---------------	-------------	------------------------------------	---------------

SIoux

INTERIM SURVIVOR CURVE.. IOWA 115-R1.5

PROBABLE RETIREMENT YEAR.. 9-2033

NET SALVAGE PERCENT.. -2

2008	8,140,972.75	24.69	4.05	336,303.58	24.21	.0194	161,094
	36,425,326.84			1,054,949.84			11,764,291

LABADIE

INTERIM SURVIVOR CURVE.. IOWA 115-R1.5

PROBABLE RETIREMENT YEAR.. 9-2042

NET SALVAGE PERCENT.. -2

1957	669.00	76.23	1.31	8.94	31.16	.5912	403
1966	288.00	69.42	1.44	4.23	31.56	.5454	160
1969	271.00	67.06	1.49	4.12	31.68	.5276	146
1970	9,897,775.13	66.26	1.51	152,445.53	31.72	.5213	5,262,904
1971	5,197,070.11	65.46	1.53	81,105.48	31.75	.5150	2,730,021
1972	6,693,642.37	64.66	1.55	105,826.49	31.79	.5084	3,471,109
1973	5,129,985.21	63.85	1.57	82,151.58	31.82	.5016	2,624,665
1974	29,356.00	63.03	1.59	476.10	31.86	.4945	14,807
1975	16,534.00	62.21	1.61	271.52	31.89	.4874	8,220
1976	21,791.00	61.39	1.63	362.30	31.92	.4800	10,669
1977	148,097.00	60.56	1.65	2,492.47	31.95	.4724	71,360
1978	10,632.00	59.73	1.67	181.11	31.99	.4644	5,036
1979	38,943.00	58.90	1.70	675.27	32.02	.4564	18,129
1980	1,918,895.00	58.06	1.72	33,665.09	32.04	.4482	877,250
1981	590,252.00	57.22	1.75	10,536.00	32.07	.4395	264,604
1982	223,376.00	56.37	1.77	4,032.83	32.10	.4305	98,087
1983	558,077.07	55.52	1.80	10,246.30	32.13	.4213	239,820
1984	575,510.42	54.66	1.83	10,742.48	32.16	.4116	241,618
1985	861,026.00	53.81	1.86	16,335.39	32.19	.4018	352,879
1986	156,863.00	52.94	1.89	3,024.00	32.21	.3916	62,656
1987	698,691.03	52.08	1.92	13,683.17	32.24	.3810	271,525
1988	1,413,203.00	51.21	1.95	28,108.61	32.26	.3700	533,343
1989	1,961,113.00	50.34	1.99	39,806.67	32.29	.3586	717,320
1990	5,585,817.33	49.46	2.02	115,090.18	32.31	.3467	1,975,335
1991	2,541,383.08	48.58	2.06	53,399.54	32.34	.3343	866,576
1992	722,431.48	47.70	2.10	15,474.48	32.36	.3216	236,981

AmerenUE - ELECTRIC

ACCOUNT 311 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

LABADIE

INTERIM SURVIVOR CURVE.. IOWA 115-R1.5

PROBABLE RETIREMENT YEAR.. 9-2042

NET SALVAGE PERCENT.. -2

1993	1,329,579.89	46.82	2.14	29,022.07	32.38	.3084	418,243
1994	1,104,712.05	45.93	2.18	24,564.38	32.41	.2944	331,732
1995	545,235.97	45.03	2.22	12,346.32	32.43	.2798	155,608
1996	3,895,356.64	44.14	2.27	90,193.09	32.45	.2648	1,052,120
1997	1,145,779.79	43.24	2.31	26,996.86	32.47	.2491	291,122
1998	207,514.02	42.34	2.36	4,995.28	32.50	.2324	49,191
1999	245,405.58	41.44	2.41	6,032.56	32.52	.2153	53,893
2000	710,448.98	40.53	2.47	17,899.05	32.54	.1971	142,830
2001	2,221,879.89	39.62	2.52	57,111.20	32.56	.1782	403,858
2002	1,509,121.78	38.70	2.58	39,714.05	32.58	.1581	243,364
2003	530,003.97	37.79	2.65	14,326.01	32.60	.1373	74,225
2004	163,077.97	36.87	2.71	4,507.80	32.62	.1153	19,179
2005	2,995,172.87	35.95	2.78	84,931.12	32.64	.0921	281,373
2006	21,619.21	35.02	2.86	630.68	32.66	.0674	1,486
2007	540,482.38	34.10	2.93	16,152.86	32.68	.0416	22,934
2008	2,819,342.33	33.17	3.01	86,559.45	32.69	.0145	41,698

64,976,425.55

1,296,132.66

24,538,479

COMMON

INTERIM SURVIVOR CURVE.. IOWA 115-R1.5

PROBABLE RETIREMENT YEAR.. 9-2042

NET SALVAGE PERCENT.. -2

2001	1,923,733.24	39.62	2.52	49,447.64	32.56	.1782	349,665
2003	35,472.50	37.79	2.65	958.82	32.60	.1373	4,968

1,959,205.74

50,406.46

354,633

RUSH ISLAND

INTERIM SURVIVOR CURVE.. IOWA 115-R1.5

PROBABLE RETIREMENT YEAR.. 9-2046

NET SALVAGE PERCENT.. -2

1974	6,007.00	66.26	1.51	92.52	35.33	.4668	2,860
------	----------	-------	------	-------	-------	-------	-------

AmerenUE - ELECTRIC

ACCOUNT 311 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	-----------------------------------	---------------	-------------	------------------------------------	---------------

RUSH ISLAND

INTERIM SURVIVOR CURVE.. IOWA 115-R1.5

PROBABLE RETIREMENT YEAR.. 9-2046

NET SALVAGE PERCENT.. -2

1976	30,058,591.62	64.66	1.55	475,226.33	35.41	.4524	13,870,477
1977	7,684,285.03	63.85	1.57	123,056.14	35.45	.4448	3,486,329
1978	41,915.35	63.03	1.59	679.78	35.49	.4369	18,679
1979	63,322.97	62.21	1.61	1,039.89	35.53	.4289	27,702
1980	431,386.46	61.39	1.63	7,172.23	35.57	.4206	185,070
1981	162,776.05	60.56	1.65	2,739.52	35.61	.4120	68,405
1982	119,815.77	59.73	1.67	2,040.94	35.65	.4031	49,264
1983	35,376.92	58.90	1.70	613.44	35.68	.3942	14,224
1984	36,506.31	58.06	1.72	640.47	35.72	.3848	14,329
1985	44,778.00	57.22	1.75	799.29	35.75	.3752	17,137
1986	5,720.00	56.37	1.77	103.27	35.78	.3653	2,131
1988	22,952.00	54.66	1.83	428.42	35.85	.3441	8,056
1991	57,148.35	52.08	1.92	1,119.19	35.94	.3099	18,064
1992	1,026,573.09	51.21	1.95	20,418.54	35.97	.2976	311,618
1993	12,900.30	50.34	1.99	261.85	36.00	.2849	3,749
1994	38,928.55	49.46	2.02	802.08	36.03	.2715	10,780
1995	328,993.17	48.58	2.06	6,912.80	36.06	.2577	86,477
1996	530,151.30	47.70	2.10	11,355.84	36.09	.2434	131,620
1997	461,494.27	46.82	2.14	10,073.50	36.12	.2285	107,560
1998	318,800.59	45.93	2.18	7,088.85	36.15	.2129	69,230
1999	353,294.20	45.03	2.22	7,999.99	36.17	.1968	70,919
2000	25,287.56	44.14	2.27	585.51	36.20	.1799	4,640
2001	3,515,866.90	43.24	2.31	82,840.86	36.23	.1621	581,320
2002	3,031,180.13	42.34	2.36	72,966.57	36.25	.1438	444,601
2003	2,565,718.92	41.44	2.41	63,070.50	36.28	.1245	325,821
2004	643,874.61	40.53	2.47	16,221.78	36.30	.1044	68,565
2005	798,291.11	39.62	2.52	20,519.27	36.33	.0830	67,583
2006	876,904.72	38.70	2.58	23,076.62	36.35	.0607	54,293
2007	73,834.01	37.79	2.65	1,995.73	36.37	.0376	2,832
2008	141,757.01	36.87	2.71	3,918.45	36.40	.0127	1,836

53,514,432.27

965,860.17

20,126,171

TOTAL 196,696,233.18

4,756,553.86

79,508,343

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.42

AmerenUE - ELECTRIC

ACCOUNT 312 BOILER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
MERAMEC							
INTERIM SURVIVOR CURVE.. IOWA 60-L0.5							
PROBABLE RETIREMENT YEAR.. 1-2022							
NET SALVAGE PERCENT.. -15							
1952	2,044.00	49.75	2.01	47.25	11.32	.7725	1,816
1953	6,658,701.73	49.38	2.03	155,447.39	11.34	.7704	5,899,343
1954	5,415,579.52	49.01	2.04	127,049.50	11.36	.7682	4,784,285
1955	691,878.08	48.63	2.06	16,390.59	11.38	.7660	609,475
1956	25,699.00	48.23	2.07	611.76	11.40	.7636	22,567
1957	55,172.15	47.83	2.09	1,326.06	11.43	.7610	48,284
1958	101,286.00	47.42	2.11	2,457.70	11.45	.7585	88,349
1959	13,325,064.19	47.00	2.13	326,397.45	11.47	.7560	11,584,811
1960	55,622.66	46.57	2.15	1,375.27	11.49	.7533	48,186
1961	16,987,240.49	46.13	2.17	423,916.59	11.51	.7505	14,661,263
1962	159,901.02	45.67	2.19	4,027.11	11.53	.7475	137,455
1963	97,814.50	45.21	2.21	2,485.96	11.55	.7445	83,746
1964	914,623.10	44.74	2.24	23,560.69	11.57	.7414	779,817
1965	379,096.80	44.26	2.26	9,852.73	11.59	.7381	321,783
1966	17,563.00	43.77	2.28	460.50	11.61	.7347	14,839
1967	61,862.07	43.26	2.31	1,643.37	11.62	.7314	52,033
1968	14,900.00	42.75	2.34	400.96	11.64	.7277	12,469
1969	60,559.00	42.22	2.37	1,650.54	11.66	.7238	50,407
1970	51,248.50	41.69	2.40	1,414.46	11.68	.7198	42,422
1972	84,529.00	40.59	2.46	2,391.33	11.72	.7113	69,144
1973	48,675.91	40.02	2.50	1,399.43	11.74	.7066	39,554
1975	20,293.00	38.85	2.57	599.76	11.78	.6968	16,261
1976	10,022.00	38.25	2.61	300.81	11.79	.6918	7,973
1977	537,293.00	37.64	2.66	16,435.79	11.81	.6862	423,994
1978	185,507.11	37.01	2.70	5,760.00	11.83	.6804	145,152
1979	374,669.00	36.38	2.75	11,848.91	11.86	.6740	290,406
1980	496,101.26	35.73	2.80	15,974.46	11.88	.6675	380,820
1981	46,010,589.51	35.08	2.85	1,507,997.07	11.90	.6608	34,964,367
1982	1,638,875.93	34.41	2.91	54,844.98	11.93	.6533	1,231,279
1983	786,686.92	33.73	2.96	26,778.82	11.95	.6457	584,158
1984	216,347.94	33.04	3.03	7,538.64	11.98	.6374	158,585
1985	612,529.37	32.33	3.09	21,766.23	12.00	.6288	442,932
1986	237,756.65	31.62	3.16	8,640.08	12.03	.6195	169,384
1987	849,597.00	30.90	3.24	31,655.98	12.06	.6097	595,699
1988	17,909.84	30.16	3.32	683.80	12.09	.5991	12,339

AmerenUE - ELECTRIC

ACCOUNT 312 BOILER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	----------------------	----------------------------	-------------	------------------------------------	---------------

MERAMEC

INTERIM SURVIVOR CURVE.. IOWA 60-L0.5

PROBABLE RETIREMENT YEAR.. 1-2022

NET SALVAGE PERCENT.. -15

1989	339,968.64	29.41	3.40	13,292.77	12.12	.5879	229,848
1990	241,332.94	28.65	3.49	9,685.90	12.15	.5759	159,831
1991	2,066,399.23	27.88	3.59	85,311.29	12.18	.5631	1,338,128
1992	479,738.51	27.10	3.69	20,357.70	12.22	.5491	302,938
1993	3,048,614.57	26.31	3.80	133,224.46	12.25	.5344	1,873,557
1994	12,000,080.95	25.51	3.92	540,963.65	12.28	.5186	7,156,728
1995	9,744,033.97	24.69	4.05	453,828.38	12.31	.5014	5,618,507
1996	36,896,507.38	23.87	4.19	1,777,858.21	12.35	.4826	20,477,193
1997	3,699,714.48	23.03	4.34	184,652.75	12.38	.4624	1,967,360
1998	3,733,303.31	22.19	4.51	193,627.78	12.41	.4407	1,892,057
1999	6,235,370.60	21.33	4.69	336,304.71	12.44	.4168	2,988,738
2000	7,988,320.61	20.47	4.89	449,223.21	12.47	.3908	3,590,111
2001	47,230,895.03	19.59	5.10	2,770,091.99	12.51	.3614	19,629,632
2002	41,944,432.66	18.71	5.34	2,575,807.61	12.54	.3298	15,908,265
2003	35,906,424.95	17.82	5.61	2,316,503.01	12.57	.2946	12,164,738
2004	56,763,541.65	16.91	5.91	3,857,934.11	12.60	.2549	16,639,381
2005	24,820,558.69	16.01	6.25	1,783,977.66	12.63	.2111	6,025,563
2006	21,908,843.45	15.09	6.63	1,670,439.77	12.67	.1604	4,041,305
2007	2,492,079.67	14.16	7.06	202,331.95	12.70	.1031	295,473
2008	749,459.49	13.23	7.56	65,158.01	12.74	.0370	31,890
	415,492,860.03			22,255,706.89			201,106,640

SIOUX

INTERIM SURVIVOR CURVE.. IOWA 60-L0.5

PROBABLE RETIREMENT YEAR.. 9-2033

NET SALVAGE PERCENT.. -15

1967	21,204,461.79	48.50	2.06	502,333.70	19.65	.5948	14,504,276
1968	18,301,029.01	48.10	2.08	437,760.61	19.71	.5902	12,421,457
1969	677,725.00	47.70	2.10	16,367.06	19.77	.5855	456,329
1970	476,800.36	47.28	2.12	11,624.39	19.83	.5806	318,355
1971	158,333.22	46.86	2.13	3,878.37	19.89	.5755	104,789
1972	31,434.00	46.42	2.15	777.21	19.95	.5702	20,612
1973	11,084,698.23	45.98	2.17	276,618.64	20.01	.5648	7,199,733

AmerenUE - ELECTRIC

ACCOUNT 312 BOILER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
SIOUX							
INTERIM SURVIVOR CURVE.. IOWA 60-L0.5							
PROBABLE RETIREMENT YEAR.. 9-2033							
NET SALVAGE PERCENT.. -15							
1974	57,519.00	45.52	2.20	1,455.23	20.07	.5591	36,983
1975	87,927.00	45.06	2.22	2,244.78	20.13	.5533	55,948
1976	18,532.00	44.58	2.24	477.38	20.19	.5471	11,660
1977	695,261.60	44.10	2.27	18,149.80	20.25	.5408	432,397
1978	421,049.50	43.60	2.29	11,088.34	20.32	.5339	258,518
1979	5,053.00	43.09	2.32	134.81	20.38	.5270	3,062
1980	416,528.00	42.58	2.35	11,256.67	20.45	.5197	248,940
1981	662,112.05	42.05	2.38	18,122.01	20.51	.5122	390,004
1982	14,510,927.47	41.51	2.41	402,170.35	20.58	.5042	8,413,871
1983	481,870.72	40.96	2.44	13,521.29	20.66	.4956	274,637
1984	1,362,023.32	40.40	2.48	38,844.91	20.73	.4869	762,645
1985	330,591.88	39.83	2.51	9,542.53	20.81	.4775	181,536
1986	13,767,797.50	39.25	2.55	403,740.66	20.89	.4678	7,406,662
1987	854,240.46	38.65	2.59	25,443.55	20.97	.4574	449,339
1988	382,658.87	38.05	2.63	11,573.52	21.06	.4465	196,486
1989	1,527,547.41	37.43	2.67	46,903.34	21.15	.4349	763,980
1990	2,682,861.25	36.80	2.72	83,919.90	21.24	.4228	1,304,461
1991	831,272.58	36.17	2.76	26,384.59	21.33	.4103	392,232
1992	1,364,675.01	35.52	2.82	44,256.41	21.42	.3970	623,042
1993	1,487,190.41	34.86	2.87	49,084.72	21.52	.3827	654,520
1994	18,177,098.55	34.18	2.93	612,477.34	21.62	.3675	7,682,096
1995	26,035,321.40	33.50	2.99	895,224.53	21.72	.3516	10,527,122
1996	49,600,551.38	32.81	3.05	1,739,739.34	21.82	.3350	19,108,612
1997	29,301,468.76	32.10	3.12	1,051,336.70	21.92	.3171	10,685,220
1998	2,804,473.25	31.38	3.19	102,882.10	22.02	.2983	962,061
1999	17,503,041.02	30.65	3.26	656,189.01	22.13	.2780	5,595,722
2000	3,261,988.82	29.91	3.34	125,292.99	22.23	.2568	963,331
2001	16,100,543.40	29.16	3.43	635,085.93	22.34	.2339	4,330,805
2002	30,973,447.75	28.40	3.52	1,253,805.16	22.44	.2099	7,476,526
2003	8,184,264.27	27.63	3.62	340,710.92	22.55	.1839	1,730,849
2004	26,191,373.24	26.84	3.73	1,123,478.96	22.66	.1557	4,689,696
2005	1,931,580.36	26.04	3.84	85,298.59	22.77	.1256	278,997
2006	16,301,967.73	25.24	3.96	742,391.61	22.88	.0935	1,752,869
2007	37,553,777.95	24.42	4.10	1,770,660.63	22.99	.0586	2,530,749
2008	14,247,497.01	23.59	4.24	694,707.95	23.11	.0203	332,608
392,050,515.53				14,296,956.53			136,533,737

AmerenUE - ELECTRIC

ACCOUNT 312 BOILER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
LABADIE							
INTERIM SURVIVOR CURVE.. IOWA 60-L0.5							
PROBABLE RETIREMENT YEAR.. 9-2042							
NET SALVAGE PERCENT.. -15							
1961	112,459.70	53.35	1.87	2,418.45	23.86	.5528	71,493
1970	49,311,655.49	50.68	1.97	1,117,155.56	24.78	.5110	28,977,994
1971	44,162,123.03	50.34	1.99	1,010,650.19	24.88	.5058	25,687,782
1972	60,835,352.48	49.99	2.00	1,399,213.11	24.98	.5003	35,001,316
1973	50,191,025.35	49.63	2.01	1,160,165.55	25.08	.4947	28,553,925
1974	371,567.72	49.26	2.03	8,674.25	25.18	.4888	208,866
1975	526,860.00	48.88	2.05	12,420.72	25.28	.4828	292,523
1976	209,172.00	48.50	2.06	4,955.28	25.38	.4767	114,669
1977	2,123,521.35	48.10	2.08	50,794.63	25.49	.4701	1,148,007
1978	182,221.42	47.70	2.10	4,400.65	25.59	.4635	97,129
1979	1,265,041.11	47.28	2.12	30,841.70	25.70	.4564	663,969
1980	3,698,087.00	46.86	2.13	90,584.64	25.81	.4492	1,910,358
1981	474,088.84	46.42	2.15	11,721.85	25.92	.4416	240,761
1982	3,769,207.10	45.98	2.17	94,060.56	26.03	.4339	1,880,778
1983	55,732,971.31	45.52	2.20	1,410,044.17	26.15	.4255	27,271,536
1984	611,116.15	45.06	2.22	15,601.80	26.27	.4170	293,061
1985	892,640.64	44.58	2.24	22,994.42	26.40	.4078	418,622
1986	661,951.40	44.10	2.27	17,280.24	26.53	.3984	303,280
1987	1,009,368.87	43.60	2.29	26,581.73	26.66	.3885	450,961
1988	350,903.46	43.09	2.32	9,362.10	26.79	.3783	152,659
1989	1,256,866.23	42.58	2.35	33,966.81	26.93	.3675	531,183
1990	11,386,628.48	42.05	2.38	311,652.02	27.08	.3560	4,661,686
1991	2,114,126.14	41.51	2.41	58,593.01	27.22	.3443	837,078
1992	26,226,205.94	40.96	2.44	735,907.34	27.38	.3315	9,998,085
1993	43,514,292.65	40.40	2.48	1,241,027.63	27.53	.3186	15,943,202
1994	25,063,646.06	39.83	2.51	723,462.14	27.69	.3048	8,785,309
1995	12,091,932.10	39.25	2.55	354,595.91	27.85	.2904	4,038,222
1996	15,140,741.14	38.65	2.59	450,966.97	28.01	.2753	4,793,483
1997	4,594,730.47	38.05	2.63	138,967.62	28.18	.2594	1,370,654
1998	1,329,626.21	37.43	2.67	40,826.17	28.34	.2429	371,411
1999	15,525,146.48	36.80	2.72	485,626.58	28.51	.2253	4,022,488
2000	16,321,396.11	36.17	2.76	518,041.11	28.69	.2068	3,881,554
2001	16,763,524.32	35.52	2.82	543,641.09	28.86	.1875	3,614,635
2002	38,860,849.95	34.86	2.87	1,282,602.35	29.04	.1670	7,463,226
2003	24,204,701.73	34.18	2.93	815,577.42	29.22	.1451	4,038,918

AmerenUE - ELECTRIC

ACCOUNT 312 BOILER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

LABADIE

INTERIM SURVIVOR CURVE.. IOWA 60-L0.5
PROBABLE RETIREMENT YEAR.. 9-2042
NET SALVAGE PERCENT.. -15

2004	6,053,360.66	33.50	2.99	208,144.81	29.40	.1224	852,071
2005	10,408,472.41	32.81	3.05	365,077.17	29.59	.0981	1,174,232
2006	11,275,382.61	32.10	3.12	404,560.73	29.78	.0723	937,492
2007	7,961,330.35	31.38	3.19	292,061.40	29.97	.0449	411,083
2008	28,169,450.93	30.65	3.26	1,056,072.72	30.18	.0153	495,641
	594,753,745.39			16,561,292.60			231,961,342

COMMON

INTERIM SURVIVOR CURVE.. IOWA 60-L0.5
PROBABLE RETIREMENT YEAR.. 9-2042
NET SALVAGE PERCENT.. -15

1961	61,412.07	53.35	1.87	1,320.67	23.86	.5528	39,041
1971	55,361.78	50.34	1.99	1,266.95	24.88	.5058	32,202
2001	33,860,254.06	35.52	2.82	1,098,088.04	28.86	.1875	7,301,117
2002	1,249,919.16	34.86	2.87	41,253.58	29.04	.1670	240,047
2003	1,756,471.03	34.18	2.93	59,184.29	29.22	.1451	293,094
	36,983,418.10			1,201,113.53			7,905,501

RUSH ISLAND

INTERIM SURVIVOR CURVE.. IOWA 60-L0.5
PROBABLE RETIREMENT YEAR.. 9-2046
NET SALVAGE PERCENT.. -15

1976	102,718,160.93	49.99	2.00	2,362,517.70	27.36	.4527	53,475,588
1977	81,856,559.43	49.63	2.01	1,892,114.37	27.48	.4463	42,012,470
1978	220,491.27	49.26	2.03	5,147.37	27.60	.4397	111,493
1979	218,727.66	48.88	2.05	5,156.50	27.73	.4327	108,840
1980	730,337.09	48.50	2.06	17,301.69	27.86	.4256	357,456
1981	35,688.06	48.10	2.08	853.66	27.99	.4181	17,159
1982	268,393.96	47.70	2.10	6,481.71	28.13	.4103	126,640
1983	553,036.17	47.28	2.12	13,483.02	28.27	.4021	255,732
1984	193,965.13	46.86	2.13	4,751.18	28.41	.3937	87,819

AmerenUE - ELECTRIC

ACCOUNT 312 BOILER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
RUSH ISLAND							
INTERIM SURVIVOR CURVE.. IOWA 60-LO.5							
PROBABLE RETIREMENT YEAR.. 9-2046							
NET SALVAGE PERCENT.. -15							
1985	798,858.87	46.42	2.15	19,751.79	28.56	.3847	353,419
1986	388,706.09	45.98	2.17	9,700.16	28.71	.3756	167,898
1987	47,175.78	45.52	2.20	1,193.55	28.87	.3658	19,845
1988	57,644.00	45.06	2.22	1,471.65	29.03	.3557	23,580
1989	67,505.28	44.58	2.24	1,738.94	29.19	.3452	26,798
1990	423,446.00	44.10	2.27	11,054.06	29.36	.3342	162,743
1991	554,516.82	43.60	2.29	14,603.20	29.53	.3227	205,784
1992	7,566,959.60	43.09	2.32	201,886.48	29.71	.3105	2,701,972
1993	3,709,412.36	42.58	2.35	100,246.87	29.89	.2980	1,271,216
1994	3,234,178.45	42.05	2.38	88,519.46	30.07	.2849	1,059,630
1995	13,213,665.34	41.51	2.41	366,216.73	30.26	.2710	4,118,039
1996	22,393,618.81	40.96	2.44	628,364.94	30.46	.2563	6,600,407
1997	1,672,331.94	40.40	2.48	47,694.91	30.65	.2413	464,064
1998	1,062,159.65	39.83	2.51	30,659.24	30.85	.2255	275,445
1999	1,600,896.20	39.25	2.55	46,946.28	31.05	.2089	384,591
2000	1,362,776.52	38.65	2.59	40,590.30	31.25	.1915	300,117
2001	21,066,708.51	38.05	2.63	637,162.60	31.46	.1732	4,196,067
2002	28,919,682.39	37.43	2.67	887,978.85	31.67	.1539	5,118,350
2003	3,249,761.54	36.80	2.72	101,652.54	31.89	.1334	498,546
2004	28,447,069.82	36.17	2.76	902,910.00	32.10	.1125	3,680,340
2005	8,341,237.25	35.52	2.82	270,506.32	32.32	.0901	864,277
2006	9,392,212.77	34.86	2.87	309,989.98	32.55	.0663	716,109
2007	39,131,322.72	34.18	2.93	1,318,529.92	32.78	.0410	1,845,042
2008	2,446,324.56	33.50	2.99	84,116.87	33.03	.0140	39,386
385,943,530.97			10,431,292.84		131,646,862		
TOTAL 1,825,224,070.02			64,746,362.39		709,154,082		

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 3.55

AmerenUE - ELECTRIC

ACCOUNT 312 BOILER PLANT EQUIPMENT - ALUMINUM COAL CARS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 26-R2.5							
NET SALVAGE PERCENT.. +30							
1991	22,403,738.25	26.00	3.85	603,780.75	11.22	.5685	8,915,568
1992	6,115,232.99	26.00	3.85	164,805.53	11.93	.5412	2,316,695
1993	6,507,123.57	26.00	3.85	175,366.98	12.66	.5131	2,337,164
1994	16,457,832.86	26.00	3.85	443,538.60	13.41	.4842	5,578,218
1995	12,612,752.09	26.00	3.85	339,913.67	14.18	.4546	4,013,630
1996	7,220,843.85	26.00	3.85	194,601.74	14.97	.4242	2,144,157
1997	14,860,561.79	26.00	3.85	400,492.14	15.78	.3931	4,089,181
1999	838,656.93	26.00	3.85	22,601.80	17.43	.3296	193,495
2000	29,254,657.45	26.00	3.85	788,413.02	18.29	.2965	6,071,804
	116,271,399.78			3,133,514.23			35,659,912

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.69

AmerenUE - ELECTRIC

ACCOUNT 314 TURBOGENERATOR UNITS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
MERAMEC							
INTERIM SURVIVOR CURVE.. IOWA 70-L0.5							
PROBABLE RETIREMENT YEAR.. 1-2022							
NET SALVAGE PERCENT.. -5							
1953	6,798,341.74	52.86	1.89	134,913.09	11.72	.7783	5,555,707
1954	4,353,958.01	52.39	1.91	87,318.63	11.74	.7759	3,547,148
1955	31,884.00	51.91	1.93	646.13	11.75	.7736	25,899
1959	606,078.00	49.91	2.00	12,727.64	11.81	.7634	485,814
1960	9,309,908.95	49.39	2.02	197,463.17	11.83	.7605	7,434,195
1961	11,999,875.62	48.85	2.05	258,297.32	11.84	.7576	9,545,661
1962	1,147.00	48.31	2.07	24.93	11.86	.7545	909
1963	1,540.00	47.76	2.09	33.80	11.87	.7515	1,215
1965	16,058.00	46.63	2.14	360.82	11.90	.7448	12,558
1966	47,000.63	46.05	2.17	1,070.91	11.91	.7414	36,589
1967	13,411.00	45.46	2.20	309.79	11.93	.7376	10,387
1968	44,535.00	44.87	2.23	1,042.79	11.94	.7339	34,318
1969	13,658.00	44.26	2.26	324.10	11.95	.7300	10,469
1970	13,492.00	43.64	2.29	324.42	11.97	.7257	10,281
1975	3,356.00	40.41	2.47	87.04	12.05	.7018	2,473
1976	2,466.54	39.74	2.52	65.26	12.06	.6965	1,804
1977	0.07	39.05	2.56		12.08	.6907	
1980	79,906.00	36.94	2.71	2,273.73	12.14	.6714	56,331
1982	48,906.53	35.48	2.82	1,448.12	12.18	.6567	33,723
1983	41,659.57	34.74	2.88	1,259.79	12.21	.6485	28,367
1984	39,927.00	33.99	2.94	1,232.55	12.23	.6402	26,839
1985	49,964.00	33.23	3.01	1,579.11	12.25	.6314	33,125
1986	48,293.79	32.45	3.08	1,561.82	12.28	.6216	31,520
1987	64,412.84	31.67	3.16	2,137.22	12.30	.6116	41,365
1988	59,226.24	30.88	3.24	2,014.88	12.32	.6010	37,375
1989	45,968.00	30.08	3.32	1,602.44	12.35	.5894	28,448
1990	1,092,590.00	29.27	3.42	39,234.91	12.37	.5774	662,405
1991	2,341,378.30	28.45	3.51	86,291.50	12.39	.5645	1,387,793
1992	281,527.00	27.63	3.62	10,700.84	12.42	.5505	162,730
1993	23,181.02	26.79	3.73	907.88	12.44	.5356	13,037
1994	5,685,520.09	25.94	3.86	230,434.13	12.47	.5193	3,100,115
1995	439,693.51	25.09	3.99	18,420.96	12.49	.5022	231,855
1996	240,732.07	24.23	4.13	10,439.35	12.51	.4837	122,264
1997	3,695,044.33	23.36	4.28	166,055.29	12.54	.4632	1,797,122
1998	1,715,808.40	22.48	4.45	80,171.15	12.56	.4413	795,046

AmerenUE - ELECTRIC

ACCOUNT 314 TURBOGENERATOR UNITS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	----------------------	----------------------------	-------------	------------------------------------	---------------

MERAMEC

INTERIM SURVIVOR CURVE.. IOWA 70-L0.5

PROBABLE RETIREMENT YEAR.. 1-2022

NET SALVAGE PERCENT.. -5

1999	344,870.30	21.59	4.63	16,765.87	12.59	.4169	150,965
2000	925,476.73	20.70	4.83	46,935.55	12.61	.3908	379,760
2001	2,793,590.70	19.80	5.05	148,130.15	12.63	.3621	1,062,137
2002	7,157,261.32	18.89	5.29	397,550.08	12.66	.3298	2,478,488
2003	113,435.40	17.97	5.56	6,622.36	12.68	.2944	35,065
2004	1,198,506.33	17.05	5.87	73,869.94	12.70	.2551	321,026
2005	20,091,762.61	16.12	6.20	1,307,973.75	12.73	.2103	4,436,563
2006	971,652.44	15.19	6.58	67,131.47	12.75	.1606	163,850
2007	76,055.01	14.25	7.02	5,606.01	12.78	.1032	8,241
2008	504,372.12	13.30	7.52	39,825.22	12.81	.0368	19,489

83,427,432.21

3,463,185.91

44,360,471

SIoux

INTERIM SURVIVOR CURVE.. IOWA 70-L0.5

PROBABLE RETIREMENT YEAR.. 9-2033

NET SALVAGE PERCENT.. -5

1967	9,294,995.67	51.75	1.93	188,363.09	20.67	.6006	5,861,703
1968	10,628,646.47	51.26	1.95	217,621.54	20.71	.5960	6,651,407
1969	28,291.76	50.76	1.97	585.22	20.76	.5910	17,556
1980	423,823.98	44.67	2.24	9,968.34	21.32	.5227	232,609
1981	11,490.03	44.06	2.27	273.86	21.38	.5148	6,211
1982	17,075.21	43.44	2.30	412.37	21.44	.5064	9,079
1983	7,493.51	42.81	2.34	184.12	21.51	.4975	3,914
1985	30,970.10	41.52	2.41	783.70	21.64	.4788	15,570
1987	368,622.66	40.19	2.49	9,637.64	21.78	.4581	177,309
1988	8,712.13	39.51	2.53	231.44	21.85	.4470	4,089
1989	221,783.28	38.83	2.58	6,008.11	21.93	.4352	101,346
1990	336,953.19	38.13	2.62	9,269.58	22.00	.4230	149,658
1991	74,537.53	37.42	2.67	2,089.66	22.08	.4099	32,081
1992	6,254.98	36.70	2.72	178.64	22.16	.3962	2,602
1993	39,423.27	35.98	2.78	1,150.77	22.23	.3822	15,821
1994	1,653,266.84	35.24	2.84	49,300.42	22.31	.3669	636,913
1995	4,756,998.60	34.49	2.90	144,850.61	22.39	.3508	1,752,193

AmerenUE - ELECTRIC

ACCOUNT 314 TURBOGENERATOR UNITS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	-----------------------------------	---------------	-------------	------------------------------------	---------------

SIOUX

INTERIM SURVIVOR CURVE.. IOWA 70-L0.5
PROBABLE RETIREMENT YEAR.. 9-2033
NET SALVAGE PERCENT.. -5

1996	501,290.13	33.74	2.96	15,580.10	22.47	.3340	175,802
1997	228,219.97	32.97	3.03	7,260.82	22.55	.3160	75,723
1998	15,182.29	32.20	3.11	495.78	22.63	.2972	4,738
1999	27,149,332.32	31.41	3.18	906,516.21	22.71	.2770	7,896,383
2000	850,010.78	30.62	3.27	29,185.12	22.79	.2557	228,215
2001	3,486,494.17	29.82	3.35	122,637.43	22.87	.2331	853,337
2002	2,734,276.75	29.00	3.45	99,049.18	22.95	.2086	598,889
2003	446,871.02	28.18	3.55	16,657.12	23.03	.1828	85,772
2004	12,499,097.51	27.35	3.66	480,340.32	23.11	.1550	2,034,228
2005	13,525,280.59	26.51	3.77	535,398.23	23.19	.1252	1,778,033
2006	1,615,946.61	25.66	3.90	66,173.01	23.28	.0928	157,458
2008	8,378,318.83	23.94	4.18	367,724.41	23.46	.0201	176,824
	99,339,660.18			3,287,926.84			29,735,463

LABADIE

INTERIM SURVIVOR CURVE.. IOWA 70-L0.5
PROBABLE RETIREMENT YEAR.. 9-2042
NET SALVAGE PERCENT.. -5

1970	16,117,446.95	54.50	1.83	309,696.74	26.48	.5141	8,700,278
1971	12,954,114.73	54.07	1.85	251,633.68	26.56	.5088	6,920,606
1972	18,376,654.77	53.62	1.86	358,896.07	26.64	.5032	9,709,489
1973	14,108,819.46	53.17	1.88	278,508.10	26.72	.4975	7,370,095
1977	49,227.00	51.26	1.95	1,007.92	27.06	.4721	24,402
1979	2,377,992.36	50.25	1.99	49,688.15	27.25	.4577	1,142,827
1981	1,113.08	49.21	2.03	23.73	27.44	.4424	517
1982	197,826.49	48.68	2.05	4,258.22	27.55	.4341	90,170
1983	26,816.88	48.13	2.08	585.68	27.65	.4255	11,981
1984	10,034,757.11	47.58	2.10	221,266.39	27.76	.4166	4,389,504
1985	102,167.00	47.01	2.13	2,284.96	27.87	.4071	43,672
1986	89,515.00	46.44	2.15	2,020.80	27.98	.3975	37,361
1987	158,714.00	45.86	2.18	3,632.96	28.09	.3875	64,577
1988	26,565.00	45.27	2.21	616.44	28.21	.3769	10,513
1989	92,635.00	44.67	2.24	2,178.78	28.33	.3658	35,580

AmerenUE - ELECTRIC

ACCOUNT 314 TURBOGENERATOR UNITS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

LABADIE

INTERIM SURVIVOR CURVE.. IOWA 70-L0.5

PROBABLE RETIREMENT YEAR.. 9-2042

NET SALVAGE PERCENT.. -5

1990	793,836.07	44.06	2.27	18,921.08	28.45	.3543	295,319
1991	109,849.00	43.44	2.30	2,652.85	28.58	.3421	39,458
1992	625,592.00	42.81	2.34	15,370.80	28.70	.3296	216,505
1993	477,832.69	42.17	2.37	11,890.87	28.83	.3163	158,695
1994	493,659.74	41.52	2.41	12,492.06	28.96	.3025	156,799
1995	1,164,764.19	40.86	2.45	29,963.56	29.09	.2881	352,347
1996	295,270.11	40.19	2.49	7,719.84	29.22	.2730	84,639
1997	32,723.66	39.51	2.53	869.30	29.36	.2569	8,827
1998	134,285.00	38.83	2.58	3,637.78	29.49	.2405	33,910
1999	3,031,705.38	38.13	2.62	83,402.22	29.63	.2229	709,555
2000	8,722,292.56	37.42	2.67	244,529.47	29.77	.2044	1,871,978
2001	12,271,546.01	36.70	2.72	350,475.35	29.91	.1850	2,383,748
2002	18,571,207.57	35.98	2.78	542,093.55	30.05	.1648	3,213,562
2003	45,787,153.11	35.24	2.84	1,365,372.91	30.19	.1433	6,889,364
2004	3,414,165.91	34.49	2.90	103,961.35	30.33	.1206	432,336
2005	6,668,636.32	33.74	2.96	207,261.22	30.47	.0969	678,500
2006	3,692,823.49	32.97	3.03	117,487.18	30.62	.0713	276,463
2007	1,134,478.09	32.20	3.11	37,046.38	30.77	.0444	52,889
2008	26,240,491.57	31.41	3.18	876,170.01	30.93	.0153	421,553

208,376,677.30

5,517,616.40

56,828,019

RUSH ISLAND

INTERIM SURVIVOR CURVE.. IOWA 70-L0.5

PROBABLE RETIREMENT YEAR.. 9-2046

NET SALVAGE PERCENT.. -5

1976	38,293,170.51	53.62	1.86	747,865.62	29.30	.4536	18,238,271
1977	21,226,272.43	53.17	1.88	419,006.62	29.40	.4471	9,964,780
1978	39,759.00	52.70	1.90	793.19	29.51	.4400	18,369
1980	9,381,009.43	51.75	1.93	190,106.16	29.74	.4253	4,189,230
1981	413,816.00	51.26	1.95	8,472.88	29.85	.4177	181,493
1982	56,617.00	50.76	1.97	1,171.12	29.98	.4094	24,338
1983	3,162.27	50.25	1.99	66.08	30.10	.4010	1,331
1984	5,476.00	49.74	2.01	115.57	30.23	.3922	2,255

AmerenUE - ELECTRIC

ACCOUNT 314 TURBOGENERATOR UNITS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCRUAL-- AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
RUSH ISLAND							
INTERIM SURVIVOR CURVE.. IOWA 70-L0.5							
PROBABLE RETIREMENT YEAR.. 9-2046							
NET SALVAGE PERCENT.. -5							
1985	53,241.99	49.21	2.03	1,134.85	30.36	.3831	21,417
1987	24,467.00	48.13	2.08	534.36	30.62	.3638	9,346
1988	387,368.32	47.58	2.10	8,541.47	30.76	.3535	143,781
1991	60,142.00	45.86	2.18	1,376.65	31.19	.3199	20,201
1993	56,415.70	44.67	2.24	1,326.90	31.49	.2951	17,481
1994	45,429.00	44.06	2.27	1,082.80	31.65	.2817	13,437
1995	111,149.17	43.44	2.30	2,684.25	31.80	.2680	31,277
1996	712,768.61	42.81	2.34	17,512.72	31.96	.2534	189,646
1997	523,213.59	42.17	2.37	13,020.17	32.12	.2383	130,916
1999	47,621.92	40.86	2.45	1,225.07	32.44	.2061	10,306
2000	671,066.39	40.19	2.49	17,545.03	32.61	.1886	132,891
2001	10,571,486.30	39.51	2.53	280,831.53	32.78	.1703	1,890,340
2002	14,739,857.99	38.83	2.58	399,302.75	32.94	.1517	2,347,838
2003	2,987,611.41	38.13	2.62	82,189.19	33.11	.1317	413,142
2004	19,970,921.02	37.42	2.67	559,884.77	33.29	.1104	2,315,029
2005	11,016,590.37	36.70	2.72	314,633.82	33.46	.0883	1,021,403
2006	26,889.14	35.98	2.78	784.89	33.64	.0650	1,835
2007	5,262,838.80	35.24	2.84	156,937.85	33.82	.0403	222,697
2008	303,840.75	34.49	2.90	9,251.95	34.02	.0136	4,339
	136,992,202.11			3,237,398.26			41,557,389
TOTAL	528,135,971.80			15,506,127.41			172,481,342

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.94

AmerenUE - ELECTRIC

ACCOUNT 315 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
MERAMEC							
INTERIM SURVIVOR CURVE.. IOWA 80-S0							
PROBABLE RETIREMENT YEAR.. 1-2022							
NET SALVAGE PERCENT.. -3							
1952	3,103.28	58.42	1.71	54.66	12.06	.7936	2,537
1953	3,310,939.41	57.82	1.73	58,997.63	12.08	.7911	2,697,863
1954	1,897,490.39	57.22	1.75	34,202.26	12.10	.7885	1,541,056
1955	33,320.00	56.61	1.77	607.46	12.11	.7861	26,979
1956	11,295.13	55.99	1.79	208.25	12.13	.7834	9,114
1957	5,567.93	55.36	1.81	103.80	12.15	.7805	4,476
1958	2,051.05	54.72	1.83	38.66	12.16	.7778	1,643
1959	2,492,680.24	54.08	1.85	47,498.02	12.18	.7748	1,989,269
1960	7,614.00	53.42	1.87	146.65	12.19	.7718	6,053
1961	4,373,440.63	52.76	1.90	85,588.23	12.21	.7686	3,462,269
1962	46,126.00	52.09	1.92	912.19	12.22	.7654	36,364
1963	8,134.00	51.41	1.95	163.37	12.24	.7619	6,383
1964	2,583.00	50.72	1.97	52.41	12.25	.7585	2,018
1965	7,118.00	50.03	2.00	146.63	12.27	.7547	5,533
1966	435.00	49.33	2.03	9.10	12.28	.7511	337
1967	6,735.00	48.61	2.06	142.90	12.30	.7470	5,182
1968	103,660.00	47.90	2.09	2,231.49	12.31	.7430	79,330
1970	1,138.00	46.43	2.15	25.20	12.34	.7342	861
1972	743.00	44.94	2.23	17.07	12.37	.7247	555
1973	3,247.00	44.18	2.26	75.58	12.38	.7198	2,407
1974	4,124.00	43.41	2.30	97.70	12.40	.7144	3,035
1975	126,417.00	42.64	2.35	3,059.92	12.41	.7090	92,319
1981	939,938.02	37.84	2.64	25,558.79	12.49	.6699	648,554
1984	10,297.18	35.35	2.83	300.15	12.54	.6453	6,844
1985	23,578.00	34.50	2.90	704.27	12.55	.6362	15,450
1986	37,465.37	33.65	2.97	1,146.10	12.57	.6264	24,172
1987	644.40	32.79	3.05	20.24	12.58	.6163	409
1988	80,456.75	31.92	3.13	2,593.85	12.59	.6056	50,186
1989	3,002.00	31.05	3.22	99.56	12.61	.5939	1,836
1990	854,406.00	30.17	3.31	29,129.26	12.62	.5817	511,918
1991	135,852.00	29.29	3.41	4,771.53	12.64	.5685	79,549
1992	127,200.00	28.40	3.52	4,611.76	12.65	.5546	72,661
1993	872,118.52	27.50	3.64	32,697.47	12.67	.5393	484,444
1994	430,112.47	26.60	3.76	16,657.40	12.68	.5233	231,830
1995	1,437,036.88	25.69	3.89	57,577.76	12.70	.5056	748,363

AmerenUE - ELECTRIC

ACCOUNT 315 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	-----------------------------------	---------------	-------------	------------------------------------	---------------

MERAMEC

INTERIM SURVIVOR CURVE.. IOWA 80-S0
PROBABLE RETIREMENT YEAR.. 1-2022
NET SALVAGE PERCENT.. -3

1996	1,322,185.83	24.78	4.04	55,018.80	12.71	.4871	663,358
1997	810,393.83	23.86	4.19	34,974.17	12.73	.4665	389,390
1998	42,246.74	22.94	4.36	1,897.22	12.75	.4442	19,329
1999	1,678,402.08	22.01	4.54	78,485.44	12.76	.4203	726,595
2000	48,393.54	21.07	4.75	2,367.65	12.78	.3935	19,614
2001	3,747,563.45	20.14	4.97	191,841.52	12.80	.3644	1,406,580
2002	4,586,395.39	19.19	5.21	246,119.74	12.81	.3325	1,570,726
2003	2,856,137.70	18.24	5.48	161,211.84	12.83	.2966	872,544
2004	2,394,853.19	17.29	5.78	142,575.19	12.85	.2568	633,448
2005	1,129,295.81	16.33	6.12	71,186.29	12.87	.2119	246,477
2006	6,999,422.05	15.37	6.51	469,332.25	12.89	.1614	1,163,598
2007	61,094.94	14.41	6.94	4,367.19	12.91	.1041	6,551
2008	69,744.68	13.44	7.44	5,344.67	12.94	.0372	2,672
43,146,198.88				1,874,969.29			20,572,681

SIOUX

INTERIM SURVIVOR CURVE.. IOWA 80-S0
PROBABLE RETIREMENT YEAR.. 9-2033
NET SALVAGE PERCENT.. -3

1967	4,117,482.97	56.40	1.77	75,065.83	21.85	.6126	2,598,041
1968	4,140,120.42	55.78	1.79	76,331.40	21.90	.6074	2,590,150
1969	82,531.94	55.15	1.81	1,538.64	21.95	.6020	51,175
1970	66,977.73	54.51	1.83	1,262.46	22.00	.5964	41,144
1971	15,756.00	53.86	1.86	301.85	22.05	.5906	9,585
1972	1,435.00	53.20	1.88	27.79	22.10	.5846	864
1973	40,942.00	52.54	1.90	801.23	22.15	.5784	24,391
1974	25,391.48	51.87	1.93	504.76	22.20	.5720	14,960
1975	11,696.00	51.19	1.95	234.91	22.24	.5655	6,813
1976	4,232.00	50.50	1.98	86.31	22.29	.5586	2,435
1977	1,720.00	49.80	2.01	35.61	22.34	.5514	977
1978	1,485.74	49.09	2.04	31.22	22.39	.5439	832
1980	56,219.00	47.66	2.10	1,216.02	22.48	.5283	30,592
1982	78,822.00	46.19	2.16	1,753.63	22.58	.5111	41,495

AmerenUE - ELECTRIC

ACCOUNT 315 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	-----------------------------------	---------------	-------------	------------------------------------	---------------

SIQX

INTERIM SURVIVOR CURVE.. IOWA 80-S0

PROBABLE RETIREMENT YEAR.. 9-2033

NET SALVAGE PERCENT.. -3

1983	31,251.00	45.44	2.20	708.15	22.62	.5022	16,165
1984	27,893.00	44.69	2.24	643.55	22.67	.4927	14,155
1985	109,589.00	43.93	2.28	2,573.59	22.72	.4828	54,497
1986	58,694.00	43.16	2.32	1,402.55	22.77	.4724	28,559
1987	157,501.95	42.38	2.36	3,828.56	22.82	.4615	74,868
1988	16,705.00	41.60	2.40	412.95	22.87	.4502	7,746
1989	17,532.00	40.81	2.45	442.42	22.91	.4386	7,920
1991	22,106.00	39.20	2.55	580.61	23.01	.4130	9,404
1992	169,969.58	38.39	2.60	4,551.79	23.06	.3993	69,905
1993	156,940.35	37.57	2.66	4,299.85	23.11	.3849	62,219
1994	81,749.15	36.74	2.72	2,290.28	23.16	.3696	31,121
1995	459,400.35	35.91	2.78	13,154.47	23.21	.3537	167,365
1996	3,337,051.10	35.07	2.85	97,959.14	23.27	.3365	1,156,605
1997	2,963,354.74	34.22	2.92	89,125.86	23.32	.3185	972,143
1998	363,118.74	33.37	3.00	11,220.37	23.37	.2997	112,091
1999	435,405.90	32.51	3.08	13,812.82	23.43	.2793	125,257
2000	38,419.84	31.64	3.16	1,250.49	23.48	.2579	10,206
2001	187,142.77	30.76	3.25	6,264.60	23.54	.2347	45,240
2002	3,566,707.44	29.88	3.35	123,069.24	23.60	.2102	772,214
2003	940,564.12	29.00	3.45	33,422.95	23.65	.1845	178,740
2004	4,808,726.31	28.11	3.56	176,326.38	23.72	.1562	773,657
2005	6,941,903.50	27.21	3.68	263,125.91	23.78	.1261	901,635
2006	619,271.53	26.30	3.80	24,238.29	23.84	.0935	59,639
2007	231,344.22	25.39	3.94	9,388.41	23.91	.0583	13,892
2008	149,438.45	24.48	4.08	6,280.00	23.98	.0204	3,140

34,536,592.32

1,049,564.89

11,081,837

LABADIE

INTERIM SURVIVOR CURVE.. IOWA 80-S0

PROBABLE RETIREMENT YEAR.. 9-2042

NET SALVAGE PERCENT.. -3

1970	9,962,927.87	59.96	1.67	171,372.32	28.52	.5243	5,380,270
1971	5,255,495.95	59.39	1.68	90,941.10	28.61	.5183	2,805,641

AmerenUE - ELECTRIC

ACCOUNT 315 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
LABADIE							
INTERIM SURVIVOR CURVE.. IOWA 80-S0							
PROBABLE RETIREMENT YEAR.. 9-2042							
NET SALVAGE PERCENT.. -3							
1972	9,425,256.72	58.81	1.70	165,036.25	28.70	.5120	4,970,503
1973	6,780,933.93	58.22	1.72	120,131.03	28.78	.5057	3,531,992
1974	81,883.64	57.62	1.74	1,467.52	28.87	.4990	42,086
1977	14,103.83	55.78	1.79	260.03	29.12	.4779	6,942
1979	175,810.00	54.51	1.83	3,313.84	29.29	.4627	83,788
1980	324,190.00	53.86	1.86	6,210.83	29.38	.4545	151,765
1981	56,423.00	53.20	1.88	1,092.57	29.46	.4462	25,931
1982	5,214.00	52.54	1.90	102.04	29.55	.4376	2,350
1983	2,913,975.62	51.87	1.93	57,926.92	29.63	.4288	1,286,998
1984	956,196.96	51.19	1.95	19,205.22	29.72	.4194	413,060
1985	233,684.08	50.50	1.98	4,765.75	29.80	.4099	98,661
1986	924,029.12	49.80	2.01	19,130.17	29.89	.3998	380,510
1987	6,311.00	49.09	2.04	132.61	29.97	.3895	2,532
1988	2,643,244.52	48.38	2.07	56,356.62	30.06	.3787	1,031,027
1989	3,064,053.38	47.66	2.10	66,275.47	30.15	.3674	1,159,505
1991	625,451.52	46.19	2.16	13,915.05	30.32	.3436	221,352
1992	210,106.32	45.44	2.20	4,761.01	30.41	.3308	71,588
1993	3,550,962.55	44.69	2.24	81,927.81	30.50	.3175	1,161,254
1994	3,316,973.85	43.93	2.28	77,895.81	30.59	.3037	1,037,586
1995	1,517,991.54	43.16	2.32	36,273.93	30.68	.2892	452,173
1996	2,234,054.25	42.38	2.36	54,305.39	30.77	.2739	630,265
1997	101,225.65	41.60	2.40	2,502.30	30.86	.2582	26,921
1998	391,286.27	40.81	2.45	9,874.11	30.96	.2414	97,290
1999	3,754,419.13	40.01	2.50	96,676.29	31.05	.2239	865,833
2000	2,223,502.27	39.20	2.55	58,400.29	31.15	.2054	470,409
2001	797,517.28	38.39	2.60	21,357.51	31.25	.1860	152,788
2002	2,108,614.16	37.57	2.66	57,771.81	31.35	.1656	359,662
2003	4,114,163.99	36.74	2.72	115,262.42	31.45	.1440	610,213
2004	2,283,608.62	35.91	2.78	65,388.85	31.55	.1214	285,547
2005	2,481,599.41	35.07	2.85	72,847.35	31.66	.0972	248,448
2006	340,366.28	34.22	2.92	10,236.86	31.77	.0716	25,101
2007	717,904.24	33.37	3.00	22,183.24	31.89	.0444	32,831
2008	7,463,650.30	32.51	3.08	236,776.84	32.01	.0154	118,388
81,057,131.25				1,822,077.16	28,241,210		

AmerenUE - ELECTRIC

ACCOUNT 315 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	-----------------------------------	---------------	-------------	------------------------------------	---------------

COMMON

INTERIM SURVIVOR CURVE.. IOWA 80-S0
PROBABLE RETIREMENT YEAR.. 9-2042
NET SALVAGE PERCENT.. -3

2001	3,104,233.98	38.39	2.60	83,131.39	31.25	.1860	594,709
2003	25,740.59	36.74	2.72	721.15	31.45	.1440	3,818
	3,129,974.57			83,852.54			598,527

RUSH ISLAND

INTERIM SURVIVOR CURVE.. IOWA 80-S0
PROBABLE RETIREMENT YEAR.. 9-2046
NET SALVAGE PERCENT.. -3

1976	12,066,951.50	58.81	1.70	211,292.32	31.79	.4594	5,709,864
1977	5,616,490.00	58.22	1.72	99,501.74	31.89	.4523	2,616,549
1979	14,870.22	57.02	1.75	268.04	32.10	.4370	6,693
1980	5,304.80	56.40	1.77	96.71	32.21	.4289	2,343
1981	80,169.00	55.78	1.79	1,478.08	32.31	.4208	34,747
1982	1,339.29	55.15	1.81	24.97	32.41	.4123	569
1984	61,645.51	53.86	1.86	1,181.00	32.62	.3944	25,042
1985	6,248.05	53.20	1.88	120.99	32.73	.3848	2,476
1987	10,741.00	51.87	1.93	213.52	32.93	.3651	4,039
1992	5,621.36	48.38	2.07	119.85	33.47	.3082	1,784
1993	97,677.23	47.66	2.10	2,112.76	33.58	.2954	29,719
1994	117,465.12	46.93	2.13	2,577.07	33.69	.2821	34,131
1995	1,120,400.88	46.19	2.16	24,926.68	33.80	.2682	309,506
1996	2,627,128.86	45.44	2.20	59,530.74	33.91	.2537	686,498
1997	154,361.96	44.69	2.24	3,561.44	34.02	.2388	37,967
1998	26,549.18	43.93	2.28	623.48	34.13	.2231	6,101
1999	169,650.50	43.16	2.32	4,053.97	34.25	.2064	36,066
2000	60,583.52	42.38	2.36	1,472.66	34.37	.1890	11,794
2001	1,850,789.38	41.60	2.40	45,751.51	34.49	.1709	325,789
2002	1,723,841.87	40.81	2.45	43,501.15	34.61	.1519	269,707
2003	86,331.44	40.01	2.50	2,223.03	34.73	.1320	11,738
2004	4,766,729.46	39.20	2.55	125,198.15	34.86	.1107	543,507
2005	905,791.53	38.39	2.60	24,257.10	34.99	.0886	82,661
2006	199,024.27	37.57	2.66	5,452.87	35.13	.0649	13,304
2007	5,964,892.44	36.74	2.72	167,112.43	35.27	.0400	245,754
2008	225,524.13	35.91	2.78	6,457.66	35.41	.0139	3,229
	37,966,122.50			833,109.92			11,051,577
TOTAL	199,836,019.52			5,663,573.80			71,545,832

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.83

AmerenUE - ELECTRIC

ACCOUNT 316 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL ACCRUAL--			-ACCRUED DEPREC.-	
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
MERAMEC							
INTERIM SURVIVOR CURVE.. IOWA 60-01							
PROBABLE RETIREMENT YEAR.. 1-2022							
NET SALVAGE PERCENT.. 0							
1943	7,383.88	52.85	1.89	139.56	11.51	.7822	5,776
1947	257.00	51.40	1.95	5.01	11.62	.7739	199
1948	1,543.00	51.02	1.96	30.24	11.64	.7719	1,191
1949	1,428.00	50.63	1.98	28.27	11.67	.7695	1,099
1950	468.00	50.23	1.99	9.31	11.69	.7673	359
1951	516.36	49.82	2.01	10.38	11.71	.7650	395
1952	116,647.47	49.41	2.02	2,356.28	11.73	.7626	88,955
1953	123,711.56	48.98	2.04	2,523.72	11.75	.7601	94,033
1954	38,023.48	48.55	2.06	783.28	11.77	.7576	28,807
1955	4,442.00	48.11	2.08	92.39	11.79	.7549	3,353
1956	12,056.00	47.66	2.10	253.18	11.81	.7522	9,069
1957	9,479.00	47.20	2.12	200.95	11.83	.7494	7,104
1958	14,014.00	46.74	2.14	299.90	11.85	.7465	10,461
1959	15,548.00	46.26	2.16	335.84	11.87	.7434	11,558
1960	94,798.30	45.78	2.18	2,066.60	11.88	.7405	70,198
1961	19,178.00	45.29	2.21	423.83	11.90	.7372	14,138
1962	101,478.00	44.79	2.23	2,262.96	11.92	.7339	74,475
1963	52,169.00	44.28	2.26	1,179.02	11.93	.7306	38,115
1964	33,522.00	43.77	2.28	764.30	11.95	.7270	24,370
1965	59,770.00	43.24	2.31	1,380.69	11.96	.7234	43,238
1966	35,477.00	42.71	2.34	830.16	11.98	.7195	25,526
1967	42,160.00	42.17	2.37	999.19	11.99	.7157	30,174
1968	29,394.11	41.62	2.40	705.46	12.00	.7117	20,920
1969	20,462.34	41.06	2.44	499.28	12.02	.7073	14,473
1970	22,715.00	40.49	2.47	561.06	12.03	.7029	15,966
1971	11,987.74	39.92	2.51	300.89	12.04	.6984	8,372
1972	15,067.00	39.34	2.54	382.70	12.06	.6934	10,447
1973	36,471.00	38.75	2.58	940.95	12.07	.6885	25,110
1974	57,250.00	38.15	2.62	1,499.95	12.08	.6834	39,125
1975	30,721.00	37.54	2.66	817.18	12.09	.6779	20,826
1976	43,638.85	36.92	2.71	1,182.61	12.10	.6723	29,338
1977	60,071.45	36.30	2.75	1,651.96	12.11	.6664	40,032
1978	73,227.00	35.67	2.80	2,050.36	12.12	.6602	48,344
1979	125,956.00	35.03	2.85	3,589.75	12.13	.6537	82,337
1980	78,479.89	34.38	2.91	2,283.76	12.15	.6466	50,745

AmerenUE - ELECTRIC

ACCOUNT 316 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
MERAMEC							
INTERIM SURVIVOR CURVE.. IOWA 60-01							
PROBABLE RETIREMENT YEAR.. 1-2022							
NET SALVAGE PERCENT.. 0							
1981	93,179.83	33.72	2.97	2,767.44	12.16	.6394	59,579
1982	261,297.36	33.05	3.03	7,917.31	12.17	.6318	165,088
1983	154,622.50	32.38	3.09	4,777.84	12.17	.6242	96,515
1984	192,210.59	31.70	3.15	6,054.63	12.18	.6158	118,363
1985	320,877.28	31.00	3.23	10,364.34	12.19	.6068	194,708
1986	113,571.09	30.31	3.30	3,747.85	12.20	.5975	67,859
1987	251,820.24	29.60	3.38	8,511.52	12.21	.5875	147,944
1988	140,957.46	28.88	3.46	4,877.13	12.22	.5769	81,318
1989	256,310.32	28.16	3.55	9,099.02	12.23	.5657	144,995
1990	268,796.24	27.42	3.65	9,811.06	12.24	.5536	148,806
1991	244,690.69	26.68	3.75	9,175.90	12.25	.5409	132,353
1992	395,669.35	25.93	3.86	15,272.84	12.25	.5276	208,755
1993	697,493.45	25.18	3.97	27,690.49	12.26	.5131	357,884
1994	837,770.94	24.41	4.10	34,348.61	12.27	.4973	416,623
1995	713,142.41	23.64	4.23	30,165.92	12.28	.4805	342,665
1996	768,730.94	22.85	4.38	33,670.42	12.28	.4626	355,615
1997	514,648.06	22.06	4.53	23,313.56	12.29	.4429	227,938
1998	408,943.63	21.26	4.70	19,220.35	12.30	.4214	172,329
1999	422,253.36	20.46	4.89	20,648.19	12.31	.3983	168,184
2000	1,069,034.31	19.64	5.09	54,413.85	12.31	.3732	398,964
2001	965,486.52	18.82	5.31	51,267.33	12.32	.3454	333,479
2002	882,167.02	17.98	5.56	49,048.49	12.33	.3142	277,177
2003	1,043,656.40	17.14	5.83	60,845.17	12.33	.2806	292,850
2004	472,482.27	16.29	6.14	29,010.41	12.34	.2425	114,577
2005	594,968.88	15.43	6.48	38,553.98	12.35	.1996	118,756
2006	253,232.14	14.57	6.86	17,371.72	12.35	.1524	38,593
2007	668,362.73	13.69	7.30	48,790.48	12.36	.0972	64,965
2008	4,757,382.66	12.81	7.81	371,551.59	12.36	.0351	166,984
	19,153,270.10			1,035,728.41			6,402,494

AmerenUE - ELECTRIC

ACCOUNT 316 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
SIOUX							
INTERIM SURVIVOR CURVE.. IOWA 60-01							
PROBABLE RETIREMENT YEAR.. 9-2033							
NET SALVAGE PERCENT.. 0							
1942	33.00	56.56	1.77	0.58	19.03	.6635	22
1958	103.00	51.66	1.94	2.00	20.34	.6063	62
1959	519.67	51.28	1.95	10.13	20.41	.6020	313
1961	132.00	50.50	1.98	2.61	20.53	.5935	78
1963	714.00	49.69	2.01	14.35	20.64	.5846	417
1964	484.00	49.27	2.03	9.83	20.69	.5801	281
1965	1,267.00	48.84	2.05	25.97	20.75	.5751	729
1966	1,789.32	48.41	2.07	37.04	20.80	.5703	1,020
1967	498,976.38	47.96	2.09	10,428.61	20.85	.5653	282,071
1968	126,933.08	47.51	2.10	2,665.59	20.90	.5601	71,095
1969	29,886.94	47.05	2.13	636.59	20.95	.5547	16,578
1970	27,045.00	46.58	2.15	581.47	20.99	.5494	14,859
1971	14,880.00	46.10	2.17	322.90	21.04	.5436	8,089
1972	22,528.08	45.62	2.19	493.36	21.08	.5379	12,118
1973	49,887.82	45.12	2.22	1,107.51	21.13	.5317	26,525
1974	30,723.31	44.62	2.24	688.20	21.17	.5255	16,145
1975	15,742.00	44.11	2.27	357.34	21.21	.5192	8,173
1976	63,517.61	43.59	2.29	1,454.55	21.25	.5125	32,553
1977	21,110.00	43.07	2.32	489.75	21.29	.5057	10,675
1978	32,038.00	42.53	2.35	752.89	21.33	.4985	15,971
1979	39,049.21	41.99	2.38	929.37	21.37	.4911	19,177
1980	77,053.00	41.44	2.41	1,856.98	21.40	.4836	37,263
1981	127,382.00	40.87	2.45	3,120.86	21.44	.4754	60,557
1982	204,561.47	40.31	2.48	5,073.12	21.47	.4674	95,612
1983	169,967.38	39.73	2.52	4,283.18	21.51	.4586	77,947
1984	60,192.33	39.14	2.55	1,534.90	21.54	.4497	27,068
1985	215,811.42	38.55	2.59	5,589.52	21.58	.4402	95,000
1986	117,254.39	37.95	2.64	3,095.52	21.61	.4306	50,490
1987	153,822.35	37.34	2.68	4,122.44	21.64	.4205	64,682
1988	188,724.08	36.72	2.72	5,133.29	21.67	.4099	77,358
1989	146,606.00	36.09	2.77	4,060.99	21.70	.3987	58,452
1990	278,583.26	35.46	2.82	7,856.05	21.73	.3872	107,867
1991	235,649.52	34.81	2.87	6,763.14	21.76	.3749	88,345
1992	229,951.87	34.16	2.93	6,737.59	21.79	.3621	83,266
1993	175,360.53	33.50	2.99	5,243.28	21.82	.3487	61,148

AmerenUE - ELECTRIC

ACCOUNT 316 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCUAL-- AMOUNT	EXP.	-ACCRUED FACTOR	DEPREC.- AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

SIOUX

INTERIM SURVIVOR CURVE.. IOWA 60-01

PROBABLE RETIREMENT YEAR.. 9-2033

NET SALVAGE PERCENT.. 0

1994	567,672.14	32.83	3.05	17,314.00	21.85	.3345	189,886
1995	533,943.53	32.15	3.11	16,605.64	21.87	.3198	170,755
1996	420,580.70	31.47	3.18	13,374.47	21.90	.3041	127,899
1997	492,510.35	30.77	3.25	16,006.59	21.93	.2873	141,498
1998	138,483.92	30.07	3.33	4,611.51	21.95	.2700	37,391
1999	383,870.19	29.36	3.41	13,089.97	21.98	.2514	96,505
2000	316,775.37	28.64	3.49	11,055.46	22.00	.2318	73,429
2001	330,671.41	27.92	3.58	11,838.04	22.03	.2110	69,772
2002	383,582.08	27.18	3.68	14,115.82	22.05	.1887	72,382
2003	138,434.36	26.44	3.78	5,232.82	22.08	.1649	22,828
2004	438,255.68	25.69	3.89	17,048.15	22.10	.1397	61,224
2005	266,717.26	24.92	4.01	10,695.36	22.12	.1124	29,979
2006	457,537.88	24.16	4.14	18,942.07	22.14	.0836	38,250
2007	1,071,143.46	23.38	4.28	45,844.94	22.17	.0518	55,485
2008	1,043,840.36	22.59	4.43	46,242.13	22.19	.0177	18,476

10,342,297.71

347,498.47

2,727,765

LABADIE

INTERIM SURVIVOR CURVE.. IOWA 60-01

PROBABLE RETIREMENT YEAR.. 9-2042

NET SALVAGE PERCENT.. 0

1952	89.00	56.31	1.78	1.58	24.78	.5599	50
1958	86.00	54.67	1.83	1.57	25.56	.5325	46
1962	324.00	53.42	1.87	6.06	26.00	.5133	166
1963	715.00	53.08	1.88	13.44	26.11	.5081	363
1964	685.00	52.74	1.90	13.02	26.21	.5030	345
1965	515.00	52.39	1.91	9.84	26.31	.4978	256
1966	6,144.00	52.02	1.92	117.96	26.40	.4925	3,026
1968	3,281.00	51.28	1.95	63.98	26.59	.4815	1,580
1969	5,805.00	50.89	1.97	114.36	26.68	.4757	2,761
1970	1,173,313.99	50.50	1.98	23,231.62	26.76	.4701	551,575
1971	525,545.00	50.10	2.00	10,510.90	26.85	.4641	243,905
1972	1,015,124.29	49.69	2.01	20,404.00	26.93	.4580	464,927

AmerenUE - ELECTRIC

ACCOUNT 316 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
LABADIE							
INTERIM SURVIVOR CURVE.. IOWA 60-01							
PROBABLE RETIREMENT YEAR.. 9-2042							
NET SALVAGE PERCENT.. 0							
1973	542,245.02	49.27	2.03	11,007.57	27.01	.4518	244,986
1974	74,422.12	48.84	2.05	1,525.65	27.09	.4453	33,140
1975	48,672.51	48.41	2.07	1,007.52	27.17	.4388	21,357
1976	83,532.64	47.96	2.09	1,745.83	27.24	.4320	36,086
1977	120,821.09	47.51	2.10	2,537.24	27.31	.4252	51,373
1978	191,861.95	47.05	2.13	4,086.66	27.39	.4179	80,179
1979	102,922.73	46.58	2.15	2,212.84	27.46	.4105	42,250
1980	373,526.74	46.10	2.17	8,105.53	27.53	.4028	150,457
1981	175,815.77	45.62	2.19	3,850.37	27.59	.3952	69,482
1982	324,728.96	45.12	2.22	7,208.98	27.66	.3870	125,670
1983	268,085.42	44.62	2.24	6,005.11	27.72	.3788	101,551
1984	243,299.86	44.11	2.27	5,522.91	27.79	.3700	90,021
1985	319,188.79	43.59	2.29	7,309.42	27.85	.3611	115,259
1986	218,928.24	43.07	2.32	5,079.14	27.91	.3520	77,063
1987	198,027.00	42.53	2.35	4,653.63	27.97	.3423	67,785
1988	187,004.66	41.99	2.38	4,450.71	28.03	.3325	62,179
1989	310,177.18	41.44	2.41	7,475.27	28.08	.3224	100,001
1990	469,732.13	40.87	2.45	11,508.44	28.14	.3115	146,322
1991	386,909.28	40.31	2.48	9,595.35	28.19	.3007	116,344
1992	594,463.07	39.73	2.52	14,980.47	28.25	.2890	171,800
1993	1,084,426.49	39.14	2.55	27,652.88	28.30	.2770	300,386
1994	994,533.99	38.55	2.59	25,758.43	28.35	.2646	263,154
1995	677,862.56	37.95	2.64	17,895.57	28.40	.2516	170,550
1996	303,415.40	37.34	2.68	8,131.53	28.45	.2381	72,243
1997	265,074.10	36.72	2.72	7,210.02	28.50	.2239	59,350
1998	346,739.23	36.09	2.77	9,604.68	28.55	.2089	72,434
1999	417,420.67	35.46	2.82	11,771.26	28.60	.1935	80,771
2000	594,905.03	34.81	2.87	17,073.77	28.64	.1772	105,417
2001	725,225.73	34.16	2.93	21,249.11	28.69	.1601	116,109
2002	991,777.66	33.50	2.99	29,654.15	28.73	.1424	141,229
2003	622,185.12	32.83	3.05	18,976.65	28.78	.1234	76,778
2004	991,035.76	32.15	3.11	30,821.21	28.82	.1036	102,671
2005	861,819.46	31.47	3.18	27,405.86	28.86	.0829	71,445
2006	708,824.00	30.77	3.25	23,036.78	28.90	.0608	43,096
2007	937,574.87	30.07	3.33	31,221.24	28.94	.0376	35,253

AmerenUE - ELECTRIC

ACCOUNT 316 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCRUAL-- AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

LABADIE

INTERIM SURVIVOR CURVE.. IOWA 60-01
PROBABLE RETIREMENT YEAR.. 9-2042
NET SALVAGE PERCENT.. 0

2008	845,575.01	29.36	3.41	28,834.11	28.98	.0129	10,908
	19,334,387.52			510,654.22			4,894,099

COMMON

INTERIM SURVIVOR CURVE.. IOWA 60-01
PROBABLE RETIREMENT YEAR.. 9-2042
NET SALVAGE PERCENT.. 0

2001	17,331.45	34.16	2.93	507.81	28.69	.1601	2,775
2003	3,511.35	32.83	3.05	107.10	28.78	.1234	433
	20,842.80			614.91			3,208

RUSH ISLAND

INTERIM SURVIVOR CURVE.. IOWA 60-01
PROBABLE RETIREMENT YEAR.. 9-2046
NET SALVAGE PERCENT.. 0

1942	7,822.56	58.97	1.70	132.98	24.43	.5857	4,582
1943	330.94	58.83	1.70	5.63	24.68	.5805	192
1948	760.00	58.03	1.72	13.07	25.77	.5559	422
1957	1,449.00	56.06	1.78	25.79	27.35	.5121	742
1959	60,279.56	55.53	1.80	1,085.03	27.64	.5023	30,278
1970	68.35	52.02	1.92	1.31	29.01	.4423	30
1974	646.00	50.50	1.98	12.79	29.42	.4174	270
1975	13,514.46	50.10	2.00	270.29	29.51	.4110	5,554
1976	1,830,357.73	49.69	2.01	36,790.19	29.61	.4041	739,648
1977	546,644.17	49.27	2.03	11,096.88	29.70	.3972	217,127
1978	127,573.94	48.84	2.05	2,615.27	29.79	.3900	49,754
1979	153,565.36	48.41	2.07	3,178.80	29.88	.3828	58,785
1980	83,549.39	47.96	2.09	1,746.18	29.96	.3753	31,356
1981	150,853.55	47.51	2.10	3,167.92	30.05	.3675	55,439
1982	305,935.13	47.05	2.13	6,516.42	30.13	.3596	110,014
1983	96,218.33	46.58	2.15	2,068.69	30.21	.3514	33,811

AmerenUE - ELECTRIC

ACCOUNT 316 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
RUSH ISLAND							
INTERIM SURVIVOR CURVE.. IOWA 60-01							
PROBABLE RETIREMENT YEAR.. 9-2046							
NET SALVAGE PERCENT.. 0							
1984	68,789.20	46.10	2.17	1,492.73	30.29	.3430	23,595
1985	52,453.45	45.62	2.19	1,148.73	30.37	.3343	17,535
1986	243,725.91	45.12	2.22	5,410.72	30.44	.3254	79,308
1987	102,944.03	44.62	2.24	2,305.95	30.52	.3160	32,530
1988	20,153.30	44.11	2.27	457.48	30.59	.3065	6,177
1989	38,041.55	43.59	2.29	871.15	30.66	.2966	11,283
1990	74,877.60	43.07	2.32	1,737.16	30.73	.2865	21,452
1991	68,784.44	42.53	2.35	1,616.43	30.80	.2758	18,971
1992	165,863.01	41.99	2.38	3,947.54	30.87	.2648	43,921
1993	622,596.81	41.44	2.41	15,004.58	30.93	.2536	157,891
1994	280,481.33	40.87	2.45	6,871.79	31.00	.2415	67,736
1995	211,273.02	40.31	2.48	5,239.57	31.06	.2295	48,487
1996	270,560.68	39.73	2.52	6,818.13	31.12	.2167	58,630
1997	287,750.82	39.14	2.55	7,337.65	31.18	.2034	58,529
1998	253,973.28	38.55	2.59	6,577.91	31.24	.1896	48,153
1999	240,842.94	37.95	2.64	6,358.25	31.30	.1752	42,196
2000	406,691.64	37.34	2.68	10,899.34	31.36	.1601	65,111
2001	667,358.69	36.72	2.72	18,152.16	31.42	.1443	96,300
2002	770,413.05	36.09	2.77	21,340.44	31.47	.1280	98,613
2003	527,334.29	35.46	2.82	14,870.83	31.53	.1108	58,429
2004	657,584.11	34.81	2.87	18,872.66	31.58	.0928	61,024
2005	619,247.35	34.16	2.93	18,143.95	31.63	.0741	45,886
2006	853,408.97	33.50	2.99	25,516.93	31.69	.0540	46,084
2007	151,422.80	32.83	3.05	4,618.40	31.74	.0332	5,027
2008	261,784.70	32.15	3.11	8,141.50	31.79	.0112	2,932
	11,297,925.44			282,479.22			2,553,804
TOTAL	60,148,723.57			2,176,975.23			16,581,370

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 3.62

AmerenUE - ELECTRIC

ACCOUNT 321 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

INTERIM SURVIVOR CURVE.. IOWA 100-R1
PROBABLE RETIREMENT YEAR.. 10-2044
NET SALVAGE PERCENT.. -1

1985	826,896,431.33	53.56	1.87	15,617,592.90	33.17	.3807	317,947,466
1986	4,302,856.76	52.77	1.90	82,571.82	33.21	.3707	1,611,020
1987	2,190,350.63	51.98	1.92	42,475.28	33.25	.3603	797,075
1988	1,094,728.14	51.19	1.95	21,560.67	33.28	.3499	386,876
1989	727,886.86	50.39	1.98	14,556.28	33.31	.3390	249,221
1990	6,792,922.03	49.58	2.02	138,589.20	33.35	.3273	2,245,557
1991	706,386.51	48.77	2.05	14,625.73	33.38	.3156	225,165
1992	876,776.64	47.96	2.09	18,507.88	33.41	.3034	268,674
1993	3,135,695.64	47.14	2.12	67,141.52	33.45	.2904	919,712
1994	503,258.64	46.32	2.16	10,979.09	33.48	.2772	140,898
1995	1,356,521.39	45.49	2.20	30,141.91	33.51	.2634	360,881
1996	803,249.26	44.66	2.24	18,172.71	33.54	.2490	202,009
1997	509,472.98	43.82	2.28	11,732.14	33.57	.2339	120,357
1998	2,138,338.94	42.98	2.33	50,321.53	33.60	.2182	471,251
1999	991,189.14	42.14	2.37	23,726.09	33.63	.2019	202,122
2000	130,692.22	41.29	2.42	3,194.38	33.66	.1848	24,393
2001	687,940.23	40.44	2.47	17,162.04	33.69	.1669	115,965
2002	2,383,853.43	39.58	2.53	60,914.61	33.72	.1481	356,579
2003	3,350,843.25	38.72	2.58	87,316.27	33.75	.1284	434,551
2004	22,430,212.55	37.85	2.64	598,079.19	33.78	.1075	2,435,360
2005	10,151,433.73	36.98	2.70	276,829.60	33.81	.0857	878,678
2006	5,109,524.61	36.11	2.77	142,949.17	33.84	.0629	324,603
2007	9,305,864.18	35.23	2.84	266,929.41	33.87	.0386	362,798
2008	2,335,780.92	34.35	2.91	68,650.94	33.89	.0134	31,612

908,912,210.01

17,684,720.36

331,112,823

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 1.95

AmerenUE - ELECTRIC

ACCOUNT 322 REACTOR PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

INTERIM SURVIVOR CURVE.. IOWA 60-S0
PROBABLE RETIREMENT YEAR.. 10-2044
NET SALVAGE PERCENT.. -10

1985	687,888,474.56	47.73	2.10	15,890,223.76	28.63	.4002	302,822,264
1986	2,761,704.06	47.22	2.12	64,402.94	28.79	.3903	1,185,682
1987	1,646,010.65	46.70	2.14	38,747.09	28.94	.3803	688,576
1988	2,178,317.69	46.16	2.17	51,996.44	29.10	.3696	885,617
1989	1,190,602.71	45.61	2.19	28,681.62	29.26	.3585	469,514
1990	5,444,035.51	45.05	2.22	132,943.35	29.42	.3469	2,077,390
1991	3,446,155.19	44.48	2.25	85,292.34	29.58	.3350	1,269,908
1992	3,722,057.68	43.90	2.28	93,349.21	29.74	.3226	1,320,809
1993	410,563.11	43.30	2.31	10,432.41	29.90	.3095	139,776
1994	8,039,687.33	42.70	2.34	206,941.55	30.06	.2960	2,617,722
1995	4,160,645.28	42.08	2.38	108,925.69	30.22	.2818	1,289,717
1996	3,101,095.02	41.45	2.41	82,210.03	30.38	.2671	911,133
1997	561,621.39	40.81	2.45	15,135.70	30.55	.2514	155,311
1998	4,878,019.12	40.16	2.49	133,608.94	30.71	.2353	1,262,578
1999	1,839,380.30	39.50	2.53	51,189.95	30.88	.2182	441,488
2000	20,418,110.32	38.83	2.58	579,465.97	31.05	.2004	4,500,968
2002	659,702.68	37.45	2.67	19,375.47	31.40	.1615	117,196
2003	16,244,372.53	36.74	2.72	486,031.63	31.58	.1404	2,508,781
2004	4,963,362.04	36.03	2.78	151,779.61	31.76	.1185	646,974
2005	167,909,749.18	35.30	2.83	5,227,030.49	31.95	.0949	17,528,099
2006	430,493.82	34.56	2.89	13,685.40	32.15	.0697	33,006
2007	27,926,323.91	33.81	2.96	909,281.11	32.35	.0432	1,327,059
2008	41,348,831.10	33.06	3.02	1,373,608.17	32.56	.0151	686,804

1011,169,315.18

25,754,338.87

344,886,372

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.55

AmerenUE - ELECTRIC

ACCOUNT 323 TURBOGENERATOR UNITS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	-----------------------------------	---------------	-------------	------------------------------------	---------------

INTERIM SURVIVOR CURVE.. IOWA 60-S0.5

PROBABLE RETIREMENT YEAR.. 10-2044

NET SALVAGE PERCENT.. -2

1985	368,611,454.66	48.88	2.05	7,707,665.52	28.64	.4141	155,694,843
1986	568,806.48	48.37	2.07	12,009.78	28.86	.4033	233,988
1987	554,364.95	47.84	2.09	11,817.95	29.06	.3926	221,997
1988	494,105.14	47.30	2.11	10,634.13	29.27	.3812	192,120
1989	524,305.30	46.74	2.14	11,444.54	29.48	.3693	197,498
1990	31,339.16	46.17	2.17	693.66	29.69	.3569	11,409
1992	5,186,928.21	44.99	2.22	117,452.80	30.10	.3310	1,751,211
1993	653,437.36	44.39	2.25	14,996.39	30.30	.3174	211,549
1994	1,022,353.00	43.76	2.29	23,880.12	30.50	.3030	315,968
1995	1,982,369.54	43.13	2.32	46,910.79	30.71	.2880	582,341
1996	2,190,252.96	42.48	2.35	52,500.36	30.91	.2724	608,557
1997	181,976.00	41.82	2.39	4,436.21	31.11	.2561	47,536
1998	1,325,591.92	41.15	2.43	32,856.12	31.31	.2391	323,288
1999	80,920.58	40.47	2.47	2,038.71	31.51	.2214	18,274
2000	4,798,320.58	39.77	2.51	122,846.60	31.71	.2027	992,072
2001	4,370,973.09	39.06	2.56	114,134.85	31.91	.1831	816,332
2002	3,031,021.01	38.34	2.61	80,691.84	32.10	.1628	503,319
2003	794,882.56	37.61	2.66	21,566.75	32.30	.1412	114,482
2004	34,293,585.40	36.86	2.71	947,943.29	32.50	.1183	4,138,070
2005	58,070,960.59	36.11	2.77	1,640,736.92	32.69	.0947	5,609,306
2006	164,524.45	35.34	2.83	4,749.16	32.89	.0693	11,630
2007	4,641,567.62	34.56	2.89	136,824.13	33.08	.0428	202,632
2008	15,984,135.35	33.77	2.96	482,593.01	33.28	.0145	236,405

509,558,175.91

11,601,423.63

173,034,827

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.28

AmerenUE - ELECTRIC

ACCOUNT 324 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	-----------------------------------	---------------	-------------	------------------------------------	---------------

INTERIM SURVIVOR CURVE.. IOWA 80-R2

PROBABLE RETIREMENT YEAR.. 10-2044

NET SALVAGE PERCENT.. 0

1985	196,977,476.44	54.42	1.84	3,624,385.57	32.86	.3962	78,042,476
1986	326,566.44	53.66	1.86	6,074.14	32.96	.3858	125,989
1987	232,892.94	52.88	1.89	4,401.68	33.06	.3748	87,288
1988	78,758.30	52.10	1.92	1,512.16	33.15	.3637	28,644
1989	282,359.78	51.30	1.95	5,506.02	33.25	.3519	99,362
1990	1,326,751.28	50.51	1.98	26,269.68	33.33	.3401	451,228
1992	1,229,642.07	48.89	2.05	25,207.66	33.50	.3148	387,091
1994	837,290.06	47.24	2.12	17,750.55	33.66	.2875	240,721
1995	1,975,314.00	46.40	2.16	42,666.78	33.74	.2728	538,866
1996	14,745.00	45.56	2.19	322.92	33.81	.2579	3,803
1998	11,334.81	43.86	2.28	258.43	33.95	.2259	2,561
2000	789,198.72	42.13	2.37	18,704.01	34.09	.1908	150,579
2001	237,962.90	41.26	2.42	5,758.70	34.15	.1723	41,001
2002	35,880.89	40.39	2.48	889.85	34.21	.1530	5,490
2003	5,410,844.92	39.50	2.53	136,894.38	34.27	.1324	716,396
2004	916,295.45	38.62	2.59	23,732.05	34.33	.1111	101,800
2005	18,750.78	37.73	2.65	496.90	34.38	.0888	1,665
2006	22,562.03	36.83	2.72	613.69	34.44	.0649	1,464
2007	260,058.52	35.93	2.78	7,229.63	34.49	.0401	10,428
2008	173,598.18	35.02	2.86	4,964.91	34.54	.0137	2,378

TOTAL	211,158,283.51			3,953,639.71			81,039,230
-------	----------------	--	--	--------------	--	--	------------

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 1.87

AmerenUE - ELECTRIC

ACCOUNT 325 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	-----------------------------------	---------------	-------------	------------------------------------	---------------

INTERIM SURVIVOR CURVE.. IOWA 60-03
PROBABLE RETIREMENT YEAR.. 10-2044
NET SALVAGE PERCENT.. 0

1985	77,219,467.53	38.54	2.59	1,999,984.21	26.74	.3062	23,644,601
1986	2,389,920.59	38.17	2.62	62,615.92	26.76	.2989	714,347
1987	2,795,463.73	37.79	2.65	74,079.79	26.78	.2913	814,319
1988	3,391,642.72	37.41	2.67	90,556.86	26.80	.2836	961,870
1989	1,641,690.19	37.02	2.70	44,325.64	26.83	.2753	451,957
1990	3,676,080.06	36.62	2.73	100,356.99	26.86	.2665	979,675
1991	3,488,436.57	36.22	2.76	96,280.85	26.89	.2576	898,621
1992	3,593,701.53	35.81	2.79	100,264.27	26.92	.2483	892,316
1993	2,114,273.65	35.39	2.83	59,833.94	26.96	.2382	503,620
1994	4,834,716.56	34.96	2.86	138,272.89	27.00	.2277	1,100,865
1995	6,251,401.61	34.53	2.90	181,290.65	27.04	.2169	1,355,929
1996	2,267,479.15	34.09	2.93	66,437.14	27.08	.2056	466,194
1997	1,281,179.95	33.63	2.97	38,051.04	27.13	.1933	247,652
1998	3,032,982.31	33.18	3.01	91,292.77	27.18	.1808	548,363
1999	1,333,208.55	32.71	3.06	40,796.18	27.23	.1675	223,312
2000	3,531,410.01	32.23	3.10	109,473.71	27.29	.1533	541,365
2001	4,141,014.01	31.75	3.15	130,441.94	27.34	.1389	575,187
2002	971,285.23	31.26	3.20	31,081.13	27.40	.1235	119,954
2003	4,409,848.66	30.75	3.25	143,320.08	27.46	.1070	471,854
2004	7,809,070.50	30.24	3.31	258,480.23	27.52	.0899	702,035
2005	10,896,310.18	29.72	3.36	366,116.02	27.59	.0717	781,265
2006	2,185,582.12	29.19	3.43	74,965.47	27.65	.0528	115,399
2007	4,077,367.66	28.65	3.49	142,300.13	27.72	.0325	132,514
2008	14,485,229.25	28.10	3.56	515,674.16	27.79	.0110	159,338

TOTAL	171,818,762.32			4,956,292.01			37,402,552
-------	----------------	--	--	--------------	--	--	------------

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.88

AmerenUE - ELECTRIC

ACCOUNT 331 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - OSAGE							
INTERIM SURVIVOR CURVE.. IOWA 130-R1							
PROBABLE RETIREMENT YEAR.. 6-2047							
NET SALVAGE PERCENT.. -20							
1929	5,097.00	98.00	1.02	62.39	34.29	.6501	3,976
1930	265,137.00	97.40	1.03	3,277.09	34.35	.6473	205,948
1931	1,245,064.19	96.80	1.03	15,388.99	34.41	.6445	962,933
1932	45,437.59	96.19	1.04	567.06	34.46	.6418	34,994
1933	1,445.00	95.57	1.05	18.21	34.51	.6389	1,108
1934	312.00	94.96	1.05	3.93	34.57	.6360	238
1935	4,437.00	94.33	1.06	56.44	34.62	.6330	3,370
1937	6,847.00	93.07	1.07	87.92	34.72	.6269	5,151
1938	1,288.00	92.43	1.08	16.69	34.77	.6238	964
1939	41.00	91.78	1.09	0.54	34.82	.6206	31
1940	25.60	91.13	1.10	0.34	34.87	.6174	19
1941	98.00	90.48	1.11	1.31	34.92	.6141	72
1943	186.00	89.16	1.12	2.50	35.01	.6073	136
1944	82,363.00	88.49	1.13	1,116.84	35.06	.6038	59,677
1945	20,748.00	87.81	1.14	283.83	35.10	.6003	14,946
1946	44.00	87.14	1.15	0.61	35.15	.5966	32
1947	767.00	86.45	1.16	10.68	35.19	.5929	546
1948	494.00	85.76	1.17	6.94	35.23	.5892	349
1949	953.00	85.07	1.18	13.49	35.28	.5853	669
1950	1,185.00	84.37	1.19	16.92	35.31	.5815	827
1951	66,504.00	83.67	1.20	957.66	35.36	.5774	46,079
1952	196,375.00	82.97	1.21	2,851.37	35.39	.5735	135,145
1953	314,770.00	82.26	1.22	4,608.23	35.43	.5693	215,038
1954	9,595.00	81.54	1.23	141.62	35.47	.5650	6,505
1955	6,189.94	80.82	1.24	92.11	35.51	.5606	4,164
1956	14,974.00	80.10	1.25	224.61	35.55	.5562	9,994
1957	277.00	79.37	1.26	4.19	35.58	.5517	183
1958	7,506.00	78.64	1.27	114.39	35.62	.5470	4,927
1959	19,505.00	77.90	1.28	299.60	35.65	.5424	12,695
1961	48.00	76.41	1.31	0.75	35.72	.5325	31
1962	259.00	75.66	1.32	4.10	35.75	.5275	164
1963	548.00	74.91	1.33	8.75	35.78	.5224	344
1964	444.00	74.15	1.35	7.19	35.81	.5171	276
1965	12,581.00	73.39	1.36	205.32	35.84	.5117	7,725
1966	8,893.16	72.63	1.38	147.27	35.88	.5060	5,400

AmerenUE - ELECTRIC

ACCOUNT 331 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
HYDRAULIC PRODUCTION - OSAGE							
INTERIM SURVIVOR CURVE.. IOWA 130-R1							
PROBABLE RETIREMENT YEAR.. 6-2047							
NET SALVAGE PERCENT.. -20							
1968	244.00	71.08	1.41	4.13	35.93	.4945	145
1970	623.00	69.52	1.44	10.77	35.99	.4823	361
1973	99.00	67.16	1.49	1.77	36.07	.4629	55
1974	40,279.00	66.36	1.51	729.86	36.10	.4560	22,041
1977	3,199.00	63.95	1.56	59.89	36.17	.4344	1,668
1978	1,593.00	63.14	1.58	30.20	36.19	.4268	816
1980	1,061.00	61.51	1.63	20.75	36.24	.4108	523
1981	29,194.01	60.68	1.65	578.04	36.27	.4023	14,094
1982	7,508.00	59.86	1.67	150.46	36.29	.3938	3,548
1983	16,589.00	59.03	1.69	336.42	36.31	.3849	7,662
1985	1,091.00	57.36	1.74	22.78	36.36	.3661	479
1986	10,084.00	56.53	1.77	214.18	36.38	.3564	4,313
1987	1,194.04	55.69	1.80	25.79	36.40	.3464	496
1988	1,160.00	54.84	1.82	25.33	36.42	.3359	468
1990	71,480.00	53.14	1.88	1,612.59	36.46	.3139	26,925
1991	28,619.00	52.29	1.91	655.95	36.49	.3022	10,378
1992	18,433.00	51.43	1.94	429.12	36.51	.2901	6,417
1993	124,188.42	50.57	1.98	2,950.72	36.53	.2776	41,370
1994	294,140.27	49.70	2.01	7,094.66	36.55	.2646	93,395
1995	155,907.12	48.83	2.05	3,835.32	36.57	.2511	46,978
1997	6,127.88	47.09	2.12	155.89	36.61	.2226	1,637
1998	60,287.74	46.21	2.16	1,562.66	36.63	.2073	14,997
2000	139,027.09	44.45	2.25	3,753.73	36.67	.1750	29,196
2001	122,143.02	43.57	2.30	3,371.15	36.69	.1579	23,144
2002	94,460.21	42.68	2.34	2,652.44	36.71	.1399	15,858
2003	56,456.60	41.79	2.39	1,619.18	36.73	.1211	8,204
2004	249,075.64	40.89	2.45	7,322.82	36.75	.1012	30,248
2005	13,017.20	40.00	2.50	390.52	36.77	.0807	1,261
2006	43,621.08	39.10	2.56	1,340.04	36.79	.0591	3,094
2007	413,036.61	38.19	2.62	12,985.87	36.81	.0361	17,893
2008	43,967.32	37.29	2.68	1,413.99	36.82	.0126	665
	4,388,344.73			85,956.90			2,172,985

AmerenUE - ELECTRIC

ACCOUNT 331 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
PUMP STORAGE - TAUM SAUK							
INTERIM SURVIVOR CURVE.. IOWA 130-R1							
PROBABLE RETIREMENT YEAR.. 6-2049							
NET SALVAGE PERCENT.. -20							
1963	4,296,552.11	76.41	1.31	67,541.80	37.47	.5096	2,627,428
1964	48,025.00	75.66	1.32	760.72	37.51	.5042	29,057
1965	159,742.62	74.91	1.33	2,549.49	37.54	.4989	95,635
1967	101,161.00	73.39	1.36	1,650.95	37.61	.4875	59,179
1968	3,188.00	72.63	1.38	52.79	37.64	.4818	1,843
1969	2,635.00	71.86	1.39	43.95	37.67	.4758	1,504
1974	300.00	67.95	1.47	5.29	37.82	.4434	160
1978	0.12	64.76	1.54		37.93	.4143	
1981	510.00	62.32	1.60	9.79	38.01	.3901	239
1982	1,418.00	61.51	1.63	27.74	38.04	.3816	649
1983	2,157.00	60.68	1.65	42.71	38.07	.3726	964
1984	3,236.00	59.86	1.67	64.85	38.09	.3637	1,412
1985	203,399.00	59.03	1.69	4,124.93	38.12	.3542	86,453
1986	60,845.00	58.20	1.72	1,255.84	38.14	.3447	25,168
1987	581.07	57.36	1.74	12.13	38.16	.3347	233
1988	1,483.00	56.53	1.77	31.50	38.19	.3244	577
1989	50,186.00	55.69	1.80	1,084.02	38.21	.3139	18,904
1991	3,405.89	53.99	1.85	75.61	38.26	.2914	1,191
1993	2,937.00	52.29	1.91	67.32	38.31	.2674	942
1994	31,298.00	51.43	1.94	728.62	38.33	.2547	9,566
1995	4,089.00	50.57	1.98	97.15	38.35	.2416	1,185
2002	421,465.21	44.45	2.25	11,379.56	38.51	.1336	67,569
2003	18,070.85	43.57	2.30	498.76	38.53	.1157	2,509
2004	11,917.79	42.68	2.34	334.65	38.55	.0968	1,384
2005	196,644.08	41.79	2.39	5,639.75	38.57	.0771	18,194
2007	6,161.49	40.00	2.50	184.84	38.61	.0347	257
2008	369,324.11	39.10	2.56	11,345.64	38.63	.0120	5,318
	6,000,732.34			109,610.40			3,057,520

AmerenUE - ELECTRIC

ACCOUNT 331 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 130-R1							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -20							
1913	1,134,412.14	110.68	0.90	12,251.65	38.73	.6501	884,978
1914	2,301.00	110.22	0.91	25.13	38.84	.6476	1,788
1915	15,728.00	109.75	0.91	171.75	38.94	.6452	12,177
1917	3,543.61	108.79	0.92	39.12	39.14	.6402	2,722
1918	462.00	108.31	0.92	5.10	39.23	.6378	354
1925	2,335.00	104.75	0.95	26.62	39.88	.6193	1,735
1927	1,417.00	103.68	0.96	16.32	40.06	.6136	1,043
1930	65.00	102.03	0.98	0.76	40.31	.6049	47
1932	65.00	100.91	0.99	0.77	40.47	.5989	47
1935	119.00	99.18	1.01	1.44	40.71	.5895	84
1936	90.00	98.59	1.01	1.09	40.78	.5864	63
1937	124.00	98.00	1.02	1.52	40.86	.5831	87
1938	1,239.00	97.40	1.03	15.31	40.93	.5798	862
1939	1,355.00	96.80	1.03	16.75	41.00	.5764	937
1940	4,342.00	96.19	1.04	54.19	41.08	.5729	2,985
1941	1,981.00	95.57	1.05	24.96	41.15	.5694	1,354
1943	2,954.00	94.33	1.06	37.57	41.29	.5623	1,993
1948	11,380.12	91.13	1.10	150.22	41.61	.5434	7,421
1949	8,720.00	90.48	1.11	116.15	41.67	.5395	5,645
1950	10,216.00	89.82	1.11	136.08	41.73	.5354	6,564
1951	6,427.00	89.16	1.12	86.38	41.79	.5313	4,098
1952	24,807.81	88.49	1.13	336.39	41.85	.5271	15,691
1953	35,166.00	87.81	1.14	481.07	41.91	.5227	22,058
1954	31,263.98	87.14	1.15	431.44	41.97	.5184	19,449
1955	29,438.00	86.45	1.16	409.78	42.02	.5139	18,154
1956	16,334.17	85.76	1.17	229.33	42.08	.5093	9,983
1957	18,743.22	85.07	1.18	265.40	42.13	.5048	11,354
1958	45,902.26	84.37	1.19	655.48	42.19	.4999	27,536
1959	5,423.81	83.67	1.20	78.10	42.24	.4952	3,223
1960	6,087.00	82.97	1.21	88.38	42.29	.4903	3,581
1961	65,149.08	82.26	1.22	953.78	42.34	.4853	37,940
1962	18,142.11	81.54	1.23	267.78	42.39	.4801	10,452
1963	14,884.51	80.82	1.24	221.48	42.44	.4749	8,482
1964	5,047.00	80.10	1.25	75.71	42.48	.4697	2,845
1965	6,067.00	79.37	1.26	91.73	42.53	.4642	3,380

AmerenUE - ELECTRIC

ACCOUNT 331 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 130-R1							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -20							
1966	7,833.00	78.64	1.27	119.37	42.58	.4585	4,310
1967	628.35	77.90	1.28	9.65	42.62	.4529	341
1968	812.00	77.16	1.30	12.67	42.66	.4471	436
1969	2,486.12	76.41	1.31	39.08	42.71	.4410	1,316
1970	2,343.94	75.66	1.32	37.13	42.75	.4350	1,224
1971	11,069.00	74.91	1.33	176.66	42.79	.4288	5,696
1972	8,838.00	74.15	1.35	143.18	42.83	.4224	4,480
1973	33,242.38	73.39	1.36	542.52	42.87	.4159	16,591
1974	1,865.00	72.63	1.38	30.88	42.91	.4092	916
1976	33,407.86	71.08	1.41	565.26	42.99	.3952	15,843
1977	18,037.00	70.31	1.42	307.35	43.02	.3881	8,400
1978	87,182.00	69.52	1.44	1,506.50	43.06	.3806	39,818
1979	266.00	68.74	1.45	4.63	43.10	.3730	119
1980	121,054.72	67.95	1.47	2,135.41	43.13	.3653	53,066
1981	10,500.00	67.16	1.49	187.74	43.17	.3572	4,501
1982	54,175.18	66.36	1.51	981.65	43.20	.3490	22,689
1983	1,737.23	65.56	1.53	31.90	43.24	.3405	710
1984	83,062.00	64.76	1.54	1,534.99	43.27	.3318	33,072
1985	35,309.31	63.95	1.56	660.99	43.30	.3229	13,682
1986	13,870.82	63.14	1.58	262.99	43.34	.3136	5,220
1987	7,799.00	62.32	1.60	149.74	43.37	.3041	2,846
1988	9,983.00	61.51	1.63	195.27	43.40	.2944	3,527
1989	25,298.00	60.68	1.65	500.90	43.43	.2843	8,631
1990	48,720.00	59.86	1.67	976.35	43.47	.2738	16,007
1991	2,594.00	59.03	1.69	52.61	43.50	.2631	819
1992	327,143.65	58.20	1.72	6,752.24	43.53	.2521	98,967
1993	43,793.30	57.36	1.74	914.40	43.56	.2406	12,644
1994	21,196.35	56.53	1.77	450.21	43.59	.2289	5,822
1995	237,281.39	55.69	1.80	5,125.28	43.62	.2167	61,703
1996	38,442.00	54.84	1.82	839.57	43.65	.2040	9,411
1997	276,901.01	53.99	1.85	6,147.20	43.68	.1910	63,466
1998	7,750.07	53.14	1.88	174.84	43.71	.1775	1,651
2000	96,084.00	51.43	1.94	2,236.84	43.77	.1489	17,168
2001	37,470.43	50.57	1.98	890.30	43.80	.1339	6,021
2002	151,743.92	49.70	2.01	3,660.06	43.83	.1181	21,505

AmerenUE - ELECTRIC

ACCOUNT 331 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 130-R1							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -20							
2003	74,423.55	48.83	2.05	1,830.82	43.85	.1020	9,109
2004	52,295.46	47.96	2.09	1,311.57	43.88	.0851	5,340
2005	896,067.05	47.09	2.12	22,795.95	43.91	.0675	72,581
2006	31,308.38	46.21	2.16	811.51	43.94	.0491	1,845
2007	930,193.11	45.34	2.21	24,668.72	43.97	.0302	33,710
2008	267,681.15	44.45	2.25	7,227.39	44.00	.0101	3,244
	5,643,620.55			114,767.05			1,819,559
TOTAL	16,032,697.62			310,334.35			7,050,064

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 1.94

AmerenUE - ELECTRIC

ACCOUNT 332 RESERVOIRS, DAMS, & WATERWAYS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

HYDRAULIC PRODUCTION - OSAGE
INTERIM SURVIVOR CURVE.. IOWA 150-L2
PROBABLE RETIREMENT YEAR.. 6-2047
NET SALVAGE PERCENT.. -20

1929	283,261.00	106.80	0.94	3,195.18	33.72	.6843	232,603
1930	12,016,639.00	106.14	0.94	135,547.69	33.81	.6815	9,827,207
1931	1,797,020.00	105.49	0.95	20,486.03	33.90	.6786	1,463,349
1936	32,260.00	102.09	0.98	379.38	34.37	.6633	25,678
1939	2,958.00	99.98	1.00	35.50	34.66	.6533	2,319
1941	251.00	98.53	1.01	3.04	34.85	.6463	195
1947	5,042.00	94.04	1.06	64.13	35.41	.6235	3,772
1950	1,572.00	91.71	1.09	20.56	35.68	.6109	1,152
1951	213,203.00	90.92	1.10	2,814.28	35.77	.6066	155,195
1960	2,749.00	83.55	1.20	39.59	36.49	.5633	1,858
1965	24,066.00	79.27	1.26	363.88	36.82	.5355	15,465
1982	9,446,488.00	63.88	1.57	177,971.83	37.62	.4111	4,660,141
1990	11,550.00	56.31	1.78	246.71	37.90	.3269	4,531
1995	78,112.10	51.51	1.94	1,818.45	38.04	.2615	24,512
2002	4,201.44	44.71	2.24	112.93	38.22	.1452	732
2005	1,520,539.36	41.78	2.39	43,609.07	38.28	.0838	152,905
2006	561,553.64	40.80	2.45	16,509.68	38.30	.0613	41,308
2007	338,552.71	39.82	2.51	10,197.21	38.32	.0377	15,316
	26,340,018.25			413,415.14			16,628,238

PUMP STORAGE - TAUM SAUK
INTERIM SURVIVOR CURVE.. IOWA 150-L2
PROBABLE RETIREMENT YEAR.. 6-2049
NET SALVAGE PERCENT.. -20

1963	20,067,764.20	82.70	1.21	291,383.94	38.45	.5351	12,885,913
1964	1,011,410.00	81.85	1.22	14,807.04	38.52	.5294	642,529
1965	323,698.00	81.00	1.23	4,777.78	38.59	.5236	203,386
1966	11,164.00	80.13	1.25	167.46	38.66	.5175	6,933
1979	0.53	68.52	1.46	0.01	39.37	.4254	
1982	22,086.00	65.74	1.52	402.85	39.50	.3991	10,577
1983	1,140.00	64.81	1.54	21.07	39.54	.3899	533
1987	374,121.42	61.06	1.64	7,362.71	39.70	.3498	157,041
1989	174,968.00	59.17	1.69	3,548.35	39.77	.3279	68,846

AmerenUE - ELECTRIC

ACCOUNT 332 RESERVOIRS, DAMS, & WATERWAYS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
PUMP STORAGE - TAUM SAUK							
INTERIM SURVIVOR CURVE.. IOWA 150-L2							
PROBABLE RETIREMENT YEAR.. 6-2049							
NET SALVAGE PERCENT.. -20							
1990	1,733.00	58.22	1.72	35.77	39.81	.3162	658
1994	18,874.75	54.40	1.84	416.75	39.94	.2658	6,020
1995	3,225.00	53.43	1.87	72.37	39.97	.2519	975
1996	2,447.00	52.47	1.91	56.09	40.00	.2377	698
2003	75,760.60	45.69	2.19	1,990.99	40.19	.1204	10,946
2004	5,537,469.86	44.71	2.24	148,847.19	40.21	.1006	668,483
2008	478,454.57	40.80	2.45	14,066.56	40.30	.0123	7,062
	28,104,316.93			487,956.93			14,670,600

HYDRAULIC PRODUCTION - KEOKUK
INTERIM SURVIVOR CURVE.. IOWA 150-L2
PROBABLE RETIREMENT YEAR.. 6-2055
NET SALVAGE PERCENT.. -20

1913	4,194,087.36	120.42	0.83	41,773.11	37.58	.6879	3,462,135
1914	169,096.57	119.93	0.83	1,684.20	37.67	.6859	139,180
1916	14,490.00	118.92	0.84	146.06	37.88	.6815	11,850
1917	9,889.82	118.41	0.84	99.69	37.98	.6793	8,062
1918	6,045.00	117.89	0.85	61.66	38.08	.6770	4,911
1922	13,970.59	115.75	0.86	144.18	38.52	.6672	11,185
1923	22,892.00	115.20	0.87	238.99	38.64	.6646	18,257
1924	7,625.00	114.65	0.87	79.61	38.75	.6620	6,057
1925	29,725.00	114.08	0.88	313.90	38.87	.6593	23,517
1926	35,502.00	113.51	0.88	374.90	38.99	.6565	27,968
1927	53,835.00	112.93	0.89	574.96	39.11	.6537	42,230
1928	4,497.00	112.35	0.89	48.03	39.23	.6508	3,512
1929	7,545.88	111.76	0.89	80.59	39.35	.6479	5,867
1930	8,452.39	111.16	0.90	91.29	39.47	.6449	6,541
1931	15,069.82	110.56	0.90	162.75	39.60	.6418	11,606
1932	1,924.00	109.95	0.91	21.01	39.72	.6387	1,475
1933	1,303.00	109.33	0.91	14.23	39.85	.6355	994
1935	2,189.70	108.08	0.93	24.44	40.11	.6289	1,653
1937	1,124.00	106.80	0.94	12.68	40.37	.6220	839
1938	2,636.00	106.14	0.94	29.73	40.50	.6184	1,956

AmerenUE - ELECTRIC

ACCOUNT 332 RESERVOIRS, DAMS, & WATERWAYS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 150-L2							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -20							
1940	145,714.00	104.82	0.95	1,661.14	40.77	.6110	106,838
1947	35,601.48	99.98	1.00	427.22	41.69	.5830	24,907
1949	49,217.00	98.53	1.01	596.51	41.95	.5742	33,912
1950	81,832.00	97.80	1.02	1,001.62	42.08	.5697	55,944
1951	90,762.27	97.06	1.03	1,121.82	42.21	.5651	61,548
1952	30,496.91	96.32	1.04	380.60	42.33	.5605	20,512
1953	13,257.93	95.57	1.05	167.05	42.46	.5557	8,841
1956	1,635.00	93.27	1.07	20.99	42.82	.5409	1,061
1957	1,292.75	92.50	1.08	16.75	42.93	.5359	831
1958	1,657.00	91.71	1.09	21.67	43.05	.5306	1,055
1960	48,406.00	90.13	1.11	644.77	43.27	.5199	30,200
1961	8,991.00	89.33	1.12	120.84	43.37	.5145	5,551
1962	823.11	88.52	1.13	11.16	43.47	.5089	503
1967	224,862.06	84.39	1.18	3,184.05	43.95	.4792	129,305
1968	11,544.00	83.55	1.20	166.23	44.04	.4729	6,551
1971	51,466.00	81.00	1.23	759.64	44.29	.4532	27,989
1972	3,446.65	80.13	1.25	51.70	44.37	.4463	1,846
1973	2,508.31	79.27	1.26	37.93	44.44	.4394	1,323
1974	1,901.56	78.39	1.28	29.21	44.52	.4321	986
1975	5,449.00	77.52	1.29	84.35	44.59	.4248	2,778
1976	6,624.89	76.64	1.30	103.35	44.66	.4173	3,317
1977	200,191.00	75.75	1.32	3,171.03	44.73	.4095	98,374
1978	199,889.00	74.86	1.34	3,214.22	44.80	.4015	96,307
1980	403,935.00	73.07	1.37	6,640.69	44.93	.3851	186,666
1982	131,496.74	71.26	1.40	2,209.15	45.05	.3678	58,037
1983	4,967.99	70.35	1.42	84.65	45.11	.3588	2,139
1984	13,146.00	69.43	1.44	227.16	45.16	.3496	5,515
1985	2,349.00	68.52	1.46	41.15	45.22	.3400	958
1987	588,003.00	66.67	1.50	10,584.05	45.33	.3201	225,864
1988	131,420.00	65.74	1.52	2,397.10	45.38	.3097	48,841
1989	790,024.99	64.81	1.54	14,599.66	45.43	.2990	283,461
1990	307,911.00	63.88	1.57	5,801.04	45.48	.2880	106,414
1991	80,000.20	62.94	1.59	1,526.40	45.53	.2766	26,554
1992	2,132,859.09	62.00	1.61	41,206.84	45.57	.2650	678,249
1994	522,020.00	60.11	1.66	10,398.64	45.66	.2404	150,592

AmerenUE - ELECTRIC

ACCOUNT 332 RESERVOIRS, DAMS, & WATERWAYS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 150-L2							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -20							
1995	315,180.50	59.17	1.69	6,391.86	45.71	.2275	86,044
1996	105,664.56	58.22	1.72	2,180.92	45.75	.2142	27,160
1997	114,181.00	57.26	1.75	2,397.80	45.79	.2003	27,445
1998	31,965.00	56.31	1.78	682.77	45.83	.1861	7,138
2000	14,400.15	54.40	1.84	317.96	45.91	.1561	2,697
2003	86,803.42	51.51	1.94	2,020.78	46.01	.1068	11,125
2005	431,094.78	49.57	2.02	10,449.74	46.08	.0704	36,419
2006	1,770,908.54	48.61	2.06	43,776.86	46.11	.0514	109,230
2007	240,982.98	47.63	2.10	6,072.77	46.13	.0315	9,109
2008	255,754.50	46.66	2.14	6,567.78	46.16	.0107	3,284
	14,294,537.49			239,545.63			6,603,215
TOTAL	68,738,872.67			1,140,917.70			37,902,053

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 1.66

AmerenUE - ELECTRIC

ACCOUNT 333 WATER WHEELS, TURBINES, & GENERATORS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - OSAGE							
INTERIM SURVIVOR CURVE.. IOWA 95-S0.5							
PROBABLE RETIREMENT YEAR.. 6-2047							
NET SALVAGE PERCENT.. -30							
1930	924,962.59	86.91	1.15	13,828.19	28.83	.6683	803,598
1931	2,838,413.66	86.59	1.15	42,434.28	28.96	.6656	2,456,023
1932	12,754.72	86.26	1.16	192.34	29.09	.6628	10,990
1935	1,713.00	85.22	1.17	26.05	29.48	.6541	1,457
1941	224.00	82.92	1.21	3.52	30.24	.6353	185
1949	1,055.00	79.39	1.26	17.28	31.19	.6071	833
1951	240,826.00	78.43	1.28	4,007.34	31.43	.5993	187,625
1952	1,465,669.00	77.93	1.28	24,388.73	31.54	.5953	1,134,267
1953	1,084,020.60	77.43	1.29	18,179.03	31.65	.5912	833,135
1954	25,459.00	76.92	1.30	430.26	31.77	.5870	19,428
1958	996.00	74.78	1.34	17.35	32.22	.5691	737
1980	16,949.00	60.69	1.65	363.56	34.54	.4309	9,494
1986	12,455.00	56.20	1.78	288.21	35.14	.3747	6,067
1988	9,679.00	54.64	1.83	230.26	35.33	.3534	4,447
1989	31,577.00	53.85	1.86	763.53	35.43	.3421	14,043
1991	339,233.00	52.26	1.91	8,423.16	35.62	.3184	140,415
1992	3,521.00	51.45	1.94	88.80	35.72	.3057	1,399
1993	151,261.78	50.63	1.98	3,893.48	35.81	.2927	57,557
1994	5,029,510.64	49.81	2.01	131,421.11	35.91	.2791	1,824,857
1995	0.02	48.99	2.04		36.00	.2652	
1996	0.02	48.15	2.08		36.10	.2503	
1999	515,526.32	45.61	2.19	14,677.03	36.38	.2024	135,645
2002	6,494,707.06	43.03	2.32	195,880.36	36.65	.1483	1,252,115
2004	9,355.86	41.27	2.42	294.34	36.84	.1073	1,305
2006	131,858.66	39.50	2.53	4,336.83	37.02	.0628	10,765
2007	19,469.74	38.60	2.59	655.55	37.11	.0386	977
2008	14,565,931.04	37.70	2.65	501,796.32	37.21	.0130	246,164
	33,927,128.71			966,636.91			9,153,528

AmerenUE - ELECTRIC

ACCOUNT 333 WATER WHEELS, TURBINES, & GENERATORS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

PUMP STORAGE - TAUM SAUK
INTERIM SURVIVOR CURVE.. IOWA 95-S0.5
PROBABLE RETIREMENT YEAR.. 6-2049
NET SALVAGE PERCENT.. -30

1963	14,086,560.81	73.09	1.37	250,881.65	34.11	.5333	9,766,072
1964	83,553.00	72.51	1.38	1,498.94	34.23	.5279	57,340
1965	2,607.00	71.92	1.39	47.11	34.35	.5224	1,770
1966	3,214.00	71.33	1.40	58.49	34.46	.5169	2,160
1968	42,552.00	70.11	1.43	791.04	34.70	.5051	27,941
1969	3,198.00	69.49	1.44	59.87	34.81	.4991	2,075
1971	3,605.00	68.22	1.47	68.89	35.04	.4864	2,280
1983	36,856.00	59.96	1.67	800.14	36.39	.3931	18,835
1996	2,378.00	49.81	2.01	62.14	37.78	.2415	747
1997	1,834.00	48.99	2.04	48.64	37.88	.2268	541
1999	21,192,606.26	47.31	2.11	581,313.19	38.09	.1949	5,369,571
2000	259,306.33	46.47	2.15	7,247.61	38.19	.1782	60,071
2001	341,540.66	45.61	2.19	9,723.66	38.29	.1605	71,262
2002	138,015.43	44.76	2.23	4,001.07	38.39	.1423	25,531
2003	747,883.70	43.89	2.28	22,167.27	38.49	.1230	119,587
2004	391,247.47	43.03	2.32	11,800.02	38.59	.1032	52,490
2005	8,742.26	42.15	2.37	269.35	38.70	.0819	931
2006	255,806.42	41.27	2.42	8,047.67	38.80	.0598	19,886
2008	1,723,472.49	39.50	2.53	56,685.01	39.00	.0127	28,455
	39,324,978.83			955,571.76			15,627,545

HYDRAULIC PRODUCTION - KEOKUK
INTERIM SURVIVOR CURVE.. IOWA 95-S0.5
PROBABLE RETIREMENT YEAR.. 6-2055
NET SALVAGE PERCENT.. -30

1913	2,860,025.11	92.62	1.08	40,154.75	29.11	.6857	2,549,455
1914	6,108.90	92.47	1.08	85.77	29.32	.6829	5,423
1920	13,394.02	91.45	1.09	189.79	30.54	.6660	11,597
1921	4,808.82	91.26	1.10	68.77	30.74	.6632	4,146
1922	4,868.76	91.06	1.10	69.62	30.94	.6602	4,179
1928	9,632.49	89.72	1.11	139.00	32.08	.6424	8,044
1929	3,002.84	89.47	1.12	43.72	32.26	.6394	2,496
1930	2,877.41	89.22	1.12	41.90	32.45	.6363	2,380

AmerenUE - ELECTRIC

ACCOUNT 333 WATER WHEELS, TURBINES, & GENERATORS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL	ACCRUAL--		-ACCRUED	DEPREC.-
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 95-S0.5							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -30							
1931	2,808.92	88.96	1.12	40.90	32.63	.6332	2,312
1935	224.94	87.84	1.14	3.33	33.34	.6204	181
1936	2,070.45	87.54	1.14	30.68	33.52	.6171	1,661
1939	7,162.00	86.59	1.15	107.07	34.04	.6069	5,651
1940	1,685.00	86.26	1.16	25.41	34.21	.6034	1,322
1941	1,341.94	85.92	1.16	20.24	34.38	.5999	1,047
1942	181,111.12	85.58	1.17	2,754.70	34.55	.5963	140,396
1943	117,686.03	85.22	1.17	1,790.00	34.72	.5926	90,663
1944	7,162.71	84.86	1.18	109.88	34.89	.5889	5,484
1946	5,076.77	84.11	1.19	78.54	35.22	.5813	3,836
1947	575,018.52	83.72	1.19	8,895.54	35.39	.5773	431,546
1948	167,297.00	83.33	1.20	2,609.83	35.55	.5734	124,707
1951	11,320.92	82.09	1.22	179.55	36.04	.5610	8,256
1952	57,164.00	81.66	1.22	906.62	36.20	.5567	41,370
1953	319,879.07	81.23	1.23	5,114.87	36.36	.5524	229,712
1954	30,582.13	80.78	1.24	492.98	36.51	.5480	21,787
1955	15,048.58	80.33	1.24	242.58	36.67	.5435	10,633
1957	28,106.80	79.39	1.26	460.39	36.99	.5341	19,515
1958	14,922.39	78.92	1.27	246.37	37.14	.5294	10,270
1959	15,523.14	78.43	1.28	258.31	37.30	.5244	10,582
1962	19,144.53	76.92	1.30	323.54	37.76	.5091	12,670
1963	3,832.58	76.39	1.31	65.27	37.91	.5037	2,510
1964	26,020.73	75.86	1.32	446.52	38.06	.4983	16,856
1965	3,722.60	75.33	1.33	64.36	38.22	.4926	2,384
1967	3,532.57	74.23	1.35	62.00	38.52	.4811	2,209
1969	12,430.92	73.09	1.37	221.39	38.82	.4689	7,578
1970	28,034.35	72.51	1.38	502.94	38.97	.4626	16,859
1972	13,282.89	71.33	1.40	241.75	39.26	.4496	7,764
1974	29,958.25	70.11	1.43	556.92	39.55	.4359	16,976
1976	1,557.80	68.86	1.45	29.36	39.85	.4213	853
1979	39,539.76	66.92	1.49	765.89	40.28	.3981	20,463
1980	822.00	66.26	1.51	16.14	40.42	.3900	417
1984	250,998.00	63.54	1.57	5,122.87	40.99	.3549	115,803
1985	11,127.84	62.84	1.59	230.01	41.13	.3455	4,998
1990	24,547.00	59.22	1.69	539.30	41.83	.2937	9,372

AmerenUE - ELECTRIC

ACCOUNT 333 WATER WHEELS, TURBINES, & GENERATORS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 95-S0.5							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -30							
1991	55,894.45	58.47	1.71	1,242.53	41.97	.2822	20,505
1992	2,895,549.54	57.72	1.73	65,120.91	42.11	.2704	1,017,844
1993	5,423,267.28	56.96	1.76	124,084.36	42.25	.2583	1,821,079
1994	400,102.70	56.20	1.78	9,258.38	42.39	.2457	127,797
1995	1,566,799.99	55.42	1.80	36,663.12	42.52	.2328	474,176
1996	49,252.00	54.64	1.83	1,171.71	42.66	.2193	14,041
1997	701,479.34	53.85	1.86	16,961.77	42.79	.2054	187,309
1998	28,246.95	53.06	1.88	690.36	42.93	.1909	7,010
1999	0.26	52.26	1.91	0.01	43.06	.1760	
2000	17,119.38	51.45	1.94	431.75	43.20	.1603	3,568
2001	9,344,760.97	50.63	1.98	240,534.15	43.33	.1442	1,751,769
2002	21,346,505.44	49.81	2.01	557,784.19	43.46	.1275	3,538,183
2003	5,730,229.52	48.99	2.04	151,965.69	43.60	.1100	819,423
2004	570,728.40	48.15	2.08	15,432.50	43.73	.0918	68,111
2005	6,215,431.50	47.31	2.11	170,489.29	43.86	.0729	589,036
2007	6,629.02	45.61	2.19	188.73	44.13	.0324	279
	59,286,459.34			1,466,368.82			14,426,493
TOTAL	132,538,566.88			3,388,577.49			39,207,566

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.56

AmerenUE - ELECTRIC

ACCOUNT 334 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL	ACCRUAL--		-ACCRUED	DEPREC.-
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - OSAGE							
INTERIM SURVIVOR CURVE.. IOWA 65-R0.5							
PROBABLE RETIREMENT YEAR.. 6-2047							
NET SALVAGE PERCENT.. -8							
1930	33,579.00	64.62	1.55	562.11	20.92	.6763	24,526
1931	941,528.07	64.56	1.55	15,761.18	21.21	.6715	682,815
1932	2,488.00	64.49	1.55	41.65	21.51	.6665	1,791
1939	424.00	63.82	1.57	7.19	23.44	.6327	290
1940	1,053.00	63.70	1.57	17.85	23.70	.6279	714
1944	377.00	63.13	1.58	6.43	24.71	.6086	248
1946	13,202.64	62.80	1.59	226.72	25.20	.5987	8,537
1947	620.00	62.63	1.60	10.71	25.43	.5940	398
1951	15,234.00	61.83	1.62	266.53	26.34	.5740	9,444
1952	271,825.00	61.61	1.62	4,755.85	26.56	.5689	167,013
1953	219,728.38	61.38	1.63	3,868.10	26.78	.5637	133,770
1957	7,220.00	60.37	1.66	129.44	27.61	.5427	4,232
1958	4,667.00	60.10	1.66	83.67	27.81	.5373	2,708
1959	1,078.00	59.81	1.67	19.44	28.00	.5319	619
1967	5,294.00	57.18	1.75	100.06	29.45	.4850	2,773
1979	44,445.00	52.06	1.92	921.61	31.21	.4005	19,224
1985	19,539.00	48.98	2.04	430.48	31.91	.3485	7,354
1993	0.02	44.34	2.26		32.68	.2630	
1994	806,492.86	43.72	2.29	19,946.18	32.76	.2507	218,363
1995	26,582.00	43.09	2.32	666.04	32.85	.2376	6,821
1996	29,411.77	42.45	2.36	749.65	32.93	.2243	7,125
1997	15,577.27	41.81	2.39	402.08	33.00	.2107	3,545
1999	1,179,398.09	40.49	2.47	31,461.62	33.15	.1813	230,931
2000	18,768.00	39.82	2.51	508.76	33.23	.1655	3,355
2001	1,717,844.42	39.14	2.55	47,309.44	33.30	.1492	276,807
2002	352,398.86	38.45	2.60	9,895.36	33.37	.1321	50,276
2003	18,604.97	37.75	2.65	532.47	33.43	.1144	2,299
2004	27,354.46	37.05	2.70	797.66	33.50	.0958	2,830
2008	302,825.56	34.15	2.93	9,582.61	33.75	.0117	3,827
	6,077,560.37			149,060.89			1,872,635

AmerenUE - ELECTRIC

ACCOUNT 334 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

PUMP STORAGE - TAUM SAUK
INTERIM SURVIVOR CURVE.. IOWA 65-R0.5
PROBABLE RETIREMENT YEAR.. 6-2049
NET SALVAGE PERCENT.. -8

1963	2,370,135.48	59.21	1.69	43,259.71	29.68	.4987	1,276,545
1964	458.00	58.90	1.70	8.41	29.87	.4929	244
1965	3,931.00	58.58	1.71	72.60	30.07	.4867	2,066
1966	594.91	58.24	1.72	11.05	30.26	.4804	309
1967	21,453.17	57.90	1.73	400.83	30.44	.4743	10,989
1969	2,348.00	57.18	1.75	44.38	30.80	.4614	1,170
1987	9,358.91	48.98	2.04	206.20	33.40	.3181	3,215
1994	35,024.92	44.95	2.22	839.76	34.11	.2412	9,124
1999	2,083.03	41.81	2.39	53.77	34.55	.1736	391
2002	203,283.54	39.82	2.51	5,510.61	34.79	.1263	27,729
2004	885,081.59	38.45	2.60	24,853.09	34.94	.0913	87,273
2005	376,211.23	37.75	2.65	10,767.17	35.01	.0726	29,498
2006	5,733.44	37.05	2.70	167.19	35.08	.0532	329
2008	31,318.43	35.62	2.81	950.45	35.22	.0112	379
	3,947,015.65			87,145.22			1,449,261

HYDRAULIC PRODUCTION - KEOKUK
INTERIM SURVIVOR CURVE.. IOWA 65-R0.5
PROBABLE RETIREMENT YEAR.. 6-2055
NET SALVAGE PERCENT.. -8

1913	185,828.62	65.00	1.54	3,090.70	14.86	.7714	154,816
1915	934.00	65.00	1.54	15.53	15.66	.7591	766
1916	17,817.00	65.00	1.54	296.33	16.06	.7529	14,488
1917	3,225.00	65.00	1.54	53.64	16.47	.7466	2,600
1918	4,388.00	65.00	1.54	72.98	16.87	.7405	3,509
1925	277.00	65.00	1.54	4.61	19.76	.6960	208
1927	525.00	64.99	1.54	8.73	20.58	.6833	387
1929	208.53	64.97	1.54	3.47	21.38	.6709	151
1930	229.18	64.95	1.54	3.81	21.76	.6650	165
1931	4,318.00	64.92	1.54	71.82	22.14	.6590	3,073
1932	268.00	64.90	1.54	4.46	22.52	.6530	189
1939	1,882.99	64.56	1.55	31.52	25.01	.6126	1,246
1940	7,942.00	64.49	1.55	132.95	25.35	.6069	5,206

AmerenUE - ELECTRIC

ACCOUNT 334 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 65-R0.5							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -8							
1941	3,931.40	64.41	1.55	65.81	25.68	.6013	2,553
1942	6,297.25	64.33	1.55	105.42	26.01	.5957	4,051
1943	2,277.00	64.24	1.56	38.36	26.34	.5900	1,451
1945	137.00	64.05	1.56	2.31	26.98	.5788	86
1946	19,585.88	63.94	1.56	329.98	27.30	.5730	12,121
1947	47,469.05	63.82	1.57	804.89	27.61	.5674	29,089
1948	121,317.19	63.70	1.57	2,057.05	27.92	.5617	73,595
1949	271,495.03	63.57	1.57	4,603.47	28.23	.5559	162,998
1950	3,825.00	63.43	1.58	65.27	28.53	.5502	2,273
1951	85,543.00	63.29	1.58	1,459.71	28.83	.5445	50,304
1952	316,292.90	63.13	1.58	5,397.22	29.13	.5386	183,984
1953	285,734.13	62.97	1.59	4,906.63	29.42	.5328	164,418
1954	46,952.69	62.80	1.59	806.27	29.71	.5269	26,719
1955	27,492.00	62.63	1.60	475.06	29.99	.5212	15,475
1956	27,105.77	62.44	1.60	468.39	30.27	.5152	15,082
1957	12,774.66	62.25	1.61	222.13	30.55	.5092	7,025
1958	117,000.88	62.04	1.61	2,034.41	30.82	.5032	63,585
1959	129,616.00	61.83	1.62	2,267.76	31.09	.4972	69,601
1960	5,852.00	61.61	1.62	102.39	31.35	.4912	3,104
1961	33,093.97	61.38	1.63	582.59	31.61	.4850	17,335
1962	16,739.01	61.15	1.64	296.48	31.87	.4788	8,656
1963	905.72	60.90	1.64	16.04	32.12	.4726	462
1965	59,367.61	60.37	1.66	1,064.34	32.62	.4597	29,475
1966	1,178.00	60.10	1.66	21.12	32.86	.4532	577
1967	735.00	59.81	1.67	13.26	33.10	.4466	355
1968	11,140.00	59.52	1.68	202.12	33.33	.4400	5,294
1969	3,627.00	59.21	1.69	66.20	33.56	.4332	1,697
1970	31,143.00	58.90	1.70	571.79	33.79	.4263	14,338
1971	1,604.00	58.58	1.71	29.62	34.01	.4194	727
1976	2,407.73	56.81	1.76	45.77	35.05	.3830	996
1978	23,539.00	56.04	1.78	452.51	35.43	.3678	9,350
1979	4,229.21	55.63	1.80	82.22	35.62	.3597	1,643
1980	23,280.84	55.22	1.81	455.09	35.80	.3517	8,843
1983	31,053.44	53.93	1.85	620.45	36.32	.3265	10,950
1984	3,544.00	53.48	1.87	71.57	36.49	.3177	1,216

AmerenUE - ELECTRIC

ACCOUNT 334 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 65-R0.5							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -8							
1985	84,152.78	53.01	1.89	1,717.73	36.65	.3086	28,047
1986	8,516.27	52.54	1.90	174.75	36.81	.2994	2,754
1988	72,684.00	51.57	1.94	1,522.88	37.11	.2804	22,011
1990	27,137.00	50.56	1.98	580.30	37.40	.2603	7,629
1992	66,907.14	49.51	2.02	1,459.65	37.67	.2391	17,277
1993	723,068.64	48.98	2.04	15,930.65	37.80	.2283	178,283
1994	27,858.20	48.43	2.06	619.79	37.93	.2168	6,523
1995	159,287.64	47.87	2.09	3,595.44	38.06	.2049	35,249
1996	0.01	47.31	2.11		38.18	.1930	
1997	8,748.34	46.73	2.14	202.19	38.30	.1804	1,704
1998	285,940.15	46.15	2.17	6,701.29	38.41	.1677	51,788
2001	2,243,494.07	44.34	2.26	54,759.20	38.74	.1263	306,022
2002	1,348,675.98	43.72	2.29	33,355.45	38.85	.1114	162,262
2003	545,511.97	43.09	2.32	13,668.35	38.95	.0961	56,618
2004	16,877.04	42.45	2.36	430.16	39.05	.0801	1,460
2005	1,847,582.36	41.81	2.39	47,689.80	39.15	.0636	126,907
2006	614,004.10	41.15	2.43	16,113.92	39.25	.0462	30,636
2007	670,786.46	40.49	2.47	17,893.90	39.34	.0284	20,574
	10,757,361.83			251,009.70			2,241,976
TOTAL	20,781,937.85			487,215.81			5,563,872

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.34

AmerenUE - ELECTRIC

ACCOUNT 335 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
HYDRAULIC PRODUCTION - OSAGE							
INTERIM SURVIVOR CURVE.. IOWA 60-R0.5							
PROBABLE RETIREMENT YEAR.. 6-2047							
NET SALVAGE PERCENT.. -5							
1931	3,230.81	59.96	1.67	56.65	17.95	.7006	2,377
1932	6,347.16	59.94	1.67	111.30	18.32	.6944	4,628
1933	109.70	59.92	1.67	1.92	18.67	.6884	79
1934	580.52	59.89	1.67	10.18	19.02	.6824	416
1935	1,870.10	59.85	1.67	32.79	19.37	.6764	1,328
1937	70,836.10	59.76	1.67	1,242.11	20.03	.6648	49,446
1938	0.10	59.71	1.67		20.36	.6590	
1941	1,972.00	59.52	1.68	34.79	21.31	.6420	1,329
1942	2,090.00	59.44	1.68	36.87	21.61	.6364	1,397
1943	796.00	59.36	1.68	14.04	21.92	.6307	527
1944	116.00	59.27	1.69	2.06	22.21	.6253	76
1945	4,187.80	59.17	1.69	74.31	22.51	.6196	2,724
1946	588.00	59.06	1.69	10.43	22.80	.6140	379
1947	1,500.76	58.95	1.70	26.79	23.09	.6083	959
1948	1,538.25	58.83	1.70	27.46	23.37	.6028	974
1949	221.00	58.70	1.70	3.94	23.65	.5971	139
1950	797.00	58.56	1.71	14.31	23.92	.5915	495
1951	1,386.00	58.42	1.71	24.89	24.19	.5859	853
1952	6,246.00	58.27	1.72	112.80	24.46	.5802	3,805
1953	4,200.21	58.10	1.72	75.86	24.72	.5745	2,534
1954	2,551.00	57.93	1.73	46.34	24.98	.5688	1,524
1955	2,578.00	57.75	1.73	46.83	25.23	.5631	1,524
1956	1,402.00	57.56	1.74	25.61	25.48	.5573	820
1957	1,602.98	57.37	1.74	29.29	25.73	.5515	928
1958	1,644.00	57.16	1.75	30.21	25.97	.5457	942
1959	3,889.62	56.94	1.76	71.88	26.21	.5397	2,204
1960	6,245.72	56.72	1.76	115.42	26.45	.5337	3,500
1961	515.00	56.48	1.77	9.57	26.68	.5276	285
1962	483.00	56.23	1.78	9.03	26.91	.5214	264
1963	97.00	55.98	1.79	1.82	27.13	.5154	52
1964	3,536.00	55.71	1.80	66.83	27.35	.5091	1,890
1965	345.00	55.43	1.80	6.52	27.57	.5026	182
1966	7,140.64	55.15	1.81	135.71	27.78	.4963	3,721
1967	1,437.20	54.85	1.82	27.46	27.99	.4897	739
1968	1,524.00	54.54	1.83	29.28	28.20	.4829	773

AmerenUE - ELECTRIC

ACCOUNT 335 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL ACCRUAL--			-ACCRUED DEPREC.-	
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - OSAGE							
INTERIM SURVIVOR CURVE.. IOWA 60-R0.5							
PROBABLE RETIREMENT YEAR.. 6-2047							
NET SALVAGE PERCENT.. -5							
1969	545.00	54.22	1.84	10.53	28.40	.4762	273
1970	3,367.00	53.89	1.86	65.76	28.59	.4695	1,660
1972	5,624.00	53.20	1.88	111.02	28.97	.4555	2,690
1973	9,032.00	52.84	1.89	179.24	29.16	.4481	4,250
1974	0.24	52.47	1.91		29.34	.4408	
1975	401.00	52.09	1.92	8.08	29.51	.4335	183
1976	6,739.00	51.70	1.93	136.57	29.69	.4257	3,012
1977	5,221.90	51.29	1.95	106.92	29.85	.4180	2,292
1978	3,889.00	50.88	1.97	80.44	30.02	.4100	1,674
1979	14,724.00	50.45	1.98	306.11	30.18	.4018	6,212
1980	5,230.00	50.02	2.00	109.83	30.33	.3936	2,161
1981	2,425.00	49.57	2.02	51.43	30.49	.3849	980
1982	6,928.57	49.11	2.04	148.41	30.63	.3763	2,738
1983	35,836.83	48.65	2.06	775.15	30.78	.3673	13,821
1984	16,433.93	48.17	2.08	358.92	30.92	.3581	6,179
1985	15,881.54	47.68	2.10	350.19	31.05	.3488	5,816
1986	7,489.42	47.18	2.12	166.71	31.19	.3389	2,665
1987	13,502.00	46.67	2.14	303.39	31.32	.3289	4,663
1988	120,964.00	46.15	2.17	2,756.16	31.44	.3187	40,479
1989	15,593.00	45.62	2.19	358.56	31.56	.3082	5,046
1990	47,205.08	45.08	2.22	1,100.35	31.68	.2972	14,731
1991	53,285.11	44.53	2.25	1,258.86	31.79	.2861	16,007
1992	87,024.29	43.97	2.27	2,074.22	31.90	.2745	25,083
1993	49,727.16	43.40	2.30	1,200.91	32.01	.2624	13,701
1994	148,263.54	42.82	2.34	3,642.84	32.11	.2501	38,935
1995	48,155.84	42.23	2.37	1,198.36	32.22	.2370	11,984
1996	37,639.96	41.63	2.40	948.53	32.31	.2239	8,849
1997	44,392.94	41.02	2.44	1,137.35	32.41	.2099	9,784
1998	16,413.05	40.40	2.48	427.40	32.50	.1955	3,369
1999	58,498.00	39.77	2.51	1,541.71	32.59	.1805	11,087
2000	50,790.91	39.14	2.55	1,359.93	32.68	.1650	8,800
2001	76,733.27	38.49	2.60	2,094.82	32.77	.1486	11,973
2002	306,351.02	37.83	2.64	8,492.05	32.85	.1316	42,332
2003	71,669.60	37.17	2.69	2,024.31	32.93	.1141	8,586
2004	104,451.52	36.49	2.74	3,005.07	33.01	.0954	10,463

AmerenUE - ELECTRIC

ACCOUNT 335 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	----------------------	----------------------------	-------------	------------------------------------	---------------

HYDRAULIC PRODUCTION - OSAGE
INTERIM SURVIVOR CURVE.. IOWA 60-R0.5
PROBABLE RETIREMENT YEAR.. 6-2047
NET SALVAGE PERCENT.. -5

2005	80,392.81	35.81	2.79	2,355.11	33.09	.0760	6,415
2006	246,984.31	35.12	2.85	7,391.01	33.16	.0558	14,471
2007	85,917.47	34.42	2.91	2,625.21	33.24	.0343	3,094
2008	210,670.69	33.71	2.97	6,569.77	33.31	.0119	2,632
	2,257,998.67			59,396.53			462,903

PUMP STORAGE - TAUM SAUK
INTERIM SURVIVOR CURVE.. IOWA 60-R0.5
PROBABLE RETIREMENT YEAR.. 6-2049
NET SALVAGE PERCENT.. -5

1963	87,945.95	56.48	1.77	1,634.48	27.90	.5060	46,726
1964	4,833.58	56.23	1.78	90.34	28.14	.4996	2,536
1965	4,455.17	55.98	1.79	83.73	28.38	.4930	2,306
1966	579.80	55.71	1.80	10.96	28.61	.4864	296
1967	29,625.74	55.43	1.80	559.93	28.84	.4797	14,922
1968	747.00	55.15	1.81	14.20	29.06	.4731	371
1969	521.00	54.85	1.82	9.96	29.28	.4662	255
1970	3,019.00	54.54	1.83	58.01	29.49	.4593	1,456
1971	57,714.73	54.22	1.84	1,115.05	29.70	.4522	27,404
1972	711.00	53.89	1.86	13.89	29.91	.4450	332
1974	5,093.00	53.20	1.88	100.54	30.31	.4303	2,301
1975	7,375.00	52.84	1.89	146.36	30.51	.4226	3,273
1976	759.00	52.47	1.91	15.22	30.69	.4151	331
1977	17,323.00	52.09	1.92	349.23	30.88	.4072	7,407
1978	763.00	51.70	1.93	15.46	31.06	.3992	320
1979	1,655.00	51.29	1.95	33.89	31.24	.3909	679
1981	26,371.00	50.45	1.98	548.25	31.58	.3740	10,356
1982	4,292.00	50.02	2.00	90.13	31.74	.3655	1,647
1983	19,472.43	49.57	2.02	413.01	31.90	.3565	7,289
1985	1,861.28	48.65	2.06	40.26	32.21	.3379	660
1986	9,817.25	48.17	2.08	214.41	32.35	.3284	3,385
1987	734.00	47.68	2.10	16.18	32.50	.3184	245
1988	2,066.00	47.18	2.12	45.99	32.64	.3082	669

AmerenUE - ELECTRIC

ACCOUNT 335 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCURAL-- AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

PUMP STORAGE - TAUM SAUK
INTERIM SURVIVOR CURVE.. IOWA 60-R0.5
PROBABLE RETIREMENT YEAR.. 6-2049
NET SALVAGE PERCENT.. -5

1989	1,932.00	46.67	2.14	43.41	32.77	.2978	604
1990	76,577.06	46.15	2.17	1,744.81	32.90	.2871	23,085
1992	17,109.07	45.08	2.22	398.81	33.15	.2646	4,753
1993	17,058.08	44.53	2.25	403.00	33.27	.2529	4,530
1994	111,997.20	43.97	2.27	2,669.45	33.39	.2406	28,294
1995	3,349.32	43.40	2.30	80.89	33.50	.2281	802
1996	4,775.41	42.82	2.34	117.33	33.61	.2151	1,079
1997	5,612.00	42.23	2.37	139.65	33.72	.2015	1,187
1999	345,333.51	41.02	2.44	8,847.44	33.92	.1731	62,766
2000	10,928.18	40.40	2.48	284.57	34.02	.1579	1,812
2001	80,121.30	39.77	2.51	2,111.60	34.12	.1421	11,954
2002	249,026.49	39.14	2.55	6,667.68	34.21	.1260	32,946
2003	20,028.18	38.49	2.60	546.77	34.30	.1089	2,290
2004	60,773.87	37.83	2.64	1,684.65	34.39	.0909	5,801
2005	262,333.25	37.17	2.69	7,409.60	34.48	.0724	19,943
2006	20,376.51	36.49	2.74	586.23	34.56	.0529	1,132
2007	19,757.43	35.81	2.79	578.79	34.65	.0324	672
2008	818,804.43	35.12	2.85	24,502.72	34.73	.0111	9,543
	2,413,628.22			64,436.88			348,359

HYDRAULIC PRODUCTION - KEOKUK
INTERIM SURVIVOR CURVE.. IOWA 60-R0.5
PROBABLE RETIREMENT YEAR.. 6-2055
NET SALVAGE PERCENT.. -5

1913	17,192.07	60.00	1.67	301.46	10.81	.8198	14,799
1916	1,490.17	60.00	1.67	26.13	11.99	.8002	1,252
1917	7,930.19	60.00	1.67	139.06	12.39	.7935	6,607
1918	511.00	60.00	1.67	8.96	12.79	.7868	422
1919	1,162.00	60.00	1.67	20.38	13.18	.7803	952
1921	957.00	60.00	1.67	16.78	13.98	.7670	771
1923	1,340.80	60.00	1.67	23.51	14.78	.7537	1,061
1924	1,228.00	60.00	1.67	21.53	15.18	.7470	963
1925	216.00	60.00	1.67	3.79	15.59	.7402	168

AmerenUE - ELECTRIC

ACCOUNT 335 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 60-R0.5							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -5							
1928	368.00	60.00	1.67	6.45	16.81	.7198	278
1929	245.00	60.00	1.67	4.30	17.23	.7128	183
1930	376.72	60.00	1.67	6.61	17.64	.7060	279
1934	71.00	60.00	1.67	1.24	19.33	.6778	51
1935	469.00	60.00	1.67	8.22	19.77	.6705	330
1936	2,294.00	60.00	1.67	40.23	20.19	.6635	1,598
1937	697.53	59.99	1.67	12.23	20.61	.6564	481
1938	425.00	59.98	1.67	7.45	21.03	.6494	290
1939	936.06	59.96	1.67	16.41	21.43	.6426	632
1940	2,365.00	59.94	1.67	41.47	21.83	.6358	1,579
1941	3,817.00	59.92	1.67	66.93	22.23	.6290	2,521
1942	2,152.00	59.89	1.67	37.74	22.62	.6223	1,406
1943	699.00	59.85	1.67	12.26	23.00	.6157	452
1944	962.00	59.81	1.67	16.87	23.38	.6091	615
1945	181.00	59.76	1.67	3.17	23.76	.6024	114
1946	5,853.00	59.71	1.67	102.63	24.13	.5959	3,662
1947	1,477.00	59.65	1.68	26.05	24.49	.5894	914
1948	1,583.88	59.59	1.68	27.94	24.86	.5828	969
1949	2,543.00	59.52	1.68	44.86	25.22	.5763	1,539
1950	2,836.00	59.44	1.68	50.03	25.57	.5698	1,697
1951	3,101.00	59.36	1.68	54.70	25.93	.5632	1,834
1952	5,278.24	59.27	1.69	93.66	26.27	.5568	3,086
1953	14,035.00	59.17	1.69	249.05	26.62	.5501	8,107
1954	7,817.00	59.06	1.69	138.71	26.96	.5435	4,461
1955	4,188.74	58.95	1.70	74.77	27.29	.5371	2,362
1956	9,589.92	58.83	1.70	171.18	27.63	.5303	5,340
1957	9,695.52	58.70	1.70	173.07	27.96	.5237	5,331
1958	10,054.37	58.56	1.71	180.53	28.28	.5171	5,459
1959	7,252.33	58.42	1.71	130.22	28.60	.5104	3,887
1960	3,298.85	58.27	1.72	59.58	28.92	.5037	1,745
1961	4,557.00	58.10	1.72	82.30	29.23	.4969	2,378
1962	3,646.00	57.93	1.73	66.23	29.54	.4901	1,876
1963	3,945.23	57.75	1.73	71.67	29.84	.4833	2,002
1964	3,113.00	57.56	1.74	56.87	30.14	.4764	1,557
1965	10,905.94	57.37	1.74	199.25	30.44	.4694	5,375

AmerenUE - ELECTRIC

ACCOUNT 335 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL	ACCRUAL--		-ACCRUED	DEPREC.-
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 60-R0.5							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -5							
1966	2,471.00	57.16	1.75	45.40	30.73	.4624	1,200
1967	3,601.00	56.94	1.76	66.55	31.02	.4552	1,721
1968	2,318.00	56.72	1.76	42.84	31.30	.4482	1,091
1969	8,595.00	56.48	1.77	159.74	31.58	.4409	3,979
1970	6,955.07	56.23	1.78	129.99	31.85	.4336	3,167
1971	4,361.00	55.98	1.79	81.96	32.12	.4262	1,952
1972	6,311.76	55.71	1.80	119.29	32.38	.4188	2,776
1973	784.83	55.43	1.80	14.83	32.64	.4111	339
1974	11,172.91	55.15	1.81	212.34	32.89	.4036	4,735
1975	2,121.00	54.85	1.82	40.53	33.14	.3958	881
1976	3,082.52	54.54	1.83	59.23	33.39	.3878	1,255
1977	8,986.00	54.22	1.84	173.61	33.63	.3797	3,583
1978	6,463.00	53.89	1.86	126.22	33.86	.3717	2,522
1979	4,356.00	53.55	1.87	85.53	34.09	.3634	1,662
1980	6,641.00	53.20	1.88	131.09	34.32	.3549	2,475
1981	25,232.00	52.84	1.89	500.73	34.54	.3463	9,175
1982	11,556.00	52.47	1.91	231.76	34.75	.3377	4,098
1983	38,638.55	52.09	1.92	778.95	34.96	.3289	13,344
1984	27,433.00	51.70	1.93	555.93	35.16	.3199	9,215
1985	20,474.93	51.29	1.95	419.22	35.36	.3106	6,677
1986	9,344.80	50.88	1.97	193.30	35.56	.3011	2,954
1987	8,972.79	50.45	1.98	186.54	35.75	.2914	2,745
1988	10,880.00	50.02	2.00	228.48	35.93	.2817	3,218
1989	104,792.00	49.57	2.02	2,222.64	36.11	.2715	29,874
1990	87,857.00	49.11	2.04	1,881.90	36.29	.2610	24,077
1991	47,720.96	48.65	2.06	1,032.20	36.46	.2506	12,557
1992	179,367.58	48.17	2.08	3,917.39	36.62	.2398	45,163
1993	57,401.66	47.68	2.10	1,265.71	36.78	.2286	13,778
1994	243,194.18	47.18	2.12	5,413.50	36.94	.2170	55,412
1995	146,051.67	46.67	2.14	3,281.78	37.09	.2053	31,484
1996	139,604.13	46.15	2.17	3,180.88	37.24	.1931	28,305
1997	59,064.12	45.62	2.19	1,358.18	37.39	.1804	11,188
1998	194,909.53	45.08	2.22	4,543.34	37.53	.1675	34,280
1999	126,963.00	44.53	2.25	2,999.50	37.66	.1543	20,570
2000	142,662.67	43.97	2.27	3,400.36	37.80	.1403	21,016

AmerenUE - ELECTRIC

ACCOUNT 335 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCRUAL-- AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
HYDRAULIC PRODUCTION - KEOKUK							
INTERIM SURVIVOR CURVE.. IOWA 60-R0.5							
PROBABLE RETIREMENT YEAR.. 6-2055							
NET SALVAGE PERCENT.. -5							
2001	104,780.15	43.40	2.30	2,530.44	37.93	.1260	13,862
2002	324,896.98	42.82	2.34	7,982.72	38.06	.1112	37,935
2003	47,786.69	42.23	2.37	1,189.17	38.18	.0959	4,812
2004	65,601.97	41.63	2.40	1,653.17	38.30	.0800	5,511
2005	175,260.06	41.02	2.44	4,490.16	38.42	.0634	11,667
2006	114,377.61	40.40	2.48	2,978.39	38.54	.0460	5,524
2007	204,403.55	39.77	2.51	5,387.06	38.65	.0282	6,052
2008	26,431.84	39.14	2.55	707.71	38.76	.0097	269
	2,986,736.07			68,896.74			599,485
TOTAL	7,658,362.96			192,730.15			1,410,747

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.52

AmerenUE - ELECTRIC

ACCOUNT 336 ROADS, RAILROADS, & BRIDGES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCRUAL-- AMOUNT	EXP.	-ACCRUED FACTOR	DEPREC.- AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

HYDRAULIC PRODUCTION - OSAGE
INTERIM SURVIVOR CURVE.. IOWA 40-02
PROBABLE RETIREMENT YEAR.. 6-2047
NET SALVAGE PERCENT.. 0

1945	5,981.00	39.60	2.53	151.32	20.45	.4836	2,892
1955	60,253.00	39.09	2.56	1,542.48	20.18	.4838	29,150
1963	2,957.00	38.50	2.60	76.88	20.24	.4743	1,403
1966	3,737.00	38.22	2.62	97.91	20.45	.4649	1,737
1970	4,517.00	37.81	2.64	119.25	20.90	.4472	2,020
	77,445.00			1,987.84			37,202

PUMP STORAGE - TAUM SAUK
INTERIM SURVIVOR CURVE.. IOWA 40-02
PROBABLE RETIREMENT YEAR.. 6-2049
NET SALVAGE PERCENT.. 0

1963	4,721.00	38.66	2.59	122.27	20.69	.4648	2,194
1965	27,493.00	38.50	2.60	714.82	20.82	.4592	12,625
1969	4,431.00	38.13	2.62	116.09	21.23	.4432	1,964
1982	8,925.00	36.48	2.74	244.55	23.61	.3528	3,149
	45,570.00			1,197.73			19,932

HYDRAULIC PRODUCTION - KEOKUK
INTERIM SURVIVOR CURVE.. IOWA 40-02
PROBABLE RETIREMENT YEAR.. 6-2055
NET SALVAGE PERCENT.. 0

1951	16,006.00	39.67	2.52	403.35	21.84	.4495	7,195
1961	13,161.00	39.21	2.55	335.61	21.77	.4448	5,854
1967	32,591.81	38.81	2.58	840.87	22.19	.4282	13,956
1999	53,167.27	34.29	2.92	1,552.48	29.29	.1458	7,752
	114,926.08			3,132.31			34,757
TOTAL	237,941.08			6,317.88			91,891

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.66

AmerenUE - ELECTRIC

ACCOUNT 341 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 40-R4							
NET SALVAGE PERCENT.. -5							
1940	109,314.70					1.0000	114,780
1942	85,475.51					1.0000	89,749
1943	2,427.65					1.0000	2,549
1945	210.15					1.0000	221
1947	33,008.49					1.0000	34,659
1948	8,885.36	40.00	2.50	233.24	0.17	.9957	9,290
1949	134,938.51	40.00	2.50	3,542.14	0.32	.9920	140,552
1950	18,757.51	40.00	2.50	492.38	0.52	.9870	19,439
1951	64,090.66	40.00	2.50	1,682.38	0.72	.9820	66,084
1952	28,686.30	40.00	2.50	753.02	0.94	.9765	29,413
1953	7,429.36	40.00	2.50	195.02	1.16	.9710	7,575
1954	2,901.54	40.00	2.50	76.17	1.39	.9652	2,941
1957	18,304.72	40.00	2.50	480.50	2.13	.9467	18,196
1962	3,776.63	40.00	2.50	99.14	3.49	.9127	3,619
1963	5,258.53	40.00	2.50	138.04	3.79	.9052	4,998
1967	214,620.00	40.00	2.50	5,633.78	5.20	.8700	196,055
1968	1,622.00	40.00	2.50	42.58	5.63	.8592	1,463
1973	237,602.76	40.00	2.50	6,237.07	8.35	.7912	197,391
1974	182,656.99	40.00	2.50	4,794.75	9.00	.7750	148,637
1975	5,866.00	40.00	2.50	153.98	9.67	.7582	4,670
1976	1,388.02	40.00	2.50	36.44	10.36	.7410	1,080
1977	120,046.03	40.00	2.50	3,151.21	11.07	.7232	91,158
1978	378,885.14	40.00	2.50	9,945.73	11.79	.7052	280,549
1979	8,686.00	40.00	2.50	228.01	12.53	.6867	6,263
1980	3,355.00	40.00	2.50	88.07	13.29	.6677	2,352
1982	316.00	40.00	2.50	8.30	14.87	.6282	208
1984	13,247.00	40.00	2.50	347.73	16.52	.5870	8,165
1985	836.00	40.00	2.50	21.95	17.38	.5655	496
1986	4,378.00	40.00	2.50	114.92	18.24	.5440	2,501
1988	656,346.56	40.00	2.50	17,229.10	20.03	.4992	344,031
1990	771.24	40.00	2.50	20.25	21.86	.4535	367
1991	13,939.00	40.00	2.50	365.90	22.80	.4300	6,293
1992	6,624.49	40.00	2.50	173.89	23.74	.4065	2,827
1993	26,272.00	40.00	2.50	689.64	24.69	.3827	10,557
1994	51,690.21	40.00	2.50	1,356.87	25.65	.3587	19,468
1995	35,113.78	40.00	2.50	921.74	26.62	.3345	12,333
1997	52,008.62	40.00	2.50	1,365.23	28.57	.2857	15,602

AmerenUE - ELECTRIC

ACCOUNT 341 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 40-R4							
NET SALVAGE PERCENT.. -5							
1998	70,073.11	40.00	2.50	1,839.42	29.56	.2610	19,204
1999	14,893.92	40.00	2.50	390.97	30.54	.2365	3,699
2000	4,909,313.66	40.00	2.50	128,869.48	31.53	.2117	1,091,267
2001	6,641,735.12	40.00	2.50	174,345.55	32.52	.1870	1,304,105
2002	6,041,121.85	40.00	2.50	158,579.45	33.52	.1620	1,027,595
2003	10.04	40.00	2.50	0.26	34.51	.1372	1
2004	36,660.40	40.00	2.50	962.34	35.51	.1122	4,319
2005	4,862,396.91	40.00	2.50	127,637.92	36.51	.0872	445,201
2006	512,859.48	40.00	2.50	13,462.56	37.50	.0625	33,656
2007	31,704.56	40.00	2.50	832.24	38.50	.0375	1,248
2008	232,234.04	40.00	2.50	6,096.14	39.50	.0125	3,048
	25,892,739.55			673,635.50			5,829,874

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.60

AmerenUE - ELECTRIC

ACCOUNT 342 FUEL HOLDERS, PRODUCERS, & ACCESSORIES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 40-R4							
NET SALVAGE PERCENT.. -5							
1967	127,100.87	40.00	2.50	3,336.40	5.20	.8700	116,107
1973	389,456.00	40.00	2.50	10,223.22	8.35	.7912	323,544
1974	233,234.00	40.00	2.50	6,122.39	9.00	.7750	189,794
1975	97,534.00	40.00	2.50	2,560.27	9.67	.7582	77,648
1977	754.00	40.00	2.50	19.79	11.07	.7232	573
1978	436,012.00	40.00	2.50	11,445.32	11.79	.7052	322,849
1980	7,887.00	40.00	2.50	207.03	13.29	.6677	5,529
1982	28,178.00	40.00	2.50	739.67	14.87	.6282	18,586
1983	104,579.00	40.00	2.50	2,745.20	15.69	.6077	66,730
1984	848.00	40.00	2.50	22.26	16.52	.5870	523
1991	9,666.00	40.00	2.50	253.73	22.80	.4300	4,364
1995	97,668.08	40.00	2.50	2,563.79	26.62	.3345	34,303
1996	191,612.00	40.00	2.50	5,029.82	27.60	.3100	62,370
1997	3,713.00	40.00	2.50	97.47	28.57	.2857	1,114
2000	4,986,922.89	40.00	2.50	130,906.73	31.53	.2117	1,108,518
2001	10,300,453.73	40.00	2.50	270,386.91	32.52	.1870	2,022,494
2002	6,043,781.11	40.00	2.50	158,649.25	33.52	.1620	1,028,047
2003	465.89	40.00	2.50	12.23	34.51	.1372	67
2005	1,442,033.55	40.00	2.50	37,853.38	36.51	.0872	132,033
2006	120.00	40.00	2.50	3.15	37.50	.0625	8
2008	18,506.71	40.00	2.50	485.80	39.50	.0125	243
	24,520,525.83			643,663.81			5,515,444

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.63

AmerenUE - ELECTRIC

ACCOUNT 344 GENERATORS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL	ACCRUAL--		-ACCRUED	DEPREC.-
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 40-R4							
NET SALVAGE PERCENT.. -5							
1942	11,958.10					1.0000	12,556
1943	6,174.29					1.0000	6,483
1946	2,712.53					1.0000	2,848
1947	67,617.29					1.0000	70,998
1948	735,874.12	40.00	2.50	19,316.70	0.17	.9957	769,345
1949	1,104,374.71	40.00	2.50	28,989.84	0.32	.9920	1,150,317
1950	341,264.81	40.00	2.50	8,958.20	0.52	.9870	353,670
1951	73,331.88	40.00	2.50	1,924.96	0.72	.9820	75,613
1967	5,724,704.47	40.00	2.50	150,273.49	5.20	.8700	5,229,518
1973	2,731,731.30	40.00	2.50	71,707.95	8.35	.7912	2,269,413
1974	8,383,262.30	40.00	2.50	220,060.64	9.00	.7750	6,821,880
1975	8,960.00	40.00	2.50	235.20	9.67	.7582	7,133
1978	18,167,571.74	40.00	2.50	476,898.76	11.79	.7052	13,452,360
1979	26,349.00	40.00	2.50	691.66	12.53	.6867	18,999
1990	2,016.00	40.00	2.50	52.92	21.86	.4535	960
1992	27,939.06	40.00	2.50	733.40	23.74	.4065	11,925
1993	84,809.83	40.00	2.50	2,226.26	24.69	.3827	34,080
1994	119.27	40.00	2.50	3.13	25.65	.3587	45
1995	29,683.85	40.00	2.50	779.20	26.62	.3345	10,426
2000	94,923,396.53	40.00	2.50	2,491,739.16	31.53	.2117	21,100,047
2001	292,832,723.75	40.00	2.50	7,686,859.00	32.52	.1870	57,497,705
2002	257,863,940.09	40.00	2.50	6,768,928.43	33.52	.1620	43,862,656
2003	211,913,056.92	40.00	2.50	5,562,717.74	34.51	.1372	30,528,195
2004	2,141,969.37	40.00	2.50	56,226.70	35.51	.1122	252,345
2005	153,746,611.86	40.00	2.50	4,035,848.56	36.51	.0872	14,077,040
2006	496,907.89	40.00	2.50	13,043.83	37.50	.0625	32,610
2007	266,877.41	40.00	2.50	7,005.53	38.50	.0375	10,508
2008	157,217.96	40.00	2.50	4,126.97	39.50	.0125	2,063
	1051,873,156.33			27,609,348.23			197,661,738

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.62

AmerenUE - ELECTRIC

ACCOUNT 345 ACCESSORY ELECTRICAL EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL	ACCRUAL--		-ACCRUED	DEPREC.-
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 40-R4							
NET SALVAGE PERCENT.. -5							
1946	35,250.48					1.0000	37,013
1948	51,273.86	40.00	2.50	1,345.94	0.17	.9957	53,606
1949	107,456.84	40.00	2.50	2,820.74	0.32	.9920	111,927
1967	747,616.36	40.00	2.50	19,624.93	5.20	.8700	682,948
1968	618.00	40.00	2.50	16.22	5.63	.8592	558
1971	116,389.73	40.00	2.50	3,055.23	7.14	.8215	100,395
1973	336,911.33	40.00	2.50	8,843.92	8.35	.7912	279,892
1974	890,018.43	40.00	2.50	23,362.98	9.00	.7750	724,252
1977	441,319.10	40.00	2.50	11,584.63	11.07	.7232	335,120
1978	1,386,730.92	40.00	2.50	36,401.69	11.79	.7052	1,026,819
1980	1,328.26	40.00	2.50	34.87	13.29	.6677	931
1987	12,399.00	40.00	2.50	325.47	19.13	.5217	6,792
1990	14,334.00	40.00	2.50	376.27	21.86	.4535	6,825
1991	89,325.83	40.00	2.50	2,344.80	22.80	.4300	40,331
1992	6,802.29	40.00	2.50	178.56	23.74	.4065	2,903
1993	6,802.29	40.00	2.50	178.56	24.69	.3827	2,733
1995	49,915.69	40.00	2.50	1,310.29	26.62	.3345	17,532
1997	32,297.71	40.00	2.50	847.81	28.57	.2857	9,689
1998	26,580.36	40.00	2.50	697.73	29.56	.2610	7,284
1999	15,039.14	40.00	2.50	394.78	30.54	.2365	3,735
2000	9,425,233.63	40.00	2.50	247,412.38	31.53	.2117	2,095,088
2001	32,715,782.37	40.00	2.50	858,789.29	32.52	.1870	6,423,744
2002	15,875,915.00	40.00	2.50	416,742.77	33.52	.1620	2,700,493
2003	10,124.30	40.00	2.50	265.76	34.51	.1372	1,459
2004	78,196.61	40.00	2.50	2,052.66	35.51	.1122	9,212
2005	2,663,550.07	40.00	2.50	69,918.19	36.51	.0872	243,875
2006	537,450.41	40.00	2.50	14,108.07	37.50	.0625	35,270
2007	3,817,869.98	40.00	2.50	100,219.09	38.50	.0375	150,329
2008	429,127.20	40.00	2.50	11,264.59	39.50	.0125	5,632
	69,921,659.19			1,834,518.22			15,116,387

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.62

AmerenUE - ELECTRIC

ACCOUNT 346 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCRUAL-- AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 25-R1							
NET SALVAGE PERCENT.. -5							
1940	84.26					1.0000	88
1942	946.31					1.0000	994
1943	111.36					1.0000	117
1944	214.62					1.0000	225
1946	324.86					1.0000	341
1947	125.26					1.0000	132
1949	67.75					1.0000	71
1950	4,192.32					1.0000	4,402
1951	14,547.23					1.0000	15,275
1952	13,875.37					1.0000	14,569
1953	10,584.33					1.0000	11,114
1954	7,926.39					1.0000	8,323
1955	2,432.29					1.0000	2,554
1956	4,378.86					1.0000	4,598
1957	2,257.71					1.0000	2,371
1958	5,053.89					1.0000	5,307
1959	864.70	25.00	4.00	36.32	0.26	.9896	898
1960	5,100.49	25.00	4.00	214.22	0.58	.9768	5,231
1961	3,482.90	25.00	4.00	146.28	0.91	.9636	3,524
1962	1,206.09	25.00	4.00	50.66	1.25	.9500	1,203
1963	2,868.38	25.00	4.00	120.47	1.57	.9372	2,823
1964	12,488.73	25.00	4.00	524.53	1.87	.9252	12,132
1965	3,604.92	25.00	4.00	151.41	2.17	.9132	3,457
1966	3,139.63	25.00	4.00	131.86	2.46	.9016	2,972
1967	5,543.73	25.00	4.00	232.84	2.77	.8892	5,176
1968	12,319.21	25.00	4.00	517.41	3.08	.8768	11,342
1969	3,457.85	25.00	4.00	145.23	3.40	.8640	3,137
1970	2,592.65	25.00	4.00	108.89	3.72	.8512	2,317
1971	6,376.05	25.00	4.00	267.79	4.06	.8376	5,608
1972	3,767.76	25.00	4.00	158.25	4.41	.8236	3,258
1973	6,199.07	25.00	4.00	260.36	4.76	.8096	5,270
1974	16,854.44	25.00	4.00	707.89	5.13	.7948	14,066
1975	1,579.41	25.00	4.00	66.34	5.51	.7796	1,293
1976	6,577.75	25.00	4.00	276.27	5.90	.7640	5,277
1977	4,200.98	25.00	4.00	176.44	6.29	.7484	3,301
1978	8,655.71	25.00	4.00	363.54	6.70	.7320	6,653
1979	13,109.03	25.00	4.00	550.58	7.13	.7148	9,839

AmerenUE - ELECTRIC

ACCOUNT 346 MISCELLANEOUS POWER PLANT EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 25-R1							
NET SALVAGE PERCENT.. -5							
1980	1,825.82	25.00	4.00	76.68	7.56	.6976	1,337
1981	3,981.81	25.00	4.00	167.24	8.01	.6796	2,841
1982	16,983.25	25.00	4.00	713.30	8.47	.6612	11,791
1983	13,437.72	25.00	4.00	564.38	8.94	.6424	9,064
1984	1,727.45	25.00	4.00	72.55	9.43	.6228	1,130
1985	6,122.61	25.00	4.00	257.15	9.93	.6028	3,875
1986	1,926.54	25.00	4.00	80.91	10.44	.5824	1,178
1987	41,189.80	25.00	4.00	1,729.97	10.97	.5612	24,272
1988	10,731.87	25.00	4.00	450.74	11.51	.5396	6,080
1989	5,804.44	25.00	4.00	243.79	12.06	.5176	3,155
1990	10,069.04	25.00	4.00	422.90	12.63	.4948	5,231
1991	19,737.19	25.00	4.00	828.96	13.22	.4712	9,765
1992	64,139.61	25.00	4.00	2,693.86	13.81	.4476	30,144
1993	21,428.81	25.00	4.00	900.01	14.42	.4232	9,522
1994	51,421.77	25.00	4.00	2,159.71	15.04	.3984	21,511
1995	63,570.00	25.00	4.00	2,669.94	15.67	.3732	24,911
1996	55,739.46	25.00	4.00	2,341.06	16.32	.3472	20,320
1997	41,178.04	25.00	4.00	1,729.48	16.97	.3212	13,888
1998	29,560.67	25.00	4.00	1,241.55	17.63	.2948	9,150
1999	59,325.00	25.00	4.00	2,491.65	18.30	.2680	16,694
2000	191,799.50	25.00	4.00	8,055.58	18.98	.2408	48,495
2001	578,130.49	25.00	4.00	24,281.48	19.66	.2136	129,663
2002	1,587,275.63	25.00	4.00	66,665.58	20.35	.1860	309,995
2003	44,238.02	25.00	4.00	1,858.00	21.04	.1584	7,358
2004	316,402.20	25.00	4.00	13,288.89	21.74	.1304	43,322
2005	1,961,854.65	25.00	4.00	82,397.90	22.45	.1020	210,115
2006	367,932.99	25.00	4.00	15,453.19	23.17	.0732	28,279
2007	61,473.67	25.00	4.00	2,581.89	23.89	.0444	2,866
2008	293,412.73	25.00	4.00	12,323.33	24.63	.0148	4,560
6,113,533.07				253,949.25			1,189,770

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 4.15

AmerenUE - ELECTRIC

ACCOUNT 352 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 60-R2							
NET SALVAGE PERCENT.. 0							
1929	138,222.00	60.00	1.67	2,308.31	9.04	.8493	117,392
1930	183,224.00	60.00	1.67	3,059.84	9.36	.8440	154,641
1944	51,747.00	60.00	1.67	864.17	14.56	.7573	39,188
1951	12,870.00	60.00	1.67	214.93	17.82	.7030	9,048
1952	23,593.00	60.00	1.67	394.00	18.32	.6947	16,390
1953	12,101.00	60.00	1.67	202.09	18.84	.6860	8,301
1956	1,470.00	60.00	1.67	24.55	20.44	.6593	969
1958	10,608.00	60.00	1.67	177.15	21.56	.6407	6,797
1962	25,896.00	60.00	1.67	432.46	23.92	.6013	15,571
1963	115,522.00	60.00	1.67	1,929.22	24.53	.5912	68,297
1965	2,829.00	60.00	1.67	47.24	25.78	.5703	1,613
1966	15,995.00	60.00	1.67	267.12	26.41	.5598	8,954
1967	26,784.00	60.00	1.67	447.29	27.06	.5490	14,704
1968	181,675.00	60.00	1.67	3,033.97	27.71	.5382	97,777
1969	169,959.00	60.00	1.67	2,838.32	28.38	.5270	89,568
1970	99,429.00	60.00	1.67	1,660.46	29.05	.5158	51,285
1971	206,062.00	60.00	1.67	3,441.24	29.73	.5045	103,958
1972	226,379.00	60.00	1.67	3,780.53	30.42	.4930	111,605
1974	199,817.44	60.00	1.67	3,336.95	31.81	.4698	93,874
1975	18,046.26	60.00	1.67	301.37	32.53	.4578	8,262
1976	69,572.00	60.00	1.67	1,161.85	33.24	.4460	31,029
1977	14,256.00	60.00	1.67	238.08	33.97	.4338	6,184
1973	13,669.00	60.00	1.67	228.27	34.70	.4217	5,764
1980	441,101.00	60.00	1.67	7,366.39	36.19	.3968	175,029
1981	31,738.00	60.00	1.67	530.02	36.94	.3843	12,197
1982	197,451.00	60.00	1.67	3,297.43	37.70	.3717	73,393
1983	268,619.56	60.00	1.67	4,485.95	38.47	.3588	96,381
1985	1,961,051.07	60.00	1.67	32,749.55	40.03	.3328	652,638
1986	34,653.00	60.00	1.67	578.71	40.81	.3198	11,082
1987	37,038.00	60.00	1.67	618.53	41.61	.3065	11,352
1989	1,954.00	60.00	1.67	32.63	43.21	.2798	547
1990	23,068.00	60.00	1.67	385.24	44.02	.2663	6,143
1992	1,049.67	60.00	1.67	17.53	45.67	.2388	251
1993	2,043.00	60.00	1.67	34.12	46.49	.2252	460
1994	53,669.00	60.00	1.67	896.27	47.33	.2112	11,335
1995	0.09	60.00	1.67		48.17	.1972	
1997	18,836.83	60.00	1.67	314.58	49.87	.1688	3,180

AmerenUE - ELECTRIC

ACCOUNT 352 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 60-R2							
NET SALVAGE PERCENT.. 0							
1999	512,990.40	60.00	1.67	8,566.94	51.58	.1403	71,973
2000	279,262.34	60.00	1.67	4,663.68	52.45	.1258	35,131
2001	18,544.10	60.00	1.67	309.69	53.32	.1113	2,064
2002	96,123.54	60.00	1.67	1,605.26	54.20	.0967	9,295
2003	196,674.73	60.00	1.67	3,284.47	55.08	.0820	16,127
2005	211,036.90	60.00	1.67	3,524.32	56.85	.0525	11,079
2006	16,349.98	60.00	1.67	273.04	57.75	.0375	613
2007	10,770.64	60.00	1.67	179.87	58.64	.0227	244
2008	37,883.93	60.00	1.67	632.66	59.55	.0075	284
TOTAL	6,271,634.48			104,736.29			2,261,969

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 1.67

AmerenUE - ELECTRIC

ACCOUNT 353 STATION EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 55-R2.5							
NET SALVAGE PERCENT.. 0							
1913	47,269.58	55.00	1.82	860.31	1.72	.9687	45,790
1915	472.45	55.00	1.82	8.60	2.27	.9587	453
1916	829.35	55.00	1.82	15.09	2.54	.9538	791
1918	3,095.75	55.00	1.82	56.34	3.08	.9440	2,922
1920	1,808.29	55.00	1.82	32.91	3.59	.9347	1,690
1921	890.70	55.00	1.82	16.21	3.83	.9304	829
1924	2,031.69	55.00	1.82	36.98	4.49	.9184	1,866
1925	1,004.11	55.00	1.82	18.27	4.71	.9144	918
1929	77,013.00	55.00	1.82	1,401.64	5.59	.8984	69,188
1930	115,182.00	55.00	1.82	2,096.31	5.82	.8942	102,996
1931	98,382.63	55.00	1.82	1,790.56	6.05	.8900	87,561
1932	12,918.31	55.00	1.82	235.11	6.28	.8858	11,443
1934	501.00	55.00	1.82	9.12	6.75	.8773	440
1936	76.00	55.00	1.82	1.38	7.24	.8684	66
1937	37.00	55.00	1.82	0.67	7.49	.8638	32
1938	12,965.00	55.00	1.82	235.96	7.75	.8591	11,138
1939	16,768.47	55.00	1.82	305.19	8.02	.8542	14,324
1940	1,435.00	55.00	1.82	26.12	8.29	.8493	1,219
1941	20,415.00	55.00	1.82	371.55	8.57	.8442	17,234
1943	1,225.00	55.00	1.82	22.30	9.16	.8335	1,021
1944	4,330.00	55.00	1.82	78.81	9.47	.8278	3,584
1945	1,455.00	55.00	1.82	26.48	9.80	.8218	1,196
1947	225,859.72	55.00	1.82	4,110.65	10.49	.8093	182,788
1948	124,113.08	55.00	1.82	2,258.86	10.86	.8025	99,601
1949	283,924.00	55.00	1.82	5,167.42	11.24	.7956	225,890
1950	67,719.91	55.00	1.82	1,232.50	11.63	.7885	53,397
1951	194,469.72	55.00	1.82	3,539.35	12.04	.7811	151,900
1952	970,979.33	55.00	1.82	17,671.82	12.47	.7733	750,858
1953	434,726.54	55.00	1.82	7,912.02	12.91	.7653	332,696
1954	296,421.16	55.00	1.82	5,394.87	13.37	.7569	224,361
1955	3,795.31	55.00	1.82	69.07	13.85	.7482	2,840
1956	216,773.58	55.00	1.82	3,945.28	14.34	.7393	160,261
1957	219,496.89	55.00	1.82	3,994.84	14.85	.7300	160,233
1958	69,830.40	55.00	1.82	1,270.91	15.37	.7205	50,313
1959	977,088.00	55.00	1.82	17,783.00	15.90	.7109	694,612
1960	313,738.00	55.00	1.82	5,710.03	16.46	.7007	219,836
1961	1,023,558.36	55.00	1.82	18,628.76	17.02	.6905	706,767

AmerenUE - ELECTRIC

ACCOUNT 353 STATION EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
SURVIVOR CURVE.. IOWA 55-R2.5							
NET SALVAGE PERCENT.. 0							
1962	35,202.00	55.00	1.82	640.68	17.60	.6800	23,937
1963	1,957,374.72	55.00	1.82	35,624.22	18.20	.6691	1,309,679
1964	481,572.00	55.00	1.82	8,764.61	18.80	.6582	316,971
1965	572,385.52	55.00	1.82	10,417.42	19.42	.6469	370,276
1966	348,499.00	55.00	1.82	6,342.68	20.06	.6353	221,401
1967	2,385,119.52	55.00	1.82	43,409.18	20.70	.6236	1,487,361
1968	3,861,897.94	55.00	1.82	70,286.54	21.36	.6116	2,361,937
1969	1,964,337.78	55.00	1.82	35,750.95	22.03	.5995	1,177,620
1970	5,630,055.62	55.00	1.82	102,467.01	22.71	.5871	3,305,406
1971	2,820,224.28	55.00	1.82	51,328.08	23.40	.5745	1,620,219
1972	7,163,125.57	55.00	1.82	130,368.89	24.10	.5618	4,024,244
1973	722,042.00	55.00	1.82	13,141.16	24.81	.5489	396,329
1974	3,640,251.25	55.00	1.82	66,252.57	25.53	.5358	1,950,447
1975	153,066.30	55.00	1.82	2,785.81	26.26	.5225	79,977
1976	8,939,220.63	55.00	1.82	162,693.82	27.00	.5091	4,550,957
1977	610,867.30	55.00	1.82	11,117.78	27.75	.4955	302,685
1978	164,293.50	55.00	1.82	2,990.14	28.50	.4818	79,157
1979	26,640.00	55.00	1.82	484.85	29.27	.4678	12,462
1980	4,387,210.13	55.00	1.82	79,847.22	30.05	.4536	1,990,039
1981	296,948.00	55.00	1.82	5,404.45	30.83	.4395	130,509
1982	4,061,583.85	55.00	1.82	73,920.83	31.62	.4251	1,726,579
1983	5,105,934.83	55.00	1.82	92,928.01	32.42	.4105	2,095,986
1984	3,160,853.30	55.00	1.82	57,527.53	33.23	.3958	1,251,066
1985	23,164,984.51	55.00	1.82	421,602.72	34.05	.3809	8,823,543
1986	144,927.00	55.00	1.82	2,637.67	34.87	.3660	53,043
1987	325,736.00	55.00	1.82	5,928.40	35.70	.3509	114,301
1988	1,175,395.20	55.00	1.82	21,392.19	36.54	.3356	394,463
1989	1,807,031.25	55.00	1.82	32,887.97	37.38	.3204	578,973
1990	6,122.00	55.00	1.82	111.42	38.24	.3047	1,865
1991	1,049,744.00	55.00	1.82	19,105.34	39.09	.2893	303,691
1992	977,157.61	55.00	1.82	17,784.27	39.96	.2735	267,253
1993	1,473,029.00	55.00	1.82	26,809.13	40.83	.2576	379,452
1994	1,932,467.46	55.00	1.82	35,170.91	41.71	.2416	466,884
1995	731,167.20	55.00	1.82	13,307.24	42.59	.2256	164,951
1996	3,873,328.58	55.00	1.82	70,494.58	43.48	.2095	811,462
1997	1,017,976.43	55.00	1.82	18,527.17	44.38	.1931	196,571
1998	1,888,272.10	55.00	1.82	34,366.55	45.28	.1767	333,658

AmerenUE - ELECTRIC

ACCOUNT 353 STATION EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 55-R2.5							
NET SALVAGE PERCENT.. 0							
1999	6,436,965.87	55.00	1.82	117,152.78	46.18	.1604	1,032,489
2000	8,487,377.03	55.00	1.82	154,470.26	47.09	.1438	1,220,485
2001	7,977,084.74	55.00	1.82	145,182.94	48.01	.1271	1,013,887
2002	4,206,409.19	55.00	1.82	76,556.65	48.93	.1104	464,388
2003	15,819,704.15	55.00	1.82	287,918.62	49.85	.0936	1,480,724
2004	11,393,199.79	55.00	1.82	207,356.24	50.78	.0767	873,858
2005	15,447,631.73	55.00	1.82	281,146.90	51.71	.0598	923,768
2006	10,049,546.27	55.00	1.82	182,901.74	52.65	.0427	429,116
2007	6,813,866.40	55.00	1.82	124,012.37	53.58	.0258	175,798
2008	37,820,694.54	55.00	1.82	688,336.64	54.53	.0085	321,476
TOTAL	228,351,122.42			4,155,990.42			56,004,397

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 1.82

AmerenUE - ELECTRIC

ACCOUNT 354 TOWERS & FIXTURES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 70-R4							
NET SALVAGE PERCENT.. -14							
1913	584,532.00	70.00	1.43	9,529.04	2.40	.9657	643,510
1925	275,210.12	70.00	1.43	4,486.48	5.51	.9213	289,048
1929	239,440.00	70.00	1.43	3,903.35	6.67	.9047	246,948
1931	647,505.62	70.00	1.43	10,555.64	7.31	.8956	661,093
1950	750,888.10	70.00	1.43	12,240.98	17.01	.7570	648,001
1951	453,053.00	70.00	1.43	7,385.67	17.70	.7471	385,863
1952	169,006.00	70.00	1.43	2,755.14	18.39	.7373	142,053
1953	41,354.00	70.00	1.43	674.15	19.10	.7271	34,278
1954	130,895.81	70.00	1.43	2,133.86	19.81	.7170	106,992
1956	80,006.00	70.00	1.43	1,304.26	21.28	.6960	63,480
1957	2,263,430.20	70.00	1.43	36,898.44	22.03	.6853	1,768,287
1958	1,016,444.93	70.00	1.43	16,570.09	22.78	.6746	781,691
1959	34,644.00	70.00	1.43	564.77	23.55	.6636	26,208
1960	1,675,423.89	70.00	1.43	27,312.76	24.33	.6524	1,246,073
1961	346,899.04	70.00	1.43	5,655.15	25.12	.6411	253,533
1962	42,186.00	70.00	1.43	687.72	25.92	.6297	30,284
1963	2,299,489.36	70.00	1.43	37,486.28	26.74	.6180	1,620,036
1964	1,458,725.16	70.00	1.43	23,780.14	27.56	.6063	1,008,245
1965	3,586,756.00	70.00	1.43	58,471.30	28.39	.5944	2,430,443
1966	1,089,650.00	70.00	1.43	17,763.47	29.23	.5824	723,458
1967	1,892,515.00	70.00	1.43	30,851.78	30.09	.5701	1,229,972
1968	3,472,377.45	70.00	1.43	56,606.70	30.95	.5579	2,208,453
1969	2,743,224.63	70.00	1.43	44,720.05	31.82	.5454	1,705,616
1970	4,801,136.90	70.00	1.43	78,268.13	32.70	.5329	2,916,719
1971	2,715,995.81	70.00	1.43	44,276.16	33.59	.5201	1,610,352
1972	231,450.00	70.00	1.43	3,773.10	34.48	.5074	133,879
1973	1,686,323.00	70.00	1.43	27,490.44	35.39	.4944	950,439
1974	2,233,294.00	70.00	1.43	36,407.16	36.30	.4814	1,225,623
1975	248,275.00	70.00	1.43	4,047.38	37.22	.4683	132,545
1976	4,174,033.12	70.00	1.43	68,045.09	38.14	.4551	2,165,547
1977	283,771.00	70.00	1.43	4,626.03	39.07	.4419	142,954
1978	212,714.00	70.00	1.43	3,467.66	40.01	.4284	103,884
1979	62,469.00	70.00	1.43	1,018.37	40.95	.4150	29,554
1980	2,898,053.99	70.00	1.43	47,244.08	41.90	.4014	1,326,138
1981	250,958.00	70.00	1.43	4,091.12	42.86	.3877	110,918
1982	1,035,594.65	70.00	1.43	16,882.26	43.81	.3741	441,654
1983	246,870.32	70.00	1.43	4,024.48	44.78	.3603	101,400

AmerenUE - ELECTRIC

ACCOUNT 354 TOWERS & FIXTURES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 70-R4							
NET SALVAGE PERCENT.. -14							
1984	4,007.00	70.00	1.43	65.32	45.74	.3466	1,583
1985	14,006,931.00	70.00	1.43	228,340.99	46.71	.3327	5,312,521
1986	34,709.33	70.00	1.43	565.83	47.68	.3189	12,618
1987	228,470.00	70.00	1.43	3,724.52	48.66	.3049	79,413
1988	79,974.97	70.00	1.43	1,303.75	49.64	.2909	26,522
1989	77,194.00	70.00	1.43	1,258.42	50.62	.2769	24,368
1990	7,236.00	70.00	1.43	117.96	51.60	.2629	2,169
1991	5,404.61	70.00	1.43	88.11	52.59	.2487	1,532
1992	19,607.14	70.00	1.43	319.64	53.57	.2347	5,246
1994	297,169.28	70.00	1.43	4,844.45	55.55	.2064	69,923
1995	1,843,687.82	70.00	1.43	30,055.80	56.54	.1923	404,177
1996	416,371.92	70.00	1.43	6,787.70	57.54	.1780	84,490
1997	887.32	70.00	1.43	14.47	58.53	.1639	166
1999	2,642,778.05	70.00	1.43	43,082.57	60.52	.1354	407,929
2000	1,049,414.35	70.00	1.43	17,107.55	61.52	.1211	144,876
2006	3,260,743.08	70.00	1.43	53,156.63	67.50	.0357	132,706
2008	44,952.32	70.00	1.43	732.81	69.50	.0071	364
70,394,133.29				1,147,565.20	36,355,774		

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 1.63

AmerenUE - ELECTRIC

ACCOUNT 355 POLES & FIXTURES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 53-R4							
NET SALVAGE PERCENT.. -90							
1925	1,224.52					1.0000	2,327
1931	424,874.38	53.00	1.89	15,257.24	0.70	.9868	796,605
1932	37,736.30	53.00	1.89	1,355.11	0.89	.9832	70,494
1933	550.00	53.00	1.89	19.75	1.10	.9792	1,023
1935	129.00	53.00	1.89	4.63	1.54	.9709	238
1936	176.00	53.00	1.89	6.32	1.78	.9664	323
1938	2,875.00	53.00	1.89	103.24	2.26	.9574	5,230
1939	84.00	53.00	1.89	3.02	2.51	.9526	152
1943	485.00	53.00	1.89	17.42	3.55	.9330	860
1945	578.00	53.00	1.89	20.76	4.09	.9228	1,013
1947	52.50	53.00	1.89	1.89	4.66	.9121	91
1949	1,119.00	53.00	1.89	40.18	5.27	.9006	1,915
1950	78.00	53.00	1.89	2.80	5.59	.8945	133
1951	2,546.00	53.00	1.89	91.43	5.94	.8879	4,295
1952	474,003.93	53.00	1.89	17,021.48	6.30	.8811	793,525
1953	360,443.58	53.00	1.89	12,943.53	6.68	.8740	598,553
1954	15,686.00	53.00	1.89	563.28	7.09	.8662	25,816
1955	5,635.04	53.00	1.89	202.35	7.53	.8579	9,185
1956	137,995.15	53.00	1.89	4,955.41	7.99	.8492	222,652
1957	728,056.71	53.00	1.89	26,144.52	8.49	.8398	1,161,702
1958	29,789.53	53.00	1.89	1,069.74	9.02	.8298	46,967
1959	32,478.90	53.00	1.89	1,166.32	9.57	.8194	50,565
1960	623,965.77	53.00	1.89	22,406.61	10.16	.8083	958,268
1961	15,402.79	53.00	1.89	553.11	10.77	.7968	23,319
1962	19,836.00	53.00	1.89	712.31	11.41	.7847	29,574
1963	555,100.93	53.00	1.89	19,933.67	12.07	.7723	814,538
1964	13,647.00	53.00	1.89	490.06	12.74	.7596	19,696
1965	1,073,905.47	53.00	1.89	38,563.95	13.42	.7468	1,523,786
1966	206,430.97	53.00	1.89	7,412.94	14.12	.7336	287,732
1967	3,252,084.43	53.00	1.89	116,782.35	14.83	.7202	4,450,087
1968	1,199,616.72	53.00	1.89	43,078.24	15.56	.7064	1,610,078
1969	2,632,744.93	53.00	1.89	94,541.87	16.30	.6925	3,464,034
1970	1,618,482.20	53.00	1.89	58,119.70	17.05	.6783	2,085,851
1971	831,555.32	53.00	1.89	29,861.15	17.82	.6638	1,048,774
1972	2,234,479.94	53.00	1.89	80,240.17	18.60	.6491	2,755,762
1973	2,446,191.34	53.00	1.89	87,842.73	19.39	.6342	2,947,612
1974	4,110,970.91	53.00	1.89	147,624.97	20.20	.6189	4,834,132

AmerenUE - ELECTRIC

ACCOUNT 355 POLES & FIXTURES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
SURVIVOR CURVE.. IOWA 53-R4							
NET SALVAGE PERCENT.. -90							
1975	128,226.89	53.00	1.89	4,604.63	21.03	.6032	146,958
1976	1,623,738.58	53.00	1.89	58,308.45	21.86	.5875	1,812,498
1977	214,811.35	53.00	1.89	7,713.88	22.71	.5715	233,253
1978	147,897.09	53.00	1.89	5,310.98	23.57	.5553	156,042
1979	3,240,246.00	53.00	1.89	116,357.23	24.45	.5387	3,316,489
1980	901,797.71	53.00	1.89	32,383.56	25.33	.5221	894,574
1981	124,685.41	53.00	1.89	4,477.45	26.23	.5051	119,659
1982	1,340,113.68	53.00	1.89	48,123.48	27.14	.4879	1,242,299
1983	1,050,148.12	53.00	1.89	37,710.82	28.05	.4708	939,378
1984	380,030.27	53.00	1.89	13,646.89	28.98	.4532	327,236
1985	387,345.00	53.00	1.89	13,909.56	29.91	.4357	320,656
1986	3,033,418.48	53.00	1.89	108,930.06	30.85	.4179	2,408,565
1987	342,534.30	53.00	1.89	12,300.41	31.80	.4000	260,326
1988	3,375,573.00	53.00	1.89	121,216.83	32.76	.3819	2,449,350
1989	993,082.02	53.00	1.89	35,661.58	33.72	.3638	686,438
1990	1,119,221.05	53.00	1.89	40,191.23	34.68	.3457	735,138
1991	610,036.85	53.00	1.89	21,906.42	35.65	.3274	379,480
1992	1,699,531.47	53.00	1.89	61,030.18	36.63	.3089	997,472
1993	231,061.95	53.00	1.89	8,297.43	37.60	.2906	127,579
1994	10,509,142.24	53.00	1.89	377,383.30	38.59	.2719	5,429,128
1995	1,318,501.53	53.00	1.89	47,347.39	39.57	.2534	634,806
1996	1,121,588.31	53.00	1.89	40,276.24	40.56	.2347	500,150
1997	2,483,287.38	53.00	1.89	89,174.85	41.54	.2162	1,020,085
1998	697,237.71	53.00	1.89	25,037.81	42.54	.1974	261,506
1999	4,543,773.28	53.00	1.89	163,166.90	43.53	.1787	1,542,747
2000	7,538,441.24	53.00	1.89	270,705.42	44.52	.1600	2,291,686
2001	4,378,465.55	53.00	1.89	157,230.70	45.52	.1411	1,173,823
2002	7,660,009.08	53.00	1.89	275,070.93	46.51	.1225	1,782,867
2003	8,428,237.53	53.00	1.89	302,658.01	47.51	.1036	1,659,014
2004	3,883,253.56	53.00	1.89	139,447.64	48.51	.0847	624,932
2005	10,047,547.75	53.00	1.89	360,807.44	49.50	.0660	1,259,962
2006	20,661,508.60	53.00	1.89	741,954.77	50.50	.0472	1,852,924
2007	2,000,647.59	53.00	1.89	71,843.25	51.50	.0283	107,575
2008	9,349,472.67	53.00	1.89	335,739.56	52.50	.0094	166,982
	138,655,624.50			4,979,079.53			68,508,484

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 3.59

AmerenUE - ELECTRIC

ACCOUNT 356 OVERHEAD CONDUCTOR & DEVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 55-R4							
NET SALVAGE PERCENT.. -20							
1913	202,127.69					1.0000	242,553
1924	8,867.00					1.0000	10,640
1925	13,291.37	55.00	1.82	290.28	0.10	.9982	15,921
1928	574.00	55.00	1.82	12.54	0.70	.9873	680
1929	192,784.73	55.00	1.82	4,210.42	0.90	.9836	227,548
1931	775,887.39	55.00	1.82	16,945.38	1.34	.9756	908,347
1932	415,442.19	55.00	1.82	9,073.26	1.56	.9716	484,372
1933	331.48	55.00	1.82	7.24	1.78	.9676	385
1936	868.76	55.00	1.82	18.97	2.51	.9544	995
1938	3,994.52	55.00	1.82	87.24	3.02	.9451	4,530
1939	1,156.00	55.00	1.82	25.25	3.27	.9405	1,305
1943	1,202.00	55.00	1.82	26.25	4.36	.9207	1,328
1944	29.96	55.00	1.82	0.65	4.64	.9156	33
1945	46,158.16	55.00	1.82	1,008.09	4.93	.9104	50,427
1948	4,221.63	55.00	1.82	92.20	5.88	.8931	4,524
1949	5,508.43	55.00	1.82	120.30	6.22	.8869	5,863
1950	173,077.63	55.00	1.82	3,780.02	6.59	.8802	182,812
1951	200,430.04	55.00	1.82	4,377.39	6.97	.8733	210,043
1952	735,631.07	55.00	1.82	16,066.18	7.38	.8658	764,291
1953	574,470.41	55.00	1.82	12,546.43	7.82	.8578	591,337
1954	47,769.54	55.00	1.82	1,043.29	8.29	.8493	48,685
1955	49,025.76	55.00	1.82	1,070.72	8.78	.8404	49,441
1956	616,692.81	55.00	1.82	13,468.57	9.31	.8307	614,744
1957	2,066,645.77	55.00	1.82	45,135.54	9.86	.8207	2,035,315
1958	205,984.99	55.00	1.82	4,498.71	10.44	.8102	200,267
1959	25,455.56	55.00	1.82	555.95	11.05	.7991	24,410
1960	1,627,491.71	55.00	1.82	35,544.42	11.68	.7876	1,538,175
1961	98,410.84	55.00	1.82	2,149.29	12.33	.7758	91,617
1962	234,676.50	55.00	1.82	5,125.33	13.00	.7636	215,039
1963	3,306,688.04	55.00	1.82	72,218.07	13.68	.7513	2,981,178
1964	922,811.92	55.00	1.82	20,154.21	14.38	.7385	817,796
1965	2,112,000.22	55.00	1.82	46,126.08	15.08	.7258	1,839,468
1966	1,165,308.62	55.00	1.82	25,450.34	15.80	.7127	996,619
1967	7,361,468.66	55.00	1.82	160,774.48	16.53	.6995	6,179,217
1968	7,746,836.46	55.00	1.82	169,190.91	17.28	.6858	6,375,337
1969	4,949,409.30	55.00	1.82	108,095.10	18.04	.6720	3,991,204
1970	5,085,048.50	55.00	1.82	111,057.46	18.81	.6580	4,015,154

AmerenUE - ELECTRIC

ACCOUNT 356 OVERHEAD CONDUCTOR & DEVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL	ACCRUAL--		-ACCRUED	DEPREC.-
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 55-R4							
NET SALVAGE PERCENT.. -20							
1971	3,110,718.41	55.00	1.82	67,938.09	19.60	.6436	2,402,470
1972	2,146,646.82	55.00	1.82	46,882.77	20.40	.6291	1,620,547
1973	3,518,356.73	55.00	1.82	76,840.91	21.21	.6144	2,594,014
1974	1,762,598.19	55.00	1.82	38,495.14	22.04	.5993	1,267,590
1975	91,544.23	55.00	1.82	1,999.33	22.88	.5840	64,154
1976	4,015,612.66	55.00	1.82	87,700.98	23.73	.5685	2,739,451
1977	227,263.89	55.00	1.82	4,963.44	24.60	.5527	150,731
1978	395,754.50	55.00	1.82	8,643.28	25.47	.5369	254,977
1979	1,357,751.19	55.00	1.82	29,653.29	26.36	.5207	848,377
1980	690,394.82	55.00	1.82	15,078.22	27.25	.5045	417,965
1981	64,121.65	55.00	1.82	1,400.42	28.16	.4880	37,550
1982	820,232.99	55.00	1.82	17,913.89	29.08	.4713	463,891
1983	235,060.68	55.00	1.82	5,133.73	30.00	.4545	128,202
1984	97,212.90	55.00	1.82	2,123.13	30.93	.4376	51,048
1985	13,578,537.76	55.00	1.82	296,555.26	31.87	.4205	6,851,730
1986	1,003,548.58	55.00	1.82	21,917.50	32.82	.4033	485,677
1987	561,605.20	55.00	1.82	12,265.46	33.77	.3860	260,136
1988	416,744.39	55.00	1.82	9,101.70	34.73	.3685	184,284
1989	302,462.65	55.00	1.82	6,605.78	35.70	.3509	127,361
1990	1,019,125.12	55.00	1.82	22,257.69	36.67	.3333	407,609
1991	22,027.04	55.00	1.82	481.07	37.64	.3156	8,342
1992	1,277,330.19	55.00	1.82	27,896.89	38.62	.2978	456,467
1993	80,147.56	55.00	1.82	1,750.42	39.60	.2800	26,930
1994	1,069,881.42	55.00	1.82	23,366.21	40.58	.2622	336,627
1995	4,103,981.84	55.00	1.82	89,630.96	41.56	.2444	1,203,616
1996	125,982.75	55.00	1.82	2,751.46	42.55	.2264	34,227
1997	788,410.68	55.00	1.82	17,218.89	43.54	.2084	197,166
1998	2,100,984.51	55.00	1.82	45,885.50	44.53	.1904	480,033
1999	6,946,427.18	55.00	1.82	151,709.97	45.53	.1722	1,435,410
2000	3,891,837.64	55.00	1.82	84,997.73	46.52	.1542	720,146
2001	2,778,763.87	55.00	1.82	60,688.20	47.52	.1360	453,494
2002	2,633,418.84	55.00	1.82	57,513.87	48.51	.1180	372,892
2003	7,691,328.52	55.00	1.82	167,978.61	49.51	.0998	921,114
2004	900,555.03	55.00	1.82	19,668.12	50.51	.0816	88,182
2005	3,164,373.62	55.00	1.82	69,109.92	51.50	.0636	241,505
2006	21,816,901.22	55.00	1.82	476,481.12	52.50	.0455	1,191,203
2007	312,586.43	55.00	1.82	6,826.89	53.50	.0273	10,240

AmerenUE - ELECTRIC

ACCOUNT 356 OVERHEAD CONDUCTOR & DEVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 55-R4							
NET SALVAGE PERCENT.. -20							
2008	9,010,046.23	55.00	1.82	196,779.41	54.50	.0091	98,390
	145,108,057.59			3,164,551.81			65,355,348

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.18

AmerenUE - ELECTRIC

ACCOUNT 359 ROADS & TRAILS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCRUAL-- AMOUNT	EXP.	-ACCRUED FACTOR	DEPREC.- AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. 50-SQUARE							
NET SALVAGE PERCENT.. 0							
1931	24.00					1.0000	24
1932	941.00					1.0000	941
1933	10.00					1.0000	10
1934	111.00					1.0000	111
1945	26,508.00					1.0000	26,508
1953	1,276.00					1.0000	1,276
1957	3,693.00					1.0000	3,693
1961	26,681.00	50.00	2.00	533.62	2.50	.9500	25,347
1966	9,668.00	50.00	2.00	193.36	7.50	.8500	8,218
1970	2,877.00	50.00	2.00	57.54	11.50	.7700	2,215
TOTAL	71,789.00			784.52			68,343

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 1.09

AmerenUE - ELECTRIC

ACCOUNT 361 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 60-R2.5							
NET SALVAGE PERCENT.. 0							
1905	1,288.91	60.00	1.67	21.52	2.06	.9657	1,245
1915	59,536.00	60.00	1.67	994.25	4.61	.9232	54,964
1917	244,574.17	60.00	1.67	4,084.39	5.05	.9158	223,981
1918	270.74	60.00	1.67	4.52	5.27	.9122	247
1919	724.00	60.00	1.67	12.09	5.49	.9085	658
1920	3,253.00	60.00	1.67	54.33	5.70	.9050	2,944
1922	895.84	60.00	1.67	14.96	6.15	.8975	804
1923	2,218.00	60.00	1.67	37.04	6.38	.8937	1,982
1925	17,555.36	60.00	1.67	293.17	6.84	.8860	15,554
1926	6,621.75	60.00	1.67	110.58	7.07	.8822	5,842
1927	30,803.92	60.00	1.67	514.43	7.31	.8782	27,052
1928	180.00	60.00	1.67	3.01	7.55	.8742	157
1929	80,782.33	60.00	1.67	1,349.06	7.80	.8700	70,281
1930	96,647.50	60.00	1.67	1,614.01	8.05	.8658	83,677
1931	13,913.78	60.00	1.67	232.36	8.30	.8617	11,990
1932	0.15	60.00	1.67		8.56	.8573	
1933	134.63	60.00	1.67	2.25	8.83	.8528	115
1934	609.68	60.00	1.67	10.18	9.11	.8482	517
1936	7,045.82	60.00	1.67	117.67	9.68	.8387	5,909
1937	6,260.06	60.00	1.67	104.54	9.98	.8337	5,219
1938	46,502.07	60.00	1.67	776.58	10.29	.8285	38,527
1939	12,213.98	60.00	1.67	203.97	10.62	.8230	10,052
1940	15,376.32	60.00	1.67	256.78	10.95	.8175	12,570
1941	15,689.77	60.00	1.67	262.02	11.30	.8117	12,735
1942	6,381.72	60.00	1.67	106.57	11.66	.8057	5,142
1943	5,025.14	60.00	1.67	83.92	12.03	.7995	4,018
1944	3,933.53	60.00	1.67	65.69	12.42	.7930	3,119
1945	3,616.00	60.00	1.67	60.39	12.82	.7863	2,843
1946	1,805.63	60.00	1.67	30.15	13.23	.7795	1,407
1947	32,587.68	60.00	1.67	544.21	13.66	.7723	25,167
1948	22,906.06	60.00	1.67	382.53	14.11	.7648	17,519
1949	110,071.73	60.00	1.67	1,838.20	14.57	.7572	83,346
1950	13,225.48	60.00	1.67	220.87	15.04	.7493	9,910
1951	149,975.80	60.00	1.67	2,504.60	15.53	.7412	111,162
1952	40,688.71	60.00	1.67	679.50	16.03	.7328	29,817
1953	6,259.78	60.00	1.67	104.54	16.55	.7242	4,533
1954	60,631.17	60.00	1.67	1,012.54	17.08	.7153	43,369

AmerenUE - ELECTRIC

ACCOUNT 361 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 60-R2.5							
NET SALVAGE PERCENT.. 0							
1955	22,561.73	60.00	1.67	376.78	17.62	.7063	15,935
1956	31,831.71	60.00	1.67	531.59	18.18	.6970	22,187
1957	8,538.22	60.00	1.67	142.59	18.75	.6875	5,870
1958	122,373.78	60.00	1.67	2,043.64	19.34	.6777	82,933
1959	120,662.96	60.00	1.67	2,015.07	19.93	.6678	80,579
1960	34,706.00	60.00	1.67	579.59	20.54	.6577	22,826
1961	70,094.09	60.00	1.67	1,170.57	21.16	.6473	45,372
1962	126,280.35	60.00	1.67	2,108.88	21.79	.6368	80,415
1963	64,107.75	60.00	1.67	1,070.60	22.44	.6260	40,131
1964	110,434.82	60.00	1.67	1,844.26	23.09	.6152	67,940
1965	230,778.27	60.00	1.67	3,854.00	23.76	.6040	139,390
1966	32,283.86	60.00	1.67	539.14	24.43	.5928	19,138
1967	114,920.60	60.00	1.67	1,919.17	25.11	.5815	66,826
1968	95,693.06	60.00	1.67	1,598.07	25.81	.5698	54,526
1969	259,454.72	60.00	1.67	4,332.89	26.51	.5582	144,828
1970	128,317.00	60.00	1.67	2,142.89	27.23	.5462	70,087
1971	365,798.00	60.00	1.67	6,108.83	27.95	.5342	195,409
1972	45,318.57	60.00	1.67	756.82	28.68	.5220	23,656
1973	4,796.82	60.00	1.67	80.11	29.42	.5097	2,445
1974	178,092.05	60.00	1.67	2,974.14	30.17	.4972	88,547
1975	279,020.00	60.00	1.67	4,659.63	30.92	.4847	135,241
1976	296,418.03	60.00	1.67	4,950.18	31.69	.4718	139,850
1977	82,737.38	60.00	1.67	1,381.71	32.46	.4590	37,976
1978	42,520.62	60.00	1.67	710.09	33.24	.4460	18,964
1979	14,367.00	60.00	1.67	239.93	34.03	.4328	6,218
1980	92,451.09	60.00	1.67	1,543.93	34.82	.4197	38,802
1981	43,638.41	60.00	1.67	728.76	35.63	.4062	17,726
1982	122,887.00	60.00	1.67	2,052.21	36.44	.3927	48,258
1983	619,976.11	60.00	1.67	10,353.60	37.25	.3792	235,095
1984	41,491.32	60.00	1.67	692.91	38.08	.3653	15,157
1985	57,293.37	60.00	1.67	956.80	38.91	.3515	20,139
1986	948,880.81	60.00	1.67	15,846.31	39.74	.3377	320,437
1987	90,568.91	60.00	1.67	1,512.50	40.59	.3235	29,299
1988	778,064.15	60.00	1.67	12,993.67	41.44	.3093	240,655
1989	480,525.96	60.00	1.67	8,024.78	42.30	.2950	141,755
1990	70,835.00	60.00	1.67	1,182.94	43.16	.2807	19,883
1991	33,520.04	60.00	1.67	559.78	44.03	.2662	8,923

AmerenUE - ELECTRIC

ACCOUNT 361 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 60-R2.5							
NET SALVAGE PERCENT.. 0							
1992	665,761.00	60.00	1.67	11,118.21	44.90	.2517	167,572
1993	1,134,649.42	60.00	1.67	18,948.65	45.78	.2370	268,912
1994	1,683,865.18	60.00	1.67	28,120.55	46.67	.2222	374,155
1995	863,928.09	60.00	1.67	14,427.60	47.56	.2073	179,092
1996	1,089,792.92	60.00	1.67	18,199.54	48.45	.1925	209,785
1997	994,469.27	60.00	1.67	16,607.64	49.35	.1775	176,518
1998	543,919.67	60.00	1.67	9,083.46	50.26	.1623	88,278
1999	484,068.59	60.00	1.67	8,083.95	51.17	.1472	71,255
2000	26,725.54	60.00	1.67	446.32	52.08	.1320	3,528
2001	23,778.80	60.00	1.67	397.11	53.00	.1167	2,775
2002	139,522.44	60.00	1.67	2,330.02	53.92	.1013	14,134
2003	31,912.63	60.00	1.67	532.94	54.85	.0858	2,738
2004	153,530.15	60.00	1.67	2,563.95	55.77	.0705	10,824
2006	2,178.77	60.00	1.67	36.39	57.64	.0393	86
2007	22,780.77	60.00	1.67	380.44	58.58	.0237	540
2008	123,441.88	60.00	1.67	2,061.48	59.53	.0078	963
TOTAL	15,366,770.89			256,625.03			5,242,947

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 1.67

AmerenUE - ELECTRIC

ACCOUNT 362 STATION EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 60-R2.5							
NET SALVAGE PERCENT.. -10							
1912	15,061.00	60.00	1.67	276.67	3.93	.9345	15,482
1917	73,381.00	60.00	1.67	1,348.01	5.05	.9158	73,923
1918	11,208.00	60.00	1.67	205.89	5.27	.9122	11,246
1919	5,492.00	60.00	1.67	100.89	5.49	.9085	5,488
1920	2,989.00	60.00	1.67	54.91	5.70	.9050	2,976
1921	4,684.00	60.00	1.67	86.05	5.93	.9012	4,643
1922	1,041.00	60.00	1.67	19.12	6.15	.8975	1,028
1923	7,798.00	60.00	1.67	143.25	6.38	.8937	7,666
1924	27,001.00	60.00	1.67	496.01	6.61	.8898	26,428
1925	44,307.00	60.00	1.67	813.92	6.84	.8860	43,182
1926	26,376.51	60.00	1.67	484.54	7.07	.8822	25,596
1927	7,937.91	60.00	1.67	145.82	7.31	.8782	7,668
1928	16,449.61	60.00	1.67	302.18	7.55	.8742	15,818
1929	29,412.85	60.00	1.67	540.31	7.80	.8700	28,148
1930	1,485,172.00	60.00	1.67	27,282.61	8.05	.8658	1,414,448
1931	314,771.00	60.00	1.67	5,782.34	8.30	.8617	298,362
1932	11,654.00	60.00	1.67	214.08	8.56	.8573	10,990
1933	6,285.86	60.00	1.67	115.47	8.83	.8528	5,897
1934	5,308.00	60.00	1.67	97.51	9.11	.8482	4,952
1935	9,644.00	60.00	1.67	177.16	9.39	.8435	8,948
1936	56,642.00	60.00	1.67	1,040.51	9.68	.8387	52,256
1937	128,121.97	60.00	1.67	2,353.60	9.98	.8337	117,497
1938	1,220,570.20	60.00	1.67	22,421.87	10.29	.8285	1,112,367
1939	89,568.13	60.00	1.67	1,645.37	10.62	.8230	81,086
1940	82,579.11	60.00	1.67	1,516.98	10.95	.8175	74,259
1941	147,150.37	60.00	1.67	2,703.15	11.30	.8117	131,386
1942	81,097.85	60.00	1.67	1,489.77	11.66	.8057	71,875
1943	33,838.62	60.00	1.67	621.62	12.03	.7995	29,759
1944	13,153.00	60.00	1.67	241.62	12.42	.7930	11,473
1945	169,987.71	60.00	1.67	3,122.67	12.82	.7863	147,027
1946	65,387.57	60.00	1.67	1,201.17	13.23	.7795	56,067
1947	269,786.06	60.00	1.67	4,955.97	13.66	.7723	229,191
1948	504,203.87	60.00	1.67	9,262.23	14.11	.7648	424,177
1949	2,206,144.93	60.00	1.67	40,526.88	14.57	.7572	1,837,542
1950	810,693.94	60.00	1.67	14,892.45	15.04	.7493	668,198
1951	3,355,595.44	60.00	1.67	61,642.29	15.53	.7412	2,735,884
1952	1,437,927.09	60.00	1.67	26,414.72	16.03	.7328	1,159,084

AmerenUE - ELECTRIC

ACCOUNT 362 STATION EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCRUAL-- AMOUNT	EXP.	-ACCRUED FACTOR	DEPREC.- AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 60-R2.5							
NET SALVAGE PERCENT.. -10							
1953	930,715.84	60.00	1.67	17,097.25	16.55	.7242	741,427
1954	2,201,353.26	60.00	1.67	40,438.86	17.08	.7153	1,732,091
1955	2,138,718.79	60.00	1.67	39,288.26	17.62	.7063	1,661,635
1956	3,507,684.04	60.00	1.67	64,436.16	18.18	.6970	2,689,341
1957	4,018,156.34	60.00	1.67	73,813.53	18.75	.6875	3,038,731
1958	2,302,514.35	60.00	1.67	42,297.19	19.34	.6777	1,716,455
1959	3,658,744.81	60.00	1.67	67,211.14	19.93	.6678	2,687,641
1960	4,073,166.14	60.00	1.67	74,824.06	20.54	.6577	2,946,814
1961	3,226,732.58	60.00	1.67	59,275.08	21.16	.6473	2,297,530
1962	3,167,880.47	60.00	1.67	58,193.96	21.79	.6368	2,219,037
1963	4,327,926.34	60.00	1.67	79,504.01	22.44	.6260	2,980,210
1964	5,767,123.70	60.00	1.67	105,942.06	23.09	.6152	3,902,728
1965	7,387,205.14	60.00	1.67	135,702.96	23.76	.6040	4,908,059
1966	4,948,512.55	60.00	1.67	90,904.18	24.43	.5928	3,226,826
1967	7,508,257.83	60.00	1.67	137,926.70	25.11	.5815	4,802,657
1968	7,941,654.83	60.00	1.67	145,888.20	25.81	.5698	4,977,670
1969	9,357,827.87	60.00	1.67	171,903.30	26.51	.5582	5,745,893
1970	8,134,749.23	60.00	1.67	149,435.34	27.23	.5462	4,887,520
1971	7,676,345.44	60.00	1.67	141,014.47	27.95	.5342	4,510,774
1972	5,097,620.77	60.00	1.67	93,643.29	28.68	.5220	2,927,054
1973	4,917,765.81	60.00	1.67	90,339.36	29.42	.5097	2,757,244
1974	8,530,536.25	60.00	1.67	156,705.95	30.17	.4972	4,665,521
1975	9,165,280.78	60.00	1.67	168,366.21	30.92	.4847	4,886,653
1976	7,133,745.76	60.00	1.67	131,046.91	31.69	.4718	3,702,271
1977	4,913,226.73	60.00	1.67	90,255.98	32.46	.4590	2,480,688
1978	5,084,815.56	60.00	1.67	93,408.06	33.24	.4460	2,494,611
1979	7,873,300.23	60.00	1.67	144,632.53	34.03	.4328	3,748,321
1980	4,758,713.96	60.00	1.67	87,417.58	34.82	.4197	2,196,955
1981	7,571,048.08	60.00	1.67	139,080.15	35.63	.4062	3,382,896
1982	8,941,528.86	60.00	1.67	164,255.89	36.44	.3927	3,862,472
1983	12,745,746.93	60.00	1.67	234,139.37	37.25	.3792	5,316,506
1984	7,125,306.82	60.00	1.67	130,891.89	38.08	.3653	2,863,162
1985	4,648,257.35	60.00	1.67	85,388.49	38.91	.3515	1,797,249
1986	8,872,894.07	60.00	1.67	162,995.06	39.74	.3377	3,296,014
1987	6,706,948.71	60.00	1.67	123,206.65	40.59	.3235	2,386,668
1988	15,645,164.00	60.00	1.67	287,401.66	41.44	.3093	5,322,954
1989	7,944,699.92	60.00	1.67	145,944.14	42.30	.2950	2,578,055

AmerenUE - ELECTRIC

ACCOUNT 362 STATION EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 60-R2.5							
NET SALVAGE PERCENT.. -10							
1990	11,456,515.64	60.00	1.67	210,456.19	43.16	.2807	3,537,428
1991	14,528,359.49	60.00	1.67	266,885.96	44.03	.2662	4,254,194
1992	22,201,210.96	60.00	1.67	407,836.25	44.90	.2517	6,146,849
1993	16,702,458.59	60.00	1.67	306,824.16	45.78	.2370	4,354,331
1994	25,762,089.12	60.00	1.67	473,249.58	46.67	.2222	6,296,770
1995	16,545,728.85	60.00	1.67	303,945.04	47.56	.2073	3,772,923
1996	24,160,956.50	60.00	1.67	443,836.77	48.45	.1925	5,116,083
1997	21,733,590.29	60.00	1.67	399,246.05	49.35	.1775	4,243,484
1998	8,387,163.42	60.00	1.67	154,072.19	50.26	.1623	1,497,360
1999	7,471,728.46	60.00	1.67	137,255.65	51.17	.1472	1,209,822
2000	6,287,355.44	60.00	1.67	115,498.72	52.08	.1320	912,924
2001	9,897,089.94	60.00	1.67	181,809.54	53.00	.1167	1,270,489
2002	15,933,876.28	60.00	1.67	292,705.31	53.92	.1013	1,775,512
2003	25,316,027.99	60.00	1.67	465,055.43	54.85	.0858	2,389,327
2004	19,361,314.50	60.00	1.67	355,667.35	55.77	.0705	1,501,470
2005	22,681,424.09	60.00	1.67	416,657.76	56.71	.0548	1,367,236
2006	33,386,666.60	60.00	1.67	613,313.07	57.64	.0393	1,443,306
2007	30,279,613.66	60.00	1.67	556,236.50	58.58	.0237	789,390
2008	24,006,595.62	60.00	1.67	441,001.16	59.53	.0078	205,977
				598,830,057.18			11,000,508.17
							185,375,225

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 1.84

AmerenUE - ELECTRIC

ACCOUNT 364 POLES & FIXTURES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL	ACCRUAL--		-ACCRUED	DEPREC.-
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 45-R2.5							
NET SALVAGE PERCENT..-150							
1913	56,651.35					1.0000	141,628
1915	559.00					1.0000	1,398
1924	38.00					1.0000	95
1925	12,368.74	45.00	2.22	686.47	0.07	.9984	30,872
1928	375.16	45.00	2.22	20.82	0.79	.9824	921
1930	5,810.98	45.00	2.22	322.51	1.31	.9709	14,105
1931	2,452.00	45.00	2.22	136.09	1.58	.9649	5,915
1932	55.00	45.00	2.22	3.05	1.86	.9587	132
1933	2,258.33	45.00	2.22	125.34	2.13	.9527	5,379
1934	3,349.88	45.00	2.22	185.92	2.40	.9467	7,928
1935	540.00	45.00	2.22	29.97	2.67	.9407	1,270
1936	4,046.87	45.00	2.22	224.60	2.92	.9351	9,461
1937	72,888.40	45.00	2.22	4,045.31	3.15	.9300	169,466
1938	14,754.91	45.00	2.22	818.90	3.38	.9249	34,117
1939	9,299.44	45.00	2.22	516.12	3.60	.9200	21,389
1940	7,245.52	45.00	2.22	402.13	3.81	.9153	16,580
1941	8,504.00	45.00	2.22	471.97	4.03	.9104	19,355
1942	14,438.13	45.00	2.22	801.32	4.25	.9056	32,688
1943	11,085.95	45.00	2.22	615.27	4.47	.9007	24,963
1944	36,048.52	45.00	2.22	2,000.69	4.70	.8956	80,713
1945	13,750.00	45.00	2.22	763.13	4.93	.8904	30,608
1946	27,099.27	45.00	2.22	1,504.01	5.16	.8853	59,977
1947	80,270.59	45.00	2.22	4,455.02	5.39	.8802	176,635
1948	55,119.24	45.00	2.22	3,059.12	5.63	.8749	120,560
1949	32,327.53	45.00	2.22	1,794.18	5.88	.8693	70,256
1950	230,109.38	45.00	2.22	12,771.07	6.13	.8638	496,921
1951	675,056.39	45.00	2.22	37,465.63	6.39	.8580	1,447,996
1952	57,696.13	45.00	2.22	3,202.14	6.66	.8520	122,893
1953	39,235.81	45.00	2.22	2,177.59	6.93	.8460	82,984
1954	38,339.65	45.00	2.22	2,127.85	7.22	.8396	80,475
1955	316,580.78	45.00	2.22	17,570.23	7.52	.8329	659,200
1956	617,804.03	45.00	2.22	34,288.12	7.84	.8258	1,275,456
1957	824,392.46	45.00	2.22	45,753.78	8.17	.8184	1,686,707
1958	1,479,223.08	45.00	2.22	82,096.88	8.52	.8107	2,998,015
1959	1,885,108.61	45.00	2.22	104,623.53	8.88	.8027	3,782,942
1960	2,237,646.50	45.00	2.22	124,189.38	9.26	.7942	4,442,847
1961	2,391,402.93	45.00	2.22	132,722.86	9.67	.7851	4,693,726

AmerenUE - ELECTRIC

ACCOUNT 364 POLES & FIXTURES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 45-R2.5							
NET SALVAGE PERCENT..-150							
1962	2,871,830.70	45.00	2.22	159,386.60	10.09	.7758	5,569,916
1963	3,368,340.47	45.00	2.22	186,942.90	10.53	.7660	6,450,372
1964	4,240,046.20	45.00	2.22	235,322.56	10.98	.7560	8,013,687
1965	3,936,059.80	45.00	2.22	218,451.32	11.46	.7453	7,333,863
1966	4,204,743.50	45.00	2.22	233,363.26	11.96	.7342	7,717,807
1967	3,811,829.03	45.00	2.22	211,556.51	12.48	.7227	6,887,022
1968	4,689,292.04	45.00	2.22	260,255.71	13.01	.7109	8,334,044
1969	6,680,652.70	45.00	2.22	370,776.22	13.57	.6984	11,664,420
1970	5,501,273.43	45.00	2.22	305,320.68	14.14	.6858	9,431,933
1971	6,004,721.97	45.00	2.22	333,262.07	14.73	.6727	10,098,441
1972	6,593,727.08	45.00	2.22	365,951.85	15.33	.6593	10,868,111
1973	5,640,935.31	45.00	2.22	313,071.91	15.95	.6456	9,104,470
1974	6,421,655.78	45.00	2.22	356,401.90	16.59	.6313	10,134,978
1975	7,349,662.42	45.00	2.22	407,906.26	17.24	.6169	11,335,017
1976	8,453,953.16	45.00	2.22	469,194.40	17.90	.6022	12,727,426
1977	8,936,001.36	45.00	2.22	495,948.08	18.58	.5871	13,115,816
1978	8,695,392.64	45.00	2.22	482,594.29	19.27	.5718	12,430,064
1979	10,921,529.09	45.00	2.22	606,144.86	19.97	.5562	15,186,386
1980	12,957,817.71	45.00	2.22	719,158.88	20.69	.5402	17,499,533
1981	10,938,402.82	45.00	2.22	607,081.36	21.42	.5240	14,329,308
1982	11,750,615.57	45.00	2.22	652,159.16	22.16	.5076	14,911,531
1983	14,530,847.97	45.00	2.22	806,462.06	22.91	.4909	17,832,983
1984	16,870,800.47	45.00	2.22	936,329.43	23.67	.4740	19,991,899
1985	15,354,568.48	45.00	2.22	852,178.55	24.44	.4569	17,538,756
1986	16,866,117.71	45.00	2.22	936,069.53	25.22	.4396	18,535,863
1987	17,001,743.27	45.00	2.22	943,596.75	26.02	.4218	17,928,338
1988	19,514,447.89	45.00	2.22	1,083,051.86	26.82	.4040	19,709,592
1989	21,368,185.96	45.00	2.22	1,185,934.32	27.63	.3860	20,620,299
1990	20,128,779.66	45.00	2.22	1,117,147.27	28.45	.3678	18,508,413
1991	17,917,130.95	45.00	2.22	994,400.77	29.28	.3493	15,646,135
1992	25,701,721.52	45.00	2.22	1,426,445.54	30.12	.3307	21,248,898
1993	21,181,528.50	45.00	2.22	1,175,574.83	30.97	.3118	16,511,001
1994	20,729,520.35	45.00	2.22	1,150,488.38	31.83	.2927	15,168,827
1995	20,992,909.45	45.00	2.22	1,165,106.47	32.69	.2736	14,359,150
1996	20,482,432.05	45.00	2.22	1,136,774.98	33.57	.2540	13,006,344
1997	24,543,305.63	45.00	2.22	1,362,153.46	34.45	.2344	14,382,377
1998	18,299,974.06	45.00	2.22	1,015,648.56	35.33	.2149	9,831,661

AmerenUE - ELECTRIC

ACCOUNT 364 POLES & FIXTURES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 45-R2.5							
NET SALVAGE PERCENT..-150							
1999	19,863,540.04	45.00	2.22	1,102,426.47	36.23	.1949	9,678,510
2000	19,935,252.49	45.00	2.22	1,106,406.51	37.13	.1749	8,716,689
2001	22,974,158.74	45.00	2.22	1,275,065.81	38.03	.1549	8,896,743
2002	23,099,163.80	45.00	2.22	1,282,003.59	38.95	.1344	7,761,319
2003	21,076,393.46	45.00	2.22	1,169,739.84	39.86	.1142	6,017,310
2004	23,838,246.32	45.00	2.22	1,323,022.67	40.79	.0936	5,578,150
2005	35,527,487.88	45.00	2.22	1,971,775.58	41.71	.0731	6,492,648
2006	48,709,655.82	45.00	2.22	2,703,385.90	42.65	.0522	6,356,610
2007	26,685,563.85	45.00	2.22	1,481,048.79	43.59	.0313	2,088,145
2008	58,634,327.05	45.00	2.22	3,254,205.15	44.53	.0104	1,524,493
	767,060,218.71			42,568,664.85			579,921,871

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 5.55

AmerenUE - ELECTRIC

ACCOUNT 365 OVERHEAD CONDUCTORS & DEVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL	ACCRUAL--		-ACCRUED	DEPREC.-
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 49-R1							
NET SALVAGE PERCENT.. -53							
1913	1,433.00	49.00	2.04	44.73	0.99	.9798	2,148
1918	1,510.09	49.00	2.04	47.13	2.66	.9457	2,185
1919	10,019.84	49.00	2.04	312.74	2.97	.9394	14,401
1920	462.33	49.00	2.04	14.43	3.28	.9331	660
1921	24.00	49.00	2.04	0.75	3.58	.9269	34
1922	1,406.56	49.00	2.04	43.90	3.88	.9208	1,982
1923	4,325.44	49.00	2.04	135.01	4.17	.9149	6,055
1924	162.45	49.00	2.04	5.07	4.47	.9088	226
1925	6,240.77	49.00	2.04	194.79	4.77	.9027	8,619
1926	2,049.33	49.00	2.04	63.96	5.07	.8965	2,811
1927	2,203.77	49.00	2.04	68.78	5.37	.8904	3,002
1928	812.17	49.00	2.04	25.35	5.68	.8841	1,099
1929	830.87	49.00	2.04	25.93	5.99	.8778	1,116
1930	334.62	49.00	2.04	10.44	6.31	.8712	446
1931	36,042.29	49.00	2.04	1,124.95	6.63	.8647	47,684
1932	13,046.16	49.00	2.04	407.20	6.96	.8580	17,126
1933	5,225.40	49.00	2.04	163.10	7.29	.8512	6,805
1934	12,771.46	49.00	2.04	398.62	7.62	.8445	16,502
1935	78,119.99	49.00	2.04	2,438.28	7.96	.8376	100,113
1936	110,379.86	49.00	2.04	3,445.18	8.30	.8306	140,273
1937	338,841.51	49.00	2.04	10,575.92	8.65	.8235	426,925
1938	275,202.38	49.00	2.04	8,589.62	9.01	.8161	343,627
1939	121,848.43	49.00	2.04	3,803.13	9.37	.8088	150,783
1940	225,416.59	49.00	2.04	7,035.70	9.73	.8014	276,393
1941	304,179.36	49.00	2.04	9,494.05	10.10	.7939	369,477
1942	215,327.32	49.00	2.04	6,720.80	10.48	.7861	258,981
1943	68,946.57	49.00	2.04	2,151.96	10.86	.7784	82,112
1944	137,532.68	49.00	2.04	4,292.67	11.24	.7706	162,154
1945	101,025.38	49.00	2.04	3,153.20	11.63	.7627	117,890
1946	267,559.22	49.00	2.04	8,351.06	12.03	.7545	308,866
1947	459,514.19	49.00	2.04	14,342.36	12.43	.7463	524,691
1948	982,510.16	49.00	2.04	30,666.11	12.84	.7380	1,109,392
1949	1,048,683.27	49.00	2.04	32,731.50	13.26	.7294	1,170,312
1950	1,356,984.97	49.00	2.04	42,354.21	13.68	.7208	1,496,516
1951	1,850,196.51	49.00	2.04	57,748.33	14.11	.7120	2,015,530
1952	1,505,442.54	49.00	2.04	46,987.87	14.54	.7033	1,619,930
1953	1,639,584.30	49.00	2.04	51,174.71	14.98	.6943	1,741,696

AmerenUE - ELECTRIC

ACCOUNT 365 OVERHEAD CONDUCTORS & DEVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
SURVIVOR CURVE.. IOWA 49-R1							
NET SALVAGE PERCENT.. -53							
1954	2,048,261.17	49.00	2.04	63,930.33	15.42	.6853	2,147,620
1955	3,426,124.20	49.00	2.04	106,936.19	15.88	.6759	3,543,048
1956	3,849,764.71	49.00	2.04	120,158.86	16.34	.6665	3,925,778
1957	3,115,796.44	49.00	2.04	97,250.24	16.80	.6571	3,132,506
1958	2,861,481.98	49.00	2.04	89,312.58	17.27	.6476	2,835,236
1959	2,916,827.10	49.00	2.04	91,040.01	17.75	.6378	2,846,339
1960	2,800,431.99	49.00	2.04	87,407.08	18.24	.6278	2,689,910
1961	2,912,694.06	49.00	2.04	90,911.01	18.73	.6178	2,753,177
1962	2,896,606.21	49.00	2.04	90,408.87	19.23	.6076	2,692,766
1963	2,477,575.20	49.00	2.04	77,330.08	19.74	.5971	2,263,421
1964	3,505,075.92	49.00	2.04	109,400.43	20.25	.5867	3,146,335
1965	4,479,789.89	49.00	2.04	139,823.20	20.77	.5761	3,948,635
1966	5,547,461.29	49.00	2.04	173,147.36	21.30	.5653	4,798,049
1967	4,736,227.65	49.00	2.04	147,827.14	21.84	.5543	4,016,695
1968	5,683,915.02	49.00	2.04	177,406.36	22.38	.5433	4,724,749
1969	6,128,877.26	49.00	2.04	191,294.52	22.93	.5320	4,988,661
1970	5,655,688.08	49.00	2.04	176,525.34	23.49	.5206	4,504,857
1971	6,257,876.89	49.00	2.04	195,320.85	24.05	.5092	4,875,362
1972	6,196,446.23	49.00	2.04	193,403.48	24.62	.4976	4,717,528
1973	7,258,749.38	49.00	2.04	226,560.09	25.20	.4857	5,394,129
1974	7,699,108.43	49.00	2.04	240,304.57	25.79	.4737	5,580,014
1975	5,993,580.15	49.00	2.04	187,071.62	26.38	.4616	4,232,954
1976	7,335,073.83	49.00	2.04	228,942.32	26.97	.4496	5,045,709
1977	7,158,933.07	49.00	2.04	223,444.62	27.58	.4371	4,787,630
1978	8,573,347.13	49.00	2.04	267,591.31	28.19	.4247	5,570,884
1979	9,092,761.84	49.00	2.04	283,803.28	28.81	.4120	5,731,713
1980	10,697,948.38	49.00	2.04	333,904.36	29.43	.3994	6,537,324
1981	9,541,336.62	49.00	2.04	297,804.20	30.06	.3865	5,642,222
1982	10,231,355.52	49.00	2.04	319,341.07	30.70	.3735	5,846,759
1983	11,150,906.69	49.00	2.04	348,042.10	31.34	.3604	6,148,744
1984	11,354,469.06	49.00	2.04	354,395.69	31.98	.3473	6,033,413
1985	12,015,527.61	49.00	2.04	375,028.65	32.63	.3341	6,142,013
1986	16,383,969.76	49.00	2.04	511,376.46	33.29	.3206	8,036,632
1987	16,270,242.69	49.00	2.04	507,826.81	33.95	.3071	7,644,785
1988	20,742,213.04	49.00	2.04	647,405.95	34.61	.2937	9,320,742
1989	23,578,321.80	49.00	2.04	735,926.58	35.28	.2800	10,100,953
1990	19,253,554.74	49.00	2.04	600,941.95	35.95	.2663	7,844,649

AmerenUE - ELECTRIC

ACCOUNT 365 OVERHEAD CONDUCTORS & DEVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCRUAL-- AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 49-R1							
NET SALVAGE PERCENT.. -53							
1991	17,292,033.58	49.00	2.04	539,718.95	36.62	.2527	6,685,636
1992	23,948,000.88	49.00	2.04	747,465.00	37.30	.2388	8,749,737
1993	22,185,514.30	49.00	2.04	692,454.27	37.98	.2249	7,633,969
1994	20,740,247.86	49.00	2.04	647,344.62	38.67	.2108	6,689,228
1995	27,215,212.50	49.00	2.04	849,441.21	39.36	.1967	8,190,445
1996	27,972,337.81	49.00	2.04	873,072.61	40.05	.1827	7,819,136
1997	31,540,123.68	49.00	2.04	984,430.34	40.74	.1686	8,136,027
1998	21,699,684.07	49.00	2.04	677,290.54	41.44	.1543	5,122,840
1999	21,216,909.74	49.00	2.04	662,222.19	42.14	.1400	4,544,662
2000	23,274,104.19	49.00	2.04	726,431.34	42.84	.1257	4,476,099
2001	27,090,360.38	49.00	2.04	845,544.33	43.55	.1112	4,609,046
2002	26,089,562.23	49.00	2.04	814,307.42	44.26	.0967	3,859,977
2003	29,524,367.34	49.00	2.04	921,514.55	44.98	.0820	3,704,127
2004	30,694,994.13	49.00	2.04	958,052.16	45.70	.0673	3,160,633
2005	33,822,613.77	49.00	2.04	1,055,671.42	46.43	.0524	2,711,627
2006	58,846,717.93	49.00	2.04	1,836,723.76	47.16	.0376	3,385,334
2007	31,682,497.43	49.00	2.04	988,874.11	47.89	.0227	1,100,365
2008	78,475,471.36	49.00	2.04	2,449,376.41	48.63	.0076	912,513
	856,325,269.99			26,727,624.33			288,231,904

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 3.12

AmerenUE - ELECTRIC

ACCOUNT 366 UNDERGROUND CONDUIT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 70-R3							
NET SALVAGE PERCENT.. -40							
1915	2,254,452.90	70.00	1.43	45,134.15	6.16	.9120	2,878,485
1916	90,024.85	70.00	1.43	1,802.30	6.43	.9081	114,452
1917	120,972.68	70.00	1.43	2,421.87	6.69	.9044	153,171
1918	2,071.08	70.00	1.43	41.46	6.95	.9007	2,612
1919	1,703.30	70.00	1.43	34.10	7.22	.8969	2,139
1920	7,034.30	70.00	1.43	140.83	7.49	.8930	8,794
1921	9,263.77	70.00	1.43	185.46	7.77	.8890	11,530
1922	5,361.70	70.00	1.43	107.34	8.05	.8850	6,643
1923	7,169.78	70.00	1.43	143.54	8.34	.8809	8,842
1924	10,660.20	70.00	1.43	213.42	8.64	.8766	13,083
1925	42,687.87	70.00	1.43	854.61	8.94	.8723	52,131
1926	40,091.98	70.00	1.43	802.64	9.26	.8677	48,703
1927	136,052.30	70.00	1.43	2,723.77	9.58	.8631	164,397
1928	421,743.48	70.00	1.43	8,443.30	9.91	.8584	506,834
1929	570,923.86	70.00	1.43	11,429.90	10.25	.8536	682,277
1930	155,851.76	70.00	1.43	3,120.15	10.61	.8484	185,114
1931	199,556.25	70.00	1.43	3,995.12	10.97	.8433	235,600
1932	54,025.26	70.00	1.43	1,081.59	11.35	.8379	63,375
1933	33,367.18	70.00	1.43	668.01	11.74	.8323	38,880
1934	15,984.98	70.00	1.43	320.02	12.15	.8264	18,494
1935	27,025.27	70.00	1.43	541.05	12.56	.8206	31,048
1936	74,492.49	70.00	1.43	1,491.34	12.99	.8144	84,933
1937	265,992.11	70.00	1.43	5,325.16	13.43	.8081	300,928
1938	114,899.74	70.00	1.43	2,300.29	13.89	.8016	128,945
1939	218,498.93	70.00	1.43	4,374.35	14.36	.7949	243,159
1940	118,658.37	70.00	1.43	2,375.54	14.84	.7880	130,904
1941	358,378.52	70.00	1.43	7,174.74	15.34	.7809	391,801
1942	204,508.53	70.00	1.43	4,094.26	15.85	.7736	221,491
1943	42,529.42	70.00	1.43	851.44	16.38	.7660	45,609
1944	38,222.32	70.00	1.43	765.21	16.91	.7584	40,583
1945	30,132.30	70.00	1.43	603.25	17.46	.7506	31,664
1946	84,474.07	70.00	1.43	1,691.17	18.03	.7424	87,799
1947	351,084.00	70.00	1.43	7,028.70	18.60	.7343	360,921
1948	248,375.28	70.00	1.43	4,972.47	19.19	.7259	252,414
1949	360,851.81	70.00	1.43	7,224.25	19.79	.7173	362,375
1950	193,697.64	70.00	1.43	3,877.83	20.41	.7084	192,102
1951	435,237.40	70.00	1.43	8,713.45	21.03	.6996	426,289

AmerenUE - ELECTRIC

ACCOUNT 366 UNDERGROUND CONDUIT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
SURVIVOR CURVE.. IOWA 70-R3							
NET SALVAGE PERCENT.. -40							
1952	236,625.23	70.00	1.43	4,737.24	21.67	.6904	228,712
1953	127,857.12	70.00	1.43	2,559.70	22.32	.6811	121,917
1954	263,655.62	70.00	1.43	5,278.39	22.98	.6717	247,936
1955	439,746.91	70.00	1.43	8,803.73	23.65	.6621	407,619
1956	759,285.51	70.00	1.43	15,200.90	24.33	.6524	693,501
1957	558,025.25	70.00	1.43	11,171.67	25.02	.6426	502,022
1958	746,078.01	70.00	1.43	14,936.48	25.72	.6326	660,757
1959	685,540.86	70.00	1.43	13,724.53	26.43	.6224	597,353
1960	853,671.16	70.00	1.43	17,090.50	27.14	.6123	731,784
1961	796,882.73	70.00	1.43	15,953.59	27.87	.6019	671,501
1962	976,634.80	70.00	1.43	19,552.23	28.61	.5913	808,478
1963	1,023,753.24	70.00	1.43	20,495.54	29.35	.5807	832,291
1964	1,408,571.48	70.00	1.43	28,199.60	30.11	.5699	1,123,843
1965	1,615,771.40	70.00	1.43	32,347.74	30.87	.5590	1,264,503
1966	994,816.58	70.00	1.43	19,916.23	31.64	.5480	763,223
1967	1,204,336.90	70.00	1.43	24,110.82	32.41	.5370	905,420
1968	2,056,419.92	70.00	1.43	41,169.53	33.20	.5257	1,513,484
1969	888,737.94	70.00	1.43	17,792.53	33.99	.5144	640,034
1970	1,350,397.88	70.00	1.43	27,034.97	34.79	.5030	950,950
1971	1,006,843.25	70.00	1.43	20,157.00	35.60	.4914	692,668
1972	1,021,764.15	70.00	1.43	20,455.72	36.42	.4797	686,196
1973	488,717.73	70.00	1.43	9,784.13	37.24	.4680	320,208
1974	2,098,034.58	70.00	1.43	42,002.65	38.07	.4561	1,339,679
1975	972,890.32	70.00	1.43	19,477.26	38.91	.4441	604,885
1976	575,002.25	70.00	1.43	11,511.55	39.75	.4321	347,842
1977	1,290,168.48	70.00	1.43	25,829.17	40.60	.4200	758,619
1978	574,619.40	70.00	1.43	11,503.88	41.46	.4077	327,981
1979	608,563.17	70.00	1.43	12,183.43	42.32	.3954	336,876
1980	637,629.48	70.00	1.43	12,765.34	43.19	.3830	341,897
1981	877,500.19	70.00	1.43	17,567.55	44.07	.3704	455,036
1982	883,383.23	70.00	1.43	17,685.33	44.95	.3579	442,628
1983	1,231,364.06	70.00	1.43	24,651.91	45.84	.3451	594,921
1984	4,025,870.06	70.00	1.43	80,597.92	46.73	.3324	1,873,479
1985	2,046,034.82	70.00	1.43	40,961.62	47.63	.3196	915,478
1986	4,842,852.89	70.00	1.43	96,953.91	48.54	.3066	2,078,746
1987	2,421,813.61	70.00	1.43	48,484.71	49.45	.2936	995,462
1988	5,619,419.13	70.00	1.43	112,500.77	50.36	.2806	2,207,533

AmerenUE - ELECTRIC

ACCOUNT 366 UNDERGROUND CONDUIT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 70-R3							
NET SALVAGE PERCENT.. -40							
1989	3,639,100.09	70.00	1.43	72,854.78	51.29	.2673	1,361,824
1990	4,294,102.23	70.00	1.43	85,967.93	52.21	.2541	1,527,584
1991	3,807,127.54	70.00	1.43	76,218.69	53.14	.2409	1,283,992
1992	6,015,647.49	70.00	1.43	120,433.26	54.08	.2274	1,915,142
1993	4,612,497.23	70.00	1.43	92,342.19	55.02	.2140	1,381,904
1994	3,765,580.19	70.00	1.43	75,386.92	55.96	.2006	1,057,526
1995	6,744,733.86	70.00	1.43	135,029.57	56.91	.1870	1,765,771
1996	5,000,532.97	70.00	1.43	100,110.67	57.86	.1734	1,213,929
1997	10,377,398.75	70.00	1.43	207,755.52	58.81	.1599	2,323,084
1998	6,921,407.58	70.00	1.43	138,566.58	59.77	.1461	1,415,705
1999	5,287,076.30	70.00	1.43	105,847.27	60.73	.1324	980,012
2000	6,611,241.17	70.00	1.43	132,357.05	61.70	.1186	1,097,730
2001	6,063,662.89	70.00	1.43	121,394.53	62.67	.1047	888,812
2002	5,629,151.88	70.00	1.43	112,695.62	63.64	.0909	716,366
2003	9,157,766.13	70.00	1.43	183,338.48	64.61	.0770	987,207
2004	10,276,817.68	70.00	1.43	205,741.89	65.58	.0631	907,854
2005	13,623,957.83	70.00	1.43	272,751.64	66.56	.0491	936,511
2006	11,014,423.26	70.00	1.43	220,508.75	67.54	.0351	541,249
2007	9,414,865.03	70.00	1.43	188,485.60	68.52	.0211	278,115
2008	35,735,119.14	70.00	1.43	715,417.09	69.51	.0070	350,204
	223,547,546.26			4,475,421.88			60,444,504

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.00

AmerenUE - ELECTRIC

ACCOUNT 367 UNDERGROUND CONDUCTOR & DEVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
SURVIVOR CURVE.. IOWA 54-R2							
NET SALVAGE PERCENT.. -25							
1915	23,739.14	54.00	1.85	548.97	1.77	.9672	28,701
1917	39,753.03	54.00	1.85	919.29	2.31	.9572	47,565
1918	284.69	54.00	1.85	6.58	2.59	.9520	339
1919	3,016.10	54.00	1.85	69.75	2.87	.9469	3,570
1920	4,923.32	54.00	1.85	113.85	3.15	.9417	5,795
1921	1,123.57	54.00	1.85	25.98	3.44	.9363	1,315
1922	1,714.74	54.00	1.85	39.65	3.72	.9311	1,996
1923	6,372.82	54.00	1.85	147.37	4.01	.9257	7,374
1924	8,819.69	54.00	1.85	203.96	4.30	.9204	10,147
1925	30,018.43	54.00	1.85	694.18	4.59	.9150	34,334
1926	15,363.62	54.00	1.85	355.28	4.88	.9096	17,468
1927	16,871.01	54.00	1.85	390.14	5.17	.9043	19,071
1928	34,334.89	54.00	1.85	793.99	5.46	.8989	38,580
1929	24,330.93	54.00	1.85	562.65	5.75	.8935	27,175
1930	118,181.83	54.00	1.85	2,732.95	6.04	.8881	131,197
1931	29,046.34	54.00	1.85	671.70	6.34	.8826	32,045
1932	46,843.88	54.00	1.85	1,083.26	6.63	.8772	51,364
1933	22,435.92	54.00	1.85	518.83	6.93	.8717	24,447
1934	19,220.66	54.00	1.85	444.48	7.23	.8661	20,809
1935	13,312.91	54.00	1.85	307.86	7.54	.8604	14,318
1936	22,947.66	54.00	1.85	530.66	7.84	.8548	24,520
1937	95,235.71	54.00	1.85	2,202.33	8.16	.8489	101,057
1938	37,778.60	54.00	1.85	873.63	8.47	.8431	39,814
1939	96,823.69	54.00	1.85	2,239.05	8.80	.8370	101,302
1940	144,167.82	54.00	1.85	3,333.88	9.13	.8309	149,736
1941	148,078.36	54.00	1.85	3,424.31	9.47	.8246	152,632
1942	230,486.71	54.00	1.85	5,330.01	9.81	.8183	235,759
1943	45,844.79	54.00	1.85	1,060.16	10.17	.8117	46,515
1944	100,916.95	54.00	1.85	2,333.70	10.53	.8050	101,548
1945	33,228.99	54.00	1.85	768.42	10.90	.7981	33,150
1946	79,200.77	54.00	1.85	1,831.52	11.28	.7911	78,320
1947	468,788.43	54.00	1.85	10,840.73	11.68	.7837	459,237
1948	223,825.23	54.00	1.85	5,175.96	12.08	.7763	217,194
1949	156,295.18	54.00	1.85	3,614.33	12.49	.7687	150,180
1950	431,093.35	54.00	1.85	9,969.03	12.91	.7609	410,024
1951	291,281.18	54.00	1.85	6,735.88	13.34	.7530	274,168
1952	309,589.71	54.00	1.85	7,159.26	13.78	.7448	288,228

AmerenUE - ELECTRIC

ACCOUNT 367 UNDERGROUND CONDUCTOR & DEVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 54-R2							
NET SALVAGE PERCENT.. -25							
1953	439,193.45	54.00	1.85	10,156.35	14.24	.7363	404,223
1954	228,446.65	54.00	1.85	5,282.83	14.70	.7278	207,829
1955	580,982.10	54.00	1.85	13,435.21	15.18	.7189	522,085
1956	1,522,577.65	54.00	1.85	35,209.61	15.66	.7100	1,351,288
1957	1,195,405.41	54.00	1.85	27,643.75	16.16	.7007	1,047,026
1958	816,160.57	54.00	1.85	18,873.71	16.67	.6913	705,265
1959	703,170.38	54.00	1.85	16,260.82	17.19	.6817	599,189
1960	1,002,958.28	54.00	1.85	23,193.41	17.72	.6719	842,360
1961	908,079.84	54.00	1.85	20,999.35	18.26	.6619	751,323
1962	981,974.78	54.00	1.85	22,708.17	18.82	.6515	799,696
1963	1,219,993.71	54.00	1.85	28,212.35	19.38	.6411	977,672
1964	1,462,225.48	54.00	1.85	33,813.96	19.95	.6306	1,152,599
1965	1,560,310.21	54.00	1.85	36,082.17	20.54	.6196	1,208,460
1966	1,383,351.69	54.00	1.85	31,990.01	21.13	.6087	1,052,558
1967	1,514,031.75	54.00	1.85	35,011.98	21.74	.5974	1,130,603
1968	2,417,082.28	54.00	1.85	55,895.03	22.35	.5861	1,770,815
1969	1,657,555.24	54.00	1.85	38,330.96	22.98	.5744	1,190,125
1970	2,301,896.58	54.00	1.85	53,231.36	23.61	.5628	1,619,384
1971	3,040,341.67	54.00	1.85	70,307.90	24.26	.5507	2,092,895
1972	3,692,909.25	54.00	1.85	85,398.53	24.91	.5387	2,486,713
1973	4,171,112.37	54.00	1.85	96,456.97	25.57	.5265	2,745,113
1974	3,520,103.28	54.00	1.85	81,402.39	26.24	.5141	2,262,106
1975	9,489,193.86	54.00	1.85	219,437.61	26.93	.5013	5,946,166
1976	2,775,280.43	54.00	1.85	64,178.36	27.62	.4885	1,694,656
1977	6,990,909.15	54.00	1.85	161,664.77	28.32	.4756	4,156,095
1978	8,271,671.62	54.00	1.85	191,282.41	29.02	.4626	4,783,094
1979	8,710,359.64	54.00	1.85	201,427.07	29.74	.4493	4,891,956
1980	3,401,458.44	54.00	1.85	78,658.73	30.46	.4359	1,853,370
1981	6,420,260.95	54.00	1.85	148,468.53	31.19	.4224	3,389,898
1982	5,829,957.41	54.00	1.85	134,817.77	31.94	.4085	2,976,922
1983	6,511,692.79	54.00	1.85	150,582.90	32.68	.3948	3,213,520
1984	6,750,331.17	54.00	1.85	156,101.41	33.44	.3807	3,212,314
1985	10,297,630.80	54.00	1.85	238,132.71	34.20	.3667	4,720,177
1986	12,114,697.16	54.00	1.85	280,152.37	34.97	.3524	5,336,524
1987	12,822,756.71	54.00	1.85	296,526.25	35.75	.3380	5,417,615
1988	14,403,327.58	54.00	1.85	333,076.95	36.54	.3233	5,820,745
1989	15,108,319.95	54.00	1.85	349,379.90	37.33	.3087	5,829,923

AmerenUE - ELECTRIC

ACCOUNT 367 UNDERGROUND CONDUCTOR & DEVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 54-R2							
NET SALVAGE PERCENT.. -25							
1990	14,068,183.92	54.00	1.85	325,326.75	38.13	.2939	5,168,299
1991	12,774,799.86	54.00	1.85	295,417.25	38.93	.2791	4,456,808
1992	14,754,345.66	54.00	1.85	341,194.24	39.74	.2641	4,870,778
1993	16,257,657.54	54.00	1.85	375,958.33	40.56	.2489	5,058,164
1994	18,834,614.41	54.00	1.85	435,550.46	41.39	.2335	5,497,353
1995	18,794,380.44	54.00	1.85	434,620.05	42.22	.2181	5,123,818
1996	19,488,198.00	54.00	1.85	450,664.58	43.06	.2026	4,935,386
1997	23,757,004.14	54.00	1.85	549,380.72	43.90	.1870	5,553,200
1998	18,439,677.03	54.00	1.85	426,417.53	44.75	.1713	3,948,396
1999	16,433,405.10	54.00	1.85	380,022.49	45.61	.1554	3,192,189
2000	15,581,171.37	54.00	1.85	360,314.59	46.47	.1394	2,715,019
2001	14,406,658.49	54.00	1.85	333,153.98	47.33	.1235	2,224,028
2002	13,387,578.32	54.00	1.85	309,587.75	48.21	.1072	1,793,935
2003	17,345,439.15	54.00	1.85	401,113.28	49.08	.0911	1,975,212
2004	16,551,956.89	54.00	1.85	382,764.00	49.97	.0746	1,543,470
2005	22,227,099.36	54.00	1.85	514,001.67	50.86	.0581	1,614,243
2006	26,725,238.18	54.00	1.85	618,021.13	51.75	.0417	1,393,053
2007	15,218,273.90	54.00	1.85	351,922.58	52.65	.0250	475,571
2008	43,029,149.40	54.00	1.85	995,049.08	53.55	.0083	446,427

527,667,832.09

12,202,318.60

155,528,645

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.31

AmerenUE - ELECTRIC

ACCOUNT 368 LINE TRANSFORMERS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 42-R2.5							
NET SALVAGE PERCENT.. 0							
1900	215.00					1.0000	215
1901	180.00					1.0000	180
1902	303.18					1.0000	303
1903	540.83					1.0000	541
1904	651.00					1.0000	651
1905	907.32					1.0000	907
1906	1,288.00					1.0000	1,288
1907	342.00					1.0000	342
1908	320.94					1.0000	321
1909	2,658.67					1.0000	2,659
1910	271.00					1.0000	271
1911	494.00					1.0000	494
1912	1,751.35					1.0000	1,751
1913	6,808.79					1.0000	6,809
1914	2,665.00					1.0000	2,665
1915	1,742.47					1.0000	1,742
1916	2,916.00					1.0000	2,916
1917	581.92					1.0000	582
1918	7,374.43					1.0000	7,374
1919	4,809.82					1.0000	4,810
1920	8,961.05					1.0000	8,961
1921	1,353.76					1.0000	1,354
1922	1,085.01					1.0000	1,085
1923	6,345.27					1.0000	6,345
1924	1,028.37					1.0000	1,028
1925	27,062.24					1.0000	27,062
1926	9,296.45					1.0000	9,296
1927	5,326.21					1.0000	5,326
1928	27,324.06					1.0000	27,324
1929	16,722.72					1.0000	16,723
1930	4,376.00					1.0000	4,376
1931	2,791.00	42.00	2.38	66.43	0.13	.9969	2,782
1932	7,733.89	42.00	2.38	184.07	0.40	.9905	7,660
1933	5,606.00	42.00	2.38	133.42	0.64	.9848	5,521
1934	6,229.10	42.00	2.38	148.25	0.90	.9786	6,096
1935	311.00	42.00	2.38	7.40	1.17	.9721	302
1936	17,885.47	42.00	2.38	425.67	1.43	.9660	17,277

AmerenUE - ELECTRIC

ACCOUNT 368 LINE TRANSFORMERS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 42-R2.5							
NET SALVAGE PERCENT.. 0							
1937	30,500.48	42.00	2.38	725.91	1.70	.9595	29,265
1938	12,716.95	42.00	2.38	302.66	1.98	.9529	12,118
1939	464,510.27	42.00	2.38	11,055.34	2.25	.9464	439,613
1940	708,859.78	42.00	2.38	16,870.86	2.51	.9402	666,470
1941	26,185.34	42.00	2.38	623.21	2.76	.9343	24,465
1942	15,553.00	42.00	2.38	370.16	2.99	.9288	14,446
1943	386.48	42.00	2.38	9.20	3.22	.9233	357
1944	10,876.86	42.00	2.38	258.87	3.44	.9181	9,986
1945	12,110.91	42.00	2.38	288.24	3.65	.9131	11,058
1946	40,479.25	42.00	2.38	963.41	3.87	.9079	36,751
1947	92,009.39	42.00	2.38	2,189.82	4.09	.9026	83,048
1948	315,930.02	42.00	2.38	7,519.13	4.32	.8971	283,421
1949	50,235.41	42.00	2.38	1,195.60	4.54	.8919	44,805
1950	37,917.60	42.00	2.38	902.44	4.77	.8864	33,610
1951	52,558.45	42.00	2.38	1,250.89	5.01	.8807	46,288
1952	114,107.56	42.00	2.38	2,715.76	5.25	.8750	99,844
1953	306,143.81	42.00	2.38	7,286.22	5.50	.8690	266,039
1954	449,740.64	42.00	2.38	10,703.83	5.75	.8631	388,171
1955	1,550,415.07	42.00	2.38	36,899.88	6.01	.8569	1,328,551
1956	1,397,172.43	42.00	2.38	33,252.70	6.28	.8505	1,188,295
1957	1,426,764.09	42.00	2.38	33,956.99	6.56	.8438	1,203,904
1958	549,455.39	42.00	2.38	13,077.04	6.85	.8369	459,839
1959	651,727.05	42.00	2.38	15,511.10	7.16	.8295	540,608
1960	887,778.79	42.00	2.38	21,129.14	7.48	.8219	729,665
1961	601,618.20	42.00	2.38	14,318.51	7.82	.8138	489,597
1962	825,959.86	42.00	2.38	19,657.84	8.18	.8052	665,063
1963	947,400.04	42.00	2.38	22,548.12	8.56	.7962	754,320
1964	1,550,422.48	42.00	2.38	36,900.06	8.95	.7869	1,220,027
1965	1,425,108.43	42.00	2.38	33,917.58	9.37	.7769	1,107,167
1966	2,703,071.73	42.00	2.38	64,333.11	9.81	.7664	2,071,634
1967	3,495,217.02	42.00	2.38	83,186.17	10.27	.7555	2,640,636
1968	2,857,683.96	42.00	2.38	68,012.88	10.75	.7440	2,126,117
1969	3,280,387.57	42.00	2.38	78,073.22	11.25	.7321	2,401,572
1970	3,355,025.18	42.00	2.38	79,849.60	11.77	.7198	2,414,947
1971	4,117,902.17	42.00	2.38	98,006.07	12.31	.7069	2,910,945
1972	3,638,512.91	42.00	2.38	86,596.61	12.87	.6936	2,523,673
1973	4,322,294.73	42.00	2.38	102,870.61	13.45	.6798	2,938,296

AmerenUE - ELECTRIC

ACCOUNT 368 LINE TRANSFORMERS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 42-R2.5							
NET SALVAGE PERCENT.. 0							
1974	4,822,439.96	42.00	2.38	114,774.07	14.04	.6657	3,210,298
1975	2,945,890.47	42.00	2.38	70,112.19	14.66	.6510	1,917,775
1976	5,002,056.40	42.00	2.38	119,048.94	15.29	.6360	3,181,308
1977	5,893,400.92	42.00	2.38	140,262.94	15.93	.6207	3,658,034
1978	7,848,668.20	42.00	2.38	186,798.30	16.60	.6048	4,746,875
1979	8,167,195.46	42.00	2.38	194,379.25	17.27	.5888	4,808,845
1980	4,587,678.70	42.00	2.38	109,186.75	17.96	.5724	2,625,987
1981	4,900,451.72	42.00	2.38	116,630.75	18.67	.5555	2,722,201
1982	5,206,399.53	42.00	2.38	123,912.31	19.38	.5386	2,804,167
1983	4,568,178.80	42.00	2.38	108,722.66	20.11	.5212	2,380,935
1984	11,285,753.59	42.00	2.38	268,600.94	20.85	.5036	5,683,506
1985	9,208,381.34	42.00	2.38	219,159.48	21.61	.4855	4,470,669
1986	10,588,515.67	42.00	2.38	252,006.67	22.37	.4674	4,949,072
1987	9,069,448.47	42.00	2.38	215,852.87	23.15	.4488	4,070,368
1988	8,098,186.17	42.00	2.38	192,736.83	23.94	.4300	3,482,220
1989	8,868,349.27	42.00	2.38	211,066.71	24.74	.4110	3,644,892
1990	9,094,421.58	42.00	2.38	216,447.23	25.55	.3917	3,562,285
1991	8,568,203.94	42.00	2.38	203,923.25	26.36	.3724	3,190,799
1992	9,270,158.85	42.00	2.38	220,629.78	27.19	.3526	3,268,658
1993	10,076,927.55	42.00	2.38	239,830.88	28.03	.3326	3,351,586
1994	10,656,438.67	42.00	2.38	253,623.24	28.88	.3124	3,329,071
1995	11,605,785.04	42.00	2.38	276,217.68	29.74	.2919	3,387,729
1996	14,172,897.41	42.00	2.38	337,314.96	30.60	.2714	3,846,524
1997	15,687,771.61	42.00	2.38	373,368.96	31.47	.2507	3,932,924
1998	10,581,172.63	42.00	2.38	251,831.91	32.36	.2295	2,428,379
1999	10,256,824.04	42.00	2.38	244,112.41	33.24	.2086	2,139,573
2000	12,392,248.34	42.00	2.38	294,935.51	34.14	.1871	2,318,590
2001	13,272,300.96	42.00	2.38	315,880.76	35.04	.1657	2,199,220
2002	8,893,752.62	42.00	2.38	211,671.31	35.95	.1440	1,280,700
2003	12,063,578.76	42.00	2.38	287,113.17	36.87	.1221	1,472,963
2004	11,397,639.19	42.00	2.38	271,263.81	37.79	.1002	1,142,043
2005	13,747,832.73	42.00	2.38	327,198.42	38.72	.0781	1,073,706
2006	16,078,517.73	42.00	2.38	382,668.72	39.65	.0560	900,397
2007	20,777,142.09	42.00	2.38	494,495.98	40.59	.0336	698,112
2008	29,074,638.35	42.00	2.38	691,976.39	41.53	.0112	325,636
TOTAL	401,240,245.38			9,546,050.05			134,595,997

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.38

AmerenUE - ELECTRIC

ACCOUNT 369.01 OVERHEAD SERVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
SURVIVOR CURVE.. IOWA 40-R2.5							
NET SALVAGE PERCENT..-215							
1919	330.00					1.0000	1,040
1920	197.00					1.0000	621
1921	200.00					1.0000	630
1922	284.00					1.0000	895
1923	2,073.00					1.0000	6,530
1924	130.00					1.0000	410
1925	16,520.53					1.0000	52,040
1926	2,873.22					1.0000	9,051
1927	3,900.58					1.0000	12,287
1928	4,474.99					1.0000	14,096
1929	30,800.37					1.0000	97,021
1930	38,644.64					1.0000	121,731
1931	29,868.05					1.0000	94,084
1932	15,628.73					1.0000	49,230
1933	11,632.74					1.0000	36,643
1934	12,331.94					1.0000	38,846
1935	12,532.80	40.00	2.50	986.96	0.21	.9947	39,269
1936	12,410.36	40.00	2.50	977.32	0.46	.9885	38,643
1937	61,319.44	40.00	2.50	4,828.91	0.72	.9820	189,679
1938	16,708.58	40.00	2.50	1,315.80	0.98	.9755	51,343
1939	47,470.37	40.00	2.50	3,738.29	1.24	.9690	144,896
1940	109,901.54	40.00	2.50	8,654.75	1.51	.9622	333,104
1941	119,377.81	40.00	2.50	9,401.00	1.79	.9552	359,194
1942	78,040.20	40.00	2.50	6,145.67	2.06	.9485	233,167
1943	76,685.91	40.00	2.50	6,039.02	2.33	.9417	227,478
1944	52,662.26	40.00	2.50	4,147.15	2.58	.9355	155,186
1945	42,799.49	40.00	2.50	3,370.46	2.81	.9297	125,341
1946	42,973.69	40.00	2.50	3,384.18	3.04	.9240	125,079
1947	107,137.65	40.00	2.50	8,437.09	3.26	.9185	309,979
1948	101,226.16	40.00	2.50	7,971.56	3.48	.9130	291,121
1949	95,693.78	40.00	2.50	7,535.89	3.69	.9077	273,613
1950	102,718.06	40.00	2.50	8,089.05	3.91	.9022	291,918
1951	143,180.29	40.00	2.50	11,275.45	4.14	.8965	404,338
1952	222,615.74	40.00	2.50	17,530.99	4.37	.8907	624,594
1953	202,338.28	40.00	2.50	15,934.14	4.60	.8850	564,069
1954	225,117.80	40.00	2.50	17,728.03	4.83	.8792	623,459
1955	74,946.23	40.00	2.50	5,902.02	5.08	.8730	206,098

AmerenUE - ELECTRIC

ACCOUNT 369.01 OVERHEAD SERVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 40-R2.5							
NET SALVAGE PERCENT..-215							
1956	67,255.13	40.00	2.50	5,296.34	5.32	.8670	183,677
1957	50,768.01	40.00	2.50	3,997.98	5.58	.8605	137,610
1958	80,708.85	40.00	2.50	6,355.82	5.84	.8540	217,115
1959	66,111.50	40.00	2.50	5,206.28	6.12	.8470	176,389
1960	143,440.58	40.00	2.50	11,295.95	6.40	.8400	379,544
1961	65,116.94	40.00	2.50	5,127.96	6.71	.8322	170,700
1962	77,073.02	40.00	2.50	6,069.50	7.02	.8245	200,172
1963	45,443.27	40.00	2.50	3,578.66	7.36	.8160	116,807
1964	66,017.02	40.00	2.50	5,198.84	7.71	.8072	167,860
1965	768,660.73	40.00	2.50	60,532.03	8.08	.7980	1,932,182
1966	901,898.07	40.00	2.50	71,024.47	8.48	.7880	2,238,691
1967	802,227.36	40.00	2.50	63,175.40	8.89	.7777	1,965,260
1968	952,844.55	40.00	2.50	75,036.51	9.33	.7667	2,301,220
1969	940,977.38	40.00	2.50	74,101.97	9.79	.7552	2,238,472
1970	1,288,893.78	40.00	2.50	101,500.39	10.27	.7432	3,017,403
1971	1,660,538.20	40.00	2.50	130,767.38	10.77	.7307	3,822,069
1972	1,583,395.60	40.00	2.50	124,692.40	11.30	.7175	3,578,672
1973	1,919,312.49	40.00	2.50	151,145.86	11.84	.7040	4,256,267
1974	1,706,678.36	40.00	2.50	134,400.92	12.41	.6897	3,707,853
1975	2,050,450.32	40.00	2.50	161,472.96	12.99	.6752	4,361,062
1976	2,097,172.18	40.00	2.50	165,152.31	13.59	.6602	4,361,342
1977	1,867,267.77	40.00	2.50	147,047.34	14.21	.6447	3,792,057
1978	2,220,152.23	40.00	2.50	174,836.99	14.85	.6287	4,396,801
1979	2,377,308.51	40.00	2.50	187,213.05	15.50	.6125	4,586,720
1980	2,774,810.43	40.00	2.50	218,516.32	16.17	.5957	5,206,807
1981	2,802,609.77	40.00	2.50	220,705.52	16.86	.5785	5,107,126
1982	2,833,386.03	40.00	2.50	223,129.15	17.56	.5610	5,007,018
1983	3,005,935.16	40.00	2.50	236,717.39	18.27	.5432	5,143,396
1984	3,498,880.02	40.00	2.50	275,536.80	19.00	.5250	5,786,273
1985	4,056,501.37	40.00	2.50	319,449.48	19.74	.5065	6,472,047
1986	3,672,503.51	40.00	2.50	289,209.65	20.49	.4877	5,641,902
1987	4,097,846.73	40.00	2.50	322,705.43	21.25	.4687	6,050,081
1988	4,107,713.42	40.00	2.50	323,482.43	22.03	.4492	5,812,332
1989	4,163,334.44	40.00	2.50	327,862.59	22.82	.4295	5,632,679
1990	4,213,162.78	40.00	2.50	331,786.57	23.62	.4095	5,434,664
1991	3,962,932.47	40.00	2.50	312,080.93	24.43	.3892	4,858,476
1992	3,561,427.42	40.00	2.50	280,462.41	25.25	.3687	4,136,260

AmerenUE - ELECTRIC

ACCOUNT 369.01 OVERHEAD SERVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 40-R2.5							
NET SALVAGE PERCENT..-215							
1993	4,629,878.47	40.00	2.50	364,602.93	26.08	.3480	5,075,273
1994	1,159,580.36	40.00	2.50	91,316.95	26.92	.3270	1,194,426
1995	4,859,548.87	40.00	2.50	382,689.47	27.77	.3057	4,679,527
1996	4,463,257.14	40.00	2.50	351,481.50	28.63	.2842	3,995,642
1997	5,309,259.39	40.00	2.50	418,104.18	29.50	.2625	4,390,094
1998	3,997,292.31	40.00	2.50	314,786.77	30.37	.2407	3,030,767
1999	3,607,853.25	40.00	2.50	284,118.44	31.26	.2185	2,483,195
2000	3,310,483.18	40.00	2.50	260,700.55	32.15	.1962	2,045,978
2001	3,757,565.47	40.00	2.50	295,908.28	33.05	.1737	2,055,971
2002	3,010,526.68	40.00	2.50	237,078.98	33.96	.1510	1,431,957
2003	4,131,072.18	40.00	2.50	325,321.93	34.87	.1282	1,668,251
2004	3,941,530.95	40.00	2.50	310,395.56	35.79	.1052	1,306,145
2005	4,123,023.25	40.00	2.50	324,688.08	36.72	.0820	1,064,977
2006	13,621,400.26	40.00	2.50	1,072,685.27	37.65	.0587	2,518,665
2007	7,967,190.66	40.00	2.50	627,416.26	38.59	.0352	883,402
2008	8,768,245.09	40.00	2.50	690,499.30	39.53	.0117	323,154
	153,326,209.14			12,061,060.16			166,889,153

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 7.87

AmerenUE - ELECTRIC

ACCOUNT 369.02 UNDERGROUND SERVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 55-R3							
NET SALVAGE PERCENT.. -80							
1911	469.00					1.0000	844
1915	15,322.83					1.0000	27,581
1916	2,024.00	55.00	1.82	66.31	0.22	.9960	3,629
1917	7,885.04	55.00	1.82	258.31	0.38	.9931	14,095
1918	379.00	55.00	1.82	12.42	0.60	.9891	675
1919	2,331.00	55.00	1.82	76.36	0.83	.9849	4,132
1920	3,909.00	55.00	1.82	128.06	1.07	.9805	6,899
1921	3,541.00	55.00	1.82	116.00	1.30	.9764	6,223
1922	3,269.00	55.00	1.82	107.09	1.53	.9722	5,721
1923	2,565.00	55.00	1.82	84.03	1.77	.9678	4,468
1924	2,504.50	55.00	1.82	82.05	2.02	.9633	4,343
1925	9,970.13	55.00	1.82	326.62	2.27	.9587	17,205
1926	12,364.06	55.00	1.82	405.05	2.53	.9540	21,232
1927	10,586.80	55.00	1.82	346.82	2.78	.9495	18,094
1928	22,450.67	55.00	1.82	735.48	3.03	.9449	38,185
1929	20,773.72	55.00	1.82	680.55	3.29	.9402	35,157
1930	20,027.31	55.00	1.82	656.09	3.55	.9355	33,724
1931	14,730.21	55.00	1.82	482.56	3.80	.9309	24,682
1932	7,382.99	55.00	1.82	241.87	4.06	.9262	12,309
1933	9,498.30	55.00	1.82	311.16	4.32	.9215	15,755
1934	7,392.49	55.00	1.82	242.18	4.57	.9169	12,201
1935	7,437.70	55.00	1.82	243.66	4.83	.9122	12,212
1936	14,997.26	55.00	1.82	491.31	5.10	.9073	24,493
1937	19,322.87	55.00	1.82	633.02	5.36	.9025	31,390
1938	6,663.76	55.00	1.82	218.30	5.62	.8978	10,769
1939	15,410.30	55.00	1.82	504.84	5.90	.8927	24,762
1940	21,963.98	55.00	1.82	719.54	6.17	.8878	35,099
1941	15,210.00	55.00	1.82	498.28	6.46	.8825	24,161
1942	12,986.00	55.00	1.82	425.42	6.75	.8773	20,507
1943	5,038.00	55.00	1.82	165.04	7.06	.8716	7,904
1944	6,461.32	55.00	1.82	211.67	7.37	.8660	10,072
1945	13,958.00	55.00	1.82	457.26	7.70	.8600	21,607
1946	25,563.82	55.00	1.82	837.47	8.04	.8538	39,288
1947	28,630.00	55.00	1.82	937.92	8.40	.8473	43,665
1948	34,234.92	55.00	1.82	1,121.54	8.77	.8405	51,794
1949	37,231.05	55.00	1.82	1,219.69	9.16	.8335	55,858
1950	31,133.83	55.00	1.82	1,019.94	9.56	.8262	46,301

AmerenUE - ELECTRIC

ACCOUNT 369.02 UNDERGROUND SERVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 55-R3							
NET SALVAGE PERCENT.. -80							
1951	29,897.62	55.00	1.82	979.45	9.98	.8185	44,048
1952	44,290.19	55.00	1.82	1,450.95	10.41	.8107	64,631
1953	42,011.51	55.00	1.82	1,376.30	10.86	.8025	60,686
1954	52,144.00	55.00	1.82	1,708.24	11.33	.7940	74,524
1955	100,934.00	55.00	1.82	3,306.60	11.82	.7851	142,638
1956	57,960.62	55.00	1.82	1,898.79	12.33	.7758	80,939
1957	79,696.75	55.00	1.82	2,610.87	12.85	.7664	109,943
1958	69,534.00	55.00	1.82	2,277.93	13.39	.7565	94,684
1959	82,208.15	55.00	1.82	2,693.14	13.94	.7465	110,463
1960	76,692.00	55.00	1.82	2,512.43	14.51	.7362	101,629
1961	84,327.33	55.00	1.82	2,762.56	15.10	.7255	110,123
1962	94,098.00	55.00	1.82	3,082.65	15.71	.7144	121,003
1963	155,329.93	55.00	1.82	5,088.61	16.32	.7033	196,638
1964	302,918.16	55.00	1.82	9,923.60	16.96	.6916	377,097
1965	752,767.75	55.00	1.82	24,660.67	17.61	.6798	921,117
1966	680,021.46	55.00	1.82	22,277.50	18.27	.6678	817,413
1967	431,535.54	55.00	1.82	14,137.10	18.94	.6556	509,246
1968	688,509.57	55.00	1.82	22,555.57	19.63	.6431	797,005
1969	588,585.79	55.00	1.82	19,282.07	20.33	.6304	667,880
1970	581,032.06	55.00	1.82	19,034.61	21.04	.6175	645,817
1971	1,363,202.19	55.00	1.82	44,658.50	21.77	.6042	1,482,564
1972	1,709,403.85	55.00	1.82	56,000.07	22.50	.5909	1,818,156
1973	2,312,281.92	55.00	1.82	75,750.36	23.25	.5773	2,402,785
1974	2,346,168.15	55.00	1.82	76,860.47	24.01	.5635	2,379,718
1975	2,115,771.60	55.00	1.82	69,312.68	24.77	.5496	2,093,091
1976	2,701,563.85	55.00	1.82	88,503.23	25.55	.5355	2,604,037
1977	3,471,395.22	55.00	1.82	113,722.91	26.34	.5211	3,256,099
1978	4,442,007.30	55.00	1.82	145,520.16	27.14	.5065	4,049,778
1979	3,927,152.16	55.00	1.82	128,653.50	27.94	.4920	3,477,886
1980	2,826,268.84	55.00	1.82	92,588.57	28.76	.4771	2,427,143
1981	2,666,689.72	55.00	1.82	87,360.76	29.59	.4620	2,217,619
1982	2,152,979.53	55.00	1.82	70,531.61	30.42	.4469	1,731,900
1983	4,345,508.29	55.00	1.82	142,358.85	31.26	.4316	3,375,938
1984	3,580,922.30	55.00	1.82	117,311.01	32.12	.4160	2,681,395
1985	2,738,053.96	55.00	1.82	89,698.65	32.97	.4005	1,973,863
1986	3,246,412.20	55.00	1.82	106,352.46	33.84	.3847	2,248,011
1987	1,926,160.26	55.00	1.82	63,101.01	34.72	.3687	1,278,316

AmerenUE - ELECTRIC

ACCOUNT 369.02 UNDERGROUND SERVICES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 55-R3							
NET SALVAGE PERCENT.. -80							
1988	1,932,499.79	55.00	1.82	63,308.69	35.60	.3527	1,226,867
1989	1,792,694.72	55.00	1.82	58,728.68	36.49	.3365	1,085,835
1990	2,675,891.51	55.00	1.82	87,662.21	37.39	.3202	1,542,277
1991	2,869,126.23	55.00	1.82	93,992.58	38.30	.3036	1,567,920
1992	3,803,515.50	55.00	1.82	124,603.17	39.21	.2871	1,965,581
1993	3,806,718.99	55.00	1.82	124,708.11	40.13	.2704	1,852,806
1994	4,662,375.42	55.00	1.82	152,739.42	41.06	.2535	2,127,442
1995	4,172,686.96	55.00	1.82	136,697.22	41.99	.2365	1,776,313
1996	4,360,519.61	55.00	1.82	142,850.62	42.93	.2195	1,722,841
1997	3,810,567.14	55.00	1.82	124,834.18	43.87	.2024	1,388,266
1998	2,659,305.96	55.00	1.82	87,118.86	44.81	.1853	886,985
1999	4,035,677.58	55.00	1.82	132,208.80	45.77	.1678	1,218,936
2000	3,245,731.81	55.00	1.82	106,330.17	46.72	.1505	879,269
2001	2,873,076.11	55.00	1.82	94,121.97	47.69	.1329	687,297
2002	3,764,260.70	55.00	1.82	123,317.18	48.65	.1155	782,590
2003	4,847,324.49	55.00	1.82	158,798.35	49.62	.0978	853,323
2004	5,155,401.08	55.00	1.82	168,890.94	50.59	.0802	744,234
2005	4,352,768.31	55.00	1.82	142,596.69	51.57	.0624	488,903
2006	6,231,887.07	55.00	1.82	204,156.62	52.54	.0447	501,418
2007	2,414,918.65	55.00	1.82	79,112.73	53.52	.0269	116,930
2008	7,344,518.52	55.00	1.82	240,606.43	54.51	.0089	117,659
	134,153,520.78			4,394,351.97			71,846,551

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 3.28

AmerenUE - ELECTRIC

ACCOUNT 370 METERS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 26-L2.5							
NET SALVAGE PERCENT.. 0							
1913	23.43					1.0000	23
1917	387.76					1.0000	388
1918	351.24					1.0000	351
1919	887.81					1.0000	888
1920	860.50					1.0000	861
1921	2,367.53					1.0000	2,368
1923	1,521.51					1.0000	1,522
1924	2,176.69					1.0000	2,177
1925	3,128.85					1.0000	3,129
1926	1,258.61					1.0000	1,259
1927	2,075.69					1.0000	2,076
1928	2,333.66					1.0000	2,334
1929	956.85					1.0000	957
1930	3,814.84					1.0000	3,815
1931	3,947.58					1.0000	3,948
1932	4,386.67					1.0000	4,387
1933	1,781.23					1.0000	1,781
1934	2,354.43					1.0000	2,354
1935	3,391.08					1.0000	3,391
1936	4,717.29	26.00	3.85	181.62	0.44	.9831	4,638
1937	27,797.06	26.00	3.85	1,070.19	0.61	.9765	27,144
1938	13,367.40	26.00	3.85	514.64	0.70	.9731	13,008
1939	22,804.03	26.00	3.85	877.96	0.86	.9669	22,049
1940	35,991.66	26.00	3.85	1,385.68	1.02	.9608	34,581
1941	72,538.76	26.00	3.85	2,792.74	1.18	.9546	69,246
1942	16,572.19	26.00	3.85	638.03	1.35	.9481	15,712
1943	7,826.54	26.00	3.85	301.32	1.53	.9412	7,366
1944	23,802.54	26.00	3.85	916.40	1.70	.9346	22,246
1945	7,346.82	26.00	3.85	282.85	1.88	.9277	6,816
1946	37,093.34	26.00	3.85	1,428.09	2.05	.9212	34,170
1947	55,593.49	26.00	3.85	2,140.35	2.23	.9142	50,824
1948	53,387.57	26.00	3.85	2,055.42	2.41	.9073	48,439
1949	57,390.21	26.00	3.85	2,209.52	2.59	.9004	51,674
1950	40,845.10	26.00	3.85	1,572.54	2.76	.8938	36,507
1951	59,142.18	26.00	3.85	2,276.97	2.92	.8877	52,501
1952	58,729.24	26.00	3.85	2,261.08	3.07	.8819	51,793
1953	70,663.90	26.00	3.85	2,720.56	3.22	.8762	61,916

AmerenUE - ELECTRIC

ACCOUNT 370 METERS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 26-L2.5							
NET SALVAGE PERCENT.. 0							
1954	77,500.54	26.00	3.85	2,983.77	3.36	.8708	67,487
1955	68,491.49	26.00	3.85	2,636.92	3.50	.8654	59,273
1956	117,621.70	26.00	3.85	4,528.44	3.65	.8596	101,108
1957	124,485.54	26.00	3.85	4,792.69	3.79	.8542	106,336
1958	180,581.02	26.00	3.85	6,952.37	3.94	.8485	153,223
1959	154,982.15	26.00	3.85	5,966.81	4.09	.8427	130,603
1960	73,245.71	26.00	3.85	2,819.96	4.25	.8365	61,270
1961	102,950.94	26.00	3.85	3,963.61	4.42	.8300	85,449
1962	130,757.84	26.00	3.85	5,034.18	4.59	.8235	107,679
1963	104,472.86	26.00	3.85	4,022.21	4.77	.8165	85,302
1964	92,405.08	26.00	3.85	3,557.60	4.96	.8092	74,774
1965	132,780.34	26.00	3.85	5,112.04	5.15	.8019	106,477
1966	139,238.19	26.00	3.85	5,360.67	5.35	.7942	110,583
1967	144,698.95	26.00	3.85	5,570.91	5.56	.7862	113,762
1968	207,602.26	26.00	3.85	7,992.69	5.77	.7781	161,535
1969	169,690.42	26.00	3.85	6,533.08	6.00	.7692	130,526
1970	146,000.71	26.00	3.85	5,621.03	6.22	.7608	111,077
1971	189,768.19	26.00	3.85	7,306.08	6.45	.7519	142,687
1972	161,414.44	26.00	3.85	6,214.46	6.69	.7427	119,883
1973	163,132.72	26.00	3.85	6,280.61	6.93	.7335	119,658
1974	205,897.37	26.00	3.85	7,927.05	7.17	.7242	149,111
1975	150,325.57	26.00	3.85	5,787.53	7.41	.7150	107,483
1976	199,212.95	26.00	3.85	7,669.70	7.64	.7062	140,684
1977	145,239.48	26.00	3.85	5,591.72	7.87	.6973	101,275
1978	198,049.36	26.00	3.85	7,624.90	8.09	.6888	136,416
1979	202,493.79	26.00	3.85	7,796.01	8.30	.6808	137,858
1980	227,235.02	26.00	3.85	8,748.55	8.50	.6731	152,952
1981	189,449.52	26.00	3.85	7,293.81	8.69	.6658	126,135
1982	168,238.72	26.00	3.85	6,477.19	8.88	.6585	110,785
1983	127,004.23	26.00	3.85	4,889.66	9.06	.6515	82,743
1984	470,924.09	26.00	3.85	18,130.58	9.25	.6442	303,369
1985	3,053,864.76	26.00	3.85	117,573.79	9.46	.6362	1,942,869
1986	3,172,140.28	26.00	3.85	122,127.40	9.69	.6273	1,989,884
1987	2,694,611.59	26.00	3.85	103,742.55	9.96	.6169	1,662,306
1988	2,381,693.38	26.00	3.85	91,695.20	10.26	.6054	1,441,877
1989	2,587,185.26	26.00	3.85	99,606.63	10.61	.5919	1,531,355
1990	2,883,539.35	26.00	3.85	111,016.26	11.02	.5762	1,661,495

AmerenUE - ELECTRIC

ACCOUNT 370 METERS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 26-L2.5							
NET SALVAGE PERCENT.. 0							
1991	2,526,358.33	26.00	3.85	97,264.80	11.48	.5585	1,410,971
1992	3,221,718.01	26.00	3.85	124,036.14	11.99	.5388	1,735,862
1993	3,275,471.97	26.00	3.85	126,105.67	12.56	.5169	1,693,091
1994	3,674,039.26	26.00	3.85	141,450.51	13.19	.4927	1,810,199
1995	4,592,869.19	26.00	3.85	176,825.46	13.87	.4665	2,142,573
1996	6,895,740.53	26.00	3.85	265,486.01	14.59	.4388	3,025,851
1997	6,967,551.38	26.00	3.85	268,250.73	15.36	.4092	2,851,122
1998	6,603,641.95	26.00	3.85	254,240.22	16.17	.3781	2,496,837
1999	6,576,350.64	26.00	3.85	253,189.50	17.01	.3458	2,274,102
2000	5,960,144.65	26.00	3.85	229,465.57	17.88	.3123	1,861,353
2001	800,982.90	26.00	3.85	30,837.84	18.77	.2781	222,753
2002	15,040,397.55	26.00	3.85	579,055.31	19.68	.2431	3,656,321
2003	1,856,689.05	26.00	3.85	71,482.53	20.61	.2073	384,892
2004	2,340,587.42	26.00	3.85	90,112.62	21.56	.1708	399,772
2005	2,472,643.54	26.00	3.85	95,196.78	22.53	.1335	330,098
2006	3,850,415.54	26.00	3.85	148,241.00	23.51	.0958	368,870
2007	2,852,426.37	26.00	3.85	109,818.42	24.50	.0577	164,585
2008	4,215,362.46	26.00	3.85	162,291.45	25.50	.0192	80,935
TOTAL	106,165,931.83			4,085,925.18			41,486,115

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 3.85

AmerenUE - ELECTRIC

ACCOUNT 371 INSTALLATION ON CUSTOMERS' PREMISES

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 20-01							
NET SALVAGE PERCENT.. 0							
1937	14.00					1.0000	14
1946	864.00					1.0000	864
1950	732.00					1.0000	732
1953	976.00					1.0000	976
1954	696.00					1.0000	696
1956	324.00					1.0000	324
1957	4,962.00					1.0000	4,962
1958	274.00					1.0000	274
1959	2,280.92					1.0000	2,281
1960	748.00					1.0000	748
1961	700.00					1.0000	700
1962	4,083.35					1.0000	4,083
1963	17,053.00					1.0000	17,053
1964	2,513.85					1.0000	2,514
1965	5,164.00					1.0000	5,164
1966	2,537.00					1.0000	2,537
1967	5,132.00					1.0000	5,132
1968	12,356.00					1.0000	12,356
1969	7,867.00	20.00	5.00	393.35	0.25	.9875	7,769
1970	6,286.00	20.00	5.00	314.30	0.75	.9625	6,050
1971	5,581.00	20.00	5.00	279.05	1.25	.9375	5,232
1973	2,153.00	20.00	5.00	107.65	2.25	.8875	1,911
1976	3,315.00	20.00	5.00	165.75	3.75	.8125	2,693
1977	48.00	20.00	5.00	2.40	4.25	.7875	38
1984	63,813.00	20.00	5.00	3,190.65	7.75	.6125	39,085
1985	719.00	20.00	5.00	35.95	8.25	.5875	422
1997	13,419.00	20.00	5.00	670.95	14.25	.2875	3,858
TOTAL	164,611.12			5,160.05			128,468

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 3.13

AmerenUE - ELECTRIC

ACCOUNT 373 STREET LIGHTING & SIGNAL SYSTEMS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 36-L1							
NET SALVAGE PERCENT.. -43							
1923	145.03	36.00	2.78	5.77	5.11	.8581	178
1925	7,313.91	36.00	2.78	290.76	5.48	.8478	8,867
1926	5,899.43	36.00	2.78	234.53	5.67	.8425	7,107
1927	2,992.71	36.00	2.78	118.97	5.86	.8372	3,583
1928	652.91	36.00	2.78	25.96	6.05	.8319	777
1929	2,247.41	36.00	2.78	89.34	6.24	.8267	2,657
1930	494.06	36.00	2.78	19.64	6.43	.8214	580
1931	38.96	36.00	2.78	1.55	6.63	.8158	45
1932	87.56	36.00	2.78	3.48	6.83	.8103	101
1933	16.15	36.00	2.78	0.64	7.02	.8050	19
1935	14.49	36.00	2.78	0.58	7.43	.7936	16
1936	134.97	36.00	2.78	5.37	7.63	.7881	152
1937	374.76	36.00	2.78	14.90	7.84	.7822	419
1938	669.00	36.00	2.78	26.60	8.05	.7764	743
1939	276.99	36.00	2.78	11.01	8.26	.7706	305
1940	0.46	36.00	2.78	0.02	8.47	.7647	1
1941	13.98	36.00	2.78	0.56	8.68	.7589	15
1943	0.07	36.00	2.78		9.12	.7467	
1944	369.99	36.00	2.78	14.71	9.34	.7406	392
1945	270.05	36.00	2.78	10.74	9.56	.7344	284
1946	4,518.13	36.00	2.78	179.61	9.79	.7281	4,704
1947	462.65	36.00	2.78	18.39	10.02	.7217	477
1948	862.00	36.00	2.78	34.27	10.25	.7153	882
1949	4,450.40	36.00	2.78	176.92	10.48	.7089	4,511
1950	35,067.36	36.00	2.78	1,394.07	10.72	.7022	35,213
1951	75,544.57	36.00	2.78	3,003.20	10.96	.6956	75,145
1952	63,857.35	36.00	2.78	2,538.59	11.20	.6889	62,908
1953	122,358.17	36.00	2.78	4,864.23	11.44	.6822	119,366
1954	85,218.84	36.00	2.78	3,387.79	11.69	.6753	82,294
1955	40,376.86	36.00	2.78	1,605.14	11.94	.6683	38,587
1956	12,129.39	36.00	2.78	482.19	12.19	.6614	11,472
1957	18,034.30	36.00	2.78	716.94	12.45	.6542	16,871
1958	30,639.08	36.00	2.78	1,218.03	12.71	.6469	28,343
1959	30,623.00	36.00	2.78	1,217.39	12.97	.6397	28,013
1960	11,370.54	36.00	2.78	452.02	13.23	.6325	10,284
1961	28,008.26	36.00	2.78	1,113.44	13.50	.6250	25,032
1962	118,126.80	36.00	2.78	4,696.01	13.77	.6175	104,309

AmerenUE - ELECTRIC

ACCOUNT 373 STREET LIGHTING & SIGNAL SYSTEMS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 36-L1							
NET SALVAGE PERCENT.. -43							
1963	118,066.20	36.00	2.78	4,693.60	14.05	.6097	102,938
1964	95,725.05	36.00	2.78	3,805.45	14.33	.6019	82,392
1965	220,523.15	36.00	2.78	8,766.68	14.61	.5942	187,380
1966	270,878.40	36.00	2.78	10,768.50	14.90	.5861	227,029
1967	378,972.07	36.00	2.78	15,065.66	15.19	.5781	313,290
1968	409,394.57	36.00	2.78	16,275.07	15.48	.5700	333,698
1969	449,165.36	36.00	2.78	17,856.12	15.78	.5617	360,784
1970	814,742.27	36.00	2.78	32,389.26	16.08	.5533	644,640
1971	1,087,884.70	36.00	2.78	43,247.77	16.39	.5447	847,376
1972	1,173,593.59	36.00	2.78	46,655.04	16.70	.5361	899,704
1973	1,185,804.72	36.00	2.78	47,140.48	17.02	.5272	893,973
1974	1,250,626.27	36.00	2.78	49,717.40	17.34	.5183	926,925
1975	1,061,904.17	36.00	2.78	42,214.94	17.66	.5094	773,536
1976	1,011,515.28	36.00	2.78	40,211.78	17.99	.5003	723,667
1977	902,303.86	36.00	2.78	35,870.19	18.32	.4911	633,664
1978	1,215,748.59	36.00	2.78	48,330.87	18.66	.4817	837,445
1979	1,500,205.15	36.00	2.78	59,639.16	19.01	.4719	1,012,364
1980	1,557,979.14	36.00	2.78	61,935.90	19.35	.4625	1,030,408
1981	1,792,905.33	36.00	2.78	71,275.16	19.71	.4525	1,160,144
1982	2,218,432.92	36.00	2.78	88,191.58	20.07	.4425	1,403,769
1983	2,500,765.54	36.00	2.78	99,415.43	20.43	.4325	1,546,661
1984	2,442,160.94	36.00	2.78	97,085.67	20.80	.4222	1,474,445
1985	2,544,868.33	36.00	2.78	101,168.70	21.18	.4117	1,498,243
1986	2,456,446.97	36.00	2.78	97,653.59	21.56	.4011	1,408,952
1987	2,564,006.07	36.00	2.78	101,929.50	21.95	.3903	1,431,046
1988	2,606,115.50	36.00	2.78	103,603.52	22.34	.3794	1,413,927
1989	3,241,006.01	36.00	2.78	128,842.95	22.75	.3681	1,706,010
1990	3,114,516.06	36.00	2.78	123,814.47	23.17	.3564	1,587,319
1991	2,619,033.76	36.00	2.78	104,117.07	23.61	.3442	1,289,104
1992	3,031,849.66	36.00	2.78	120,528.15	24.07	.3314	1,436,800
1993	3,718,235.25	36.00	2.78	147,814.72	24.56	.3178	1,689,767
1994	4,356,032.91	36.00	2.78	173,169.73	25.07	.3036	1,891,163
1995	4,288,919.15	36.00	2.78	170,501.69	25.62	.2883	1,768,188
1996	4,062,394.23	36.00	2.78	161,496.42	26.19	.2725	1,583,013
1997	4,680,906.70	36.00	2.78	186,084.76	26.80	.2556	1,710,909
1998	4,404,269.52	36.00	2.78	175,087.33	27.44	.2378	1,497,689
1999	4,050,642.88	36.00	2.78	161,029.26	28.11	.2192	1,269,698

AmerenUE - ELECTRIC

ACCOUNT 373 STREET LIGHTING & SIGNAL SYSTEMS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 36-L1							
NET SALVAGE PERCENT.. -43							
2000	3,658,052.71	36.00	2.78	145,422.23	28.81	.1997	1,044,634
2001	3,109,912.24	36.00	2.78	123,631.45	29.55	.1792	796,934
2002	3,577,129.30	36.00	2.78	142,205.20	30.32	.1578	807,194
2003	3,395,907.64	36.00	2.78	135,000.91	31.12	.1356	658,494
2004	3,099,313.27	36.00	2.78	123,210.10	31.95	.1125	498,602
2005	3,595,951.56	36.00	2.78	142,953.46	32.81	.0886	455,600
2006	4,668,083.24	36.00	2.78	185,574.98	33.70	.0639	426,555
2007	1,887,297.36	36.00	2.78	75,027.62	34.60	.0389	104,985
2008	6,109,066.79	36.00	2.78	242,859.84	35.53	.0131	114,441
	109,202,914.97			4,341,252.72			45,180,151

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 3.98

AmerenUE - ELECTRIC

ACCOUNT 390 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 45-R1.5							
NET SALVAGE PERCENT.. -10							
1910	2,985.00					1.0000	3,284
1913	2,635.00					1.0000	2,899
1915	11,073.00					1.0000	12,180
1917	88,106.00					1.0000	96,917
1921	522.00	45.00	2.22	12.75	0.97	.9784	562
1924	1,169.00	45.00	2.22	28.55	1.98	.9560	1,229
1929	29,930.64	45.00	2.22	730.91	3.41	.9242	30,428
1930	271,661.31	45.00	2.22	6,633.97	3.64	.9191	274,652
1931	4,105.00	45.00	2.22	100.24	3.86	.9142	4,128
1932	992.00	45.00	2.22	24.22	4.09	.9091	992
1933	547.00	45.00	2.22	13.36	4.32	.9040	544
1935	1,797.00	45.00	2.22	43.88	4.80	.8933	1,766
1936	1,459.00	45.00	2.22	35.63	5.05	.8878	1,425
1937	36,348.46	45.00	2.22	887.63	5.30	.8822	35,273
1938	173,342.77	45.00	2.22	4,233.03	5.56	.8764	167,109
1939	59,059.00	45.00	2.22	1,442.22	5.83	.8704	56,545
1940	14,516.00	45.00	2.22	354.48	6.11	.8642	13,799
1941	6,961.90	45.00	2.22	170.01	6.39	.8580	6,571
1942	7,411.00	45.00	2.22	180.98	6.67	.8518	6,944
1943	10,691.00	45.00	2.22	261.07	6.96	.8453	9,941
1944	4,110.00	45.00	2.22	100.37	7.25	.8389	3,793
1945	2,035.00	45.00	2.22	49.69	7.55	.8322	1,863
1946	253.00	45.00	2.22	6.18	7.85	.8256	230
1947	62,586.16	45.00	2.22	1,528.35	8.16	.8187	56,363
1948	67,004.77	45.00	2.22	1,636.26	8.48	.8116	59,819
1949	50,541.00	45.00	2.22	1,234.21	8.80	.8044	44,721
1950	31,033.31	45.00	2.22	757.83	9.12	.7973	27,217
1951	3,025.26	45.00	2.22	73.88	9.46	.7898	2,628
1952	1,644,844.52	45.00	2.22	40,167.10	9.80	.7822	1,415,257
1953	3,335.45	45.00	2.22	81.45	10.15	.7744	2,841
1954	172,673.04	45.00	2.22	4,216.68	10.52	.7662	145,532
1955	90,224.86	45.00	2.22	2,203.29	10.89	.7580	75,229
1956	1,008,578.89	45.00	2.22	24,629.50	11.27	.7496	831,634
1957	200,967.22	45.00	2.22	4,907.62	11.66	.7409	163,786
1958	481,599.18	45.00	2.22	11,760.65	12.06	.7320	387,784
1959	407,830.45	45.00	2.22	9,959.22	12.47	.7229	324,303
1960	171,022.45	45.00	2.22	4,176.37	12.89	.7136	134,246

AmerenUE - ELECTRIC

ACCOUNT 390 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
SURVIVOR CURVE.. IOWA 45-R1.5							
NET SALVAGE PERCENT.. -10							
1961	32,667.37	45.00	2.22	797.74	13.33	.7038	25,290
1962	1,482,429.62	45.00	2.22	36,200.93	13.77	.6940	1,131,687
1963	120,147.09	45.00	2.22	2,933.99	14.23	.6838	90,372
1964	1,356,106.95	45.00	2.22	33,116.13	14.70	.6733	1,004,373
1965	312,194.24	45.00	2.22	7,623.78	15.18	.6627	227,580
1966	4,035,586.52	45.00	2.22	98,549.02	15.68	.6516	2,892,547
1967	465,191.69	45.00	2.22	11,359.98	16.18	.6404	327,700
1968	109,626.68	45.00	2.22	2,677.08	16.70	.6289	75,839
1969	1,247,914.49	45.00	2.22	30,474.07	17.22	.6173	847,371
1970	275,662.78	45.00	2.22	6,731.69	17.76	.6053	183,545
1971	962,293.65	45.00	2.22	23,499.21	18.31	.5931	627,810
1972	267,804.81	45.00	2.22	6,539.79	18.87	.5807	171,066
1973	371,264.32	45.00	2.22	9,066.27	19.45	.5678	231,884
1974	118,625.66	45.00	2.22	2,896.84	20.03	.5549	72,408
1975	580,717.26	45.00	2.22	14,181.12	20.62	.5418	346,096
1976	475,197.89	45.00	2.22	11,604.33	21.23	.5282	276,099
1977	1,469,589.91	45.00	2.22	35,887.39	21.84	.5147	832,038
1978	926,333.96	45.00	2.22	22,621.08	22.46	.5009	510,401
1979	1,894,065.20	45.00	2.22	46,253.07	23.10	.4867	1,014,026
1980	221,776.57	45.00	2.22	5,415.78	23.74	.4724	115,244
1981	2,121,743.85	45.00	2.22	51,812.98	24.39	.4580	1,068,935
1982	707,905.13	45.00	2.22	17,287.04	25.05	.4433	345,196
1983	1,931,931.65	45.00	2.22	47,177.77	25.72	.4284	910,403
1984	1,236,748.56	45.00	2.22	30,201.40	26.40	.4133	562,263
1985	2,970,969.14	45.00	2.22	72,551.07	27.09	.3980	1,300,690
1986	656,037.47	45.00	2.22	16,020.44	27.78	.3827	276,172
1987	5,304,186.96	45.00	2.22	129,528.25	28.48	.3671	2,141,884
1988	1,030,227.98	45.00	2.22	25,158.17	29.19	.3513	398,111
1989	32,314,992.52	45.00	2.22	789,132.12	29.90	.3356	11,929,403
1990	15,099,371.48	45.00	2.22	368,726.65	30.63	.3193	5,303,352
1991	5,269,572.54	45.00	2.22	128,682.96	31.36	.3031	1,756,928
1992	26,812,735.81	45.00	2.22	654,767.01	32.09	.2869	8,461,831
1993	7,677,600.06	45.00	2.22	187,486.99	32.83	.2704	2,283,625
1994	4,252,545.65	45.00	2.22	103,847.16	33.58	.2538	1,187,226
1995	3,911,926.07	45.00	2.22	95,529.23	34.33	.2371	1,020,269
1996	4,403,455.72	45.00	2.22	107,532.39	35.09	.2202	1,066,605
1997	1,793,755.08	45.00	2.22	43,803.50	35.85	.2033	401,137

AmerenUE - ELECTRIC

ACCOUNT 390 STRUCTURES & IMPROVEMENTS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL RATE	ACCRUAL-- AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

SURVIVOR CURVE.. IOWA 45-R1.5
NET SALVAGE PERCENT.. -10

1998	459,960.85	45.00	2.22	11,232.24	36.62	.1862	94,209
1999	434,781.01	45.00	2.22	10,617.35	37.39	.1691	80,874
2000	523,870.85	45.00	2.22	12,792.93	38.17	.1518	87,476
2001	2,157,046.53	45.00	2.22	52,675.08	38.95	.1344	318,898
2002	2,254,593.87	45.00	2.22	55,057.18	39.74	.1169	289,918
2003	1,888,636.31	45.00	2.22	46,120.50	40.54	.0991	205,880
2004	2,242,522.57	45.00	2.22	54,762.40	41.34	.0813	200,549
2005	16,123,904.64	45.00	2.22	393,745.75	42.14	.0636	1,128,028
2006	5,183,823.05	45.00	2.22	126,588.96	42.95	.0456	260,021
2007	7,166,453.12	45.00	2.22	175,004.79	43.77	.0273	215,209
2008	11,879,672.19	45.00	2.22	290,101.59	44.59	.0091	118,916

189,663,143.96

4,629,014.77

58,821,818

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 2.44

AmerenUE - ELECTRIC

ACCOUNT 391 OFFICE FURNITURE & EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. 15-SQUARE							
NET SALVAGE PERCENT.. 0							
1929	77.40					1.0000	77
1930	461.40					1.0000	461
1931	376.70					1.0000	377
1935	118.30					1.0000	118
1937	79.30					1.0000	79
1939	58.00					1.0000	58
1941	230.10					1.0000	230
1947	580.40					1.0000	580
1952	570.70					1.0000	571
1954	46.80					1.0000	47
1956	4,036.50					1.0000	4,037
1957	966.50					1.0000	967
1958	2,886.90					1.0000	2,887
1959	224.50					1.0000	225
1960	137.00					1.0000	137
1961	1,487.66					1.0000	1,488
1962	2,864.80					1.0000	2,865
1963	8,126.83					1.0000	8,127
1964	857.63					1.0000	858
1965	4,432.09					1.0000	4,432
1966	14,679.27					1.0000	14,679
1967	160,669.00					1.0000	160,669
1968	57,419.15					1.0000	57,419
1969	26,255.09					1.0000	26,255
1970	12,117.10					1.0000	12,117
1971	19,676.26					1.0000	19,676
1972	47,980.60					1.0000	47,981
1973	19,761.36					1.0000	19,761
1974	12,061.17					1.0000	12,061
1975	17,279.13					1.0000	17,279
1976	77,624.60					1.0000	77,625
1977	119,586.25					1.0000	119,586
1978	138,563.93					1.0000	138,564
1979	139,526.94					1.0000	139,527
1980	69,550.28					1.0000	69,550
1981	667,750.37					1.0000	667,750
1982	76,728.49					1.0000	76,728

AmerenUE - ELECTRIC

ACCOUNT 391 OFFICE FURNITURE & EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. 15-SQUARE							
NET SALVAGE PERCENT.. 0							
1983	1,057,200.38					1.0000	1,057,200
1984	254,859.30					1.0000	254,859
1985	512,143.85					1.0000	512,144
1986	1,017,947.87					1.0000	1,017,948
1987	1,704,302.52					1.0000	1,704,303
1988	460,705.90					1.0000	460,706
1989	3,162,011.58					1.0000	3,162,012
1990	1,231,042.91					1.0000	1,231,043
1991	540,508.30					1.0000	540,508
1992	348,244.38					1.0000	348,244
1993	566,094.57					1.0000	566,095
1994	8,007,954.57	15.00	6.67	534,130.57	0.50	.9667	7,741,290
1995	505,283.56	15.00	6.67	33,702.41	1.50	.9000	454,755
1996	1,830,773.21	15.00	6.67	122,112.57	2.50	.8333	1,525,583
1997	874,957.25	15.00	6.67	58,359.65	3.50	.7667	670,830
1998	1,828,250.80	15.00	6.67	121,944.33	4.50	.7000	1,279,776
1999	708,473.82	15.00	6.67	47,255.20	5.50	.6333	448,676
2000	1,582,532.94	15.00	6.67	105,554.95	6.50	.5667	896,821
2001	2,074,761.13	15.00	6.67	138,386.57	7.50	.5000	1,037,381
2002	2,716,153.53	15.00	6.67	181,167.44	8.50	.4333	1,176,909
2003	2,490,976.70	15.00	6.67	166,148.15	9.50	.3667	913,441
2004	1,954,926.67	15.00	6.67	130,393.61	10.50	.3000	586,478
2005	4,255,716.14	15.00	6.67	283,856.27	11.50	.2333	992,859
2006	6,320,852.81	15.00	6.67	421,600.88	12.50	.1667	1,053,686
2007	2,660,051.69	15.00	6.67	177,425.45	13.50	.1000	266,005
2008	5,182,207.82	15.00	6.67	345,653.26	14.50	.0333	172,568
TOTAL	55,554,782.70			2,867,691.31			31,777,968

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 5.16

AmerenUE - ELECTRIC

ACCOUNT 391.2 PERSONAL COMPUTERS

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL ACCRUAL-- RATE (4)	AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. 5-SQUARE							
NET SALVAGE PERCENT.. 0							
1983	0.05					1.0000	
1999	8,292.53					1.0000	8,293
2000	22,580.30					1.0000	22,580
2001	197,002.95					1.0000	197,003
2002	195,815.88					1.0000	195,816
2003	126,697.77					1.0000	126,698
2004	223,132.92	5.00	20.00	44,626.58	0.50	.9000	200,820
2005	722,026.95	5.00	20.00	144,405.39	1.50	.7000	505,419
2006	28,206.37	5.00	20.00	5,641.27	2.50	.5000	14,103
2007	49,961.77	5.00	20.00	9,992.35	3.50	.3000	14,989
2008	504,008.84	5.00	20.00	100,801.77	4.50	.1000	50,401
TOTAL	2,077,726.33			305,467.36			1,336,122

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 14.70

AmerenUE - ELECTRIC

ACCOUNT 392 TRANSPORTATION EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. IOWA 11-R1							
NET SALVAGE PERCENT.. +9							
1929	1,683.00					1.0000	1,532
1952	1,177.09					1.0000	1,071
1953	1,809.00					1.0000	1,646
1955	1,621.00					1.0000	1,475
1956	0.32					1.0000	
1957	958.00					1.0000	872
1959	2,863.97					1.0000	2,606
1961	5,069.00					1.0000	4,613
1962	155.00					1.0000	141
1963	2,623.00					1.0000	2,387
1968	1,422.96					1.0000	1,295
1969	68.00					1.0000	62
1970	7,398.71					1.0000	6,733
1971	5,515.77					1.0000	5,019
1972	2,802.88					1.0000	2,551
1973	28,411.34					1.0000	25,854
1974	11,914.82					1.0000	10,842
1975	24,494.51					1.0000	22,290
1976	9,601.43					1.0000	8,737
1977	24,383.61					1.0000	22,189
1978	10,257.45					1.0000	9,334
1979	49,986.31					1.0000	45,488
1980	141,138.53					1.0000	128,436
1981	40,999.58					1.0000	37,310
1982	12,998.01					1.0000	11,828
1983	10,554.61					1.0000	9,605
1984	149,656.65					1.0000	136,188
1985	139,727.03					1.0000	127,152
1986	177,852.93					1.0000	161,846
1987	228,290.76	11.00	9.09	18,883.98	0.20	.9818	203,964
1988	486,134.70	11.00	9.09	40,212.58	0.54	.9509	420,662
1989	764,134.73	11.00	9.09	63,208.46	0.85	.9227	641,611
1990	279,218.01	11.00	9.09	23,096.63	1.14	.8964	227,765
1991	1,450,426.35	11.00	9.09	119,977.82	1.46	.8673	1,144,739
1992	770,861.47	11.00	9.09	63,764.89	1.79	.8373	587,353
1993	482,719.16	11.00	9.09	39,930.05	2.14	.8055	353,836
1994	4,763,753.42	11.00	9.09	394,052.92	2.52	.7709	3,341,864

AmerenUE - ELECTRIC

ACCOUNT 392 TRANSPORTATION EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 11-R1							
NET SALVAGE PERCENT.. +9							
1995	5,037,615.71	11.00	9.09	416,706.53	2.92	.7345	3,367,117
1996	2,775,766.16	11.00	9.09	229,608.60	3.34	.6964	1,759,070
1997	750,185.09	11.00	9.09	62,054.56	3.80	.6545	446,806
1998	100,087.33	11.00	9.09	8,279.12	4.29	.6100	55,558
1999	700,468.65	11.00	9.09	57,942.07	4.80	.5636	359,254
2000	7,066,241.33	11.00	9.09	584,512.42	5.35	.5136	3,302,592
2001	1,379,189.00	11.00	9.09	114,085.13	5.93	.4609	578,458
2002	14,846,719.64	11.00	9.09	1,228,105.80	6.54	.4055	5,478,514
2003	8,952,210.75	11.00	9.09	740,517.92	7.18	.3473	2,829,284
2004	8,052,645.34	11.00	9.09	666,106.77	7.84	.2873	2,105,308
2005	8,162,372.27	11.00	9.09	675,183.27	8.51	.2264	1,681,645
2006	7,632,383.99	11.00	9.09	631,343.17	9.20	.1636	1,136,279
2007	15,799,790.81	11.00	9.09	1,306,942.90	9.91	.0991	1,424,841
2008	3,186,363.95	11.00	9.09	263,572.84	10.63	.0336	97,426
	94,534,723.13			7,748,088.43			32,333,048

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 8.20

AmerenUE - ELECTRIC

ACCOUNT 393 STORES EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. 20-SQUARE							
NET SALVAGE PERCENT.. 0							
1950	940.00					1.0000	940
1952	2,774.00					1.0000	2,774
1954	3,417.00					1.0000	3,417
1955	1,447.75					1.0000	1,448
1957	11,376.84					1.0000	11,377
1958	12,932.53					1.0000	12,933
1959	11,045.49					1.0000	11,045
1960	4,020.00					1.0000	4,020
1961	8,050.00					1.0000	8,050
1962	35,456.00					1.0000	35,456
1963	4,106.00					1.0000	4,106
1964	28,097.02					1.0000	28,097
1965	10,324.00					1.0000	10,324
1966	958.00					1.0000	958
1967	18,476.00					1.0000	18,476
1968	14,025.00					1.0000	14,025
1969	660.00					1.0000	660
1970	1,025.00					1.0000	1,025
1971	17,126.00					1.0000	17,126
1972	14,293.00					1.0000	14,293
1973	35,306.58					1.0000	35,307
1974	15,326.00					1.0000	15,326
1975	15,933.78					1.0000	15,934
1976	21,692.00					1.0000	21,692
1977	5,067.49					1.0000	5,067
1978	12,878.86					1.0000	12,879
1979	39,435.00					1.0000	39,435
1980	19,590.42					1.0000	19,590
1981	64,466.98					1.0000	64,467
1982	24,232.00					1.0000	24,232
1983	22,758.00					1.0000	22,758
1984	14,324.29					1.0000	14,324
1985	35,949.01					1.0000	35,949
1986	37,838.52					1.0000	37,839
1987	8,639.91					1.0000	8,640
1988	45,822.94					1.0000	45,823
1989	175,471.23	20.00	5.00	8,773.56	0.50	.9750	171,084

AmerenUE - ELECTRIC

ACCOUNT 393 STORES EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. 20-SQUARE							
NET SALVAGE PERCENT.. 0							
1990	63,823.62	20.00	5.00	3,191.18	1.50	.9250	59,037
1991	45,549.65	20.00	5.00	2,277.48	2.50	.8750	39,856
1992	32,698.99	20.00	5.00	1,634.95	3.50	.8250	26,977
1993	293,150.00	20.00	5.00	14,657.50	4.50	.7750	227,191
1994	73,386.74	20.00	5.00	3,669.34	5.50	.7250	53,205
1995	30,038.63	20.00	5.00	1,501.93	6.50	.6750	20,276
1996	45,605.34	20.00	5.00	2,280.27	7.50	.6250	28,503
1998	48,838.00	20.00	5.00	2,441.90	9.50	.5250	25,640
1999	81,592.14	20.00	5.00	4,079.61	10.50	.4750	38,756
2000	50,855.60	20.00	5.00	2,542.78	11.50	.4250	21,614
2001	104,728.15	20.00	5.00	5,236.41	12.50	.3750	39,273
2002	142,962.15	20.00	5.00	7,148.11	13.50	.3250	46,463
2003	38,217.94	20.00	5.00	1,910.90	14.50	.2750	10,510
2004	107,544.76	20.00	5.00	5,377.24	15.50	.2250	24,198
2005	64,623.37	20.00	5.00	3,231.17	16.50	.1750	11,309
2006	184,786.84	20.00	5.00	9,239.34	17.50	.1250	23,098
2007	109,757.19	20.00	5.00	5,487.86	18.50	.0750	8,232
2008	611,067.49	20.00	5.00	30,553.37	19.50	.0250	15,277
TOTAL	2,924,509.24			115,234.90			1,510,311

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 3.94

AmerenUE - ELECTRIC

ACCOUNT 394 TOOLS, SHOP, & GARAGE EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. 20-SQUARE							
NET SALVAGE PERCENT.. 0							
1940	738.00					1.0000	738
1947	1,978.00					1.0000	1,978
1950	1,441.00					1.0000	1,441
1951	460.00					1.0000	460
1952	2,343.00					1.0000	2,343
1954	2,898.41					1.0000	2,898
1956	405.86					1.0000	406
1958	1,222.56					1.0000	1,223
1959	9,081.25					1.0000	9,081
1960	11,492.52					1.0000	11,493
1961	16,731.09					1.0000	16,731
1962	74,234.82					1.0000	74,235
1963	33,053.21					1.0000	33,053
1964	28,206.39					1.0000	28,206
1965	15,482.00					1.0000	15,482
1966	1,973.34					1.0000	1,973
1967	23,497.06					1.0000	23,497
1968	1,372.00					1.0000	1,372
1969	1,550.23					1.0000	1,550
1970	1,579.91					1.0000	1,580
1971	10,770.00					1.0000	10,770
1972	9,630.00					1.0000	9,630
1973	13,395.32					1.0000	13,395
1974	6,332.99					1.0000	6,333
1975	11,873.79					1.0000	11,874
1976	41,234.08					1.0000	41,234
1977	15,370.00					1.0000	15,370
1978	19,772.97					1.0000	19,773
1979	11,250.09					1.0000	11,250
1980	12,993.99					1.0000	12,994
1981	46,231.10					1.0000	46,231
1982	86,425.37					1.0000	86,425
1983	125,336.22					1.0000	125,336
1984	186,333.19					1.0000	186,333
1985	127,385.76					1.0000	127,386
1986	138,150.35					1.0000	138,150
1987	149,590.52					1.0000	149,591

AmerenUE - ELECTRIC

ACCOUNT 394 TOOLS, SHOP, & GARAGE EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
-------------	-------------------------	---------------------	-------------------------	----------------------------	-------------	------------------------------------	---------------

SURVIVOR CURVE.. 20-SQUARE
NET SALVAGE PERCENT.. 0

1988	112,469.00					1.0000	112,469
1989	118,226.45	20.00	5.00	5,911.32	0.50	.9750	115,271
1990	155,730.64	20.00	5.00	7,786.53	1.50	.9250	144,051
1991	167,016.64	20.00	5.00	8,350.83	2.50	.8750	146,140
1992	2,649,240.96	20.00	5.00	132,462.05	3.50	.8250	2,185,624
1993	337,518.01	20.00	5.00	16,875.90	4.50	.7750	261,576
1994	447,260.59	20.00	5.00	22,363.03	5.50	.7250	324,264
1995	636,884.77	20.00	5.00	31,844.24	6.50	.6750	429,897
1996	400,117.57	20.00	5.00	20,005.88	7.50	.6250	250,073
1997	328,614.88	20.00	5.00	16,430.74	8.50	.5750	188,954
1998	367,061.51	20.00	5.00	18,353.08	9.50	.5250	192,707
1999	262,578.82	20.00	5.00	13,128.94	10.50	.4750	124,725
2000	253,704.40	20.00	5.00	12,685.22	11.50	.4250	107,824
2001	181,775.71	20.00	5.00	9,088.79	12.50	.3750	68,166
2002	433,165.51	20.00	5.00	21,658.28	13.50	.3250	140,779
2003	400,670.96	20.00	5.00	20,033.55	14.50	.2750	110,185
2004	525,642.51	20.00	5.00	26,282.13	15.50	.2250	118,270
2005	564,478.50	20.00	5.00	28,223.93	16.50	.1750	98,784
2006	526,762.98	20.00	5.00	26,338.15	17.50	.1250	65,845
2007	252,424.55	20.00	5.00	12,621.23	18.50	.0750	18,932
2008	3,062,154.31	20.00	5.00	153,107.72	19.50	.0250	76,554
TOTAL	13,425,315.66			603,551.54			6,522,905

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 4.50

AmerenUE - ELECTRIC

ACCOUNT 395 LABORATORY EQUIPOMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL ACCRUAL--			-ACCRUED DEPREC.-	
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. 20-SQUARE							
NET SALVAGE PERCENT.. 0							
1947	730.30					1.0000	730
1952	930.00					1.0000	930
1954	943.00					1.0000	943
1956	7,350.00					1.0000	7,350
1958	1,186.00					1.0000	1,186
1959	2,385.00					1.0000	2,385
1960	3,432.00					1.0000	3,432
1962	570.00					1.0000	570
1963	2,706.00					1.0000	2,706
1964	583.75					1.0000	584
1965	2,583.00					1.0000	2,583
1966	12,517.00					1.0000	12,517
1967	5,626.00					1.0000	5,626
1968	29,228.00					1.0000	29,228
1969	3,611.00					1.0000	3,611
1971	2,741.00					1.0000	2,741
1972	5,059.00					1.0000	5,059
1973	8,721.00					1.0000	8,721
1974	25,540.00					1.0000	25,540
1975	6,477.92					1.0000	6,478
1976	8,883.65					1.0000	8,884
1977	15,203.00					1.0000	15,203
1978	41,184.58					1.0000	41,185
1979	26,969.34					1.0000	26,969
1980	47,240.89					1.0000	47,241
1981	71,622.34					1.0000	71,622
1982	77,860.60					1.0000	77,861
1983	53,910.13					1.0000	53,910
1984	144,666.17					1.0000	144,666
1985	70,188.91					1.0000	70,189
1986	149,780.01					1.0000	149,780
1987	179,034.56					1.0000	179,035
1988	151,745.00					1.0000	151,745
1989	155,440.55	20.00	5.00	7,772.03	0.50	.9750	151,555
1990	359,322.10	20.00	5.00	17,966.11	1.50	.9250	332,373
1991	334,325.52	20.00	5.00	16,716.28	2.50	.8750	292,535
1992	324,703.65	20.00	5.00	16,235.18	3.50	.8250	267,881

AmerenUE - ELECTRIC

ACCOUNT 395 LABORATORY EQUIPOMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED FACTOR (7)	DEPREC.- AMOUNT (8)
SURVIVOR CURVE.. 20-SQUARE							
NET SALVAGE PERCENT.. 0							
1993	316,675.98	20.00	5.00	15,833.80	4.50	.7750	245,424
1994	440,719.00	20.00	5.00	22,035.95	5.50	.7250	319,521
1995	299,669.88	20.00	5.00	14,983.49	6.50	.6750	202,277
1996	358,378.74	20.00	5.00	17,918.94	7.50	.6250	223,987
1997	138,698.00	20.00	5.00	6,934.90	8.50	.5750	79,751
1998	134,506.00	20.00	5.00	6,725.30	9.50	.5250	70,616
1999	320,674.52	20.00	5.00	16,033.73	10.50	.4750	152,320
2000	202,129.76	20.00	5.00	10,106.49	11.50	.4250	85,905
2001	280,648.40	20.00	5.00	14,032.42	12.50	.3750	105,243
2002	230,251.95	20.00	5.00	11,512.60	13.50	.3250	74,832
2003	394,348.85	20.00	5.00	19,717.44	14.50	.2750	108,446
2004	261,322.99	20.00	5.00	13,066.15	15.50	.2250	58,798
2005	636,597.84	20.00	5.00	31,829.89	16.50	.1750	111,405
2006	441,986.25	20.00	5.00	22,099.31	17.50	.1250	55,248
2007	348,250.24	20.00	5.00	17,412.51	18.50	.0750	26,119
2008	648,866.68	20.00	5.00	32,443.33	19.50	.0250	16,222
TOTAL	7,788,726.05			331,375.85			4,141,668

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 4.25

AmerenUE - ELECTRIC

ACCOUNT 396 POWER OPERATED EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR (1)	ORIGINAL COST (2)	AVG. LIFE (3)	--ANNUAL RATE (4)	ACCRUAL-- AMOUNT (5)	EXP. (6)	-ACCRUED DEPREC.- FACTOR (7)	AMOUNT (8)
SURVIVOR CURVE.. IOWA 15-L2							
NET SALVAGE PERCENT.. +15							
1964	0.07					1.0000	
1966	7,210.11					1.0000	6,129
1967	0.11	15.00	6.67	0.01	0.26	.9827	
1969	0.20	15.00	6.67	0.01	0.59	.9607	
1971	51,445.23	15.00	6.67	2,916.69	0.93	.9380	41,017
1972	0.31	15.00	6.67	0.02	1.11	.9260	
1973	25,084.00	15.00	6.67	1,422.14	1.28	.9147	19,503
1974	16,473.14	15.00	6.67	933.94	1.47	.9020	12,630
1975	0.53	15.00	6.67	0.03	1.65	.8900	
1978	5,021.80	15.00	6.67	284.71	2.23	.8513	3,634
1979	2,793.06	15.00	6.67	158.35	2.43	.8380	1,989
1982	19,822.99	15.00	6.67	1,123.86	3.06	.7960	13,412
1983	26,399.88	15.00	6.67	1,496.74	3.28	.7813	17,532
1984	32,015.15	15.00	6.67	1,815.10	3.51	.7660	20,845
1985	44,124.84	15.00	6.67	2,501.66	3.74	.7507	28,156
1986	163,439.78	15.00	6.67	9,266.22	3.99	.7340	101,970
1987	74,209.39	15.00	6.67	4,207.30	4.23	.7180	45,290
1988	552,308.37	15.00	6.67	31,313.12	4.48	.7013	329,234
1989	210,678.90	15.00	6.67	11,944.44	4.74	.6840	122,489
1990	282,506.40	15.00	6.67	16,016.70	4.99	.6673	160,239
1991	211,037.00	15.00	6.67	11,964.74	5.23	.6513	116,831
1992	246,891.43	15.00	6.67	13,997.51	5.48	.6347	133,197
1993	406,848.30	15.00	6.67	23,066.26	5.72	.6187	213,959
1994	719,736.17	15.00	6.67	40,805.44	5.96	.6027	368,717
1995	609,776.26	15.00	6.67	34,571.27	6.20	.5867	304,092
2000	255,911.15	15.00	6.67	14,508.88	7.97	.4687	101,954
2001	184,705.94	15.00	6.67	10,471.90	8.54	.4307	67,620
2002	669,821.69	15.00	6.67	37,975.54	9.21	.3860	219,768
2003	603,316.16	15.00	6.67	34,205.01	9.96	.3360	172,307
2004	846,554.48	15.00	6.67	47,995.41	10.79	.2807	201,984
2005	770,267.30	15.00	6.67	43,670.30	11.65	.2233	146,201
2006	87,444.94	15.00	6.67	4,957.69	12.56	.1627	12,093
2007	1,380,023.77	15.00	6.67	78,240.45	13.52	.0987	115,777
2008	69,820.90	15.00	6.67	3,958.50	14.50	.0333	1,976
	8,575,689.75			485,789.94			3,100,545

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 5.66

AmerenUE - ELECTRIC

ACCOUNT 397 COMMUNICATIONS EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. 15-SQUARE							
NET SALVAGE PERCENT.. 0							
1951	24,892.00					1.0000	24,892
1952	52,220.95					1.0000	52,221
1953	22,070.37					1.0000	22,070
1954	1,516.78					1.0000	1,517
1955	4,716.46					1.0000	4,716
1956	694.00					1.0000	694
1957	72,186.00					1.0000	72,186
1958	42,118.32					1.0000	42,118
1959	17,077.23					1.0000	17,077
1960	55,179.24					1.0000	55,179
1961	10,726.48					1.0000	10,726
1962	36,130.04					1.0000	36,130
1963	42,942.55					1.0000	42,943
1964	69,244.00					1.0000	69,244
1965	95,035.90					1.0000	95,036
1966	29,850.98					1.0000	29,851
1967	110,667.69					1.0000	110,668
1968	319,697.51					1.0000	319,698
1969	47,214.61					1.0000	47,215
1970	79,581.58					1.0000	79,582
1971	462,743.59					1.0000	462,744
1972	238,544.80					1.0000	238,545
1973	341,855.03					1.0000	341,855
1974	298,402.62					1.0000	298,403
1975	118,952.95					1.0000	118,953
1976	2,568,460.66					1.0000	2,568,461
1977	727,053.38					1.0000	727,053
1978	201,928.37					1.0000	201,928
1979	271,319.02					1.0000	271,319
1980	268,942.99					1.0000	268,943
1981	6,396,403.08					1.0000	6,396,403
1982	4,984,424.06					1.0000	4,984,424
1983	460,726.49					1.0000	460,726
1984	292,443.00					1.0000	292,443
1985	3,515,635.93					1.0000	3,515,636
1986	872,599.75					1.0000	872,600
1987	778,756.52					1.0000	778,757

AmerenUE - ELECTRIC

ACCOUNT 397 COMMUNICATIONS EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL COST	AVG. LIFE	--ANNUAL ACCRUAL-- RATE	AMOUNT	EXP.	-ACCRUED DEPREC.- FACTOR	AMOUNT
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. 15-SQUARE							
NET SALVAGE PERCENT.. 0							
1988	847,691.78					1.0000	847,692
1989	5,503,523.88					1.0000	5,503,524
1990	2,386,139.74					1.0000	2,386,140
1991	9,046,936.74					1.0000	9,046,937
1992	12,686,436.53					1.0000	12,686,437
1993	5,019,874.51					1.0000	5,019,875
1994	13,671,030.30	15.00	6.67	911,857.72	0.50	.9667	13,215,785
1995	16,248,158.62	15.00	6.67	1,083,752.18	1.50	.9000	14,623,343
1996	3,438,879.19	15.00	6.67	229,373.24	2.50	.8333	2,865,618
1997	6,107,287.27	15.00	6.67	407,356.06	3.50	.7667	4,682,457
1998	998,885.62	15.00	6.67	66,625.67	4.50	.7000	699,220
1999	1,595,225.99	15.00	6.67	106,401.57	5.50	.6333	1,010,257
2000	1,166,803.22	15.00	6.67	77,825.77	6.50	.5667	661,227
2001	1,996,211.14	15.00	6.67	133,147.28	7.50	.5000	998,106
2002	2,196,883.91	15.00	6.67	146,532.16	8.50	.4333	951,910
2003	3,237,661.69	15.00	6.67	215,952.03	9.50	.3667	1,187,251
2004	4,694,694.88	15.00	6.67	313,136.15	10.50	.3000	1,408,408
2005	6,263,380.18	15.00	6.67	417,767.46	11.50	.2333	1,461,247
2006	2,368,376.37	15.00	6.67	157,970.70	12.50	.1667	394,808
2007	4,037,760.41	15.00	6.67	269,318.62	13.50	.1000	403,776
2008	8,156,237.32	15.00	6.67	544,021.03	14.50	.0333	271,603
TOTAL	135,601,034.22			5,081,037.64			104,258,577

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 3.75

AmerenUE - ELECTRIC

ACCOUNT 398 MISCELLANEOUS EQUIPMENT

CALCULATED ANNUAL AND ACCRUED DEPRECIATION
RELATED TO ORIGINAL COST AT DECEMBER 31, 2008

YEAR	ORIGINAL	AVG.	--ANNUAL	ACCRUAL--		-ACCRUED	DEPREC.-
(1)	COST	LIFE	RATE	AMOUNT	EXP.	FACTOR	AMOUNT
	(2)	(3)	(4)	(5)	(6)	(7)	(8)
SURVIVOR CURVE.. 20-SQUARE							
NET SALVAGE PERCENT.. 0							
1952	15,186.00					1.0000	15,186
1960	0.42					1.0000	
1971	223.00					1.0000	223
1976	520.17					1.0000	520
1977	0.23					1.0000	
1978	0.14					1.0000	
1985	4,759.18					1.0000	4,759
1987	4,076.24					1.0000	4,076
1990	22,596.85	20.00	5.00	1,129.84	1.50	.9250	20,902
1991	122,717.59	20.00	5.00	6,135.88	2.50	.8750	107,378
1992	13,922.50	20.00	5.00	696.13	3.50	.8250	11,486
1993	5,284.42	20.00	5.00	264.22	4.50	.7750	4,095
1994	55,304.68	20.00	5.00	2,765.23	5.50	.7250	40,096
1996	19,734.01	20.00	5.00	986.70	7.50	.6250	12,334
1997	25,918.12	20.00	5.00	1,295.91	8.50	.5750	14,903
1999	43,854.90	20.00	5.00	2,192.75	10.50	.4750	20,831
2000	3,582.78	20.00	5.00	179.14	11.50	.4250	1,523
2001	21,529.91	20.00	5.00	1,076.50	12.50	.3750	8,074
2002	3,221.38	20.00	5.00	161.07	13.50	.3250	1,047
2003	10,040.19	20.00	5.00	502.01	14.50	.2750	2,761
2004	2,924.37	20.00	5.00	146.22	15.50	.2250	658
2005	38,822.97	20.00	5.00	1,941.15	16.50	.1750	6,794
2006	47,207.96	20.00	5.00	2,360.40	17.50	.1250	5,901
2007	79,253.20	20.00	5.00	3,962.66	18.50	.0750	5,944
2008	239,559.30	20.00	5.00	11,977.97	19.50	.0250	5,989
TOTAL	780,240.51			37,773.78			295,480

COMPOSITE ANNUAL ACCRUAL RATE, PERCENT.. 4.84