

Exhibit No. 105

Exhibit No.:
Issue: COVID Demand Impact on Test Year, Weather
Normalization, AMI
Witness: Albert R. Bass, Jr.
Type of Exhibit: Direct Testimony
Sponsoring Party: Evergy Missouri West
Case No.: ER-2022-0130
Date Testimony Prepared: January 7, 2022

MISSOURI PUBLIC SERVICE COMMISSION

CASE NO.: ER-2022-0130

DIRECT TESTIMONY

OF

ALBERT R. BASS, JR.

ON BEHALF OF

EVERGY MISSOURI WEST

**Kansas City, Missouri
January 2022**

DIRECT TESTIMONY

OF

ALBERT R. BASS, JR.

Case No. ER-2022-0130

1 **Q: Please state your name and business address.**

2 A: My name is Albert R. Bass, Jr. My business address is 1200 Main, Kansas City,
3 Missouri 64105.

4 **Q: By whom and in what capacity are you employed?**

5 A: I am employed by Evergy Metro, Inc. I serve as Sr. Manager of Energy Forecasting and
6 Analytics for Evergy Missouri West, Inc. d/b/a Evergy Missouri West (“Evergy Missouri
7 West”).

8 **Q: On whose behalf are you testifying?**

9 A: I am testifying on behalf of Evergy Missouri West.

10 **Q: What are your responsibilities?**

11 A: My responsibilities include supervising two employees with responsibility for short-term
12 electric load forecasting, long-term electric load forecasting, weather normalization, and
13 various other analytical tasks.

14 **Q: Please describe your education, experience, and employment history.**

15 A: I received a Bachelor of Science in Business Administration degree with emphasis in
16 Marketing from Missouri Western State University in 1989. I earned a Master of
17 Business Administration degree from William Woods University in 1995.

18 Prior to joining Evergy, I worked for APS Technologies developing product
19 forecast models and conducting market analysis. In June 1998, I joined Evergy as a

1 Technical Professional. In this role, I conducted market analysis, developed market
2 options studies, and research. In May 2000, I assumed the responsibilities for short-term
3 budget forecasting, long-term load forecasting for the Integrated Resource Plan, monthly
4 kilowatt-hour (“kWh”) sales and peak weather normalization, and weather normalization
5 for rate case filings. As part of these duties, I assisted with the creation of the weather
6 normalization testimony filed by Evergy. In July 2013, I was promoted to Manager of
7 Market Assessment. In March 2017, I was promoted to my current position as Sr.
8 Manager of Energy Forecasting and Analytics.

9 **Q: Have you previously testified in a proceeding before the Missouri Public Service**
10 **Commission (“Commission” or “MPSC”) or before any other utility regulatory**
11 **agency?**

12 A: Yes, I have provided written testimony in multiple rate cases, both before the MPSC and
13 the Kansas Corporation Commission (“KCC”).

14 **Q: What is the purpose of your testimony?**

15 A: The purpose of my Direct Testimony is to support:

16 I. Test-year weather normalized kWh sales and peak loads for the test-year
17 period of July 2020 through June 2021. This includes the development of
18 rate class and system weather normalization models and estimation of
19 weather impact.

20 II. Impact of COVID-19 on test year sales.

21 III. Test year adjustment to 365-day year.

22 IV. Rate Switchers & Customer Growth.

23 V. Energy Efficiency Annualization.

1 **Q: Are you sponsoring any schedules with your testimony?**

2 A: Yes, I am sponsoring Schedules ARB 1 through ARB 5, which include weather
3 normalization, COVID-19 adjustment, annualization of sales to 365-day, rate switching,
4 customer growth, Large Power (LP) adjustment, and energy efficiency adjustment of test
5 year monthly kWh sales and peak loads. I recommend that the Commission adopt these
6 results in the current case.

7 **I. Weather Normalization**

8 **Q: What normalizations are you making to kWh sales and peak loads?**

9 A: Both monthly and hourly kWh sales are adjusted to reflect normal weather conditions.
10 This is called a weather adjustment. The kWh sales are further adjusted for customer
11 growth that occurs between the test year and the true-up date of May 2022, and for
12 customers who were switched from one rate to another during or after the test year.
13 These customers are known as rate switchers. Then kWh sales are adjusted for energy
14 efficiency that occurs between the test year and two months prior to the true-up date of
15 May 2022. An additional adjustment was made for the impact of COVID-19.

16 **Q: What is the purpose of making a weather adjustment?**

17 A: The purpose of weather normalization is to adjust the test-year sales and energy for
18 abnormal weather conditions that may increase or decrease a utility company's revenues,
19 fuel costs and rate of return. Therefore, revenues and expenses are typically adjusted to
20 reflect normal weather to determine a company's future electric rates. These adjustments
21 are made by first adjusting kWh sales and hourly loads and then using these results to
22 adjust test-year revenues and incremental costs (*i.e.*, fuel and purchased power).

1 **Q: Please describe the test-year weather conditions.**

2 A: During the test year, July 2020 through June 2021, the winter months were warmer than
3 normal with a warmer than normal summer. This resulted in 6% less Heating Degree-
4 days (HDD) and 1% more Cooling Degree-days (CDD) than normal. Thus, heating load
5 was significantly lower than normal while cooling load was slightly above normal. This
6 results in a net positive weather adjustment to kWh sales.

7 **Q: What is the basis for normal CDD and HDD variables?**

8 A: Normal CDD and HDD are derived from National Oceanic and Atmospheric
9 Administration (NOAA) temperature data from Kansas City International Airport (KCI)
10 based on a 30-year average of normal degree-days for the test-year period. KCI weather
11 station is utilized as it is the only tier 1 weather station in the region.

12 **Q: Was hourly load research data used to derive the adjustment for weather
13 normalization?**

14 A: No. Hourly AMI usage data was used in the estimation models to derive the adjustment
15 for weather normalization.

16 **Q: Was staff made aware of the change from load research to AMI data prior to the
17 filing of the case?**

18 A: Yes. The Company met with the Missouri Public Service Commission Staff on August
19 19, 2021 and provided an overview of how the AMI load data was being prepared for the
20 rate case, include a summary of the quality assurance measures used.

21 **Q: Do you believe the AMI load data is suitable to support the weather normalization?**

22 A: Yes. I am comfortable that the data produced is accurate and representative of our load
23 data. This position is supported in part by an evaluation completed for Evergy by Itron.

1 Itron examined our process and results and found that Evergy's AMI load aggregation
2 process benchmarks well with methods developed by other utilities with AMI systems.
3 The full Itron report and more about the Itron study may be found in testimony of
4 Company witness Bradley D. Lutz.

5 **Q: Describe how the Cost-of-Service class hourly load data was procured from AMI.**

6 A: Metered hourly kwh was extracted for each rate code for the period July 1, 2019 through
7 June 30, 2021. The customer counts for the hourly kwh were adjusted each monthly for
8 any customers without interval capable meters by multiplying the rate code hourly kwh
9 by a factor of $((\text{billed customer count} - \text{AMI customer count}) / \text{AMI customer count})$.
10 This is similar to the approach used to scale hourly load research sampled KWH to
11 represent the entire class. The two different processes for producing class hourly loads
12 are summarized in the following statements:

13 (a) The Company's load research data utilized a small (up to 10% for Large
14 customer classes, lower than 1% for Residential customer classes), but
15 statistically significant stratified sample of each customer class load scaled
16 up to the total number of class customers.

17 (b) The Company's AMI hourly load data utilizes a convenience sample of
18 load for all customers with interval capable meters in each class (80+% for
19 each class during the test year) scaled up to the total number of class
20 customers.

1 **Q: Besides using AMI data rather than load research data, were there any other**
2 **changes to the Weather Normalization process?**

3 A: No, the only change is the source of the Cost-of-Service class hourly load data.

4 **Q: What method was used to weather-normalize kWh sales?**

5 A: The method was based on AMI data, which was derived by measuring hourly loads for
6 Every MO West's customers representing the Residential, Small General Service
7 ("GS"), Large GS, and Large Power (LP) classes. The hourly loads were grossed up by
8 the ratio of the total number of customers to the number of customers with AMI interval
9 meters.

10 In the first step, the hourly loads for the sample were calibrated to the annual
11 billed sales of all customers in each class. The ratio of the billed sales divided by the sum
12 of the hourly loads was multiplied by the load in each hour.

13 In the second step, the hourly loads were estimated for lighting tariffs and the
14 loads for all tariffs, including sales for resale, were grossed up for losses and compared to
15 Net System Input ("NSI"). The difference between this sum and the NSI then was
16 allocated back to the AMI data in proportion to the hourly class AMI data.

17 In the third step, regression analysis was used to model the hourly loads for each
18 rate class. These models included a piecewise linear temperature response function of a
19 two-day weighted mean temperature.

20 In the fourth step, this temperature response function was used to compute daily
21 weather adjustments as the difference between loads predicted with normal weather and
22 loads predicted with actual weather. Normal weather was derived using spreadsheets

1 provided by the MPSC Staff. The normal weather represents average weather conditions
2 over the 1989-2018 time-period.

3 In the fifth step, the daily weather adjustments were split into hourly adjustments
4 and these were added to NSI to weather-normalize that series.

5 In the sixth step, the daily weather adjustments were split into billing months
6 based on the percentage of sales on each billing cycle and the meter reading schedule for
7 the test year period. These weather adjustments then are used to create a weather factor
8 for each class for each month, which are multiplied by billed kWh sales to weather-
9 normalize monthly class billed kWh sales. The Large Power (“LP”) tariff weather factor
10 is used to weather-normalize each individual customer within that class.

11 II. COVID-19 Impact

12 **Q: Did COVID-19 impact sales?**

13 A: Yes. Over the test-year, Kansas City and the surrounding areas experienced an economic
14 shift that has not historically been experienced before as state and local government
15 responded to COVID-19, forcing business shut-downs and a shift to people working from
16 home. For the Company, this resulted in significant increase in residential sales and
17 decreases in commercial and industrial sales.

18 **Q: Is the COVID adjustment calculated so that sales are adjusted to a baseline prior to
19 the COVID-19 pandemic?**

20 A: No. The COVID adjustment is calculated so that sales are adjusted to a new baseline; the
21 new baseline uses the values of the Google Mobility data during the period of March 1,
22 2021 through June 30, 2021. The time period used for the baseline will be re-evaluated at
23 true-up.

1 **Q: Please describe how the COVID-19 impact is captured.**

2 A: Evergy MO Metro included an additional variable in the weather normalization
3 regression analysis to estimate the impact of COVID-19 on its usage. The shift in daily
4 usage is captured in the residential, small GS, medium GS, large GS and LP classes
5 derived from the Google Mobility Data for the state of Missouri.

6 **Q: How was the Google Mobility data used in the rate case?**

7 A: The Google Mobility Reports provide daily device location estimates compared to a pre-
8 COVID baseline for Residences and Workplaces, as well as a few other types of
9 community locations. Residence location compared to baseline was used to estimate
10 COVID-19 impact on Residential electricity consumption and Workplace location
11 compared to a baseline (base line of February 14, 2020) was used to estimate COVID-19
12 impact on non-Residential electricity consumption.

13 The two Google Mobility data series were adjusted in three important ways: (1) The data
14 was adjusted for changes in location behaviors due to major holidays so that holiday
15 behaviors would not be incorrectly attributed to the COVID-19 pandemic; (2) The data
16 series were converted to a seven-day moving average so that location behaviors related to
17 the day of the week would not be attributed to the COVID-19 pandemic; and (3) Values
18 prior to March 1, 2020 were changed to zero, representing no difference from baseline,
19 because differences from baseline prior to that date likely were not related to the COVID-
20 19 pandemic. The COVID-19 variables used within the weather normalization models
21 are significant and explain the increase in residential usage and drop in commercial daily
22 usage.

1 **Q: Why was this new baseline used rather than a pre-pandemic baseline?**

2 A: Electricity consumption patterns among the Company’s customers and around the world
3 experienced meaningful change as a direct result of changes in geo-location behaviors
4 arising from the COVID-19 pandemic. To what degree any of those changes remain
5 permanently is unknown, but the Company determined the prudent course of action for
6 the time being is to use current information rather than assume all behaviors will go back
7 to prior baselines.

8 **Q: What is the weather impact on test-year sales?**

9 A: During the test year the residential class saw 2,815 HDD compared to normal of 2,993
10 HDD resulting in 178 HDD below normal and 1,356 CDD compared to a normal of
11 1,339 CDD resulting in 17 CDD above normal. In the non-residential classes (Small GS,
12 Large GS, and LP) there was an average of 1,876 HDD compared to a normal of 2,048
13 HDD resulting in 172 HDD below normal and an average of 2,413 CDD compared to a
14 normal 2,395 CDD resulting in 18 CDD above normal. Table 1 shows the test-year
15 weather normalized sales for the customer classes whose usage is weather-sensitive.
16 Normalized sales reflect an adjustment to actual sales for the impact of weather during
17 the billing month period.

18 **Table 1: Test-Year Weather Adjustments (MWh)**

Class	Actual	Weather Normal	Weather Adjustment	Percent Weather Adjustment
Residential	3,595,422	3,629,353	33,931	0.9%
Small GS	1,164,588	1,170,009	5,421	0.5%
Large GS	1,213,741	1,215,936	2,195	0.2%
Large Power	1,940,127	1,939,728	-399	0.0%
Total	7,913,879	7,955,026	41,147	0.5%

19

1 The total weather adjustment is significant over the test year period; sales are adjusted up
 2 0.5% (41,147 MWh). The effects of weather resulted in an upward adjustment due to a
 3 warmer than normal winter and a downward adjustment for a slightly warmer than
 4 normal summer. The most sensitive classes to the change in HDD (Residential) had a
 5 41,147 MWh adjustment. The other classes had a less impact by the change in HDD and
 6 are adjusted slightly up for the warmer heating period weather.

7 **Q: What is the COVID-19 impact on test-year sales?**

8 **A:** Table 2 shows total sales adjustments due to COVID-19 and weather which results in an
 9 adjustment of -28,695 MWh, a -0.4% decrease over test-years sales. Table 3 shows test-
 10 year actual sales, COVID-19 adjusted sales, weather adjusted sales and sales adjusted for
 11 both weather and COVID-19.

12 **Table 2: Test-Year Weather and COVID-19 Adjustments (MWh)**

Class	COVID Adjustment	Weather Adjustment	COVID & Weather Adjustment
Residential	-84,169	33,931	-50,238
Small GS	1,568	5,421	6,989
Large GS	5,593	2,195	7,787
Large Power	7,165	-399	6,766
Total	-69,843	41,147	-28,695

14 **Table 3: Test-Year Sales (MWh) Weather and COVID Impacts**

Class	Actual	COVID Adjusted	Weather Adjusted	COVID & Weather Adjusted
Residential	3,595,422	3,511,254	3,629,353	3,545,185
Small GS	1,164,588	1,166,156	1,170,009	1,171,577
Large GS	1,213,741	1,219,334	1,215,936	1,221,528
Large Power	1,940,127	1,947,293	1,939,728	1,946,894
Total	7,913,879	7,844,036	7,955,026	7,885,184

1 **III. 365 Day Adjustment**

2 **Q: Was an adjustment made to the test year Sales to normalize them to a 365-day year?**

3 A: An adjustment was made to the test year sales to normalize them for a 365-day test year.
4 The Company's sales during the test year do not directly coincide with the dates July 1,
5 2020 through June 30, 2021 due to the different billing dates for each customer's billing
6 cycle. The KWH sales billed during the test year billing months were adjusted to
7 represent a 365-day test year. The method employed by the company is the same as
8 Staff's method whereby test year billing days are summed across customer bill cycles and
9 a factor is computed to adjust sales upward or downward for billing days different from
10 365. The 365-day adjustment is shown in Schedule ARB-5

11 **IV. Rate Switchers & Customer Growth**

12 **Q: What adjustment did you make for rate switchers?**

13 A: Each year a small percentage of customers are switched from their current tariff to
14 another that is expected to reduce their electric bills. We adjusted kWh sales for the LP
15 tariff for customers that switched into or out of this tariff. There was one LP customers
16 who switched rates during the test year. The customer growth adjustment accounted for
17 rate switchers in the other tariffs. The rate switcher and customer growth adjustment are
18 shown in Schedule ARB-5

19 **Q: What adjustment did you make for customer growth?**

20 A: For each month in the test year, the weather-normalized sales per customer were
21 multiplied by the number of customers projected for the true-up date May 2022. This
22 adjustment is made to weather-normalized sales to the Residential, Small GS, and Large

1 GS classes. When the numbers become available, I will revise this adjustment using the
2 actual number of customers as of the true-up date of May 2022.

3 **Q: What adjustment did you make for LP?**

4 A: Sales to LP customers are adjusted by plotting each customer's monthly kWh sales and
5 looking for any changes in sales that appear to be or are known to be permanent resulting
6 in an annualization by account on an individual customer basis. If any such changes are
7 identified, sales during the test year are adjusted to reflect the change.

8 There were 178 customers in the LP class at the beginning of the test year. Six
9 customers ended service, one customer switched from Small General Service to the LP
10 class and five new customers were added to the LP class. There was also one customer
11 that had three bills cancelled at the end of the test year, but that customer remains an LP
12 class customer. This results in 178 LP customers annualized for the test period.
13 Customers that moved in or out of the LP class with partial data during the test year are
14 annualized for the full test year. The adjustments for growth to LP sales will be revised
15 using the most current data for the true-up.

16 **V. Energy Efficiency Annualization**

17 **Q: Were any other adjustments made besides the adjustment for rate switchers and**
18 **customer growth?**

19 A: Yes, an additional adjustment is made to annualize the impact of the Company's energy
20 efficiency programs on test year sales. During the test year, Evergy MO West invested
21 significantly in programs designed to help customers use energy more efficiently. The
22 result of this investment in energy efficiency programs is a decline in the sales made by
23 the Company relative to the level of sales that would be made absent the programs.

1 Because the Company programs generated customer savings during the test year and true
2 up period, the impact of those efficiency measures installed during the test year should be
3 annualized to reflect the full impact of the measures on the Company's sales.

4 **Q: Do installed efficiency measures in the test year affect the test year sales and why is**
5 **it necessary to further adjust sales to fully reflect the impact of the programs?**

6 A: Yes, if a residential customer who is not participating in any Company energy efficiency
7 programs has an annual average usage of 10,500 kWh and then decided to participate in
8 the Company programs with four months left in the test year, which now reduces their
9 actual test year usage to 10,000 kWh the Company would only see a reduction of 500
10 kWh in the test year. In this example on an annual basis going forward, however, the
11 customer's true annual average consumption is reduced by 1,500 kWh due to the energy
12 efficiency actions promoted by the Company. The reason is the change took place during
13 the test year, but the impacts of the installed measures are only reflected in one-third of
14 the test year load. The effect can be extreme when you start looking at all customer
15 participation rates and the fact that they sign up and participate in various programs
16 throughout the test year. Since the Company has documented participation rates and
17 measures installed in the test year, the annualized energy savings of those measures, and
18 the installation dates of the measures, it is appropriate to reflect the full energy impact of
19 the measures in the test year. This is a known and measurable change in the energy
20 consumption that occurred before the end of the test year, which will continue going
21 forward and should be annualized.

1 **Q: What are the adjustments to annualize the impact of Company’s energy efficiency**
2 **programs on the test year’s sales?**

3 A: Upon filing a rate case, the cumulative, annualized, normalized kWh and kilowatt (“kW”)
4 savings will be included in the unit sales and sales revenues used in setting rates as of an
5 appropriate time where actual results are known prior to the true-up period, to reflect
6 energy and demand savings in the billing determinants and sales revenues used in setting
7 the revenue requirements and tariffed rates in the case.

8 **Q: Describe how you calculated the energy efficiency adjustment.**

9 A: The calculation of the energy efficiency adjustment is based on the Commission’s
10 Amended Report and Order, File No. EO-2019-0132, March 11, 2020:

11 In the first step, Evergy MO West takes test period weather-normalized kWh
12 usage for each customer class by billing month and adjusts it by adding back the monthly
13 kWh energy savings by customer class incurred during the test period from all active
14 Missouri Energy Efficiency Investment Act (“MEEIA”) programs, excluding Home
15 Energy Reports and Income-Eligible Home Energy Reports programs which have a one
16 year measure life, determined using the same methodology as described in Tariff Sheets
17 138.4 and 138.5 (Evergy MO West) except that calendar month load shape percentages
18 by program by month will be converted to reflect billing month load shape percentages
19 by program by computing a weighted average of the current and succeeding month
20 percentages.

21 In the second step, the adjusted test period sales from above are annualized for
22 customers and additionally adjusted further by subtracting the cumulative annual kWh
23 energy savings from the first month of the test period through the month ending where

1 actual results are available (most likely two months prior to the true-up date) by customer
2 class from all active MEEIA programs, excluding Home Energy Reports and Income-
3 Eligible Home Energy Reports, determined using the same methodology as described in
4 Tariff Sheets 138.4 and 138.5 (Evergny MO West) except that calendar month load shape
5 percentages by program by month are converted to reflect billing month load shape
6 percentages by program, calculated by computing a weighted average of the current and
7 succeeding month percentages.

8 In the third step, the test period kW demand for each customer class is adjusted
9 by¹ adding back the monthly kW demand savings by customer class incurred during the
10 test period from all active MEEIA programs, excluding Home Energy Reports, Income-
11 Eligible Home Energy Reports and Demand Response Incentive programs, determined
12 using the same methodology as described for kWh savings in Tariff Sheets 138.4 and
13 138.5 (Evergny MO West) and then subtracting the cumulative annual kW demand
14 savings from the first month of the test period through the month ending where actual
15 results are available (most likely two months prior to the true-up date) by customer class
16 from all active MEEIA programs, excluding Home Energy Reports, Income-Eligible
17 Home Energy Reports and Demand Response Incentive programs, determined using the
18 same methodology as described for kWh savings in Tariff Sheets 138.4 and 138.5
19 (Evergny MO West).

¹ Step 1. Begin with kW demand per class provided by Company. Step 2. Compute Monthly kW demand per program in the same manner as used for TD calculation. Step 3. kW demand before application of Energy Efficiency (EE) adjustment. Step 4. Cumulative Annual kW demand per program computed in the same manner as TD calculation as of Rebase Date. Step 5. Monthly Load Shape percentage per program converted to billing month equivalent by using a weighted average calendar month Load Shape percentage based on billing cycle information of the rate case. Step 6. Monthly EE Rebase Adjustment. Step 7. kW demand rebased for EE.

1 In the fourth step, after the energy efficiency adjustment for kWh and kW has
2 been determined, weather-normalized kWh and kW are rebased with the energy
3 efficiency adjustment. kWh sales are rebased by subtracting the energy efficiency
4 adjustment from the weather normalized kWh and kW (demand) is determined by taking
5 the monthly kWh and spreading it across an hourly load shape to determine the monthly
6 peak demand.

7 The impacts that are applied to the weather-normalized and customer-adjusted
8 kWhs used to rebase the weather normalized sales are shown in Schedule ARB-2.

9 **Q: What are the results of these normalizations?**

10 A: Schedule ARB-1 shows the monthly adjustments for normalization on kWh sales.
11 Schedule ARB-2 shows the annualized kWh energy efficiency impact. Schedule ARB-3
12 shows weather-normalized customer annualized monthly peaks by class. Schedule ARB-
13 4 shows weather-normalized customer annualized loads by class at the time of the
14 monthly system peak load. Schedule ARB-5 shows a step through of adjustments made to
15 test year period sales.

16 **Q: How are these results used?**

17 A: Weather-normalized, customer-annualized kWh sales are used to calculate test year
18 revenues and fuel costs.

19 **Q: Does that conclude your testimony?**

20 A: Yes, it does.

WEATHER ADJUSTMENTS TO MONTHLY BILLED SALES OF EVERGY WEST

WEATHER ADJUSTMENTS TO MONTHLY MWH SALES

Weather Adjustment to Monthly Billed Sales														
Tariff		Jul-20	Aug-20	Sep-20	Oct-20	Nov-20	Dec-20	Jan-21	Feb-21	Mar-21	Apr-21	May-21	Jun-21	Test Year
WEST	Residential	-22,576	8,879	29,336	3,828	-12,463	26,493	34,466	-16,051	-8,071	11,768	-4,600	-17,077	33,931
	Small GS	-2,815	1,698	4,386	602	-1,805	3,878	5,429	-3,302	-829	1,341	-378	-2,784	5,421
	Large GS	-2,311	1,040	3,255	883	-1,274	1,537	2,581	-1,565	-499	361	-156	-1,656	2,195
	Large Power	-1,191	1,370	2,406	791	-1,140	-289	-12	12	-139	-542	237	-1,902	-399
	Total	-28,893	12,987	39,384	6,103	-16,684	31,620	42,464	-20,907	-9,537	12,926	-4,896	-23,419	41,147

ANNUALIZED ENERGY EFFICIENCY IMPACTS FOR EVERGY WEST

ENERGY EFFICIENCY ADJUSTMENT TO MONTHLY MWH SALES

Energy Efficiency Adjustment to Monthly Billed Sales														
State	Tariff	Jul-20	Aug-20	Sep-20	Oct-20	Nov-20	Dec-20	Jan-21	Feb-21	Mar-21	Apr-21	May-21	Jun-21	Test Year
West	Residential	-4,831	-5,125	-4,312	-3,747	-3,608	-3,657	-3,787	-3,396	-2,960	-2,714	-2,504	-2,253	-42,895
West	Small GS	-1,270	-1,270	-1,168	-1,089	-1,046	-902	-823	-792	-767	-761	-741	-724	-11,351
West	Large GS	-1,798	-1,777	-1,674	-1,627	-1,605	-1,482	-1,448	-1,378	-1,340	-1,333	-1,291	-1,204	-17,956
West	Large Power	-1,160	-1,176	-1,135	-987	-842	-800	-806	-786	-787	-804	-769	-734	-10,786
	Total	-9,059	-9,349	-8,288	-7,450	-7,101	-6,841	-6,865	-6,353	-5,854	-5,611	-5,305	-4,915	-82,990

WEATHER NORMALIZED MONTHLY PEAK LOADS (MW) for EVERGY WEST

WEATHER NORMALIZED MONTHLY PEAK LOADS WITH CUSTOMER GROWTH THROUGH May 2022 (MW) & EE Impact, COVID

Tariff		Jul-20	Aug-20	Sep-20	Oct-20	Nov-20	Dec-20	Jan-21	Feb-21	Mar-21	Apr-21	May-21	Jun-21	Test Year
West	Residential	1,228	1,187	1,058	718	717	934	917	989	793	560	837	1,025	1,228
	Small GS	300	305	277	227	203	233	249	245	223	193	242	269	305
	Large GS	257	266	249	225	188	201	203	198	193	198	225	233	266
	Large Power	301	304	292	274	252	249	253	253	247	254	271	284	304
	Lighting	16	16	16	16	16	16	12	12	12	12	12	12	16

Note: These numbers include losses.

WEATHER NORMALIZED MONTHLY COINCIDENT PEAK LOADS (MW) for EVERGY WEST

WEATHER NORMALIZED MONTHLY COINCIDENT PEAK LOADS WITH CUSTOMER GROWTH THROUGH May 2022 (MW) & EE Impact, COVID

Tariff		Jul-20	Aug-20	Sep-20	Oct-20	Nov-20	Dec-20	Jan-21	Feb-21	Mar-21	Apr-21	May-21	Jun-21	Test Year
West	Residential	1,197	1,149	1,035	652	702	890	917	989	782	544	837	940	1,197
	Small GS	284	290	263	217	173	211	208	216	211	169	208	265	290
	Large GS	238	251	232	209	162	159	174	178	189	171	198	219	251
	Large Power	298	300	288	271	243	190	242	227	226	225	261	278	300
	Lighting	0	0	0	0	16	0	12	12	0	0	0	0	16
	Total Retail	2,018	1,990	1,818	1,349	1,296	1,450	1,552	1,624	1,408	1,110	1,504	1,702	2,018
	Sales for Resale	6	5	5	3	3	4	5	6	5	4	5	6	6
	Total System	2,024	1,995	1,823	1,352	1,300	1,454	1,558	1,630	1,413	1,113	1,509	1,708	2,024

Note: These numbers include losses.

EVERGY WEST TEST YEAR ADJUSTMENTS

Direct: July 2020 - June 2021												
West												
kWh by Rate Schedule	kWh As Billed	Billing Adjustments	Test Year Billed kWh	Large Customer Annualization	COVID	Weather Normalization	365 Day	Rate Switcher	Energy Efficiency	Customer Growth	Total Adjustments	MO Adjusted Jurisdictional
Residential	3,595,422,465	-	3,595,422,465		(84,168,511)	33,930,846	(11,814,843)	-	(42,895,469)	72,889,801	(32,058,176)	3,563,364,289
Small General Service	1,164,587,817	-	1,164,587,817		1,567,893	5,421,123	453,447	(483,970)	(11,351,420)	30,334,994	25,942,067	1,190,529,884
Large General Service	1,213,741,332	-	1,213,741,332		5,592,541	2,194,598	(2,175,065)	-	(17,956,369)	(18,792,220)	(31,136,516)	1,182,604,816
Large Power Service	1,940,127,328	-	1,940,127,328	1,828,854	7,165,379	(399,109)	-	483,970	(10,786,486)	-	(1,707,392)	1,938,419,935
Thermal	199,498	-	199,498	-	-	-	-	-	-	-	-	199,498
TOD	7,395,207	-	7,395,207	-	-	-	-	-	-	-	-	7,395,207
Lighting	43,758,480	-	43,758,480	-	-	-	-	-	-	-	-	43,758,480
Total Rate Revenue	7,965,232,127	0	7,965,232,127	1,828,854	(69,842,699)	41,147,458	(13,536,461)	0	(82,989,744)	84,432,574	(38,960,018)	7,926,272,109
												Retail total excludes TOD and Thermal