Exhibit No.:

Issues:

Weather Normalization, Water

Utilization Trend Estimates, and

Customer Service Sureys

Witness:

Edward L. Spitznagel, Jr.

Exhibit Type:

Rebuttal

Sponsoring Party: Missouri-American Water Company

Case No.:

WR-2010-0131

SR-2010-0135

Date:

April 15, 2010

#### MISSOURI PUBLIC SERVICE COMMISSION

CASE NO. WR-2010-0131 CASE NO. SR-2010-0135

**REBUTTAL TESTIMONY** 

OF

EDWARD L. SPITZNAGEL, JR.

ON BEHALF OF

**MISSOURI-AMERICAN WATER COMPANY** 

## OF THE STATE OF MISSOURI

IN THE MATTER OF MISSOURI-AMERI WATER COMPANY FOR AUTHORITY FILE TARIFFS REFLECTING INCREAS RATES FOR WATER AND SEWER SERVICE	TO )
	DD I CDITZNACEL ID
AFFIDAVIT OF EDWA	RD L. SPITZNAGEL, JR.
is the witness who sponsors the accompanient that the stimony of Edward L. Spitznagel, Jr."; prepared by him and/or under his direction	that said testimony and schedules were on and supervision; that if inquires were nd schedules, he would respond as therein
	Edward L. Spitznagel, Jr.
State of Missouri County of St. Louis SUBSCRIBED and sworn to Before me this day of	2010.
Notary Public	<del>-</del>

My commission expires:

### **REBUTTAL TESTIMONY**

### EDWARD L. SPITZNAGEL, JR.

### **WITNESS INTRODUCTION**

1	Q.	PLEASE STATE YOUR NAME, BUSINESS ADDRESS, AND EMPLOYER.
2	A.	My name is Edward L. Spitznagel, Jr., and my business address is Campus Box
3		1146, One Brookings Drive, St Louis, Missouri 63130. I am employed by
4		Washington University.
5		
6	Q.	WHAT IS YOUR PRESENT POSITION?
7	A.	I am Professor of Mathematics in the College of Arts and Sciences at Washington
8		University. I also hold a joint appointment in the Division of Biostatistics of the
9		Washington University School of Medicine.
.0		
1	Q.	ARE YOU THE SAME EDWARD L. SPITZNAGEL, JR WHO FILED DIRECT
2		TESTIMONY IN THIS CASE?
3	A.	Yes, I am.
4		
5		PURPOSE AND SCOPE
16	Q.	WHAT IS THE PURPOSE OF YOUR REBUTTAL TESTIMONY?
17	A.	I will respond to both the Staff Report and to the testimony of Brian C. Collins, who
8		propose to use a six-year average consumption to estimate future water sales by

Missouri-American Water Company ("Missouri-American" or "Company"). I will

19

demonstrate that there is statistically significant evidence that water usage does depend upon an important weather variable, that is the Palmer Drought Severity Index (PDSI). I will also demonstrate that there is a statistically significant downward trend in per-customer per-day water consumption. A simple average of historical usage amounts will not adequately capture and predict for these variables. I will demonstrate the significance of both of these variables for the St. Louis County residential customers, who are the largest-consuming class of MAWC customers, in number and total volume. Generally, my arguments for the St. Louis County residential customers will hold true for the other customer classes for which I propose a weather normalization or trend adjustment.

Α.

### Q. PLEASE DESCRIBE YOUR EVIDENCE FOR WATER CONSUMPTION BEING DEPENDENT UPON THE PALMER DROUGHT SEVERITY INDEX.

This evidence is contained on pages 1 and 2 of Schedule\_ELS-2 from my Direct Testimony, in which both year (since 1990) and PDSI (averaged over the weathersensitive months of May through December) are statistically significant predictors in a multiple regression model. The overall model is statistically significant with a P-value of 0.0031. Said another way, there is a probability of only about 1 in 323 that the correlation of these factors in the model to actual results could occur by chance alone. The <u>year</u> term is statistically significant with a P-value of 0.0051, and the <u>PDSI</u> term is statistically significant with a P-value of 0.0159. Because the year term is negative, the use of a six-year average produces an over-estimate of consumption. Furthermore, by calculating the six-year average over the years

2002-2007 and thus omitting the extremely wet year 2008, Mr. Collins has increased the magnitude of his over-estimate.

3

11

13

14

15

16

17

18

19

20

1

2

#### DO YOU SEE THE SAME DEPENDENCE OF CONSUMPTION ON YEAR AND Q. 4 MOISTURE OVER THE ENTIRE RANGE OF AVAILABLE DATA? 5

A. Yes, a total of 19 years of consumption, from 1990 through 2008 is available. On 6 page 1 of Schedule ELS-1 attached to this rebuttal testimony. I have produced a 7 scatterplot of consumption in gallons per customer day (GCD) against year. There 8 is a clear downward trend over time, which is characterized by the regression line 9 superimposed on the scatterplot. A simple six year average will not adequately or 10 accurately reflect this downward trend. The downward slope of the regression line is −2.01 GCD per year, and this is statistically significant with a P-value of 0.0014. 12 When PDSI5 12 is added to the regression model, on Page 2, the downward slope of the regression line becomes -2.27 GCD/year, with a P-value of 0.0000080. The P-value for PDSI5 12 is 0.00018. The P-value of the model itself is 0.0000055, and the fraction of variability explained by the model is R-square = 0.78. That is, 78% of the variability in consumption (GCD) is explained by just two variables, time (year), and soil moisture (PDSI5 12).

### CAN ANNUAL RAINFALL BE USED AS A MEASURE OF SOIL MOISTURE TO Q. **REPLACE PDSI5 12?**

No. There are two issues with using annual rainfall. The first is in the St. Louis A. 21 region during the months of January through April, water consumption is almost 22 entirely indoors and thus is not driven by weather conditions. In fact, outside water 23

taps are usually turned off to prevent freezing. The second is that soil moisture is only partly determined by rainfall, the other parts being runoff, evaporation (from the soil) and evapotranspiration (through vegetation). It is better not to change predictors, particularly because of the two caveats regarding annual rainfall that I mentioned above, that it does not account for seasonality of water use, and it is only one determinant of soil moisture. (Two different years can have identical rainfall, but if in one year the rain takes the form of several downpours, there will be massive runoff and thus relatively low soil moisture compared with a year in which the rainfall is more evenly distributed over time.)

Α.

### Q. IN SUMMARY, IS EITHER THE STAFF OR MIEC ESTIMATE OF FUTURE WATER CONSUMPTION BIASED, AND IF SO, IN WHICH DIRECTION?

Because neither takes into account the downward trend in consumption over time, both estimates are biased upward. For example, Mr. Collins' six-year average over the years 2002 through 2007 is centered halfway between the years 2004 and 2005. Referring back to the slope coefficient -2.875 on Pages 1 and 2 of Schedule\_ELS-2 from my Direct Testimony, it overestimates 2010 weathernormalized consumption by 2.875 × (2010 – 2004.5) = 15.81 GCD.

Q. ON A DIFFERENT MATTER, ON PAGE 66-67 OF THE STAFF REPORT, STAFF
RECOMMENDS DISALLOWING THE PORTION OF THE INCENTIVE PAY
RELATING TO THE CUSTOMER AND SERVICE QUALITY SURVEYS BECAUSE
THE SAMPLE OF CUSTOMERS IS, IN ITS OPINION, TOO SMALL. PLEASE

### COMMENT ON THE RELIABILITY OF SAMPLING A SMALL FRACTION OF THE POPULATION?

The accuracy of an estimate depends primarily on the sample size and the estimated proportion. It depends on the population size only if the sample is an appreciable fraction of the population, which it is definitely not in this case. I have reviewed the results of the customer and service quality surveys and agree with the opinion research firms that the surveys were statistically valid. The best way to look at the issue is to calculate from the empirical proportion a single-sided exact binomial confidence interval for the population proportion. For example, based on the customers who said they were "satisfied" or "very satisfied" out of those sampled, the lower limit of a single-sided 95% confidence interval is more than 90% satisfied.


### Q. DOES THIS CONCLUDE YOUR TESTIMONY?

14 A. Yes, it does.

Α.

### Simple Linear Regression Model Predicting Consumption from Year

Year	GCD
1990	279.040
1991	293.898
1992	289.892
1993	255.977
1994	286.074
1995	276.154
1996	277.010
1997	280.274
1998	266.493
1999	287.354
2000	273.989
2001	281.165
2002	271.307
2003	244.906
2004	245.209
2005	267.914
2006	256.723
2007	265.361
2008	232.105



#### SUMMARY OUTPUT

Regression	n Statistics
Multiple R	0.677944131
R Square	0.459608245
Adj R Square	0.427820495
Std Error	12.65025588
Observations	19

### ANOVA

	df	SS	MS	F	Significance F
Regression	1	2313.80438	2313.80438	14.45865912	0.001423242
Residual	17	2720.492553	160.0289737		
Total	18	5034.296933			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%
Intercept	4297.573561	1059.195938	4.057392412	0.000818834	2062.862351	6532.284772
Year	-2.01477193	0.529860911	-3.80245435	0.001423242	-3.1326823	-0.89686156

PDSI
ır and
ım Yea
n froi
nsumptio
ပို့ ရ
Predictin
Mode
Regression
Multiple

							0.87	·		•			•			·			
NOV	1.09	0.89	1.59	6.95	1.50	-0.89	1.35	-1.17	2.56	-3.19	1.45	1.88	-1.26	1.53	3.73	-2.05	0.08	-2.57	5.21
OCT	1.30	0.41	-1.68	6.80	0.99	-0.56	0.79	-1.20	2.45	-2.11	1.51	2.14	-0.67	1.08	2.82	-2.02	90.0	-2.00	5.95
SEP	1.31	-0.51	-1.16	7.54	1:37	-0.34	1.18	-1.16	2.01	-1.69	1.63	1.65	-1.15	1.22	2.33	-1.78	-2.33	-1.92	6.67
AUG	2.23	-0.51	-1.33	5.17	2.14	3.13	1.24	-0.76	2.19	-1.40	1.99	1.77	-0.52	0.07	3.03	-1,85	-2.18	-1.31	4.93
JIL	2,47	0.52	-1.32	4.51	2.67	2.79	1.40	-1.01	2.90	-0.76	1.35	1.57	-0.71	0.58	1.61	-2.33	-2.56	-0.99	5.53
NOS	2.40	-1.32	-1.95	3.10	3.70	3.04	1.31	-0.30	2.49	-0.28	1.22	1.69	-0.29	0.94	1.19	-1.73	-2.61	-0.53	3.32
MAY	2,37	-0.40	-1.17	2.47	4.54	3.54	1.55	0.35	1.43	-0.28	0.18	1.44	3.30	0.28	1.78	-1.58	-3.00	-0.49	3,11
APR	0.70	-0.78	-0.38	2.84	5.58	1.49	0.65	0.11	2.15	2.68	-3.69	1.29	1.72	0.15	1.28	-0.88	-2.69	0.26	2.62
MAR	1.00	-0.80	-0.27	2.24	3.84	1.14	0.09	-0.30	1.99	2.53	-3.32	1.74	1.41	-1.56	1.98	-0.61	-2.32	-0.28	2.17
FEB	0.64	-0.59	-0.19	2.46	5.08	1.86	-1.10	2.26	1.05	2.91	-3.25	2.41	1.69	-1.68	1.63	4.63	-2.81	1.14	1.45
JAN	-3.23	-0.01	-0.31	2:46	5.44	2.17	-0.78	1.12	0.31	2.83	-3.47	1.40	2.16	-1.81	2.21	5.01	-2.36	0.83	0.18
ID Code	2302051990	2302051991	2302051992	2302051993	2302051994	2302051995	2302051996	2302051997	2302051998	2302051999	2302052000	2302052001	2302052002	2302052003	2302052004	2302052005	2302052006	2302052007	2302052008
					×														
,																			
GCD	279.040	293.898	289.892	255.977	286.074	276.154	277.010	280,274	266.493	287.354	273.989	281.165	271.307	244.906	245.209	267.914	256.723	265.361	232.105
PDS15_12	1.8950	0.0075	-0.6363	5.3400	2.2613	1.1838	1.2113	-0.8050	2.2775	-1.6038	1.3038	1.7375	-0.3500	0.9688	2.4788	-1.9750	-1.5375	-1.2200	5.0338
Year	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008

# SUMMARY OUTPUT

Regression Statistics	0.883250517	0.780131477	0.752647911	8.31746443	19
Regression	Multiple R	R Square	Adj R Square	Std Error	Observations

•	1
-	
2	ς
(	_
3	2
<	1
	_

	df		SS	MS	щ	Significance F
Regression		7	3927.4135	1963.70675	28.38538104	0.0000005461
Residual	19	16	16 1106.883433 69.18021455	69.18021455		
Total		48	18 5034.296933			

10	Coefficients	Coefficients Standard Error	t Stat	P-value	Lower 95%
Intercept	4821.295634	4821.295634 704.8069816 6.840590062 0.000003969 3327.171916	6.840590062	0.000003969	3327.171916
Year	-2.27463023	-2.27463023 0.352510783 -6.45265433 0.000007984 -3.02191954	-6.45265433	0.000007984	-3.02191954
PDS15_12	-4.61215107	-4.61215107 0.954982264	-4.82956725 0.000184850 -6.63662257	0.000184850	-6.63662257

### Multiple Regression Model Predicting Consumption from Year and Rainfall

Year	Rainfall	GCD
1990	45.09	279.040
1991	33.48	293.898
1992	33.49	289.892
1993	54.76	255.977
1994	34.70	286.074
1995	41.68	276.154
1996	43.67	277.010
1997	31.23	280.274
1998	43.62	266.493
1999	34.06	287.354
2000	37.37	273.989
2001	35.29	281.165
2002	40.95	271.307
2003	46.06	244.906
2004	42.27	245.209
2005	37.85	267.914
2006	29.93	256.723
2007	30.57	265.361
2008	57.96	232.105

#### SUMMARY OUTPUT

Regression Statistics					
Multiple R	0.915764758				
R Square	0.838625092				
Adj R Square	0.818453228				
Std Error	7.125698241				
Observations	19				

### ANOVA

	df	SS	MS	F	Significance F
Regression	2	4221.887726	2110.943863	41.57400179	0.000000460
Residual	16	812.4092067	50.77557542		
Total	18	5034.296933			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%
Intercept	4279.281846	596.63655	7.172342771	0.000002219	3014.469148	5544.094545
Year	-1.97929965	0.298518744	-6.63040325	0.000005781	-2.61213098	-1.34646833
Rainfall	-1.32584901	0.216283219	-6.13015201	0.000014500	-1.78434884	-0.86734917