STATE OF MISSOURI PUBLIC SERVICE COMMISSION **JEFFERSON CITY** March 14, 2000

CASE NO: GS-2000-62

Office of the Public Counsel P.O. Box 7800 Jefferson City, MO 65102

Robert J. Hack Missouri Gas Energy 3420 Broadway Kansas City, MO 64111 **General Counsel**

Missouri Public Service Commission P.O. Box 360 Jefferson City, MO 65102

Enclosed find certified copy of an ORDER in the above-numbered case(s).

Sincerely,

Ask Hard Roberts **Dale Hardy Roberts**

Secretary/Chief Regulatory Law Judge

STATE OF MISSOURI PUBLIC SERVICE COMMISSION

At a session of the Public Service Commission held at its office in Jefferson City on the 14th day of March, 2000.

ORDER CLOSING CASE

On July 6, 1999, at approximately 3:10 p.m., a flash fire resulted from the ignition of natural gas in a communications vault owned by Williams Communications near 1204 Walnut in Kansas City, Missouri. Staff began a formal investigation. On July 30, 1999, the Commission's Staff filed a Motion to Establish Docket to establish a case for the purpose of receiving information, including a gas incident report relating to the incident near 1204 Walnut, and for the purpose of ordering an appropriate response to the information.

Missouri Gas Energy, a Division of Southern Union Company (MGE) is a gas corporation subject to Commission jurisdiction under Sections 386.020(18) and 386.020(42), RSMo Supp. 1999. MGE provides natural gas service in Kansas City, Missouri.

The Commission determined that a case should be established to receive information relevant to the incident and to determine what, if any, action by the Commission is warranted. The Commission issued its Order Establishing Case on August 11, 1999.

Staff filed its Gas Incident Report on December 8, 1999, with a motion requesting that the Commission order MGE to respond. The Commission ordered a response in a corrected order issued on December 30, 1999. MGE filed its response on January 24, 2000.

On February 10, 2000, the Staff filed its recommendation that the Commission close this case. A memorandum attached to the recommendation indicates that MGE has addressed Staff recommendations by improving documentation procedures for contractors, utilizing MGE personnel to monitor contract work and providing training to inspectors and to contractors. MGE also responded to Staff recommendations regarding utility damage prevention by implementing procedures to more closely monitor job sites where directional drilling operations are utilized, support local permitting for directional drilling, improve line locate documentation, and work with the Commission's Staff and other organizations to foster damage prevention education.

The Commission finds that this incident has been investigated and that MGE has responded to Staff recommendations. No further action is required in this matter before the Missouri Public Service Commission. Therefore this case may be closed.

IT IS THEREFORE ORDERED:

1. That Case No. GS-2000-62 is hereby closed effective on March 24, 2000.

2. That this order shall become effective on March 24, 2000.

BY THE COMMISSION

Ask Hold Roberts


Dale Hardy Roberts

*Secretary/Chief Regulatory Law Judge

(SEAL)

Lumpe, Ch., Crumpton, Drainer, Murray, and Schemenauer, CC., concur.

Thornburg, Regulatory Law Judge



STATE OF MISSOURI OFFICE OF THE PUBLIC SERVICE COMMISSION

I have compared the preceding copy with the original on file in this office and I do hereby certify the same to be a true copy therefrom and the whole thereof.

WITNESS my hand and seal of the Public Service Commission, at Jefferson City, Missouri, this 14th day of March 2000.

Dale Hardy Roberts

ak Hared Roberts

Secretary/Chief Regulatory Law Judge