

# **SCHEDULE GLG-4**



Search



Welcome, Guest  
 Curious? Join our community!  
 Members: Log In  
 New? Register: Join Now!

Hot Topics | Livescience RSS Feeds | Newsletters

Space | Animals | Health | Environment | Technology | Culture | History | Video | Strange News | Community

Environment

Subscribe to RSS | View all Articles

# 2006 Hurricane Prediction Issued; Forecasting Guru Bill Gray Steps Aside

By Robert Roy Britt, LiveScience Managing Editor  
 posted: 06 December 2005 12:59 pm ET

Comments (0) | Recommend (0)

Just days after the official close of the busiest Atlantic hurricane season on record and with one hurricane still churning in the Atlantic, the first 2006 forecast is out already. To the surprise of no one it predicts an active season.

There's some modestly good news, however.

"We foresee another very active Atlantic basin tropical cyclone season in 2006," states a report from a team including long-time forecasting guru William Gray of Colorado State University. "However, we do not expect to see as many landfalling major hurricanes in the United States as we have experienced in 2004 and 2005."

This year, which was supposed to end Nov. 30, brought a record four major hurricanes ashore in the United States. Today, Hurricane Epsilon was still active in the Atlantic, though it does not threaten land.

Gray has been gazing into the crystal ball since 1984 to divine future hurricane activity with remarkable accuracy. In today's statement, he said he is letting colleague Philip Klotzbach take over the lead roll in the prognostications.

**The specifics**

The 2006 forecast calls for:

- **17 named tropical storms**; an average season has 9.6.
- **9 hurricanes** compared to the average of 5.9.
- **5 major hurricanes** with winds exceeding 110 mph; average is 2.3.

Though these statistical predictions cannot portend when any of the storms will form or where they will go, Klotzbach, Gray and colleagues calculate an 81 percent chance that at least one major hurricane will hit the U.S. coast in 2006.

How the 2006 forecast compares:

	2005	2006	Avg.
Tropical Storms	26	17	9.6
Hurricanes	13	9	5.9
Major Hurricanes	7	5	2.3

SOURCES: CSU, NOAA

The current series of busy seasons is part of a long-term cycle that climatologists had predicted years ago. The Atlantic is in its 11th year of heightened activity. It is expected to "continue for the the next decade or perhaps longer," said officials with the National Weather Service last week.

The cycle typically involves two or more decades of lull and two or more decades of high activity.

**Stepping aside**

In today's statement, presented as part of a scientific paper, the lead author was for the first time Klotzbach, with Gray listed second.

"After 22 years of making these forecasts, it is appropriate that I step back and have Phil Klotzbach assume the primary responsibility for our project's seasonal, monthly and landfall probability forecasts," Gray said.

Advertisement

**hp Trade-in & Save.**  
 Save from \$100-\$600 when you purchase a qualified printer and return your old ink or laser desktop printer (any brand, any condition) to HP for free recycling. Learn How.

**Let science come to you.**  
 Get top LiveScience stories delivered to your inbox.

**Most Popular**

Recommended  
 Commented

1. **Arctic Sea Ice Drops Fast in 2010, to Near-Record ...**
2. **Degraded Oil From BP Spill Coats Gulf Seafloor**
3. **Warming in Deep Southern Ocean Linked to Sea-Level ...**
4. **How Change of Seasons Affects Animals and Humans**
5. **Parting of Red Sea Jibes With Natural Laws**

Advertisement

Gray plans to stay involved while also pursuing other work.

"Phil is now devoting more time to the improvement of these forecasts than I am," he said. "I am now giving more of my efforts to the global warming issue and in synthesizing my projects' many years of hurricane and typhoon studies."

The hurricane predictions are based on computer models, historical storms, and data on global sea-surface temperatures, atmospheric conditions and other factors. In recent years, the method has been adopted and adapted by NOAA's National Hurricane Center, which makes its own long-term forecasts.

The forecast by Klotzbach's team will be revised April 4 and again May 31, prior to the start of the 2006 Atlantic hurricane season on June 1.

- [The Record-Setting 2005 Hurricane Season](#)
- [Schemes to Control the Weather Clouded by Failure](#)
- [Increase in Major Hurricanes Linked to Warmer Seas](#)
- [Natural Disasters: Top 10 U.S. Threats](#)



#### Comments (0)

You must be logged in to post a comment: [Log In](#) | [Register](#)

Post a Comment

Sort by:

[Space](#) | [Animals](#) | [Health](#) | [Environment](#) | [Technology](#) | [Culture](#) | [History](#) | [Strange News](#) | [Videos](#) | [Galleries](#) | [Hot Topics](#) | [Community](#) | [Tech Reviews](#)



[Site Map](#) | [About Us](#) | [Contact Us](#) | [Privacy Policy](#) | [Terms and Conditions](#) | [Advertise with Us](#) | [Partners](#) | [DMCA/Copyright](#)  
Copyright © 2010 TechMediaNetwork.com All rights reserved.