Debbie Neumann

From: Andrew Schwantner [aschwantner@bigrivertelephone.com]

Sent: Wednesday, May 30, 2007 11:47 AM

To: 'John Jennings'

Subject: FW: BFR

From: JOSEPHSON, DEBBIE (SWBT) [mailto:da8575@att.com]

Sent: Friday, February 10, 2006 10:21 AM

To: Andrew Schwantner **Subject:** FW: BFR

Hi, Andrew. I am in receipt of your BFR request; however, it is being returned and won't be processed because you have indicated in your description that Big River wants to do commingling, but you have indicated in the 'technical description' section of the request that you are wanting to order a loop and a port--which Big River can do. That type of arrangement is not considered commingling. Commingling would be more like a loop with an access element with it. Whenever you wish to combine a UNE element with an access product--that's considered commingling.

If you would like to talk about this further, please let me know. There's a chance that we may be speaking two different languages. Thanks!

Debbie Josephson

Account Manager-Industry Markets at&t Industry Markets
Four SBC Plaza, Room 720.03
Dallas, Texas 75202
(214) 464-4438 / ofc.
(214) 464-5150 / fax

email:da8575@txmail.sbc.com

----Original Message----

From: Andrew Schwantner [mailto:aschwantner@bigrivertelephone.com]

Sent: Wednesday, February 08, 2006 12:07 PM

To: JOSEPHSON, DEBBIE (SWBT)

Subject: BFR

Big River Telephone would like to commingle UNE Loops (offered pursuant to Section 251) with an analog local switch port (contained in our Interconnection Agreement, Att 6, para. 1.2.5) and offered pursuant to Section 271



Requester Information

Date of Request 02/08	8/2006 <u>D</u>	ate sent to BFR Manager	02/08/2006
CLEC Name	Big River Telephone		Request
_	Company, LLC	(Check on	e box only)
CLEC Type	UNE		BFR for UNE
Address 1	24 S. Minnesota		Dark Fiber
_			Wholesale ICB
Address 2			BFR for LNP
	Cape Girardeau		Leased Facilities
State	MO		Lusturier Decreed
	0.0000		
Zip	63703		Other (Describe in
Contact Person	Andrew Calaurate		General comments)
	Andrew Schwantner		
	Manager-Contract		
	Compliance		
Phone Number	(314) 225-2205	-	
FAX Number	(314) 225-2208		
	as@bigrivertelephone.com	<u>n</u>	
	Debbie Josephson		
Telephone Number _			
		State for which	MO
		Request is made	
		Operating	
Drawings and/or ash	nematics that can hold on	Company	

Drawings and/or schematics that can help explain your request are very beneficial to answering your request in a timely manner.

General Comments/ Drawings:

Big River Telephone would like to commingle UNE Loops (offered pursuant to Section 251) with an analog local switch port (contained in our Interconnection Agreement, Att 6, para. 1.2.5) and offered pursuant to Section 271.

SBC Missouri was to have listed Commingled Arrangements available for ordering in the CLEC Handbook, but none have been posted for 251/271 combinations.

Specifically, we are looking for a combination of :

- 1) 2 wire analog loop
 Analog line port
- 2) 2 wire analog loop
 Analog DID trunk port



Authorized Signature: Title:




For New UNE Requests

PLEASE BE AS SPECIFIC AS POSSIBLE - the more complete the request, the faster the request can be processed. Drawings or schematics, if they can provide clarity to your request are very helpful.

Provide a technical description of the requested element:					
Specifi	cally, w	ve are looking for a combination of :			
	1)) 2 wire analog loop			
		Analog line port			
	2)	2 wire analog loop			
		Analog DID trunk port			
		In all SBC MO central offices			



Location (Geographic area, CLLI, LATA, etc.)	Units (Calls, Lines, other)	Est	Estimate of Annual Demand			Busy Hour Calls	NPA- NXX- Exc
		Yr 1	Yr 2	Y 3	Y 4-6		
All SBC MO Central Offices							
							
							
-							
	 						
	 						
	-						





Interconnection Requests

Drawings or schematics are very helpful in understanding your request. Note: at least one site must be a serving PLEASE BE AS SPECIFIC AS POSSIBLE - the more complete the request, the faster the request can be processed. central office.

general services	- Constitution of the Cons		_	-		-	
	City						
8 Site	Street Address						
Location B Site	CLLI						
	City						
A Site	Street Address				-		
Location A Site	CLLI						
	Date Facility Type						
	Date Desired						
	Qty						



PLEASE BE AS SPECIFIC AS POSSIBLE - the more complete the request, the faster the request can be processed. Drawings or schematics are very helpful in understanding your request.

Request Co	mments:
Specifically, v	e are looking for a combination of :
1)	2 wire analog loop
	Analog line port
2)	2 wire analog loop
	Analog DID trunk port
	In all SBC MO central offices



This page for SBC Use Only

Account Manager completes this section

D (D)					
Date Received	Method of Delivery	Received by			
Time Received		Account Manager's			
		Name:			
		rtanic.			
For Leased Facilities	requests				
Does Requester have	a signed and filed interconnection agreement? \square (Y	es if Checked)			
If no, return th	e request until the agreement is signed and filed.	ŕ			
For UNE and Other R					
Does Requester have an approved interconnection agreement? [(Yes if Checked)					
If no, return the request until the agreement is approved.					
and, retain the request that the agreement is approved.					
Para International Control of the Co					
Does interconnection agreement address the request for this facility					
or offering? (Check if Yes)					
If no, why should we entertain the request now? (Only extraordinary circumstances					
will be accepted)	, (say samasanding on				

Account Manager - please forward to the MANAGER - BFR:

- Copies of all correspondence with CLEC regarding this request.
- Copy of the pages in the interconnection agreement that describes the manner in which the request should be handled

MANAGER - BFR

Debby Stanford 311 S. Akard, Rm. 1370.05 Dallas, TX 75202 Ph: 214-858-0192

FAX: 214-464-0280 Email: <u>BFR MAILBOX</u>

Manager for BFRs complete this section

Manager for Bi 13 complete this section				
	Method of Delivery:	Date Rcv'd from Acct Mgr:		
	Input into tracking database by:	CATS Tracking #:		