

22.1 Measurement:	
Mechanized Customer Production Support Center (MCPSC) Average Speed of Answer	
Definition:	
Average speed of answer for calls answered by the Mechanized Customer Production Support Center (MCPSC) for the SBC region.	
Exclusions:	
<ul style="list-style-type: none"> • Weekends • Holidays • Outside normal business hours 	
Business Rules:	
The clock starts when a call enters the queue and the clock stops when a SBC representative answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the MCPSC call management system queue until the CLEC call is transferred to a SBC personnel assigned to handling CLEC calls for assistance. Data is accumulated from 12:00 a.m. on the first calendar day to 11:59 p.m. on the last calendar day of the month for the reporting period. Normal business hours of operation are 7:00 a.m. to 7:00 p.m. CST. Monday through Friday.	
Calculation:	Report Structure:
Total amount of time between the receipt of a call to the selected regional option for the MCPSC until the call is answered by the SBC representative / Total number of calls answered by the MCPSC.	Reported for all calls to the MCPSC.
Disaggregations and Benchmarks:	
None	Less than 120 seconds. Critical-Z does not apply.

25. Measurement	
Local Operations Center (LOC) Grade Of Service (GOS)	
Definition:	
Percent of calls answered by the Local Operations Center (LOC) within 20 seconds	
Exclusions:	
None	
Business Rules:	
The clock starts when the customer enters the queue and the clock stops when the SBC representative answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC customer call into the SBC call management system queue until the CLEC customer call is transferred to SBC personnel assigned to handling CLEC calls for assistance. Data is accumulated from 12:00 a.m. on the first calendar day to 11:59 p.m. on the last calendar day of the month for the reporting period. The Measure includes calls to the LOC related to provisioning activities, e.g., coordinated conversions, as well as maintenance activities.	
Calculation:	Report Structure:
Total number of calls answered by the LOC 20 seconds ÷ total number of calls answered by the LOC	Reported for all calls to the LOC by operational separation and SBC Retail Repair Bureau (CSB) for maintenance calls by state.
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> • Maintenance Calls (i.e., calls to 1-800-220-4818) • Provisioning Calls – DSL (i.e., calls to 1-817-212-5900) • Provisioning Calls – All other (i.e., calls to Resale:1-817-212-5598; calls to Interconnection: 1-817-212-5588) (The telephone numbers above are subject to change, but notification will be made via an Accessible Letter.)	<ul style="list-style-type: none"> • Parity with SBC CSB • 90% within 20 seconds (Critical Z does not Apply) • 90% within 20 seconds (Critical Z does not Apply)

D. Provisioning

28. Measurement (PM 28 combined with PM 56, PM 56.1, PM 73, and PM 91)
Percent POTS/UNE-P/Specials/UNES/LNP Loop/LNP Standalone/Interconnection Trunks Installations Completed Within the customer requested due date.
Definition:
<u>POTS/UNE-P/Specials/UNES/LNP Loops/LNP Standalone</u> Measure of orders (circuits for specials) completed within the customer requested due date when that date is greater than or equal to the standard offered interval, (see Due Date Interval Matrix at the end of this document.), or if expedited the date agreed to by SBC.
<u>Interconnection Trunks</u> Percentage of interconnection trunks completed within the customer requested due date, where the requested customer requested due date is greater than or equal to 20 days or if expedited (accepted or not accepted) the date agreed to by SBC.
Exclusions:
<ul style="list-style-type: none"> • Excludes customer caused misses (e.g., customer not ready, construction not complete). • Excludes all orders except N, T, and C orders. • Excludes Weekends and Holidays. • Excludes circuits requested for less than the standard offered interval unless agreed to by SBC • NPAC caused delays unless caused by SBC (LNP only)
Business Rules:
<u>POTS/UNE-P</u> The clock starts on the Application Date, which is the day that SBC receives a correct Service Order (EASE) / LSR (LEX or EDI). The clock stops on the Completion Date which is the day that SBC personnel complete the service order activity. Orders are included in the month they are completed. There are 2 types of orders in the measurement. Same Day Due orders (defined as distribution time EQUAL or BEFORE 3:00 p.m. and Application Date = Distribution Date = Due Date. Next Day Due orders (defined as distribution time AFTER 3:00 p.m. and Application Date = Distribution Date and Due Date is one business day after Application Date. If the order is Same Day Due, then (Completion – Application Date), if the order is Next Day Due, then [(Completion – Next Business Day) + 1]. UNE Combinations, are reported at order level. Due dates for Field Work orders are determined by the offered interval on the due date board at the time that the order is distributed, unless an expedite has been accepted by SBC. If the CLEC submits an expedite which is not accepted or the LSR contains an invalid due date, the SBC agreed to due date will be substituted for the customer requested due date and included in this measure. Due dates for No Field Work Orders will be the due date requested on the LSR, except that, for a No Field Work Order submitted after 3:00 p.m. and the due date requested is the same business day, the due date will be the next business day, unless an expedite has been accepted by SBC. SBC will provide a diagnostic measure as to how often due date on FOC changes from requested. This will be in the form of a monthly report of the percentage of CLEC requested due dates which are confirmed by FOC, reported separately for resale and for UNE-P if technically feasible. (including/disaggregated by both Field Work and No Field Work orders).
<u>Specials</u> The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SBC personnel complete the service order activity by circuit. For orders requiring negotiated due dates, the negotiated due date will be considered the customer requested due date.

This measure is reported at a circuit level.

UNEs/EELS

The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SBC personnel complete the service order activity by circuit. For orders requiring negotiated due dates, the negotiated due date will be considered the customer requested due date. This measure includes expedites agreed to by SBC. This measure is reported at a circuit level.

LNP Loops

The start time is the date of the receipt of an accurate LSR. The Completion Date is the day that SBC personnel complete the service order activity. If the CLEC submits the LSR prior to 3:00 p.m. the CLEC may request a 3 day interval. If the LSR is submitted after 3:00 p.m. the CLEC can request a 4 day interval. The base of items is out of WFA (Work Force Administration) and it is reported at an order level to account for different measurement standards based on the number of circuits per order.

LNP Standalone

Industry guidelines for due dates for LNP are as follows:

- For Offices in which NXXs are previously opened – 3 Business Days.
- New NXX – 5 Business days on LNP capable NXX.

The above-noted due dates are from the date of the FOC receipt.

For partial LNP conversions that require restructuring of customer account:

- 1-30 TNs: Add one additional day to the FOC interval. The LNP due date intervals will continue to be three business days and five business days from the receipt of the FOC depending on whether the NXX has been previously opened or is new.
- >30 TNs, including entire NXX: The due dates are negotiated.

Interconnection Trunks

SBC will compare the completion date to the customer desired due date, where the requested customer requested due date is greater than or equal to 20 days or if expedited (accepted or not accepted) the date agreed to by SBC to determine the count of missed installations. The completion date is the date the work is completed and accepted by the CLEC. The measurement is taken for all circuits that complete in the reporting period. Interconnection trunks are selected based on a specific service code off of the circuit ID. Unsolicited FOCs will not be acknowledged in calculating due dates. (i.e., if an unsolicited FOC is received by CLEC, the due date on the first FOC will still be used as the due date.

Calculation:	Report Structure:
POTS/UNE-P/Specials/UNEs - (Count of orders/circuits installed within the requested interval ÷ total number of orders/circuits not subject to exclusions) * 100 LNP Loops/LNP Standalone - Count of N, T, C orders installed within customer requested due date ÷ total N, T, C orders excluding those requested earlier than the standard offered interval) * 100 Interconnection Trunks - (Count trunk circuits completed within the customer requested due date, where the requested customer requested due date is greater than or equal to 20 days or if	Reported for CLEC, all CLECs and SBC by state.

expedited (accepted or not accepted) the date agreed to by SBC ÷ total trunk circuits completed) * 100	
Disaggregations and Benchmarks:	
<u>POTS</u>	
1. Field Work (FW) <ul style="list-style-type: none"> - Bus Class of Svc - Res Class of Svc 	1. Resale POTS parity between Field Work compared to SBC Field Work (N, T, C order types)
2. No Field Work (NFW) <ul style="list-style-type: none"> - Bus Class of Svc - Res Class of Svc 	2. Resale POTS parity between No Field Work compared to SBC Retail No Field Work (N, T, C order types).
3. UNE-P -Field Work (FW)	3. UNE-P Parity between Field Work compared to SBC Retail Field Work (N, T, C order types)
4. UNE -P - No Field Work (NFW)	4. UNE-P Parity between No Field Work compared to SBC Retail No Field Work. (N, T, C order types).
	5. 95%
5. 8.0dB Loops (standalone and loop with LNP)	Resale Specials and UNEs
<u>Resale Specials/UNE</u>	
6. DS0 (DDS, VGPL, 5 db loops, switch ports)	6. 95%
7. DS1 and above (DS1, DS3, OCn and Dark Fiber) Loops and Transport	7. 95% in five days (Critical Z does not apply)
8. ISDN & BRI (resale, loops and ports)	8. 95%
9. DSL and Line Splitting	9. 95%
10. Line Sharing and IDSL)	10. 95%
11. EELS – DSO	11. 90%(5 days), 92% in 6 months, 95% in a year
12. EELS – DS1	12. 90%(5 days), 92% in 6 months, 95% in a year (Critical Z does not apply)
13. Interconnection trunks	13. 95%
14. <u>LNP only:</u> NXXs previously opened and NXX new (1-30 TNs and greater than 30 TNs)	14. 96.5%

30. Measurement (PM 30 Combined with PM 60)	
Percent SBC Missed Due Dates Due To Lack of Facilities	
Definition:	
POTS/UNE-P/Specials/8.0 dB Loops Percent N, T, and C orders with missed committed due dates due to lack of facilities.	
UNEs Percentage of UNEs circuits with missed committed due dates due to lack of facilities.	
Exclusions:	
<ul style="list-style-type: none"> • Excludes orders that are not N, T, or C. • Interconnection Trunks. 	
Business Rules:	
POTS/UNE-P – The Due Date is the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SBC which is the due date reflected on the FOC. The Completion Date is the day that SBC personnel complete the service order activity. UNE-P- are reported at order level. The lack of facilities is selected based on the missed reason code.	
Specials – The Due Date starts the clock. The Completion Date is the day that SBC personnel complete the service order activity, which stops the clock. The source is WFA (Work Force Administration) and is at an item or circuit level. Specials are selected based on a specific service code off of the circuit ID and by selected center names that indicate resale. The lack of facilities is selected based on the missed reason code.	
UNEs/EELS – Any completion date that is greater than the due date with a SBC lack of facilities missed reason code. This measurement is reported at a circuit level for all UNEs with the exception of 8db loops, which are reported at an order level to facilitate comparison with POTS retail.	
Calculation:	Report Structure:
(Count of orders / circuits with missed due dates due to lack of facilities ÷ total field work orders / circuits completed) * 100 (Calculated monthly based on posted orders)	Reported for CLEC, all CLECs and SBC Retail for POTS. By state.
Disaggregations and Benchmarks:	

<ol style="list-style-type: none"> 1. POTS- Field Work (FW) - Bus Class of Svc - Res Class of Svc 2. UNE-P -_Field Work (FW) 3. 8.0dB Loops <p><u>Resale Specials/UNEs:</u></p> <ol style="list-style-type: none"> 4. DS0 (DDS, VGPL, switch ports) 5. DS1 and above (DS1, OCn and Dark Fiber) Loops and Transport 6. ISDN & BRI (resale, loops, and ports) 7. DSL and Line Splitting 8. Line Sharing and IDSL 9. EELS – DS0 10. EELS – DS1 	<ol style="list-style-type: none"> 1. Resale POTS parity between Field Work compared to SBC Field Work (N, T, C order types) 2. UNE-P Parity between Field Work compared to SBC Field Work (N, T, C order types) 3. Compared to Business Retail POTS and Residence Retail POTS Combined 4. 5% 5. 4% (Critical Z does not apply) 6. 5% 7. 5% 8. 5% 9. 5% 10. 8%, 4% in 6 months (Critical Z does not apply) <p>Note: Comparisons are used for Diagnostic purposes only.</p>
---	--

32. Measurement (PM 32 Combined with PM 62 and PM 74)	
Average Delay Days For SBC Caused Missed Due Dates.	
Definition:	
<u>POTS/UNE-P/Specials</u> Average calendar days from due date to completion date on company missed orders /circuit.	
<u>UNEs/EELS</u> Average calendar days from the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SBC which is the due date reflected on the FOC, to completion date on company missed UNEs (8.0 dB loops are measured at an order level).	
<u>Interconnection Trunks</u> Average calendar days from customer requested due date where the date is greater than or equal to 20 days or if expedited (accepted or not) the date agreed to by SBC to completion date on company missed interconnection trunk orders.	
Exclusions:	
<ul style="list-style-type: none"> Excludes orders that are not N, T, or C. <p>For Specials/UNEs/Interconnection Trunks Only:</p> <ul style="list-style-type: none"> Excludes any incremental days attributable to the CLEC after the initial SBC caused delay. Does not exclude No Access attributable to the end user after the initial due date has been missed by SBC. 	
Business Rules:	
Resale POTS and UNE-P - The Due Date is the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SBC which is the due date reflected on the FOC. The Completion Date is the day that SBC personnel complete the service order activity. UNE-Ps are reported by the order that completes the service activity POTS and UNE-Ps are reported at an order level.	
Specials - The calculation is the difference in calendar days between the completion date and the due date. The source is WFA (Work Force Administration) and is reported at a circuit level. Specials are selected based on a specific service code off of the circuit ID.	
UNEs/EELS - The calculation is the difference in calendar days between the completion date and the FOC due date. The Due Date is the customer requested due date when that date is greater than or equal to the offered interval. If expedited (accepted or not accepted), the Due Date is the date agreed to by SBC, which is the due date reflected on the FOC. The data is reported at a circuit level. UNEs are selected based on a specific service code off of the circuit ID. This measurement is reported at a circuit level for all UNEs with the exception of 8.0 dB loops, which are reported at an order level to facilitate comparison with POTS retail.	
Interconnection Trunking - The calculation is the difference in calendar days between the completion date (the date the CLEC accepts the circuit) and the customer requested due date where the date is greater than or equal to 20 days or if expedited (accepted or not) the date agreed to by SBC. The data is reported at a circuit level. Interconnection Trunks are selected based on a specific service code off of the circuit ID.	
Calculation:	Report Structure:
$\Sigma(\text{Completion date} - \text{orders/committed circuits due date}) \div (\text{total \# of completed orders/posted circuits with a SBC caused missed due date})$	Reported for CLEC, all CLECs and SBC, by state.
Disaggregations and Benchmarks:	

<p>POTS</p> <ol style="list-style-type: none"> 1. Field Work (FW) - Bus Class of Svc - Res Class of Svc No Field Work (NFW) - Bus Class of Svc - Res Class of Svc 2. UNE-P Field Work (FW) No Field Work (NFW) 3. 8.0dB Loops – FW 8.0dB Loops - NFW <p><u>Resale Specials/UNEs:</u></p> <ol style="list-style-type: none"> 4. DS0 (DDS, VGPL, 5.0 dB loops, switch ports) 5. DS1 and above (DS1, DS3, OCn, and Dark Fiber) Loops and Transport) 6. ISDN & BRI (resale, loops and ports) 7. DSL and Line Splitting 8. Line Sharing and IDSL 9. EELS – DS0 10. EELS – DS1 11. Interconnection Trunks 	<ol style="list-style-type: none"> 1. Resale POTS parity between Field Work compared to SBC Field Work (N, T, C order types) and No Field Work compared to SBC Retail No Field Work (N, T, C order types). 2. UNE-P Parity between Field Work compared to SBC Field Work (N, T, C order types) and No Field Work compared to SBC Retail No Field Work. (N, T, C order types). 3. Compared to Business Retail POTS and Residence Retail POTS Combined – FW and NFW 4. 6 days 5. 6 days (Critical Z does not apply) 6. 5 days 7. 6 days 8. 6 days 9. 6 days 10. 6 days (Critical Z does not apply) 11. Parity with SBC Interoffice trunking network
--	--

35. Measurement (PM 35 Combined with PM 59 and PM 98)
Percent Trouble Report Within X Days (I-10 / I-30) of Installation
Definition:
Percent of N, T, C orders, (by circuit for specials), that receive an electronic or manual trouble report on or within 10 calendar days for POTS/UNE-P, or 30 calendar days for specials), of service order completion. Percentage of UNEs that receive a customer trouble report within "X" calendar days, where "x" is 10 calendar days for 8db loops and 30 calendar days for all other UNEs, of service order completion.
Exclusions:
<ul style="list-style-type: none"> • Excludes subsequent reports. A subsequent report is a repair report that is received while an existing repair report is open on the same number. • CLEC excludable reports. POTS reports taken on the completion date after the completion of the service order are not excluded unless another exclusion already applies. • Excludes reports caused by customer provided equipment (CPE) or wiring, Interexchange Carrier/Competitive Access Provider, and Informational. • Excludes trouble report received on the due date before service order completion. • Interconnection Trunks • Loops without test access - BRI • Orders that are not N, T, or C. • DSL loops > 12Kf with load coils, repeaters, and/or excessive bridged tap (as indicated on the Loop Qual) for which the CLEC has not authorized conditioning and those load coils, repeaters, and bridged taps that are determined to be the cause of trouble. • Trouble reports caused by lack of digital test capabilities on 2-wire BRI and IDSL capable loops where acceptance testing is available and not selected by the CLEC. • UNE DS1 Loop trouble reports where CLEC chooses not to do cooperative testing or acceptance testing between CLEC and SBC due to CLEC reasons on the due date. • Trouble reports for DSL stand alone loops caused by the lack of loop acceptance testing between CLEC and SBC due to CLEC reasons on the due date. • CLEC-caused errors. • NPAC-caused errors unless caused by SBC. • Stand Alone LNP Orders with more than 500 number activations.
Business Rules:
<u>POTS/UNE-P</u> Includes reports received the day after SBC personnel complete the service order through 10 calendar days after completion. The denominator for this measure is the total count of orders posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within 10 days of service order completion. These will be reported the month that they are closed. This will include troubles taken on the day of completion found to be as a result of a UNE-P conversion.
<u>Resale specials</u> A trouble report is counted if it is flagged on WFA (Work Force Administration) as a trouble report that had a service order completion within 30 days. It cannot be a repeat report. The order flagged against must be an addition in order for the trouble report to be counted. Specials are selected based on a specific service code off of the circuit ID. . The denominator for this measure is the total count of orders posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within 30 days of service order completion and closed within the reporting month.

UNES/EELS

A trouble report is counted if it is received within "X" calendar days, where "X" is 10 calendar days for 8db loops and 30 calendar days for all other UNEs, calendar days of a service order completion. UNEs are selected based on a specific service code off of the circuit ID. This measurement is reported at a circuit level. The denominator for this measure is the total count of circuits posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within "X" calendar days where "X" is 10 calendar days for 8db and 5dB loops and 30 calendar days for all other UNEs, calendar days of service order completion that were closed during the reporting month.

Calculation:	Report Structure:
(Count of initial, electronic or manual trouble reports on or within X (where X is 10 days for POTS/UNE-P and 8dB loops, UNE-P, and 30 days for Resale Specials) calendar days of service order completion ÷ total # of orders/total circuits) * 100	Reported for POTS Resale by CLEC, total CLECs and SBC, by state.
Disaggregations and Benchmarks:	
<p>1. POTS N& T orders C Orders Field Work (FW) No Field Work (NFW) Business class of service Residence class of service</p> <p>2. UNE-P New/Move Orders Change/conversion Orders Field Work (FW) No Field Work (NFW)</p> <p>3. 8.0dB Loop</p> <p><u>Specials Resale/UNE</u></p> <p>4. DS0 (DDS, VGPL, 5 db Loops, & switch ports) 5. DS1 and above (DS1,DS3, OCn and Dark Fiber) Loops and Transport 6. ISDN & BRI (resale, loops and ports)</p>	<p>1. Resale POTS parity between Field Work compared to SBC Field Work (N, T, and C order types) and No Field Work compared to SBC Retail No Field Work (N, T, and C order types).</p> <p>2. UNE-P Parity between Field Work New and Move orders compared to SBC Field Work New and Move orders. Parity between Field Work Change and Conversion orders compared to SBC Field Work Change orders. Parity between No Field Work New and Move orders compared to SBC Retail No Field Work New and Move orders. Parity between No Field Work Change and Conversion orders compared to SBC Retail No Field Work Change orders.</p> <p>3. Compared to Retail POTS Business and Retail POTS Residence combined</p> <p>4. 5%</p> <p>5. 4% (Critical Z does not apply)</p> <p>6. 5%</p> <p>7. 5%</p> <p>8. 5%</p>

7. DSL and Line Splitting	9. 8%, 5% in 6 months
8. Line Sharing and IDSL	10. 8%, 5% in 6 months (Critical Z does not apply)
9. EELS – DS0	
10. EELS – DS1	

101. Measurement:	
Percent Out of Service < 60 minutes	
Definition:	
The Number of LNP related conversions where the time required to facilitate the activation of the port in SBC's network is less than 60, expressed as a percentage of total number of activations that took place.	
Exclusions:	
<ul style="list-style-type: none"> • CLEC-caused errors. • NPAC-caused errors unless caused by SBC. • Stand Alone LNP Orders with more than 500 number activations. 	
Business Rules:	
The Start time is the receipt of the NPAC broadcast activation message in SBC's LSMS. The End time is when the Provisioning event is successfully completed in SBC's network as reflected in SBC's LSMS. Count the number of activations that took place in less than 60 minutes.	
Levels of Disaggregation:	
<ul style="list-style-type: none"> • None 	
Calculation:	Report Structure:
(Number of activations provisioned in less than 60minutes) ÷ (total LNP activations)* 100.	Reported by CLEC and all CLECs by state.
Disaggregations and Benchmarks:	
None	96.5% Critical z-value does not apply

E. Maintenance

37.1 Measurement (PM 37.1 Combined with PM 65.1)	
Trouble Report Rate net of installation and repeat reports	
Definition:	
The number of electronic or manual customer trouble reports exclusive of installation and repeat reports within a calendar month, per 100 lines/circuits/UNEs.	
Exclusions:	
<ul style="list-style-type: none"> • Excludes reports caused by customer provided equipment (CPE), Interexchange Carrier/Competitive Access Provider, and Informational or wiring. <ul style="list-style-type: none"> • CLEC Excludable reports POTS reports taken on the completion date after the completion of the service order are not excluded unless another exclusion already applies. • Excludes installation reports. An installation report is defined as any report that comes in within "X" calendar days of service order completion, where "X" is 10 for POTS and 8db loops and "X" is 30 for special services. • Excludes repeat reports. A repeat report is defined as a trouble report received within X calendar days of a previous customer report, where X is 10 days for POTS, 8.0dB loops, UNE-P and 30 days for resale specials and all other UNEs. • Excludes BRI loops without test access • Excludes DSL loops > 12Kf with load coils, repeaters, and/or excessive bridged tap (as indicated on the Loop Qual) for which the CLEC has not authorized conditioning and those load coils, repeaters, and bridged taps are determined to be the cause of trouble. • Excludes trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC. • UNE DS1 Loop trouble reports where CLEC chooses not to do cooperative testing or acceptance testing between CLEC and SBC due to CLEC reasons on the due date • 	
Business Rules:	
<u>POTS/UNE-P</u> CLEC and SBC repair reports are entered and tracked. They are downloaded nightly. Reports are counted in the month they post.	
<u>UNEs/EELS</u> Repair reports are entered and tracked by trouble ticket type. Reports are counted in the month they post.	
Calculation:	Report Structure:
[Total number of customer trouble reports less installation and repeat reports ÷ (total lines or circuits) ÷100]	Reported for POTS Resale trouble reports by CLEC, all CLECs and SBC, by state.
Disaggregations and Benchmarks:	

1. POTS Business class of service Residence class of service	1. POTS- Parity with SBC retail
2. UNE – P	2. UNE-P – Parity with Retail POTS Business and Retail POTS Residence combined.
3. 8.0dB Loops	3. Parity with Retail POTS Business and Retail POTS Residence combined.
<u>Specials Resale/UNE</u>	4. 5%
4. DS0 (DDS, VGPL, 5 db Loops, switch ports)	5. 4% (Critical Z does not apply)
5. DS1 and above (DS1, OCn and Dark Fiber) Loops and Transport	6. 5%
6. ISDN & BRI (resale, loops and ports)	7. 3%
7. DSL and Line Splitting	8. 3%
8. Line Sharing and IDSL	9. 5%
9. EELS – DS0	10. 4% (Critical Z does not apply)
10. EELS – DS1	

38. Measurement (PM 38 Combined With PM 66)	
Percent Missed Repair Commitments	
Definition:	
Percent of trouble reports not cleared by the commitment time.	
Exclusions:	
<ul style="list-style-type: none"> • CLEC excludable reports. POTS reports taken on the completion date after the completion of the service order are not excluded unless another exclusion already applies. • No Access and delayed maintenance for UNE loops. • Specials and Interconnection Trunks • Excludes trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational (UNE Only) 	
Business Rules:	
<u>POTS/UNE-P</u> The commitment date and time is established when the repair report is received. The cleared time is the date and time that SBC personnel clear the repair activity and complete the trouble report. If this is after the commitment time, the report is flagged as a "Missed Commitment."	
<u>UNE Loops</u> The commitment time is currently defined as 24 hours for 8.0dB loops. If the cleared date and time minus the receive date and time > 24 hours, it counts as a trouble report that missed the repair commitment. UNEs are selected based on a specific service code off of the circuit ID.	
Calculation:	Report Structure:
(Count of trouble reports not cleared by the commitment time ÷ total trouble reports) * 100	Reported for CLEC, all CLECs and SBC, by state.
Disaggregations and Benchmark:	
<ol style="list-style-type: none"> 1. POTS - Residence <ul style="list-style-type: none"> • Dispatch • No Dispatch POTS - Business <ul style="list-style-type: none"> • Dispatch • No Dispatch 2. UNE-P <ul style="list-style-type: none"> • Dispatch • No Dispatch 3. 8.0dB Loops 	<ol style="list-style-type: none"> 1. POTS - Parity with SBC Retail 2. UNE-P – Parity with SBC Retail POTS Business and Residence combined 3. Compared to SBC Retail POTS business and residence combined

39. Measurement (PM 39 Combines with PM 67 and PM 76)	
Mean time to restore / Average Trunk Restoration Interval	
Definition:	
<u>POTS/UNE-P</u> Average duration in calendar days / clock hours of customer trouble reports from the receipt of the customer trouble report to the time the trouble report is cleared.	
<u>UNES/EELS and Specials</u> Average duration of network customer trouble reports from the receipt of the customer trouble report to the time the trouble report is cleared excluding no access and delayed maintenance.	
<u>Interconnection Trunks</u> Average time to repair interconnection trunks. This measure is based on calendar days.	
Exclusions:	
<ul style="list-style-type: none"> • Subsequent reports. A subsequent report is one that is received while an existing repair report is open. • CLEC excludable reports POTS reports taken on the completion date after the completion of the service order are not excluded unless another exclusion already applies. • Exclude Tickets where the CLEC did not take the first available commitment time until SBC has the ability to exclude no access and delayed maintenance for POTS (WFA Conversion is expected to take place by the end of 2005). • Exclude Vendor meets • No Access Time • Delayed Maintenance Time • Trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational (does not apply to POTS) • Exclude Loops without test access – BRI • DSL loops > 12Kf with load coils, repeaters, and/or excessive bridged tap (as identified on the Loop Qual) for which the CLEC has not authorized conditioning and those load coils, repeaters and bridged taps are determined to be the cause of trouble. • Trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC 	
Business Rules:	
<u>POTS and UNE-Ps</u> The clock starts on the date and time SBC receives a trouble report. The clock stops on the date and time that SBC personnel clear the repair activity and complete the trouble report.	
<u>Specials</u> The start time is when the customer report is received and the stop time is when the report is closed. Specials are selected based on a specific service code off of the circuit ID.	
<u>UNEs/EELS</u> The start time is when the report is received. The stop time is when the report is cleared in the appropriate system.	
<u>Interconnection Trunks</u> The data is reported at a circuit level. Interconnection Trunks are selected based on the circuit being identified as a message type circuit. Start time is when the CLEC reports trouble and stop time is when SBC notifies the CLEC of service restoral.	
Calculation:	Report Structure:
\sum {(Date and time SBC clears ticket with the	Reported by CLEC, all CLECs and SBC, by market area for parity measures and by state

<p>CLEC) - (Date and time ticket or trouble report is received)] ÷ Total network customer trouble reports</p> <p>Total trunk outage duration ÷ total trunk trouble reports</p>	<p>for benchmark measures.</p>
<p>Disaggregations and Benchmarks:</p>	
<p>1. <u>POTS</u></p> <ul style="list-style-type: none"> - Affecting Service - Out of Service <ul style="list-style-type: none"> - Dispatch - No Dispatch <ul style="list-style-type: none"> - Residence - Business <p>2. <u>UNE-P</u></p> <ul style="list-style-type: none"> - Affecting Service - Out of Service <ul style="list-style-type: none"> - Dispatch - No Dispatch <ul style="list-style-type: none"> - Residence UNE-P - Business UNE-P <p>3. <u>8.0dB Loops</u></p> <ul style="list-style-type: none"> - Dispatch - No Dispatch <p><u>Specials Resale/UNE</u></p> <p>4. DS0 (DDS, VGPL, 5 db Loops, switch ports)</p> <p>5. DS1 and above (DS1, DS3, OCn and Dark Fiber) Loops and Transport)</p> <p>6. ISDN & BRI (resale, loops and ports)</p> <p>7. DSL and Line Splitting</p> <p>8. Line Sharing and IDSL</p> <p>9. EELS – DS0</p> <p>10. EELS – DS1</p> <p>11. Interoffice Trunks</p>	<p>1. POTS – Parity with SBC Retail</p> <p>2. UNE-P residence – Parity with SBC Retail Residence UNE-P Business – Parity with SBC Retail Business</p> <p>3. Compared to business and residence combined</p> <p>4. 12 hours</p> <p>5. 4.5 hours (Critical Z does not apply)</p> <p>6. 12 hours</p> <p>7. 7.5 hours</p> <p>8. 7.5 hours</p> <p>9. 12 hours</p> <p>10. 4.5 (Critical Z does not apply)</p> <p>11. Parity with SBC Interoffice Trunking Network</p>

40. Measurement	
Percent Out Of Service (OOS) < 24 Hours	
Definition:	
Percent of OOS trouble reports cleared in less than 24 hours.	
Exclusions:	
<ul style="list-style-type: none"> • Excludes subsequent reports. A subsequent report is one that is received while an existing repair report is open. • CLEC excludable reports. POTS reports taken on the completion date after the completion of the service order are not excluded unless another exclusion already applies. • Excludes reports marked as “No Access” to customer premises. • Excludes Affecting Service reports. 	
Business Rules:	
Customer trouble reports are cleared within 24 hours when: <ul style="list-style-type: none"> • The customer report is received Monday through Friday cleared within 24 hours. • The customer report is received Saturday and cleared within 48 hours. • The customer report is received Sunday and cleared before midnight Monday. • Holidays are excluded. 	
Calculation:	Report Structure:
(Count of OOS trouble reports < 24 hours ÷ total number of OOS trouble reports) * 100	Reported by CLEC, all CLECs and SBC by state.
Disaggregations and Benchmarks:	
1. <u>POTS</u> <ul style="list-style-type: none"> • Business class of service • Residence class of service 2. <u>UNE-P</u>	1. POTS – Parity with SBC 2. UNE-P - Parity with SBC Business and Residence combined. Note: Comparisons are used for Diagnostic purposes only.

41. Measurement (PM 41 Combined with PM 69)	
Percent Repeat Reports	
Definition:	
Percent of customer trouble reports received within X calendar days of a previous customer report. where X is 10 Days for POTS, UNE-P and 30 Days for Resale Specials and UNEs.	
Exclusions:	
<ul style="list-style-type: none"> • Excludes subsequent reports. A subsequent report is one that is received while an existing repair report is open. <ul style="list-style-type: none"> • CLEC excludable reports. POTS reports taken on the completion date after the completion of the service order are not excluded unless another exclusion already applies. • • Interconnection Trunks • Trouble tickets that are coded to Customer Premise Equipment, Interexchange Carrier/Competitive Access Provider, and Informational • Loops without test access – BRI • DSL loops > 12Kf with load coils, repeaters, and/or excessive bridged tap (as indicated on the Loop Qual) for which the CLEC has not authorized conditioning and those load coils, repeaters and bridged taps are determined to be the cause of trouble. • Trouble reports caused by lack of digital test capabilities on 2-wire and IDSL capable loops where acceptance testing is available and not selected by the CLEC. 	
Business Rules:	
Includes customer trouble reports received within X calendar days of an original customer report, where X is 10 days for POTS and UNE-P and 30 days for Resale Specials and UNEs. When the second report is received in X days, the original report is marked as an Original of a Repeat, and the second report is marked as a Repeat. If a third report is received within X days, the second report is marked as an Original of a Repeat as well as being a Repeat, and the third report is marked as a Repeat. In this case there would be two repeat reports. If either the original or the second report within 30 days is a measured report, then the second report counts as a Repeat report.	
Calculation:	Report Structure:
Count of customer trouble reports, not caused by CPE or wiring and excluding subsequent reports, received within X calendar days of a previous customer report where X is 10 days for POTS and UNE-P and 30 days for Resale Specials and UNEs ÷ total customer trouble reports not caused by CPE or wiring and excluding subsequent reports) * 100	Reported by CLEC, all CLECs and SBC, by market area for parity measures and by state for benchmark measures.
Disaggregations and Benchmarks:	
<ol style="list-style-type: none"> 1. <u>POTS</u> <ul style="list-style-type: none"> - <u>Residence</u> - <u>Business</u> 2. <u>UNE-P</u> 3. <u>8.0dB Loop</u> <p><u>Resale Specials/UNEs:</u></p> <ol style="list-style-type: none"> 4. DS0 (DDS, VGPL, 5 db Loops, switch ports) 5. DS1 and above (DS1, DS3, OCn and Dark Fiber) Loops and Transport 	<ol style="list-style-type: none"> 1. Parity With SBC Retail POTS 2. Parity with SBC Retail Pots Business and Residence Combined 3. Compared to SBC Retail POTS business and residence combined 4. 10% 5. 15% 10% 6 months (Critical Z does not apply)

6. ISDN & BRI (resale, loops and ports)	6. 10%
7. DSL and Line Splitting	7. 7.5%
8. Line Sharing and IDSL	8. 7.5%
9. EELS – DS0	9. 10%
10. EELS – DS1	10. 15% 10% in 6 months (Critical Z does not apply)

F. Interconnection Trunks

70. Measurement:	
Percentage of Trunk Blockage	
Definition:	
Percentage of calls blocked on outgoing traffic for alternate final (AF) and direct final (DF) trunk groups from SBC end office to CLEC end office and from SBC tandem to CLEC end office.	
Exclusions:	
<ul style="list-style-type: none"> • Excludes Weekends and Holidays • CLECs have trunks busied-out for maintenance at their end, or have other network problems that are under their control. • Blocking caused by unplanned load on a CLECs network • SBC is ready for turn-up on Due Date and CLEC is not ready or not available for turn-up of trunks, e.g. not ready to accept traffic from SBC on the due date or CLEC has no facilities or equipment at CLEC end. • CLEC does not take action upon receipt of Trunk Group Service Request (TGSR) or ASR within 3 business days (day 0 is the business day the TGSR is emailed/faxed to the CLEC) when a Call Blocking situation is identified by SBC or in the timeframe specified in the InterConnection Agreement (ICA). • If CLEC does not take action upon receipt of TGSR within 10 business days (day 0 as described above) when a pre-service of 75% or greater occupancy situation is identified by SBC or in the time frame specified in the ICA. • If CLEC fails to provide a forecast within the last six months unless a different timeframe is specified in an interconnection agreement. • If a CLEC's actual trunk usage as shown by SBC from traffic usage studies is more than 25% above the CLEC's most recent forecast which must have been provided within the last six months. • New trunk groups that have not been in service for three months may be excluded from calculations for that 3 month period. Nevertheless, utilization data will be gathered upon the turn-up of the TG. <p>The exclusions do not apply if SBC fails to timely provide CLEC with traffic utilization data reasonably required for CLEC to develop its forecast or if SBC refuses to accept CLEC trunk orders (ASRs or TGSRs) that are within the CLEC's reasonable forecast regardless of what the current usage data is.</p>	
Business Rules:	
Twenty days of data consisting of blocked calls and total calls are collected, aggregated and reported.	
Calculation:	Report Structure:
$\frac{(\{\text{Count of blocked calls} - \text{excluded blocked calls}\} \div \text{total calls offered} - \{\text{excluded blocked calls}\}) * 100}{}$	Reported for CLEC and all CLECs by state.
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> • SBC end office to CLEC end office • SBC tandem to end office trunk 	Blocked Calls on Dedicated Trunk Groups not to exceed blocking standard of B.01. [B.01 standard is 1%]

71. Measurement:	
Common Transport Trunk Blockage	
Definition:	
Percentage of local common transport trunk groups exceeding 2%, 1% blockage.	
Exclusions:	
No data is collected on weekends or holidays	
Business Rules:	
Common transport trunk groups that reflect blocking in excess of 2% and 1% (if a separate common transport trunk group is established to carry CLEC traffic only) using a time consistent busy hour from the four most recent weeks of data.	
Calculation:	Report Structure:
(Number of common transport trunk groups exceeding 2%, 1% blocking ÷ total common transport trunk groups) * 100.	Reported on local common transport trunk groups by state.
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> • Common trunk groups where CLECs share ILEC trunks • Common trunk groups for CLECs not shared by ILEC 	<ul style="list-style-type: none"> • 3% of SBC common transport trunk groups not to exceed 2% blocking • 3% of SBC common transport trunk groups not to exceed 1% blockage (if a separate common transport trunk group is established to carry CLEC traffic only).

73.1 Measurement	
Percentage Held Interconnection Trunks	
Definition:	
Percentage of interconnection trunk circuits held greater than 30, 60 or 90 calendar days.	
Exclusions:	
<ul style="list-style-type: none"> • Customer Caused Misses • Excludes any incremental days attributable to the CLEC after the initial SBC caused delay. 	
Business Rules:	
<p>The Customer Desired Due Date or the 21st business day after the interconnection trunk order is received by SBC, whichever is greater, starts the clock. The Completion Date is the day that SBC personnel complete the service order activity and it is accepted by the CLEC, which stops the clock. The data is collected at a circuit level. Interconnection trunks are selected based on a specific service code off of the circuit ID.</p> <p>The number of Held circuits is to be calculated by counting the number of circuits that are in held status as of the end of the reporting month. A circuit is no longer in held status once it is completed. This measure captures circuits that are currently in held status as of month-end, not circuits that were completed during the month that may have been in held status prior to completion (data related to missed due dates and delay days is captured separately in PMs 73 and 74).</p> <p>The Denominator will be completed orders plus held circuits.</p>	
Calculation:	Report Structure:
(Count of trunk circuits held for greater than 30, 60 or 90 calendar days ÷ total trunk circuits) * 100,	Reported by CLEC, all CLECs and SBC by state.
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> • Interconnection Trunks by 30, 60 and 90 days 	Parity with SBC interconnection trunks. (For purposes of damages, only applicable to trunk circuits held greater than 30 days.)

G. 911

104. Measurement	
Average Time Required to Update 911 Database (Facility Based Providers)	
Definition:	
The average time it takes to update the 911 database file.	
Exclusions:	
None	
Business Rules:	
The clock starts on the date/time when the data processing starts and the clock stops on the date/time when the data processing is complete.	
Calculation:	Report Structure:
$\Sigma(\text{Date and time data processing begins} - \text{date and time data processing ends}) \div \text{total number of files}$	Reported for individual CLEC, all CLECs and SBC, by state.
Disaggregations and Benchmarks:	
None	Parity

H. Collocation

107. Measurement	
Percentage Missed Collocation Due Dates	
Definition:	
The percentage of SBC caused missed due dates for collocation projects.	
Exclusions:	
<ul style="list-style-type: none"> Exclude any applications rejected for non-payment within the times requested under tariff Exclude if the CLEC has not submitted their second fifty percent (50%) payment prior to the due date, SBC- will exclude the job from reporting. 	
Business Rules:	
<p>The clock starts when SBC receives, in compliance with the approved tariff, return of proposed layout for space as specified in the application form from the CLEC. However, for purposes of the measure, once SBC provides a quote to a CLEC, the application is deemed to be in compliance with the approved Tariff. The clock stops when the CLEC receives notice in writing or other method agreed to by the parties that the collocation arrangement is complete and ready for CLEC occupancy, and CLEC receives CFA/APOT information. . If the CLEC does not accept the collocation space because the space is not complete and ready for occupancy as specified, and notifies SBC of such within 5 business days, the collocation will be considered not complete and the time frame required for the CLEC to reject the collocation space (up to 5 business days) and any additional time required for SBC to complete the space per the specifications will be counted as part of the interval.</p> <p>Any time exceeding the 5 business days will not be counted as part of the interval. Due Date Extensions will be extended when mutually agreed to by SBC and the CLEC, or when a CLEC fails to complete work items for which they are responsible in the allotted time frame. However, a due date extension resulting from SBC notification that it will not meet the required interval, will not be considered a change in the due date for purpose of this measure. Moreover, any change in due date requested by SBC for whatever reason will not be considered to be a change in due date for purpose of this measure. A CLEC-requested extended due date will be calculated by adding to the original due date the number of calendar days that the CLEC was late in performing said work items. Work items include but are not limited to:</p> <ul style="list-style-type: none"> CLEC return to SBC corrected and complete floor plan drawings. CLEC placement of required component(s). <p>If the business rules and tariff are inconsistent, the terms of the tariff will apply. If inconsistencies are identified, SBC will bring these forward for discussion at the next 6-month review.</p>	
Calculation:	Report Structure:
(count of number of SBC caused missed due dates for collocation facilities ÷ total number of collocation projects) * 100	Reported for individual CLEC and all CLECs and SBC affiliate, by state
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> New Augments <p>Note: All approved types, e.g. Cages, Cageless, etc. are now included in these)</p>	95% within the due date in the SBC Missouri Interstate Tariff or if the CLEC requests a longer interval, the interval agreed to by the parties. Damages and Assessments will be calculated based on the number of days late. (Critical Z does not apply)

I. Coordinated Conversions

115.2. Measurement	
Combined Outage Percentage of CHC/FDT LNP with Loop Lines Conversions	
Definition:	
Percentage of CHC/FDT LNP with Loop Lines where an outage occurs.	
Exclusions:	
<ul style="list-style-type: none"> • CLEC caused delays (e.g., no dial tone from CLEC: CLEC translations) that do not allow SBC the opportunity to complete CHC/FDT LNP with Loop within the designated interval. • Change of the Due Date by the CLEC less than four business hours prior to the scheduled Date/Time. • CHC/FDT LNP with Loop Lines where the CLEC requests that the cut-over begin prior to the scheduled time. • Excludes Non-Measured reports (CPE, Interexchange, and Informational). • Reports for which the trouble is attributable to the SBC network (unless SBC had knowledge of the trouble prior to the due date). • Excludes no access to the end user's location. 	
Business Rules:	
An outage is defined as (1) a premature disconnect for both CHC and FDT, which occurs any time SBC begins the cut-over more than 10 minutes prior to the scheduled start time, and (2) an excessive duration for CHC or FDT (where the CHC or FDT LNP with Loop Lines are not completed by SBC within the established provisioning intervals, and (3) a CHC or FDT PTR (where the CLEC submits a trouble report on the day of conversion, or before noon on the next business day).	
Calculation:	Report Structure:
(Count of outages ÷ total coordinated conversions) * 100	Reported by CLEC and all CLECs by state.
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> • Enhanced Daily Process (Includes original CHC.FDT for LNP with DSL compatible loop) • Defined Batch Process • Bulk Batch Process 	<p>2%</p> <p>2%</p> <p>2%</p>

J. NXX

117. Measurement
Percent NXXs loaded and tested by the LERG effective date
Definition:
Measures the percent of NXX(s) loaded and tested in the end office and/or tandem switches by the LERG effective date
Exclusions:

<ul style="list-style-type: none"> • Requests from CLECs where no signed Interconnection Agreement exists • Requests from CLECs where their Infrastructure is not complete preventing us from performing the appropriate testing to establish the NXX • Requests by CLECs where an appropriate test number has not been provided to perform required testing to establish the NXX 	
Business Rules:	
Data for the initial NXX(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s) where an appropriate point of interconnection was not established prior to the LERG effective date. Data for additional NXXs in the local calling area will be based on the LERG effective date.	
Calculation:	Report Structure:
(Total count of NXXs loaded and tested by LERG date, or interconnection date ÷ total NXXs loaded and tested) * 100	Reported by CLEC, all CLECs and SBC, by state.
Disaggregations and Benchmarks:	
• None	Parity

K. Bona Fide/Special Request Process (BFRs)

120. Measurement	
Percentage of Requests Processed Within 30 Business Days	
Definition:	
Percentage of Bona fide/Special requests processed and preliminary analysis or denial notices provided to the customer within 30 business days of receipt of BFR.	
Exclusions:	
Excludes weekends and holidays.	
Business Rules:	
The clock starts when SBC receives the application. The clock stops when SBC responds with the preliminary analysis or denial notification.	
Calculation:	Report Structure:
(Count of number of requests processed within 30 days ÷ total number of requests) * 100	Reported by CLEC, all CLECs, and SBC affiliate, by state.
Disaggregations and Benchmarks:	
None	90% within 30 business days. (Critical Z does not apply) Note: Benchmark is provided for Diagnostic purposes only

124. Measurement	
Timely Resolution of Significant Software Failures Related to Releases	
Definition:	
Measures timely resolution of software errors after a Release that is having a significant impact on CLEC business activity.	
Exclusions:	
Errors where a workaround, transparent to the CLEC, is available (workaround in this sense does not include manual faxing to the LSC or any other action required by the CLEC)	
Business Rules:	
<p>Software errors identified in production within two weeks of the release with no work-arounds that have a disabling affect on CLECs ability to conduct business. Significant or disabling effect on the CLEC is defined as an inability to pass to SBC or receive back from SBC order activity on more than 10% of the CLEC LSRs relative to normal work volumes. This impact will be viewed on a per CLEC basis, upon notification by the CLEC to the OSS Help Desk that they are impacted. Problem resolution time will start being measured from the time the problem is reported to the help desk to the time the software fix is implemented or a workaround is in place. For Tier 1 damages, the CLEC is responsible for reporting the problem to the OSS Help Desk in order for this measure to apply to the individual CLECs and will be paid to those identified with an impact of 10% or more as outlined above.</p> <p>SBC cannot reasonably determine how a given software release issue impacts all CLECs. Therefore, self-reporting by the CLEC is necessary. SBC will proactively determine and report impacted CLECs if the software problem impacts all LSRs in the major categories of RESALE:</p> <ul style="list-style-type: none"> UNE-P UNE Loop DSL Capable Loops DSL with Line Sharing LNP only <p>In this case, SBC will determine if these major categories represent 10% or more of the CLEC's LSRs based on PM5 results for the prior month.</p>	
Calculation:	Report Structure:
(# Significant Software Failures resolved within 48 hours ÷ Total Significant Software Failures)*100	By CLEC
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> • None 	95% completed within 48 hours or 2 days. (Critical Z does not apply)

DUE DATE INTERVAL MATRIX

PRODUCT	QUANTITY	INTERVAL (DAYS)
UNE:		
8.0 dB Loop w/wo enhanced daily batch hot cuts	1 – 10	3
	11 – 20	7
	21+	10
8.0 dB Loop with defined batch cut process	As defined	13
8.0 dB Loop with bulk batch cut process	As defined	Negotiate
5.0 dB Loop	1 – 10	3
	11 – 20	7
	21+	10
BRI Loop	1 -10	4
	11 – 20	10
	21+	Negotiate
DS1 Loop	1 – 20	5
	21+	Negotiate
Analog Line Port	ALL	2
Analog Trunk Port	ALL	2
DS1 Dedicated Transport	1 – 20	5
	21+	Negotiate
DS3 Dedicated Transport	1 – 20	5
	21+	Negotiate
ISDN – PRI Loop	1 – 20	5
	21+	10
Dark Fiber	1 – 20	5
	21+	Negotiate
Standalone INP	1 – 10	3
	11 – 20	7
	21+	10
DSL No-Line Sharing – Conditioned	ALL	10
DSL No-Line Sharing – Non-Conditioned	ALL	5
DSL Line Sharing – Conditioned	1 – 24	10
	25+	Negotiate
DSL Line Sharing – Non-Conditioned	1 – 24	3
	25+	Negotiate
Voice Over Data – Conditioned	ALL	10
Voice Over Data – Non-Conditioned	ALL	5
OCn – Loop	1 – 20	25Negotiate
	21+	
DSL with Line Splitting	1 – 20	5
	21+	Negotiate
EELS	1 – 20	5
	21+	Negotiate
Subtending Digital Direct Trunks	ALL	3
DS1 Digital Trunk Port DID	ALL	8

RESOLD SPECIALS:		
DDS	1 – 8 9+	7 Negotiate
DS1	1 – 5 6+	7 Negotiate
DS3	ALL	Negotiate
VGPL	1 – 8 9 – 16 17 – 24 25+	5 7 9 Negotiate
BRI - RES	1 – 8 9+	10 Negotiate
- BUS	1 – 8 9+	5 Negotiate
PRI	24 – 120 121+	9 Negotiate
UNE-P ISDN	1 – 8 9+	5 Negotiate
OCn	ALL	Negotiate