This page is intentionally left blank. This page is inserted to maintain sequential numbering for filing purposes.

This page is intentionally left blank. This page is inserted to maintain sequential numbering for filing purposes.

APPENDIX LAWFUL SUB-LOOP ELEMENTS

- 1.0 SBC MISSOURI will provide sub-loop elements as Unbundled Network Elements as set forth in this Appendix pursuant to the Terms and Conditions specifically set out in Attachment 6 UNE and/or Attachment 25 DSL in this Agreement.
- 1.1 A subloop is a smaller segment of SBC MISSOURI's local loop plant, i.e., a portion of the loop from a point of technically feasible access beyond SBC MISSOURI's central office and, up to and including, the network demarcation point, including that portion of the loop, if any, which SBC MISSOURI owns or controls inside the customer premises, including multiunit premises.
 - 1.1.1 Point of technically feasible access. A point of technically feasible access is any point in the incumbent LEC's outside plant where a technician can access the copper wire within a cable without removing a splice case. Such points include, but are not limited to, a pole or pedestal, the serving area interface, the network interface device, the minimum point of entry, any remote terminal, and the feeder/distribution interface. SBC MISSOURI shall, upon site-specific request, provide access to a copper subloop at a splice near a remote terminal. SBC MISSOURI shall be compensated for providing this access in accordance with §§ 51.501 through 51.515.

2.0 DEFINITIONS PERTAINING TO THE SUB-LOOP

- 2.1 "Dead Count" refers to those binding posts which have cable spliced to them but which cable is not currently terminated to any terminal to provide service.
- 2.2 "Demarcation Point" is defined as the point on the loop where the ILEC's control of the wire ceases and the subscriber's control (or in the case of some multiunit premises, the landlord's control) of the wire begins.
- 2.3 "Digital Subloop" May be deployed on non-loaded copper cable pairs, channels of a digital loop carrier system, channels of a fiber optic transport system or other technologies suitable for the purpose of providing 160 Kbps and 1.544 Mbps subloop transport.
- 2.4 "Distribution Cable" is defined as the cable from the SAI/FDI to the terminals from which an end user can be connected to the ILEC's network.
- 2.5 Intentionally Left Blank
- 2.6 "Inside Wire Subloop" is defined for purposes of this Appendix as all loop plant owned or controlled by SBC MISSOURI at a multiunit customer premises between the minimum point of entry as defined in § 68.105 of the FCC TRO rules and the point of demarcation of SBC MISSOURI's network as defined in § 68.3. In multi-unit properties, the Inside Wire Subloop may include the NID. Maintenance and control of inside wire is under the control of the premises owner, except in those multi-unit properties, where SBC MISSOURI owns and maintains control over inside wire within a building or on a property up to the NID. Maintenance and control of the Inside Wire Subloop on the property owner's side of the demarcation point may be under the control of the property owner or the end user. Conflicts between telephone service providers for access to the end user's inside wire on the end user's side of the NID must be resolved by the end user.
- 2.7 "MTE" for the purpose of Term To NID subloop. "MTE" is a Multi Unit Premises Environment for buildings with exterior or interior mounted terminals

- 2.8 "Network Terminating Wire (NTW)" is the service wire that connects SBC MISSOURI's distribution cable to the NID at the demarcation point.
- 2.9 "SAI/FDI-to-Term" is that portion of the loop from the SAI/FDI to an accessible terminal.
- 2.10 "SAI/FDI-to-NID" is that portion of the UNE loop from the SAI/FDI to the Network Interface Device (NID), which is located at an end user's premise.
- 2.11 "SPOI" is defined as a Single Point of Interconnection. SBC MISSOURI will construct a SPOI only to those multiunit premises where SBC MISSOURI has distribution facilities to the premises and SBC MISSOURI either owns, controls, or leases the inside wire, if any, at such premises. If SBC MISSOURI has no facilities which it owns, controls or leases at a multiunit premises through which it serves, or can serve, customers at such premises, it is not obligated to construct a SPOI. SBC MISSOURI's obligation to build a SPOI for multiunit premises only arises when CLEC indicates that it will place an order for an unbundled subloop network element via a SPOI. If CLEC and SBC MISSOURI are unable to negotiate terms and conditions regarding an SPOI, disputed issues, including compensation under forward-looking pricing principles, shall be resolved under the dispute resolution process.
- 2.12 "SAI/FDI" is defined as the point in the ILEC's network where feeder cable is cross connected to the distribution cable. "SAI" is Serving Area Interface. "FDI" is Feeder Distribution Interface. The terms are interchangeable.
- 2.13 "Spare" means an existing subloop that is not defective and is either (1) not currently being used to provide service to any customer or (2) is being used to serve a customer but that customer has decided to migrate to CLEC and CLEC has requested reuse of the subloop and will port customer's telephone number to CLEC. If a subloop has been disconnected and thus an end-user is no longer receiving service via that subloop, and such subloop has been determined to be a non-defective pair, then that subloop would be considered an existing Spare portion of the loop.
- 2.14 "Term-to-NID" is that portion of the UNE loop from an accessible terminal to the NID, which is located at an end user's premise. Term-to-NID includes use of the Network Terminating Wire (NTW) and Inside Wire Subloop.
- 2.15 "ECS-to-SAI/FDI" is that portion of the loop from the ECS to the SAI/FDI.
- 2.16 "ECS-to-Term" is that portion of the loop from the ECS to the accessible terminal.
- 2.17 "ECS-to-NID" is that portion of the loop from the ECS to the NID, which is located at an end user's premise. ECS-to-NID includes use of the Network Terminating Wire (NTW) and Inside Wire Subloop.
- 3.0 SBC MISSOURI will offer the following subloop types:
- 3.1 2-Wire Analog Subloop provides a 2-wire (one twisted pair cable or equivalent) capable of transporting analog signals in the frequency range of approximately 300 to 3000 hertz (voiceband).
- 4-Wire Analog Subloop provides a 4-wire (two twisted pair cables or equivalent, with separate transmit and receive paths) capable of transporting analog signals in the frequency range of approximately 300 to 3000 hertz (voiceband).
- 3.3 2-wire or 4-Wire DS1 Subloop provides a transmission path capable of supporting a 1.544 Mbps service that utilizes AMI or B8ZS line code modulation.

3.4 Intentionally Omitted

- xDSL Subloop is defined in Attachment 25: xDSL and will be available to CLEC in SBC MISSOURI where CLEC has an approved and effective Attachment 25: xDSL as part of this Agreement. In addition the provisions set forth in Attachment 25: xDSL, the xDSL Subloop is subject to the subloop terms and conditions set forth in this Appendix Subloop Elements, the collocation provisions set forth elsewhere in this Agreement, and the rates set forth in the Schedule of Prices. If there is any conflict between the provisions set forth in Attachment 25: xDSL as to the xDSL Subloop and the subloop provisions set forth in this Appendix Subloop Elements the subloop provisions set forth in this Appendix Subloop Elements shall control.
- 3.6 ISDN Subloop is a 2-Wire digital offering which provides a transmission path capable of supporting a 160 Kbps, Basic Rate ISDN (BRI) service that utilizes 2B1Q line code modulation with end user capacity up to 144 Kbps.
- 3.7 Inside Wire Subloops using fiber. With respect to CLEC's request for unbundled subloops within multi-tenant buildings/properties, SBC MISSOURI shall make available all of the types of subloops listed above, plus high-capacity DS1, DS3 and OCN fiber optic subloops, to enable CLEC to access customer premises in such multi-tenant building/property. No collocation requirement exists with respect to Inside Wire Subloops. CLEC shall be allowed to access these subloops at any technically feasible terminal point at or near a multi-tenant building/property in any technically feasible manner.

4.0 ACCESS TO TWISTED-PAIR COPPER SUBLOOPS

- 4.1 Access to terminals for twisted-pair copper subloops is defined to include, but is not limited to:
 - any technically feasible point near the customer premises accessible by a cross-connect (such as the pole or pedestal, the NID, or the minimum point of entry (MPOE) to the customer premises),
 - the Feeder Distribution Interface (FDI) or Serving Area Interface (SAI), where the "feeder" leading back to the central office and the "distribution" plant branching out to the subscribers meet,
 - the Terminal (underground or aerial)
 - Engineering Controlled Splice
 - The Remote Terminal (RT)
- 5.0 CLEC may request access to twisted-pair copper subloop segments:

FROM: TO:

1. Serving Area Interface or

Feeder Distribution Interface Terminal

2. Serving Area Interface or

Feeder Distribution Interface Network Interface Device

3. Terminal Network Interface Device

4. NID Stand Alone
5. SPOI (Single Point of Interface) Terminal

6. SPOI

7. Engineering Controlled Splice (ECS)

Serving Area Interface or Feeder Distribution Interface

8. Engineering Controlled Splice (ECS) Terminal

9. Engineering Controlled Splice (ECS) Network Interface Device

6.0 HIGH CAPACITY SUBLOOPS

- 6.1 Access to terminals for DS1 and DS3 high capacity subloops is defined to include, but is not limited to:
 - 6.1.1 any technically feasible point near the customer premises accessible by a cross-connect (such as the pole or pedestal or the minimum point of entry (MPOE) to the customer premises),
 - 6.1.2 the Remote Terminal (RT),
 - 6.1.3 the Terminal (underground or aerial).
- 6.2 CLEC may obtain access to the DS1 or DS3 high-capacity subloop segment between the Central Office Point of Termination (POT) and the Remote Terminal Point of Termination (POT) when CLEC is providing narrowband services.
- 6.3 CLEC may obtain access to DS1, DS3 and OCN high-capacity Inside Wire Subloops at any technically feasible point at the multitenant building/property.
- 7.0 Unbundled DS1 and DS3 subloops may not be employed in combination with transport facilities to replace special access services or facilities, except consistently with the other terms and conditions of this Agreement, including but not limited to Section 2.20 of Attachment 6.

8.0 PROVISIONING

- 8.1 Connecting Facility Arrangement (CFA) assignments must be in place prior to ordering and assigning specific subloop circuit(s).
- 8.2 Spare subloop(s) will be assigned to CLEC only when an LSR/ASR is processed. LSR/ASRs will be processed on a "first come first serve" basis.

9.0 MAINTENANCE

- 9.1 The Parties acknowledge that by separating switching, feeder plant and distribution plant, the ability to perform mechanized testing and monitoring of the subloop from the SBC MISSOURI switch/testing equipment will be lost.
- 9.2 CLEC shall isolate trouble to the SBC MISSOURI Subloop portion of the CLEC's service before reporting trouble to SBC MISSOURI.
- 9.3 SBC MISSOURI shall charge CLEC a Maintenance of Service Charge (MSC) when CLEC dispatches SBC MISSOURI on a trouble report and the fault is determined to be in CLEC's portion of the loop. The SBC MISSOURI MSC may be found in the state pricing appendices or tariffs.
 - 9.3.1 In the event that both SBC MISSOURI and CLEC perform an initial dispatch and the trouble is not resolved, a vendor meet will be scheduled between SBC MISSOURI technician and CLEC technician. Following the vendor meet, if the trouble is determined to be in CLEC's portion of the loop, an additional Maintenance of Service charge will be applied. If the trouble is determined to be in SBC MISSOURI' portion of the loop, the trouble will be resolved, and prior Maintenance of Service charges will be credited.

9.4 In the event of Catastrophic Damage to the RT, SAI/FDI, Terminal, or NID where CLEC has a Subloop Access Arrangement, SBC MISSOURI repair forces will restore service in a non-discriminatory manner and such that the greatest number of all customers will be restored in the least amount of time. Should CLEC cabling require replacement, SBC MISSOURI will provide prompt notification to CLEC for CLEC to provide the replacement cable to be terminated as necessary.

10.0 SUBLOOP ACCESS ARRANGEMENTS

- 10.1 Prior to ordering subloop facilities, CLEC will establish Collocation using the Collocation process as set forth in the Collocation Appendix, or will establish a Subloop Access Arrangement utilizing the Special Construction Arrangement (SCA), either of which are necessary to interconnect to the SBC MISSOURI subloop network. CLEC is not required to have a collocation arrangement in the Central Office in order to establish a Subloop Access Arrangement. If SBC MISSOURI provides assistance in the development and deployment of Subloop Access Arrangement to any SBC affiliate or to any CLEC, SBC MISSOURI will provide such assistance on a parity basis.
- SBC's assigned Account Manager will serve as the Primary Point of Contact to be an SBC interface during the planning, engineering, and provisioning of the Subloop Access Arrangement.
- 10.3 SBC MISSOURI will provide information, by geographic area, regarding what is served by the FDI/SAI serving area. This information will be provided via the DTI Tool which shall be available on the CLEC Webpage.
- 10.4 The space available for collocating or obtaining various Subloop Access Arrangements will vary depending on the existing plant at a particular location. CLEC will initiate an SCA by submitting a Sub-loop Access Arrangement Application.
- 10.5 Upon receipt of a complete and correct Application, SBC MISSOURI will provide to CLEC within 30 days a written estimate for the actual construction, labor, materials, and related provisioning costs incurred to fulfill the SCA on a Time and Materials basis. CLEC agrees to pay SBC MISSOURI appropriate rates for the engineering and other associated costs performed when CLEC submits a request to provide a written estimate for sub-loop(s).
- The assignment of subloop facilities will incorporate reasonable practices used to administer outside plant loop facilities, and will take into account that CLECs, unlike SBC MISSOURI, may not require as many subloop facilities. For example, where SAI/FDI interfaces are currently administered in 25 pair cable complements, CLEC may request and will be assigned a smaller number of cable pairs, but will be charged in 25 pair splicing increments.
- 10.7 Subloop inquiries do not serve to reserve subloop(s).
- 10.8 Several options exist for Collocation or Sub-loop Access Arrangements at technically feasible points. Sound engineering judgment will be utilized to ensure network security and integrity. Each situation will be analyzed on a case-by-case basis.
- 10.9 Prior to submitting the request for SCA, CLEC will be responsible for obtaining rights of way from owners of property where SBC MISSOURI will place the equipment necessary for the SAA
- 10.10 Prior to submitting the Sub-loop Access Arrangement Application for SCA, CLEC should have the Structure Access appendices in the Agreement to provide the guidelines for both CLEC and SBC MISSOURI to successfully implement subloops, should collocation, access to poles/conduits or rights of way be required.

- 10.11 Except as set forth below in Section 10.10, construction of the Sub-loop Access Arrangement shall take up to ninety (90) days to complete depending upon project size and scope. The time period begins when CLEC submits to SBC MISSOURI written approval and payment of not less than 50% of the total estimated construction costs and related provisioning costs after an estimate has been accepted by CLEC and before construction begins, with the balance payable upon completion. SBC MISSOURI will not begin any construction under the SCA until the CLEC has provided proof that it has obtained any necessary access to rights-of-way as defined in Section 10.7. In the event CLEC disputes the estimate for an SAA in accordance with the dispute resolution procedures set forth in the General Terms and Conditions, Section 10, of this Agreement, SBC MISSOURI will proceed with construction of the SAA upon receipt from CLEC of notice of the dispute and not less than fifty percent (50%) of the total estimated costs, with the balance payable by CLEC upon completion of the Sub-loop Access Arrangement. Such payments may be subject to any "true-up," if applicable, upon resolution of the dispute in accordance with the Dispute Resolution procedures.
- 10.12 Upon completion of the construction activity, CLEC will be allowed to test the installation with a SBC MISSOURI technician. If the CLEC desires test access to the Sub-loop Access Arrangement, CLEC must place its own test point in its cable prior to cable entry into SBC MISSOURI's interconnection point.
- 10.13 Once all subloop access arrangements have been completed and balance of payment due SBC MISSOURI is received, the CLEC may place a LSR for subloops at this location. Prices at which SBC MISSOURI agrees to provide CLEC with Unbundled Network Elements (UNE) are contained in the Appendix Pricing.
- 10.14 In order to maximize the availability of terminations for all CLECs, CLEC shall provide CFA for its subloop pairs utilizing the same 25-pair binder group. CLEC would begin utilizing the second 25-pair binder group once the first 25-pair binder group reached its capacity.
- 10.15 Unused CLEC terminations (in normal splicing increments such as 25-pair at a SAI/FDI) which remain unused for a period of one year after the completion of construction of the SCA shall be subject to removal by SBC MISSOURI if such terminations are needed by SBC MISSOURI to fulfill a request for service. SBC MISSOURI shall provide CLEC forty-five (45) days' advance written notice of SBC MISSOURI's need for such unused terminations and a date on which it intends to remove the unused terminations.
- 10.16 In the event a CLEC elects to discontinue use of an existing Sub-loop Access Arrangement, or abandons such Arrangement by failing to remove its facilities within thirty (30) days of receipt of notice from SBC MISSOURI, CLEC shall pay SBC MISSOURI for removal of CLEC's facilities from the SAA.

11.0 SUBLOOP ACCESS ARRANGEMENT ACCESS POINTS

- 11.1 SAI/FDI or Accessible Terminal
 - 11.1.1 CLEC cable to be terminated in an SBC MISSOURI SAI/FDI, or Accessible Terminal, shall consist of 22 or 24-gauge copper twisted pair cable bonded and grounded to the power company Multi Grounded Neutral (MGN). Cable may be filled if buried or buried to aerial riser cable. CLEC's Aerial cables should be aircore.
 - 11.1.2 CLEC may elect to place its cable to within three (3) feet of the Sub-loop Access Arrangement site and coil up an amount of cable, defined by the SBC MISSOURI's and CLEC's engineer in the design phase, that SBC MISSOURI will terminate on available binding posts in the SAI/FDI or Terminal.

- 11.1.3 CLEC may "stub" up a cable at a prearranged meet point, defined during the engineering site visit, which will be scheduled by mutual agreement, but not more than five (5) days from the date of CLEC's request for a subloop arrangement SBC MISSOURI will stub out a cable from the SAI/FDI or Terminal, which SBC MISSOURI splice to the cable at the meet point.
- 11.1.4 Dead counts will be offered as long as they have not been placed for expansion purposes and such expansion is planned to occur within a 12-month period beginning on the date of CLEC's submission of the inquiry LSR.
- 11.1.5 Exhausted termination points in a SAI/FDI. for which the CLEC will be charged a portion of the expense to be determined with the engineer, for the purpose of allowing the CLEC to terminate it's cable at the SAI/FDI.
- 11.1.6 Exhausted Termination Points in a Terminal. When a Terminal's termination points are all terminated to assignable cable pairs. SBC MISSOURI may choose to increase the capacity of the Terminal or to construct an adjacent termination facility to accommodate the CLEC facilities. for which the CLEC will be charged.

12.0 RELOCATION OF EXISTING ILEC/CLEC FACILITIES INVOLVED IN A SAA AT A RT, SAI/FDI, TERMINAL OR NID

- 12.1 SBC MISSOURI shall notify CLEC of pending relocation as soon as SBC MISSOURI receives such notice from the property owner or governmental entity that it must relocate its ILEC facilities.
- 12.2 CLEC shall notify SBC MISSOURI of it's intentions to remain, or not, in the SAA by way of a new Subloop Access Arrangement Application for a new SCA. If SBC MISSOURI receives no response to such notice, CLEC shall be deemed to have determined not to remain and its facilities will be removed and CLEC billed as provided in Section 12.7 below.
- 12.3 If CLEC notifies SBC MISSOURI that it intends to remain, SBC MISSOURI shall then provide CLEC a written estimate of the reasonable cost to terminate CLEC's facilities as part of the relocation of the site including the applicable Sub-loop Access Arrangement. This process may require a site visit with the CLEC and SBC MISSOURI engineer. The estimate shall be provided to CLEC within 30 business days after notification by CLEC.
- 12.4 CLEC shall notify SBC MISSOURI of acceptance or rejection of the new SCA within 10 business days of it's receipt of SBC MISSOURI's estimate.
- 12.5 Upon acceptance of the SBC MISSOURI estimate, CLEC shall pay at least 50% of the relocation costs at the same time as it notifies SBC MISSOURI of its acceptance of estimated costs.
- 12.6 If CLEC decides not to continue the Sub-loop Access Arrangement, CLEC will notify SBC MISSOURI as to the date that SBC MISSOURI may remove CLEC's facilities from that SAA. CLEC will pay SBC MISSOURI for all actual itemized costs incurred by SBC MISSOURI associated with the removal of the CLEC's SAA.
- 12.7 In the event that CLEC does not timely respond to SBC MISSOURI's notice but does notify SBC MISSOURI of its intention to continue the Sub-Loop Access Arrangement, SBC MISSOURI shall move CLEC's facilities and submit a bill for payment to the CLEC for the costs associated with the relocation. If CLEC fails to pay this bill, SBC MISSOURI will remove CLEC's facilities from the site upon 30 days notice to the CLEC.

13.0 INTENTIONALLY LEFT BLANK

14.0 ESTABLISHMENT OF INTERMEDIARY BOX FOR CLEC ACCESS TO TERM TO NID MTE SUBLOOP SEGMENT

- As an alternative to the establishment of a Subloop Access Arrangement in those instances where CLEC wishes to access/lease SBC MISSOURI Term to NID subloop segments in order to serve its end-user customers at MTEs in SBC MISSOURI ("Term to NID MTE Subloop Segments"), CLEC may place, own and manage, for its own use, an intermediary box, which would provide CLEC with access to a Term to NID MTE Subloop Segment cross-connect leased from SBC MISSOURI within the intermediary box (in order to obtain access to SBC MISSOURI Term to NID MTE Subloop Segments). In the event CLEC wishes to access SBC MISSOURI Term to NID MTE Subloop Segments via the establishment of an intermediary box, the following rates, terms and conditions shall apply:
 - 14.1.1 CLEC would manage the process for placing its own intermediary box, including, without limitation, coordination with the property owner and/or management. CLEC may, at its discretion, choose to retain ownership in whole or to share ownership of the intermediary box with other CLECs. Intermediary box shall be placed no more than two feet from the SBC terminal.
 - 14.1.2 The intermediary box shall contain blocks that meet SBC MISSOURI's published industry standards for the placement of services and facilities and should be labeled with CLEC's ACNA to enable the SBC MISSOURI technician the ability to run jumper/cross connect from SBC MISSOURI terminal to the intermediary box.
 - 14.1.3 CLEC agrees that the SBC MISSOURI technician shall run the jumper/cross-connect from SBC MISSOURI's serving terminal to CLEC's intermediary box, in order for CLEC to access SBC MISSOURI Term to NID MTE Subloop Segments in SBC MISSOURI. For security and safety, SBC will incase the cross connect in conduit, a protective covered common path, between the SBC terminal and the CLEC's intermediary box.
 - 14.1.4 CLEC must have in place Connecting Facility Arrangement (CFA) assignments prior to ordering and assigning specific Term to NID MTE Subloop Segments from SBC MISSOURI.
 - 14.1.5 Following CLEC's provisioning, placement, and completion of Connecting Facility Arrangement Assignments ("CFA") data submission to SBC MISSOURI associated with the intermediary box, CLEC would place orders and schedule activities related to access to the Term to NID MTE Subloop Segment including, without limitation: transferring the end-user customer's service from SBC MISSOURI to CLEC, providing SBC MISSOURI with CFA prior to ordering and the assigning of a specific Term to NID MTE Subloop Segment(s).
 - 14.1.6 The ordering procedures for the Term to NID MTE Subloop Segment will be the same as those that apply to subloop UNEs today and shall be submitted to SBC MISSOURI by CLEC via a Local Service Request ("LSR").
 - 14.1.7 SBC MISSOURI will upon receipt of the LSR from CLEC for a Term to NID MTE Subloop Segment, process the order and place the jumper/cross connect to the CFA provided by the CLEC on the LSR, from the SBC MISSOURI terminal to the CLEC intermediary box. SBC MISSOURI must have access to the intermediary box for completion of the order.
- 14.2 In connection with the MTE intermediary box for CLEC access to Term to NID MTE Subloop Segments in 12 State only, CLEC may elect to lease from SBC MISSOURI Term to NID MTE Subloop Segments which do not include traditional testing and the associated labor, at the recurring and non-recurring rates set forth in

Appendix Pricing for the "Term to NID MTE Subloop Segment" In the event CLEC wishes to lease the Term to NID MTE Subloop Segment from SBC-MISSOURI in lieu of SBC-MISSOURI's standard Term to NID subloop segment addressed in this Section 8.18.2, CLEC understands and agrees no performance measures and/or remedies shall apply to the Term to NID MTE Subloop Segment as a result of the elimination of associated testing and reduction in functionality associated with the Term to NID MTE Subloop Segment.

15.0 ESTABLISHMENT OF TERM TO NID MTE SUBLOOP SEGMENT WHEN NO INTERMEDIARY BOX IS INSTALLED

- In those instances where CLEC elects not to install an intermediary box or to have SBC MISSOURI install an intermediary box pursuant to the SAA process outlined herein above, CLEC may still lease from SBC MISSOURI Term to NID MTE Subloop Segments which do not include traditional testing and the associated labor, at the recurring and non-recurring rates set forth in Appendix Pricing for the "Term to NID MTE Subloop Segment." In the event CLEC wishes to lease the Term to NID MTE Subloop Segment from SBC MISSOURI in lieu of SBC-MISSOURI's standard Term to NID subloop segment addressed in Section 8.18.2 above, CLEC understands and agrees no performance measures and/or remedies shall apply to the Term to NID MTE Subloop Segment as a result of the elimination of associated testing and reduction in functionality associated with the Term to NID MTE Subloop Segment. In such cases, SBC MISSOURI will provide CLEC with access to the Term To NID MTE subloop via a cross connect. The SBC technician will tag appropriately and will leave up to two feet of exposed wire at SBC MISSOURI's terminal. The cross connect would then be terminated by the CLEC technician in the CLEC terminal, at a time of CLEC's own choosing. For security and safety, SBC will incase the cross connect in conduit, a protective covered common path, between the SBC terminal and the CLEC's terminal.
- 15.2 If CLEC elects this option to obtain access to the Term To NID subloop in an MTE Environment, neither the SBC MISSOURI SAA process nor the intermediary box option would be required. Because the CLEC would have full responsibility for terminating the SBC MISSOURI cross-connect, SBC MISSOURI could not require any CFA information from CLEC.

16.0 ENGINEERING CONTROLLED SPLICE (ECS)

- SBC MISSOURI will also make available an Engineering Controlled Splice (ECS), which will be owned by SBC MISSOURI, for CLECs to gain access to subloops at or near RTs.
- The ECS shall be made available for Sub-loop Access Arrangements utilizing the Special Construction Arrangement (SCA).
 - 16.2.1 If CLEC requests such an SCA, CLEC shall pay all of the actual construction, labor, materials and related provisioning costs incurred by SBC MISSOURI to fulfill its SCA on a Time and Materials basis, provided that SBC MISSOURI will construct any Sub-loop Access Arrangement requested by CLEC in a cost-effective and efficient manner. If SBC MISSOURI elects to incur additional costs for its own operating efficiencies and that are not necessary to satisfy an SCA in a cost-effective and efficient manner, the requesting CLEC will not be liable for such extra costs. CLEC may cancel an SCA by providing written notice to SBC MISSOURI in a commercially reasonable manner; provided however, that CLEC will pay SBC MISSOURI its reasonable and demonstrable costs of processing and/or implementing the SCA up to and including the date SBC MISSOURI receives notice of cancellation.

- 16.2.2 CLEC shall be liable only for costs associated with cable pairs that it orders to be presented at an ECS (regardless of whether CLEC actually utilizes all such pairs), even if SBC MISSOURI places more pairs at the splice.
- 16.2.3 CLEC may "stub" up a cable at a prearranged meet point, defined during the engineering site visit, which will be scheduled by mutual agreement, but not more than thirty (30) days from the date of CLEC's request for a subloop arrangement. SBC MISSOURI will stub out a cable from the RT, which SBC MISSOURI splice to the cable at the meet point.

16.2.4 Intentionally Left Blank

- 16.2.5 If more than one requesting CLEC obtains space in expanded RTs or in adjacent structures and obtains an Sub-loop Access Arrangement with the new copper interface point at the ECS, the initial CLEC which incurred the costs of construction of the ECS and/or additional copper/fiber shall be reimbursed those costs in equal proportion to the space or lines used by the subsequent requesting CLECs.
- 16.2.6 SBC MISSOURI may require a separate SCA for each RT site.
- 16.2.7 Except as set forth below in this Section 16.2.7, CLEC must submit written acceptance and at least 50% of payment for the SCA before SBC MISSOURI will begin construction of the ECS. Construction of the ECS and access to the copper subloop may take up to ninety (90) days to complete depending upon project size and scope. CLEC shall be granted access upon completion of the construction of the ECS, provided, however that CLEC must tender payment in full to SBC MISSOURI for the SCA before access will be granted. SBC MISSOURI will not begin any construction of the ECS until CLEC has provided proof that it has obtained access to any necessary rights-of-way as defined in Section 9.3. In the event CLEC disputes the estimate for the ECS in accordance with the dispute resolution procedures set forth in this Agreement, SBC MISSOURI will proceed with construction of the ECS upon receipt from CLEC of notice of the dispute and payment of not less than fifty percent (50%) of the total estimated costs, with the balance payable by CLEC upon completion of the ECS. Such payments may be subject to any "true-up," if applicable, upon resolution of the dispute in accordance with the Dispute Resolution procedures.
- 16.3 CLECs will have two (2) options for implementing the ECS: a "Dedicated Facility Option" (DFO) and a "Cross-connected Facility Option" (CFO).
 - 16.3.1 Dedicated Facility Option (DFO)
 - 16.3.1.1 CLEC may request that SBC MISSOURI splice the existing cabling between the ECS and the SAI to the CLEC's Sub-loop Access Arrangement facility. This facility will be "dedicated" to the CLEC for subsequent subloop orders.
 - 16.3.1.2 CLEC must designate the quantity of subloops it desires to access via this spliced, dedicated facility, specified by subtending SAI.

- 16.3.1.3 CLEC will compensate SBC MISSOURI for each of the dedicated subloop facilities, based on recurring ECS to SAI/FDI subloop charges as provided in the Appendix Pricing, Schedule of Prices, for the quantity of subloops dedicated to the CLEC between the ECS and the SAI. CLEC will pay a single nonrecurring cross connect charge as provided in the Appendix Pricing, Schedule of Prices for ECS to SAI/FDI subloops under this Option.
- 16.3.1.4 Upon submission of a subloop order using the Engineering Controlled Splice Dedicated Facility Option, SBC will provision subloop connectivity between the associated SAI and the NID at the end user premises. Under the Dedicated Facility Option, SBC will complete the subloop and CLEC will pay the SAI/FDI to NID subloop monthly recurring charge in the Appendix Pricing, Schedule of Prices. No cross connect or non-recurring charges will be applied to an SAI/FDI to NID subloop order under the DFO.
- 16.3.2 Cross-connected Facility Option (CFO)
 - 16.3.2.1 CLEC may request that SBC MISSOURI build an ECS cross-connect junction on which to terminate CLEC's Sub-loop Access Arrangement facility.
 - 16.3.2.2 The SCA associated with this option will include the charges associated with constructing the cross-connect device, including the termination of SBC MISSOURI cabling between the ECS and the RT and/or SAI, and the inventorying of that SBC MISSOURI cabling.
 - 16.3.2.3 CLEC must designate the quantity of subloops it desires to access via this cross-connectable, dedicated facility, specified by subtending SAI.
 - 16.3.2.4 Upon submission of a subloop order using the Engineering Controlled Splice Cross-connected Facility Option, SBC will provision subloop connectivity between the associated ECS and the NID at the end user premises. Under the Cross-connected Facility Option, SBC will complete the subloop and CLEC will pay the ECS to NID subloop monthly recurring charge and one cross connect fee as provided in Appendix Pricing, Schedule of Prices. No other cross connect or non-recurring charges will be applied to a subloop order under the CFO.

APPENDIX PRICING -UNE

1.0 Application of Prices

- 1.1 CLEC agrees to compensate SBC MISSOURI for use of Unbundled Network Elements (UNEs) at the rates contained in this Agreement. As used herein and in Attachment 6, the terms "Unbundled Network Elements" (whether or not used with initial caps) and "UNEs" include those network elements that are required to be unbundled under Section 251 and those required to be unbundled under Section 271 of the Telecommunications Act.
- 1.2 Unless otherwise stated, SBC MISSOURI will render a monthly bill for UNEs provided hereunder. Remittance in full will be due consistent with Section 9 of the General Terms and Conditions. In accordance with section 9.1 of the General Terms and Conditions, interest will apply on overdue amounts.
- 1.3 The attached Appendix Pricing sets forth the prices that SBC MISSOURI will charge CLEC for UNEs and certain other items (e.g. Compensation Rates, Hosting Charges, E911 Charges).
- 1.4 Except for requests that are expressly made subject to the BFR process described in Section 2.37 of Attachment 6 ("BFR Elements"), CLEC may order, and SBC MISSOURI will provide, all Attachment 6 Unbundled Network Elements on the basis of the attached Appendix Pricing. The Parties agree that the Appendix Pricing contains a complete list of rate elements and charges associated with UNEs and other items, if any, offered by SBC MISSOURI pursuant to this Agreement. This paragraph does not limit or expand the use of the BFR Process.
- 1.5 As established in KCC Docket No. 97-SCCC-149-GIT: Zone 1 includes Rate Groups 1, 2, and 3 (rural) as defined in SBC MISSOURI'S Local Exchange Tariff. Zone 2 includes Rate Groups 4, 5, and 6 (suburban) as defined in SBC MISSOURI'S Local Exchange Tariff. Zone 3 includes Rate Groups 7 and 8 (urban) as defined in SBC MISSOURI'S Local Exchange Tariff.

2.0 Recurring Charges

- 2.1 Recurring Charges, where applicable, are as shown in Appendix-Pricing.
- 2.2 Where Rates are shown as monthly, a month will be defined as a calendar month. The minimum term for each monthly rated element will be one (1) month. After the initial month, billing will be on the basis of whole or fractional months used.
- 2.3 Where rates will be based on minutes of use (MOU), usage will be accumulated at the end office and are rounded to the next higher minute per monthly billing cycle. In the long term usage will be measured beginning when the facilities are seized (excluding network failures) and ending when the facilities are released. SBC MISSOURI is currently unable to measure busy/don't answer (by/da), but SBC MISSOURI intends to develop such capability. SBC MISSOURI will provide CLEC not less than 30 days notice when SBC MISSOURI begins to measure by/da. No related true up will occur.
- 2.4 Where rates are based on miles, the mileage will be calculated on the airline distance involved between the locations. To determine the rate to be billed, SBC MISSOURI will first compute the mileage using the V&H coordinates method, as set forth in the National Exchange Carrier Association, Inc. Tariff F.C.C. No 4. When the calculation results in a fraction of a mile, SBC MISSOURI will round up to the next whole before determining the mileage and applying rates.

3.0 Non-Recurring Charges

- 3.1 Non-recurring charges for UNEs are included on Appendix Pricing.
- 3.2 If CLEC provides its own testing for UNEs and its testing produces incorrect information which results in SBC MISSOURI dispatching a repair crew unnecessarily, then CLEC will pay SBC MISSOURI the cost of the unnecessary trip.
- 3.3 SBC MISSOURI offers the following order types. When CLEC issues service orders, CLEC will pay the applicable service order charges contained in Appendix Pricing labeled "Service Order Charges –Unbundled Network Element."
- 3.4 Simple and Complex Service Orders
- 3.4.1 Appendix Pricing lists a "Simple" and "Complex" price for each Service Order type. Those prices will be applied in accordance with the definitions of Simple and Complex Service Orders set forth below.
- 3.4.2 Simple and complex Service Orders: If either SBC MISSOURI or a CLEC on an electronic flow-through basis can handle an order, the order is simple. All other orders are complex.

4.0 Maintenance of Service, Time and Materials, and Non Productive Dispatch Charges

- 4.1 If CLEC requests or approves a SBC MISSOURI technician to perform special installation, maintenance, or conversion services for UNE's excluding services which SBC MISSOURI is required to provide under Attachment 6, Attachment 8, or otherwise under this Agreement, CLEC will pay Maintenance of Service and/or Time and Material Charges for such services as are reasonably required, including requests for installation or conversion outside of normally scheduled working hours.
- 4.2 If CLEC provides its own testing for UNEs and its testing produces incorrect information which results in SBC MISSOURI dispatching a repair crew unnecessarily, then CLEC will pay SBC MISSOURI the cost of the unnecessary trip.
- 4.3 Consistent with Attachment 8 Maintenance UNE, if CLEC determines that trouble has occurred in SBC MISSOURI'S equipment and/or facilities, CLEC will issue a trouble report to SBC MISSOURI.
- 4.4 CLEC will pay Maintenance of Service charges for technicians' time reasonably required when CLEC reports a suspected failure of a network element and SBC MISSOURI dispatches personnel to the end user's premises or a SBC MISSOURI central office and trouble was not caused by SBC MISSOURI'S facilities or equipment. Maintenance of Service charges will include all technicians dispatched, including technicians dispatched to other locations for purposes of testing.
- 4.5 CLEC will pay Maintenance of Service charges for technicians' time reasonably required when CLEC reports a suspected failure of a UNE and SBC MISSOURI dispatches personnel and the trouble is in equipment or communications systems provided by an entity other than SBC MISSOURI or in detariffed CPE provided by SBC MISSOURI, unless covered under a separate maintenance agreement.
- 4.6 If CLEC issues a trouble report allowing SBC MISSOURI access to the end user's premises and SBC MISSOURI personnel are dispatched but denied access to the premises, then Non Productive Dispatch charges for technicians' time reasonably required will apply. Subsequently, if SBC MISSOURI personnel are allowed access to the premises, the Non Productive Dispatch charges will still apply.

- Time and Materials and/or Maintenance of Service and/or Non Productive Dispatch charges apply on a first and additional basis for each half hour or fraction thereof, except where the Schedule of Prices provides for per dispatch charges. If more than one technician is dispatched in conjunction with the same trouble report, the total time for all technicians dispatched will be aggregated prior to the distribution of time between the "First Half Hour or Fraction Thereof": and "Each Additional Half Hour or Fraction Thereof" rate categories. Basic Time is considered to be Monday through Friday 8 a.m. to 5 p.m. (CT) which is SBC MISSOURI'S normally scheduled work day. SBC MISSOURI'S normally scheduled work week is Monday through Saturday. Overtime applies when work is out of a normally scheduled work day during a normally scheduled work week (i.e., weekday nights and/or Saturdays). Premium time is time worked outside of SBC MISSOURI'S normally scheduled work week and includes Sundays and Holidays. Any time not consecutive with SBC MISSOURI'S normally scheduled work day may be subject to a minimum charge of two hours if dispatch of an off duty SBC MISSOURI employee is necessary.
- 4.8 SBC MISSOURI will bill CLEC Time and Materials, Non Productive Dispatch and/or Maintenance of Service Charges only pursuant to CLEC's authorization, including authorizing a dispatch, consistent with procedures outlined in this Agreement.
- 4.9 SBC MISSOURI will manage costs of Time and Materials, Non Productive Dispatch and Maintenance of Service Charges activities charged to CLEC in a manner that is consistent with SBC MISSOURI'S internal management of those costs.
- 4.10 Charges for services contained in this section are listed in Appendix Pricing labeled "Maintenance of Service Charges", "Time and Materials Charges", and "Non Productive Dispatch Charges".

5.0 Application of Usage Sensitive Charges To Particular Call Flows

- 5.1 Inclusion of ULS-O, ULS-T or ULS-ST in these call flows does not waive CLEC's position that the appropriate charge for switching is a flat-rated port charge with no usage component.
- 5.2 Rate Structure for ULS
- 5.2.1 Intra Switch Calls (calls originating and terminating in the same switch i.e., the same 11 digit Common Language Location Identifier (CLLI) end office):
- 5.2.1.1 CLEC will pay ULS-O and SS7 signaling for a call originating from a CLEC ULS line or trunk port that terminates to (a Resale or any unbundled line or trunk port which is connected to the same end office switch.
- 5.2.1.2 CLEC will pay ULS-O and SS7 signaling charges for a centrex-like ULS intercom call in which CLEC's user dials from one centrex-like station to another centrex-like station in the same common block defined system.
- 5.2.1.3 SBC MISSOURI will not bill ULS-T for Intra Switch calls.
- 5.2.1.4 CLEC will not bill any terminating charges (e.g., reciprocal compensation) to SBC MISSOURI for Intra Switch Calls.
- 5.2.2 Interswitch Calls (calls not originating and terminating in the same switch) i.e., not the same 11 digit Common Language Location Identifier (CLLI) end office:
- 5.2.2.1 Local Calls

5.2.2.1.1 General Principles

- 5.2.2.1.1.1 When a call originates from a CLEC ULS Port, CLEC will pay ULS-O and SS7 signaling charges. If the call routes over SBC MISSOURI's Unbundled Local Switching with (ULS-ST), CLEC will pay charges for Unbundled Shared Transport UST as reflected in Appendix Pricing. CLEC will also pay charges for Common Transport and Tandem Switching or Blended Transport charges where applicable as reflected in Appendix Pricing.
- 5.2.2.1.1.1.1 The Parties agree that, for calls originated from a CLEC ULS Port and routed over common transport, SBC MISSOURI will not be required to record and will not bill actual tandem switching usage. Rather, SBC MISSOURI agrees to charge CLEC the rate shown on Appendix Pricing labeled "Blended Transport," for each minute of use of unbundled common transport, whether or not the call actually traverses the tandem switch.
- 5.2.2.1.1.2 When a call terminates to a CLEC ULS Port, CLEC will pay ULS-T charges.
- 5.2.2.1.2 Illustrative Call Flows

The following call flows provide examples of application of usage sensitive UNE charges and compensation as set out in Attachment 12. Unless otherwise indicated, examples assume CLEC is using ULS and UST when originating traffic, and using ULS when terminating.

5.2.2.1.2.1 CLEC (UNE) Originating and SBC MISSOURI Terminating:

Local Interswitch Call:

At CLEC's option, CLEC may pay as follows:

CLEC Pays: Applicable ULS-O/SS7/Blended Transport/Recip Comp/DUF, or CLEC Pays: Applicable ULS-O/SS7/Blended Transport/DUF and bill and keep applies

Local Intraswitch Call:

CLEC Pays: ULS-O/SS7/DUF

5.2.2.1.2.2 SBC MISSOURI Originating and CLEC (UNE) Terminating

Local Interswitch Calls:

CLEC Pays: There will be no charges

SBC MISSOURI Pays: There will be no charges

Local Intraswitch Call:

CLEC and SBC do not bill any charges to each other

5.2.2.1.2.3 CLEC A Originating and CLEC B Terminating

Local Interswitch Call:

CLEC Pays: ULS – O/SS7/Blended Transport/DUF

Local Intraswitch Calls:

CLEC A Pays ULS-O/SS7/DUF

CLEC B Pays: ULS-T

5.2.2.1.2.4 CLEC Originating and CLEC Terminating

Local Interswitch Call:

CLEC Pays: ULS-O/ULS-T/SS7/Blended Transport/DUF (both originating and terminating)

Local Intraswitch Call: CLEC Pays ULS-O/SS7/DUF

5.2.2.1.2.5 CLEC B (UNE) Originating and CLEC A (UNE) Terminating

Local Interswitch Calls: CLEC Pays: ULS – T/DUF

Local Intraswitch Call: CLEC A pays nothing; CLEC B pays nothing

5.2.2.1.2.6 CLEC B (Reseller – s/a SBC Resale) to CLEC A (UNE) Terminating: The assumption here is that CLEC C is purchasing resale from SBC MISSOURI

Local Interswitch Call:

At CLEC's option, CLEC A may pay as follows:

CLEC A Pays: ULS - T/DUF, CLEC A may bill SBC MISSOURI recip comp, or

CLEC Pays: There will be no charges and SBC MISSOURI Pays: There will

be no charges

Local Intraswitch Call: CLEC A Pays nothing

5.2.2.1.2.7 CLEC A (UNE) Originating and CLEC B (Resale services) Terminating

Local Interswitch Call:

CLEC A Pays: ULS - O/SS7/Blended Transport/DUF

Local Intraswitch Call:

CLEC Pays: ULS-O/SS7/DUF

5.2.2.1.2.8 CLEC A (UNE) Originating to CLEC C (Facilities Based Network (FBN)) Terminating

CLEC A Pays: ULS – O/Blended Transport/SS7 Signaling/DUF

Terminating Compensation is a matter between CLEC A and CLEC B C. SBC MISSOURI is not

responsible for any such Compensation to CLEC C.

5.2.2.1.2.9 CLEC C (FBN) Originating to CLEC A (UNE) Terminating

Tandem Routed: ULS-T/Common Transport/Tandem Switching/DUF

Direct-Trunked Routed: CLEC A Pays ULS-T/DUF

5.2.2.2 IntraLATA and InterLATA Toll Calls

5.2.2.2.1 General Principles

5.2.2.2.1.1 CLEC will pay SS7 signaling, Unbundled Tandem Switching/Blended Transport charges for all intraLATA toll calls initiated by a CLEC ULS Port that use the L-PIC ability.

- After the implementation of intraLATA Dialing Parity, intraLATA toll calls from CLEC ULS Port will be routed to the end user intraLATA Primary Interexchange Carrier (PIC) choice. When an interLATA toll call is initiated from a ULS port will be routed to the end user interLATA Primary Interexchange Carrier (PIC) choice of such CLEC local service customer. Other intraLATA and interLATA toll calls shall be routed to the Interexchange Carrier to which the calls have been directed for transport (e.g., "10XXX").
- 5.2.2.2.1.2.1 For ULS-originated calls that are routed off of SBC MISSOURI'S network to any other telecommunications carrier (e.g., to an IXC, wireless carrier), CLEC shall pay as follows:
 - A. ULS O and SS7 signaling if such carrier is connected at the local circuit switch that provides the ULS:
 - B. ULS O, SS7 signaling, Unbundled Common Transport, and Unbundled Tandem Switching if such carrier is connected at SBC MISSOURI'S tandem switch subtended by the local circuit switch that provides ULS:
 - C. ULS O, SS7 signaling, and Blended Transport is such carrier is connected to SBC MISSOURI'S network elsewhere.

Terminating Compensation is a matter between CLEC and such other telecommunications carriers. SBC MISSOURI shall not be charged and shall not otherwise be responsible for any such compensation.

- 5.2.2.2.1.2.2 For calls that are routed to a CLEC ULS Port from another telecommunications carrier's network (e.g., from an IXC's point of presence, from a wireless carrier), CLEC shall pay as follows:
 - A. ULS T if such carrier is connected at the switch that provides the ULS:
 - B. ULS T, Unbundled Common Transport, and Unbundled Tandem Switching if such carrier is connected at SBC MISSOURI'S tandem switch subtended by the switch that provides the ULS:
 - C. ULS T, and Blended Transport if such carrier is connected to SBC MISSOURI'S network elsewhere.

Terminating Compensation is a matter between CLEC and such other telecommunications carriers. SBC MISSOURI shall not be charged and shall not otherwise be responsible for any such compensation.

5.2.2.2.1.2.3 CLEC may provide exchange access transport services to IXCs for intraLATA traffic originated by or terminating to CLEC local service customers, upon request, using UNEs. For interLATA toll calls and intraLATA toll calls (post dialing parity) that are originated by local customers using SBC MISSOURI unbundled local switching, CLEC may offer to deliver the calls to the PIC at the SBC MISSOURI access tandem, with CLEC using lawful unbundled common transport and tandem switching to transport the call from the originating unbundled local switch to the PIC's interconnection at the access tandem. When the PIC agrees to take delivery of toll calls under this arrangement, then CLEC will pay SBC MISSOURI ULS-O usage, signaling, common transport, and tandem switching for such calls. SBC MISSOURI will not bill any access charges to the PIC under this arrangement. CLEC may use this arrangement to provide exchange access services to itself when it is the PIC for toll calls originated by CLEC local customers using SBC MISSOURI unbundled local switching.

5.2.2.2.1.2.4 If an Interexchange Carrier elects to use transport and tandem switching provided by SBC MISSOURI to deliver interLATA toll calls or intraLATA toll calls (post dialing parity) that are originated by CLEC local customers using SBC MISSOURI unbundled local switching, then CLEC will pay SBC MISSOURI ULS-O usage and signaling only in connection with such calls. SBC MISSOURI will not bill the PIC any originating switching access charges in connection with such calls.

5.2.2.2.1.3 When an IntraLATA or InterLATA toll call terminates to an ULS Port, purchased by CLEC, SBC MISSOURI will not charge terminating access to CLEC or the IXC except that SBC MISSOURI may bill the IXC for terminating transport in cases where the IXC has chosen SBC MISSOURI as its transport provider.

5.2.2.3 Toll Free Calls

When CLEC uses ULS Ports to initiate an 800-type call, (or the equivalent toll-free dialing NPA, e.g., 877, 888) SBC MISSOURI will perform the appropriate database query and route the call to the indicated IXC. No ULS-O charges will apply. This will be subject to SBC MISSOURI'S ability to provide access recording data to CLEC as referenced in Attachment 6, Section 8.2 and Attachment 10, Section 4.4. Thereafter, when SBC MISSOURI is able to measure originating 800 traffic, and when CLEC uses a ULS Ports to initiate an 800-type call, CLEC will pay the 800 database query charge, Lawful ULS-O charge, and where the IXC is connected to SBC MISSOURI at a tandem, the Unbundled Common Transport charge. SBC MISSOURI shall provide 30-days' advance notice to CLEC of SBC MISSOURI'S ability to provide access recording data to CLEC; billing shall be on a going forward basis only, without any true-up. SBC MISSOURI will not bill IXC for such calls.

Z	Monthly Recurring	First		Additional	nsoc
Network Interface Device Disconnect Loop from inside wiring, per NI Unbundled Loops 2W Analog Zone 1 2W Analog Zone 2				THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSONS AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO PERSON NAMED	
Disconnect Loop from inside wiring, per NI Unbundled Loops 2W Analog Zone 1					ik.
	None	\$	23.00 \$	14.32	NRBND
	\$ 12.71		19.55 \$	8.32	N21
-1-	\$ 18.64	87	19.55 \$	8.32	U21
		\$	19.55 \$		N21
1A 2W Analon Zone d	\$ 16.41	49	19.55 \$	Amounts	U21
	\$ 6.63	↔	17.54 \$		UL2
		ક્ર			H¥O
t	\$ 31.82	\$			H¥U
-	\$ 55.04	₩.	21.58 \$		U4H
-	\$ 27.07	\$		88	₹ E
	\$ 25.79	\$	43.33 \$		UZO
	\$ 37.89	89	43.33 \$		UZO
+	\$ 52.60	87	43.33 \$		UZO
+	\$ 37.30	₩.	43.33 \$		NZO
+	\$ 91.06	67	-	~	U4D1X
	\$ 95.45	\$			U4D1X
-		\$			U4D1X
		ક			U4D1X
-	\$ 819.86	ક્ક			U4D3X
DS3 I oop Zone 2	\$ 1,122.13	\$		71	U4D3X
DS3 1 oop Zone 3		89			U4D3X
DS3 Loop Zone 4	\$ 1,127.98	\$	845.75	\$ 375.03	U4D3X
xDSL Capable Loops			1		
2 Wire xDSL Loop Zone 1		89	-		
2 Wire xDSL Loop Zone 2		65			
2 Wire xDSL Loop Zone 3		69		8.32	
2 Wire xDSL Loop Zone 4		89			
4 Wire xDSL Loop Zone 1	\$ 17.81	99 (-		
4 Wire xDSL Loop Zone 2		979 (-		
4 Wire xDSL Loop Zone 3		\$9	-	\$ 8.32	
4 Wire xDSL Loop Zone 4	\$ 27.07	57)	27.58	20.0	
IDSL Capable Loops					
IDSL Loop Zone 1 (Rural)		67			UYSFX
IDSI Loop Zone 2 (Suburban)	\$ 37.89	\$		\$ 22.67	UYSFX
IDSI Loop Zone 3 (Urban)		\$	-		UY5FX
IDSL Loop Zone A (Lithan SpringField)	\$ 37.30	69	43.33	\$ 22.67	UY5FX

SOUTHWESTERN BELL TELEPHONE, L.P. SBC-MISSOURI / BIG RIVER TELEPHONE COMPANY, LLC

None \$ 23.00 \$ 14.32	Turner.				Nonre	Nonrecurring Rate	Nonrecur	Nonrecurring Rate	
Disconnect Loop from inside witing per NLD Name \$ 23.00 \$ 14.32 Loop Qualification Process. Advanced N/A \$ 64.15 N/A ADSL. Conditioning Options. Advanced by Control of Microscopic and Control of All Bridged Tap (RABD) - MMAP \$ 87.05 N/A Remove at Datalification of All Bridged Tap (RABD) - MMAP \$ 87.05 N/A N/A Remove at Datalification of All Bridged Tap (RABD) - MMAP \$ 87.05 N/A N/A Remove at Datalification of All Bridged Tap (RABD) - MMAP \$ 87.05 N/A N/A Remove at Datalification of All Bridged Tap (RABD) - MMAP \$ 87.05 N/A N/A Remove at Datalification of All Bridged Tap (RABD) - MMAP \$ 87.05 \$ 12.00 Remove Included Tap (RABD) - MMAP \$ 87.05 \$ 17.75 Remove Included Tap (RABD) - MMAP \$ 87.05 \$ 17.00 Randow Bridged Tap (RABD) - MMAP \$ 17.00 \$ 17.00 </th <th>NOTE</th> <th>27.43.63</th> <th>Monthly Re</th> <th>ecurring</th> <th></th> <th>First</th> <th>Addit</th> <th>ional</th> <th>USOC</th>	NOTE	27.43.63	Monthly Re	ecurring		First	Addit	ional	USOC
Discomment Loop Internative whing, per NID		-							
Deportmental control formation whing, per NUD Deportmental Composition Process - Machinary Admining Deptions Section Number Section Se				****		c c		0	CNGCIN
Loop Qualification Process - Machanized N/A \$	_	Disconnect Loop from inside wiring, per NID	Non	0	99	23.00	Ð	14.32	GNIGUNI
Loop Qualification Piccess - Machtanized NIA \$ 10.05		Loop Qualification Process	VIII		e	,	Ž	Δ/	I ROSI
Cop Qualification Process - Manual NA \$ 64.15 NA SABLE Cross Control for Conference of ADSL Loop activation None \$ 64.11 NA		Loop Qualification Process - Mechanized	W/N		n ,		2 2	C <	- IXOUN
ADSL Conditioning Options ADSL Copp		Loop Qualification Process - Manual	YN I			84.10	2		OVERNI
XDSL conditioning Options XDSL conditioning Options None 8.41 NA ADSL Conditioning Charge applied per each XDSL Loop activation. \$ 876.63 None None Removate of All Bridged Tap XDSL Loop 12RH To 17.6KH. \$ 388.64 None None Removate of All Bridged Tap XDSL Loop 12RH To 17.6KH. \$ 388.64 None None Remove Microsersive Bridged Tap XDSL Loop 17.5KH. per element \$ 0.80 \$ 12.86 \$ 12.89 Remove Microsersive Bridged Tap XDSL Loop 17.75KH. per element \$ 0.80 \$ 12.86 \$ 12.86 ADSL Cross Comment to Collocation \$ 0.80 \$ 12.86 \$ 17.73 AWHE DSL Nor-Shielded Cross Comment to Collocation - no test \$ 0.81 \$ 234.66 None AWHE DSL Nor-Shielded Cross Comment to Collocation - no test \$ 0.31 \$ 12.86 \$ 17.73 Awhite DSL Nor-Shielded Cross Comment to Collocation - no test \$ 0.31 \$ 19.86 \$ 17.73 Awhite DSL Nor-Shielded Cross Comment to Collocation - no test \$ 0.31 \$ 19.86 \$ 17.73 Awhite DSL Nor-Shielded Cross Comment to Collocation - no test \$ 12.86 \$ 22.46 None LST performed on S									
No.		xDSL Conditioning Options	2			8.41	2	٧	OHU
Removal of All Bridged Tap (RABT) - MMP RATE \$ 878.63 None None Removal of All Bridged Tap XDSL Loop 12K1 to 07 12K1. \$ 338.64 None None Remove All Bridged Tap XDSL Loop > 77.5K1 per element \$ 338.64 None None Remove All Bridged Tap XDSL Loop > 77.5K1 per element \$ 0.80 \$ 18.96 \$ 12.69 XDSL Cross Connect Sommet Loop to Collocation - no test \$ 0.81 \$ 18.96 \$ 17.73 AWITE DSI Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 18.96 \$ 17.73 AWITE DSI Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 15.96 \$ 17.73 LST performed on CODSLAM Loop Lost performed on Sub Loop \$ 224.56 none LST performed on CODSLAM Loop Loop to Multiplexer - 4-Wire Install \$ 224.56 none LST performed on COLO 2W \$ 30.63 \$ 52.68 \$ 42.05 LST performed on Sub Loop CROSS CONNECTS \$ 88.76 \$ 77.73 Amalog Loop to Collo 4W wio besting \$ 14.55 \$ 88.76 \$ 77.49 Loop to Multiplexer - 4-Wire Install \$ 14.10 \$ 11.00 <t< td=""><td></td><td>xDSL standard conditioning Charge applied per each xDSL Loop activation.</td><td>LION</td><td><u>v</u></td><td>•</td><td></td><td>-</td><td></td><td></td></t<>		xDSL standard conditioning Charge applied per each xDSL Loop activation.	LION	<u>v</u>	•		-		
Remove of a M Bridged Tap XDSL Loop 12Kft To 17 5Kft		Removal of All Bridged Tap (RABT) - MMP							
Remnove Non-Excessive Bridged Tap XDSL Loops Offt. To 17 5/Rft. \$ 338.64 None None Remnove Non-Excessive Bridged Tap XDSL Loops Offt. Per element \$ 338.64 None None Remnove All Bridged Tap XDSL Loop > 17.5Rft. Per element \$ 38.64 None None Remnove Machaged Tap XDSL Loop > 17.5Rft. Per element \$ 0.80 \$ 12.69 12.69 XDSL Zevire Digital Cross Commect to Collocation - no test \$ 0.31 \$ 12.69 17.73 A-Wire DSL Non-Shielded Cross Commect to Collocation - no test \$ 0.31 \$ 12.69 17.73 2-Wire DSL Non-Shielded Cross Commect to Collocation - no test \$ 0.31 \$ 12.69 \$ 12.69 2-Wire DSL Non-Shielded Cross Commect to Collocation - no test \$ 0.31 \$ 12.69 \$ 12.69 2-Wire DSL Non-Shielded Cross Commect to Collocation - no test \$ 0.31 \$ 12.60 \$ 17.73 A-Wire DSL Non-Shielded Cross Commect to Collocation - no test \$ 0.31 \$ 12.60 \$ 17.73 CROSS CONNECTS \$ 0.00 \$ 224.60 none \$ 12.60 CROSS CONNECTS \$ 10.00 \$ 14.10 \$ 14.10 Digital Loop to Collo 4W \$ 14.00		Remove of a All Bridged Tap xDSL Loop 12Kft. To 17.5Kft.	57	876.63		None	Ž	ne.	NRMRP
Remove Affi Bridged Tap XDSL Loop > 17 EKft per element		Remove Non-Excessive Bridged Tap xDSL Loops 0Kft. To 17.5Kft.	59	338.64		None	ž	nne	NRMRJ
None		Remove All Bridged Tap xDSL Loop > 17.5Kft per element	89	338.64		None	N	ne	NRMRM
XDSL Cross Connects \$ 0.80 \$ 19.96 \$ 12.69 Z-Wire DSL Nor-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 19.96 \$ 12.69 2-Wire DSL Nor-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 25.38 \$ 12.69 2-Wire DSL Nor-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 25.38 \$ 17.73 2-Wire DSL Nor-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 12.69 \$ 17.73 LST Particomed on Sub Loop Incompany Connect to Collocation - no test \$ 224.56 Incompany Connect Incompany Connect \$ 17.73 Analog Loop to Collo 2W State Connect to Collo 2W \$ <		Remove Non-Excessive Bridged Tap xDSL Loop > 17.5Kft per element	\$	338.64	ļ	None	N N	euc	NRMRS
XDSI Cross Commetcls 4 0.80 \$ 19.96 \$ 12.69 XDSI Cross Commetcls 4 0.81 \$ 0.81 \$ 12.69 XDSI Vine Shielded Loops Commetcl to Collocation - no test \$ 0.81 \$ 12.69 \$ 12.69 2-Wire DSI Non-Shielded Cross Commet to Collocation - no test \$ 0.81 \$ 12.69 \$ 17.73 2-Wire Digital Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 12.69 \$ 17.73 2-Wire Digital Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 17.73 \$ 17.73 LST Ferformed on Sub Loop Ferformed on Sub Loop Ferformed on Sub Loop Ferformed on Sub Loop Ref. 68 \$ 17.73 Analog Loop to Collo 2W Ferformed on Collo 2W \$		La company of the com							
XIDSI 2 Wire Shielded Loop to Collocation - no test \$ 0.80 \$ 19.90 \$ 712.69 2-Wire DSI Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 19.96 \$ 717.73 2-Wire DSI Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 19.96 \$ 717.73 2-Wire DSI Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 19.96 \$ 717.73 2-Wire DSI Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 19.96 \$ 717.73 2-Wire DSI Non-Shielded Cross Connect to Collocation - no test \$ 234.50 LST performed on CODSIAM Loop none \$ 234.50 none LST performed on Sub Loop none \$ 227.49 none LST performed on Sub Loop \$ 227.49 none \$ 17.73 Analog Loop to Collo AW w/o testing \$ 18.66 \$ 17.73 Analog Loop to Collo AW w/o testing \$ 14.51 \$ 88.76 \$ 17.73 Loop to Multiplexer - 4-Wire Install \$ 14.10 \$ 11.60 Loop to Multiplexer - 4-Wire Disconnect - Install \$ 10.58 \$ 86.08 \$ 35.46 SubLoop Distribution \$ 10.58 \$ 66.98 \$ 35.46 ZW Analog Zone 1 \$ 10.58 \$ 66.98 \$ 35.46		xDSL Cross Connects			ļ	0000		40.00	SOCS
2-Wire DSL Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 19.96 \$ 17.59 4-Wire DSL Non-Shielded Cross Connect to Collocation - no test \$ 0.63 \$ 25.38 \$ 17.73 2-Wire DSL Non-Shielded Cross Connect to Collocation - no test \$ 0.63 \$ 10.03 2-Wire DSL Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ 10.05 LST none \$ 224.50 LST performed on CODSLAM Loop none \$ 227.49 LST performed on CODSLAM Loop none \$ 12.73 LST performed on CODSLAM Loop none \$ 12.74 Analog Loop to Collo 4W w/o testing \$ 1.80 \$ 12.73 Analog Loop to Collo 4W \$ 1.05 \$ 14.50 \$ 11.60 Loop to Multiplexer - 4-Wire Install \$ 10.05 \$ 14.50 \$ 14.50 \$ 14.50 Loop to Multiplexer - 4-Wire Install \$ 10.05 \$ 14.50 \$ 14.50 \$ 14.50 SubLoop Distribution \$ 10.05 \$ 10.05 \$ 14.50 <td< td=""><td></td><td>xDSL 2 Wire Shielded Loop to Collocation</td><td>67</td><td>0.80</td><td>59</td><td>19.96</td><td>-</td><td>12.69</td><td>UAKKA</td></td<>		xDSL 2 Wire Shielded Loop to Collocation	67	0.80	59	19.96	-	12.69	UAKKA
4-Wire DSL Non-Shielded Cross Connect to Collocation - no test \$ 0.63 \$ \$ 25.38 \$ 17.73 2-Wire Digital Non-Shielded Cross Connect to Collocation - no test \$ 0.31 \$ \$ 19.56 \$ \$ 17.73 LST none \$ 234.50 none LST performed on CODSLAM Loop none \$ 234.50 none LST performed on CODSLAM Loop none \$ 227.49 none LST performed on Sub Loop \$ 82.63 \$ 17.73 Analog Loop to Collo 4W w/o testing \$ 82.63 \$ 227.49 Digital Loop to Collo 4W w/o testing \$ 82.63 \$ 327.78 Digital Loop to Collo 4W w/o testing \$ 82.63 \$ 327.78 Loop to Multiplexer - 4-Wire Install \$ 14.51 \$ 88.76 \$ 70.59 Loop to Multiplexer - 4-Wire Install \$ 14.05 \$ 42.09 \$ 42.09 SubLoop Distribution \$ 10.52 \$ 86.08 \$ 35.46 ZW Analog Zone 1 \$ 12.22 \$ 86.08 \$ 35.46 <		2-Wire DSL Non-Shielded Cross Connect to Collocation - no test	↔	0.31	69	19.96		12.69	UCX92
LST performed on CODSLAM Loop \$ 0.31 \$ 19.96 \$ 12.69 LST performed on CODSLAM Loop none \$ 227.49 none LST performed on CODSLAM Loop none \$ 227.49 none LST performed on CODSLAM Loop none \$ 227.49 none LST performed on Sub Loop none \$ 227.49 none LST performed on Sub Loop none \$ 227.49 none LST performed on Sub Loop none \$ 227.49 none LST performed on Sub Loop none \$ 227.49 none LST performed on Sub Loop to Collo 2W \$ 18.69 \$ 327.49 none Digital Loop to Collo 4W \$ 89.00 \$ 445.03 \$ 34.17.73 Loop to Multiplexer - 4-Wire Disconnect \$ 14.51 \$ 88.76 \$ 70.59 Loop to Multiplexer - 4-Wire Disconnect - Install \$ 30.06 \$ 42.09 Loop to Multiplexer - 4-Wire Disconnect - Install \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69 \$ 66.69		4-Wire DSL Non-Shielded Cross Connect to Collocation - no test	\$	0.63	\$	25.38	i	17.73	UCX94
LST none \$ 234.50 none LST performed on CODSLAM Loop none \$ 227.49 none LST performed on Sub Loop 227.49 none none LST performed on Sub Loop 227.49 none CROSS CONNECTS \$ 227.49 none Analog Loop to Collo 4W w/o testing \$ 227.49 none Digital Loop to Collo 4W w/o testing \$ 81.89 \$ \$17.73 Digital Loop to Collo 4W \$ 80.09 \$ \$45.03 \$ \$34.16 Loop to Multiplexer - 4-Wire Install \$ 14.15 \$ 14.51 \$ 14.10 \$ 11.60 Loop to Multiplexer - 4-Wire Install \$ 35.00 \$ 85.08 \$ 42.09 Loop to Multiplexer - 4-Wire Install \$ 14.10 \$ 11.60 Loop to Multiplexer - 4-Wire Install \$ 8.76 \$ 42.09 SubLoop Distribution \$ 50.08 \$ 55.48 \$ 42.09 SubLoop Distribution \$ 50.08 \$ 85.08 \$ 35.46 ZW Analog Zone 1 \$ 86.08 \$ 85.08 \$ 35.46 ZW Analog Zone 2 \$ 86.08 \$ 85.08 \$ 35.46		2-Wire Digital Non-Shielded Cross Connect to Collocation - no test	89	0.31	\$	19.96		12.69	
LST Inone \$ 234.56 none LST performed on CODSLAM Loop none \$ 227.45 none LST performed on Sub Loop none \$ 227.45 none CROSS CONNECTS \$ 227.45 none \$ 17.73 Analog Loop to Collo 4W w/o testing \$ 36.63 \$ 256.38 \$ 17.73 Analog Loop to Collo 4W \$ 44.80 \$ 256.87 \$ 227.46 Digital Loop to Collo 4W \$ 44.80 \$ 354.16 \$ 70.59 Digital Loop to Collo 4W \$ 44.00 \$ 450.03 \$ 354.16 Loop to Multiplexer - 4-Wire Install \$ 44.10 \$ 11.60 Loop to Multiplexer - 4-Wire Install \$ 40.08 \$ 42.09 Loop to Multiplexer - 4-Wire Install \$ 40.08 \$ 42.09 Loop to Multiplexer - 4-Wire Install \$ 40.08 \$ 42.09 Loop to Multiplexer - 4-Wire Install \$ 40.08 \$ 54.38 \$ 42.09 Loop to Multiplexer - 4-Wire Install \$ 40.08 \$ 54.38 \$ 42.09 SubLoop Distribution \$ 40.08 \$ 56.08 \$ 56.08 \$ 56.08 ZW Analog Zone					1				
LST performed on CODSLAM Loop none \$ 237.49 none LST performed on Sub Loop Loop to Multiplexer \$ 227.49 none CROSS CONNECTS \$ 227.49 none Analog Loop to Collo 4W w/o testing \$ 41.89 \$ 227.49 none Digital Loop to Collo 2W \$ 80.00 \$ 445.03 \$ 324.16 Loop to Multiplexer - 4-Wire Install \$ 14.51 \$ 88.76 \$ 70.59 Loop to Multiplexer - 4-Wire Disconnect \$ 14.51 \$ 88.76 \$ 70.59 Loop to Multiplexer - 4-Wire Install \$ 30.08 \$ 66.98 \$ 42.09 SubLoop Distribution \$ 66.93 \$ 66.98 \$ 66.98 \$ 66.98 SubLoop Distribution \$ 66.93 \$ 66.98 \$ 66.98 \$ 66.98 \$ 66.98 SubLoop Distribution \$ 66.93 \$ 66.98 </td <td></td> <td>181</td> <td></td> <td></td> <td></td> <td>024 50</td> <td>6)</td> <td></td> <td></td>		181				024 50	6)		
LST performed on Sub Loop Loop to Collo 4W w/o testing \$ 227.43 Indie CROSS CONNECTS Analog Loop to Collo 4W w/o testing \$1.89 \$25.88 \$17.73 Analog Loop to Collo 4W \$ 14.51 \$ 88.76 \$ 70.59 DS1Loop to Collo 4W \$ 14.51 \$ 88.76 \$ 70.59 Loop to Multiplexer - 4-Wire Install \$ 14.61 \$ 14.60 \$ 14.60 Loop to Multiplexer - 4-Wire Disconnect \$ 14.61 \$ 14.60 \$ 14.60 Loop to Multiplexer - 4-Wire Disconnect \$ 14.61 \$ 14.60 \$ 14.60 Loop to Multiplexer - 4-Wire Disconnect \$ 14.61 \$ 14.60 \$ 14.60 Loop to Multiplexer - 4-Wire Disconnect \$ 14.61 \$ 14.60 \$ 14.60 Loop to Multiplexer - 4-Wire Disconnect \$ 14.61 \$ 14.60 \$ 14.60 SubLoop Distribution \$ 14.61 \$ 14.60 \$ 14.60 \$ 14.60 SubLoop Distribution \$ 16.68 \$ 14.60 \$ 14.60 \$ 14.60 SubLoop Distribution \$ 16.68 \$ 16.68 \$ 16.68 \$ 16.60 SubLoop Distribution \$ 16.69		LST performed on CODSLAM Loop	Jou	و	P C	254,00		2 0	a local
CROSS CONNECTS \$0.63 \$2.6.38 \$17.73 Analog Loop to Collo 4W w/o testing \$0.63 \$2.6.38 \$17.73 Digital Loop to Collo 2W \$1.89 \$2.6.87 \$2.0.08 DS1Loop to Collo 2W \$1.89 \$3.4.16 \$3.4.16 Loop to Multiplexer - 4-Wire Install \$1.4.51 \$88.76 \$70.59 Loop to Multiplexer - 4-Wire Disconnect \$14.51 \$88.76 \$70.59 DS3 Loop Crossconnect - Install \$30.08 \$6.69 \$42.09 SubLoop Distribution \$6.69 \$85.08 \$35.46 ZW Analog Zone 1 \$6.69 \$85.08 \$35.46 ZW Analog Zone 2 \$6.69 \$85.08 \$35.46 ZW Analog Zone 3 \$6.69 \$85.08 \$35.46 ZW Analog Zone 3 \$85.08 \$85.08 \$35.46 ZW Analog Zone 4 \$85.08 \$85.08 \$85.08 \$85.08 ZW Digital Zone 4 \$85.08 \$85.08 \$85.08 \$85.08 ZW Digital Zone 1 \$85.08 \$85.08 \$85.08 \$85.08 <tr< td=""><td></td><td>LST performed on Sub Loop</td><td>non</td><td>ஓ</td><td>A</td><td>84:177</td><td></td><td><u>D</u></td><td>ONCE</td></tr<>		LST performed on Sub Loop	non	ஓ	A	84:177		<u>D</u>	ONCE
CROSS CONNECTS \$0.63 \$17.73 Analog Loop to Collo 4W w/o testing *80.63 \$25.38 \$17.73 Digital Loop to Collo 2W *845.03 \$25.08 \$34.16 DS/Loop to Collo 2W \$8.76 \$70.59 Loop to Multiplexer - 4-Wire Install \$8.76 \$70.59 Loop to Multiplexer - 4-Wire Disconnect \$8.76 \$70.59 DS3 Loop Cross-connect - Install \$8.76 \$8.76 SubLoop Distribution \$8.76 \$8.76 SubLoop Distribution \$8.60.8 \$8.50.8 2W Analog Zone 1 \$8.60.8 \$8.60.8 2W Analog Zone 2 \$86.08 \$8.60.8 2W Analog Zone 3 \$86.08 \$8.86.08 2W Analog Zone 4 \$8.60.8 \$8.86.08 2W Analog Zone 4 \$8.86.08 \$8.86.08 2W Digital Zone 1 \$8.86.08 \$8.86.08 2W Digital Zone 1 \$8.86.08 \$8.86.08 \$8.86.08 \$8.86.08 \$8.86.08 \$8.86.08 \$8.86.08 \$8.86.08 \$8.86.08 \$8.86.08 \$								8	
Analog Loop to Collo 4W w/o testing Digital Loop to Collo 2W Digital Loop to Collo 2W Digital Loop to Collo 2W Digital Loop to Collo 4W Digital Loop to Multiplexer - 4-Wire Install Loop to Multiplexer - 4-Wire Disconnect Loop to Multiplexer - 4-Wire Disconnect Loop to Multiplexer - 4-Wire Disconnect Digital Loop to Multiplexer - 4-Wire Disconnect Digital Loop to Multiplexer - 4-Wire Disconnect Digital Loop to Multiplexer - 4-Wire Disconnect Loop to Multiplexer - 4-Wire Disconnect Digital Loop to Multiplexer - 4-Wire Disconnect SubLoop to Mu	a de la constante de la consta	CROSS CONNECTS		00 00		40F 38		\$17.73	UCXD4
Digital Loop to Collo 2W \$1.89 \$26.87 \$22.08 DS1Loop to Collo 4W \$9.00 \$45.03 \$34.16 DS1Loop to Collo 4W \$9.00 \$45.03 \$34.16 Loop to Multiplexer - 4-Wire Install \$14.51 \$88.76 \$10.59 Loop to Multiplexer - 4-Wire Disconnect \$14.10 \$14.00 \$10.09 DS3 Loop Crossconnect - Install \$14.00 \$10.08 \$14.00 \$10.09 SubLoop Distribution \$10.08 \$10.08 \$10.09 \$10.09 \$10.09 SubLoop Distribution \$10.08 \$10.08 \$10.09 \$10.0	-	Analog Loop to Collo 4W w/o testing		\$0.0¢		950.00		>	(UCXC2) under
DSJLoop to Collo 4W	•			\$1.89		\$26.87	_	\$22.08	development
Loop to Multiplexer - 4-Wire Install \$ 14.10 \$ Loop to Multiplexer - 4-Wire Disconnect \$ 14.10 \$ Loop to Multiplexer - 4-Wire Disconnect \$ 14.10 \$ DS3 Loop Crossconnect - Install \$ 54.08 \$ SubLoop Distribution \$ 6.69 \$ 85.08 \$ ZW Analog Zone 1 \$ 10.68 \$ 85.08 \$ ZW Analog Zone 2 \$ 12.92 \$ 85.08 \$ ZW Analog Zone 3 \$ 22.78 \$ 85.08 \$ ZW Digital Zone 4 \$ 9.63 \$ 86.76 \$		DS/I pop to Collo 4W		\$9.00		\$45.03	~	\$34.16	UDLY4
Loop to Multiplexer - 4-Wire Disconnect \$ 14.10 \$ DS3 Loop Crossconnect - Install \$ 30.08 \$ \$ 54.98 \$ SubLoop Distribution \$ 6.69 \$ \$ 85.08 \$ 2W Analog Zone 1 \$ 12.92 \$ \$ 85.08 \$ 2W Analog Zone 3 \$ 22.78 \$ \$ 85.08 \$ 2W Analog Zone 4 \$ 86.08 \$ \$ 2W Digital Zone 1 \$ 86.08 \$ \$	7	Loop to Multiplexer - 4-Wire Install	\$	14.51	69	88.76		70.59	
DS3 Loop Crossconnect - Install \$ 30.08 \$ 54.98 \$ SubLoop Distribution \$ 6.69 \$ 86.08 \$ 2W Analog Zone 2 \$ 12.92 \$ 85.08 \$ 2W Analog Zone 3 \$ 22.78 \$ 85.08 \$ 2W Analog Zone 4 \$ 86.08 \$ \$ 2W Digital Zone 1 \$ 86.08 \$ \$	7	Loop to Multiplexer - 4-Wire Disconnect			69	14.10	-	11.60	
SubLoop Distribution \$ 6.69 \$ 86.08 \$ 2W Analog Zone 1 \$ 10.68 \$ 86.08 \$ 2W Analog Zone 2 \$ 17.92 \$ 86.08 \$ 2W Analog Zone 3 \$ 22.78 \$ 86.08 \$ 2W Analog Zone 4 \$ 9.63 \$ 86.76 \$ 2W Digital Zone 1 \$ 9.63 \$ 86.76 \$	18	DS3 Loop Crossconnect - Install	ধ্য	30.08	\$	54.98		42.09	
SubLoop Distribution \$ 6.69 \$ 85.08 \$ 2W Analog Zone 2 \$ 10.68 \$ 85.08 \$ 2W Analog Zone 3 \$ 12.92 \$ 85.08 \$ 2W Analog Zone 4 \$ 22.78 \$ 85.08 \$ 2W Digital Zone 1 \$ 86.76 \$		1, 1, 1, 1							
2W Analog Zone 2 \$ 10.68 \$,	SubLoop Distribution	45	6 69	69	85.08	-	35.46	
2W Analog Zone 2 \$ 12.92 \$	-	2W Analog Zone 1	÷ 4	10.68	69	85.08	- 1110	35.46	
2W Analog Zone 3 \$ 22.78 \$ 85.08 \$ 2W Analog Zone 4 \$ 9.63 \$ 86.76 \$ 2W Digital Zone 1 \$ 9.63 \$ 86.76 \$	_	2W Analog Zone 2	÷ 4	12 92	•	85 08	-	35.46	
2W Analog Zone 4 \$ 6.76 \$ 86.76 \$ 2W Digital Zone 1	-	2W Analog Zone 3	÷ 4	92 78	+ +	85 08	-	35.46	
2W Digital Zone 1	_	2W Analog Zone 4	• 0	0 63	+	86.76	-	38.57	
8 7 88	-	2W Digital Zone 1	A 6	9.00	- 9	96.76	-	38.57	3386

	Social in the second of the se		Nonrecurring Rate	ate	Nonrecurring Rate	
NOTE	Service	Monthly Recurring	First		Additional	nsoc
	Network Interface Device					
,	Olly nor define incide with the Colly	onoN	\$	23.00	\$ 14.32	NRBND
_ ,	DISCONNECT LOOP NOTHING WHING, POLYND	\$ 15.86		-	\$ 38.57	
- ,	ZW Digital Zono 4			86.76	\$ 38.57	
_ ,	Zvv Ugital Zone 4			131.83		
-	4W Digital conte		\$ 131	-		
-	4W Digital Zone 2		÷ 55	-		
-	4W Digital Zone 3		+ 4	_		
-	4W Digital Zone 4			_		
× 15 (01) (10)	Roufine Network Modifications	None	ICB		NA	
	11/1					
	RESALE - Customized Routing			1		
3	Customized Routing Per Originating Query	\$ 0.003961	- 45-600			
3	CLEC order for Customized Routing per switch	None	8	6.53	None	
	Centrex					
65	Translations per Centrex Customer - 5ESS	None		284.33	None	
က	Translations per Centrex Customer - DMS 100	None	\$ 106	105.09	None	
	POTS					
9	POTS Translations per 5ESS office	None		43.27	None	
6	POTS Translations per DMS100 office	None	\$	70.46	None	
	NONRECURRING COST - DISCONNECT	The state of the s	ì			
8	CLEC order for Customized Routing per switch	None	\$	6.53	None	
	Centrex					
8	Translations per Centrex Customer - 5ESS	None		154.53	None	35
က	Translations per Centrex Customer - DMS100	None	4	105.09	None	
	POTS			- 1		
က	POTS Translations per 5ESS office	None		43.2/	None	
3	POTS Translations per DMS100 office	None	S	70.46	None	
					ı	
88	Service Order Charges - Unbundled Elements					
	Manual Service Order Type Charges - Unbundled Elements			1		
2	New Simple	None		12.56	None	NKBOQ
2	New Complex	None		74.90	None	NYBOK
2	Change Simple	None		4.91	None	MKBOO
1	Change Complex	None		74.90	None	NKBUP
1	Record Simple	None	69	6.28	None	NKBOO
0	Record Complex	None		6.28	None	NKBON
2	Disconnect Simple	None		5.32	None	NRBUW
0	Disconnect Complex	None		27.29	None	NKBUX
1 0	Suspend Simple	None	\$	2.52	None	NRBJZ
1		Mond	5.	0 60	None	NRB.17

NOTE 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Service Network Interface Device	Monthly Recurring	First		1000,000,000	
1 2 2 2 2 2 2 4	letwork Interface Device		Secretary and		Additional	nsoc
- 2 2 2 2 2 2 4		The state of the s				
- 0 0 0 0 0 0 4	GIN your profession of the state of the stat	onoN	₩	23.00	\$ 14,32	NRBND
2000004	Disconnect Loop from tristae withig, per INID	None			None	NRBJ9
4 2 2 2 2 2 4	Kestole Simple	None	49	2.52	None	NRB.18
4 2 2 2 2 4	Restore Complex	None		12.60	None	NRMV1
7 7 7 7 7 7	Expedited Simple	adoN		12.60	None	NRMV2
7 7 7 7 4	Expedited Complex	ouol N		4 20	None	NRMV3
0 0 0 4	Due Date Change Simple	andly	÷ +	4 20	None	NRMV4
0 0 4	Due Date Change Complex	PION	÷ •	4 20	None	NRMV3
2 4	Cancellation Simple	ouol ouol	• •	4 20	None	NRMV4
‡	Cancellation Complex		* *	5.83	\$ 1.52	NRBL9
	TIC Cliatige Chalge					
9	Electronic - UNE Service Order Type Charges					CHACIL
7	Electronic - UNE Service Order	None	\$	2.92	None	NKSW
7	Suspend Simple	None	ક્ક	0.12	None	NKB.J5
,	Grepond Complex	None	89	0.12	None	
- -	Restore Simple	None	es.	0.12	None	NRBJ6
7	Restore Complex	None	\$	0.12	None	
, ,	Expedited Simple	None	₩.	6.43	None	NRMV7
7	Expedited Complex	None	8	6.43	None	NRMVX
-	Dun Data Changa Simple	None	89	2.14	None	NRMV8
	Duo Data Change Complex	None	59	2.14	None	NRMVZ
- 1	Our Date Campos	None	59	2.14	None	NRMV8
_	Cancellation Simple	edoly	65	2.14	None	NRMVZ
7	Cancellation Complex					
	described to be both the foot					
	And the second s	120				
	Programme Characteristics					
	1000年の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の					
	water and a figure and the first					
	The state of the s	00000 CO				
	State A statement					
i	Jesus & Pridge	经 1000 1000 1000 1000 1000 1000 1000 10				
	Agent Av Strattment					
	AND EXPERIENCE PROPERTY.					į
	Zeng in metal					
ı	desir in Department					
	See a second					

SOUTHWESTERN BELL TELEPHONE, L.P. SBC-MISSOURI / BIG RIVER TELEPHONE COMPANY, LLC

	Scriedule VI Filoss			Nonre	Nonrectirring Pare	Nonrecurring Rate	ā
NOTE	Service	Month	Monthly Recurring		First	Additional	nsoc
	Network Interface Device						
× 1	Olly and parising ability and		econ	on	23.00	\$ 14.32	2 NRBND
	Disconnect Loop from Inside Witing, per NiD						
	Sent September						
	The second secon						
	Dedicated Transport - Interoffice Transport						
14	DS1 Transport I/O First mile - zone 1	\$	46.85	\$	174.43		4
4	DS1 Transport I/O First mile - zone 2	₩.	70.87	₩	174.43	Janes II	4
1A	DS1 Transport I/O First mile - zone 3	65	71.61	ও ን	174.43		4
4	DS1 Transport I/O First mile - zone 4	\$	42.78	0 9	174.43		4
1	DS1 Transport I/O Additional mile - zone 1	\$	0.51	89	174.43		4
14	DS1 Transport I/O Additional mile - zone 2	↔	1.36	\$	174.43		4
14	DS1 Transport I/O Additional mile - zone 3	₩	1.60	\$	174.43		4
1	DS1 Transport I/O Additional mile - zone 4	\$7	0.19	क्र	174.43		4
1	DS1 Interzone First mile	\$	81.61	49	174.43		4
14	DS1 Interzone - Additional mile	\$	0.97	ده	174.43		4
1A	DS 3 Transport I/O First mile - zone 1	\$9	754.05	*	170.28		7.0
4	DS 3 Transport I/O First mile - zone 2	\$>	1,486.67	\$	170.28		20
14	DS 3 Transport I/O First mile - zone 3	\$	1,670.39	69	170.28	1	7(
14	DS 3 Transport I/O Eirst mile - zone 4	\$	643.14	69	170.28		27
14	DS 3 Transport I/O Additional mile - zone 1	\$	12.75	69	170.28	İ	7.
4	DS 3 Transport I/O Additional mile - zone 2	\$7	46.01	\$	170.28		7(
14	DS 3 Transport I/O Additional mile - zone 3	\$	79.54	₩	170.28		7(
1	DS 3 Transport I/O Additional mile - zone 4	€	16.16	↔	170.28		2(
1A	DS 3 Interzone - First mile	49	1,924.75	69	170.28	ļ	7(
14 14	DS 3 Interzone - Additional mile	\$	21.08	9	170.28	\$ 130.07	7(
	Dark Fiber - Interoffice						
•	Zone 1 per fiber per foot per month	69	0.002085		None	None	
	Zone 2 per fiber per foot per month	69	0.003156		None	None	
	Zone 3 per fiber per foot per month	\$	0.004752		None	None	
<u>.</u>	Zone 4 per fiber per foot per month	69	0.002085		None	Nor	
• •	Dark Fiber Interoffice per Strand	\$	53.80	\$	1,653.68	1,6	38
	Dark Fiber Cross Connect - Interoffice	€9	6.87	↔	81.04		4
	Dark Fiber InterOffice Inquiry		None	59	580.11	\$ 580.11	11
	Multiplexing - All Zones						9
	DS1 to Voice Grade - Install	ω	177.78	₽	86.04	\$ 08.43	2