

APPENDIX NUMBER PORTABILITY

TABLE OF CONTENTS

1. INTRODUCTION	3
2. INTERIM NUMBER PORTABILITY (INP) [SBC-SWBT ONLY].....	4
3. PERMANENT NUMBER PORTABILITY (PNP)	8
4. INP TO PNP TRANSITION	13
5. MASS CALLING CODES	13
6. PROVISION OF INP AND PNP BY CLEC TO <u>SBC-SWBT</u>	15
7. PROVISION OF PNP BY CLEC TO <u>PACIFIC/NEVADA/SBC-AMERITECH</u>	16
8. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS	16
EXHIBIT 1 [<u>SBC-SWBT</u> ONLY]	

**APPENDIX NP
(NUMBER PORTABILITY)**

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions for Number Portability provided by the applicable SBC Communications Inc. (SBC) owned Incumbent Local Exchange Carrier (ILEC) and CLEC.
- 1.2 SBC Communications Inc. (SBC) means the holding company which owns the following ILECs: Illinois Bell Telephone Company, Indiana Bell Telephone Company Incorporated, Michigan Bell Telephone Company, Nevada Bell Telephone Company, The Ohio Bell Telephone Company, Pacific Bell Telephone Company, The Southern New England Telephone Company, Southwestern Bell Telephone Company and/or Wisconsin Bell, Inc. d/b/a Ameritech Wisconsin.
- 1.3 As used herein, SBC-13STATE means an ILEC doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.4 As used herein, SBC-12STATE means an ILEC doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.5 As used herein, SBC-10STATE means an ILEC doing business in Arkansas, Illinois, Indiana, Kansas, Michigan, Missouri, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.6 As used herein, SBC-8STATE means an ILEC doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.7 As used herein, SBC-7STATE means an ILEC doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.8 As used herein, SBC-SWBT means an ILEC doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.9 As used herein, SBC-AMERITECH means an ILEC doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.10 As used herein, PACIFIC means an ILEC doing business in California.
- 1.11 As used herein, NEVADA means an ILEC doing business in Nevada.

- 1.12 As used herein, SNET means an ILEC doing business in Connecticut.
- 1.13 The prices at which SBC-13STATE agrees to provide CLEC with Numbering Portability are contained in the applicable Appendix Pricing and/or the applicable Commissioned ordered tariff where stated.

2. INTERIM NUMBER PORTABILITY (INP) [SBC-SWBT ONLY]

- 2.1 Due to all PACIFIC and SBC-AMERITECH switches being LNP capable, this Section does not apply to PACIFIC or SBC-AMERITECH. As of 11/13/99, it will not apply to SNET and after 12/31/99, it will not apply to NEVADA.

2.2 General Terms and Conditions

- 2.2.1 SBC-SWBT and CLEC will provide Interim Number Portability (INP) in accordance with requirements of the Act. INP will be provided by each Party to the other upon request. INP will be provided with minimum impairment of functionality, quality, reliability and convenience to subscribers of CLEC or SBC-SWBT. As described herein, INP is a service arrangement whereby an End User, who switches subscription of exchange service from one provider to another is permitted to retain, for its use, the existing assigned number provided that the End User remains in the same serving wire center.

2.3 Service Provided

- 2.3.1 SBC-SWBT shall provide INP to CLEC only, as described herein.
- 2.3.2 SBC-SWBT shall provide INP services and facilities only where technically feasible, subject to the availability of facilities, and only from properly equipped central offices. SBC-SWBT does not offer INP services and facilities for NXX codes 555, 976, 950.
- 2.3.3 SBC-SWBT shall not provide INP services for End User accounts where the End User's payments are thirty (30) days or more in arrears, or where contract termination liabilities would be assessed by SBC-SWBT to the End User, unless full payment is made, or an agreement is reached where CLEC agrees to make full payment on the End User's behalf, including any termination amounts due.
- 2.3.4 When the exchange service offerings associated with INP service are provisioned using remote switching arrangements, SBC-SWBT shall make INP service available only from, or to host central offices.

2.4 Obligations of SBC-SWBT

- 2.4.1 SBC-SWBT's sole responsibility is to comply with the service requests it receives from CLEC and to provide INP in accordance with this Appendix.

2.5 Obligations of CLECs

- 2.5.1 CLEC shall coordinate the provision of service with SBC-SWBT to assure that CLEC's switch is capable of accepting INP ported traffic.
- 2.5.2 CLEC is solely responsible to provide equipment and facilities that are compatible with SBC-SWBT's service parameters, interfaces, equipment and facilities. CLEC shall provide sufficient terminating facilities and services at the terminating end of an INP call to adequately handle all traffic to that location and shall ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment or service of SBC-SWBT or any of its End Users. In the event that SBC-SWBT determines in its sole judgment that CLEC will likely impair or is impairing, or interfering with any equipment, facility or service of SBC-SWBT or any of its End Users, SBC-SWBT may either refuse to provide INP service or terminate it in accordance with other provisions of this Agreement or SBC-SWBT's tariffs, where applicable.
- 2.5.3 CLEC shall provide an appropriate intercept announcement service for any telephone numbers subscribed to INP service for which CLEC is not presently providing exchange service or terminating to an End User.
- 2.5.4 Where CLEC chooses to disconnect or terminate any INP service, CLEC shall designate which standard SBC-SWBT intercept announcement SBC-SWBT shall provide for disconnected number.
- 2.5.5 When a ported telephone number becomes vacant, e.g., the telephone number is no longer in service by the original End User and a period for intercept and referral equivalent to that which is provided by SBC-SWBT to its own End User subscribers has elapsed, the ported telephone number will be released back to SBC-SWBT.
- 2.5.5.1 Formerly ported telephone numbers which revert to SBC-SWBT as described above shall be reassigned or provided with a standard SBC-SWBT intercept announcement in accordance with SBC-SWBT's standard operating procedures then in effect.

2.5.6 CLEC shall designate to SBC-SWBT at the time of its initial service request for INP service one of the following options for handling and processing of Calling Card, Collect, Third Party, and other operator handled non-sent paid calls from or to CLEC assigned telephone numbers:

2.5.6.1 CLEC may elect to block the completion of third number and calling card calls through the use of LIDB to select ported numbers.

2.5.6.2 For non-sent paid calls billed to INP assigned numbers, a separate sub-clearinghouse billing arrangement must be established which will provide for the transmission of the EMR 01-01-01 billing records, and settlement of toll revenues.

2.6 Limitations Of Service

2.6.1 SBC-SWBT is not responsible for adverse effects on any service, facility or equipment from the use of INP service.

2.6.2 End-to-end transmission characteristics cannot be specified by SBC-SWBT for calls over INP facilities because end-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over INP facilities and the fact that another carrier is involved in the provisioning of service.

2.7 Service Descriptions

2.7.1 INP-Remote

2.7.1.1 INP-Remote is a service whereby a call dialed to an INP-Remote equipped telephone number, assigned to SBC-SWBT, is automatically forwarded to CLEC-assigned, 7 or 10 digit telephone number. The forwarded-to-number must be specified by CLEC at the same wire center wherein the ported number resides.

2.7.1.2 INP-Remote provides an initial call path and two (2) additional paths for the forwarding of no more than three (3) simultaneous calls to CLEC's specified forwarded-to number. Additional call paths are available on a per path basis.

2.7.1.3 The CLEC-assigned forwarded-to number shall be treated as two (2) separate calls with respect to interconnection compensation, End User toll billing and intercompany settlement and access

billing, i.e., an incoming call to the SBC-SWBT ported number shall be handled like any other SBC-SWBT call being terminated to that end office and the ported call to CLEC assigned telephone number in CLEC switch shall be handled as any local calls between SBC-SWBT and CLEC.

- 2.7.1.4 Where facilities exist, SBC-SWBT will provide identification of the originating telephone number, via SS7 signaling, to CLEC.

2.7.2 INP-Direct

- 2.7.2.1 INP-Direct is a service which provides for the delivery of the called (dialed) number to CLEC's switching (central office or premises) equipment for identification and subsequent routing and call completion.

- 2.7.2.2 INP-Direct is available either on a per voice grade channel basis or a per DS1 (24 equivalent voice grade channels) basis.

2.7.2.2.1 Where the location of CLEC's switching equipment to which SBC-SWBT is providing voice grade or DS1 INP-Direct service reside outside the exchange or central office serving area from which the INP-Direct service is purchased, CLEC shall pay applicable interoffice mileage charges as specified in the applicable state Special Access Tariff.

- 2.7.2.3 INP-Direct service must be established with a minimum configuration of two (2) voice grade channels and one (1) unassigned telephone number per SBC-SWBT switch. Transport facilities arranged for INP-Direct may not be mixed with any other type of trunk group. Outgoing calls may not be placed over facilities arranged for INP-Direct service.

- 2.7.2.4 SS7 Signaling is not available on the INP-Direct facilities.

2.8 Intercompany Terminating Compensation

- 2.8.1 With regard intercompany terminating compensation and switched access revenues associated with interim number portability, the Porting Party shall pay the Ported-to-Party \$1.75 per month for each business line and \$1.25 per month for each residence line associated with the INP arrangement. Determination of the number of lines to which the above payment shall apply will be made at the time the INP arrangement is

established. Such payment shall continue until the INP arrangement is disconnected or PNP is made available for the INP number, whichever occurs first. Such amount is in consideration of the Switched Access compensation and intercompany terminating reciprocal compensation that would have been received by each Party if PNP had been in effect.

2.9 Pricing

2.9.1 The Parties will comply with all effective FCC, Commission and/or court orders governing INP cost recovery and compensation. The Parties acknowledge that the Telephone Number Portability Order is subject to pending Petitions for Reconsideration and may be appealed. As such, the Number Portability Order may be reconsidered, revised and remanded, or vacated, subject to further proceedings before the FCC. As such, until a final decision is rendered on INP cost recovery, the Parties agree to track the costs associated with the implementation and provision of INP and to "true-up" INP-related accruals to reflect the final terms of any such order.

2.9.2 Neither Party waives its rights to advocate its views on INP cost recovery, or to present before any appropriate regulatory agency or court its views.

3. **PERMANENT NUMBER PORTABILITY (PNP)**

3.1 General Terms and Conditions

3.1.1 The Parties agree that the industry has established local routing number (LRN) technology as the method by which permanent number portability (PNP) will be provided in response to FCC Orders in FCC 95-116 (i.e., First Report and Order and subsequent Orders issued to the date this agreement was signed). As such, the parties agree to provide PNP via LRN to each other as required by such FCC Orders or Industry agreed upon practices.

3.1.2 Other than as specifically set out elsewhere in this agreement, **SNET** does not offer PNP under this agreement. Rather, PNP is available as described in Section 14 of the Connecticut Tariff FCC No. 39.

3.2 Service Provided

3.2.1 **SBC-12STATE** provides CLECs the use of the **SBC-12STATE** PNP database via the Service Provider Number Portability (SPNP) Database Query. The CLEC's STP, tandem, and/or end office's LRN software will determine the need for, and triggers, the query. **SBC-12STATE's** PNP

database will determine if a number has, or has not, been ported and will provide LRN if a number is ported.

3.2.2 SBC-12STATE will provide CLEC the use of the SBC-12STATE PNP database, PNP software, and SS7 network via the SPNP Query.

3.2.3 The Parties shall:

3.2.3.1 disclose, upon request, any technical limitations that would prevent LNP implementation in a particular switching office; and

3.2.3.2 provide PNP services and facilities only where technically feasible, subject to the availability of facilities, and only from properly equipped central office

3.2.4 The Parties do not offer PNP services and facilities for NXX codes 555, 976, 950.

3.3 Obligations of SBC-12STATE

3.3.1 PACIFIC/NEVADA/SBC-AMERITECH has deployed LRN in all of their switches.

3.3.2 SBC-SWBT has deployed LRN in the following MSAs per the timelines set forth by the FCC:

MSA	DEPLOYMENT WAS COMPLETED BY
Houston	May 26, 1998
Dallas, St. Louis	June 26, 1998
Ft. Worth, Kansas City	July 27, 1998
Oklahoma City, Austin, San Antonio, West Memphis,	September 30, 1998
Tulsa, El Paso, Wichita, Little Rock	December 31, 1998

3.3.3 After December 31, 1998, SBC-SWBT will deploy LRN in other MSAs/areas within six (6) months after receipt of Bona Fide Request (BFR) from the CLEC (see EXHIBIT 1).

- 3.3.4 SBC-12STATE may cancel any line-based calling cards associated with telephone numbers ported from their switch.

3.4 Obligations of CLEC

- 3.4.1 When purchasing the SPNP Database Query, CLEC will access SBC-12STATE's facilities via an SS7 link: SBC-AMERITECH - Section 8 of FCC No. 2 Access Service Tariff/NEVADA - Section 6 of FCC No. 1 Access Services tariff/PACIFIC - Section 6 of FCC No. 128 Access Service tariff/ SBC-SWBT- Section 23 and 32 of FCC No. 73 Access Service Tariff) to the SBC-12STATE STP.
- 3.4.2 When purchasing the SPNP Query - Prearranged, CLEC will advise PACIFIC/NEVADA/SBC-SWBT of the entry point(s) of queries to the PACIFIC/NEVADA/SBC-SWBT network and provide a query forecast for each entry point.
- 3.4.3 The CLEC is responsible for advising the Number Portability Administration Center (NPAC) of telephone numbers that it imports and the associated data as identified in industry forums as being required for PNP.
- 3.4.4 After the initial deployment of PNP in a mandated MSA, CLEC shall submit a BFR (see EXHIBIT 1) to request that a SBC-SWBT switch in that MSA become LRN capable. The requested switch will be made LRN capable within the time frame stipulated by the FCC.
- 3.4.5 When CLEC requests that an NXX in an LRN capable SBC-12STATE switch become portable, CLEC shall follow the industry standard LERG procedure.
- 3.4.6 CLEC shall be certified by the Regional NPAC prior to scheduling Intercompany testing of PNP.
- 3.4.7 CLEC shall adhere to SBC-12STATE's Local Service Request (LSR) format and PNP due date intervals.
- 3.4.8 CLEC shall adhere to SBC-12STATE's reserved number terms and conditions pursuant to Appendix Numbering.

3.5 **Obligations of Both Parties**

- 3.5.1 When a ported telephone number becomes vacant, e.g., the telephone number is no longer in service by the original End User, the ported telephone number will be released back to the carrier owning the switch in which the telephone number's NXX is native.
- 3.5.2 Each party has the right to block default routed call entering a network in order to protect the public switched network from overload, congestion, or failure propagation.
- 3.5.3 Industry guidelines shall be followed regarding all aspects of porting numbers from one network to another.
- 3.5.4 Intracompany testing shall be performed prior to the scheduling of intercompany testing.
- 3.5.5 Each Party will designate a single point of contact (SPOC) to schedule and perform required testing. These tests will be performed during a mutually agreed time frame and must meet the criteria set forth by the InterIndustry LNP Regional Team for porting.
- 3.5.6 Each Party shall abide by NANC and the InterIndustry LNP Regional Team provisioning and implementation process.
- 3.5.7 Each Party shall become responsible for the End User's other telecommunications related items, e.g. E911, Directory Listings, Operator Services, Line Information Database (LIDB), when they port the End User's telephone number to their switch.

3.6 **Limitations of Service**

- 3.6.1 Telephone numbers can be ported only within **PACIFIC/NEVADA/SBC-SWBT** toll rate centers / **SBC-AMERITECH** rate centers or rate districts, which ever is a smaller geographic area, as approved by State Commissions.
- 3.6.2 Telephone numbers in the following **SBC-12STATE** NXXs shall not be ported: (i) wireless NXXs until the FCC mandates that those NXXs be portable; and (ii) **SBC-12STATE** Official Communications Services (OCS) NXXs.

- 3.6.3 Telephone numbers with NXXs dedicated to choke/High Volume Call-In (HVCI) networks are not portable via LRN. Choke numbers will be ported as described in Section 5 of this Appendix.

3.7 Service Descriptions

- 3.7.1 The switch's LRN software determines if the called party is in a portable NXX. If the called party is in a portable NXX, a query is launched to the PNP database to determine whether or not the called number is ported.
- 3.7.2 When the called number with a portable NXX is ported, an LRN is returned to the switch that launched the query. Per industry standards, the LRN appears in the CdPN (Called Party Number) field of the SS7 message and the called number then appears in the GAP (Generic Address Parameter) field.
- 3.7.3 When the called number with a portable NXX is not ported, the call is completed as in the pre-PNP environment.
- 3.7.4 The FCI (Forward Call Identifier) field's entry is changed from 0 to 1 by the switch triggering the query when a query is made, regardless of whether the called number is ported or not.
- 3.7.5 The N-1 carrier (N carrier is the responsible Party for terminating call to the End User) has the responsibility to determine if a query is required, to launch the query, and to route the call to the switch or network in which the telephone number resides.
- 3.7.6 If CLEC chooses not to fulfill its N-1 carrier responsibility, SBC-12STATE will perform queries on calls to telephone numbers with portable NXXs received from the N-1 carrier and route the call to the switch or network in which the telephone number resides.
- 3.7.7 The CLEC shall be responsible for payment of charges to SBC-12STATE for any queries made on the N-1 carrier's behalf when one or more telephone numbers have been ported in the called telephone number's NXX.
- 3.7.8 The CLEC shall populate the Jurisdictional Identification Parameter (JIP) field with the first six (6) digits (NPA NXX format) of the appropriate LRN of the originating switch.

3.8 Pricing

3.8.1 The price of PNP queries shall be the same as those in

SBC-AMERITECH - Section 6 of the FCC No. 2 Access Services Tariff
NEVADA BELL - Section 19 of the FCC No. 1 Access Services Tariff
PACIFIC BELL - Section 13 of the FCC No. 128 Access Services Tariff
SBC-SWBT - Section 34 of the FCC No. 73 Access Services Tariff.

3.8.2 CLEC agrees not to charge SBC-12STATE, nor any SBC Affiliate, SBC Subsidiary, or SBC-12STATE End User for the ordering, provisioning, or conversion of ported telephone numbers as a means for the CLEC to recover the costs associated with LNP.

4. **INP TO PNP TRANSITION**

4.1 PACIFIC/NEVADA/SBC-AMERITECH has deployed LRN in all of their switches.

4.2 SBC-SWBT has deployed LRN in the switches requested as result of the State Commission's poll of CLECs to name the switches in which they wanted LRN deployed.

4.3 CLECs shall issue LSRs to change their existing INP accounts to PNP within a ninety (90) day window, or as otherwise negotiated, which starts immediately after the FCC mandated PNP Phase completes for that MSA or when a switch in a non-mandated area becomes LNP capable.

4.4 New requests for INP will not be provided in a SBC-12STATE switch once LRN has been deployed in that switch.

4.5 The Parties shall coordinate each MSA's transition from INP to PNP. When a service provider's INP lines exceed eight (8) in an NXX and/or fifty (50) lines in a MSA, they shall send advance notice to the owner of the switch(es) in which those telephone numbers are homed indicating the volume of orders involved in the INP to PNP transition.

5. **MASS CALLING CODES**

5.1 General Terms and Conditions

5.1.1 Mass calling codes, i.e., choke/HVCI NXXs, are used in a network serving arrangement provided by SBC-12STATE in special circumstances where large numbers of incoming calls are solicited by an End User and the

number of calls far exceeds the switching capacity of the terminating office, the number of lines available for terminating those calls, and/or the STP's query capacity to the PNP database. The following two different sets of End User objectives usually create this condition: (a) low call completion; and (b) high call completion.

- 5.1.2 Given the potentially hazardous effect calling conditions of this nature could have on the network, SBC-12STATE will provide mass calling code portability using a non-LRN solution.

5.2 Service Provided

- 5.2.1 SBC-12STATE will offer the ability to port telephone numbers with mass calling NXX codes via the use of pseudo codes or route index numbers. In this non-LRN scenario, calls to the SBC-12STATE mass calling NXX code will leave the originating end office over dedicated MF (multi-frequency) trunk groups to the SBC-12STATE mass calling tandem and/or SBC-AMERITECH mass calling hub. The mass calling tandem will then route the calls over dedicated MF trunks to the SBC-12STATE choke serving central office (CSO). The CSO will translate the dialed mass calling number to a non-dialable pseudo code or a route index number that routes the call to the mass calling customer.
- 5.2.2 When a CLEC requests that a SBC-12STATE number with a mass calling NXX code be ported to its network, SBC-12STATE will build translations at the CSO to route the incoming calls to a CLEC provided dedicated Direct Inward Dial (DID) MF trunk group from the CSO to the CLEC central office.

5.3 Obligations of SBC-12STATE

- 5.3.1 SBC-12STATE will port its numbers with mass calling NXXs upon request by the CLEC. Non-LRN porting will be done via pseudo code or route index translation in the SBC-12STATE CSO rather than STP queries to the PNP database. This method of porting mass call numbers will be used during both INP and PNP period in each market.
- 5.3.2 SBC-12STATE will not charge the CLEC for the use of its choke network by the CLEC's mass calling customer. In exchange, SBC-12STATE shall not be responsible to pay intercompany terminating compensation for terminating minutes of use (MOU) for ported choke calls.

5.4 Obligations of CLEC

- 5.4.1 CLEC shall agree to adhere to SBC-12STATE LSR format and mass calling due date intervals.
- 5.4.2 The CLEC shall provide the facility and DID trunk group from the SBC-12STATE CSO to the CLEC's serving office. The CLEC shall size this one-way MF trunk group.
- 5.4.3 The CLEC shall forego any inter-company terminating MOU compensation for termination calls coming in on this trunk group.

5.5 CLEC Mass Calling Codes

- 5.5.1 Should the CLEC assign a mass calling NXX code(s) and establish a mass calling interface for traffic destined to its CSO(s), the CLEC shall home its CSO(s) on a SBC-12STATE mass calling tandem and a similar mass calling trunking arrangement (one-way outgoing with MF signaling) will be provided from SBC-12STATE's tandem and/or SBC-AMERITECH mass calling hub to the CLEC. In order to allow the Parties time to order and install such mass calling trunks, the CLEC shall provide SBC-12STATE notification of its intention to deploy mass calling NXX code(s) at least ninety (90) days before such codes are opened in the LERG. For more information regarding this mass local interconnection trunk group, See Appendix ITR.
- 5.5.2 MF SS7 trunk groups shall not be provided within a DS1 facility. A separate DS1 facility per signaling type must be used. Where SBC-12STATE and CLEC both provide mass calling trunking, both Parties' mass calling trunks may ride the same DS1 facility.

5.6 Limitations of Service

- 5.6.1 CLEC shall adhere to SBC-12STATE's reserved number terms and conditions. When a ported number with a mass calling NXX code becomes vacant, e.g., the ported number is no longer in service by the original End User, the ported number shall be released back to the carrier owning the switch in which the telephone number's NXX is native.

6. PROVISION OF INP AND PNP BY CLEC TO SBC-SWBT

- 6.1 CLEC shall provide INP and PNP to SBC-SWBT under no less favorable terms and conditions as when SBC-SWBT provides such services to CLEC.

7. PROVISION OF PNP BY CLEC TO PACIFIC/NEVADA/SBC-AMERITECH

- 7.1 CLEC shall provide PNP to PACIFIC/NEVADA/SBC-AMERITECH under no less favorable terms and conditions as when PACIFIC/NEVADA/SBC-AMERITECH provides such services to CLEC.

8. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS

- 8.1 Every interconnection, service and network element provided hereunder, shall be subject to all rates, terms and conditions contained in this Agreement which are legitimately related to such interconnection, service or network element. Without limiting the general applicability of the foregoing, the following terms and conditions of the General Terms and Conditions are specifically agreed by the Parties to be legitimately related to, and to be applicable to, each interconnection, service and network element provided hereunder: definitions, interpretation, construction and severability; notice of changes; general responsibilities of the Parties; effective date, term and termination; fraud; deposits; billing and payment of charges; non-payment and procedures for disconnection; dispute resolution; audits; disclaimer of representations and warranties; limitation of liability; indemnification; remedies; intellectual property; publicity and use of trademarks or service marks; no license; confidentiality; intervening law; governing law; regulatory approval; changes in End User local exchange service provider selection; compliance and certification; law enforcement; no third party beneficiaries; disclaimer of agency; relationship of the Parties/independent contractor; subcontracting; assignment; responsibility for environmental contamination; force majeure; taxes; non-waiver; network maintenance and management; signaling; transmission of traffic to third parties; customer inquiries; expenses; conflicts of interest; survival; scope of agreement; amendments and modifications; and entire agreement.

EXHIBIT 1

[This Attachment is applicable to SBC-SWBT only.]
PERMANENT NUMBER PORTABILITY (PNP)
BONA FIDE REQUEST (BFR) PROCESS

The Permanent Number Portability (PNP) Bona Fide Request (BFR) is a process that Competitive Local Exchange Carrier (CLECs) shall use to request that PNP be deployed

- in a Metropolitan Statistical Area (MSA) beyond the 100 largest MSAs in the country and
- additional switch(es) in an MSA in which PNP has been deployed.

Per the FCC First Report and Order and Further Notice Of Proposed Rulemaking (July, 1996, ¶80), CLEC can request that PNP be deployed in additional MSAs beginning January 1, 1999. SBC-SWBT is to provide PNP in that MSA in the requested switches within six (6) months of receipt of BFR.

Per the FCC's First Memorandum Opinion And Order On Reconsideration (March 1997, ¶65,66), switches that were not requested to be PNP capable in the initial PNP deployment in the top 100 MSAs can be requested to be made PNP capable. The following time frames begin after an MSA's Phase end date has been reached:

1. equipped remote switches within 30 days
2. hardware capable switches within 60 days
3. capable switches requiring hardware within 180 days
4. non-capable switches within 180 days

These time frames begin after the receipt of a BFR.

REQUEST FOR INSTALLATION OF PNP SOFTWARE

The request to make one or more switches in an MSA PNP capable shall be made in the form of a letter or the form on pages 3 through 5 of this Attachment from CLEC to its SBC-SWBT Account Manager which shall specify the following:

- The MSA in which requested switch(es) are located.
- The switch(es), by CLLI code, that are to become PNP capable.
- The date when PNP capability is requested with the FCC established time frames being the least amount of time.
- The projected quantity of queries that result from this new capability with a demand forecast per tandem or end office with which CLEC interconnects.
- An initial response from the SBC-SWBT Account Manager, acknowledging receipt of the BFR and the date when requested switch(es) will be PNP capable, must be made to CLEC within ten (10) business days of receipt of the BFR.

Local Number Portability (LNP) Bona Fide Request (BFR)

Southwest Region LNP Network Operations Team

DATE: _____ (date of request)

TO: _____ (name of service provider)
 _____ (address of service provider)
 _____ (contact name/number)

FROM: _____ (requester/service provider name/ID)
 _____ (requester switch(es)/CLLI)
 _____ (authorized by name)
 _____ (authorized by title)
 _____ (contact name/address/number)

Affidavit attesting requester as authorized agent should accompany request.

SWITCH(ES):

CLLI ¹	Rate Center Name ²	Rate Center VC/HC ²	NPA-NXX(s) ³
_____	_____	_____	All: Y or N
_____	_____	_____	All: Y or N
_____	_____	_____	All: Y or N
_____	_____	_____	All: Y or N
_____	_____	_____	All: Y or N

DATES: Requested date switch(es) should be LNP capable: _____ (mm/dd/yy)
 Requested code opening date⁴: _____ (mm/dd/yy)

Notes: See following page.

Acknowledgment of BFR is to be sent to the requester within ten business days.

Local Number Portability (LNP) Bona Fide Request (BFR)

Southwest Region LNP Network Operations Team
(Continued)

- Notes: ¹ List each switch targeted for LNP by its specific CLLI code.
² Enter associated Rate Center information from LERG, including: Rate Center Name and Associated V&H Terminating Point Master Coordinates; Source of the LERG information: Destination Code Record (DRD) Screen.
³ Circle or highlight Y if requesting all eligible NPA-NXX codes in that specific switch to be opened. Circle or highlight N if only certain NPA NXX codes are being requested, then provide list of desired NPA NXX(s).

Note: Targeting of specific NPA-NXX codes should be carefully considered. A traditional ILEC may serve a single rate center with multiple switches (CLLIs and NXX codes) while CLEC may serve multiple rate centers with a single switch. In the latter case, use of a specific NXX code will determine the rate center.

- ⁴ As documented in the Southwest Region Code Opening Process.

Acknowledgment of LNP Bona Fide Request (BFR)

Southwest Region LNP Network Operations Team

DATE: _____ (date of response)

TO: _____ (requester/CLEC name/ID)
_____ (contact name/address/number)
_____ (requester switch(es)/CLLI)

FROM: _____ (name of service provider)
_____ (address of provider)
_____ (contact name/number)

Switch request(s) accepted:

CLLI Accepted	LNP Effective Date	or <i>Modified Effective Date</i>	Ineligible NPA-NXXs
_____ (CLLI 1)	_____	_____	_____
_____ (CLLI 2)	_____	_____	_____
_____ (CLLI 3)	_____	_____	_____
_____ (CLLI 4)	_____	_____	_____

Switch request(s) denied/reason for denial:

_____ (CLLI 1): _____
_____ (CLLI 2): _____
_____ (CLLI 3): _____

Authorized company representative signature/title:

APPENDIX NUMBERING

TABLE OF CONTENTS

1. INTRODUCTION.....	3
2. GENERAL TERMS AND CONDITIONS.....	3
3. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS.....	5

APPENDIX NUMBERING

1. INTRODUCTION

- 1.1 This Appendix sets forth the terms and conditions under which the Illinois Bell Telephone Company, Indiana Bell Telephone Company Incorporated, Michigan Bell Telephone Company, Nevada Bell Telephone Company, The Ohio Bell Telephone Company, Pacific Bell Telephone Company, The Southern New England Telephone Company, Southwestern Bell Telephone Company, and/or Wisconsin Bell, Inc. d/b/a Ameritech Wisconsin will coordinate with respect to NXX assignments.
- 1.2 As used herein, SBC-13STATE means the above listed ILECs doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas and Wisconsin.

2. GENERAL TERMS AND CONDITIONS

- 2.1 Nothing in this Agreement shall be construed to limit or otherwise adversely impact in any manner either Party's right to employ or to request and be assigned any North American Numbering Plan (NANP) number resources from the numbering administrator including, but not limited to, central office (NXX) codes pursuant to the Central Office Code Assignment Guidelines, or to establish, by tariff or otherwise, Exchanges and Rating Points corresponding to such NXX codes. Each Party is responsible for administering the NXX codes it is assigned.
- 2.2 At a minimum, in those Metropolitan Exchange Areas where the CLEC is properly certified by the appropriate regulatory body and intends to provide local exchange service, the CLEC shall obtain a separate NXX code for each SBC-13STATE rate center which is required to ensure compliance with the industry-approved Central Office Code (NXX) Assignment Guidelines (most current version) or other industry approved numbering guidelines and the FCC's Second Report & Order in CC Docket 95-116, released August 18, 1997 (Local Number Portability). This will enable CLEC and SBC-13STATE to identify the jurisdictional nature of traffic for intercompany compensation until such time as both Parties have implemented billing and routing capabilities to determine traffic jurisdiction on a basis other than NXX codes.

- 2.3 Pursuant to Section 7.3 of the North American Numbering Council Local Number Portability Architecture and Administrative Plan report, which was adopted by the FCC, Second Report and Order, CC Docket 95-116, released August 18, 1997, portability is technically limited to rate center/rate district boundaries of the incumbent LEC due to rating and routing concerns. Therefore, Parties shall assign telephone numbers from its NXX's only to those customers that are physically in the rate center to which the NXX is assigned.
- 2.4 Each Party is responsible to program and update its own switches and network systems to recognize and route traffic to the other Party's assigned NXX codes at all times. Neither Party shall impose fees or charges on the other Party for such required programming and updating activities.
- 2.5 Each Party is responsible to input required data into the Routing Data Base Systems (RDBS) and into the Telcordia Rating Administrative Data Systems (BRADS) or other appropriate system(s) necessary to update the Local Exchange Routing Guide (LERG), unless negotiated otherwise.
- 2.6 Neither Party is responsible for notifying the other Parties' End Users of any changes in dialing arrangements, including those due to NPA exhaust.
- 2.7 NXX Migration
- 2.7.1 Where either Party has activated an entire NXX for a single end user, or activated more than half of an NXX for a single end user with the remaining numbers in that NXX either reserved for future use or otherwise unused, and such End-User chooses to receive service from the other Party, the first Party shall cooperate with the second Party to have the entire NXX reassigned in the LERG (and associated industry databases, routing tables, etc.) to an End Office operated by the second Party provided that the requested rate center is the same rate center that physically serves the customer in a non-foreign exchange arrangement. Such transfer will require development of a transition process to minimize impact on the Network and on the end user(s)' service and will be subject to appropriate industry lead times (currently forty-five (45) days) for movements of NXXs from one switch to another. The Party to whom the NXX is migrated will pay NXX migration charges per NXX to the Party formerly assigned the NXX as described in the Pricing Appendix under "OTHER".

2.8 Test Numbers

2.8.1 Each Party is responsible for providing to the other, valid test numbers. One number terminating to a VOICE announcement identifying the Company and one number terminating to a milliwatt tone providing answer supervision and allowing simultaneous connection from multiple test lines. Both numbers should remain in service indefinitely for regressive testing purposes.

3. **APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS**

3.1 Every interconnection, service and network element provided hereunder, shall be subject to all rates, terms and conditions contained in this Agreement which are legitimately related to such interconnection, service or network element. Without limiting the general applicability of the foregoing, the following terms and conditions of the General Terms and Conditions are specifically agreed by the Parties to be legitimately related to, and to be applicable to, each interconnection, service and network element provided hereunder: definitions, interpretation, construction and severability; notice of changes; general responsibilities of the Parties; effective date, term and termination; fraud; deposits; billing and payment of charges; non-payment and procedures for disconnection; dispute resolution; audits; disclaimer of representations and warranties; limitation of liability; indemnification; remedies; intellectual property; publicity and use of trademarks or service marks; no license; confidentiality; intervening law; governing law; regulatory approval; changes in End User local exchange service provider selection; compliance and certification; law enforcement; no third party beneficiaries; disclaimer of agency; relationship of the Parties/independent contractor; subcontracting; assignment; responsibility for environmental contamination; force majeure; taxes; non-waiver; network maintenance and management; signaling; transmission of traffic to third parties; customer inquiries; expenses; conflicts of interest; survival; scope of agreement; amendments and modifications; and entire agreement.

APPENDIX OS

TABLE OF CONTENTS

1. INTRODUCTION.....	3
2. SERVICES.....	4
3. DEFINITIONS	4
4. CALL BRANDING.....	6
5. OPERATOR SERVICES (OS) RATE/REFERENCE INFORMATION.....	8
6. INTRALATA MESSAGE RATING	9
7. HANDLING OF EMERGENCY CALLS TO OPERATOR	9
8. RESPONSIBILITIES OF THE PARTIES.....	9
9. METHODS AND PRACTICES.....	10
10. PRICING.....	10
11. MONTHLY BILLING.....	10
12. LIABILITY	10
13. TERMS OF APPENDIX.....	11
14. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS	11

**APPENDIX OS
(OPERATOR SERVICES)**

1. INTRODUCTION

- 1.1 This Appendix sets forth the terms and conditions for Operator Services (OS) provided by the applicable SBC Communications Inc. (SBC) owned Incumbent Local Exchange Carrier (ILEC) and CLEC.
- 1.2 SBC Communications Inc. (SBC) means the holding company which owns the following ILECs: Illinois Bell Telephone Company, Indiana Bell Telephone Company Incorporated, Michigan Bell Telephone Company, Nevada Bell Telephone Company, The Ohio Bell Telephone Company, Pacific Bell Telephone Company, The Southern New England Telephone Company, Southwestern Bell Telephone Company and/or Wisconsin Bell, Inc. d/b/a Ameritech Wisconsin.
- 1.3 As used herein, SBC-13STATE means the applicable above listed ILECs doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.4 As used herein, SBC-12STATE means the applicable above listed ILECs doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.5 As used herein, SBC-10STATE means the applicable above listed ILECs doing business in Arkansas, Illinois, Indiana, Kansas, Michigan, Missouri, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.6 As used herein, SBC-8STATE means the applicable above listed ILECs doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.7 As used herein, SBC-7STATE means the applicable above listed ILECs doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.8 As used herein, SBC-SWBT means the applicable above listed ILECs doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.9 As used herein, SBC-AMERITECH means the applicable above listed ILECs doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.10 As used herein, SBC-2STATE means the applicable above listed ILECs doing business in California and Nevada.

- 1.11 As used herein, SNET means the applicable above listed ILECs doing business in Connecticut.
- 1.12 As used herein, PACIFIC means the applicable above listed ILECs doing business in California.
- 1.13 As used herein, NEVADA means the applicable above listed ILECs doing business in Nevada.

2. SERVICES

- 2.1 Where technically feasible and/or available, SBC-13STATE will provide the following OS:

- 2.1.1 Fully Automated Call Processing

Allows the caller to complete a call utilizing equipment without the assistance of an SBC-13STATE operator, hereafter called "Operator.

- 2.1.1.1 SBC-10STATE and PACIFIC - This allows the caller the option of completing calls through an Automated Alternate Billing System (AABS). Automated functions can only be activated from a touch-tone telephone. Use of a rotary telephone or failure or slow response by the caller to the audio prompts will bridge the caller to an Operator for assistance.

- 2.1.1.2 NEVADA - This allows the caller the option of billing calling card calls through a Mechanized Calling Card Service (MCCS). Automated functions can only be activated from a touch-tone telephone.

- 2.1.2 Operator-Assisted Call Processing

- 2.1.2.1 Allows the caller to complete a call by receiving assistance from an Operator.

3. DEFINITIONS

- 3.1 Fully Automated Call Processing - Where technically feasible and/or available, SBC-13STATE can support the following fully automated call types as outlined below:

3.1.1 Fully Automated Calling Card Service.

3.1.1.1 SBC-13STATE - This service is provided when the caller dials zero ("0"), plus the desired telephone number and the calling card number to which the call is to be charged. The call is completed without the assistance of an Operator. An authorized calling card for the purpose of this Appendix, is one for which billing validation can be performed.

3.1.2 Fully Automated Collect and Bill to Third Number Services or Mechanized Calling Card System

3.1.2.1 SBC-12STATE - The caller dials zero (0) plus the telephone number desired, and selects the Collect or Bill To Third Number billing option as instructed by the automated equipment. The call is completed without the assistance of an Operator.

3.1.3 SBC-8STATE will treat the following situations as Fully Automated service:

3.1.3.1 When the caller identifies himself or herself as disabled.

3.1.3.2 When the caller reports trouble on the network.

3.1.3.3 When the Operator reestablishes an interrupted call.

3.2 Operator-Assisted Call Processing - Where technically feasible and/or available, SBC-13STATE will support the following Operator-assisted call types for CLEC:

3.2.1 Semi-Automated Calling Card Service. A service provided when the caller dials zero (0) plus the telephone number desired and the calling card number to which the call is to be charged. The call is completed with the assistance of an Operator. An authorized calling card for the purpose of this Appendix, is one for which SBC-13STATE can perform billing validation.

3.2.2 Semi-Automated Collect and Bill to Third Number Services. The caller dials zero (0) plus the telephone number desired, and selects the Collect or Bill To Third Number billing option as instructed by the automated equipment. The call is completed with the assistance of an Operator.

3.2.3 Semi-Automated Person-To-Person Service. A service in which the caller dials zero (0) plus the telephone number desired and asks the Operator for assistance in reaching a particular person, or a particular PBX station,

department or office to be reached through a PBX attendant. This service applies even if the caller agrees, after the connection is established, to speak to any party other than the party previously specified.

- 3.2.4 Operator Handled Services. Services provided when the caller dials zero (0) for Operator assistance in placing a sent paid, calling card, collect, third number or person to person call.
- 3.2.5 Line Status Verification. A service in which the Operator, upon request, will check the requested line for conversation in progress and advise the caller.
- 3.2.6 Busy Line Interrupt. A service in which the caller asks the Operator to interrupt a conversation in progress, to determine if one of the parties is willing to speak to the caller requesting the interrupt. Busy Line Interrupt service applies even if no conversation is in progress at the time of the interrupt attempt, or when the parties interrupted refuse to terminate the conversation in progress.
- 3.2.7 Operator Transfer Service. A service in which the local caller requires Operator Assistance for completion of a call terminating outside the originating LATA.

4. CALL BRANDING

- 4.1 Where technically feasible and/or available, SBC-13STATE will brand OS in CLEC's name based upon the criteria outlined below:
 - 4.1.1 Where SBC-13STATE provides CLEC Operator Services (OS) and DA services via the same trunk, both the OS and DA calls will be branded with the same brand. Where SBC-13STATE is only providing OS on behalf of the CLEC, the calls will be branded.
 - 4.1.2 CLEC name used in branding calls may be subject to Commission regulations and should match the name in which CLEC is certified.
 - 4.1.3 SBC-10STATE - CLEC will provide written specifications of its company name to be used by SBC-10STATE to create CLEC specific branding messages for its OS calls in accordance with the process outlined in the Operator Services OS/DA Questionnaire (OSQ). CLEC attests that it has been provided a copy of the Operator Services OS/DA Questionnaire (OSQ).
 - 4.1.4 SBC-2STATE - CLEC will provide recorded announcement(s) of its company name to be used to brand the CLEC's OS calls in accordance

with the process outlined in the Operator Services OS/DA Questionnaire (OSQ).

4.1.5 A CLEC purchasing SBC-13STATE unbundled local switching is responsible for maintaining CLEC's End User customer records in SBC-13STATE Line Information Database (LIDB) as described in Appendix LIDB-AS. CLEC's failure to properly administer customer records in LIDB may result in branding errors.

4.1.6 Multiple Brands

4.1.6.1 SBC-7STATE can support multiple brands on a single trunk group for a facilities-based CLEC if all End User customer records for all carriers utilizing the same trunk group are maintained in SBC-7STATE LIDB.

4.1.6.2 SNET can support multiple brands for facilities-based CLEC's on multiple trunk groups.

4.1.7 Branding Load Charges

4.1.7.1 SBC-SWBT - An initial non-recurring charge applies per state, per brand, per Operator assistance switch, for the establishment of CLEC specific branding. An additional non-recurring charge applies per state, per brand, per Operator assistance switch for each subsequent change to the branding announcement. In addition, a per call charge applies for every OS call handled by SBC-SWBT on behalf of CLEC when such services are provided in conjunction with: i) the purchase of SBC-SWBT unbundled local switching; or ii) when multiple brands are required on a single Operator Services trunk.

4.1.7.2 SBC-AMERITECH - An initial non-recurring charge applies per brand, per Operator Assistance Switch, per trunk group for the establishment of CLEC specific branding. An additional non-recurring charge applies per brand, per Operator assistance switch, per trunk group for each subsequent change to the branding announcement.

4.1.7.3 SBC-2STATE - An initial non-recurring charge applies per state, per brand, per Operator assistance switch, for the establishment of CLEC specific branding. An additional non-recurring charge applies per state, per brand, per Operator

assistance switch for each subsequent change to the branding announcement.

- 4.1.7.4 SNET – An initial non-recurring charge applies per brand, per load, per Operator assistance switch for the establishment of CLEC specific branding. An additional non-recurring charge applies per brand, per load, per Operator assistance switch for each subsequent change to the branding announcement.

5. OPERATOR SERVICES (OS) RATE/REFERENCE INFORMATION

- 5.1 Where technically feasible and/or available, SBC-13STATE will provide CLEC OS Rate/Reference Information based upon the criteria outlined below:

5.1.1 CLEC will furnish OS Rate and Reference Information in a mutually agreed to format or media thirty (30) calendar days in advance of the date when the OS are to be undertaken.

5.1.2 CLEC will inform SBC-13STATE, in writing, of any changes to be made to such Rate/Reference Information fourteen (14) calendar days prior to the effective Rate/Reference change date. CLEC acknowledges that it is responsible to provide SBC-13STATE updated Rate/Reference Information fourteen (14) calendar days in advance of when the updated Rate/Reference Information is to become effective.

5.1.3 An initial non-recurring charge will apply per state, per Operator assistance switch for loading of CLEC's OS Rate/Reference Information. An additional non-recurring charge will apply per state, per Operator assistance switch for each subsequent change to either the CLEC's OS Rate or Reference Information.

5.1.4 SBC-13STATE - When an Operator receives a rate request from a CLEC End User, SBC-13STATE will quote the applicable OS rates as provided by CLEC.

5.1.4.1 SBC-AMERITECH and SBC2-STATE – In the interim, when an Operator receives a rate request from a CLEC End User, SBC-AMERITECH and SBC2-STATE will transfer the CLEC End User to a customer care number specified by the CLEC in the OSQ. When SBC-AMERITECH and SBC2-STATE has the capability to quote-specific CLEC rates and reference information the parties agree that the transfer option will be eliminated.

6. **INTRALATA MESSAGE RATING**

- 6.1 SBC-SWBT - Upon request, CLEC may opt to purchase intraLATA Message Rating Service. This service provides the message rating function on all SBC-SWBT Operator assisted intraLATA calls. With this service, SBC-SWBT will compute the applicable charges for each message based on CLEC's schedule of rates provided to SBC-SWBT.

7. **HANDLING OF EMERGENCY CALLS TO OPERATOR**

- 7.1 To the extent CLEC's NXX encompasses multiple emergency agencies, SBC-13STATE agrees to ask the caller for the name of his/her community and to transfer the caller to the appropriate emergency agency for the caller's area. CLEC must provide SBC-13STATE with the correct information to enable the transfer as required by the OSQ. CLEC will also provide default emergency agency numbers to use when the customer is unable to provide the name of his/her community. When the assistance of another Carrier's operator is required, SBC-13STATE will attempt to reach the appropriate operator if the network facilities for inward assistance exist. CLEC agrees to indemnify, defend, and hold harmless SBC-13STATE from any and all actions, claims, costs, damages, lawsuits, liabilities, losses and expenses, including reasonable attorney fees, arising from any misdirected calls.

8. **RESPONSIBILITIES OF THE PARTIES**

- 8.1 CLEC agrees that due to quality of service and work force schedule issues, SBC-13STATE will be the sole provider of OS for CLEC's local serving area(s)
- 8.2 CLEC will be responsible for providing the equipment and facilities necessary for signaling and routing calls with Automatic Number Identification (ANI) to each SBC-13STATE Operator assistance switch. Should CLEC seek to obtain interexchange OS from SBC-13STATE, CLEC is responsible for ordering the necessary facilities under the appropriate interstate or intrastate Access Service Tariffs. Nothing in this Agreement in any way changes the manner in which an interexchange Carrier obtains access service for the purpose of originating or terminating interexchange traffic.
- 8.2.1 SBC-2STATE - Services that require ANI, such as branding and call completion, can not be provided when CLEC utilizes a LISA trunking arrangement. LISA trunks for OS will be eliminated when SBC-2STATE 5ACD switches are eliminated. At such time, CLEC will be responsible for providing direct trunks to each SBC-2STATE Operator assistance switch.

- 8.3 Facilities necessary for the provision of OS shall be provided by the Parties hereto, using standard trunk traffic engineering procedures to insure that the objective grade of service is met. Each party shall bear the costs for its own facilities and equipment.
- 8.4 CLEC will furnish to SBC-13STATE a completed OSQ, thirty (30) calendar days in advance of the date when the OS are to be undertaken.
- 8.5 CLEC will provide SBC-13STATE updates to the OSQ fourteen (14) calendar days in advance of the date when changes are to become effective.
- 8.6 CLEC understands and acknowledges that before live traffic can be passed, CLEC is responsible for obtaining and providing to SBC-13STATE, default emergency agency numbers.

9. METHODS AND PRACTICES

- 9.1 SBC-13STATE will provide OS to CLEC's End Users in accordance with SBC-13STATE OS methods and practices that are in effect at the time the OS call is made, unless otherwise agreed in writing by both Parties.

10. PRICING

- 10.1 The prices at which SBC-13STATE agrees to provide CLEC with OS are contained in the applicable Appendix Pricing and/or the applicable Commission ordered tariff where stated.
- 10.2 Beyond the specified term of this Appendix, SBC-13STATE may change the prices for the provision of OS upon one hundred-twenty (120) calendar days' notice to CLEC.

11. MONTHLY BILLING

- 11.1 For information regarding billing, non-payment, disconnection, and dispute resolution, see the General Terms and Conditions of this Agreement.
- 11.2 SBC-13STATE will accumulate and provide CLEC such data as necessary for CLEC to bill its End Users.

12. LIABILITY

- 12.1 The provisions set forth in the General Terms and Conditions of this Agreement, including but not limited to those relating to limitation of liability and indemnification, shall govern performance under this Appendix.

- 12.2 CLEC also agrees to release, defend, indemnify, and hold harmless SBC-13STATE from any claim, demand or suit that asserts any infringement or invasion of privacy or confidentiality of any person or persons caused or claimed to be caused, directly, or indirectly, by SBC-13STATE employees and equipment associated with provision of the OS Services, including but is not limited to suits arising from disclosure of the telephone number, address, or name associated with the telephone called or the telephone used to call Operator Services.

13. TERMS OF APPENDIX

- 13.1 Appendix will continue in force for the length of the Interconnection Agreement, but no less than twelve (12) months. At the expiration of the term of the Interconnection Agreement to which this Appendix is attached or twelve (12) months, whichever occurs later, either Party may terminate this agreement upon one hundred-twenty (120) calendar days written notice to the other Party.
- 13.2 If CLEC terminates this Appendix prior to the expiration of the term of this Appendix, CLEC shall pay SBC-13STATE, within thirty (30) days of the issuance of any bills by SBC-13STATE, all amounts due for actual services provided under this Appendix, plus *estimated monthly charges for the unexpired portion of the term*. Estimated charges will be based on an average of the actual monthly service provided by SBC-13STATE pursuant to this Appendix prior to its termination.

14. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS

- 14.1 Every interconnection, service and network element provided hereunder, shall be subject to all rates, terms and conditions contained in this Agreement which are legitimately related to such interconnection, service or network element. Without limiting the general applicability of the foregoing, the following terms and conditions of the General Terms and Conditions are specifically agreed by the Parties to be legitimately related to, and to be applicable to, each interconnection, service and network element provided hereunder: definitions, interpretation, construction and severability; notice of changes; general responsibilities of the Parties; effective date, term and termination; fraud; deposits; billing and payment of charges; non-payment and procedures for disconnection; dispute resolution; audits; disclaimer of representations and warranties; limitation of liability; indemnification; remedies; intellectual property; publicity and use of trademarks or service marks; no license; confidentiality; intervening law; governing law; regulatory approval; changes in End User local exchange service provider selection; compliance and certification; law enforcement; no third party beneficiaries; disclaimer of agency; relationship of the Parties/independent contractor; subcontracting; assignment; responsibility for environmental contamination; force majeure; taxes; non-waiver; network maintenance and management; signaling; transmission of traffic to third parties; customer inquiries;

expenses; conflicts of interest; survival; scope of agreement; amendments and modifications; and entire agreement.

APPENDIX OSS-RESALE & UNE

TABLE OF CONTENTS

1. INTRODUCTION	3
2. DEFINITIONS	4
3. GENERAL CONDITIONS	4
4. PRE-ORDERING	8
5. ORDERING/PROVISIONING	12
6. MAINTENANCE/REPAIR	19
7. BILLING	20
8. REMOTE ACCESS FACILITY	22
9. OPERATIONAL READINESS TEST (ORT) FOR ORDERING/PROVISIONING AND REPAIR/ MAINTENANCE INTERFACES	23
10. MISCELLANEOUS CHARGES	24
11. EFFECTIVE DATE, TERM	24
12. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS.....	25

**APPENDIX OSS
(ACCESS TO OPERATIONS SUPPORT SYSTEMS FUNCTIONS)**

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions for nondiscriminatory access to Operations Support Systems (OSS) "functions" to CLEC for pre-ordering, ordering, provisioning, maintenance/repair, and billing provided by the applicable SBC Communications Inc. (SBC) owned Incumbent Local Exchange Carrier (ILEC) and CLEC.
- 1.2 SBC Communications Inc. (SBC) means the holding company which owns the following ILECs: Illinois Bell Telephone Company, Indiana Bell Telephone Company Incorporated, Michigan Bell Telephone Company, Nevada Bell Telephone Company, The Ohio Bell Telephone Company, Pacific Bell Telephone Company, The Southern New England Telephone Company, Southwestern Bell Telephone Company and/or Wisconsin Bell, Inc. d/b/a Ameritech Wisconsin.
- 1.3 **SBC-13STATE** - As used herein, **SBC-13STATE** means the applicable above listed ILEC(s) doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.4 **SBC-12STATE** - As used herein, **SBC-12STATE** means the applicable above listed ILEC(s) doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.5 **SBC-8STATE** - As used herein, **SBC-8STATE** means an applicable above listed ILEC(s) doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.6 **SBC-7STATE** - As used herein, **SBC-7STATE** means the applicable above listed ILEC(s) doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.7 **SBC-SWBT** - As used herein, **SBC-SWBT** means the applicable above listed ILEC(s) doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.8 **SBC-AMERITECH** - As used herein, **SBC-AMERITECH** means the applicable above listed ILEC(s) doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.9 **PACIFIC** - As used herein, **PACIFIC** means the applicable above listed ILEC doing business in California.

- 1.10 NEVADA - As used herein, NEVADA means the applicable above listed ILEC doing business in Nevada.
- 1.11 SNET - As used herein, SNET means the applicable above listed ILEC doing business in Connecticut.
- 1.12 SBC-13STATE has established performance measurements to illustrate non-discriminatory access. These measurements are represented in Appendix Performance Measurements.

2. DEFINITIONS

- 2.1 "LSC" means (i) the Local Service Center (LSC) for SWBT, PACIFIC, and NEVADA; (ii) Local Exchange Carrier Center (LECC) for SNET; and (iii) Information Industry Service Center (IISC) for SBC-AMERITECH.
- 2.2 "LOC" means (i) the Local Operations Center (LOC) for SWBT, PACIFIC, NEVADA, and SNET; and (ii) the Customer Response Unit (CRU) for SBC-AMERITECH.

3. GENERAL CONDITIONS

- 3.1 Resale and Unbundled Network Elements (UNE) functions will be accessible via electronic interface(s), as described herein, where such functions are available. The Parties agree that electronic order processing is more efficient than manual order processing. During implementation the Parties will negotiate a threshold volume of orders after which electronic ordering is required. Once CLEC is submitting more than the agreed to threshold amount, but not later than twelve (12) months from the Effective Date of this Agreement, CLEC will no longer submit orders manually (and SBC-13 STATE shall not be required to accept and process orders manually) except when the electronic order processing is unavailable for a substantial period of time, or where a given order cannot be processed electronically.
- 3.2 **Proper Use of OSS interfaces:**
 - 3.2.1 For SBC-7STATE, CLEC agrees to utilize SBC-7STATE electronic interfaces, as described herein, only for the purposes of establishing and maintaining Resale Services or UNEs through SBC-7STATE. In addition, CLEC agrees that such use will comply with the summary of SBC-7STATE 's Operating Practice No. 113, Protection of Electronic Information, titled "Competitive Local Exchange Carrier Security Policies and Guidelines". Failure to comply with such security guidelines may result in forfeiture of electronic access to OSS functionality. In addition,

CLEC shall be responsible for and indemnifies SBC-7STATE against any cost, expense or liability relating to any unauthorized entry or access into, or use or manipulation of SBC-7STATE's OSS from CLEC systems, workstations or terminals or by CLEC employees or agents or any third party gaining access through information and/or facilities obtained from or utilized by CLEC and shall pay SBC-7STATE for any and all damages caused by such unauthorized entry.

3.2.2 For SNET region, CLEC agrees to access and utilize SNET's Enhanced Services Access Platform, (ESAP), only for the purposes described herein. CLEC agrees that its access and use of ESAP shall, at all times, comport with SNET's "Wholesale CIWin User Guide", "EF User Guide", "ESAP Installation Guide", "ESAP Help Desk Guide", "CLEC Mechanized Interface Specification", and any other guide describing the interface or interface requirements that SNET may, from time to time, provide CLEC (collectively, the "Guides"). Failure materially to adhere to any material provision of such Guides may result, among other things, in forfeiture of electronic access to SNET's OSS functionality via ESAP upon notice. In addition, CLEC shall be responsible for and indemnifies SNET against any cost, expense or liability relating to any unauthorized entry or access into, or use or manipulation of SNET's OSS or ESAP from CLEC complimentary systems, workstations or terminals or by CLEC employees or agents any third party gaining access through information and/or facilities obtained from or utilized by CLEC and shall pay SNET for any and all damages caused by such unauthorized entry.

3.3 Within SBC-7STATE regions, CLEC's access to pre-order functions described in 4.2.2 and 4.3.2 will only be utilized to view Customer Proprietary Network Information (CPNI) of another carrier's End User where CLEC has obtained an authorization for release of CPNI from the End User and has obtained an authorization to become the End User's Local Service Provider. Within SNET, and SBC-AMERITECH regions, CLEC's access to pre-order functions described in 4.2.2 and 4.3.2 will only be utilized to view Customer Proprietary Network Information (CPNI) of the applicable ILEC's or requesting CLEC's End User account where CLEC has obtained an authorization for release of CPNI from the End User and has obtained an authorization to become the End User's Local Service Provider. The authorization for release of CPNI must substantially reflect the following:

3.3.1 Within SBC-7STATE regions, "This written consent serves as instruction to all holders of my local exchange telecommunications Customer Proprietary Network Information (CPNI) and account identification information to provide such information to the undersigned CLEC.

Specifically, I authorize disclosure of my account billing name, billing address, and directory listing information, and CPNI, including, service address, service and feature subscription, long distance carrier identity, and pending service order activity. I have authorized, CLEC to become my local service provider. This Authorization remains in effect until such time that I revoke it directly or appoint another individual/company with such capacity or undersigned receives notice to disconnect my local exchange service or notice that a service disconnect has been performed. At and from such time, this Authorization is null and void.”

3.3.2 Within **SNET** region, “This written consent serves as instruction to all holders of any local exchange telecommunications Customer Proprietary Network Information (“CPNI”) and account identification information to provide such information to [Name of CLEC]. Specifically, I authorize disclosure of any account billing name, billing address, and directory listing information, and CPNI, including, service address, service and feature subscription and long distance carrier identity. This Authorization remains in effect until such time as I [Name of Customer] revoke(s) it directly or appoint(s) another individual/company with such capacity or [Name of CLEC] receives notice to disconnect my local exchange service or notice that a service disconnect has been performed. At and from such time, this Authorization is null and void.”

3.3.3 In **SBC-13STATE** regions, the CLEC may choose to use *this* CPNI language (in Section 3.3.3) in lieu of using the CPNI language in sections 3.3.1 or 3.3.2 above (depending on region). CLEC must have documented authorization for change in local exchange service and release of CPNI that adheres to all requirements of state and federal law, as applicable.

3.3.3.1 This section applies to **PACIFIC** ONLY for those CLECs who opted to use CPNI language in Section 3.3.3. For residence End Users, prior to accessing such information, CLEC shall, on its own behalf and on behalf of **PACIFIC**, comply with all applicable requirements of Section 2891 of the California Public Utilities Code and 47 USC 222 (and implementing FCC decisions thereunder), and, where accessing such information via an electronic interface, CLEC shall have obtained an authorization to become the End User’s local service provider. Accessing such information by CLEC shall constitute certification that CLEC is in compliance with applicable requirements of Section 2891 and Section 222 (and implementing FCC decisions thereunder) and has complied with the prior sentence. CLEC shall receive and retain such information in conformance with the requirements of 47 USC

222 (and implementing FCC decisions thereunder). CLEC agrees to indemnify, defend and hold harmless PACIFIC against any claim made by a residence End User or governmental entity against PACIFIC or CLEC under Section 2891 or Section 222 (and implementing FCC decisions thereunder) or for any breach by CLEC of this section.

- 3.3.4 Throughout SBC-13STATE region, CLEC is solely responsible for determining whether proper authorization has been obtained and holds SBC-13STATE harmless from any loss on account of CLEC's failure to obtain proper CPNI consent from an End User.
- 3.4 By utilizing electronic interfaces to access OSS functions, CLEC agrees to perform accurate and correct ordering as it relates to the application of Resale rates and charges, subject to the terms of this Agreement and applicable tariffs dependent on region of operation. In addition, CLEC agrees to perform accurate and correct ordering as it relates to SBC-13STATE's UNE rates and charges, dependent upon region of operation, pursuant to the terms of this Agreement. CLEC is also responsible for all actions of its employees using any of SBC-13STATE's OSS systems. As such, CLEC agrees to accept and pay all reasonable costs or expenses, including labor costs, incurred by SBC-13STATE caused by any and all inaccurate ordering or usage of the OSS, if such costs are not already recovered through other charges assessed by SBC-13STATE to CLEC. In addition, CLEC agrees to indemnify and hold SBC-13STATE harmless against any claim made by an End User of CLEC or other third parties against SBC-13STATE caused by or related to CLEC's use of any SBC-13STATE OSS. In addition, SBC-13STATE retains the right to audit all activities by CLEC using any SBC-13STATE OSS. All such information obtained through an audit shall be deemed proprietary and shall be covered by the Parties Non-Disclosure Agreement signed prior to or in conjunction with the execution of this Agreement.
- 3.5 In areas where Resale Service and UNE order functions are not available via an electronic interface for the pre-order, ordering and provisioning processes, SBC-13STATE and CLEC will use manual processes. Should SBC develop electronic interfaces for these functions for itself, SBC will make electronic access available to CLEC within the specific operating region.
- 3.6 The Information Services (I.S.) Call Center for the SBC-8STATE region, and the Resource Center for the SBC-AMERITECH region provides for technical support function of electronic OSS interfaces. CLEC will also provide a single point of contact for technical issues related to the CLEC's electronic interfaces.

- 3.7 SBC-13STATE and CLEC will establish interface contingency plans and disaster recovery plans for the pre-order, ordering and provisioning of Resale services and UNE.
- 3.8 The Parties will follow the final adopted guidelines of Change Management, as may be modified from time to time in accordance with the Change Management principles.
- 3.9 SBC-13STATE will and CLEC may participate in the Order and Billing Forum (OBF) and the Telecommunications Industry Forum (TCIF) to establish and conform to uniform industry guidelines for electronic interfaces for pre-order, ordering, and provisioning. Neither Party waives its rights as participants in such forums or in the implementation of the guidelines. To achieve system functionality as quickly as possible, the Parties acknowledge that SBC-13STATE may deploy interfaces with requirements developed in advance of industry guidelines. Thus, subsequent modifications may be necessary to comply with emerging guidelines. CLEC and SBC-13STATE are individually responsible for evaluating the risk of developing their respective systems in advance of guidelines and agree to support their own system modifications to comply with new requirements. In addition, SBC-13STATE has the right to define Local Service Request (LSR) Usage requirements according to the General Section 1.0, paragraph 1.4 of the practices in the OBF Local Service Ordering Guidelines (LSOG), which states: "Options described in this practice may not be applicable to individual providers tariffs; therefore, use of either the field or valid entries within the field is based on the providers tariffs/practices."
- 3.10 Due to enhancements and on-going development of access to SBC-13STATE 's OSS functions, certain interfaces described in this Appendix may be modified, temporarily unavailable or may be phased out after execution of this Appendix. SBC-13STATE shall provide proper notice of interface phase-out as required by the Change Management process.
- 3.11 CLEC is responsible for obtaining operating system software and hardware to access SBC-13STATE OSS functions as specified in: "Requirements for Access to Southwestern Bell OSS Functions" and "Requirements for Access to Pacific Bell OSS Functions" and "SNET W-CIW in Installation Guide" and "Ameritech Electronic Service Order Guide", or any other documents or interface requirements subsequently generated by SBC-13STATE for any of its regions.

4. PRE-ORDERING

- 4.1 SBC-13STATE will provide real time access to pre-order functions to support CLEC ordering of Resale services and UNE. The Parties acknowledge that ordering requirements necessitate the use of current, real time pre-order

information to accurately build service orders. The following lists represent pre-order functions that are available to CLEC so that CLEC order requests may be created to comply with SBC-13STATE region-specific ordering requirements.

4.2 Pre-ordering functions for Resale Services include:

- 4.2.1 For SBC-7STATE, features and services available at a valid service address (as applicable) or, for SNET, features will be available based on NPA-NXX;
- 4.2.2 Access to SBC-13STATE retail or resold CPNI and account information for pre-ordering will include: billing name, service address, billing address, service and feature subscription, directory listing information, long distance carrier identity, and for SBC-12STATE only, pending service order activity. CLEC agrees that CLEC's representatives will not access the information specified in this subsection until after the End User requests that his or her Local Service Provider be changed to CLEC, and an End User authorization for release of CPNI complies with conditions as described in section 3.2 of this Appendix.
- 4.2.3 A telephone number (if the End User does not have one assigned) with the End User on-line;
- 4.2.4 Service availability dates to the End User (where available);
- 4.2.5 Information regarding whether dispatch is required;
- 4.2.6 For SBC-12STATE, Primary Interexchange Carrier (PIC) options for intraLATA toll and interLATA toll; and
- 4.2.7 Service address verification.

4.3 Pre-ordering functions for UNEs include:

- 4.3.1 Features available at an End Office for a valid service address (as applicable);
- 4.3.2 Access to SBC-13STATE retail or resold CPNI and account information for pre-ordering will include: billing name, service address, billing address, service and feature subscription, directory listing information, long distance carrier identity, and, for SBC-12STATE only, pending service order activity. CLEC agrees that CLEC's representatives will not access the information specified in this subsection until after the End User requests that his or her Local Service Provider be changed to CLEC, and

an End User authorization for release of CPNI complies with conditions as described in Section 3.2 of this Appendix.

- 4.3.3 Telephone number assignment (if the End User does not have one assigned) with the End User on-line;
- 4.3.4 For **SBC-12STATE**, Primary Interexchange Carrier options for intraLATA toll and interLATA toll;
- 4.3.5 Service address verification; and
- 4.3.6 For **SBC-12STATE**, Channel facility assignment (CFA), network channel (NC), and network channel interface (NCI) data.

4.4 **Electronic Access to Pre-Order Functions:**

- 4.4.1 **SBC-SWBT** Resale Services Pre-order System Availability: **SBC-SWBT** will provide CLEC access to one or more of the following systems:

- 4.4.1.1 Residential Easy Access Sales Environment (R-EASE): R-EASE is an ordering entry system through which **SBC-SWBT** provides CLEC access to the functions of pre-ordering to order **SBC-SWBT** residential Resale services.

- 4.4.1.2 Business Easy Access Sales Environment (B-EASE): B-EASE is an ordering entry system through which **SBC-SWBT** provides CLEC access to the functions of pre-ordering to order **SBC-SWBT** business Resale services.

- 4.4.2 **PACIFIC** and **NEVADA** Resale Services Pre-Order System Availability: **PACIFIC** will provide CLEC access to the following system:

- 4.4.2.1 Service Order Retrieval and Distribution (SORD) is available for the pre-order function of viewing the CPNI, when SORD is used to order **PACIFIC** Resale service.

- 4.4.2.2 StarWriter is available for the pre-ordering functions listed in section 4.2 when StarWriter is used to order **PACIFIC** single line, basic exchange, residential Resale services.

4.4.3 **SNET Resale Service Pre-Order System Availability:**

SNET will provide CLEC access to the following applications through its proprietary W-CIWin interface.

4.4.3.1 W-SNAP is an order entry application through which SNET provides CLEC access to pre-ordering functionality embedded in the ordering tool.

4.4.3.2 CCTOOLS is a toolbar that provides icons for accessing pre-order GUI applications.

4.4.3.3 Electronic Forms (EF) is an automated workflow process for obtaining pre-order information for specific complex resale products.

4.4.4 **SNET Resale and UNE Services Pre-Order System Availability:**

SNET will provide CLEC access to its MSAP:

4.4.4.1 MSAP is an Electronic Data Interchange (EDI) based interface which provides access to pre-order functions.

4.4.5 **SBC-AMERITECH Resale and UNE Services Pre-Order System Availability:** SBC-AMERITECH will provide CLEC access to the following system:

4.4.5.1 TCNet and EDI are available for the pre-ordering functions listed in section 4.2

4.4.6 **Resale and UNE Pre-order System Availability:** SBC-7STATE will provide CLEC access to the following systems (except as noted in section 4.4.6.3):

4.4.6.1 DataGate is a transaction-based data query system through which SBC-7STATE provides CLEC access to pre-ordering functions. This gateway shall be a Transmission Control Protocol/Internet Protocol (TCP/IP) gateway and will, once CLEC has developed its own interface, allow CLEC to access the pre-order functions for Resale services and UNE. An industry standard EDI/CORBA Pre-ordering Gateway is also provided by SBC-7STATE. This pre-ordering gateway supports two structural protocols, EDI and CORBA, as recommended by the technical industry committees. EDI/CORBA, like DataGate, is an application-to-application interface that can be integrated with the CLEC's own negotiation system and that supports both Resale services and UNEs. Where

DataGate follows industry guidelines, but is based on SBC-7STATE's proprietary pre-ordering functionality, EDI/CORBA is an industry-wide standard pre-ordering interface.

4.4.6.2 Verigate is a CLEC interface developed by SBC-7STATE that provides access to the pre-ordering functions for Resale Services and UNE. Verigate is accessible via Toolbar.

4.4.6.3 CESAR is a PACIFIC and NEVADA system which is available on an interim basis provides pre-order functions for Resale service and UNE, with the exception of viewing CPNI. The pre-order functionality of CESAR will be replaced by Verigate.

4.5 Other Pre-order Function Availability:

4.5.1 Where pre-ordering functions are not available electronically, CLEC will manually request this information from the LSC, dependent on operating region, for inclusion on the service order request.

4.5.2 Upon request, but not more frequently than once a month, SBC-SWBT will provide CLEC certain pre-order information in batch transmission for the purposes of back-up data for periods of system unavailability. Specifically for SBC-SWBT and SBC-AMERITECH, the following database information may be electronically provided: Street Address Guide (SAG) Guide, Service and Feature Availability by NXX, and a PIC list, to support address verification, service and feature availability and PIC availability, respectively. Specifically for PACIFIC, the following database information may be electronically provided: Street Address Guide (SAG) Guide (with planned availability no later than June 1st, 2000), and a PIC list, to support address verification, service and feature availability and PIC availability, respectively. The Parties recognize such information must be used to construct order requests only in exception handling situations.

5. ORDERING/PROVISIONING

5.1 SBC-13STATE provides access to ordering functions (as measured from the time SBC-13STATE receives accurate service requests from the interface) to support CLEC provisioning of Resale services and UNE via one or more electronic interfaces. To order Resale services and UNEs, CLEC will format the service request to identify what features, services, or elements it wishes SBC-13STATE to provision in accordance with applicable SBC-13STATE ordering requirements. SBC-13STATE will provide CLEC access to one or more of the following systems or interfaces:

5.2 Resale Service Order Request System Availability:

5.2.1 In SBC-SWBT:

5.2.1.1 R-EASE is available for the ordering of residential Resale services.

5.2.1.2 B-EASE is available for the ordering of business Resale services.

5.2.1.3 SORD interface provides CLECs with the ability to create certain complex Resale and UNE orders that cannot be ordered through Easy Access Sales Environment (EASE), Electronic Data Interchange (EDI) or Local Exchange (LEX). In addition, the SORD interface supports the modification of service orders submitted electronically by CLEC. The Parties agree that the following conditions are applicable to electronically generated service orders with errors corrected via SORD: If CLEC elects to correct service order errors via SORD, CLEC will be responsible for correcting all errors occurring prior to completion on any orders submitted electronically by CLEC. If CLEC chooses to use SORD to issue orders, then CLEC becomes responsible for correction of all service order errors between order application and order completion that occur on mechanically generated service orders created or modified by CLEC. CLEC may need to call the LSC to obtain additional information. CLEC may also choose to clear service order errors, even though CLEC is not initiating service orders via SORD. CLEC would then become responsible for correction of all errors, as detailed above.

5.2.2 In NEVADA only:

5.2.2.1 Pacific Bell Service Manager (PBSM) is available for ordering Centrex and ISDN Resale services.

5.2.2.2 When available, SORD system will support the ordering of all Resale Services. If CLEC chooses to use SORD to issue orders, then CLEC becomes responsible for correction of all service order errors between order application and order completion that occur on mechanically generated service orders created or modified by CLEC. CLEC may need to call the LSC to obtain additional information. CLEC may also choose to clear service order errors, even though CLEC is not initiating service orders

via SORD. CLEC would then become responsible for correction of all errors, as detailed above.

5.2.3 In PACIFIC only:

5.2.3.1 StarWriter supports the ordering of single line, basic exchange, and residential Resale services.

5.2.3.2 Pacific Bell Service Manager (PBSM) is available for ordering Centrex and ISDN Resale services.

5.2.3.3 SORD system supports the ordering of all Resale Services. If CLEC chooses to use SORD to issue orders, then CLEC becomes responsible for correction of all service order errors between order application and order completion that occur on mechanically generated service orders created or modified by CLEC. CLEC may need to call the LSC to obtain additional information. CLEC may also choose to clear service order errors, even though CLEC is not initiating service orders via SORD. CLEC would then become responsible for correction of all errors, as detailed above.

5.2.4 In SNET, Resale ordering is supported by W-CIWin (SNET's proprietary GUI interface).

5.2.4.1 W-SNAP is made available for the ordering of non-complex Resale products and services.

5.2.4.2 Order Negotiation (as part of CCTOOLS) is made available for the ordering of complex Resale products and services.

5.2.4.3 Electronic Forms (EF) is an automated workflow process for ordering of specific complex Resale products and services.

5.3 **Resale and UNE Service Order Request Ordering System Availability:**

5.3.1 SBC-13STATE makes available to CLEC an Electronic Data Interchange (EDI) interface for transmission of SBC-13STATE ordering requirements via formats provided on the Local Service Request (LSR) as defined by the OBF and via EDI mapping as defined by TCIF. In ordering and provisioning Resale, CLEC and SBC-13STATE will utilize industry guidelines developed by OBF and TCIF EDI to transmit data based upon SBC-13STATE's Resale ordering requirements, dependent on operating region. In ordering and provisioning UNE, CLEC and SBC-13STATE

will utilize industry guidelines developed by OBF and TCIF EDI to transmit data based upon SBC-13STATE's UNE ordering requirements dependent on operating region. In addition, Local Number Portability (LNP) and, where applicable, Interim Number Portability (INP), will be ordered consistent with the OBF LSR and EDI process.

- 5.3.2 For SBC-SWBT and PACIFIC regions, and NEVADA (when available), SORD interface provides CLECs with the ability to create certain complex UNE orders that cannot be initiated through EASE, EDI or LEX. In addition, the SORD interface supports the modification of service orders submitted electronically by CLEC. The Parties agree that the following conditions are applicable to electronically generated service orders with errors corrected via SORD: If CLEC chooses to use SORD to issue orders, then CLEC becomes responsible for correction of all service order errors between order application and order completion that occur on mechanically generated service orders created or modified by CLEC. CLEC may need to call the LSC to obtain additional information. CLEC may also choose to clear service order errors, even though CLEC is not initiating service orders via SORD. CLEC would then become responsible for correction of all errors, as detailed above. CLEC assumes all responsibility for End User out of service conditions which result from disconnect and new connect orders submitted and worked out of sequence.
- 5.3.3 In ordering and provisioning Unbundled Dedicated Transport and local interconnection trunks, CLEC and SBC will utilize industry ASR guidelines developed by OBF based upon SBC ordering requirements. In SBC-SWBT, SNET, and SBC-AMERITECH, EXACT supports the ordering of Unbundled Dedicated Transport and local interconnection trunks. In PACIFIC and NEVADA CESAR supports the ordering of Unbundled Dedicated Transport and local interconnection trunks.
- 5.3.4 For SBC-SWBT and PACIFIC, LEX is an End User interface that provides access to the ordering functions for Resale Services and UNE.
- 5.3.5 In SNET, MSAP (SNET's EDI-based industry standard app-to-app interface) is available for the ordering of both complex and non-complex Resale Services, as well as the ordering of UNEs.
- 5.4 **Provisioning for Resale Services and UNE in SBC-SWBT:** SBC-SWBT will provision Resale services and UNE as detailed in CLEC order requests. Access to status on such orders will be provided via the following electronic interfaces:

- 5.4.1 Order Status will allow CLEC to check service order status. Order Status and Provisioning Order Status are both accessible via SBC-SWBT Toolbar. In addition, pending orders can be viewed in SORD.
- 5.4.2 For EDI ordering, SBC-SWBT will provide, and CLEC shall use, an EDI interface for transferring and receiving orders, Firm Order Confirmation (FOC), service completion, and, as available, other provisioning data and information. SBC-SWBT will provide CLEC with a FOC for each Resale service and UNE request. The FOC will include: purchase order number, telephone number, LSR number, due date, service order number, and completion date. Upon work completion, SBC-SWBT will provide CLEC with an 855 EDI transaction-based order completion that states when that order was completed. CLEC may submit supplement requests via the 860 EDI transaction, and, where available, SBC-SWBT will provide CLEC an 865 EDI transaction-based completion notice.
- 5.4.3 The Parties agree that the following timelines are applicable to electronically generated service orders with errors corrected via SORD:
- 5.4.3.1 Errors occurring between application and distribution must be corrected within five (5) hours for a simple order and within twenty four (24) hours for a complex order;
- 5.4.3.2 Error Service Order Image (ESOI) errors must be corrected within three (3) business hours.
- 5.4.3.3 Service orders will be excluded from calculation of the results for all related performance measurements, described in Appendix Performance Measurements, if CLEC fails to correct service order errors within the timeframes specified in this Section 5.4.3.
- 5.4.3.4 Additionally, service orders with errors that occur after order generation, but prior to distribution will not qualify for a SBC-SWBT issued FOC.
- 5.4.3.5 The Parties agree that the following conditions are applicable to electronically generated service orders with errors corrected via SORD: If CLEC chooses to use SORD to issue orders, then CLEC becomes responsible for correction of all service order errors between order application and order completion, that occur on mechanically generated service orders created or modified by CLEC. CLEC may need to call LSC to obtain additional information. CLEC may also choose to clear service order errors, even though CLEC is not initiating service orders via SORD.

CLEC would then become responsible for correction of all errors, as detailed above.

5.4.4 A file transmission may be provided to confirm order completions for R-EASE or B-EASE order processing. This file will provide service order information of all distributed and completed orders for CLEC.

5.4.5 The Parties agree that the following timelines are applicable to electronically generated service orders with errors corrected via SORD:

5.4.5.1 Errors occurring between application and distribution must be corrected prior to releasing the order from EASE;

5.4.5.2 Error Service Order Image (ESOI) errors must be corrected within three (3) business hours

5.4.5.3 Service orders will be excluded from calculation of the results for the related performance measurements, described in Appendix Performance Measurements, if CLEC fails to correct service order errors within the timeframes specified in this Section 5.4.5.

5.4.5.4 Service orders with errors that occur after order generation, but prior to distribution, will not qualify for a **SBC-SWBT** issued FOC.

5.4.5.5 The Parties agree that the following conditions are applicable to electronically generated service orders with errors corrected via SORD: If CLEC chooses to use SORD to issue certain service orders, then CLEC is responsible for correction of all service order errors between order application and order completion that occur on mechanically generated service orders created or modified by CLEC. CLEC may need to call LSC to obtain additional information. CLEC may also choose to clear service order errors, even though CLEC is not initiating service orders via SORD. CLEC would then become responsible for correction of all errors, as detailed above.

5.5 Provisioning for Resale services and UNEs in **PACIFIC** and **NEVADA**: **PACIFIC** and **NEVADA** will provision Resale services and UNE as detailed in CLEC order requests. Access to status on such orders is provided via the following electronic interfaces:

5.5.1 Pacific Bell Order Dispatch (PBOD) functions via DataGate allows CLEC to check status of basic exchange service orders that require field work.

PACIFIC also offers Provisioning order status to check the status of service orders.

- 5.5.2 For EDI ordering, **PACIFIC** shall provide CLEC, and CLEC shall use, an EDI interface for transferring and receiving orders, Firm Order Confirmation (FOC), service completion, and, as available, other provisioning data and information. **PACIFIC** will provide CLEC with a FOC for each Resale service and UNE request. The FOC will include: purchase order number, telephone number, LSR number, due date, service order number, and completion date. Upon work completion, **PACIFIC** will provide CLEC with an 855 EDI transaction-based order completion that states when that order was completed. CLEC may submit supplement requests via the 860 EDI transaction, and, where available, **PACIFIC** will provide CLEC an 865 EDI transaction-based completion notice.
- 5.5.3 The Parties agree that the following timelines are applicable to electronically generated service orders with errors corrected via SORD:
- 5.5.3.1 Errors occurring between application and distribution must be corrected within five (5) hours for a simple order and within twenty four (24) hours for a complex order;
- 5.5.3.2 Error Service Order Image (ESOI) errors must be corrected within three (3) business hours.
- 5.5.3.3 Service orders will be excluded from calculation of the results for all related performance measurements, described in Appendix Performance Measurements, if CLEC fails to correct service order errors within the timeframes specified in this Section 5.5.3.
- 5.5.3.4 Service orders with errors that occur after order generation, but prior to distribution will not qualify for a **PACIFIC** issued FOC.
- 5.5.3.5 The Parties agree that the following conditions are applicable to electronically generated service orders with errors corrected via SORD: If CLEC chooses to use SORD to issue orders, then CLEC becomes responsible for correction of all service order errors between order application and order completion that occur on mechanically generated service orders created or modified by CLEC. CLEC may need to call LSC to obtain additional information. CLEC may also choose to clear service order errors, even though CLEC is not initiating service orders via SORD. CLEC would then become responsible for correction of all errors, as detailed above.

- 5.6 **Provisioning for Resale Services and UNEs in SBC-AMERITECH and SNET: SBC-SMERITECH and SNET** will provision Resale services and UNE as detailed in CLEC order requests. Access to status on such orders will be provided via the following electronic interfaces:

5.6.1 For EDI ordering, SBC-AMERITECH and SNET provide CLEC, and CLEC shall use, an EDI interface for transferring and receiving orders, FOC, Service Order Completion (SOC), and, as available, other provisioning data and information. SBC-AMERITECH and SNET will provide CLEC with a FOC for each Resale service and UNE request. The FOC will include: purchase order number, telephone number, LSR number, due date, and service order number. Upon work completion, SBC-AMERITECH and SNET will provide CLEC with an 855 EDI transaction-based Service Order Completion (SOC) that states when that order was completed. CLEC may submit supplement requests via the 860 EDI transaction, and, where available, SBC-AMERITECH and SNET will provide CLEC an 865 EDI transaction-based completion notice.

6. MAINTENANCE/REPAIR

- 6.1 Two real time electronic interfaces are accessible in each region to place, and check the status of, trouble reports for both Resale services and UNEs. Upon request, CLEC may access these functions via the following methods:

6.1.1 In SBC-SWBT, Trouble Administration (TA) system access provides CLEC with SBC-SWBT software that allows CLEC to submit trouble reports and subsequently check status on trouble reports for CLEC End-Users. TA will provide the ability to review the maintenance history of a converted Resale CLEC account. TA is accessible via SBC-SWBT Toolbar.

6.1.2 In PACIFIC and NEVADA, Pacific Bell Service Manager (PBSM) allows CLECs to perform MLT, issue trouble tickets, view status, and view trouble history on-line.

6.1.3 In SBC-AMERITECH, Electronic Bonding for Trouble Administration (EBTA-GUI) and Intelligent Customer Advocate System (ICAS) allows CLEC to issue trouble tickets, view status, and view trouble history on-line.

6.1.4 In SNET the maintenance and repair functionality for Resale services and UNEs is available via the MSAP EDI interface. In addition, for Resale products and services, trouble history and trouble status functions are available via CCTOOLS.

- 6.1.5 In SBC-12STATE, Electronic Bonding Interface (EBI) is an interface that is available for trouble report submission and status updates. EBI conforms to ANSI guidelines T1:227:1995 and T1.228:1995, Electronic Communications Implementation Committee (ECIC) Trouble Report Format Definition (TFRD) Number 1 as defined in ECIC document ECIC/TRA/95-003, and all guidelines referenced within those documents, as mutually agreed upon by CLEC and SBC-12STATE. Functions currently implemented include Enter Trouble, Request Trouble Report Status, Add Trouble Information, Modify Trouble Report Attributes, Trouble Report Attribute Value Change Notification, and Cancel Trouble Report, as explained in 6 and 9 of ANSI T1.228:1995. CLEC and SBC-12STATE will exchange requests over a mutually agreeable X.25-based network.

7. BILLING

- 7.1 SBC-7STATE will bill CLEC for Resold services and UNEs. SBC-7STATE will send associated billing information to CLEC as necessary to allow CLEC to perform billing functions. At minimum SBC-7STATE will provide CLEC billing information in a paper format or via magnetic tape, as agreed to between CLEC and SBC-7STATE.
- 7.1.1 For Resale Services in PACIFIC, CLEC may elect to receive Custom Billing Disk/ CD Bill. Custom Billing Disk/ CD Bill provides an electronic bill with the same information as a paper bill along with various reporting options.
- 7.1.2 For Resale Services in SBC-AMERITECH, CLEC may elect to receive its bill on CD.
- 7.2 Electronic access to billing information for Resale services will also be available via the following interfaces:
- 7.2.1 In SBC-SWBT, CLEC may receive Bill PlusTM, an electronic version of its bill, as described in, and in accordance with, SBC-SWBT's Local Exchange Tariff.
- 7.2.2 In SBC-SWBT, CLEC may also view billing information through the Bill Information interface. Bill Information will be accessible via SBC-SWBT Toolbar.
- 7.2.3 In SBC-7STATE, CLEC may receive a mechanized bill format via the EDI 811 transaction set.

- 7.2.4 In SBC-12STATE, CLEC may receive electronically a Usage Extract Feed, or in SNET, a Daily Usage Feed (DUF). On a daily basis, this feed provides information on the usage billed to its accounts for Resale services in the industry standardized EMR format.
- 7.2.5 In SBC-7STATE, CLEC may receive Local Disconnect Report records (via CARE records) or, in SNET Loss Notification File (via CARE-like records), electronically, that indicate when CLEC's End Users change their Competitive Local Exchange Carrier. In SBC-AMERITECH this information is provided via the EDI 836 transaction set.
- 7.2.6 In SNET, CLEC may receive a Billing Detail File on cartridge or magnetic tape.
- 7.2.7 In SBC-AMERITECH, CLEC may receive a mechanized bill via the SBC-AMERITECH Electronic Billing System (AEBS) transaction set.
- 7.3 Electronic access to billing information for UNE will also be available via the following interfaces:
 - 7.3.1 SBC-8STATE makes available to CLECs a local Bill Data Tape to receive data in an electronic format from its CABS database. The local Bill Data Tape contains the same information that would appear on CLEC's paper bill. SBC-AMERITECH also makes available to CLECs a local bill via the SBC-AMERITECH Electronic Billing System (AEBS) transaction set.
 - 7.3.2 In SBC-SWBT, CLEC may also view billing information through the Bill Information interface. Bill Information will be accessible via SBC-SWBT Toolbar.
 - 7.3.3 In SBC-12STATE, CLECs will receive a Usage Extract Feed, or in SNET, a Daily Usage Feed (DUF), electronically, on a daily basis, with information on the usage billed to its accounts for UNEs in the industry standardized Exchange Message Record (EMR) format.
 - 7.3.4 SBC-7STATE, CLEC may receive Local Disconnect Report records (via CARE records) electronically that indicate when CLEC's End Users, utilizing SBC-7STATE, ports, change their Competitive Local Exchange Carrier. In SBC-AMERITECH this information is provided via the EDI 836 transaction set.

8. REMOTE ACCESS FACILITY

- 8.1 For the SBC-SWBT region, CLEC must access the following OSS interfaces via a CLEC Remote Access Facility (LRAF) located in Dallas, Texas: R-EASE; B-EASE; DataGate; EDI-Ordering; SORD; Electronic Bonding via EDI/SSL or CORBA; and via Toolbar, Trouble Administration, Order Status, Provisioning Order Status, Verigate, LEX, and Bill Information. Connection to the LRAF will be established via a "port" either through dial-up or direct connection as described in Section 8.3. CLEC may utilize a port to access these interfaces to perform the supported functions in any SBC-SWBT state where CLEC has executed an Appendix OSS.
- 8.2 In PACIFIC and NEVADA regions, CLEC must access the following OSS interfaces via a CLEC Remote Access Facility (PRAF) located in Fairfield, California: StarWriter; DataGate; EDI-Ordering; SORD; Electronic Bonding via EDI/SSL or CORBA; and via Toolbar Verigate, LEX, Order Status, and Provisioning Order Status. Connection to the PRAF will be established via a "port" either through dial-up or direct connection as described in Section 8.3. CLEC may utilize a port to access these interfaces to perform the supported functions in PACIFIC or NEVADA where CLEC has executed an Appendix OSS and purchases System Access in that state.
- 8.3 For SBC-7STATE, CLEC may use three types of access: Switched, Private Line, and Frame Relay. For Private Line and Frame Relay "Direct Connections," CLEC shall provide its own router, circuit, and two Channel Service Units/Data Service Units (CSU/DSU). The demarcation point shall be the router interface at the LRAF and/or PRAF. Switched Access "Dial-up Connections" require CLEC to provide its own modems and connection to the SBC-SWBT LRAF and the PACIFIC PRAF. CLEC shall pay the cost of the call if Switched Access is used.
- 8.4 For SBC-7STATE, CLEC shall use TCP/IP to access SBC-7STATE OSS via the LRAF and the PRAF. In addition, each CLEC shall have one valid Internet Protocol (IP) network address per region. CLEC shall maintain a user-id / password unique to each individual for accessing a SBC-SWBT OSS and PACIFIC OSS on CLEC's behalf. CLEC shall provide estimates regarding its volume of transactions, number of concurrent users, desired number of private line or dial-up (switched) connections, and length of a typical session.
- 8.5 For SBC-7STATE, CLEC shall attend and participate in implementation meetings to discuss CLEC LRAF/PRAF access plans in detail and schedule testing of such connections.
- 8.6 For SBC-AMERITECH, CLEC may use four types of access: DSO(56KB), DS1 (1.5MB), dedicated and Frame Relay (DS0 and DS1). CLEC shall provide its

own router, circuit, and two Channel Service Units/Data Service Units (CSU/DSU). CLEC must use a legal IP address for its end of the connection.

- 8.7 For SNET region, CLEC may use a private line connection. The CLEC shall provide and maintain own router and CSU/DSU.

9. OPERATIONAL READINESS TEST (ORT) FOR ORDERING/PROVISIONING AND REPAIR/ MAINTENANCE INTERFACES

- 9.1 Prior to live access to interface functionality, the Parties must conduct Operational Readiness Testing (ORT), which will allow for the testing of the systems, interfaces, and processes for the OSS functions. ORT will be completed in conformance with agreed upon processes and implementation dates.

- 9.2 Prior to live system usage, CLEC must complete user education classes for SBC-13STATE-provided interfaces that affect the SBC-13STATE network. Course descriptions for all available classes by region are posted on the CLEC website in the Customer Education section. CLEC Training schedules by region are also available on the CLEC website and are subject to change, with class lengths varying. Classes are train-the-trainer format to enable CLEC to devise its own course work for its own employees. Charges as specified below will apply for each class:

Training Rates	5 day class	4.5 day class	4 day class	3.5 day class	3 day class	2.5 day class	2 day class	1.5 day class	1 day class	1/2 day class
1 to 5 students	\$4,050	\$3,650	\$3,240	\$2,835	\$2,430	\$2,025	\$1,620	\$1,215	\$810	\$405
6 students	\$4,860	\$4,380	\$3,890	\$3,402	\$2,915	\$2,430	\$1,945	\$1,455	\$970	\$490
7 students	\$5,670	\$5,100	\$4,535	\$3,969	\$3,400	\$2,835	\$2,270	\$1,705	\$1,135	\$570
8 students	\$6,480	\$5,830	\$5,185	\$4,536	\$3,890	\$3,240	\$2,590	\$1,950	\$1,300	\$650
9 students	\$7,290	\$6,570	\$5,830	\$5,103	\$4,375	\$3,645	\$2,915	\$2,190	\$1,460	\$730
10 students	\$8,100	\$7,300	\$6,480	\$5,670	\$4,860	\$4,050	\$3,240	\$2,430	\$1,620	\$810
11 students	\$8,910	\$8,030	\$7,130	\$6,237	\$5,345	\$4,455	\$3,565	\$2,670	\$1,780	\$890
12 students	\$9,720	\$8,760	\$7,780	\$6,804	\$5,830	\$4,860	\$3,890	\$2,920	\$1,945	\$970

- 9.3 A separate agreement will be required as a commitment to pay for a specific number of CLEC students in each class. CLEC agrees that charges will be billed by SBC-13STATE and CLEC payment is due thirty (30) days following the bill date. CLEC agrees that personnel from other competitive Local Service Providers may be scheduled into any class to fill any seats for which the CLEC has not contracted. Class availability is first-come, first served with priority given to CLECs who have not yet attended the specific class.

- 9.4 Class dates will be based upon SBC-13STATE availability and will be coordinated among CLEC, the CLEC's SBC-13STATE Account Manager, and SBC-13STATE Industry Markets CLEC Training Product Management.

- 9.5 CLEC agrees to pay the cancellation fee of the full price noted in the separate agreement if CLEC cancels scheduled classes less than two (2) weeks prior to the scheduled start date. CLEC agrees to provide to SBC-13STATE completed registration forms for each student no later than one week prior to the scheduled training class.
- 9.6 CLEC agrees that CLEC personnel attending classes are to utilize only training databases and training presented to them in class. Attempts to access any other SBC-13STATE system are strictly prohibited.
- 9.7 CLEC further agrees that training material, manuals and instructor guides can be duplicated only for internal use for the purpose of training employees to utilize the capabilities of SBC-13STATE's OSS in accordance with this Appendix and shall be deemed "Proprietary Information" and subject to the terms, conditions and limitations of Section 20 of the General Terms and Conditions.

10. MISCELLANEOUS CHARGES

- 10.1 For SBC-SWBT region only, CLEC requesting the Bill PlusTM, as described in 7.2.1, agrees to pay applicable tariffed rate, less Resale discount.
- 10.2 For SBC-7STATE, CLEC requesting the billing function for Usage Billable Records, as described in 7.2.4 and 7.3.3, agrees to pay established rates pursuant to Appendix Pricing.
- 10.3 For SBC-7STATE, CLEC requesting the Local Disconnect Report, as described in 7.2.5 and 7.3.4, agrees to pay established rates pursuant to Appendix Pricing.
- 10.4 For SBC-13STATE, should CLEC request custom development of an exclusive interface to support OSS functions, such development will be considered by SBC-13STATE on an Individual Case Basis (ICB) and priced as such.
- 10.5 SNET will charge for the Billing Detail File, Daily Usage Feed, and Loss Notification File at rates filed and approved by DPUC.

11. EFFECTIVE DATE, TERM

- 11.1 Whereas CLEC is currently operational under an existing, approved Interconnection Agreement, this Appendix OSS will be effective, pending Commission approval, ten (10) days after it is filed with the state Commission; or, alternatively, this Appendix will be effective upon approval by the state Commission when it is approved as a part of the Interconnection Agreement, whichever is earlier.

12. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS

- 12.1 Every interconnection, service and network element provided hereunder, shall be subject to all rates, terms and conditions contained in this Agreement which are legitimately related to such interconnection, service or network element. Without limiting the general applicability of the foregoing, the following terms and conditions of the General Terms and Conditions are specifically agreed by the Parties to be legitimately related to, and to be applicable to, each interconnection, service and network element provided hereunder: definitions, interpretation, construction and severability; notice of changes; general responsibilities of the Parties; effective date, term and termination; fraud; deposits; billing and payment of charges; non-payment and procedures for disconnection; dispute resolution; audits; disclaimer of representations and warranties; limitation of liability; indemnification; remedies; intellectual property; publicity and use of trademarks or service marks; no license; confidentiality; intervening law; governing law; regulatory approval; changes in End User local exchange service provider selection; compliance and certification; law enforcement; no third party beneficiaries; disclaimer of agency; relationship of the Parties/independent contractor; subcontracting; assignment; responsibility for environmental contamination; force majeure; taxes; non-waiver; network maintenance and management; signaling; transmission of traffic to third parties; customer inquiries; expenses; conflicts of interest; survival; scope of agreement; amendments and modifications; and entire agreement.

APPENDIX PERFORMANCE MEASUREMENTS

TABLE OF CONTENTS

1. INTRODUCTION	3
2. SOLE REMEDY	4
3. DEFINITIONS	4
4. SPECIFIED PERFORMANCE STANDARDS	5
5. OCCURRENCE OF A SPECIFIED PERFORMANCE BREACH	5
6. LIQUIDATED DAMAGES AS FORM OF REMEDY	5
7. LIQUIDATED DAMAGES PAYMENT PLAN; GENERALLY	6
8. LIQUIDATED DAMAGES; METHOD OF CALCULATION	6
9. TABLE OF CRITICAL VALUES	9
10. LIMITATIONS	10
11. RECORDS AND REPORTS	11
12. AUDITS	12
13. INITIAL IMPLEMENTATION	13
14. PERFORMANCE MEASUREMENTS	13
15. APPLICABILITY OF OTHER RATES, TERMS, AND CONDITIONS	28

APPENDIX PERFORMANCE MEASUREMENTS**1. INTRODUCTION**

- 1.1 This Appendix sets forth the measurements, if met by the applicable SBC Communications Inc. (SBC) owned Incumbent Local Exchange Carrier (ILEC) demonstrate non-discriminatory access to SBC-13STATE's Operations Support Systems (OSS) and cover the five recognized OSS functions (Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, and Billing).
- 1.2 SBC Communications Inc. (SBC) means the holding company which owns the following ILECs: Illinois Bell Telephone Company, Indiana Bell Telephone Company Incorporated, Michigan Bell Telephone Company, Nevada Bell Telephone Company, The Ohio Bell Telephone Company, Pacific Bell Telephone Company, The Southern New England Telephone Company, Southwestern Bell Telephone Company and/or Wisconsin Bell, Inc. d/b/a Ameritech Wisconsin.
- 1.3 As used herein, SBC-13STATE means the applicable above listed ILEC doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.4 As used herein, SBC-SWBT means the applicable above listed ILEC doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.5 As used herein, SBC-AMERITECH means the applicable above listed ILEC doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.6 As used herein, SBC-SNET means the applicable above listed ILEC doing business in Connecticut.
- 1.7 As used herein, PACIFIC means the applicable above listed ILEC doing business in California.
- 1.8 As used herein, NEVADA means the applicable above listed ILEC doing business in Nevada.
- 1.9 The performance measurements contained herein, notwithstanding any provisions in any other appendix in this Agreement, are not intended to create, modify or otherwise affect parties' rights and obligations with respect to OSS access. The existence of any particular performance measure, or the language describing that measure, is not evidence that CLEC is entitled to any particular manner of access, nor is it evidence that SBC-13STATE is limited to

providing any particular manner of access. The parties' rights and obligations to such access are defined elsewhere, including the relevant laws, FCC and PUC decisions/regulations, tariffs, and within this interconnection agreement.

2. SOLE REMEDY

- 2.1 These liquidated damages shall be the sole and exclusive remedy of CLEC for SBC 13-STATE's failure to meet specified performance measures and shall be in lieu of any other damages CLEC might otherwise seek for such breach through any claim or suit brought under any contract or tariff.

3. DEFINITIONS

- 3.1 When used in this Appendix, the following terms will have the meanings indicated:

3.1.1 Performance Criteria

- 3.1.1.1 The target level of SBC-13STATE performance specified for each Performance Measurement. Generally, the Performance Measurements contained in this Appendix specify performance equal to that which SBC-13STATE achieves for itself in providing equivalent end user service as the Performance Criterion. Parity exists when the measured results in a single month (whether in the form of means, proportions, or rates) for the same measure, at equivalent disaggregation for both SBC-13STATE and CLEC are used to calculate an appropriate test statistic and the resulting test value has an associated probability that is no less than the critical probability indicated in the Table of Critical Values shown in Section 9.

- 3.1.1.2 Performance Measurements for which parity calculations are not possible have a specified *standard* as the Performance Criterion. Compliance is assessed by comparing the result obtained by the CLEC with the applicable standard using an appropriate statistical test. The result is compliant if the probability associated with the test statistic is no less than the critical probability indicated in the Table of Critical Values shown in Section 9.

3.1.2 Performance Measures

- 3.1.2.1 The set of measures listed in all of Section 14 of this Appendix.

3.1.3 Non-compliance

3.1.3.1 The failure by SBC-13STATE to meet the Performance Criteria for any performance measure identified as an available measurement type in Section 14.

4. SPECIFIED PERFORMANCE STANDARDS

4.1 SBC-13STATE shall not be obligated to pay liquidated damages or assessments for noncompliance with a performance measurement to the extent that such noncompliance was the result of actions or events beyond SBC-13STATE's control, including but not limited to the following: (i) a Force Majeure event; (ii) an act or omission by a CLEC that is contrary to any of its obligations under its interconnection agreement with SBC-13STATE or law; (iii) environmental events beyond SBC-13STATE's control even though not considered "Force Majeure"; and (iv) problems associated with third-party systems or equipment which could not be avoided by SBC-13STATE through the exercise of reasonable diligence, regardless of whether or not such third-party systems or equipment were sold to or otherwise being provided to SBC-13STATE.

5. OCCURRENCE OF A SPECIFIED PERFORMANCE BREACH

5.1 In recognition of either: 1) the loss of End User opportunities, revenues and goodwill which a CLEC might sustain in the event of a Specified Performance Breach; 2) the uncertainty, in the event of a Specified Performance Breach, of a CLEC having available to its End User opportunities similar to those opportunities available to SBC-13STATE at the time of a breach; or 3) the difficulty of accurately ascertaining the amount of damages a CLEC would sustain if a Specified Performance Breach occurs, SBC-13STATE agrees to pay the CLEC, subject to Section 6.1 below.

6. LIQUIDATED DAMAGES AS FORM OF REMEDY

6.1 The Parties agree and acknowledge that a) the Liquidated Damages are not a penalty and have been determined based upon the facts and circumstances known by the Parties at the time of the negotiation and entering into this Agreement, with due consideration given to the performance expectations of each Party; b) the Liquidated Damages constitute a reasonable approximation of the damages the CLEC would sustain if its damages were readily ascertainable; and c) neither Party will be required to provide any proof of the Liquidated Damages.

7. LIQUIDATED DAMAGES PAYMENT PLAN; GENERALLY

- 7.1 Liquidated damages apply to the available, non-diagnostic measures designated in section 14 when SBC-13STATE delivers Non-complaint performance as defined in 3.1.3
- 7.2 The Table of Critical Values (Section 9) gives the maximum number, F, of measurements of those required to be reported to the CLEC that may fail the Performance Criteria in any month. Liquidated damages apply to Non-compliant measures that are in excess of the applicable value of F.
- 7.3 None of the liquidated damages provisions set forth in this proposal will apply during the first three months after a CLEC first purchases the type of service or unbundled network element(s) associated with a particular performance measurement or introduction of a new measure.
- 7.4 There are two kinds of failures of the Performance Criteria. *Ordinary* failures are failures on a measure for one month or two consecutive months. *Chronic* failures are failures on a measure for three consecutive months. Ordinary failures may be excused up to the applicable value of F from the Table of Critical Values. Chronic failures may not be excused in that manner. \$500 is paid for each ordinary failure in excess of F. \$15,000 is paid for each Chronic failure. For example, if the value of F is 8 and there are 10 Ordinary failures and 1 Chronic failure in a month, then the Liquidated Damages for that month would be $(10-8)*\$500 + \$15,000 = \$16,000$. If there were 7 Ordinary failures and no Chronic failures, no Liquidated Damages would be paid.

8. LIQUIDATED DAMAGES; METHOD OF CALCULATION

- 8.1 SBC-13STATE and CLEC agree to use the following as statistical tests for evaluating the compliance of CLEC results with the Performance Criterion. These tests are applicable if the number of data points are greater than 30 for a given measurement.
- 8.2 The following list describes the tests to be used in evaluating the performance criterion. In each test, the important concept is the probability that the CLEC's results are significantly worse than either the comparable result for SBC-13STATE or the benchmark (whichever is relevant to the test). This probability is compared with the P value from the Table of Critical Values to decide if the measure meets the Performance Criterion. Probabilities that are less than the P value are deemed to have failed the test.

For parity measures that are expressed as Averages or Means, the following (Modified) Z test applies:

$$Z = (\text{DIFF}) / \delta_{\text{DIFF}}$$

Where;

$$\text{DIFF} = M_{\text{ILEC}} - M_{\text{CLEC}}$$

M_{ILEC} = ILEC Average

M_{CLEC} = CLEC Average

$$\delta_{\text{DIFF}} = \text{SQRT} [\delta_{\text{ILEC}}^2 (1/n_{\text{CLEC}} + 1/n_{\text{ILEC}})]$$

δ_{ILEC}^2 = Calculated variance for ILEC.

n_{ILEC} = number of observations or samples used in ILEC measurement

n_{CLEC} = number of observations or samples used in CLEC measurement

The probability of the Z statistic is obtained from a standard normal distribution.

For parity measures that are expressed as Percentages or Proportions:

$$Z = (\text{DIFF}) / \delta_{\text{DIFF}}$$

Where;

$$\text{DIFF} = P_{\text{ILEC}} - P_{\text{CLEC}}$$

P_{ILEC} = ILEC Proportion

P_{CLEC} = CLEC Proportion

$$\delta_{\text{DIFF}} = \text{SQRT} [\delta_{\text{ILEC}}^2 (1/n_{\text{CLEC}} + 1/n_{\text{ILEC}})]$$

$\delta_{\text{ILEC}}^2 = P_{\text{ILEC}} (1 - P_{\text{ILEC}})$.

n_{ILEC} = number of observations or samples used in ILEC measurement

n_{CLEC} = number of observations or samples used in CLEC measurement

The probability of the Z statistic is obtained from a standard normal distribution.

For parity measures that are expressed as Rates or Ratios:

$$Z = (\text{DIFF}) / \delta_{\text{DIFF}}$$

Where;

$$\text{DIFF} = R_{\text{ILEC}} - R_{\text{CLEC}}$$

$R_{\text{ILEC}} = \text{num}_{\text{ILEC}} / \text{denom}_{\text{ILEC}}$

$R_{\text{CLEC}} = \text{num}_{\text{CLEC}} / \text{denom}_{\text{CLEC}}$

$$\delta_{\text{DIFF}} = \text{SQRT} [R_{\text{ILEC}} (1/\text{denom}_{\text{CLEC}} + 1/\text{denom}_{\text{ILEC}})]$$

The probability of the Z statistic is obtained from a standard normal distribution.

In calculating the difference between the performances the formulae given above apply when a larger CLEC value indicates a higher quality of performance. For cases in which a smaller CLEC value indicates a higher

quality of performance the order of subtraction should be reversed (i.e., $M_{CLEC} - M_{ILEC}$, $P_{CLEC} - P_{ILEC}$, $R_{CLEC} - R_{ILEC}$).

For measures with benchmarks that are expressed as Averages or Means:

$$t = (DIFF) / \delta_{DIFF}$$

Where;

$$DIFF = M_{CLEC} - BM$$

$$M_{CLEC} = \text{CLEC Average}$$

$$BM = \text{Benchmark}$$

$$\delta_{DIFF} = \text{SQRT} [\delta_{CLEC}^2 (1/n_{CLEC})]$$

$$\delta_{CLEC}^2 = \text{Calculated variance for CLEC.}$$

$$n_{CLEC} = \text{number of observations or samples used in CLEC measurement}$$

The probability of the t statistic is obtained from Student's distribution with $n_{CLEC} - 1$ degrees of freedom.

For measures with benchmarks that are expressed as Percentages or Proportions:

When high proportions designate good service, the probability of the CLEC result is given by

$$\sum_{x=0}^K \binom{N}{x} B^x (1-B)^{N-x}$$

Where

$$K = PN$$

$$P = \text{CLEC proportion}$$

$$N = \text{number of observations or samples used in CLEC measurement}$$

$$B = \text{benchmark expressed as a proportion}$$

When low proportions designate good service, the probability of the CLEC result is given by

$$1 - \sum_{x=0}^K \binom{N}{x} B^x (1-B)^{N-x}$$

with the same definition of symbols as is given above.

- 8.3 The following table will be used for determining the critical probabilities that define the Performance Criterion as well as the number of non-compliant measures that may be excused in a given month. The table is read as follows: (1) determine the number of measures to which Liquidated Damages are applicable and which have sample sizes greater than or equal to 30 cases. Let this number be M. (2) Find that row of the table such that M is within the range of values given in the first two columns of the table. (3) Reading across that row determine the value of F from the third column. (4) The critical probability for determining compliance in each statistical test performed on the M measures is calculated by interpolating the last two columns of the table for that row. For example, suppose a CLEC has 50 measures. The applicable row has the range of 49 to 60 measures. The F value for that row is 7 and the critical probabilities is $6.2\% - (6.2\% - 5\%) \frac{50 - 49}{60 - 49} = 6.1\%$

9. TABLE OF CRITICAL VALUES

Number of Measures Reported to the CLEC (M)		(F)	Critical Probabilities for Assessing Parity and Compliance (P)	
Minimum Value in the Range Associated with F	Maximum Value in the Range Associated with F		Probability for Minimum Value in the Range	Probability for Maximum Value in the Range
1	1	0	1.00%	1.00%
2	3	1	10.00%	5.90%
4	9	2	14.10%	5.30%
10	17	3	9.30%	5.20%
18	26	4	7.70%	5.20%
27	37	5	7.00%	5.10%
38	48	6	6.50%	5.10%
49	60	7	6.20%	5.00%
61	72	8	6.00%	5.00%
73	85	9	5.90%	5.00%
86	98	10	5.70%	5.00%
99	111	11	5.60%	5.00%
112	124	12	5.60%	5.00%
125	138	13	5.60%	5.00%
139	152	14	5.50%	5.00%
153	167	15	5.50%	5.00%
168	181	16	5.40%	5.00%
182	196	17	5.40%	5.00%
197	210	18	5.40%	5.00%
211	225	19	5.40%	5.00%
226	240	20	5.30%	5.00%
241	255	21	5.30%	5.00%
256	270	22	5.30%	5.00%

271	286	23	5.30%	5.00%
287	301	24	5.30%	5.00%
302	317	25	5.30%	5.00%
318	332	26	5.20%	5.00%
333	348	27	5.20%	5.00%
349	364	28	5.20%	5.00%
365	380	29	5.20%	5.00%
381	395	30	5.20%	5.00%
396	411	31	5.20%	5.00%
412	427	32	5.20%	5.00%
428	444	33	5.20%	5.00%

10. LIMITATIONS

- 10.1 SBC-13STATE will not be excused from payment of liquidated damages, as calculated by the rules set forth herein, on any grounds, except by application of the procedure provided for under Section 11.5. Any dispute regarding whether a SBC-13STATE performance failure is excused under that paragraph will be resolved, through negotiation, through a dispute resolution proceeding under applicable Commission rules or, if the parties agree, through commercial arbitration with the American Arbitration Association.
- 10.2 SBC-13STATE shall not be obligated to pay liquidated damages or assessments for noncompliance with a performance measurement to the extent that such noncompliance was the result of actions or events beyond SBC-13STATE's control, including but not limited to the following: (i) a Force Majeure event; (ii) an act or omission by a CLEC that is contrary to any of its obligations under its interconnection agreement with SBC-13STATE or law; (iii) environmental events beyond SBC-13STATE's control even though not considered "Force Majeure"; and (iv) problems associated with third-party systems or equipment which could not be avoided by SBC-13STATE through the exercise of reasonable diligence, regardless of whether or not such third-party systems or equipment were sold to or otherwise being provided to SBC-13STATE.
- 10.3 If a Delaying Event (i) prevents a Party from performing an activity, then such activity will be excluded from the calculation of SBC-13STATE's compliance with the Performance Criteria, or (ii) only suspends SBC-13STATE's ability to timely perform the activity, the applicable time frame in which SBC-13STATE's compliance with the Performance Criteria is measured will be extended on an hour-for-hour or day-for-day basis, as applicable, equal to the duration of the Delaying Event.

11. RECORDS AND REPORTS

- 11.1 **SBC-13STATE** will not levy a separate charge for provision of the data to CLEC called for under this Appendix. Notwithstanding other provisions of this Agreement, the Parties agree that such data and associated records will be deemed Proprietary Information.
- 11.2 Reports are to be made available to the CLEC by the 20th day following the close of the calendar month. If the 20th day falls on a weekend or holiday, the reports will be made available the next business day.
- 11.3 CLEC will have access to monthly reports through an interactive Website.
- 11.4 **SBC-13STATE** will provide billing credits for the associated liquidated damages on or before the 30th day following the due date of the performance report for the month in which the obligation arose.
- 11.5 **SBC-13STATE** may not withhold payment of liquidated damages to CLEC, for any amount up to the amounts listed herein, unless **SBC-13STATE** has commenced an expedited dispute resolution proceeding on or before the payment due date, asserting one of the permitted grounds for excusing a damages payment below the procedural threshold as set out in Section 10.2 of this Appendix (Force Majeure, CLEC fault, and non-**SBC-13STATE** problems associated with third-party systems or equipment). In order to invoke the procedural threshold provisions allowing for escrow of damages obligations in excess of the amounts listed herein to CLEC, **SBC-13STATE** will pay the balance into escrow, and commence the show cause proceeding on or before the payment due date. These procedural thresholds are based on the aggregate damages to all CLECs in the designated state.

State	Monthly Maximum
Arkansas	\$.072M
California	\$1.26M
Connecticut	\$.168M
Illinois	\$.51M
Indiana	\$.165M
Kansas	\$.101M
Michigan	\$.392M
Missouri	\$.189M
Nevada	\$.024M
Ohio	\$.296M
Oklahoma	\$.120M

State	Monthly Maximum
Texas	\$.713M
Wisconsin	\$.158M

12. AUDITS

- 12.1 CLEC and SBC-13STATE will consult with one another and attempt in good faith to resolve any issues regarding the accuracy or integrity of data collected, generated, and reported pursuant to this Appendix. In the event that CLEC requests such consultation and the issues raised by CLEC have not been resolved within 30 days after CLEC's request for consultation, then SBC-13STATE will allow CLEC to commence a mini-audit, at CLEC's expense, upon providing SBC-13STATE 5 days advance written notice (including e-mail).
- 12.2 CLEC is limited to auditing three (3) single measures/submeasures during the year (hereafter, "Mini-Audits"). No more than three (3) Mini-Audits will be conducted simultaneously for all CLECs, unless more than one CLEC wants the same measure/sub-measure audited at the same time, in which case, Mini-Audits of the same measure/submeasure shall count as one Mini-Audit for the purposes of this paragraph only.
- 12.3 CLEC will bear the expense of the mini-audits, unless SBC-13STATE is found to be "materially" misreporting or misrepresenting data or to have non-compliant procedures, in which case, SBC-13STATE will pay for the costs of the third party auditor. "Materially" at fault means that a reported successful measure changes as a consequence of the audit to a missed measure, or there is a change from an ordinary missed measure to another category, if such exists. Each party to the mini-audit shall bear its own internal costs, regardless of which party ultimately bears the costs of the third party auditor. The major service categories are listed below:

Pre-Ordering/Ordering
Provisioning
Maintenance
Interconnection
Coordinated Conversions
Collocation
Billing

13. INITIAL IMPLEMENTATION

- 13.1 The Parties agree that none of the liquidated damages provisions set forth in this Appendix will apply during the first three months after first purchases of the a new type of service or unbundled network element(s) associated with a particular Performance Measurement or after the introduction of a new measure. During this three month period the Parties agree to consider in good faith any adjustments that may be warranted to the Performance Criteria for that Performance Measurement.

14. PERFORMANCE MEASUREMENTS

SBC-13STATE will provide the following Performance Measurements, in accordance with the Business Rules, under this Agreement:

14.1 Pre-Ordering/Ordering**14.1.1 Measurement: FOC Timeliness****Benchmarks:*****SBC-SWBT/SBC-AMERITECH**

All Res and Bus - 95%

Complex Bus - 94%

UNE Loop (1-49) - 95%

UNE Loop (>50) - 94%

Switch Ports - 95%

The average for the remainder of each measure disaggregated shall not exceed 20% of the established benchmark

***PACIFIC/NEVADA**

Fully electronic flow through - average 20 minutes

Electronically received/Manually handled - average 6 hours

Manually received/Manually handled - average 12 hours

Interconnection Trunks Standard -

New: average 7 days

Augment: average 4 days

SNET

90% ≤ 24 business hours (MSAP only)

14.1.2 Measurement: Pre-Order Response Time**Benchmarks:*****SBC-SWBT/SBC-AMERITECH**

Address Verification 4.7 sec

Request for Telephone 4.5 sec

Number

¹ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS paragraph 2.10.1

Request for Customer Service Record (CSR)	6.6 sec.
Service Availability	6.6 sec.
Service Appointment	1.0 sec.
Scheduling (Due Date)	
Dispatch Required	12.6 sec.
PIC	Diagnostic only

PACIFIC/NEVADA*Mechanized:**

Address Verification	4.5 sec
Request for Telephone Number	4.5 sec
Request for Customer Service Record (CSR)	10.0 sec.
Service Availability	8.0 sec.
Service Appointment	2.0 sec.
Scheduling (Due Date)	
Dispatch Required	11.0 sec.

Manual:

CSRs Standard – 95% in 4 hours

Facilities Availability Inquiries (K1023) - Parity

SNET

98% ≤ 5 sec. (MSAP only)

14.1.3 **Measurement:** Percentage of Flow-Through Order**Benchmarks:*****SBC-SWBT/SBC-AMERITECH**

Diagnostic only

***PACIFIC/NEVADA**

Diagnostic only

SNET

Measure not available

14.1.4 **Measurement:** OSS Interface Availability**Benchmarks:*****SBC-SWBT/SBC-AMERITECH**99.5%²***PACIFIC/NEVADA**Parity for systems used by both **PACIFIC/NEVADA** and CLEC.

99.25% for OSS interfaces used exclusively by CLECs.

² *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

SNET

98.9% (MSAP only)

14.1.5 **Measurement:** Completion Notice Timeliness**Benchmarks:*****SBC-SWBT/SBC-AMERITECH**

97%

***PACIFIC/NEVADA**

Fully electronic (orders that flow through) (LEX, EDI) – average 20 minutes

All other interfaces – 90% within 24 hours

SNET98% within ≤ 2 hours (Dispatched Service Orders only)**14.2 Provisioning**14.2.6 **Measurement:** Installation Appointment Commitment**Benchmarks:*****SBC-SWBT/SBC-AMERITECH****POTS:**

Resale POTS parity between Field Work compared to **SBC-SWBT** Field Work (N, T, C order types) and No Field Work compared to **SBC-SWBT** Retail No Field Work (N, T, and C order types).
 UNE Combo parity³ between Field Work compared to **SBC-SWBT** Field Work (N, T, C order types) and No Field Work compared to **SBC-SWBT** Retail No Field Work (N, T, C order types).

Design:Parity with **SBC-SWBT** retail**UNE:**

	Parity:	Retail Comparison:
1	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW)	POTS (Res/Bus FW)
1a	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (NFW)	POTS (Res/Bus NFW)
2	5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access	VGPL
3	BRI Loop with Test Access	ISDN
4	ISDN BRI Port	ISDN

³ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

Parity:	Retail Comparison:
5 DS1 Loop with Test Access	DS1
6 DS1 Dedicated Transport	DS1
7 Subtending Channel (23B)	DDS
8 Subtending Channel (1D)	DDS
9 Analog Trunk Port	VGPL
10 Subtending Digital Direct Combination Trunks	VGPL
11 DS3 Dedicated Transport	DS3
12 Dark Fiber	DS3
13 DSL Loops	DS1

***PACIFIC/NEVADA**

POTS: Parity

Design: Parity

UNE:

Parity:	Retail Comparison:
2/4w (8db) analog loop (incl. Coin/analog, PBX)	POTS – Business (fielded)
2/4w (5.5 db) assured analog loop	POTS Business Assured (PBX)
2w digital loop (ISDN capable)	ISDN (BRI)
2w digital loop (xDSL capable)	ADSL
4w digital loop (1.544Mbps capable)	DS1
UNE Port – Basic Analog/Coin	POTS – Business (fielded)
UNE Port – CENTREX	CENTREX
UNE Port – ISDN (BRI)	CENTREX
UNE Port – DS1/ISDN – PRI (incl. DS ⁴ 1 line port)	DS1/ISDN (PRI)
UNE Port – PBX DID	PBX DID
UNE Dedicated Transport (incl. DS1 and DS3)	HICAP (DS1 & DS3)
UNE Platform	Analogous Retail Service
Interconnection Trunks	ILEC Dedicated Trunks

SNETPOTS: ParityDigital Specials: ParityAnalog Specials: Parity

⁴ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

14.2.7 Measurement: Installation Trouble Reports**Benchmarks:*****SBC-SWBT/SBC-AMERITECH****POTS:**

Resale POTS parity between Field Work compared to **SBC-SWBT** Field Work (N, T, C order types) and No Field Work compared to **SBC-SWBT** Retail No Field Work (N, T, and C order types).
 UNE Combo parity between Field Work compared to **SBC-SWBT** Field Work (N, T, C order types) and No Field Work compared to **SBC-SWBT** Retail No Field Work (N, T, C order types).

Design:

Parity with **SBC-SWBT** retail

UNE:

	Parity:	Retail Comparison:
1	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW)	POTS (Res/Bus FW)
1a	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (NFW)	POTS (Res/Bus NFW)
2	5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access	VGPL
3	BRI Loop with Test Access	ISDN
4	ISDN ⁵ BRI Port	ISDN
5	DS1 Loop with Test Access	DS1
6	DS1 Dedicated Transport	DS1
7	Subtending Channel (23B)	DDS
8	Subtending Channel (1D)	DDS
9	Analog Trunk Port	VGPL
10	Subtending Digital Direct Combination Trunks	VGPL
11	DS3 Dedicated Transport	DS3
12	Dark Fiber	DS3
13	DSL Loops	DS1

***PACIFIC/NEVADA**

POTS: Parity

Design: Parity

UNE:

Parity:	Retail Comparison:
2/4w (8db) analog loop (incl. Coin/analog, PBX)	POTS – Business (fielded)

⁵ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

Parity:	Retail Comparison:
2/4w (5.5 db) assured analog loop	POTS Business Assured (PBX)
2w digital loop (ISDN capable)	ISDN (BRI)
2w digital loop (xDSL capable)	ADSL
4w digital loop (1.544Mbps capable)	DS1
UNE Port – Basic Analog/Coin	POTS – Business (fielded)
UNE Port – CENTREX	CENTREX
UNE Port – ISDN (BRI)	CENTREX
UNE Port – DS1/ISDN – PRI (incl. DS1 line port)	DS1/ISDN (PRI)
UNE Port – PBX DID	PBX DID
UNE Dedicated Transport (incl. DS1 and DS3)	HICAP (DS1 & DS3)
UNE Platform	Analogous Retail Service
Interconnection Trunks	ILEC Dedicated Trunks

SNET

POTS:⁶ Parity
 Digital Specials: Parity
 Analog Specials: Parity

14.2.8 **Measurement:** Installation Interval**Benchmark:*****SBC-SWBT/SBC-AMERITECH****POTS:**

Resale POTS parity between Field Work compared to **SBC-SWBT** Field Work (N, T, C order types) and No Field Work compared to **SBC-SWBT** Retail No Field Work (N, T, and C order types).
 UNE Combo parity between Field Work compared to **SBC-SWBT** Field Work (N, T, C order types) and No Field Work compared to **SBC-SWBT** Retail No Field Work (N, T, C order types).

Design:

Parity with **SBC-SWBT** retail

UNE:

95% within "X" days

2 Wire Analog and Digital and INP (1-10) - 3 days

2 Wire Analog and Digital and INP (11-20) - 7 days

2 Wire Analog and Digital and INP (20+) - 10 days

⁶ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

DS1 loop (includes PRI) (1-10) -	3 days
DS1 loop (includes PRI) (11-20) -	7 days
DS1 loop (includes PRI) (20+) -	10 days
XDSL loop (1-10) -	3 days
XDSL loop (11-20) -	7 days
XDSL loop (20+) -	10 days
Switch Ports – Analog Port -	2 days
Switch Ports – BRI Port (1–50) -	3 days
Switch Ports – BRI Port (50+) -	5 days
Switch Ports – PRI Port (1–20) -	5 days
Switch Ports – PRI Port (20+) -	10 days
DS1 Trunk Port (1-10)	3 days
DS1 Trunk Port (11-20)	5 days
DS1 Trunk Port (20+)	ICB
Dedicated Transport (DS0, DS1, DS3) (1-10)	3 days
Dedicated Transport (DS0, DS1, DS3) (11-20)	5 days
Dedicated Transport (DS0, DS1, DS3) (20+)	ICB
DSL: Parity with <u>SBC-SWBT</u>	
<u>*PACIFIC/NEVADA</u>	
POTS: Parity	
Design: Parity	
UNE:	
Parity:	Retail Comparison:
2/4w (8db) analog loop (incl. Coin/analog, PBX)	POTS – Business (fielded)
2/4w (5.5 ⁷ db) assured analog loop	POTS Business Assured (PBX)
2w digital loop (ISDN capable)	ISDN (BRI)
2w digital loop (xDSL capable)	ADSL
4w digital loop (1.544Mbps capable)	DS1
UNE Port – Basic Analog/Coin	POTS – Business (fielded)
UNE Port – CENTREX	CENTREX
UNE Port – ISDN (BRI)	CENTREX
UNE Port – DS1/ISDN – PRI (incl. DSI line port)	DS1/ISDN (PRI)
UNE Port – PBX DID	PBX DID
UNE Dedicated Transport (incl. DS1 and DS3)	HICAP (DS1 & DS3)
UNE Platform	Analogous Retail Service

⁷ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

Parity:
Interconnection Trunks

Retail Comparison:
ILEC Dedicated Trunks

DSL: Parity

SNET

POTS:

Vertical Feature/Simple: Parity

Non Dispatched Parity

Dispatched Parity

Digital Specials: Parity

Analog Specials: Parity

DSL: No measure available.

14.2.9 Measurement: Delayed Order Interval

Benchmark:

*SBC-SWBT/SBC-AMERITECH

POTS:

Resale POTS parity between Field Work compared to SBC-SWBT Field Work (N, T, C order types) and No Field Work compared to SBC-SWBT Retail No Field Work (N, T, and C order types). UNE Combo parity between Field Work compared to SBC-SWBT Field Work (N, T, C order types) and No Field Work compared to SBC-SW⁸BT Retail No Field Work (N, T, C order types).

Design:

Parity with SBC-SWBT retail

UNE:

	Parity:	Retail Comparison:
1	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW)	POTS (Res/Bus FW)
1a	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (NFW)	POTS (Res/Bus NFW)
2	5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access	VGPL
3	BRI Loop with Test Access	ISDN
4	ISDN BRI Port	ISDN
5	DS1 Loop with Test Access	DS1
6	DS1 Dedicated Transport	DS1
7	Subtending Channel (23B)	DDS
8	Subtending Channel (1D)	DDS

⁸ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

9	Analog Trunk Port	VGPL
10	Subtending Digital Direct Combination Trunks	VGPL
11	DS3 Dedicated Transport	DS3
12	Dark Fiber	DS3
13	DSL Loops	DS1

***PACIFIC/NEVADA**

POTS: Parity

Design: Parity

UNE: Parity:

2/4w (8db) analog loop (incl.
Coin/analog, PBX)2/4w (5.5 db) assured analog
loop

2w digital loop (ISDN capable)

2w digital loop (xDSL capable)

4w digital loop (1.544Mbps
capable)

UNE Port – Basic Analog/Coin

UNE Port – CENTREX

UNE Port – ISDN (BRI)

UNE Port – DS1/ISDN – PRI
(incl. DS1 line port)

UNE Port – PBX DID

UNE Dedicated Tr⁹ansport (incl.
DS1 and DS3)

UNE Platform

Interconnection Trunks

Retail Comparison:

POTS – Business
(fielded)POTS Business Assured
(PBX)

ISDN (BRI)

ADSL

DS1

POTS – Business
(fielded)

CENTREX

CENTREX

DS1/ISDN (PRI)

PBX DID

HICAP (DS1 & DS3)

Analogous Retail
Service

ILEC Dedicated Trunks

SNET

No measure available.

14.2.10 **Measurement:** Average Response Time for Loop Qualification
Information**Benchmark:*****SBC-SWBT/SBC-AMERITECH**

Parity

***PACIFIC/NEVADA**

Parity

⁹ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

SNET

No measure available.

14.3 Maintenance**14.3.11 Measurement: Repair Appointment Commitment****Benchmark:*****SBC-SWBT/SBC-AMERITECH****POTS:**

Parity with Retail

UNE Combo:

Parity with Business and Residence combined.

UNE:

Parity with POTS Business and Residence combined

PACIFIC/NEVADA*POTS:** Parity**UNE:**

Parity:

2/4w (8db) analog loop (incl.

Coin/analog, PBX)¹⁰2/4w (5.5 db) assured analog
loop

2w digital loop (ISDN capable)

2w digital loop (xDSL capable)

4w digital loop (1.544Mbps
capable)

UNE Port – Basic Analog/Coin

UNE Port – CENTREX

UNE Port – ISDN (BRI)

UNE Port – DS1/ISDN – PRI
(incl. DS1 line port)

UNE Port – PBX DID

UNE Dedicated Transport (incl.
DS1 and DS3)

UNE Platform

Interconnection Trunks

Retail Comparison:

POTS – Business

(fielded)

POTS Business Assured
(PBX)

ISDN (BRI)

ADSL

DS1

POTS – Business
(fielded)

CENTREX

CENTREX

DS1/ISDN (PRI)

PBX DID

HICAP (DS1 & DS3)

Analogous Retail
Service

ILEC Dedicated Trunks

¹⁰ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

SNET

POTS: Parity

Digital Specials: Parity

Analog Specials: Parity

14.3.12 **Measurement:** Repeated Trouble Reports**Benchmark:*****SBC-SWBT/SBC-AMERITECH**

POTS:

Parity with Retail

UNE Combo:

Parity with Business and Residence combined.

Design:

Parity with Retail

UNE:

	Parity:	Retail Comparison:
1	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW)	POTS (Res/Bus FW)
1a	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (NFW)	POTS (Res/Bus NFW)
2	5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access	VGPL
3	BRI Loop with Test Access	ISDN
4	ISDN BR ¹¹ I Port	ISDN
5	DS1 Loop with Test Access	DS1
6	DS1 Dedicated Transport	DS1
7	Subtending Channel (23B)	DDS
8	Subtending Channel (1D)	DDS
9	Analog Trunk Port	VGPL
10	Subtending Digital Direct Combination Trunks	VGPL
11	DS3 Dedicated Transport	DS3
12	Dark Fiber	DS3
13	DSL Loops	DS1

***PACIFIC/NEVADA**

POTS: Parity

Design: Parity

¹¹ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

UNE:

Parity:	Retail Comparison:
2/4w (8db) analog loop (incl. Coin/analog, PBX) ¹²	POTS – Business (fielded)
2/4w (5.5 db) assured analog loop	POTS Business Assured (PBX)
2w digital loop (ISDN capable)	ISDN (BRI)
2w digital loop (xDSL capable)	ADSL
4w digital loop (1.544Mbps capable)	DS1
UNE Port – Basic Analog/Coin	POTS – Business (fielded)
UNE Port – CENTREX	CENTREX
UNE Port – ISDN (BRI)	CENTREX
UNE Port – DS1/ISDN – PRI (incl. DS1 line port)	DS1/ISDN (PRI)
UNE Port – PBX DID	PBX DID
UNE Dedicated Transport (incl. DS1 and DS3)	HICAP (DS1 & DS3)
UNE Platform	Analogous Retail Service
Interconnection Trunks	ILEC Dedicated Trunks

SNET

POTS: Parity

14.3.13 **Measurement:** Mean Time to Repair**Benchmark:*****SBC-SWBT/SBC-AMERITECH**

POTS:

Parity with Retail

UNE Combo:

Parity with Business and Residence combined.

Design:

Parity with Retail

UNE:

	Parity:	Retail Comparison:
1	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW)	POTS (Res/Bus FW)
1a	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (NFW)	POTS (Res/Bus NFW)

¹² *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

	Parity:	Retail Comparison:
2	5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access	VGPL
3	BRI Loop with Test Access	ISDN
4	ISDN BRI Port	ISDN
5	DS1 Loop with Test Access	DS1
6	DS1 Dedicated Transport	DS1
7	Subtending Channel (23B)	DDS
8	Subtending Channel (1D)	DDS
9	Analog Trunk Port	VGPL
10	Subtending Digital Direct Combination Trunks	VGPL
11	DS3 Dedicated Transport	DS3
12	Dark Fiber ¹³	DS3
13	DSL Loops	DS1

***PACIFIC/NEVADA**

POTS: Parity

Design: Parity

UNE: Parity

SNET

POTS: Parity

Digital Specials: Parity

Analog Specials: Parity

14.3.14 Measurement: Customer Trouble Report Rate**Benchmark:*****SBC-SWBT/SBC-AMERITECH**

POTS:

Parity with Retail

UNE Combo:

Parity with Business and Residence combined.

Design:

Parity with Retail

UNE:

	Parity:	Retail Comparison:
1	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW)	POTS (Res/Bus FW)
1a	8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (NFW)	POTS (Res/Bus NFW)

¹³ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

	Parity:	Retail Comparison:
2	5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access	VGPL
3	BRI Loop with Test Access	ISDN
4	ISDN BRI Port	ISDN
5	DS1 Loop with Test Access	DS1
6	DS1 Dedicated Transport	DS1
7	Subtending Channel (23B)	DDS
8	Subtending Channel (1D)	DDS
9	Analog Trunk Port	VGPL
10	Subtending Digital Direct Combination Trunks	VGPL
11	DS3 Dedicated Transport	DS3
12	Dark Fiber	DS3
13	DSL Loops	DS1

***PACIFIC/NEVADA**

POTS: Parity

Design: Parity

UNE:

	Parity:	Retail Comparison:
2/4w (8db) analog loop (incl. Coin/analog, PBX)		POTS – Business (fielded)
2/4w (5.5 db) assured analog loop		POTS Business Assured (PBX)
2w digital loop (ISDN capable)		ISDN (BRI)
2w digital loop ¹⁴ (xDSL capable)		ADSL
4w digital loop (1.544Mbps capable)		DS1
UNE Port – Basic Analog/Coin		POTS – Business (fielded)
UNE Port – CENTREX		CENTREX
UNE Port – ISDN (BRI)		CENTREX
UNE Port – DS1/ISDN – PRI (incl. DS1 line port)		DS1/ISDN (PRI)
UNE Port – PBX DID		PBX DID
UNE Dedicated Transport (incl. DS1 and DS3)		HICAP (DS1 & DS3)
UNE Platform		Analogous Retail Service
Interconnection Trunks		ILEC Dedicated Trunks

¹⁴ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

SNET

POTS: Parity

14.4 Interconnection

14.4.15 **Measurement:** Average Trunk Restoration for Service Affecting Trunk Groups

Benchmark:

***SBC-SWBT/SBC-AMERITECH**

Tandem trunk Groups: 1 hour

Non-Tandem: 2 hours

***PACIFIC/NEVADA**

Tandem trunk Groups: 1 hour

Non-Tandem: 2 hours

SNET

No measure available.

14.4.16 **Measurement:** Percent Trunk Blockage

Benchmark:

***SBC-SWBT/SBC-AMERITECH**

Dedicated Trunk Groups not to exceed blocking standard of B.01.

***PACIFIC/NEVADA**

Dedicated Trunk Groups not to exceed blocking standard of B.01.

SNET

No measure available.

14.4.17 **Measurement:** Percent Blocking on Common Trunks

Benchmark:

***SBC-SWBT/SBC-AMERITECH**

PUC Subst. R. 23.61 (e)¹⁵(5)(A) or parity, whichever allows less blockage in a given month. Common trunk groups exceeding 1% blockage, reported for switch based CLECs, shall be compared to dedicated trunk groups designed for B.01 standard for parity compliance.

***PACIFIC/NEVADA**

2% of trunk groups blocking at no more than 2% blocking

SNET

No measure available.

¹⁵ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

14.5 Coordinated Conversions**14.5.18 Measurement – Coordinated Customer Conversions****Benchmark:*****SBC-SWBT/SBC-AMERITECH**

2% or less premature disconnects starting 10 minutes before scheduled time

***PACIFIC/NEVADA**

Parity

SNET

No measure available.

14.6 Collocation**14.6.19 Measurement: Percent Missed Collocation Due Dates****Benchmark:*****SBC-SWBT/SBC-AMERITECH**

95% within the due date. Damages and Assessment will be calculated based on the number of days late.

***PACIFIC/NEVADA**

95% within the due date..

SNET

No measure available.

14.7 Billing**14.7.20 Measurement: Wholesale Bill Timeliness****Benchmark:*****SBC-SWBT/SBC-AMERITECH**95% within 6th 16th work day***PACIFIC/NEVADA**

99% within 10 days

SNET

No measure available.

15. APPLICABILITY OF OTHER RATES, TERMS, AND CONDITIONS

- 15.1 Every interconnection, service and network element provided hereunder, shall be subject to all rates, terms and conditions contained in this Agreement which are legitimately related to such interconnection, service or network element. Without limiting the general applicability of the foregoing, the following terms and conditions of the General Terms and Conditions are specifically

¹⁶ *Refer to INTERCONNECTION AGREEMENT: GENERAL TERMS AND CONDITIONS, paragraph 2.10.1.

agreed by the Parties to be legitimately related to, and to be applicable to, each interconnection, service and network element provided hereunder: definitions; interpretation, construction and severability; notice of changes; general responsibilities of the Parties; effective date, term and termination; fraud; deposits; billing and payment of charges; non-payment and procedures for disconnection; dispute resolution; audits; disclaimer of representations and warranties; limitation of liability; indemnification; remedies; intellectual property; publicity and use of trademarks or service marks; no license; confidentiality; intervening law; governing law; regulatory approval; changes in End User local exchange service provider selection; compliance and certification; law enforcement; no third party beneficiaries; disclaimer of agency; relationship of the Parties/independent contractor; subcontracting; assignment; responsibility for environmental contamination; force majeure; taxes; non-waiver; network maintenance and management; signaling; transmission of traffic to third parties; customer inquiries; expenses; conflicts of interest; survival; scope of agreement; amendments and modifications; and entire agreement.

APPENDIX RECIPROCAL COMPENSATION

TABLE OF CONTENTS

1. INTRODUCTION.....	3
2. TRANSMISSION AND ROUTING OF TELEPHONE EXCHANGE SERVICE	
TRAFFIC RELEVANT TO COMPENSATION	4
3. RESPONSIBILITIES OF THE PARTIES.....	5
4. LOCAL TRAFFIC COMPENSATION.....	6
5. OPTIONAL CALLING AREA TRAFFIC- <u>SBC-SWBT</u>.....	6
6. TRANSIT TRAFFIC COMPENSATION	7
7. OPTIONAL CALLING AREA TRANSIT TRAFFIC-<u>SWBT-MO, SWBT-KS,</u>	
<u>SWBT-AR, SWBT-TX</u>.....	8
8. OUT OF REGION TRANSITING-<u>SBC-SWBT</u>.....	8
9. INTRALATA 800 TRAFFIC	8
10. MEET-POINT-BILLING (MPB) SPECIAL and SWITCHED ACCESS TRAFFIC	
COMPENSATION-<u>SBC-12 STATE</u>.....	9
11. INTRALATA INTEREXCHANGE TRAFFIC COMPENSATION	10
12. BILLING FOR MUTUAL COMPENSATION-<u>SBC-SWBT</u>	11
13. BILLING FOR MUTUAL COMPENSATION- <u>SBC-AMERITECH, NEVADA,</u>	
<u>PACIFIC, SNET</u>.....	12
14. APPLICABILITY OF OTHER RATES TERMS AND CONDITIONS	13

APPENDIX RECIPROCAL COMPENSATION
(Mutual Compensation for Transport, Termination, and Transiting)

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions for Reciprocal Compensation provided by the applicable SBC Communications Inc. (SBC) owned Incumbent Local Exchange Carrier (ILEC) and CLEC.
- 1.2 SBC Communications Inc. (SBC) means the holding company which owns the following ILECs: Illinois Bell Telephone Company, Indiana Bell Telephone Company Incorporated, Michigan Bell Telephone Company, Nevada Bell Telephone Company, The Ohio Bell Telephone Company, Pacific Bell Telephone Company, The Southern New England Telephone Company, Southwestern Bell Telephone Company and/or Wisconsin Bell, Inc. d/b/a Ameritech Wisconsin.
- 1.3 SBC-13STATE - As used herein, SBC-13STATE means the applicable above listed ILEC(s) doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.4 SBC-12STATE - As used herein, SBC-12STATE means the applicable above listed ILEC(s) doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.5 SBC-AMERITECH - As used herein, SBC-AMERITECH means the applicable above listed ILEC(s) doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.6 SBC-SWBT - As used herein, SBC-SWBT means the applicable above listed ILEC(s) doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.7 SWBT-MO - As used herein, SWBT-MO means the applicable above listed ILEC doing business in Missouri.
- 1.8 SWBT-OK - As used herein, SWBT-OK means the applicable above listed ILEC doing business in Oklahoma.
- 1.9 SWBT-KS - As used herein, SWBT-KS means the applicable above listed ILEC doing business in Kansas.
- 1.10 SWBT-AR-As used herein, SWBT-AR means the applicable above listed ILEC doing business in Arkansas.

- 1.11 SWBT-TX - As used herein, SWBT-TX means the applicable above listed ILEC doing business in Texas.
- 1.12 PACIFIC - As used herein, PACIFIC means the applicable above listed ILEC doing business in California.
- 1.13 NEVADA - As used herein, NEVADA means the applicable above listed ILEC doing business in Nevada.
- 1.14 SNET - As used herein, SNET means the applicable above listed ILEC doing business in Connecticut.

2. **TRANSMISSION AND ROUTING OF TELEPHONE EXCHANGE SERVICE TRAFFIC RELEVANT TO COMPENSATION**

- 2.1 The Telecommunications traffic exchanged between CLEC and SBC-13STATE will be classified as either Local Calls, Transit Traffic, Optional Calling Area Traffic, intraLATA Toll Traffic, and interLATA Toll Traffic. The Parties agree that reciprocal compensation is only applicable for the voice portion of Local Calls that are introduced to the public switched network. Local Calls are defined in Section 2.6.
- 2.2 Reciprocal compensation applies for transport and termination of Local Calls. When an End User originates a Local Call which terminates to an End User physically located in the same local exchange area and served on the other Party's physical switch or, if operating in SBC-7STATE, through the other Party's Unbundled Network Element (UNE) switch port, the originating Party shall compensate the terminating Party for the transport and termination of Local Calls at the rate(s) provided in Appendix Pricing. Calls originated over UNEs in areas served by ILECs owned by SBC, in Connecticut, Illinois, Michigan, Ohio, Indiana, and Wisconsin, are not subject to reciprocal compensation since the rates for unbundled local switching reflect and include the costs of call termination.
- 2.3 The Parties' obligation to pay reciprocal compensation to each other shall commence on the date the Parties agree that the network is complete (i.e., each Party has established its originating trunks as well as any ancillary functions (e.g., 9-1-1)) and is capable of fully supporting originating and terminating End Users' (and not a Party's test) traffic.
- 2.4 The compensation arrangements set forth in this Appendix are not applicable to (i) Exchange Access traffic, (ii) Information Service traffic, (iii) traffic originated by one Party on a number ported to its network that terminates to another number ported on that same Party's network or (iv) any other type of traffic found to be exempt from reciprocal compensation by the FCC or the Commission. All

Exchange Access traffic and intraLATA Toll Traffic shall continue to be governed by the terms and conditions of applicable federal and state tariffs.

- 2.5 The Parties agree that Internet Calls are not subject to reciprocal compensation under this Appendix nor under the Act. The Parties agree to make reasonable efforts to identify telephone numbers assigned to Internet Service Providers (ISPs) to each other for purposes of excluding the minutes associated with ISP traffic from compensation. The Parties agree this traffic will be meet point billed if and when the current FCC exemption is removed or modified to allow such billing.
- 2.6 "Local Calls", for purposes of intercarrier compensation, is traffic where all calls are within the same common local and common mandatory local calling area, i.e., within the same or different SBC-13STATES Exchange(s) that participate in the same common local or common mandatory local calling area as outlined in the applicable state Local Exchange Tariff. Local Calls must actually originate and actually terminate to End Users physically located within the same common local or common mandatory local calling area.
- 2.7 Calls delivered to or from numbers that are assigned to an exchange within a common mandatory local calling area but where the receiving or calling party is physically located outside the common mandatory local calling area of the exchange to which the number is assigned are either Feature Group A (FGA) or Foreign Exchange (FX) and are not Local Calls for intercarrier compensation and are not subject to local reciprocal compensation.
- 2.8 Private Line Services include private line-like and special access services and are not subject to local reciprocal compensation. Private Line Services are defined as dedicated Telecommunications channels provided between two points or switched among multiple points and are used for voice, data, audio or video transmission. Private Line services include, but are not limited to, WATS access lines.
- 2.9 Reciprocal Compensation applies to traffic terminated at either parties' end office switch. Traffic that is delivered directly to an ISP is not subject to intercarrier compensation.

3. RESPONSIBILITIES OF THE PARTIES

- 3.1 Each Party to this Appendix will be responsible for the accuracy and quality of its data as submitted to the respective Parties involved.
- 3.2 Where SS7 connections exist, each Party will include in the information transmitted to the other for each call being terminated on the other's network, where available, the original and true Calling Party Number (CPN).

- 3.3 If one Party is passing CPN but the other Party is not properly receiving information, the Parties will work cooperatively to correct the problem.
- 3.4 Where SS7 connections exist, if the percentage of calls passed with CPN is greater than ninety percent (90%), all calls exchanged without CPN information will be billed as either Local Traffic or intraLATA Toll Traffic in direct proportion to the minutes of use (MOU) of calls exchanged with CPN information. If the percentage of calls passed with CPN is less than ninety percent (90%), all calls passed without CPN will be billed as intraLATA switched access.
- 3.5 Where the Parties are performing a transiting function as defined in Section 6.1, the transiting Party will pass the original and true CPN if it is received from the originating third party. If the original and true CPN is not received from the originating third party, the Party performing the transiting function can not forward the CPN and will not be billed as the default originator.

4. **LOCAL TRAFFIC COMPENSATION**

- 4.1 The rates, terms, conditions contained herein apply only to the termination of Local Calls that originate and terminate to carriers that are authorized as LECs, CLECs, or ILECs within the State. All applicable state-specific rate elements can be found in Appendix Pricing.
- 4.2 Tandem Office Switch Served Rate
 - 4.2.1 Tandem Office Switch served rate applies to Local Traffic that is delivered to the Parties for termination at the Tandem Office Switch.
- 4.3 End Office Switch Served Rate
 - 4.3.1 The End Office Switch served rate applies to Local Traffic that is delivered to the Parties for termination at an End Office Switch. This includes direct-routed Local Traffic that terminates to offices that have combined Tandem Office Switch and End Office Switch functions.

5. **OPTIONAL CALLING AREA TRAFFIC – SBC-SWBT**

- 5.1 Compensation for Optional Calling Area (OCA) Traffic is for the termination of intercompany traffic to and from the one-way or two-way optional exchanges(s) and the associated metropolitan area. The rate for compensation for OCA traffic will be the lesser of the cost-based interconnection rates listed or, the interconnection rates in effect between SBC-SWBT and other ILECs for such traffic.

5.2 In the context of this Appendix, Optional Calling Areas (OCAs) exist only in the states of Missouri, Oklahoma, Kansas, Arkansas, and Texas, and are outlined in the applicable state Local Exchange tariffs. This rate is independent of any retail service arrangement established by either Party. CLEC/ILEC is not precluded from establishing its own local calling areas or prices for purposes of retail telephone service; however the terminating rates to be used for any such offering will still be administered as described in this Appendix.

5.3 The state specific OCA Transport and Termination rates are outlined in Appendix Pricing.

6. TRANSIT TRAFFIC COMPENSATION

6.1 Transiting Service allows one Party to send Local, Optional, intraLATA Toll Traffic, and 800 intraLATA Toll Traffic to a third party network through the other Party's tandem. A Transiting rate element applies to all MOUs between a Party and third party networks that transits a SBC-13STATE network. The originating Party is responsible for payment of the appropriate rates unless otherwise specified. The Transiting rate element is only applicable when calls do not originate with (or terminate to) the transit Party's End User. The rates that SBC-13STATE shall charge for transiting CLEC traffic are outlined in Appendix Pricing.

6.2 The Parties agree to enter into their own agreement with third party Telecommunications Carriers prior to delivering traffic for transiting to the third party. In the event one Party originates traffic that transits the second Party's network to reach a third party Telecommunications Carrier with whom the originating Party does not have a traffic Interexchange agreement, then originating Party will indemnify the second Party against any and all charges levied by such third party telecommunications carrier, including any termination charges related to such traffic and any attorneys fees and expenses. The terminating party and the tandem provider will bill their respective portions of the charges directly to the originating party, and neither the terminating party nor the tandem provider will be required to function as a billing intermediary, e.g. clearinghouse.

6.3 The CLEC shall not bill SBC-13STATE for terminating any Transit traffic, whether identified or unidentified, i.e. whether SBC-13STATE is sent CPN or is not sent CPN by the originating company.

6.4 In those SBC-13STATEs where Primary Toll Carrier (PTC) arrangements are mandated, for intraLATA Toll Traffic which is subject to a PTC arrangement and where SBC-13STATE is the PTC, SBC-13STATE shall deliver such intraLATA Toll Traffic to the terminating carrier in accordance with the terms and conditions of such PTC arrangement. Upon receipt of verifiable Primary Toll records, SBC-

13STATE shall reimburse the terminating carrier at SBC-13STATE's applicable tariffed terminating switched access rates. When transport mileage cannot be determined, an average transit transport mileage shall be applied as set forth in Appendix Pricing.

7. **OPTIONAL CALLING AREA TRANSIT TRAFFIC – SWBT-MO, SWBT-KS, SWBT-AR, SWBT-TX**

- 7.1 In the states of Texas, Missouri, Kansas, and Arkansas, the Optional Area Transit Traffic rate element applies when one End User is in a SBC-SWBT one-way or two-way optional exchange and the other End User is within the SWBT-MO, SWBT-KS, SWBT-AR, and/or SWBT-TX local or mandatory exchanges. The Parties agree to apply the Optional Area Transit rate to traffic terminating to third party ILEC that shares a common mandatory local calling area with all SWBT-MO, SWBT-KS, SWBT-AR, and SWBT-TX exchanges included in a specific metropolitan exchange area. The Optional Area Transit Traffic rates that will be billed are outlined in Appendix Pricing. The specific NXXs and associated calling scopes can be located in the applicable state Local Exchange tariff.

8. **OUT OF REGION TRANSITING – SBC-SWBT**

- 8.1 The Parties also acknowledge that traffic originated in third party ILEC exchange areas may traverse the SBC-SWBT Tandem Office Switch and terminate in other third party LEC exchange areas. Although direct connections could be used for this traffic, SBC-SWBT agrees to transit this traffic for the rate of \$0.006 per MOU if the other LEC exchanges share a common mandatory local calling area with all SBC-SWBT exchanges included in a metropolitan exchange area.

9. **INTRALATA 800 TRAFFIC**

- 9.1 Only queried intraLATA 800 traffic may be delivered to SBC-13STATE over the Local intraLATA Trunks. If the queried 800 traffic is determined to be InterLATA than the traffic must be delivered over the InterLATA Meet Point Trunks. If SBC-13STATE performs the 800 query function, the Traffic may be delivered to SBC-13STATE over the InterLATA Meet Point Trunks. If the Local/intraLATA Trunks are used and Requesting Carrier performs the 800 query function, the intraLATA 800 Traffic will be recorded as toll calls. If the Access Toll Connecting Trunks are used, SBC-13STATE will not record the intraLATA 800 Traffic.
- 9.2 The Parties shall provide to each other intraLATA 800 Access Detail Usage Data for Customer billing and intraLATA 800 Copy Detail Usage Data for access billing in Exchange Message Interface (EMI) format. The Parties agree to provide this data to each other at no charge. In the event of errors, omissions, or