

Foster Associates Inc.
17595 S. Tamiami Trail
Suite 212
Fort Myers, FL 33908

Phone (239) 267-1600
Fax (239) 267-5030
E-mail r.white@fosterfm.com

Ronald E. White, Ph.D.

Education	1961 - 1964	Valparaiso University
	Major: Electrical Engineering	
	1965	Iowa State University
	B.S., Engineering Operations	
Education	1968	Iowa State University
	M.S., Engineering Valuation	
	Thesis: The Multivariate Normal Distribution and the Simulated Plant Record Method of Life Analysis	
	1977	Iowa State University
Employment	Ph.D., Engineering Valuation	
	Minor: Economics	
	Dissertation: A Comparative Analysis of Various Estimates of the Hazard Rate Associated With the Service Life of Industrial Property	
	1996 - Present	Foster Associates, Inc.
	Executive Vice President	
	1988 - 1996	Foster Associates, Inc.
	Senior Vice President	
	1979 - 1988	Foster Associates, Inc.
	Vice President	
	1978 - 1979	Northern States Power Company
Assistant Treasurer		
1974 - 1978	Northern States Power Company	
Manager, Corporate Economics		
1972 - 1974	Northern States Power Company	
Corporate Economist		
1970 - 1972	Iowa State University	
Graduate Student and Instructor		
1968 - 1970	Northern States Power Company	
Valuation Engineer		
1965 - 1968	Iowa State University	
Graduate Student and Teaching Assistant		
Publications	<i>A New Set of Generalized Survivor Tables</i> , Journal of the Society of Depreciation Professionals, October, 1992.	
	<i>The Theory and Practice of Depreciation Accounting Under Public Utility Regulation</i> , Journal of the Society of Depreciation Professionals, December, 1989.	
	<i>Standards for Depreciation Accounting Under Regulated Competition</i> , paper presented at The Institute for Study of Regulation, Rate Symposium, February, 1985.	

The Economics of Price-Level Depreciation, paper presented at the Iowa State University Regulatory Conference, May, 1981.

Depreciation and the Discount Rate for Capital Investment Decisions, paper presented at the National Communications Forum - National Electronics Conference, October 1979.

A Computerized Method for Generating a Life Table From the 'h-System' of Survival Functions, paper presented at the American Gas Association - Edison Electric Institute Depreciation Accounting Committee Meeting, December, 1975.

The Problem With AFDC is ..., paper presented at the Iowa State University Conference on Public Utility Valuation and the Rate Making Process, May, 1973.

The Simulated Plant-Record Method of Life Analysis, paper presented at the Missouri Public Service Commission Regulatory Information Systems Conference, May, 1971.

Simulated Plant-Record Survivor Analysis Program (User's Manual), special report published by Engineering Research Institute, Iowa State University, February, 1971.

A Test Procedure for the Simulated Plant-Record Method of Life Analysis, Journal of the American Statistical Association, September, 1970.

Modeling the Behavior of Property Records, paper presented at the Iowa State University Conference on Public Utility Valuation and the Rate Making Process, May, 1970.

A Technique for Simulating the Retirement Experience of Limited-Life Industrial Property, paper presented at the National Conference of Electric and Gas Utility Accountants, May, 1969.

How Dependable are Simulated Plant-Record Estimates?, paper presented at the Iowa State University Conference on Public Utility Valuation and the Rate Making Process, April, 1968.

Expert Opinion

Alabama Public Service Commission, Docket No. 18488, General Telephone Company of the Southeast; testimony concerning engineering economy study techniques.

Alabama Public Service Commission, Docket No. 20208, General Telephone Company of the South; testimony concerning the equal-life group procedure and remaining-life technique.

Alberta Energy and Utilities Board, Application No. 1250392, Aquila Networks Canada; rebuttal testimony supporting proposed depreciation rates.

Alberta Energy and Utilities Board, Case No. RE95081, Edmonton Power Inc.; rebuttal evidence concerning appropriate depreciation rates.

Alberta Energy and Utilities Board, 1999/2000 General Tariff Application, Edmonton Power Inc.; direct and rebuttal evidence concerning appropriate depreciation rates.

Arizona Corporation Commission, Docket No. T-01051B-97-0689, U S West Communications, Inc.; testimony concerning appropriate depreciation rates.

Arizona Corporation Commission, Docket No. G-1032A-02-0598, Citizens Communications Company; testimony supporting proposed depreciation rates.

Arizona State Board of Equalization, Docket No. 6302-07-2, Arizona Public Service Company; testimony concerning valuation and assessment of contributions in aid of construction.

California Public Utilities Commission, Case Nos. A.92-06-040, 92-06-042, GTE California Incorporated; rebuttal testimony supporting depreciation study techniques.

Public Utilities Commission of the State of Colorado, Application No. 36883-Reopened. U S WEST Communications; testimony concerning equal-life group procedure.

Delaware Public Service Commission, Docket No. 81-8, Diamond State Telephone Company; testimony concerning the amortization of inside wiring.

Delaware Public Service Commission, Docket No. 82-32, Diamond State Telephone Company; testimony concerning the equal-life group procedure and remaining-life technique.

Public Service Commission of the District of Columbia, Formal Case No. 842, District of Columbia Natural Gas; testimony concerning depreciation rates.

Public Service Commission of the District of Columbia, Formal Case No. 1016, Washington Gas Light Company - District of Columbia; testimony supporting proposed depreciation rates.

Federal Communications Commission, Prescription of Revised Depreciation Rates for AT&T Communications; statement concerning depreciation, regulation and competition.

Federal Communications Commission, Petition for Modification of FCC Depreciation Prescription Practices for AT&T; statement concerning alignment of depreciation expense used for financial reporting and regulatory purposes.

Federal Communications Commission, Docket No. 99-117, Bell Atlantic; affidavit concerning revenue requirement and capital recovery implications of omitted plant retirements.

Federal Energy Regulatory Commission, Docket No. ER95-267-000, New England Power Company; testimony supporting proposed depreciation rates.

Federal Energy Regulatory Commission, Docket No. RP89-248, Mississippi River Transmission Corporation; rebuttal testimony concerning appropriateness of net salvage component in depreciation rates.

Federal Energy Regulatory Commission, Docket No. ER91-565, New England Power Company; testimony supporting proposed depreciation rates.

Federal Energy Regulatory Commission, Docket No. ER78-291, Northern States Power Company; testimony concerning rate of return and general financial requirements.

Federal Energy Regulatory Commission, Docket Nos. RP80-97 and

RP81-54, Tennessee Gas Pipeline Company; testimony concerning offshore plant depreciation rates.

Federal Power Commission, Docket No. E-8252, Northern States Power Company; testimony concerning general financial requirements and measurements of financial performance.

Federal Power Commission, Docket No. E-9148, Northern States Power Company; testimony concerning general financial requirements and measurements of financial performance.

Federal Power Commission, Docket No. ER76-818, Northern States Power Company; testimony concerning rate of return and general financial requirements.

Federal Power Commission, Docket No. RP74-80, *Northern* Natural Gas Company; testimony concerning depreciation expense.

Public Utilities Commission of the State of Hawaii, Docket No. 00-0309, The Gas Company; testimony supporting proposed depreciation rates.

Public Utilities Commission of the State of Hawaii, Docket No. 94-0298, GTE Hawaiian Telephone Company Incorporated; testimony concerning the need for shortened service lives and disclosure of asset impairment losses.

Idaho Public Utilities Commission, Case No. U-1002-59, General Telephone Company of the Northwest, Inc.; testimony concerning the remaining-life technique and the equal-life group procedure.

Illinois Commerce Commission, Docket No. 94-0481, Citizens Utilities Company of Illinois; rebuttal testimony concerning applications of the Simulated Plant-Record method of life analysis.

Iowa State Commerce Commission, Docket No. RPU 82-47, North Central Public Service Company; testimony on depreciation rates.

Iowa State Commerce Commission, Docket No. RPU 84-34, General Telephone Company of the Midwest; testimony concerning the remaining-life technique and the equal-life group procedure.

Iowa State Utilities Board, Docket No. DPU-86-2, Northwestern Bell Telephone Company; testimony concerning capital recovery in competition.

Iowa State Utilities Board, Docket No. RPU-84-7, Northwestern Bell Telephone Company; testimony concerning the deduction of a reserve deficiency from the rate base.

Iowa State Utilities Board, Docket No. DPU-88-6, U S WEST Communications; testimony concerning depreciation subject to refund.

Iowa State Utilities Board, Docket No. RPU-90-9, Central Telephone Company of Iowa; testimony concerning depreciation rates.

Iowa State Utilities Board, Docket No. RPU-93-9, U S WEST Communications; testimony concerning principles of depreciation accounting and abandonment of FASB 71.

Iowa State Utilities Board, Docket No. DPU-96-1, U S WEST Communications; testimony concerning principles of depreciation accounting and abandonment of FASB 71.

Kentucky Public Service Commission, Case No. 97-224, Jackson Purchase Electric Cooperative Corporation; rebuttal testimony supporting proposed depreciation rates.

Maryland Public Service Commission, Case No. 8485, Baltimore Gas and Electric Company; testimony supporting proposed depreciation rates.

Maryland Public Service Commission, Case No. 7689, Washington Gas Light Company; testimony concerning life analysis and net salvage.

Maryland Public Service Commission, Case No. 8960, Washington Gas Light Company; testimony supporting proposed depreciation rates.

Massachusetts Department of Public Utilities, Case No. DPU 91-52, Massachusetts Electric Company; testimony supporting proposed depreciation rates which include a net salvage component.

Michigan Public Service Commission, Case No. U-13393, Aquila Networks – MGU; testimony supporting proposed depreciation rates.

Michigan Public Service Commission, Case No. U-12395, Michigan Gas Utilities; testimony supporting proposed depreciation rates including amortization accounting and redistribution of recorded reserves.

Michigan Public Service Commission, Case No. U-6587, General Telephone Company of Michigan; testimony concerning use of a theoretical depreciation reserve with the remaining-life technique.

Michigan Public Service Commission, Case No. U-7134, General Telephone Company of Michigan; testimony concerning the equal-life group depreciation procedure.

Minnesota District Court. In Re: Northern States Power Company v. Ronald G. Blank, *et. al.* File No. 394126; testimony concerning depreciation and engineering economics.

Minnesota Public Service Commission, Docket No. E-611, Northern States Power Company; testimony concerning rate of return and general financial requirements.

Minnesota Public Service Commission, Docket No. E-1086, Northern States Power Company; testimony concerning depreciation rates.

Minnesota Public Service Commission, Docket No. G-1015, Northern States Power Company; testimony concerning rate of return and general financial requirements.

Public Service Commission of the State of Missouri, Case No. ER-2001-672, Missouri Public Service, a division of Utilicorp United Inc.; surrebuttal testimony regarding computation of income tax expense.

Public Service Commission of the State of Missouri, Case No. TO-82-3, Southwestern Bell Telephone Company; rebuttal testimony concerning the remaining-life technique and the equal-life group procedure.

Public Service Commission of the State of Missouri, Case No. GO-97-79, Laclede Gas Company; rebuttal testimony concerning adequacy of database for conducting depreciation studies.

Public Service Commission of the State of Missouri, Case No. GR-99-315, Laclede Gas Company; rebuttal testimony concerning treatment of net salvage in development of depreciation rates.

Public Service Commission of the State of Montana, Docket No. 88.2.5, Mountain State Telephone and Telegraph Company; rebuttal testimony concerning the equal-life group procedure and amortization of reserve imbalances.

Montana Public Service Commission, Docket No. D95.9.128, The Montana Power Company; testimony supporting proposed depreciation rates.

Public Service Commission of Nevada, Docket No. 92-7002, Central Telephone Company-Nevada; testimony supporting proposed depreciation rates.

Public Service Commission of Nevada, Docket No. 91-5054, Central Telephone Company-Nevada; testimony supporting proposed depreciation rates.

New Hampshire Public Utilities Commission, Docket No. DR95-169, Granite State Electric Company; testimony supporting proposed net salvage rates.

New Jersey Board of Public Utilities, Docket No. GR 87060552, New Jersey Natural Gas Company; testimony concerning depreciation rates.

New Jersey Board of Regulatory Commissioners, Docket No. GR93040114J, New Jersey Natural Gas Company; testimony concerning depreciation rates.

North Carolina Utilities Commission, Docket No. E-7, SUB 487, Duke Power Company; rebuttal testimony on proposed depreciation rates.

North Carolina Utilities Commission, Docket No. P-19, SUB 207, General Telephone Company of the South; rebuttal testimony concerning the equal-life group depreciation procedure.

North Dakota Public Service Commission, Case No. 8860, Northern States Power Company; testimony concerning general financial requirements.

North Dakota Public Service Commission, Case No. 9634, Northern States Power Company; testimony concerning rate of return and general financial requirements.

North Dakota Public Service Commission, Case No. 9666, Northern States Power Company; testimony concerning rate of return and general financial requirements.

North Dakota Public Service Commission, Case No. 9741, Northern States Power Company; testimony concerning rate of return and general financial requirements.

Ontario Energy Board, E.B.R.O. 385, Tecumseh Gas Storage Limited; testimony concerning depreciation rates.

Ontario Energy Board, E.B.R.O. 388, Union Gas Limited; testimony concerning depreciation rates.

Ontario Energy Board, E.B.R.O. 456, Union Gas Limited; testimony concerning depreciation rates.

Ontario Energy Board, E.B.R.O. 476-03, Union Gas Limited; testimony concerning depreciation rates.

Public Utilities Commission of Ohio, Case No. 81-383-TP-AIR, General

Telephone Company of Ohio; testimony in support of the remaining-life technique.

Public Utilities Commission of Ohio, Case No. 82-886-TP-AIR, General Telephone Company of Ohio; testimony concerning the remaining-life technique and the equal-life group procedure.

Public Utilities Commission of Ohio, Case No. 84-1026-TP-AIR, General Telephone Company of Ohio; testimony in support of the equal-life group procedure and the remaining-life technique.

Public Utilities Commission of Ohio, Case No. 81-1433, The Ohio Bell Telephone Company; testimony concerning the remaining-life technique and the equal-life group procedure.

Public Utilities Commission of Ohio, Case No. 83-300-TP-AIR, The Ohio Bell Telephone Company; testimony concerning straight-line age-life depreciation.

Public Utilities Commission of Ohio, Case No. 84-1435-TP-AIR, The Ohio Bell Telephone Company; testimony in support of test period depreciation expense.

Public Utilities Commission of Oregon, Docket No. UM 204, GTE of the Northwest; testimony concerning the theory and practice of depreciation accounting under public utility regulation.

Public Utilities Commission of Oregon, Docket No. UM 840, GTE Northwest Incorporated; rebuttal testimony concerning principles of capital recovery.

Pennsylvania Public Utility Commission, Docket No. R-80061235, The Bell Telephone Company of Pennsylvania; testimony concerning the proper depreciation reserve to be used with an original cost rate base.

Pennsylvania Public Utility Commission, Docket No. R-811512, General Telephone Company of Pennsylvania; testimony concerning the proper depreciation reserve to be used with an original cost rate base.

Pennsylvania Public Utility Commission, Docket No. R-811819, The Bell Telephone Company of Pennsylvania; testimony concerning the proper depreciation reserve to be used with an original cost rate base.

Pennsylvania Public Utility Commission, Docket No. R-822109, General Telephone Company of Pennsylvania; testimony in support of the remaining-life technique.

Pennsylvania Public Utility Commission, Docket No. R-850229, General Telephone Company of Pennsylvania; testimony in support of the remaining-life technique and the proper depreciation reserve to be used with an original cost rate base.

Pennsylvania Public Utility Commission, Docket No. C-860923, The Bell Telephone Company of Pennsylvania; testimony concerning capital recovery under competition.

Rhode Island Public Utilities Commission, Docket No. 2290, The Narragansett Electric Company; testimony supporting proposed net salvage rates and depreciation rates.

South Carolina Public Service Commission, Docket No. 91-216-E, Duke Power Company; testimony supporting proposed depreciation rates.

Public Utilities Commission of the State of South Dakota, Case No. F-3062, Northern States Power Company; testimony concerning general financial requirements and measurements of financial performance.

Public Utilities Commission of the State of South Dakota, Case No. F-3188, Northern States Power Company; testimony concerning rate of return and general financial requirements.

Securities and Exchange Commission, File No. 3-5749, Northern States Power Company; testimony concerning the financial and ratemaking implications of an affiliation with Lake Superior District Power Company.

Tennessee Public Service Commission, Docket No. 89-11041, United Inter-Mountain Telephone Company; testimony concerning depreciation principles and capital recovery under competition.

State of Vermont Public Service Board, Docket No. 6596, Citizens Communications Company – Vermont Electric Division, testimony supporting recommended depreciation rates.

Commonwealth of Virginia State Corporation Commission, Case No. PUE-2002-00364, Washington Gas Light Company; testimony supporting proposed depreciation rates.

Public Service Commission of Wisconsin, Docket No. 2180-DT-3, General Telephone Company of Wisconsin; testimony concerning the equal-life group depreciation procedure.

Other Consulting
Activities

Moran Towing Corporation. In Re: Barge TEXAS-97 CIV. 2272 (ADS) and Tug HEIDE MORAN – 97 CIV. 1947 (ADS), United States District Court, Southern District of New York.

John Reigle, et al. v. Baltimore Gas & Electric Co., et al., Case No. C-2001-73230-CN, Circuit Court for Anne Arundel County, Maryland.

BellSouth Telecommunications, Inc. v. Citizens Utilities Company d/b/a/ Louisiana Gas Service Company, CA No. 95-2207, United States District Court, Eastern District of Louisiana.

Affidavit on behalf of Continental Cablevision, Inc. and its operating cable television systems regarding basic broadcast tier and equipment and installation cost-of-service rate justification.

Office of Chief Counsel, Internal Revenue Service. In Re: Kansas City Southern Railway Co., et. al. Docket Nos. 971-72, 974-72, and 4788-73.

Office of Chief Counsel, Internal Revenue Service. In Re: Northern Pacific Railway Co., Docket No. 4489-69.

United States Department of Justice. In Re: Burlington Northern Inc. v. United States, Ct. Cl. No. 30-72.

Faculty

Depreciation Programs for public utility commissions, companies, and consultants, sponsored by Depreciation Programs, Inc., in cooperation with Western Michigan University. (1980 - 1999)

United States Telephone Association (USTA), Depreciation Training Seminar, November 1999.

Depreciation Advocacy Workshop, a three-day team-training workshop on preparation, presentation, and defense of contested depreciation issues, sponsored by Gilbert Associates, Inc., October, 1979.

Corporate Economics Course, Employee Education Program, Northern States Power Company. (1968 - 1979)

Perspectives of Top Financial Executives, Course No. 5-300, University of Minnesota, September, 1978.

Depreciation Programs for public utility commissions, companies, and consultants, jointly sponsored by Western Michigan University and Michigan Technological University, 1973.

Professional
Associations

Advisory Committee to the Institute for Study of Regulation, sponsored by the American University and The University of Missouri-Columbia.

American Economic Association.

American Gas Association - Edison Electric Institute Depreciation Accounting Committee.

Board of Directors, Iowa State Regulatory Conference.

Edison Electric Institute, Energy Analysis Division, Economic Advisory Committee, 1976-1980.

Financial Management Association.

The Institute of Electrical and Electronics Engineers, Inc., Power Engineering Society, Engineering and Planning Economics Working Group.

Midwest Finance Association.

Society of Depreciation Professionals (Founding Member and Chairman, Policy Committee)

Moderator

Depreciation Open Forum, Iowa State University Regulatory Conference, May 1991.

The Quantification of Risk and Uncertainty in Engineering Economic Studies, Iowa State University Regulatory Conference, May 1989.

Plant Replacement Decisions with Added Revenue from New Service Offerings, Iowa State University Regulatory Conference, May 1988.

Economic Depreciation, Iowa State University Regulatory Conference, May 1987.

Opposing Views on the Use of Customer Discount Rates in Revenue Requirement Comparisons, Iowa State University Regulatory Conference, May 1986.

Cost of Capital Consequences of Depreciation Policy, Iowa State University Regulatory Conference, May 1985.

Concepts of Economic Depreciation, Iowa State University Regulatory Conference, May 1984.

Ratemaking Treatment of Large Capacity Additions, Iowa State University Regulatory Conference, May 1983.

The Economics of Excess Capacity, Iowa State University Regulatory Conference, May 1982.

New Developments in Engineering Economics, Iowa State University Regulatory Conference, May 1980.

Training in Engineering Economy, Iowa State University Regulatory

Conference, May 1979.

The Real Time Problem of Capital Recovery, Missouri Public Service Commission, Regulatory Information Systems Conference, September 1974.

Speaker

Finding the "D" in RCNLD (Valuation Applications of Depreciation), Society of Depreciation Professionals Annual Meeting, September 2001.

Capital Asset and Depreciation Accounting, City of Edmonton Value Engineering Workshop, April 2001.

A Valuation View of Economic Depreciation, Society of Depreciation Professionals Annual Meeting, October 1999.

Capital Recovery in a Changing Regulatory Environment, Pennsylvania Electric Association Financial-Accounting Conference, May 1999.

Depreciation Theory and Practice, Southern Natural Gas Company Accounting and Regulatory Seminar, March 1999.

Depreciation Theory Applied to Special Franchise Property, New York Office of Real Property Services, March 1999.

Capital Recovery in a Changing Regulatory Environment, PowerPlan Consultants Annual Client Forum, November 1998.

Economic Depreciation, AGA Accounting Services Committee and EEI Property Accounting and Valuation Committee, May 1998.

Discontinuation of Application of FASB Statement No. 71, Southern Natural Gas Company Accounting Seminar, April 1998.

Forecasting in Depreciation, Society of Depreciation Professionals Annual Meeting, September 1997.

Economic Depreciation In Response to Competitive Market Pricing, 1997 TELUS Depreciation Conference, June 1997.

Valuation of Special Franchise Property, City of New York, Department of Finance Valuation Seminar, March 1997.

Depreciation Implications of FAS Exposure Draft 158-B, 1996 TLG Decommissioning Conference, October 1996.

Why Economic Depreciation?, American Gas Association Depreciation Accounting Committee Meeting, August 1995.

The Theory of Economic Depreciation, Society of Depreciation Professionals Annual Meeting, November 1994.

Vintage Depreciation Issues, G & T Accounting and Finance Association Conference, June 1994.

Pricing and Depreciation Strategies for Segmented Markets (Regulated and Competitive), Iowa State Regulatory Conference, May 1990.

Principles and Practices of Depreciation Accounting, Canadian Electrical Association and Nova Scotia Power Electric Utility Regulatory Seminar, December 1989.

Principles and Practices of Depreciation Accounting, Duke Power Accounting Seminar, September 1989.

The Theory and Practice of Depreciation Accounting Under Public Utility

Regulation, GTE Capital Recovery Managers Conference, February 1989.

Valuation Methods for Regulated Utilities, GTE Capital Recovery Managers Conference, January 1988.

Depreciation Principles and Practices for REA Borrowers, NRECA 1985 National Accounting and Finance Conference, September 1985.

Depreciation Principles and Practices for REA Borrowers, Kentucky Association of Electric Cooperatives, Inc., Summer Accountants Association Meeting, June 1985.

Considerations in Conducting a Depreciation Study, NRECA 1984 National Accounting and Finance Conference, October 1984.

Software for Conducting Depreciation Studies on a Personal Computer, United States Independent Telephone Association, September 1984.

Depreciation—An Assessment of Current Practices, NRECA 1983 National Accounting and Finance Conference, September 1983

Depreciation—An Assessment of Current Practices, REA National Field Conference, September 1983.

An Overview of Depreciation Systems, Iowa State Commerce Commission, October 1982.

Depreciation Practices for Gas Utilities, Regulatory Committee of the Canadian Gas Association, September 1981.

Practice, Theory, and Needed Research on Capital Investment Decisions in the Energy Supply Industry, workshop, sponsored by Michigan State University and the Electric Power Research Institute, November 1977.

Depreciation Concepts Under Regulation, Public Utilities Conference, sponsored by The University of Texas at Dallas, July 1976.

Electric Utility Economics, Mid-Continent Area Power Pool, May 1974.

Honors and Awards

The Society of Sigma Xi.

Professional Achievement Citation in Engineering, Iowa State University, 1993.

2002 Depreciation Rate Study

*Aquila Networks—MPS
(Gas Operations)*

Prepared by
Foster Associates, Inc.



CONTENTS

EXECUTIVE SUMMARY

INTRODUCTION	1
SCOPE OF STUDY	2
DEPRECIATION SYSTEM	2
PROPOSED DEPRECIATION RATES.....	3

COMPANY PROFILE

GENERAL	4
---------------	---

STUDY PROCEDURE

INTRODUCTION	5
SCOPE	5
DATA COLLECTION	5
LIFE ANALYSIS AND ESTIMATION.....	7
NET SALVAGE ANALYSIS.....	9
DEPRECIATION RESERVE ANALYSIS.....	10
DEVELOPMENT OF ACCRUAL RATES	11

STATEMENTS

INTRODUCTION	13
STATEMENT A – REMAINING-LIFE ACCRUAL RATES.....	14
STATEMENT B – REMAINING-LIFE ACCRUALS	15
STATEMENT C – DEPRECIATION RESERVE SUMMARY	16
STATEMENT D – AVERAGE NET SALVAGE	17
STATEMENT E – PRESENT AND PROPOSED PARAMETERS.....	18

ANALYSIS

INTRODUCTION	19
SCHEDULE A – GENERATION ARRANGEMENT	19
SCHEDULE B – AGE DISTRIBUTION	20
SCHEDULE C – UNADJUSTED PLANT HISTORY	21
SCHEDULE D – ADJUSTED PLANT HISTORY.....	21
SCHEDULE E – ACTUARIAL LIFE ANALYSIS	21
SCHEDULE F – GRAPHICS ANALYSIS.....	22
SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS.....	22

DISTRIBUTION

380100 – SERVICES (METALLIC)

SCHEDULE A – GENERATION ARRANGEMENT 23

SCHEDULE B – AGE DISTRIBUTION 25

SCHEDULE C – UNADJUSTED PLANT HISTORY 27

SCHEDULE D – ADJUSTED PLANT HISTORY 29

SCHEDULE E – ACTUARIAL LIFE ANALYSIS 31

SCHEDULE F – GRAPHICS ANALYSIS 34

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS 36

EXECUTIVE SUMMARY

INTRODUCTION

This report presents the findings and recommendations developed in a 2002 Depreciation Rate Study for utility plant owned by Aquila Networks – MPS (Gas Operations). Work on the study, conducted by Foster Associates, Inc., commenced in October 2002 and progressed through mid-January 2003, at which time the project was completed.

Foster Associates, Inc. is a public utility economic consulting firm headquartered in Bethesda, Maryland offering economic research and consulting services on issues and problems arising from governmental regulation of business. The areas of specialization supported by our Fort Myers office include property life forecasting, technological forecasting, depreciation estimation, and valuation of industrial property.

Foster Associates has undertaken numerous depreciation engagements for both public and privately owned corporations including detailed statistical life studies, analyses of required net salvage rates, and the selection of depreciation systems that will most nearly achieve the goals of depreciation accounting under the constraints of either government regulation or competitive market pricing. Foster Associates is widely recognized for industry leadership in the development of depreciation systems, life analysis techniques and computer software for conducting depreciation and valuation studies.

Depreciation rates currently used by MPS were approved by the Missouri Public Service Commission (Commission) pursuant to a Stipulation and Agreement in Formal Case No. GR-88-171 and GR-88-194 dated September 1, 1988. Service life and net salvage statistics (*i.e.*, projection lives, projection curves, average service lives and net salvage rates) used to derive the settled depreciation rates were summarized in Staff Schedule 3-1. The approved depreciation rates became effective September 15, 1988.

The principal findings and recommendations of the 2002 MPS Depreciation Rate Study are summarized in the Statements section of this report. Statement A provides a comparative summary of present and proposed annual depreciation rates for each rate category. Statement B provides a comparison of present and proposed annual depreciation accruals. Statement C provides a comparison of the computed, recorded and redistributed depreciation reserves for each rate category. Statement D provides a summary of the components used to obtain a weighted-average net salvage rate for each plant account. Statement E provides a comparative summary of present and proposed parameters including projection life, projection curve, average service life, and average remaining life.

SCOPE OF STUDY

The principal activities undertaken in the current study included:

- Collection of plant and net salvage data;
- Reconciliation of data to the official records of the Company;
- Discussions with MPS plant accounting personnel;
- Estimation of projection lives and retirement dispersion patterns;
- Analysis of gross salvage and removal expense;
- Analysis and redistribution of recorded depreciation reserves; and
- Development of recommended accrual rates for each rate category.

DEPRECIATION SYSTEM

A depreciation rate is formed by combining the elements of a depreciation system. A depreciation system is composed of a method, a procedure and a technique. A depreciation method (*e.g.*, straight-line) describes the component of the system that determines the acceleration or deceleration of depreciation accruals in relation to either time or use. A depreciation procedure (*e.g.*, vintage group) identifies the level of grouping or sub-grouping of assets within a plant category. The level of grouping specifies the weighting used to obtain composite life statistics for an account. A depreciation technique (*e.g.*, remaining-life) describes the life statistic used in the system.

MPS is presently using a depreciation system composed of the straight-line method, vintage group procedure, whole-life technique for all plant categories. Depreciation rates proposed in this study are derived from a system composed of the straight-line method, vintage group procedure, whole-life technique with amortization of reserve imbalances over the estimated remaining life of each rate category. This formulation of the accrual rate is equivalent to a straight-line method, vintage group procedure, remaining-life technique.

The matching and expense recognition principles of accounting provide that the cost of an asset (or group of assets) should be allocated to operations over an estimate of the service life of the asset in proportion to the consumption of service potential. It is the opinion of Foster Associates that the objectives of depreciation accounting can be more nearly achieved through the use of a technique that provides cost apportionment over the estimated weighted average remaining life of a rate category.

The principal distinction between a whole-life rate and a remaining-life rate is the treatment of depreciation reserve imbalances caused largely by imprecise estimates of service life statistics and net salvage rates. A reserve imbalance is the difference between a theoretical or computed reserve and the corresponding re-

corded reserve for a rate category.

Unlike the currently prescribed whole-life technique in which reserve imbalances are addressed by the presence of compensating deviations in the estimated average service life of each vintage, the remaining-life technique provides a systematic amortization of these imbalances over the composite weighted average remaining life of a rate category. A permanent excess or deficiency will be created in the depreciation reserve by a continued application of the whole-life technique if service life deviations are not exactly offsetting. The potential for a permanent reserve imbalance can be eliminated by an application of the remaining-life technique.

PROPOSED DEPRECIATION RATES

Table 1 provides a summary of the changes in annual rates and accruals resulting from adoption of the parameters and depreciation system recommended in this study.

*Rates
and
Accruals*

Function	Accrual Rate			2002 Annualized Accrual		
	Present	Proposed	Difference	Present	Proposed	Difference
Transmission	1.71%	1.36%	-0.35%	\$124,855	\$99,584	\$-25,271
Distribution	3.07%	3.61%	0.54%	2,280,006	2,681,404	401,398
General	9.96%	5.66%	-4.30%	203,641	115,755	-87,886
Total Utility	3.12%	3.46%	0.34%	\$2,608,502	\$2,896,743	\$288,241

TABLE 1. PRESENT AND PROPOSED RATES AND ACCRUALS

Foster Associates is recommending primary account depreciation rates equivalent to a composite rate of 3.46 percent. Depreciation expense is presently accrued at an equivalent composite rate of 3.12 percent. The recommended change in the composite depreciation rate is, therefore, an increase of 0.34 percentage points.

A continued application of rates currently prescribed would provide annualized depreciation expense of \$2,608,502 compared to an annualized expense of \$2,896,743 using the rates developed in this study. The proposed expense increase is \$288,241. Of this increase, \$167,427 represents amortization of a \$5,606,529 reserve imbalance. The remaining portion of the change in accruals is attributable to recommended changes in service life and net salvage parameters.

Of the 25 primary accounts included in the 2002 study, Foster Associates is recommending rate reductions for 14 accounts and rate increases 11 accounts.

COMPANY PROFILE

GENERAL

Aquila began as Green Light and Power Company in 1917. In 1922 the name was changed to West Missouri Power Company and in 1927 was merged with Missouri Public Service Company, adopting the Missouri Public Service Company name. Over the ensuing years, the Company continued to grow and acquire other utilities. In 1985, the Company name was changed to UtiliCorp United to better describe the numerous areas of the country being served by the Company. In 2002, the Company changed its name to Aquila.

Based in Kansas City, Missouri, Aquila operates electric and natural gas distribution networks serving customers in seven states, Canada, the United Kingdom, and Australia. The Company also owns and operates power generation assets. At June 30, 2002, Aquila had total assets of \$11.9 billion.

STUDY PROCEDURE

INTRODUCTION

The purpose of a depreciation study is to analyze the mortality characteristics, net salvage rates and adequacy of the depreciation accrual and recorded depreciation reserve for each rate category. This study provides the foundation and documentation for recommended changes in the depreciation accrual rates used by Aquila for its MPS gas operations. The proposed rates are subject to approval by the Missouri Public Service Commission.

SCOPE

The steps involved in conducting a depreciation study can be grouped into five major tasks:

- Data Collection;
- Life Analysis and Estimation;
- Net Salvage Analysis;
- Depreciation Reserve Analysis; and
- Development of Accrual Rates.

The scope of the 2002 study for MPS included a consideration of each of these tasks as described below.

DATA COLLECTION

The minimum database required to conduct a statistical life study consists of a history of vintage year additions and unaged activity year retirements, transfers and adjustments. These data must be appropriately adjusted for transfers, sales and other plant activity that would otherwise bias the measured service life of normal retirements. The age distribution of surviving plant for unaged data can be estimated by distributing the plant in service at the beginning of the study year to prior vintages in proportion to the theoretical amount surviving from a projection or survivor curve identified in the life study. The statistical methods of life analysis used to examine unaged plant data are known as *semi-actuarial techniques*.

A far more extensive database is required to apply the statistical methods of life analysis known as *actuarial techniques*. Plant data used in an actuarial life study most often include the age distribution of surviving plant at the beginning of the study year and the vintage year, activity year, and dollar amounts associated with normal retirements, reimbursed retirements, sales, abnormal retirements, transfers, corrections, and extraordinary adjustments over a series of prior activity years. An actuarial database may include the age distribution of surviving plant at the beginning of the earliest activity year, rather than at the beginning of the study year. Plant additions, however, must be included in a database containing an opening age distribution to derive aged survivors at the beginning of the

study year. All activity year transactions with vintage year identification are coded and stored in a data file. The data are processed by a computer program and transaction summary reports are created in a format reconcilable to the Company's official plant records. The availability of such detailed information is dependent upon an accounting system that supports aged property records. The Continuing Property Record (CPR) system used by Aquila for MPS assets provides aged transactions for all plant accounts.

The database used in the 2002 study was compiled from two sources. Detailed accounting transactions were extracted from these sources and assigned transaction codes which identify the nature of the accounting activity. Transaction codes for plant additions, for example, are used to distinguish normal additions from acquisitions, purchases, reimbursements and adjustments. Similar transaction codes are used to distinguish normal retirements from sales, reimbursements, abnormal retirements and adjustments. Transaction codes are also assigned to transfers, capital leases and other accounting activity which should be considered in a depreciation study.

The first data source was an electronic file historically provided to the Missouri Commission to conduct independent analyses. While the file included vintage years since inception through 1997, it did not provide a distinction between additions, transfers, and adjustments. The file, therefore, was recreated by the Company using a legacy system database to provide the appropriate distinctions. A translation program was then used by Foster Associates to create a database in a format compatible with the software used to conduct the depreciation study.

The second source of data was the current CPR system installed and initialized by Aquila on January 1, 1998. The database obtained from this system included activity year transactions over the period 1998-2001 and the age distribution of surviving plant at December 31, 2001. Age distributions at December 31, 2001 were used in conjunction with activity year transactions to reverse the transaction flow and generate an age distribution at December 31, 1997. The resulting age distributions were then compared to the age distributions generated by the Commission database. Differences were coded as vintage adjustments in 1997 to interconnect and provide continuity between the two databases. Care was taken in creating the Foster Associates database to ensure a proper mapping of the legacy system account structure to the current CPR account structure. No attempt, however, was made to reconcile the Foster Associates database to the historical Commission database because of the treatment of adjusting transactions in the Commission database.

The accuracy and completeness of the assembled data base was verified by Foster Associates for activity years 1998 through 2001 by comparing the beginning plant balance, additions, retirements, transfers and adjustments, and the end-

ing plant balance derived for each activity year to the official plant records of the Company. Age distributions of surviving plant at December 31, 2001 were reconciled to the CPR.

LIFE ANALYSIS AND ESTIMATION

Life analysis and life estimation are terms used to describe a two-step procedure for estimating the mortality characteristics of a plant category. The first step (*i.e.*, life analysis) is largely mechanical and primarily concerned with history. Statistical techniques are used in this step to obtain a mathematical description of the forces of retirement acting upon a plant category and an estimate of service life known as the *projection life* of the account. The mathematical expressions used to describe these life characteristics are known as *survival functions* or *survivor curves*.

The second step (*i.e.*, life estimation) is concerned with predicting the expected remaining life of property units still exposed to the forces of retirement. It is a process of blending the results of the life analysis with informed judgment (including expectations about the future) to obtain an appropriate projection life and curve. The amount of weight given to the life analysis will depend upon the extent to which past retirement experience is considered descriptive of the future.

The analytical methods used in a life analysis are broadly classified as actuarial and semi-actuarial techniques. Actuarial techniques can be applied to plant accounting records that reveal the age of a plant asset at the time of its retirement from service. Stated differently, each property unit must be identifiable by date of installation and age at retirement. Semi-actuarial techniques can be used to derive service life and dispersion estimates when age identification of retirements is not maintained or readily available.

An actuarial life analysis program designed and developed by Foster Associates was used in this study. The first step in an actuarial analysis involves a systematic treatment of the available data for the purpose of constructing an observed life table. A complete life table contains the life history of a group of property units installed during the same accounting period and various probability relationships derived from the data. A life table is arranged by age-intervals (usually defined as one year) and shows the number of units (or dollars) entering and leaving each age-interval and probability relationships associated with this activity. A life table minimally shows the age of each survivor and the age of each retirement from a group of units installed in a given accounting year.

A life table can be constructed in any one of at least five alternative methods. The annual-rate or retirement-rate method was used in this study. The mechanics of the annual-rate method require the calculation of a series of ratios obtained by dividing the number of units (or dollars) surviving at the beginning of an age in-

terval into the number of units (or dollars) retired during the same interval. This ratio (or set of ratios) is commonly referred to as retirement ratios. The cumulative proportion surviving is obtained by multiplying the retirement ratio for each age interval by the proportion of the original group surviving at the beginning of that age interval and subtracting this product from the proportion surviving at the beginning of the same interval. The annual-rate method is applied to multiple groups or vintages by combining the retirements and/or survivors of like ages for each vintage included in the analysis.

The second step in an actuarial analysis involves graduating or smoothing the observed life table and fitting the smoothed series to a family of survival functions. The functions used in this study are the Iowa-type curves which are mathematically described in terms of the Pearson frequency curve family. The observed life table was smoothed by a weighted least-squares procedure in which first, second and third degree polynomials were fitted to the observed retirement ratios. The resulting function can be expressed in terms of a survivorship function which is numerically integrated to obtain an estimate of the average service life. The smoothed survivorship function is then fitted by a weighted least-squares procedure to the Iowa-curve family to obtain a mathematical description or classification of the dispersion characteristics of the data.

The set of computer programs used in this analysis provides multiple rolling-band and shrinking-band analyses of an account. Observation bands are defined for a "retirement era" which restricts the analysis to the retirement activity of all vintages represented by survivors at the beginning of a selected era. In a rolling-band analysis, a year of retirement experience is added to each successive retirement band and the earliest year from the preceding band is dropped. A shrinking-band analysis begins with the total retirement experience available and the earliest year from the preceding band is dropped for each successive band. Rolling and shrinking band analyses are used to detect the emergence of trends in the behavior of the dispersion and average service life.

Options available in the actuarial life analysis program include the width and location of both placement and observation bands; the interval of years included in a selected rolling or shrinking band analysis; the estimator of the hazard rate (actuarial, conditional proportion retired, or maximum likelihood); the elements to include on the diagonal of a weight matrix (exposures, inverse of age, inverse of variance, or unweighted); and the age at which an observed life table is truncated. The program also provides tabular and graphics output as an aid in the analysis and optionally produces data output files used in the calculation of depreciation accruals.

While actuarial and semi-actuarial statistical methods are well suited to an analysis of plant categories containing a large number of homogeneous units (*e.g.*,

mains and services), the concept of retirement dispersion is inappropriate for plant categories composed of major items of plant that will most likely be retired as a single unit. Plant retirements from an integrated system prior to the retirement of the entire facility are more properly viewed as interim retirements that will be replaced in order to maintain the integrity of the system. Additionally, plant facilities may be added to the existing system (*i.e.*, interim additions) in order to expand or enhance its productive capacity without extending the service life of the present system. A proper depreciation rate can be developed for an integrated system using a life-span method. All plant accounts were treated as full mortality categories in this study.

NET SALVAGE ANALYSIS

Depreciation rates designed to achieve the goals and objectives of depreciation accounting will include a parameter for future net salvage and a variable for average net salvage which reflects both realized and future net salvage rates.

An estimate of the net salvage rate applicable to future retirements is most often obtained from an analysis of gross salvage and removal expense realized in the past. An analysis of past experience (including an examination of trends over time) provides an appropriate basis for estimating future salvage and cost of removal. However, consideration should also be given to events that may cause deviations from net salvage realized in the past. Among the factors that should be considered are the age of plant retirements; the portion of retirements likely to be reused; changes in the method of removing plant; the type of plant to be retired in the future; inflation expectations; the shape of the projection life curve; and economic conditions that may warrant greater or lesser weight to be given to the net salvage observed in the past.

Special consideration should also be given to the treatment of insurance proceeds and other forms of third-party reimbursements credited to the depreciation reserve. A properly conducted net salvage study will exclude such activity from the estimate of future parameters and include the activity in the computation of realized and average net salvage rates.

A traditional, historical analysis using a five-year moving average of the ratio of realized salvage and removal expense to the associated retirements was used in this study to a) estimate a realized net salvage rate; b) detect the emergence of historical trends; and c) establish a basis for estimating a future net salvage rate. Cost of removal and salvage opinions obtained from Company engineers were blended with judgment and historical net salvage indications in developing estimates of the future.

The average net salvage rate for an account was estimated using direct dollar weighting of historical retirements with the historical net salvage rate, and future

retirements (*i.e.*, surviving plant) with the estimated future net salvage rate. The computation of the estimated average net salvage rate for each rate category is shown in Statement D.

DEPRECIATION RESERVE ANALYSIS

The purpose of a depreciation reserve analysis is to compare the current level of the recorded reserve with the level required to achieve the goals or objectives of depreciation accounting if the amount and timing of future retirements and net salvage are realized as predicted. The difference between the required depreciation reserve and the recorded reserve provides a measurement of the expected excess or shortfall that will remain in the depreciation reserve if corrective action is not taken to eliminate the reserve imbalance.

Unlike a recorded reserve which represents the net amount of depreciation expense charged to previous periods of operations, a theoretical reserve is a measure of the implied reserve requirement at the beginning of a study year if the timing of future retirements and net salvage is in exact conformance with a survivor curve chosen to predict the probable life of plant units still exposed to the forces of retirement. Stated differently, a theoretical depreciation reserve is the difference between the recorded cost of plant presently in service and the sum of the depreciation expense and net salvage that will be charged in the future if plant retirements are distributed over time according to a specified retirement frequency distribution.

The survivor curve used in the calculation of a theoretical depreciation reserve is intended to describe forces of retirement that will be operative in the future. However, retirements caused by forces such as accidents, physical deterioration and changing technology seldom, if ever, remain stable over time. It is unlikely, therefore, that a probability or retirement frequency distribution can be identified that will accurately describe the age of plant retirements over the complete life cycle of a vintage. It is for this reason that depreciation rates should be reviewed periodically and adjusted for observed or expected changes in the parameters chosen to describe the underlying forces of mortality.

Although reserve records are commonly maintained by various account classifications, the total reserve for a company is the most important measure of the status of the company's depreciation practices. If statistical life studies have not been conducted or retirement dispersion has been ignored in setting depreciation rates, it is likely that some accounts will be over-depreciated and other accounts will be under-depreciated relative to a calculated theoretical reserve. Differences between the theoretical reserve and the recorded reserve also will arise as a normal occurrence when service lives, dispersion patterns and net salvage estimates are adjusted in the course of depreciation reviews. It is appropriate, therefore, and consistent with group depreciation theory to periodically redistribute or rebalance

the total recorded reserve among the various primary accounts based upon the most recent estimates of retirement dispersion and net salvage rates.

A redistribution of recorded reserves is appropriate for MPS at this time. Although recorded reserves have been maintained by primary account, these reserves were largely ignored in the development of the presently prescribed whole-life accrual rates. The present rates were established by negotiations and compromise without considering the reserve ratios contemplated in the settled rates. This failure to address prior reserve imbalances produces an added dimension of instability in accrual rates beyond the variability attributable to the parameters estimated in the current study. A redistribution of the recorded reserve is necessary, therefore, to develop an initial reserve balance for each primary account consistent with the age distributions and estimates of retirement dispersion developed in this study.

A redistribution of the recorded reserve was achieved for MPS by multiplying the calculated reserve for each primary account within a function by the ratio of the function total recorded reserve to the function total calculated reserve. The sum of the redistributed reserves within a function is, therefore, equal to the function total recorded depreciation reserve before the redistribution.

Statement C provides a comparison of the computed and recorded reserves for MPS on December 31, 2001. The recorded reserve was \$26,053,965, or 31.1 percent of the depreciable plant investment. The corresponding computed reserve is \$31,660,494 or 37.8 percent of the depreciable plant investment. A proportionate amount of the measured reserve imbalance of \$5,606,529 will be amortized over the composite weighted-average remaining life of each rate category.

DEVELOPMENT OF ACCRUAL RATES

The goal or objective of depreciation accounting is cost allocation over the economic life of an asset in proportion to the consumption of service potential. Ideally, the cost of an asset—which represents the cost of obtaining a bundle of service units—should be allocated to future periods of operation in proportion to the amount of service potential expended during an accounting interval. The service potential of an asset is the present value of future net revenue (*i.e.*, revenue less expenses exclusive of depreciation and other non-cash expenses) or cash inflows attributable to the use of that asset alone.

Cost allocation in proportion to the consumption of service potential is often approximated by the use of depreciation methods employing time rather than net revenue as the apportionment base. Examples of time-based methods include sinking-fund, straight-line, declining balance, and sum-of-the-years' digits. The advantage of using a time-based method is that it does not require an estimate of the remaining amount of service capacity an asset will provide or the amount of

capacity actually consumed during an accounting interval. Using a time-based allocation method, however, does not change the goal of depreciation accounting. If it is predictable that the net revenue pattern of an asset will either decrease or increase over time, then an accelerated or decelerated time-based method should be used to approximate the rate at which service potential is actually consumed.

The time period over which the cost of an asset will be allocated to operations is determined by the combination of a procedure and a technique. A depreciation procedure describes the level of grouping or sub-grouping of assets within a plant category. The broad group, vintage group, equal-life group, and item or unit are a few of the more widely used procedures. A depreciation technique describes the life statistic used in a depreciation system. The whole life and remaining life (or expectancy) are the most common techniques.

Depreciation rates recommended in this study were developed using a system composed of the straight-line method, vintage group procedure, whole-life technique with amortization of reserve imbalances over the estimated remaining life of each rate category. This formulation of the accrual rate is equivalent to a straight-line method, vintage group procedure, remaining-life technique. It is the opinion of Foster Associates that this system will remain appropriate for MPS, provided depreciation studies are conducted periodically and parameters are routinely adjusted to reflect changing operating conditions.

STATEMENTS

INTRODUCTION

This section provides a comparative summary of depreciation rates, annual depreciation accruals, recorded and computed depreciation reserves, and present and proposed service life statistics recommended for MPS gas operations. The content of these statements is briefly described below.

- Statement A provides a comparative summary of present and proposed annual depreciation rates using the vintage group procedure, whole-life technique with amortization of reserve imbalances.
- Statement B provides a comparison of the present and proposed annualized 2002 depreciation accruals based upon the rates developed in Statement A.
- Statement C provides a comparison of the recorded, computed and redistributed reserves for each rate category at December 31, 2001.
- Statement D provides a summary of the components used to obtain a weighted average net salvage rate for each rate category.
- Statement E provides a comparative summary of present and proposed parameters including projection life, projection curve, average service life, and average remaining life.

Present depreciation accruals shown on Statement B are the product of the plant investment (Column B) and the present depreciation rates (Column D) shown on Statement A. These are the effective rates used by the Company for the mix of investments recorded on December 31, 2001. Similarly, proposed depreciation accruals shown on Statement B are the product of the plant investment and the proposed depreciation rates (Column I) shown on Statement A. Proposed accrual rates shown on Statement A are given by:

$$\text{Accrual Rate} = \frac{1.0 - \text{Average Net Salvage}}{\text{Average Life}} + \frac{\text{Computed Reserve} - \text{Recorded Reserve}}{\text{Remaining Life}}$$

where *Average Net Salvage*, *Computed Reserve* and *Recorded Reserve* are expressed in percent. This formulation of the accrual rate is equivalent to

$$\text{Accrual Rate} = \frac{1.0 - \text{Reserve Ratio} - \text{Future Net Salvage Rate}}{\text{Remaining Life}}.$$

AQUILA NETWORKS - MPS (GAS OPERATIONS)

Statement A

Comparison of Present and Proposed Accrual Rates

Present: VG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description A	Present			Proposed				
	Avg. Life B	Net Salvage C	Accrual Rate D	Avg. Life E	Avg. Net Salvage F	W/L Rate G	Amorti- zation H	R/L Rate I=G+H
TRANSMISSION PLANT								
365003 Land Rights and Rights of Way	60.00		1.67%	50.64		1.97%	-0.54%	1.43%
366001 Structures and Improvements	30.00		3.33%	50.20		1.99%	-0.36%	1.63%
367100 Mains - Metallic	63.00	-5.0%	1.67%	62.09	-9.7%	1.77%	-0.45%	1.32%
369003 Measuring and Regulating Equipment	51.00	-20.0%	2.35%	45.12	-4.9%	2.32%	-0.26%	2.06%
Total Transmission Plant			1.71%	60.51	-9.2%	1.80%	-0.44%	1.36%
DISTRIBUTION PLANT								
375001 Structures and Improvements	36.00		2.78%	37.59		2.66%	0.58%	3.24%
376100 Mains - Metallic	50.00	-20.0%	2.40%	43.80	-24.3%	2.84%	0.65%	3.49%
376200 Mains - Nonmetallic	50.00	-20.0%	2.40%	45.04	-35.0%	3.00%	0.20%	3.20%
378000 Measuring and Regulating Equipment	50.00	-20.0%	2.40%	41.93	-8.5%	2.59%	0.43%	3.02%
379000 Meas. and Reg. Equipment - City Gate	51.00	-20.0%	2.35%	50.60	-5.5%	2.08%	0.25%	2.33%
380100 Services - Metallic	31.00	-45.0%	4.68%	37.07	-59.4%	4.30%	0.45%	4.75%
380200 Services - Nonmetallic	31.00	-45.0%	4.68%	38.64	-50.2%	3.89%	0.43%	4.32%
381000 Meters	60.00		1.67%	39.17	-0.5%	2.57%	0.20%	2.77%
382001 Meter Installations	50.00		2.00%	45.03	-48.9%	3.31%	0.23%	3.54%
383001 House Regulators	40.00		2.50%	40.61	-21.8%	3.00%	0.35%	3.35%
385001 Meas. and Reg. Equipment - Industrial	54.00	-20.0%	2.22%	46.52	-10.3%	2.37%	0.23%	2.60%
385002 Large Volume Meters	54.00	-20.0%	2.22%	37.99	-5.4%	2.77%	0.14%	2.91%
Total Distribution Plant			3.07%	41.89	-37.5%	3.28%	0.33%	3.61%
GENERAL PLANT								
390001 Structures and Improvements	50.00		2.00%	51.08	-6.1%	2.08%	-0.24%	1.84%
391001 Office Furniture and Equipment	14.00	2.0%	7.00%	15.01		6.66%	-1.62%	5.04%
391003 Computer Hardware	4.00	10.0%	22.50%	5.94		16.84%	-4.89%	11.95%
391004 Computer Software	4.00	10.0%	22.50%	5.27		18.98%	-8.94%	10.04%
393000 Stores Equipment	14.00		7.14%	21.82		4.58%	-0.80%	3.78%
394000 Tools and Work Equipment	15.00		6.67%	26.78	0.2%	3.73%	-0.73%	3.00%
395000 Laboratory Equipment	22.00		4.55%	30.36		3.29%	-0.48%	2.81%
397000 Communication Equipment	29.00		3.45%	20.44	-0.1%	4.90%	-1.18%	3.72%
398000 Miscellaneous Equipment	17.00		5.88%	23.02		4.34%	-1.22%	3.12%
Total General Plant			9.96%	13.13	-0.6%	7.66%	-2.00%	5.66%
TOTAL DEPRECIABLE PLANT			3.12%	41.19	-34.3%	3.26%	0.20%	3.46%

AQUILA NETWORKS - MPS (GAS OPERATIONS)

Statement B

Comparison of Present and Proposed Accruals

Present: VG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description	12/31/01 Plant Investment	2002 Annualized Accrual				
		Present	Proposed			Difference
			Whole-Life	Amortization	Total	
A	B	C	D	E	F=D+E	G=F-C
TRANSMISSION PLANT						
365003 Land Rights and Rights of Way	\$228,277	\$3,812	\$4,497	(\$1,233)	\$3,264	(\$548)
366001 Structures and Improvements	10,880	362	217	(40)	177	(185)
367100 Mains - Metallic	6,702,619	111,934	118,636	(30,161)	88,475	(23,459)
369003 Measuring and Regulating Equipment	372,214	8,747	8,635	(967)	7,668	(1,079)
Total Transmission Plant	\$7,313,990	\$124,855	\$131,985	(\$32,401)	\$99,584	(\$25,271)
DISTRIBUTION PLANT						
375001 Structures and Improvements	\$59,033	\$1,641	\$1,570	\$343	\$1,913	\$272
376100 Mains - Metallic	7,123,472	170,963	202,307	46,302	248,609	77,646
376200 Mains - Nonmetallic	34,258,667	822,208	1,027,760	68,517	1,096,277	274,069
378000 Measuring and Regulating Equipment	231,404	5,554	5,993	995	6,988	1,434
379000 Meas. and Reg. Equipment - City Gate	418,109	9,826	8,697	1,045	9,742	(84)
380100 Services - Metallic	5,484,828	256,690	235,848	24,681	260,529	3,839
380200 Services - Nonmetallic	17,713,008	828,969	689,036	76,166	765,202	(63,767)
381000 Meters	2,833,362	47,317	72,817	5,667	78,484	31,167
382001 Meter Installations	3,602,987	72,060	119,259	8,287	127,546	55,486
383001 House Regulators	2,342,246	58,556	70,267	8,198	78,465	19,909
385001 Meas. and Reg. Equipment - Industrial	163,657	3,633	3,879	376	4,255	622
385002 Large Volume Meters	116,633	2,589	3,231	163	3,394	805
Total Distribution Plant	\$74,347,406	\$2,280,006	\$2,440,664	\$240,740	\$2,681,404	\$401,398
GENERAL PLANT						
390001 Structures and Improvements	\$235,258	\$4,705	\$4,893	(\$564)	\$4,329	(\$376)
391001 Office Furniture and Equipment	61,361	4,295	4,087	(994)	3,093	(1,202)
391003 Computer Hardware	590,252	132,807	99,398	(28,863)	70,535	(62,272)
391004 Computer Software	4,124	928	783	(369)	414	(514)
393000 Stores Equipment	9,833	702	450	(78)	372	(330)
394000 Tools and Work Equipment	561,199	37,432	20,933	(4,097)	16,836	(20,596)
395000 Laboratory Equipment	136,442	6,208	4,489	(655)	3,834	(2,374)
397000 Communication Equipment	399,763	13,792	19,588	(4,717)	14,871	1,079
398000 Miscellaneous Equipment	47,150	2,772	2,046	(575)	1,471	(1,301)
Total General Plant	\$2,045,382	\$203,641	\$156,667	(\$40,912)	\$115,755	(\$87,886)
TOTAL DEPRECIABLE PLANT	\$83,706,778	\$2,608,502	\$2,729,316	\$167,427	\$2,896,743	\$288,241

AQUILA NETWORKS - MPS (GAS OPERATIONS)

Statement C

Depreciation Reserve Summary

Vintage Group Procedure

December 31, 2001

Account Description	Plant Investment	Recorded Reserve		Computed Reserve		Redistributed Reserve	
		Amount	Ratio	Amount	Ratio	Amount	Ratio
A	B	C	D=C/B	E	F=E/B	G	H=G/B
TRANSMISSION PLANT							
365003 Land Rights and Rights of Way	\$228,277	\$45,225	19.81%	\$98,451	43.13%	\$134,449	58.90%
366001 Structures and Improvements	10,880	7,655	70.36%	3,589	32.99%	4,901	45.05%
367100 Mains - Metallic	6,702,619	4,217,742	62.93%	3,004,322	44.82%	4,102,829	61.21%
369003 Measuring and Regulating Equipment	372,214	98,516	26.47%	92,966	24.98%	126,959	34.11%
Total Transmission Plant	\$7,313,990	\$4,369,138	59.74%	\$3,199,329	43.74%	\$4,369,138	59.74%
DISTRIBUTION PLANT							
375001 Structures and Improvements	\$59,033	\$40,316	68.29%	\$26,933	45.62%	\$19,930	33.76%
376100 Mains - Metallic	7,123,472	1,728,687	24.27%	4,506,159	63.26%	3,334,436	46.81%
376200 Mains - Nonmetallic	34,258,667	6,613,563	19.30%	9,426,458	27.52%	6,975,326	20.36%
378000 Measuring and Regulating Equipment	231,404	147,704	63.83%	94,654	40.90%	70,041	30.27%
379000 Meas. and Reg. Equipment - City Gate	418,109	195,088	46.66%	135,123	32.32%	99,987	23.91%
380100 Services - Metallic	5,484,828	2,464,912	44.94%	2,378,258	43.36%	1,759,847	32.09%
380200 Services - Nonmetallic	17,713,008	7,008,068	39.56%	7,924,022	44.74%	5,863,564	33.10%
381000 Meters	2,833,362	968,722	34.19%	1,106,089	39.04%	968,722	34.19%
382001 Meter Installations	3,602,987	696,551	19.33%	1,150,012	31.92%	850,978	23.62%
383001 House Regulators	2,342,246	686,475	29.31%	873,901	37.31%	646,663	27.61%
385001 Meas. and Reg. Equipment - Industrial	163,657	75,481	46.12%	48,751	29.79%	36,074	22.04%
385002 Large Volume Meters	116,633	(1,894)	-1.62%	3,708	3.18%	(1,894)	-1.62%
Total Distribution Plant	\$74,347,406	\$20,623,674	27.74%	\$27,674,066	37.22%	\$20,623,674	27.74%
GENERAL PLANT							
390001 Structures and Improvements	\$235,258	\$45,215	19.22%	\$61,525	26.15%	\$82,947	35.26%
391001 Office Furniture and Equipment	61,361	26,008	42.38%	25,264	41.17%	34,060	55.51%
391003 Computer Hardware	590,252	213,682	36.20%	268,296	45.45%	361,713	61.28%
391004 Computer Software	4,124	1,997	48.41%	2,371	57.50%	3,197	77.51%
393000 Stores Equipment	9,833	6,165	62.70%	3,281	33.36%	4,423	44.98%
394000 Tools and Work Equipment	561,199	549,496	97.91%	201,060	35.83%	271,066	48.30%
395000 Laboratory Equipment	136,442	84,039	61.59%	40,762	29.87%	54,954	40.28%
397000 Communication Equipment	399,763	107,800	26.97%	163,463	40.89%	220,379	55.13%
398000 Miscellaneous Equipment	47,150	26,752	56.74%	21,076	44.70%	28,415	60.26%
Total General Plant	\$2,045,382	\$1,061,153	51.88%	\$787,098	38.48%	\$1,061,153	51.88%
TOTAL DEPRECIABLE PLANT	\$83,706,778	\$26,053,965	31.13%	\$31,660,494	37.82%	\$26,053,965	31.13%

AQUILA NETWORKS - MPS (GAS OPERATIONS)

Statement D

Average Net Salvage

Account Description	Plant Investment			Salvage Rate		Net Salvage			Average Rate
	Additions	Retirements	Survivors	Realized	Future	Realized	Future	Total	
A	B	C	D=B-C	E	F	G=E*C	H=F*D	I=G+H	J=I/B
TRANSMISSION PLANT									
365003 Land Rights and Rights of Way	\$228,277		\$228,277						
366001 Structures and Improvements	11,073	193	10,880						
367100 Mains - Metallic	7,097,386	394,767	6,702,619	-4.9%	-10.0%	(19,344)	(670,262)	(689,605)	-9.7%
369003 Measuring and Regulating Equipment	381,318	9,104	372,214		-5.0%		(18,611)	(18,611)	-4.9%
Total Transmission Plant	\$7,718,054	\$404,064	\$7,313,990	-4.8%	-9.4%	(\$19,344)	(\$688,873)	(\$708,216)	-9.2%
DISTRIBUTION PLANT									
375001 Structures and Improvements	\$69,023	\$9,990	\$59,033						
376100 Mains - Metallic	13,519,312	6,395,840	7,123,472	-12.3%	-35.0%	(786,688)	(2,493,215)	(3,279,904)	-24.3%
376200 Mains - Nonmetallic	34,330,249	71,582	34,258,667	-12.3%	-35.0%	(8,805)	(11,990,533)	(11,999,338)	-35.0%
378000 Measuring and Regulating Equipment	272,460	41,056	231,404	-28.2%	-5.0%	(11,578)	(11,570)	(23,148)	-8.5%
379000 Meas. and Reg. Equipment - City Gate	465,188	47,079	418,109	-10.0%	-5.0%	(4,708)	(20,905)	(25,613)	-5.5%
380100 Services - Metallic	9,006,627	3,521,799	5,484,828	-74.1%	-50.0%	(2,609,653)	(2,742,414)	(5,352,067)	-59.4%
380200 Services - Nonmetallic	17,827,512	114,504	17,713,008	-74.1%	-50.0%	(84,847)	(8,856,504)	(8,941,351)	-50.2%
381000 Meters	3,481,551	648,189	2,833,362	-2.7%		(17,501)	(17,501)	(17,501)	-0.5%
382001 Meter Installations	3,696,741	93,754	3,602,987	-6.4%	-50.0%	(6,000)	(1,801,494)	(1,807,494)	-48.9%
383001 House Regulators	2,473,392	131,146	2,342,246	-53.5%	-20.0%	(70,163)	(468,449)	(538,612)	-21.8%
385001 Meas. and Reg. Equipment - Industrial	185,458	21,801	163,657	-12.3%	-10.0%	(2,682)	(16,366)	(19,047)	-10.3%
385002 Large Volume Meters	122,950	6,317	116,633	-12.3%	-5.0%	(777)	(5,832)	(6,609)	-5.4%
Total Distribution Plant	\$85,450,463	\$11,103,057	\$74,347,406	-32.5%	-38.2%	(\$3,603,402)	(\$28,407,282)	(\$32,010,684)	-37.5%
GENERAL PLANT									
390001 Structures and Improvements	\$260,083	\$24,825	\$235,258	-16.9%	-5.0%	(\$4,195)	(\$11,763)	(\$15,958)	-6.1%
391001 Office Furniture and Equipment	61,361		61,361						
391003 Computer Hardware	701,860	111,608	590,252						
391004 Computer Software	4,558	434	4,124						
393000 Stores Equipment	18,925	9,092	9,833						
394000 Tools and Work Equipment	704,189	142,990	561,199	1.1%		1,573		1,573	0.2%
395000 Laboratory Equipment	172,816	36,374	136,442						
397000 Communication Equipment	413,338	13,575	399,763	-1.7%		(231)		(231)	-0.1%
398000 Miscellaneous Equipment	55,288	8,138	47,150						
Total General Plant	\$2,392,418	\$347,036	\$2,045,382	-0.8%	-0.6%	(\$2,853)	(\$11,763)	(\$14,616)	-0.6%
TOTAL DEPRECIABLE PLANT	\$95,560,935	\$11,854,157	\$83,706,778	-30.6%	-34.8%	(\$3,625,599)	(\$29,107,918)	(\$32,733,517)	-34.3%

AQUILA NETWORKS - MPS (GAS OPERATIONS)

Statement E

Present and Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters					
	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Avg. Sal.	Fut. Sal.	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Avg. Sal.	Fut. Sal.
A	B	C	D	E	F	G	H	I	J	K	L	M
TRANSMISSION PLANT												
365003 Land Rights and Rights of Way	60.00	R5	60.00				50.00	R3	50.64	28.80	0.0	0.0
366001 Structures and Improvements	30.00	S4	30.00				50.00	S1.5	50.20	33.64	0.0	0.0
367100 Mains - Metallic	60.00	L2	63.00		-5.0	-5.0	60.00	L2	62.09	36.89	-9.7	-10.0
369003 Measuring and Regulating Equipment	50.00	R1	51.00		-20.0	-20.0	45.00	S1.5	45.12	34.42	-4.9	-5.0
Total Transmission Plant									60.51	36.48	-9.2	-9.4
DISTRIBUTION PLANT												
375001 Structures and Improvements	36.00	S5	36.00				36.00	S5	37.59	20.44	0.0	0.0
376100 Mains - Metallic	50.00	S1.5	50.00		-20.0	-20.0	45.00	S1.5	43.80	25.28	-24.3	-35.0
376200 Mains - Nonmetallic	50.00	S1.5	50.00		-20.0	-20.0	45.00	S1.5	45.04	35.86	-35.0	-35.0
378000 Measuring and Regulating Equipment	50.00	R1	50.00		-20.0	-20.0	40.00	R2	41.93	24.77	-8.5	-5.0
379000 Meas. and Reg. Equipment - City Gate	50.00	R1	51.00		-20.0	-20.0	50.00	R2	50.60	34.86	-5.5	-5.0
380100 Services - Metallic	35.00	R2	31.00		-45.0	-45.0	38.00	L2	37.07	24.80	-59.4	-50.0
380200 Services - Nonmetallic	35.00	R2	31.00		-45.0	-45.0	38.00	L2	38.64	27.08	-50.2	-50.0
381000 Meters	60.00	S6	60.00				38.00	R3	39.17	23.76	-0.5	0.0
382001 Meter Installations	50.00	SQ	50.00				45.00	R5	45.03	35.71	-48.9	-50.0
383001 House Regulators	40.00	S6	40.00				40.00	S6	40.61	27.57	-21.8	-20.0
385001 Meas. and Reg. Equipment - Industrial	50.00	R1	54.00		-20.0	-20.0	45.00	R1	46.52	33.83	-10.3	-10.0
385002 Large Volume Meters	50.00	R1	54.00		-20.0	-20.0	38.00	S-.5	37.99	36.70	-5.4	-5.0
Total Distribution Plant									41.89	30.63	-37.5	-38.2
GENERAL PLANT												
390001 Structures and Improvements	49.00	R0.5	50.00				50.00	R1	51.08	37.96	-6.1	-5.0
391001 Office Furniture and Equipment	15.00	SQ	14.00		2.0	2.0	15.00	S3	15.01	8.83	0.0	0.0
391003 Computer Hardware	5.00	R2	4.00		10.0	10.0	6.00	L2	5.94	3.24	0.0	0.0
391004 Computer Software	5.00	R2	4.00		10.0	10.0	5.00	R2	5.27	2.24	0.0	0.0
393000 Stores Equipment	15.00	L2	14.00				20.00	O2	21.82	14.54	0.0	0.0
394000 Tools and Work Equipment	15.00	L0	15.00				27.00	S0.5	26.78	17.22	0.2	0.0
395000 Laboratory Equipment	23.00	R1	22.00				30.00	L1	30.36	21.29	0.0	0.0
397000 Communication Equipment	29.00	R3	29.00				20.00	S1.5	20.44	12.07	-0.1	0.0
398000 Miscellaneous Equipment	15.00	R1.5	17.00				23.00	S4	23.02	12.73	0.0	0.0
Total General Plant									13.13	8.61	-0.6	-0.6
TOTAL DEPRECIABLE PLANT									41.19	29.96	-34.3	-34.8

ANALYSIS

INTRODUCTION

This section provides an explanation of the supporting schedules developed in the MPS gas operations depreciation study to estimate appropriate projection curves, projection lives and statistics for each rate category. The form and content of the schedules developed for an account depend upon the method of analysis adopted for the category.

This section also includes an example of the supporting schedules developed for Account 380100 – Services (Metallic) as an illustration.¹ Documentation for all other plant accounts is contained in the study work papers. The supporting schedules developed in the MPS study include:

Schedule A – Generation Arrangement;

Schedule B – Age Distribution;

Schedule C – Unadjusted Plant History;

Schedule D – Adjusted Plant History;

Schedule E – Actuarial Life Analysis;

Schedule F – Graphics Analysis; and

Schedule G – Historical Net Salvage Analysis.

The format and content of these schedules are briefly described below.

SCHEDULE A – GENERATION ARRANGEMENT

The purpose of this schedule is to obtain appropriate weighted-average life statistics for a rate category. The weighted-average remaining-life is the sum of Column H divided by the sum of Column I. The weighted average life is the sum of Column C divided by the sum of Column I.

It should be noted that the generation arrangement does not include parameters for net salvage. Computed Net Plant (Column H) and Accruals (Column I) must be adjusted for net salvage to obtain a correct measurement of theoretical reserves and annualized depreciation accruals.

The following table provides a description of each column in the generation arrangement.

¹ Metallic and Nonmetallic services were combined in the statistical analysis of service lives and realized net salvage rates. Average service lives, remaining lives and average net salvage rates were estimated for the constituent accounts.

Generation Arrangement

Column	Title	Description
A	Vintage	Vintage or placement year of surviving plant.
B	Age	Age of surviving plant at beginning of study year.
C	Surviving Plant	Actual dollar amount of surviving plant.
D	Average Life	Estimated average life of each vintage. This statistic is the sum of the realized life and the unrealized life, which is the product of the remaining life (Column E) and the theoretical proportion surviving.
E	Remaining Life	Estimated remaining life of each vintage.
F	Net Plant Ratio	Theoretical net plant ratio of each vintage.
G	Allocation Factor	A pivotal ratio which determines the amortization period of the difference between the recorded and computed reserve.
H	Computed Net Plant	Plant in service less theoretical reserve for each vintage.
I	Accrual	Ratio of computed net plant (Column H) and remaining life (Column E).

TABLE 2. GENERATION ARRANGEMENT

SCHEDULE B – AGE DISTRIBUTION

This schedule provides the age distribution and realized life of surviving plant shown in Column C of the Generation Arrangement (Schedule A). The format of the schedule depends upon the availability of either aged or unaged data. Derived additions for vintage years older than the earliest activity year in an account for unaged data are obtained from the age distribution of surviving plant at the beginning of the earliest activity year. The amount surviving from these vintages is shown in Column D. The realized life (Column G) is derived from the dollar years of service provided by a vintage over the period of years the vintage has been in service. Plant additions for vintages older than the earliest activity year in an account are represented by the opening balances shown in Column D.

The computed proportion surviving (Column D) for unaged is derived from a computed mortality analysis. The average service life displayed in the title block is the life statistic derived for the most recent activity year, given the derived age distribution at the start of the year and the specified retirement dispersion. The realized life (Column F) is obtained by finding the slope of an SC retirement dispersion, which connects the computed survivors of a vintage (Column E) to the recorded vintage addition (Column B). The realized life is the area bounded by the

SC dispersion, the computed proportion surviving and the age of the vintage.

SCHEDULE C – UNADJUSTED PLANT HISTORY

This schedule provides a summary of recorded plant data extracted from the continuing property records maintained by the Company. Activity year total amounts shown on this schedule for aged data are obtained from a historical arrangement of the data base in which all plant accounting transactions are identified by vintage and activity year. Activity year totals for unaged data are obtained from a transaction file without vintage identification. Information displayed in the unadjusted plant history is consistent with regulated investments reported internally by the Company.

SCHEDULE D – ADJUSTED PLANT HISTORY

This schedule provides a summary of recorded plant data extracted from the continuing property records maintained by the Company with sales, transfers, and adjustments appropriately aged for depreciation study purposes. Activity year total amounts shown on this schedule for aged data are obtained from a historical arrangement of the data base in which all plant accounting transactions are identified by vintage and activity year. Ageing of adjusting transactions is achieved using transaction codes that identify an adjusting year associated with the dollar amount of a transaction. Adjusting transactions processed in the adjusted plant history are not aged in the Company's records nor in the unadjusted plant history.

SCHEDULE E – ACTUARIAL LIFE ANALYSIS

These schedules provide a summary of the dispersion and life indications obtained from an actuarial life analysis for a specified placement band. The observation band (Column A) is specified to produce either a rolling-band or a shrinking-band analysis depending upon the movement of the end points of the band. The degree of censoring (or point of truncation) of the observed life table is shown in Column B for each observation band. The estimated average service life, best fitting Iowa dispersion, and a statistical measure of the goodness of fit are shown for each degree polynomial (First, Second, and Third) fitted to the estimated hazard rates. Options available in the analysis include the width and location of both the placement and observation bands; the interval of years included in a selected rolling or shrinking band analysis; the estimator of the hazard rate (actuarial, conditional proportion retired, or maximum likelihood); the elements to include on the diagonal of a weight matrix (exposures, inverse of age, inverse of variance, or unweighted); and the age at which an observed life table is truncated.

The estimated average service lives (Columns C, F, and I) are flagged with an asterisk if negative hazard rates are indicated by the fitted polynomial. All negative hazard rates are set equal to zero in the calculation of the graduated survivor curve. The Conformance Index (Columns E, H, and K) is the square root of

the mean sum-of-squared differences between the graduated survivor curve and the best fitting Iowa curve. A Conformance Index of zero would indicate a perfect fit.

SCHEDULE F – GRAPHICS ANALYSIS

This schedule provides a graphics plot of a) the observed proportion surviving for a selected placement and observation band; b) the statistically best fitting Iowa dispersion and derived average service life; and c) the projection curve and projection life selected to describe future forces of mortality.

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS

This schedule provides a moving average analysis of the ratio of realized net salvage (Column I) to the associated retirements (Column B). The schedule also provides a moving average analysis of the components of net salvage related to retirements. The ratio of gross salvage to retirements is shown in Column D and the ratio of cost of removal to retirements is shown in Column G.

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380100 Services - Metallic

Dispersion: 38 - L2

Procedure: Vintage Group

Generation Arrangement

Vintage	December 31, 2001		Avg. Life	Rem. Life	Net Plant Ratio	Alloc. Factor	Computed Net Plant	Accrual
	Age	Surviving Plant						
A	B	C	D	E	F	G	H=C*F*G	I=H/E
2001	0.5	(1,110)	38.00	37.50	0.9868	1.0000	(1,095)	(29)
2000	1.5	7,563	37.93	36.50	0.9624	1.0000	7,279	199
1999	2.5	2,826	37.85	35.51	0.9383	1.0000	2,652	75
1998	3.5	27,319	38.00	34.53	0.9087	1.0000	24,824	719
1997	4.5	249,322	38.00	33.56	0.8832	1.0000	220,194	6,561
1996	5.5	313,309	38.00	32.61	0.8580	1.0000	268,824	8,244
1995	6.5	226,777	37.95	31.67	0.8346	1.0000	189,270	5,976
1994	7.5	208,303	37.97	30.75	0.8098	1.0000	168,681	5,486
1993	8.5	239,579	38.01	29.85	0.7852	1.0000	188,114	6,303
1992	9.5	314,013	38.04	28.96	0.7614	1.0000	239,074	8,255
1991	10.5	331,703	38.01	28.09	0.7390	1.0000	245,121	8,726
1990	11.5	346,084	37.68	27.24	0.7229	1.0000	250,173	9,184
1989	12.5	342,524	38.34	26.41	0.6887	1.0000	235,896	8,933
1988	13.5	322,027	39.88	25.59	0.6416	1.0000	206,620	8,074
1987	14.5	190,810	40.26	24.80	0.6160	1.0000	117,532	4,740
1986	15.5	365,070	39.02	24.03	0.6159	1.0000	224,842	9,355
1985	16.5	215,888	39.15	23.30	0.5952	1.0000	128,494	5,514
1984	17.5	248,589	39.86	22.61	0.5672	1.0000	140,990	6,236
1983	18.5	223,650	37.50	21.95	0.5854	1.0000	130,914	5,964
1982	19.5	123,346	35.29	21.33	0.6046	1.0000	74,577	3,496
1981	20.5	93,776	33.49	20.76	0.6197	1.0000	58,117	2,800
1980	21.5	83,129	31.36	20.22	0.6448	1.0000	53,598	2,651
1979	22.5	63,946	30.83	19.71	0.6393	1.0000	40,883	2,074
1978	23.5	74,271	29.19	19.24	0.6594	1.0000	48,972	2,545
1977	24.5	57,177	31.90	18.81	0.5896	1.0000	33,711	1,792
1976	25.5	74,087	30.78	18.40	0.5979	1.0000	44,296	2,407
1975	26.5	42,947	28.56	18.02	0.6310	1.0000	27,099	1,504
1974	27.5	41,628	29.99	17.67	0.5891	1.0000	24,525	1,388
1973	28.5	37,792	32.16	17.33	0.5389	1.0000	20,368	1,175
1972	29.5	34,005	31.23	17.02	0.5449	1.0000	18,529	1,089
1971	30.5	30,622	30.60	16.72	0.5465	1.0000	16,734	1,001
1970	31.5	31,127	33.60	16.44	0.4891	1.0000	15,225	926
1966	35.5	146,970	34.87	15.40	0.4415	1.0000	64,894	4,215
1961	40.5	155,090	36.96	14.19	0.3841	1.0000	59,564	4,197
1958	43.5	129,040	36.45	13.47	0.3695	1.0000	47,684	3,541
1955	46.5	52,676	33.80	12.73	0.3765	1.0000	19,833	1,558
1953	48.5	8,607	32.20	12.23	0.3797	1.0000	3,268	267

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380100 Services - Metallic

Dispersion: 38 - L2

Procedure: Vintage Group

Generation Arrangement

Vintage	December 31, 2001		Avg. Life	Rem. Life	Net Plant Ratio	Alloc. Factor	Computed Net Plant	Accrual
	Age	Surviving Plant						
A	B	C	D	E	F	G	H=C*F*G	I=H/E
1950	51.5	9,165	34.02	11.47	0.3371	1.0000	3,090	269
1946	55.5	15,643	37.00	10.47	0.2830	1.0000	4,427	423
1941	60.5	2,601	35.88	9.26	0.2581	1.0000	671	72
1937	64.5	845	42.14	8.34	0.1978	1.0000	167	20
1934	67.5	284	67.92	7.67	0.1129	1.0000	32	4
1932	69.5	895	45.38	7.24	0.1596	1.0000	143	20
1925	76.5	702	76.61	5.80	0.0757	1.0000	53	9
1924	77.5	212	55.56	5.60	0.1008	1.0000	21	4
Total	16.1	\$5,484,828	37.07	24.80	0.6689	1.0000	\$3,668,879	\$147,962

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380100 Services - Metallic

Age Distribution

Vintage	Age as of 12/31/2001	Derived Additions	1961 Opening Balance	Experience to 12/31/2001		
				Amount Surviving	Proportion Surviving	Realized Life
A	B	C	D	E	F=E/(C+D)	G
2001	0.5	(1,110)		(1,110)	1.0000	0.5000
2000	1.5	8,821		7,563	0.8574	1.4287
1999	2.5	4,062		2,826	0.6958	2.3479
1998	3.5	27,319		27,319	1.0000	3.5000
1997	4.5	249,322		249,322	1.0000	4.5000
1996	5.5	313,309		313,309	1.0000	5.5000
1995	6.5	229,052		226,777	0.9901	6.4377
1994	7.5	214,409		208,303	0.9715	7.4573
1993	8.5	240,155		239,579	0.9976	8.4868
1992	9.5	314,013		314,013	1.0000	9.5000
1991	10.5	333,097		331,703	0.9958	10.4602
1990	11.5	372,322		346,084	0.9295	11.1082
1989	12.5	317,924		342,524	1.0774	12.7388
1988	13.5	225,227		322,027	1.4298	15.2471
1987	14.5	118,146		190,810	1.6150	16.5804
1986	15.5	282,002		365,070	1.2946	16.2950
1985	16.5	165,398		215,888	1.3053	17.3642
1984	17.5	178,697		248,589	1.3911	19.0017
1983	18.5	200,103		223,650	1.1177	17.5579
1982	19.5	111,506		123,346	1.1062	16.2428
1981	20.5	150,673		93,776	0.6224	15.3318
1980	21.5	156,858		83,129	0.5300	14.0615
1979	22.5	222,239		63,946	0.2877	14.3849
1978	23.5	191,445		74,271	0.3879	13.5601
1977	24.5	171,531		57,177	0.3333	17.0747
1976	25.5	233,259		74,087	0.3176	16.7263
1975	26.5	119,337		42,947	0.3599	15.2610
1974	27.5	146,848		41,628	0.2835	17.4121
1973	28.5	156,113		37,792	0.2421	20.2843
1972	29.5	98,053		34,005	0.3468	20.0270
1971	30.5	83,495		30,622	0.3668	20.0369
1970	31.5	85,806		31,127	0.3628	23.6615
1967	34.5	147,915			0.0000	24.3160
1966	35.5	241,400		146,970	0.6088	27.1427
1965	36.5	56,818			0.0000	27.5672
1964	37.5	55,012			0.0000	29.0000
1963	38.5	132,736			0.0000	28.3505
1962	39.5	251,239			0.0000	26.7086

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380100 Services - Metallic

Age Distribution

Vintage	Age as of 12/31/2001	Derived Additions	1961 Opening Balance	Experience to 12/31/2001		
				Amount Surviving	Proportion Surviving	Realized Life
A	B	C	D	E	F=E/(C+D)	G
1961	40.5	327,938		155,090	0.4729	31.4447
1958	43.5		561,257	129,040	0.2299	32.0099
1955	46.5		790,850	52,676	0.0666	30.2765
1953	48.5		182,749	8,607	0.0471	29.1943
1950	51.5		193,271	9,165	0.0474	31.6920
1946	55.5		179,293	15,643	0.0872	35.3812
1941	60.5		65,604	2,601	0.0396	34.9099
1937	64.5		34,611	845	0.0244	41.5227
1934	67.5		284	284	1.0000	67.5000
1933	68.5		24,770		0.0000	35.6868
1932	69.5		18,967	895	0.0472	45.0546
1925	76.5		702	702	1.0000	76.5000
1924	77.5		21,783	212	0.0097	55.4654
Total		\$6,932,487	\$2,074,140	\$5,484,828	0.6090	

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380100 Services - Metallic

Unadjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
1961	2,547,799	196,216	14,708		2,729,307
1962	2,729,307	235,463	11,227	(41)	2,953,502
1963	2,953,502	214,034	11,722		3,155,814
1964	3,155,814	213,720	10,724		3,358,810
1965	3,358,810	242,416	15,474		3,585,752
1966	3,585,752	195,854	15,090		3,766,516
1967	3,766,516	167,072	19,137	(10,952)	3,903,499
1968	3,903,499	214,068	17,359		4,100,208
1969	4,100,208	211,100	15,745		4,295,563
1970	4,295,563	169,251	15,157		4,449,657
1971	4,449,657	160,768	10,204		4,600,221
1972	4,600,221	197,585	22,397		4,775,409
1973	4,775,409	276,379	44,179	(21,937)	4,985,672
1974	4,985,672	239,299	35,342		5,189,629
1975	5,189,629	205,972	27,792	(2,063)	5,365,746
1976	5,365,746	384,437	77,269	8,122	5,681,036
1977	5,681,036	364,525	58,359	19,939	6,007,141
1978	6,007,141	418,620	71,901	28,494	6,382,354
1979	6,382,354	432,325	52,680	242	6,762,241
1980	6,762,241	493,206	77,403		7,178,044
1981	7,178,044	480,652	87,087	(1,740)	7,569,869
1982	7,569,869	474,200	99,394	28	7,944,703
1983	7,944,703	941,390	149,501		8,736,592
1984	8,736,592	957,100	218,707		9,474,985
1985	9,474,985	824,136	224,646		10,074,475
1986	10,074,475	1,654,751	221,855		11,507,371
1987	11,507,371	688,420	358,941	(1)	11,836,849
1988	11,836,849	1,183,141	418,036		12,601,954
1989	12,601,954	1,277,821	224,249		13,655,526
1990	13,655,526	1,263,351	256,277		14,662,600
1991	14,662,600	1,306,646	637,706		15,331,540
1992	15,331,540	1,555,704	327,350		16,559,894
1993	16,559,894	981,638	190,222	2,494	17,353,804
1994	17,353,804	868,853	132,065		18,090,592
1995	18,090,592	953,192	189,180		18,854,604
1996	18,854,604	1,081,696	459,378		19,476,922
1997	19,476,922	668,711	(1,315,489)	(16,085,835)	5,375,287
1998	5,375,287	272,579	3,224	(87,287)	5,557,354
1999	5,557,354	(53,575)			5,503,779
2000	5,503,779	8,610	11,233		5,501,157

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380100 Services - Metallic

Unadjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
2001	5,501,157	(11,961)	4,368		5,484,828

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380100 Services - Metallic

Adjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
1961	2,568,575	182,995	14,708		2,736,862
1962	2,736,862	278,473	11,227	(41)	3,004,067
1963	3,004,067	190,855	11,722		3,183,200
1964	3,183,200	214,156	10,724		3,386,632
1965	3,386,632	256,486	15,474		3,627,644
1966	3,627,644	173,677	15,090		3,786,231
1967	3,786,231	175,010	19,137	(10,952)	3,931,152
1968	3,931,152	194,530	17,359		4,108,323
1969	4,108,323	206,898	15,745		4,299,476
1970	4,299,476	202,790	15,157		4,487,109
1971	4,487,109	163,133	10,204		4,640,038
1972	4,640,038	174,422	22,397		4,792,063
1973	4,792,063	264,554	44,179	(21,937)	4,990,501
1974	4,990,501	253,557	35,342		5,208,716
1975	5,208,716	228,988	27,792	(2,063)	5,407,849
1976	5,407,849	392,003	77,269	8,122	5,730,705
1977	5,730,705	333,080	58,359	19,939	6,025,365
1978	6,025,365	450,070	71,901	28,494	6,432,028
1979	6,432,028	432,617	52,680	242	6,812,207
1980	6,812,207	463,773	77,403		7,198,577
1981	7,198,577	478,792	87,087	(1,740)	7,588,542
1982	7,588,542	580,581	99,394	28	8,069,757
1983	8,069,757	936,287	149,501		8,856,543
1984	8,856,543	998,701	218,707		9,636,537
1985	9,636,537	871,242	224,646		10,283,133
1986	10,283,133	1,452,498	221,855		11,513,776
1987	11,513,776	765,712	358,941	(1)	11,920,546
1988	11,920,546	1,285,310	418,036		12,787,820
1989	12,787,820	1,379,257	224,249		13,942,828
1990	13,942,828	1,358,121	256,277		15,044,672
1991	15,044,672	1,341,934	637,706		15,748,900
1992	15,748,900	1,237,896	327,350		16,659,446
1993	16,659,446	969,380	190,222	2,494	17,441,098
1994	17,441,098	837,470	132,065		18,146,503
1995	18,146,503	912,317	189,180		18,869,640
1996	18,869,640	1,167,493	459,378		19,577,755
1997	19,577,755	744,440	(1,315,489)	(16,085,835)	5,551,848
1998	5,551,848	27,319	3,224	(87,287)	5,488,656
1999	5,488,656	4,062			5,492,717
2000	5,492,717	8,821	11,233		5,490,306

AQUILA NETWORKS - MPS GAS OPERATIONS
Distribution Plant
Account: 380100 Services - Metallic

Adjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
2001	5,490,306	(1,110)	4,368		5,484,828

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380XXX Services

T-Cut: None

Placement Band: 1924-2001

Hazard Function: Proportion Retired

Shrinking Band Life Analysis

Weighting: Exposures

Observation Band	Censoring	First Degree			Second Degree			Third Degree		
		Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index
A	B	C	D	E	F	G	H	I	J	K
1961-2001	8.4	38.7	L1.5 *	0.91	38.1	L2 *	1.37	60.4	O4 *	9.92
1962-2001	8.4	38.7	L1.5 *	0.91	38.1	L2 *	1.36	60.3	O4 *	9.93
1963-2001	8.4	38.7	L1.5 *	0.92	38.1	L2 *	1.36	60.3	O4 *	9.93
1964-2001	8.4	38.7	L1.5 *	0.92	38.1	L2 *	1.36	60.3	O4 *	9.94
1965-2001	8.4	38.7	L1.5 *	0.91	38.0	L2 *	1.36	60.2	O4 *	9.94
1966-2001	8.4	38.7	L1.5 *	0.91	38.0	L2 *	1.35	60.1	O4 *	9.95
1967-2001	8.4	38.6	L1.5 *	0.90	38.0	L2 *	1.35	60.0	O4 *	9.95
1968-2001	8.4	38.6	L1.5 *	0.90	38.0	L2 *	1.34	60.0	O4 *	9.95
1969-2001	8.4	38.6	L1.5 *	0.89	38.0	L2 *	1.33	59.9	O4 *	9.95
1970-2001	8.4	38.5	L1.5 *	0.88	37.9	L2 *	1.32	59.8	O4 *	9.95
1971-2001	8.3	38.5	L1.5 *	0.88	37.9	L2 *	1.30	59.6	O4 *	9.95
1972-2001	8.2	38.3	L1.5 *	0.87	37.8	L2 *	1.28	59.4	O4 *	9.95
1973-2001	8.2	38.3	L1.5 *	0.85	37.8	L2 *	1.26	59.3	O4 *	9.94
1974-2001	8.3	38.3	L1.5 *	0.84	37.8	L2 *	1.26	59.3	O4 *	9.92
1975-2001	8.2	38.2	L1.5 *	0.82	37.8	L2 *	1.24	59.3	O4 *	9.90
1976-2001	8.3	38.1	L1.5 *	0.81	37.7	L2 *	1.22	59.2	O4 *	9.88
1977-2001	8.4	38.2	L1.5 *	0.79	37.7	L2 *	1.22	59.5	O4 *	9.82
1978-2001	8.4	38.1	L1.5 *	0.78	37.7	L2 *	1.21	59.5	O4 *	9.80
1979-2001	8.4	38.1	L1.5 *	0.79	37.7	L2 *	1.18	59.6	O4 *	9.79
1980-2001	8.4	37.9	L1.5 *	0.79	37.6	L2 *	1.17	59.5	O4 *	9.76
1981-2001	8.5	37.9	L1.5 *	0.79	37.6	L2 *	1.16	59.9	O4 *	9.70
1982-2001	9.2	38.0	L1.5 *	0.76	37.7	L2 *	1.18	60.8	O4 *	9.58
1983-2001	9.6	38.0	L1.5 *	0.74	37.9	L1.5 *	1.13	61.6	O4 *	9.49
1984-2001	11.1	38.4	L1.5 *	0.69	38.3	L1.5 *	0.84	64.2	O4 *	9.32
1985-2001	13.7	39.1	L1.5 *	0.67	39.1	L1.5 *	0.65	67.4	O4 *	9.26
1986-2001	17.0	40.1	L1.5 *	0.61	40.2	L1.5 *	0.49	71.5	O4 *	9.31
1987-2001	19.4	40.7	L1.5 *	0.60	40.9	L1.5 *	0.43	74.2	O4 *	9.47
1988-2001	20.9	43.2	L1.5 *	0.51	43.4	L1.5 *	0.40	81.5	O4 *	10.04
1989-2001	24.6	46.0	L1.5 *	0.46	46.2	L1.5 *	0.40	89.5	O4 *	11.17
1990-2001	27.0	48.0	L1.5 *	0.43	48.3	L1.5 *	0.41	95.1	O4 *	12.22
1991-2001	30.4	51.2	L1.5 *	0.42	51.2	L1.5 *	0.42	102.5	O4 *	13.82
1992-2001	41.2	64.3	L1.5 *	0.65	56.9	S1	0.67	114.7	O3 *	15.03
1993-2001	48.6	70.2	L1.5 *	0.66	59.8	S1.5	1.04	117.5	O3 *	15.00
1994-2001	59.1	82.4	L1 *	1.04	64.0	S1.5	0.56	117.2	SC *	13.70
1995-2001	75.4	91.1	L1	0.63	67.3	S1.5	0.72	132.2	SC *	13.31
1996-2001	98.0	128.8	S-.5	2.64	72.9	S2	1.13	115.7	L0 *	10.68
1997-2001	98.3	190.7	R5 *	14.08	84.0	R3 *	1.89	177.4	R2.5 *	16.56

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380XXX Services

Schedule E

Page 2 of 2

T-Cut: None

Placement Band: 1924-2001

Hazard Function: Proportion Retired

Shrinking Band Life Analysis

Weighting: Exposures

Observation Band	Censoring	First Degree			Second Degree			Third Degree		
		Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index
A	B	C	D	E	F	G	H	I	J	K
1998-2001	77.2	167.8	R2	11.89	78.2	S2	1.64	173.1	R2 *	17.02
1999-2001	70.1	185.9	R4 *	15.67	73.7	R3 *	1.71	170.2	R1.5 *	17.15
2000-2001	68.5	181.2	R3 *	17.05	66.7	R3 *	2.18	159.0	R1 *	16.88
2001-2001	92.1	184.3	R4 *	16.49	71.2	R3 *	3.52	176.6	R2.5 *	17.93

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380XXX Services

T-Cut: None

Placement Band: 1924-2001

Hazard Function: Proportion Retired

Rolling Band Life Analysis

Weighting: Exposures

Observation Band	Censoring	First Degree			Second Degree			Third Degree		
		Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index
A	B	C	D	E	F	G	H	I	J	K
1961-1965	51.8	43.2	L1.5 *	0.49	42.1	L1.5 *	1.23	104.0	O4 *	15.72
1962-1966	50.2	44.4	L1.5 *	0.58	42.7	L2 *	1.24	105.1	O4 *	15.91
1963-1967	44.6	43.6	L1.5 *	0.75	41.0	S1 *	1.14	95.9	O4 *	13.57
1964-1968	41.4	44.0	L1.5 *	0.84	41.1	S1 *	1.06	92.9	O4 *	12.78
1965-1969	39.3	44.4	L1.5 *	0.96	41.1	S1 *	1.19	89.5	O4 *	12.00
1966-1970	39.1	46.4	L1.5 *	0.98	42.3	S1.5 *	1.09	91.0	O4 *	12.05
1967-1971	41.7	49.5	L1.5 *	0.96	44.1	S1.5 *	0.73	93.1	O4 *	12.11
1968-1972	42.7	50.1	L2 *	1.03	44.2	S1.5 *	0.63	87.3	O4 *	10.90
1969-1973	34.5	45.2	L2 *	0.72	41.1	S1.5 *	0.79	78.3	O4 *	10.43
1970-1974	24.6	43.8	L2 *	0.67	40.2	S1.5 *	0.91	71.2	O4 *	10.18
1971-1975	19.2	43.8	L2 *	0.66	40.1	S1.5 *	1.05	68.5	O4 *	10.27
1972-1976	13.0	39.9	L2 *	0.75	37.4	S2 *	1.16	53.8	O3 *	11.41
1973-1977	12.3	39.1	L2 *	0.72	37.0	S1.5 *	1.03	52.4	O3 *	11.43
1974-1978	13.7	40.5	L2 *	0.79	37.6	S1.5 *	0.66	53.0	O3 *	11.12
1975-1979	17.3	41.1	L2 *	0.92	38.0	S1.5 *	0.55	54.0	O3 *	11.09
1976-1980	16.2	39.9	L2 *	1.02	36.9	S1.5	0.44	48.8	O3 *	11.14
1977-1981	12.5	39.8	L2 *	1.01	36.7	S1.5	0.98	44.9	L2 *	8.84
1978-1982	8.5	38.8	L2 *	0.94	36.2	S2	0.85	41.2	L3 *	6.00
1979-1983	2.6	36.1	L2 *	0.69	34.9	S2	0.49	35.2	L3 *	1.31
1980-1984	0.5	33.1	L2 *	0.78	32.6	S2	1.04	32.7	S2 *	0.95
1981-1985	0.0	30.8	L2 *	0.74	31.1	S2	1.08	31.4	S2 *	1.19
1982-1986	0.0	29.3	L2 *	0.78	30.0	S1.5	0.77	30.4	S2	1.00
1983-1987	0.0	26.9	L2 *	0.83	27.9	S1.5	0.71	28.3	S1.5	1.01
1984-1988	0.0	25.1	L1.5 *	1.01	25.8	S1	0.90	26.1	S1	1.01
1985-1989	0.0	25.2	L2 *	1.04	25.9	S1 *	1.14	26.3	S1 *	0.74
1986-1990	0.0	25.3	L1.5 *	0.96	25.7	L2 *	1.31	26.4	L2 *	0.88
1987-1991	0.0	23.2	L1.5 *	0.75	22.8	L1.5 *	0.62	24.2	L2 *	1.45
1988-1992	0.2	23.9	L1.5 *	0.48	23.7	L1.5 *	1.00	26.1	L1.5 *	3.47
1989-1993	2.6	25.6	L1.5 *	0.58	26.2	L1.5 *	1.89	30.3	L1.5 *	6.13
1990-1994	7.4	26.9	L1.5 *	0.58	28.8	L1.5 *	3.35	33.2	L0.5 *	7.77
1991-1995	7.4	28.2	L1.5 *	0.60	32.5	L0.5 *	5.90	37.4	O3 *	8.86
1992-1996	10.4	31.4	L1.5 *	0.45	45.4	O4 *	8.73	45.2	O4 *	8.74
1993-1997	33.2	49.7	L1.5 *	0.62	46.7	S1 *	1.08	53.0	L2 *	4.69
1994-1998	53.7	62.5	L1.5 *	0.42	55.4	S1.5	0.86	56.7	S1 *	1.30
1995-1999	89.0	72.7	L1.5 *	0.54	63.1	S1	0.88	86.6	O3 *	8.75
1996-2000	98.9	104.9	L1 *	1.13	71.4	S2	0.89	72.0	S1.5	1.10
1997-2001	98.3	190.7	R5 *	14.08	84.0	R3 *	1.89	177.4	R2.5 *	16.56

AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380XXX Services

T-Cut: None


Placement Band: 1924-2001 Observation Band: 1961-2001

Hazard Function: Proportion Retired

Weighting: Exposures

Graphics Analysis

1st: 38.7-L1.5 2nd: 38.1-L2 3rd: 60.4-O4



AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380XXX Services


T-Cut: None

Placement Band: 1924-2001

Observation Band: 1961-2001

Proposed Projection Life Curve

38.0-L2



AQUILA NETWORKS - MPS GAS OPERATIONS

Distribution Plant

Account: 380XXX Services

Unadjusted Net Salvage History

Year	Retirements	Gross Salvage			Cost of Retiring			Net Salvage		
		Amount	Pct.	5-Yr Avg.	Amount	Pct.	5-Yr Avg.	Amount	Pct.	5-Yr Avg.
A	B	C	D=C/B	E	F	G=F/B	H	I=C-F	J=I/B	K
1983	149,501	968	0.6		108,429	72.5		(107,461)	-71.9	
1984	218,707	1,262	0.6		122,344	55.9		(121,082)	-55.4	
1985	224,646	304	0.1		127,924	56.9		(127,620)	-56.8	
1986	221,855	684	0.3		215,032	96.9		(214,348)	-96.6	
1987	358,941	508	0.1	0.3	132,069	36.8	60.1	(131,561)	-36.7	-59.8
1988	418,036	2,932	0.7	0.4	166,741	39.9	53.0	(163,809)	-39.2	-52.6
1989	224,249	589	0.3	0.3	151,089	67.4	54.8	(150,500)	-67.1	-54.4
1990	256,277	(7,349)	-2.9	-0.2	171,298	66.8	56.5	(178,647)	-69.7	-56.7
1991	637,706	65	0.0	-0.2	145,141	22.8	40.4	(145,076)	-22.7	-40.6
1992	327,350	301	0.1	-0.2	146,934	44.9	41.9	(146,633)	-44.8	-42.1
1993	190,222	19	0.0	-0.4	125,375	65.9	45.2	(125,356)	-65.9	-45.6
1994	132,065		0.0	-0.5	90,649	68.6	44.0	(90,649)	-68.6	-44.5
1995	189,180		0.0	0.0	85,475	45.2	40.2	(85,475)	-45.2	-40.2
1996	459,378	13	0.0	0.0	106,871	23.3	42.8	(106,858)	-23.3	-42.7
1997	(1,315,489)		0.0	0.0	52,891	-4.0	0.0	(52,891)	4.0	0.0
1998	13,542		0.0	0.0	20,391	150.6	0.0	(20,391)	-150.6	0.0
1999			0.0	0.0		0.0	0.0		0.0	0.0
2000	51,424	86	0.2	0.0	66,101	128.5	0.0	(66,015)	-128.4	0.0
2001	68,362	1,640	2.4	0.0	62,362	91.2	0.0	(60,721)	-88.8	0.0
Total	2,825,952	2,022	0.1		2,097,115	74.2		(2,095,093)	-74.1	

2002 Depreciation Rate Study

*Aquila Networks—SJLP
(Gas Operations)*

Prepared by
Foster Associates, Inc.



CONTENTS

EXECUTIVE SUMMARY

INTRODUCTION 1

SCOPE OF STUDY 2

DEPRECIATION SYSTEM 2

PROPOSED DEPRECIATION RATES..... 3

STUDY PROCEDURE

INTRODUCTION 5

SCOPE 5

DATA COLLECTION 5

LIFE ANALYSIS AND ESTIMATION..... 7

NET SALVAGE ANALYSIS 9

DEPRECIATION RESERVE ANALYSIS..... 10

DEVELOPMENT OF ACCRUAL RATES 11

STATEMENTS

INTRODUCTION 13

STATEMENT A – REMAINING-LIFE ACCRUAL RATES..... 14

STATEMENT B – REMAINING-LIFE ACCRUALS 15

STATEMENT C – DEPRECIATION RESERVE SUMMARY 16

STATEMENT D – AVERAGE NET SALVAGE 17

STATEMENT E – PRESENT AND PROPOSED PARAMETERS..... 18

ANALYSIS

INTRODUCTION 19

SCHEDULE A – GENERATION ARRANGEMENT 19

SCHEDULE B – AGE DISTRIBUTION 20

SCHEDULE C – UNADJUSTED PLANT HISTORY 21

SCHEDULE D – ADJUSTED PLANT HISTORY..... 21

SCHEDULE E – ACTUARIAL LIFE ANALYSIS 21

SCHEDULE F – GRAPHICS ANALYSIS..... 22

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS..... 22

DISTRIBUTION

376100 – MAINS (METALLIC)

SCHEDULE A – GENERATION ARRANGEMENT 23

SCHEDULE B – AGE DISTRIBUTION 25

SCHEDULE C – UNADJUSTED PLANT HISTORY 27

SCHEDULE D – ADJUSTED PLANT HISTORY 28

SCHEDULE E – ACTUARIAL LIFE ANALYSIS 29

SCHEDULE F – GRAPHICS ANALYSIS 31

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS 33

EXECUTIVE SUMMARY

INTRODUCTION

This report presents the findings and recommendations developed in a 2002 Depreciation Rate Study for utility plant owned by Aquila Networks – SJLP (Gas Operations). Work on the study, conducted by Foster Associates, Inc., commenced in January 2003 and progressed through mid-March 2003, at which time the project was completed.

Foster Associates, Inc. is a public utility economic consulting firm headquartered in Bethesda, Maryland offering economic research and consulting services on issues and problems arising from governmental regulation of business. The areas of specialization supported by our Fort Myers office include property life forecasting, technological forecasting, depreciation estimation, and valuation of industrial property.

Foster Associates has undertaken numerous depreciation engagements for both public and privately owned corporations including detailed statistical life studies, analyses of required net salvage rates, and the selection of depreciation systems that will most nearly achieve the goals of depreciation accounting under the constraints of either government regulation or competitive market pricing. Foster Associates is widely recognized for industry leadership in the development of depreciation systems, life analysis techniques and computer software for conducting depreciation and valuation studies.

Gas depreciation rates currently used by SJLP were approved by the Missouri Public Service Commission (Commission) pursuant to a Stipulation and Agreement in Formal Case No. ER-99-246 dated August 17, 1999. Net salvage rates and service life statistics used to derive the settled depreciation rates were not included in either the Stipulation and Agreement or in other documents related to the case.

The principal findings and recommendations of the SJLP Depreciation Rate Study are summarized in the Statements section of this report. Statement A provides a comparative summary of present and proposed annual depreciation rates for each rate category. Statement B provides a comparison of present and proposed annual depreciation accruals. Statement C provides a comparison of the computed, recorded and redistributed depreciation reserves for each rate category. Statement D provides a summary of the components used to obtain a weighted-average net salvage rate for each plant account. Statement F provides a comparative summary of present and proposed parameters including projection life, projection curve, average service life, and average remaining life.

SCOPE OF STUDY

The principal activities undertaken in the current study included:

- Collection of plant and net salvage data;
- Reconciliation of data to the official records of the Company;
- Discussions with Aquila plant accounting personnel;
- Estimation of projection lives and retirement dispersion patterns;
- Analysis of gross salvage and removal expense;
- Analysis and redistribution of recorded depreciation reserves; and
- Development of recommended accrual rates for each rate category.

DEPRECIATION SYSTEM

A depreciation rate is formed by combining the elements of a depreciation system. A depreciation system is composed of a method, a procedure and a technique. A depreciation method (*e.g.*, straight-line) describes the component of the system that determines the acceleration or deceleration of depreciation accruals in relation to either time or use. A depreciation procedure (*e.g.*, vintage group) identifies the level of grouping or sub-grouping of assets within a plant category. The level of grouping specifies the weighting used to obtain composite life statistics for an account. A depreciation technique (*e.g.*, remaining-life) describes the life statistic used in the system.

SJLP is presently using a depreciation system composed of the straight-line method, broad group procedure, whole-life technique for all plant categories. Depreciation rates proposed in this study are derived from a system composed of the straight-line method, vintage group procedure, whole-life technique with amortization of reserve imbalances over the estimated remaining life of each rate category. This formulation of the accrual rate is equivalent to a straight-line method, vintage group procedure, remaining-life technique.

The matching and expense recognition principles of accounting provide that the cost of an asset (or group of assets) should be allocated to operations over an estimate of the economic life of the asset in proportion to the consumption of service potential. It is the opinion of Foster Associates that the objectives of depreciation accounting can be more nearly achieved using the vintage-group procedure combined with the remaining-life technique. Unlike the broad group procedure in which each vintage is estimated to have the same average service life, the vintage group procedure distinguishes average service lives among vintages and provides cost apportionment over the estimated weighted-average remaining life or average life of a rate category.

The level of asset grouping identified in the broad group procedure is the total plant in service from all vintages in an account. Each vintage is estimated to have the same average service life. It is highly unlikely, therefore, that compensating deviations (*i.e.*, over and underestimates of average service life) will be created among vintages to achieve cost allocation over the average service life of each vintage. The level of asset grouping identified in the vintage group procedure is the plant in service from each vintage. The average service life (or remaining life) is estimated for each vintage and composite life statistics are computed for each plant account. It is more likely, therefore, that compensating deviations will be created with a vintage group procedure than with a broad group procedure.

The dependency of both the broad group procedure and the vintage group procedure on compensating deviations in the estimate of service lives is attributable to the use of the whole-life technique. A permanent excess or deficiency will be created in the depreciation reserve by a continued application of the whole-life technique if these deviations are not exactly offsetting. The potential for a permanent reserve imbalance can be eliminated, however, by an application of the remaining-life technique.

The principal distinction between a whole-life rate and a remaining-life rate is the treatment of depreciation reserve imbalances caused largely by imprecise estimates of service life statistics and net salvage rates. A reserve imbalance is the difference between a theoretical or computed reserve and the corresponding recorded reserve for a rate category.

Although the emergence of economic factors such as bypass and incentive forms of regulation may ultimately encourage abandonment of the straight-line method, no attempt was made in the current study to address these concerns.

PROPOSED DEPRECIATION RATES

Table 1 provides a summary of the changes in annual rates and accruals resulting from adoption of the parameters and depreciation system recommended in this study.

*Rates
and
Accruals*

Function	Accrual Rate			2002 Annualized Accrual		
	Present	Proposed	Difference	Present	Proposed	Difference
Distribution	2.24%	3.55%	1.31%	\$167,092	\$265,617	\$98,525
General Plant	2.60%	3.49%	0.89%	4,125	5,544	1,419
Total Utility	2.24%	3.55%	1.31%	\$171,217	\$271,161	\$99,944

TABLE 1. PRESENT AND PROPOSED RATES AND ACCRUALS

Foster Associates is recommending primary account depreciation rates equivalent to a composite rate of 3.55 percent. Depreciation expense is presently accrued at an equivalent composite rate of 2.24 percent. The recommended

change in the composite depreciation rate is, therefore, an increase of 1.31 percentage points.

A continued application of rates currently prescribed would provide annualized depreciation expense of \$171,217 compared to an annualized expense of \$271,161 using the rates developed in this study. The proposed expense increase is \$99,944. Of this increase, \$27,623 represents amortization of a \$684,756 reserve imbalance. The remaining portion of the increase is attributable to recommended changes in service life and net salvage parameters.

Of the 17 primary accounts included in the 2002 study, Foster Associates is recommending rate reductions for 6 accounts and rate increases for 11 accounts.

STUDY PROCEDURE

INTRODUCTION

The purpose of a depreciation study is to analyze the mortality characteristics, net salvage rates and adequacy of the depreciation accrual and recorded depreciation reserve for each rate category. This study provides the foundation and documentation for recommended changes in the depreciation accrual rates used by Aquila for its SJLP Gas Operations. The proposed rates are subject to approval by the Missouri Public Service Commission.

SCOPE

The steps involved in conducting a depreciation study can be grouped into five major tasks:

- Data Collection;
- Life Analysis and Estimation;
- Net Salvage Analysis;
- Depreciation Reserve Analysis; and
- Development of Accrual Rates.

The scope of the 2002 study for SJLP included a consideration of each of these tasks as described below.

DATA COLLECTION

The minimum database required to conduct a statistical life study consists of a history of vintage year additions and unaged activity year retirements, transfers and adjustments. These data must be appropriately adjusted for transfers, sales and other plant activity that would otherwise bias the measured service life of normal retirements. The age distribution of surviving plant for unaged data can be estimated by distributing the plant in service at the beginning of the study year to prior vintages in proportion to the theoretical amount surviving from a projection or survivor curve identified in the life study. The statistical methods of life analysis used to examine unaged plant data are known as *semi-actuarial techniques*.

A far more extensive database is required to apply the statistical methods of life analysis known as *actuarial techniques*. Plant data used in an actuarial life study most often include the age distribution of surviving plant at the beginning of the study year and the vintage year, activity year, and dollar amounts associated with normal retirements, reimbursed retirements, sales, abnormal retirements, transfers, corrections, and extraordinary adjustments over a series of prior activity years. An actuarial database may include the age distribution of surviving plant at the beginning of the earliest activity year, rather than at the beginning of the study year. Plant additions, however, must be included in a database containing an opening age distribution to derive aged survivors at the beginning of the

study year. All activity year transactions with vintage year identification are coded and stored in a data file. The data are processed by a computer program and transaction summary reports are created in a format reconcilable to the Company's official plant records. The availability of such detailed information is dependent upon an accounting system that supports aged property records. The Continuing Property Record (CPR) system used by Aquila for SJLP assets provides aged transactions for all plant accounts.

The database used in the 2002 study was compiled from two sources. Detailed accounting transactions were extracted from these sources and assigned transaction codes which identify the nature of the accounting activity. Transaction codes for plant additions, for example, are used to distinguish normal additions from acquisitions, purchases, reimbursements and adjustments. Similar transaction codes are used to distinguish normal retirements from sales, reimbursements, abnormal retirements and adjustments. Transaction codes are also assigned to transfers, capital leases and other accounting activity which should be considered in a depreciation study.

The first data source was an electronic file used by SJLP in conducting its 1998 depreciation rate study. The legacy data base was updated by SJLP to include activity years 1998 through 2000. The earliest activity year in the updated file was 1980. An electronic worksheet was used by Foster Associates to create a coded database in a format compatible with the software used to conduct the current depreciation study.

The second source of data was the current CPR system installed by Aquila in 1998. The database obtained from this system included activity year transactions for calendar year 2001 and the age distribution of surviving plant at December 31, 2001. Plant transactions for 2001 were added to the legacy database to generate age distributions at December 31, 2001. The resulting age distributions were then compared to the age distributions extracted from the current CPR. Differences were coded as vintage adjustments in 2001 to interconnect and provide continuity between the two databases. Care was taken in creating the Foster Associates database to ensure a proper mapping of the legacy system account structure to the current CPR account structure.

The accuracy and completeness of the assembled data base was verified by Foster Associates for activity year 2001 by comparing additions, retirements, transfers and adjustments, and the ending plant balance derived for 2001 to the official plant records of the Company. The legacy database contains adjustments for depreciation study purposes which prevents reconciling the database to the official plant records for activity years prior to 2001.

LIFE ANALYSIS AND ESTIMATION

Life analysis and life estimation are terms used to describe a two-step procedure for estimating the mortality characteristics of a plant category. The first step (*i.e.*, life analysis) is largely mechanical and primarily concerned with history. Statistical techniques are used in this step to obtain a mathematical description of the forces of retirement acting upon a plant category and an estimate of service life known as the *projection life* of the account. The mathematical expressions used to describe these life characteristics are known as *survival functions* or *survivor curves*.

The second step (*i.e.*, life estimation) is concerned with predicting the expected remaining life of property units still exposed to the forces of retirement. It is a process of blending the results of the life analysis with informed judgment (including expectations about the future) to obtain an appropriate projection life and curve. The amount of weight given to the life analysis will depend upon the extent to which past retirement experience is considered descriptive of the future.

The analytical methods used in a life analysis are broadly classified as actuarial and semi-actuarial techniques. Actuarial techniques can be applied to plant accounting records that reveal the age of a plant asset at the time of its retirement from service. Stated differently, each property unit must be identifiable by date of installation and age at retirement. Semi-actuarial techniques can be used to derive service life and dispersion estimates when age identification of retirements is not maintained or readily available.

An actuarial life analysis program designed and developed by Foster Associates was used in this study. The first step in an actuarial analysis involves a systematic treatment of the available data for the purpose of constructing an observed life table. A complete life table contains the life history of a group of property units installed during the same accounting period and various probability relationships derived from the data. A life table is arranged by age-intervals (usually defined as one year) and shows the number of units (or dollars) entering and leaving each age-interval and probability relationships associated with this activity. A life table minimally shows the age of each survivor and the age of each retirement from a group of units installed in a given accounting year.

A life table can be constructed in any one of at least five alternative methods. The annual-rate or retirement-rate method was used in this study. The mechanics of the annual-rate method require the calculation of a series of ratios obtained by dividing the number of units (or dollars) surviving at the beginning of an age interval into the number of units (or dollars) retired during the same interval. This ratio (or set of ratios) is commonly referred to as retirement ratios. The cumulative proportion surviving is obtained by multiplying the retirement ratio for each age interval by the proportion of the original group surviving at the beginning of

that age interval and subtracting this product from the proportion surviving at the beginning of the same interval. The annual-rate method is applied to multiple groups or vintages by combining the retirements and/or survivors of like ages for each vintage included in the analysis.

The second step in an actuarial analysis involves graduating or smoothing the observed life table and fitting the smoothed series to a family of survival functions. The functions used in this study are the Iowa-type curves which are mathematically described in terms of the Pearson frequency curve family. The observed life table was smoothed by a weighted least-squares procedure in which first, second and third degree polynomials were fitted to the observed retirement ratios. The resulting function can be expressed in terms of a survivorship function which is numerically integrated to obtain an estimate of the average service life. The smoothed survivorship function is then fitted by a weighted least-squares procedure to the Iowa-curve family to obtain a mathematical description or classification of the dispersion characteristics of the data.

The set of computer programs used in this analysis provides multiple rolling-band and shrinking-band analyses of an account. Observation bands are defined for a "retirement era" which restricts the analysis to the retirement activity of all vintages represented by survivors at the beginning of a selected era. In a rolling-band analysis, a year of retirement experience is added to each successive retirement band and the earliest year from the preceding band is dropped. A shrinking-band analysis begins with the total retirement experience available and the earliest year from the preceding band is dropped for each successive band. Rolling and shrinking band analyses are used to detect the emergence of trends in the behavior of the dispersion and average service life.

Options available in the actuarial life analysis program include the width and location of both placement and observation bands; the interval of years included in a selected rolling or shrinking band analysis; the estimator of the hazard rate (actuarial, conditional proportion retired, or maximum likelihood); the elements to include on the diagonal of a weight matrix (exposures, inverse of age, inverse of variance, or unweighted); and the age at which an observed life table is truncated. The program also provides tabular and graphics output as an aid in the analysis and optionally produces data output files used in the calculation of depreciation accruals.

While actuarial and semi-actuarial statistical methods are well suited to an analysis of plant categories containing a large number of homogeneous units (*e.g.*, mains and services), the concept of retirement dispersion is inappropriate for plant categories composed of major items of plant that will most likely be retired as a single unit. Plant retirements from an integrated system prior to the retirement of the entire facility are more properly viewed as interim retirements that will be re-

placed in order to maintain the integrity of the system. Additionally, plant facilities may be added to the existing system (*i.e.*, interim additions) in order to expand or enhance its productive capacity without extending the service life of the present system. A proper depreciation rate can be developed for an integrated system using a life-span method. All plant accounts were treated as full mortality categories in this study.

NET SALVAGE ANALYSIS

Depreciation rates designed to achieve the goals and objectives of depreciation accounting will include a parameter for future net salvage and a variable for average net salvage which reflects both realized and future net salvage rates.

An estimate of the net salvage rate applicable to future retirements is most often obtained from an analysis of gross salvage and removal expense realized in the past. An analysis of past experience (including an examination of trends over time) provides an appropriate basis for estimating future salvage and cost of removal. However, consideration should also be given to events that may cause deviations from net salvage realized in the past. Among the factors that should be considered are the age of plant retirements; the portion of retirements likely to be reused; changes in the method of removing plant; the type of plant to be retired in the future; inflation expectations; the shape of the projection life curve; and economic conditions that may warrant greater or lesser weight to be given to the net salvage observed in the past.

Special consideration should also be given to the treatment of insurance proceeds and other forms of third-party reimbursements credited to the depreciation reserve. A properly conducted net salvage study will exclude such activity from the estimate of future parameters and include the activity in the computation of realized and average net salvage rates.

A traditional, historical analysis using a five-year moving average of the ratio of realized salvage and removal expense to the associated retirements was used in this study to a) estimate a realized net salvage rate; b) detect the emergence of historical trends; and c) establish a basis for estimating a future net salvage rate. Cost of removal and salvage opinions obtained from Company engineers were blended with judgment and historical net salvage indications in developing estimates of the future.

The average net salvage rate for an account was estimated using direct dollar weighting of historical retirements with the historical net salvage rate, and future retirements (*i.e.*, surviving plant) with the estimated future net salvage rate. The computation of the estimated average net salvage rate for each rate category is shown in Statement D.

DEPRECIATION RESERVE ANALYSIS

The purpose of a depreciation reserve analysis is to compare the current level of the recorded reserve with the level required to achieve the goals or objectives of depreciation accounting if the amount and timing of future retirements and net salvage are realized as predicted. The difference between the required depreciation reserve and the recorded reserve provides a measurement of the expected excess or shortfall that will remain in the depreciation reserve if corrective action is not taken to eliminate the reserve imbalance.

Unlike a recorded reserve which represents the net amount of depreciation expense charged to previous periods of operations, a theoretical reserve is a measure of the implied reserve requirement at the beginning of a study year if the timing of future retirements and net salvage is in exact conformance with a survivor curve chosen to predict the probable life of plant units still exposed to the forces of retirement. Stated differently, a theoretical depreciation reserve is the difference between the recorded cost of plant presently in service and the sum of the depreciation expense and net salvage that will be charged in the future if plant retirements are distributed over time according to a specified retirement frequency distribution.

The survivor curve used in the calculation of a theoretical depreciation reserve is intended to describe forces of retirement that will be operative in the future. However, retirements caused by forces such as accidents, physical deterioration and changing technology seldom, if ever, remain stable over time. It is unlikely, therefore, that a probability or retirement frequency distribution can be identified that will accurately describe the age of plant retirements over the complete life cycle of a vintage. It is for this reason that depreciation rates should be reviewed periodically and adjusted for observed or expected changes in the parameters chosen to describe the underlying forces of mortality.

Although reserve records are commonly maintained by various account classifications, the total reserve for a company is the most important measure of the status of the company's depreciation practices. If statistical life studies have not been conducted or retirement dispersion has been ignored in setting depreciation rates, it is likely that some accounts will be over-depreciated and other accounts will be under-depreciated relative to a calculated theoretical reserve. Differences between the theoretical reserve and the recorded reserve also will arise as a normal occurrence when service lives, dispersion patterns and net salvage estimates are adjusted in the course of depreciation reviews. It is appropriate, therefore, and consistent with group depreciation theory to periodically redistribute or rebalance the total recorded reserve among the various primary accounts based upon the most recent estimates of retirement dispersion and net salvage rates.

A redistribution of recorded reserves is appropriate for SJLP at this time. Although recorded reserves have been maintained by primary account, these reserves were largely ignored in the development of the presently prescribed whole-life accrual rates. The present rates were established by negotiations and compromise without specifying the parameters and reserve ratios contemplated in the settled rates. This failure to address prior reserve imbalances produces an added dimension of instability in accrual rates beyond the variability attributable to the parameters estimated in the current study. A redistribution of the recorded reserve is necessary, therefore, to develop an initial reserve balance for each primary account consistent with the age distributions and estimates of retirement dispersion developed in this study. Reserves should also be realigned in this study to reflect implementation of the vintage group procedure.

A redistribution of the recorded reserve was achieved for SJLP by multiplying the calculated reserve for each primary account within a function by the ratio of the function total recorded reserve to the function total calculated reserve. The sum of the redistributed reserves within a function is, therefore, equal to the function total recorded depreciation reserve before the redistribution.

Statement C provides a comparison of the computed and recorded reserves for SJLP on December 31, 2001. The recorded reserve was \$3,483,626, or 45.6 percent of the depreciable plant investment. The corresponding computed reserve is \$4,168,382 or 54.6 percent of the depreciable plant investment. A proportionate amount of the measured reserve imbalance of \$684,756 will be amortized over the composite weighted-average remaining life of each rate.

DEVELOPMENT OF ACCRUAL RATES

The goal or objective of depreciation accounting is cost allocation over the economic life of an asset in proportion to the consumption of service potential. Ideally, the cost of an asset—which represents the cost of obtaining a bundle of service units—should be allocated to future periods of operation in proportion to the amount of service potential expended during an accounting interval. The service potential of an asset is the present value of future net revenue (*i.e.*, revenue less expenses exclusive of depreciation and other non-cash expenses) or cash inflows attributable to the use of that asset alone.

Cost allocation in proportion to the consumption of service potential is often approximated by the use of depreciation methods employing time rather than net revenue as the apportionment base. Examples of time-based methods include sinking-fund, straight-line, declining balance, and sum-of-the-years' digits. The advantage of using a time-based method is that it does not require an estimate of the remaining amount of service capacity an asset will provide or the amount of capacity actually consumed during an accounting interval. Using a time-based allocation method, however, does not change the goal of depreciation accounting. If

it is predictable that the net revenue pattern of an asset will either decrease or increase over time, then an accelerated or decelerated time-based method should be used to approximate the rate at which service potential is actually consumed.

The time period over which the cost of an asset will be allocated to operations is determined by the combination of a procedure and a technique. A depreciation procedure describes the level of grouping or sub-grouping of assets within a plant category. The broad group, vintage group, equal-life group, and item or unit are a few of the more widely used procedures. A depreciation technique describes the life statistic used in a depreciation system. The whole life and remaining life (or expectancy) are the most common techniques.

Depreciation rates recommended in this study were developed using a system composed of the straight-line method, vintage group procedure, whole-life technique with amortization of reserve imbalances over the estimated remaining life of each rate category. This formulation of the accrual rate is equivalent to a straight-line method, vintage group procedure, remaining-life technique. It is the opinion of Foster Associates that this system will remain appropriate for SJLP, provided depreciation studies are conducted periodically and parameters are routinely adjusted to reflect changing operating conditions.

STATEMENTS

INTRODUCTION

This section provides a comparative summary of depreciation rates, annual depreciation accruals, recorded and computed depreciation reserves, and present and proposed service life and net salvage statistics recommended for SJLP Gas Operations. The content of these statements is briefly described below.

- Statement A provides a comparative summary of present and proposed annual depreciation rates using the vintage group procedure, whole-life technique with amortization of reserve imbalances.
- Statement B provides a comparison of the present and proposed annualized 2002 depreciation accruals using the depreciation rates developed in Statement A.
- Statement C provides a comparison of the recorded, computed and redistributed reserves for each rate category at December 31, 2001.
- Statement D provides a summary of the components used to obtain a weighted average net salvage rate for each rate category.
- Statement E provides a comparative summary of present and proposed parameters including projection life, projection curve, average service life, and average remaining life.

Present depreciation accruals shown on Statement B are the product of the plant investment (Column B) and the present depreciation rates (Column D) shown on Statement A. These are the effective rates used by the Company for the mix of investments recorded on December 31, 2001. Similarly, proposed depreciation accruals shown on Statement B are the product of the plant investment and the proposed depreciation rates (Column I) shown on Statement A. Proposed accrual rates shown on Statement A are given by:

$$\text{Accrual Rate} = \frac{1.0 - \text{Average Net Salvage}}{\text{Average Life}} + \frac{\text{Computed Reserve} - \text{Recorded Reserve}}{\text{Remaining Life}}$$

where *Average Net Salvage*, *Computed Reserve* and *Recorded Reserve* are expressed in percent. This formulation of the accrual rate is equivalent to

$$\text{Accrual Rate} = \frac{1.0 - \text{Reserve Ratio} - \text{Future Net Salvage Rate}}{\text{Remaining Life}}.$$

AQUILA NETWORKS - SJLP (GAS OPERATIONS)

Statement A

Comparison of Present and Proposed Accrual Rates

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description A	Present			Proposed				
	Avg. Life B	Net Salvage C	Accrual Rate D	Avg. Life E	Avg. Net Salvage F	W/L Rate G	Amortization H	R/L Rate I=G+H
DISTRIBUTION PLANT								
375001 Structures and Improvements			2.00%	41.26	-9.3%	2.65%	0.54%	3.19%
376100 Mains - Metallic			1.31%	55.39	-49.7%	2.70%	0.68%	3.38%
376200 Mains - Nonmetallic			1.31%	55.01	-50.0%	2.73%	0.10%	2.83%
378000 Measuring and Regulating Equipment			3.69%	40.50	-5.3%	2.60%	0.16%	2.76%
379000 Meas. and Reg. Equipment - City Gate			2.18%	32.79	-4.5%	3.19%	0.19%	3.38%
380100 Services - Metallic			3.54%	44.48	-118.3%	4.91%	1.07%	5.98%
380200 Services - Nonmetallic			3.54%	41.12	-99.7%	4.86%	0.32%	5.18%
381000 Meters			3.07%	38.53	0.2%	2.59%	0.30%	2.89%
383001 House Regulators			2.44%	35.90		2.79%	0.26%	3.05%
385001 Meas. and Reg. Equipment - Industrial			3.85%	32.28	-5.0%	3.25%	0.93%	4.18%
385002 Large Volume Meters			3.85%	40.72	-5.0%	2.58%	0.29%	2.87%
387000 Other Equipment			10.92%	30.16		3.32%	0.67%	3.99%
Total Distribution Plant			2.24%	45.92	-45.7%	3.17%	0.38%	3.55%
GENERAL PLANT								
391001 Office Furniture and Equipment				18.31		5.46%	-0.35%	5.11%
391003 Computer Hardware				13.85		7.22%	-1.52%	5.70%
394000 Tools, Shop and Garage Equipment			2.48%	25.58		3.91%	-0.40%	3.51%
395000 Laboratory Equipment			4.55%	25.00		4.00%	-0.55%	3.45%
398000 Miscellaneous Equipment			3.73%	25.81		3.87%	-0.88%	2.99%
Total General Plant			2.60%	25.12		3.98%	-0.49%	3.49%
TOTAL DEPRECIABLE PLANT			2.24%	45.39	-44.8%	3.19%	0.36%	3.55%

AQUILA NETWORKS - SJLP (GAS OPERATIONS)

Statement B

Comparison of Present and Proposed Accruals

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description	12/31/01 Plant Investment	2002 Annualized Accrual				
		Present	Proposed			Difference
			Whole-Life	Amortization	Total	
A	B	C	D	E	F=D+E	G=F-C
DISTRIBUTION PLANT						
375001 Structures and Improvements	\$24,136	\$483	\$640	\$130	\$770	\$287
376100 Mains - Metallic	2,166,815	28,385	58,504	14,734	73,238	44,853
376200 Mains - Nonmetallic	1,561,015	20,449	42,616	1,561	44,177	23,728
378000 Measuring and Regulating Equipment	333,113	12,292	8,661	533	9,194	(3,098)
379000 Meas. and Reg. Equipment - City Gate	475,048	10,356	15,154	903	16,057	5,701
380100 Services - Metallic	201,012	7,116	9,870	2,151	12,021	4,905
380200 Services - Nonmetallic	1,338,105	47,369	65,032	4,282	69,314	21,945
381000 Meters	822,753	25,259	21,309	2,469	23,778	(1,481)
383001 House Regulators	449,273	10,962	12,535	1,168	13,703	2,741
385001 Meas. and Reg. Equipment - Industrial	22,683	873	737	211	948	75
385002 Large Volume Meters	76,623	2,950	1,977	222	2,199	(751)
387000 Other Equipment	5,472	598	182	36	218	(380)
Total Distribution Plant	\$7,476,048	\$167,092	\$237,217	\$28,400	\$265,617	\$98,525
GENERAL PLANT						
391001 Office Furniture and Equipment	\$1,413		\$77	(\$5)	\$72	\$72
391003 Computer Hardware	3,022		218	(46)	172	172
394000 Tools, Shop and Garage Equipment	131,118	3,252	5,127	(525)	4,602	1,350
395000 Laboratory Equipment	810	37	32	(4)	28	(9)
398000 Miscellaneous Equipment	22,411	836	867	(197)	670	(166)
Total General Plant	\$158,774	\$4,125	\$6,321	(\$777)	\$5,544	\$1,419
TOTAL DEPRECIABLE PLANT	\$7,634,822	\$171,217	\$243,538	\$27,623	\$271,161	\$99,944

AQUILA NETWORKS - SJLP (GAS OPERATIONS)

Statement C

Depreciation Reserve Summary
Vintage Group Procedure
December 31, 2001

Account Description A	Plant Investment B	Recorded Reserve		Computed Reserve		Redistributed Reserve	
		Amount C	Ratio D=C/B	Amount E	Ratio F=E/B	Amount G	Ratio H=G/B
DISTRIBUTION PLANT							
375001 Structures and Improvements	\$24,136	\$10,437	43.24%	\$14,529	60.20%	\$12,069	50.00%
376100 Mains - Metallic	2,166,815	1,735,282	80.08%	1,940,202	89.54%	1,611,620	74.38%
376200 Mains - Nonmetallic	1,561,015	304,147	19.48%	422,674	27.08%	351,093	22.49%
378000 Measuring and Regulating Equipment	333,113	86,201	25.88%	93,578	28.09%	77,730	23.33%
379000 Meas. and Reg. Equipment - City Gate	475,048	94,292	19.85%	131,061	27.59%	108,865	22.92%
380100 Services - Metallic	201,012	132,988	66.16%	226,816	112.84%	188,404	93.73%
380200 Services - Nonmetallic	1,338,105	550,047	41.11%	747,446	55.86%	620,863	46.40%
381000 Meters	822,753	273,115	33.20%	333,029	40.48%	276,629	33.62%
383001 House Regulators	449,273	186,636	41.54%	160,061	35.63%	132,954	29.59%
385001 Meas. and Reg. Equipment - Industrial	22,683	12,096	53.33%	14,956	65.93%	12,423	54.77%
385002 Large Volume Meters	76,623	31,417	41.00%	32,502	42.42%	26,997	35.23%
387000 Other Equipment	5,472	5,472	100.00%	2,990	54.64%	2,484	45.39%
Total Distribution Plant	\$7,476,048	\$3,422,131	45.77%	\$4,119,845	55.11%	\$3,422,131	45.77%
GENERAL PLANT							
391001 Office Furniture and Equipment	\$1,413	\$353	24.95%	\$272	19.22%	\$344	24.36%
391003 Computer Hardware	3,022	461	15.26%	1,333	44.12%	1,689	55.89%
394000 Tools, Shop and Garage Equipment	131,118	43,347	33.06%	36,342	27.72%	46,045	35.12%
395000 Laboratory Equipment	810	221	27.34%	274	33.88%	348	42.93%
398000 Miscellaneous Equipment	22,411	17,114	76.36%	10,315	46.03%	13,070	58.32%
Total General Plant	\$158,774	\$61,495	38.73%	\$48,537	30.57%	\$61,495	38.73%
TOTAL DEPRECIABLE PLANT	\$7,634,822	\$3,483,626	45.63%	\$4,168,382	54.60%	\$3,483,626	45.63%

AQUILA NETWORKS - SJLP (GAS OPERATIONS)

Statement D

Average Net Salvage

Account Description	Plant Investment			Salvage Rate		Net Salvage			Average Rate
	Additions	Retirements	Survivors	Realized	Future	Realized	Future	Total	
A	B	C	D=B-C	E	F	G=E*C	H=F*D	I=G+H	J=I/B
DISTRIBUTION PLANT									
375001 Structures and Improvements	\$25,908	\$1,772	\$24,136		-10.0%		(\$2,414)	(\$2,414)	-9.3%
376100 Mains - Metallic	2,304,684	137,869	2,166,815	-44.3%	-50.0%	(61,076)	(1,083,408)	(1,144,483)	-49.7%
376200 Mains - Nonmetallic	1,561,015		1,561,015		-50.0%		(780,508)	(780,508)	-50.0%
378000 Measuring and Regulating Equipment	361,028	27,915	333,113	-8.7%	-5.0%	(2,429)	(16,656)	(19,084)	-5.3%
379000 Meas. and Reg. Equipment - City Gate	609,806	134,758	475,048	-2.7%	-5.0%	(3,638)	(23,752)	(27,391)	-4.5%
380100 Services - Metallic	295,703	94,691	201,012	-157.1%	-100.0%	(148,760)	(201,012)	(349,772)	-118.3%
380200 Services - Nonmetallic	1,350,317	12,212	1,338,105	-62.8%	-100.0%	(7,669)	(1,338,105)	(1,345,774)	-99.7%
381000 Meters	963,724	140,971	822,753	1.1%		1,551		1,551	0.2%
383001 House Regulators	459,074	9,801	449,273						
385001 Meas. and Reg. Equipment - Industrial	22,683		22,683		-5.0%		(1,134)	(1,134)	-5.0%
385002 Large Volume Meters	76,623		76,623		-5.0%		(3,831)	(3,831)	-5.0%
387000 Other Equipment	5,472		5,472						
Total Distribution Plant	\$8,036,037	\$559,989	\$7,476,048	-39.6%	-46.2%	(\$222,021)	(\$3,450,819)	(\$3,672,840)	-45.7%
GENERAL PLANT									
391001 Office Furniture and Equipment	\$1,413		\$1,413						
391003 Computer Hardware	3,022		3,022						
394000 Tools, Shop and Garage Equipment	140,288	9,170	131,118						
395000 Laboratory Equipment	2,946	2,136	810						
398000 Miscellaneous Equipment	22,411		22,411						
Total General Plant	\$170,080	\$11,306	\$158,774						
TOTAL DEPRECIABLE PLANT	\$8,206,117	\$571,295	\$7,634,822	-38.9%	-45.2%	(\$222,021)	(\$3,450,819)	(\$3,672,840)	-44.8%

AQUILA NETWORKS - SJLP (GAS OPERATIONS)

Statement E

Present and Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters					
	P-Life/ AYFR	Curve Shape	BG ASL	Rem. Life	Avg. Sal.	Fut. Sal.	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Avg. Sal.	Fut. Sal.
A	B	C	D	E	F	G	H	I	J	K	L	M
DISTRIBUTION PLANT												
375001 Structures and Improvements							40.00	R3	41.26	18.80	-9.3	-10.0
376100 Mains - Metallic							55.00	R4	55.39	22.37	-49.7	-50.0
376200 Mains - Nonmetallic							55.00	R4	55.01	45.08	-50.0	-50.0
378000 Measuring and Regulating Equipment							40.00	R2	40.50	29.58	-5.3	-5.0
379000 Meas. and Reg. Equipment - City Gate							33.00	S1	32.79	24.29	-4.5	-5.0
380100 Services - Metallic							40.00	R1.5	44.48	17.76	-118.3	-100.0
380200 Services - Nonmetallic							40.00	R1.5	41.12	29.68	-99.7	-100.0
381000 Meters							38.00	R3	38.53	22.98	0.2	
383001 House Regulators							35.00	R3	35.90	23.11		
385001 Meas. and Reg. Equipment - Industrial							30.00	R3	32.28	12.01	-5.0	-5.0
385002 Large Volume Meters							40.00	R3	40.72	24.27	-5.0	-5.0
387000 Other Equipment							30.00	S3	30.16	13.68		
Total Distribution Plant									45.92	28.27	-45.7	-46.2
GENERAL PLANT												
391001 Office Furniture and Equipment							18.00	L0	18.31	14.79		
391003 Computer Hardware							12.00	SC	13.85	7.74		
394000 Tools, Shop and Garage Equipment							25.00	L2	25.58	18.49		
395000 Laboratory Equipment							25.00	S3	25.00	16.53		
398000 Miscellaneous Equipment							25.00	S3	25.81	13.93		
Total General Plant									25.12	17.55		
TOTAL DEPRECIABLE PLANT									45.39	28.04	-44.8	-45.2

ANALYSIS

INTRODUCTION

This section provides an explanation of the supporting schedules developed in the SJLP gas operations depreciation study to estimate appropriate projection curves, projection lives and statistics for each rate category. The form and content of the schedules developed for an account depend upon the method of analysis adopted for the category.

This section also includes an example of the supporting schedules developed for Account 376100 – Mains (Metallic) as an illustration. Documentation for all other plant accounts is contained in the study work papers. The supporting schedules developed in the SJLP study include:

- Schedule A – Generation Arrangement;
- Schedule B – Age Distribution;
- Schedule C – Unadjusted Plant History;
- Schedule D – Adjusted Plant History;
- Schedule E – Actuarial Life Analysis;
- Schedule F – Graphics Analysis; and
- Schedule G – Historical Net Salvage Analysis.

The format and content of these schedules are briefly described below.

SCHEDULE A – GENERATION ARRANGEMENT

The purpose of this schedule is to obtain appropriate weighted-average life statistics for a rate category. The weighted-average remaining-life is the sum of Column H divided by the sum of Column I. The weighted average life is the sum of Column C divided by the sum of Column I.

It should be noted that the generation arrangement does not include parameters for net salvage. Computed Net Plant (Column H) and Accruals (Column I) must be adjusted for net salvage to obtain a correct measurement of theoretical reserves and annualized depreciation accruals.

The following table provides a description of each column in the generation arrangement.

Generation Arrangement

Column	Title	Description
A	Vintage	Vintage or placement year of surviving plant.
B	Age	Age of surviving plant at beginning of study year.
C	Surviving Plant	Actual dollar amount of surviving plant.
D	Average Life	Estimated average life of each vintage. This statistic is the sum of the realized life and the unrealized life, which is the product of the remaining life (Column E) and the theoretical proportion surviving.
E	Remaining Life	Estimated remaining life of each vintage.
F	Net Plant Ratio	Theoretical net plant ratio of each vintage.
G	Allocation Factor	A pivotal ratio which determines the amortization period of the difference between the recorded and computed reserve.
H	Computed Net Plant	Plant in service less theoretical reserve for each vintage.
I	Accrual	Ratio of computed net plant (Column H) and remaining life (Column E).

TABLE 2. GENERATION ARRANGEMENT

SCHEDULE B – AGE DISTRIBUTION

This schedule provides the age distribution and realized life of surviving plant shown in Column C of the Generation Arrangement (Schedule A). The format of the schedule depends upon the availability of either aged or unaged data. Derived additions for vintage years older than the earliest activity year in an account for unaged data are obtained from the age distribution of surviving plant at the beginning of the earliest activity year. The amount surviving from these vintages is shown in Column D. The realized life (Column G) is derived from the dollar years of service provided by a vintage over the period of years the vintage has been in service. Plant additions for vintages older than the earliest activity year in an account are represented by the opening balances shown in Column D.

The computed proportion surviving (Column D) for unaged is derived from a computed mortality analysis. The average service life displayed in the title block is the life statistic derived for the most recent activity year, given the derived age distribution at the start of the year and the specified retirement dispersion. The realized life (Column F) is obtained by finding the slope of an SC retirement dispersion, which connects the computed survivors of a vintage (Column E) to the recorded vintage addition (Column B). The realized life is the area bounded by the SC dispersion, the computed proportion surviving and the age of the vintage.

SCHEDULE C – UNADJUSTED PLANT HISTORY

This schedule provides a summary of recorded plant data extracted from the continuing property records maintained by the Company. Activity year total amounts shown on this schedule for aged data are obtained from a historical arrangement of the data base in which all plant accounting transactions are identified by vintage and activity year. Activity year totals for unaged data are obtained from a transaction file without vintage identification. Information displayed in the unadjusted plant history is consistent with regulated investments reported internally by the Company.

SCHEDULE D – ADJUSTED PLANT HISTORY

This schedule provides a summary of recorded plant data extracted from the continuing property records maintained by the Company with sales, transfers, and adjustments appropriately aged for depreciation study purposes. Activity year total amounts shown on this schedule for aged data are obtained from a historical arrangement of the data base in which all plant accounting transactions are identified by vintage and activity year. Ageing of adjusting transactions is achieved using transaction codes that identify an adjusting year associated with the dollar amount of a transaction. Adjusting transactions processed in the adjusted plant history are not aged in the Company's records nor in the unadjusted plant history.

SCHEDULE E – ACTUARIAL LIFE ANALYSIS

These schedules provide a summary of the dispersion and life indications obtained from an actuarial life analysis for a specified placement band. The observation band (Column A) is specified to produce either a rolling-band or a shrinking-band analysis depending upon the movement of the end points of the band. The degree of censoring (or point of truncation) of the observed life table is shown in Column B for each observation band. The estimated average service life, best fitting Iowa dispersion, and a statistical measure of the goodness of fit are shown for each degree polynomial (First, Second, and Third) fitted to the estimated hazard rates. Options available in the analysis include the width and location of both the placement and observation bands; the interval of years included in a selected rolling or shrinking band analysis; the estimator of the hazard rate (actuarial, conditional proportion retired, or maximum likelihood); the elements to include on the diagonal of a weight matrix (exposures, inverse of age, inverse of variance, or unweighted); and the age at which an observed life table is truncated.

The estimated average service lives (Columns C, F, and I) are flagged with an asterisk if negative hazard rates are indicated by the fitted polynomial. All negative hazard rates are set equal to zero in the calculation of the graduated survivor curve. The Conformance Index (Columns E, H, and K) is the square root of the mean sum-of-squared differences between the graduated survivor curve and

the best fitting Iowa curve. A Conformance Index of zero would indicate a perfect fit.

SCHEDULE F – GRAPHICS ANALYSIS

This schedule provides a graphics plot of a) the observed proportion surviving for a selected placement and observation band; b) the statistically best fitting Iowa dispersion and derived average service life; and c) the projection curve and projection life selected to describe future forces of mortality.

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS

This schedule provides a moving average analysis of the ratio of realized net salvage (Column I) to the associated retirements (Column B). The schedule also provides a moving average analysis of the components of net salvage related to retirements. The ratio of gross salvage to retirements is shown in Column D and the ratio of cost of removal to retirements is shown in Column G.

AQUILA NETWORKS - SJLP GAS OPERATIONS

Distribution Plant

Account: 376100 Mains - Metallic

Dispersion: 55 - R4

Procedure: Vintage Group

Generation Arrangement

Vintage	December 31, 2001		Avg. Life	Rem. Life	Net Plant Ratio	Alloc. Factor	Computed Net Plant	Accrual
	Age	Surviving Plant						
A	B	C	D	E	F	G	H=C*F*G	I=H/E
2001	0.5	4,041	55.00	54.50	0.9909	1.0000	4,004	73
2000	1.5	91,368	55.00	53.50	0.9728	1.0000	88,878	1,661
1999	2.5	8,915	55.00	52.50	0.9546	1.0000	8,510	162
1998	3.5	2,306	55.00	51.50	0.9364	1.0000	2,159	42
1997	4.5	3,575	54.47	50.51	0.9272	1.0000	3,315	66
1996	5.5	16,106	55.00	49.51	0.9002	1.0000	14,498	293
1995	6.5	42	55.00	48.51	0.8820	1.0000	37	1
1994	7.5	1,001	55.00	47.52	0.8639	1.0000	864	18
1993	8.5	140	55.00	46.52	0.8458	1.0000	119	3
1992	9.5	67	55.00	45.53	0.8277	1.0000	56	1
1988	13.5	1,018	55.01	41.56	0.7556	1.0000	769	19
1985	16.5	4,938	55.01	38.62	0.7020	1.0000	3,467	90
1981	20.5	10,271	55.03	34.73	0.6312	1.0000	6,483	187
1980	21.5	2,281	52.47	33.77	0.6437	1.0000	1,468	43
1979	22.5	9,731	55.04	32.82	0.5963	1.0000	5,803	177
1978	23.5	1,808	51.55	31.87	0.6184	1.0000	1,118	35
1977	24.5	3,074	55.06	30.93	0.5618	1.0000	1,727	56
1976	25.5	14,291	53.26	30.00	0.5634	1.0000	8,051	268
1975	26.5	11,832	51.66	29.08	0.5628	1.0000	6,659	229
1974	27.5	99,218	54.80	28.16	0.5139	1.0000	50,986	1,811
1973	28.5	93,753	55.13	27.25	0.4944	1.0000	46,348	1,701
1972	29.5	27,521	55.16	26.36	0.4779	1.0000	13,152	499
1971	30.5	33,085	54.99	25.47	0.4632	1.0000	15,326	602
1970	31.5	54,591	54.36	24.60	0.4525	1.0000	24,700	1,004
1969	32.5	34,477	54.12	23.73	0.4385	1.0000	15,119	637
1968	33.5	178,760	55.25	22.88	0.4141	1.0000	74,025	3,235
1967	34.5	336,631	55.31	22.04	0.3985	1.0000	134,137	6,086
1966	35.5	145,272	55.40	21.21	0.3829	1.0000	55,623	2,622
1965	36.5	66,733	55.46	20.40	0.3678	1.0000	24,546	1,203
1964	37.5	42,379	55.53	19.60	0.3529	1.0000	14,958	763
1963	38.5	29,096	55.62	18.81	0.3382	1.0000	9,840	523
1962	39.5	8,090	55.73	18.04	0.3237	1.0000	2,619	145
1961	40.5	507,726	55.78	17.28	0.3098	1.0000	157,293	9,102
1960	41.5	18,172	55.95	16.54	0.2955	1.0000	5,370	325
1959	42.5	15,131	56.09	15.80	0.2818	1.0000	4,263	270
1958	43.5	122,988	55.40	15.08	0.2723	1.0000	33,487	2,220
1957	44.5	23,916	56.40	14.38	0.2549	1.0000	6,097	424

AQUILA NETWORKS - SJLP GAS OPERATIONS

Distribution Plant

Account: 376100 Mains - Metallic

Dispersion: 55 - R4

Procedure: Vintage Group

Generation Arrangement

Vintage	December 31, 2001		Avg. Life	Rem. Life	Net Plant Ratio	Alloc. Factor	Computed Net Plant	Accrual
	Age	Surviving Plant						
A	B	C	D	E	F	G	H=C*F*G	I=H/E
1956	45.5	15,883	56.58	13.69	0.2419	1.0000	3,842	281
1955	46.5	10,038	56.78	13.01	0.2290	1.0000	2,299	177
1954	47.5	9,864	57.00	12.34	0.2165	1.0000	2,135	173
1953	48.5	19,783	56.44	11.69	0.2070	1.0000	4,096	350
1952	49.5	65,692	57.25	11.05	0.1931	1.0000	12,683	1,147
1951	50.5	9,005	54.47	10.45	0.1918	1.0000	1,727	165
1950	51.5	12,012	53.19	9.86	0.1855	1.0000	2,228	226
1949	52.5	40	58.45	9.31	0.1593	1.0000	6	1
1947	54.5	154	50.88	8.29	0.1630	1.0000	25	3
Total	34.7	\$2,166,815	55.39	22.37	0.4038	1.0000	\$874,918	\$39,119

AQUILA NETWORKS - SJLP GAS OPERATIONS

Distribution Plant

Account: 376100 Mains - Metallic

Age Distribution

Vintage	Age as of 12/31/2001	Derived Additions	1980 Opening Balance	Experience to 12/31/2001		
				Amount Surviving	Proportion Surviving	Realized Life
A	B	C	D	E	F=E/(C+D)	G
2001	0.5	4,041		4,041	1.0000	0.5000
2000	1.5	91,368		91,368	1.0000	1.5000
1999	2.5	8,915		8,915	1.0000	2.5000
1998	3.5	2,306		2,306	1.0000	3.5000
1997	4.5	4,212		3,575	0.8488	3.9707
1996	5.5	16,106		16,106	1.0000	5.5000
1995	6.5	42		42	1.0000	6.5000
1994	7.5	1,001		1,001	1.0000	7.5000
1993	8.5	140		140	1.0000	8.5000
1992	9.5	67		67	1.0000	9.5000
1988	13.5	1,018		1,018	1.0000	13.5000
1985	16.5	4,938		4,938	1.0000	16.5000
1981	20.5	10,271		10,271	1.0000	20.5000
1980	21.5	22,896		2,281	0.0996	18.9375
1979	22.5		9,731	9,731	1.0000	22.5000
1978	23.5		3,772	1,808	0.4794	19.9948
1977	24.5		3,074	3,074	1.0000	24.5000
1976	25.5		16,193	14,291	0.8825	23.6794
1975	26.5		20,659	11,832	0.5727	23.0735
1974	27.5		101,578	99,218	0.9768	27.1915
1973	28.5		93,753	93,753	1.0000	28.5000
1972	29.5		27,521	27,521	1.0000	29.5000
1971	30.5		38,118	33,085	0.8680	30.3019
1970	31.5		68,206	54,591	0.8004	30.6441
1969	32.5		37,444	34,477	0.9208	31.3600
1968	33.5		179,826	178,760	0.9941	33.4508
1967	34.5		339,726	336,631	0.9909	34.4611
1966	35.5		145,806	145,272	0.9963	35.4945
1965	36.5		67,212	66,733	0.9929	36.4868
1964	37.5		42,921	42,379	0.9874	37.4811
1963	38.5		29,269	29,096	0.9941	38.4911
1962	39.5		8,090	8,090	1.0000	39.5000
1961	40.5		520,008	507,726	0.9764	40.4456
1960	41.5		18,172	18,172	1.0000	41.5000
1959	42.5		15,131	15,131	1.0000	42.5000
1958	43.5		129,591	122,988	0.9490	42.6659
1957	44.5		23,916	23,916	1.0000	44.5000
1956	45.5		15,883	15,883	1.0000	45.5000

AQUILA NETWORKS - SJLP GAS OPERATIONS
Distribution Plant
Account: 376100 Mains - Metallic

Age Distribution

Vintage	Age as of 12/31/2001	Derived Additions	1980 Opening Balance	Experience to 12/31/2001		
				Amount Surviving	Proportion Surviving	Realized Life
A	B	C	D	E	F=E/(C+D)	G
1955	46.5		10,038	10,038	1.0000	46.5000
1954	47.5		9,864	9,864	1.0000	47.5000
1953	48.5		24,047	19,783	0.8227	47.7021
1952	49.5		69,398	65,692	0.9466	49.2477
1951	50.5		14,795	9,005	0.6087	47.1736
1950	51.5		37,463	12,012	0.3206	46.5810
1949	52.5		40	40	1.0000	52.5000
1947	54.5		9,798	154	0.0157	46.1338
1938	63.5		308		0.0000	42.0000
1933	68.5		367		0.0000	47.0000
1931	70.5		5,645		0.0000	50.2811
Total		\$167,322	\$2,137,362	\$2,166,815	0.9402	

AQUILA NETWORKS - SJLP GAS OPERATIONS
Distribution Plant
Account: 376100 Mains - Metallic

Unadjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
1980	1,895,967	64,729	3,231		1,957,465
1981	1,957,465	68,494	1,880		2,024,079
1982	2,024,079	25,148	449		2,048,778
1983	2,048,778	42,151	5,935		2,084,994
1984	2,084,994	28,600	3,006		2,110,588
1985	2,110,588	35,614	622		2,145,580
1986	2,145,580	21,779	6,431		2,160,928
1987	2,160,928	33,793			2,194,721
1988	2,194,721	40,013			2,234,734
1989	2,234,734	63,922	641		2,298,015
1990	2,298,015	28,492	2,548		2,323,959
1991	2,323,959	3,205			2,327,164
1992	2,327,164	288,010			2,615,174
1993	2,615,174	104,219	29,852		2,689,541
1994	2,689,541	146,063	3,399		2,832,205
1995	2,832,205	131,009	11,765		2,951,449
1996	2,951,449	422,834	510		3,373,773
1997	3,373,773	61,018	19,962		3,414,829
1998	3,414,829	100,206	2,359		3,512,676
1999	3,512,676	16,626	5,394		3,523,908
2000	3,523,908	251,301	39,885		3,735,324
2001	3,735,324	4,041		(1,572,550)	2,166,815

AQUILA NETWORKS - SJLP GAS OPERATIONS

Distribution Plant

Account: 376100 Mains - Metallic

Adjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
1980	2,210,670	64,729	3,231		2,272,168
1981	2,272,168	68,494	1,880		2,338,782
1982	2,338,782	25,148	449		2,363,481
1983	2,363,481	42,151	5,935		2,399,697
1984	2,399,697	28,600	3,006		2,425,291
1985	2,425,291	40,552	622		2,465,221
1986	2,465,221	21,779	6,431		2,480,569
1987	2,480,569	33,793			2,514,362
1988	2,514,362	41,031			2,555,393
1989	2,555,393	63,922	641		2,618,674
1990	2,618,674	28,492	2,548		2,644,618
1991	2,644,618	3,205			2,647,823
1992	2,647,823	321,198			2,969,021
1993	2,969,021	81,552	29,852		3,020,721
1994	3,020,721	142,999	3,399		3,160,321
1995	3,160,321	123,552	11,765		3,272,108
1996	3,272,108	102,175	510		3,373,773
1997	3,373,773	61,018	19,962		3,414,829
1998	3,414,829	100,206	2,359		3,512,676
1999	3,512,676	16,626	5,394		3,523,908
2000	3,523,908	251,301	39,885		3,735,324
2001	3,735,324	4,041		(1,572,550)	2,166,815

AQUILA NETWORKS - SJLP GAS OPERATIONS

Distribution Plant

Account: 376100 Mains - Metallic

Schedule E

Page 1 of 1

T-Cut: None

Placement Band: 1931-2001

Hazard Function: Proportion Retired

Rolling Band Life Analysis

Weighting: Exposures

Observation Band	Censoring	First Degree			Second Degree			Third Degree		
		Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index
A	B	C	D	E	F	G	H	I	J	K
1980-1984	0.0	78.1	L2 *	0.75	43.7	R3 *	1.93	40.6	R4 *	3.22
1981-1985	6.4	98.3	L1.5 *	1.09	51.1	S3 *	1.62	42.9	R4 *	2.96
1982-1986	0.1	149.4	R1	5.68	63.5	S2	1.52	46.5	R4 *	2.52
1983-1987	0.1	166.9	R2	11.00	70.4	R2.5	1.34	48.3	R4 *	2.49
1984-1988	0.1	193.0	S6 *	12.93	75.1	R2.5	1.76	48.5	R4 *	3.00
1985-1989	0.1	194.0	S6 *	12.25	78.0	R3 *	1.86	50.5	R4 *	2.77
1986-1990	0.4	192.7	S6 *	13.05	76.5	S2 *	1.77	53.8	R4 *	2.06
1987-1991	95.5	165.6	R2 *	7.12	87.0	S2 *	1.37	64.0	S4 *	1.36
1988-1992	97.6	169.0	R2.5 *	7.99	91.7	S2 *	1.24	67.8	R4 *	1.53
1989-1993	1.1	77.7	L2 *	0.95	49.3	S3 *	2.46	42.3	R4 *	6.07
1990-1994	1.2	81.5	L2 *	0.73	51.8	S3 *	1.73	43.7	R4 *	5.67
1991-1995	1.2	77.7	L2 *	0.72	50.8	S3 *	2.00	42.5	R3 *	6.83
1992-1996	41.4	81.4	L2 *	0.77	52.9	S3 *	1.67	44.3	R4 *	6.22
1993-1997	50.1	75.4	L2 *	0.87	52.9	S3 *	1.42	44.6	R3 *	6.13
1994-1998	78.0	104.6	L1.5 *	0.81	66.6	S3 *	1.25	53.6	R4 *	2.56
1995-1999	73.5	102.2	L1.5 *	0.72	66.4	S3 *	1.03	55.6	R4 *	1.80
1996-2000	61.9	96.5	L1	0.64	133.7	SC *	10.11	56.9	R2.5 *	3.61
1997-2001	64.8	101.2	L0.5	1.46	163.6	R1 *	17.19	58.0	R2.5 *	4.16

AQUILA NETWORKS - SJLP GAS OPERATIONS

Distribution Plant

Account: 376100 Mains - Metallic

Schedule E

Page 1 of 1

T-Cut: None

Placement Band: 1931-2001

Hazard Function: Proportion Retired

Shrinking Band Life Analysis

Weighting: Exposures

Observation Band	Censoring	First Degree			Second Degree			Third Degree		
		Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index
A	B	C	D	E	F	G	H	I	J	K
1980-2001	0.1	97.8	L1.5 *	0.73	64.1	S3 *	1.80	54.0	R4 *	1.83
1982-2001	0.1	100.5	L1.5 *	0.66	66.1	S2 *	1.68	54.8	R4 *	1.77
1984-2001	0.1	100.8	L1.5 *	0.66	65.8	S2 *	1.85	54.5	R4 *	2.02
1986-2001	0.3	100.0	L1.5 *	0.63	66.0	S2 *	1.84	54.5	R4 *	2.18
1988-2001	67.3	97.1	L1.5 *	0.63	65.9	S3 *	1.82	54.6	R4 *	2.18
1990-2001	66.1	94.3	L1.5 *	0.55	65.5	S2 *	1.85	54.0	R4 *	2.74
1992-2001	64.8	91.6	L1.5 *	0.51	65.4	S2 *	1.58	53.2	R4 *	3.71
1994-2001	71.1	104.4	L1 *	1.07	82.1	S1	0.96	57.2	R3 *	3.20
1996-2001	70.2	107.4	L1	1.47	164.2	R1 *	16.67	60.0	R3 *	3.75
1998-2001	68.7	114.9	S-.5	1.67	170.2	R1.5 *	17.86	60.3	R2.5 *	4.73
2000-2001	59.0	107.9	SC	7.34	144.7	SC *	17.46	47.9	R0.5 *	6.72

AQUILA NETWORKS - SJLP GAS OPERATIONS
Distribution Plant
Account: 376100 Mains - Metallic

T-Cut: None


Placement Band: 1931-2001 Observation Band: 1980-2001

Hazard Function: Proportion Retired

Weighting: Exposures

Graphics Analysis

1st: 97.8-L1.5 2nd: 64.1-S3 3rd: 54.0-R4




AQUILA NETWORKS - SJLP GAS OPERATIONS
Distribution Plant
Account: 376100 Mains - Metallic

T-Cut: None
Placement Band: 1931-2001
Observation Band: 1980-2001

Proposed Projection Life Curve

55.0-R4



AQUILA NETWORKS - SJLP GAS OPERATIONS

Distribution Plant

Account: 376100 Mains - Metallic

Unadjusted Net Salvage History

Year	Retirements	Gross Salvage			Cost of Retiring			Net Salvage		
		Amount	Pct.	5-Yr Avg.	Amount	Pct.	5-Yr Avg.	Amount	Pct.	5-Yr Avg.
A	B	C	D=C/B	E	F	G=F/B	H	I=C-F	J=I/B	K
1980	3,231		0.0		608	18.8		(608)	-18.8	
1981	1,880		0.0			0.0			0.0	
1982	449	115	25.6		1,017	226.5		(902)	-200.9	
1983	5,935		0.0			0.0			0.0	
1984	3,006		0.0	0.8	814	27.1	16.8	(814)	-27.1	-16.0
1985	622		0.0	1.0		0.0	15.4		0.0	-14.4
1986	6,431		0.0	0.7	2,311	35.9	25.2	(2,311)	-35.9	-24.5
1987			0.0	0.0		0.0	19.5		0.0	-19.5
1988			0.0	0.0		0.0	31.1		0.0	-31.1
1989	641		0.0	0.0		0.0	30.0		0.0	-30.0
1990	2,548		0.0	0.0	5,767	226.3	84.0	(5,767)	-226.3	-84.0
1991			0.0	0.0		0.0	180.8		0.0	-180.8
1992			0.0	0.0		0.0	180.8		0.0	-180.8
1993	29,852		0.0	0.0	19,169	64.2	75.5	(19,169)	-64.2	-75.5
1994	3,399	190	5.6	0.5	2,280	67.1	76.0	(2,090)	-61.5	-75.5
1995	11,765		0.0	0.4	1,538	13.1	51.1	(1,538)	-13.1	-50.6
1996	510		0.0	0.4	311	61.0	51.2	(311)	-61.0	-50.8
1997	19,962		0.0	0.3	205	1.0	35.9	(205)	-1.0	-35.6
1998	2,359		0.0	0.5	1,002	42.5	14.0	(1,002)	-42.5	-13.5
1999	5,394		0.0	0.0	27,175	503.8	75.6	(27,175)	-503.8	-75.6
2000	39,885	240	0.6	0.4	7,643	19.2	53.3	(7,403)	-18.6	-53.0
2001		8,511	0.0	12.9	351	0.0	53.8	8,159	0.0	-40.9
Total	137,869	9,056	6.6		70,191	50.9		(61,136)	-44.3	

AQUILA NETWORKS - SJLP GAS OPERATIONS

Distribution Plant

Account: 376100 Mains - Metallic

Adjusted Net Salvage History

Year	Retirements	Gross Salvage			Cost of Retiring			Net Salvage		
		Amount	Pct.	5-Yr Avg.	Amount	Pct.	5-Yr Avg.	Amount	Pct.	5-Yr Avg.
A	B	C	D=C/B	E	F	G=F/B	H	I=C-F	J=I/B	K
1980	3,231		0.0		608	18.8		(608)	-18.8	
1981	1,880		0.0			0.0			0.0	
1982	449	115	25.6		1,017	226.5		(902)	-200.9	
1983	5,935		0.0			0.0			0.0	
1984	3,006		0.0	0.8	814	27.1	16.8	(814)	-27.1	-16.0
1985	622		0.0	1.0		0.0	15.4		0.0	-14.4
1986	6,431		0.0	0.7	2,311	35.9	25.2	(2,311)	-35.9	-24.5
1987			0.0	0.0		0.0	19.5		0.0	-19.5
1988			0.0	0.0		0.0	31.1		0.0	-31.1
1989	641		0.0	0.0		0.0	30.0		0.0	-30.0
1990	2,548		0.0	0.0	5,767	226.3	84.0	(5,767)	-226.3	-84.0
1991			0.0	0.0		0.0	180.8		0.0	-180.8
1992			0.0	0.0		0.0	180.8		0.0	-180.8
1993	29,852		0.0	0.0	19,169	64.2	75.5	(19,169)	-64.2	-75.5
1994	3,399	190	5.6	0.5	2,280	67.1	76.0	(2,090)	-61.5	-75.5
1995	11,765		0.0	0.4	1,538	13.1	51.1	(1,538)	-13.1	-50.6
1996	510		0.0	0.4	311	61.0	51.2	(311)	-61.0	-50.8
1997	19,962		0.0	0.3	205	1.0	35.9	(205)	-1.0	-35.6
1998	2,359		0.0	0.5	1,002	42.5	14.0	(1,002)	-42.5	-13.5
1999	5,394		0.0	0.0	27,175	503.8	75.6	(27,175)	-503.8	-75.6
2000	39,885	240	0.6	0.4	7,643	19.2	53.3	(7,403)	-18.6	-53.0
2001			0.0	0.4	351	0.0	53.8	(351)	0.0	-53.5
Total	137,869	545	0.4		70,191	50.9		(69,646)	-50.5	

2003 Depreciation Rate Study

*Aquila Corporate Assets
(Missouri Operations)*

Prepared by
Foster Associates, Inc.



CONTENTS

EXECUTIVE SUMMARY

INTRODUCTION	1
SCOPE OF STUDY	2
DEPRECIATION SYSTEM	3
PROPOSED DEPRECIATION RATES.....	4

COMPANY PROFILE

GENERAL	6
---------------	---

STUDY PROCEDURE

INTRODUCTION	7
SCOPE	7
DATA COLLECTION	7
LIFE ANALYSIS AND ESTIMATION.....	9
NET SALVAGE ANALYSIS.....	11
DEPRECIATION RESERVE ANALYSIS.....	12
DEVELOPMENT OF ACCRUAL RATES	14

STATEMENTS

INTRODUCTION	15
--------------------	----

CORPORATE ASSETS – MPS

STATEMENT A – REMAINING-LIFE ACCRUAL RATES.....	17
STATEMENT B – REMAINING-LIFE ACCRUALS	18
STATEMENT C – DEPRECIATION RESERVE SUMMARY	19
STATEMENT D – AVERAGE NET SALVAGE	20
STATEMENT E – PRESENT AND PROPOSED PARAMETERS.....	21
STATEMENT F – JURISDICTIONAL ALLOCATIONS	22

CORPORATE ASSETS – SJLP

STATEMENT A – REMAINING-LIFE ACCRUAL RATES.....	24
STATEMENT B – REMAINING-LIFE ACCRUALS	25
STATEMENT C – DEPRECIATION RESERVE SUMMARY	26
STATEMENT D – AVERAGE NET SALVAGE	27
STATEMENT E – PRESENT AND PROPOSED PARAMETERS.....	28
STATEMENT F – JURISDICTIONAL ALLOCATIONS	29

ANALYSIS

INTRODUCTION 30

SCHEDULE A – GENERATION ARRANGEMENT 30

SCHEDULE B – AGE DISTRIBUTION 31

SCHEDULE C – UNADJUSTED PLANT HISTORY 32

SCHEDULE D – ADJUSTED PLANT HISTORY 32

SCHEDULE E – ACTUARIAL LIFE ANALYSIS 32

SCHEDULE F – GRAPHICS ANALYSIS 33

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS 33

GENERAL

390001 – STRUCTURES AND IMPROVEMENTS

SCHEDULE A – GENERATION ARRANGEMENT 34

SCHEDULE B – AGE DISTRIBUTION 35

SCHEDULE C – UNADJUSTED PLANT HISTORY 36

SCHEDULE D – ADJUSTED PLANT HISTORY 37

SCHEDULE E – ACTUARIAL LIFE ANALYSIS 38

SCHEDULE F – GRAPHICS ANALYSIS 39

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS 41

EXECUTIVE SUMMARY

INTRODUCTION

This report presents the findings and recommendations developed in a 2003 Depreciation Rate Study for Aquila Corporate Assets (Corporate). The 2003 study provides depreciation rates and annualized depreciation accruals for calendar year 2003, based on forecasted December 31, 2002 investments and depreciation reserves. The forecast period (*i.e.*, calendar year 2002) includes actual plant and reserve activity through September 30, 2002 and forecasted plant additions and depreciation accruals over the period October 1 through December 31, 2002. Work on the study, conducted by Foster Associates, Inc., commenced in August 2002 and progressed through mid-December 2002, at which time the project was completed.

Foster Associates, Inc. is a public utility economics consulting firm headquartered in Bethesda, Maryland offering economic research and consulting services on issues and problems arising from governmental regulation of business. Areas of specialization supported by our Fort Myers office include property life forecasting, technological forecasting, depreciation estimation, and valuation of industrial property.

Foster Associates has undertaken numerous depreciation engagements for both public and privately owned corporations including detailed statistical life studies, analyses of required net salvage rates, and the selection of depreciation systems that will most nearly achieve the goals of depreciation accounting under the constraints of either government regulation or competitive market pricing. Foster Associates is widely recognized for industry leadership in the development of depreciation systems, life analysis techniques and computer software for conducting depreciation and valuation studies.

Depreciation rates currently used for Corporate Assets allocated to jurisdictions other than Missouri were approved by the Missouri Public Service Commission (Commission) in Case No. ER-97-394 (Order dated August 14, 1998). The approved rates were developed for Aquila – MPS (formerly Missouri Public Service) electric and common operations. Recognizing that a significant portion of Corporate Assets property is located in the state of Missouri and the Missouri order represented the most recent Commission review of parameters for general plant assets, Aquila elected to adopt the MPS depreciation rates for all Corporate Assets. Service life and net salvage statistics (*e.g.*, projection life, projection curve, remaining life and future net salvage rates) used to derive the approved MPS depreciation rates were not identified in either the Order or other documents related to the case.

Depreciation rates currently used for Corporate Assets allocated to Missouri were approved by the Missouri Public Service Commission pursuant to a Stipulation and Agreement in consolidated Case Nos. ER-2001-672 and EC-2002-265

(Agreement dated February 5, 2002). The approved General Common Plant rates were developed for Aquila Networks – MPS electric and common operations and adopted by Aquila for Corporate Assets allocated to Missouri. Depreciable rate categories for Corporate Assets in which no corresponding depreciation rate was approved for General Common Plant have been assigned a zero percent rate. Average service lives used to derive the settled General Common Plant depreciation rates were included in an appendix attached to the Stipulation and Agreement.

Depreciation reserves allocated to Missouri are adjusted for differences in the accrual rates prescribed in Missouri and those currently used for all other jurisdictions and non-regulated business units. The reserve adjustment is the cumulative difference in accruals resulting from the application of unique depreciation rates in Missouri. Reserve adjustments are shown on Statement C of this report.

The principal findings and recommendations of the Corporate Assets Depreciation Rate Study for Missouri are summarized in the Statements section of this report. Statement A provides a comparative summary of present and proposed annual depreciation rates for each rate category. Statement B provides a comparison of present and proposed annual depreciation accruals. Statement C provides a comparison of the computed, recorded and redistributed depreciation reserves for each rate category. Statement D provides a summary of the components used to obtain a weighted-average net salvage rate for each account. Statement E provides a comparative summary of present and proposed parameters and statistics including projection life, projection curve, average service life, average remaining life, and average and future net salvage rates. Statement F provides plant and reserve allocation factors and the derivation of plant and reserves allocated to Missouri operations. A set of statements is included in this report for a) Corporate Assets allocated to MPS operations; and b) Corporate Assets allocated to SJLP operations.

SCOPE OF STUDY

The principal activities undertaken in the course of the current study included:

- Collection of plant data;
- Reconciliation of data to the official records of the Company;
- Discussions with Corporate plant accounting personnel;
- Estimation of projection lives and retirement dispersion patterns;
- Analysis of gross salvage and removal expense;
- Analysis and redistribution of recorded depreciation reserves; and
- Development of recommended accrual rates for each rate category.

DEPRECIATION SYSTEM

A depreciation rate is formed by combining the elements of a depreciation system. A depreciation system is composed of a method, a procedure and a technique. A depreciation method (*e.g.*, straight-line) describes the component of the system that determines the acceleration or deceleration of depreciation accruals in relation to either time or use. A depreciation procedure (*e.g.*, vintage group) identifies the level of grouping or sub-grouping of assets within a plant category. The level of grouping specifies the weighting used to obtain composite life statistics for an account. A depreciation technique (*e.g.*, remaining-life) describes the life statistic used in the system.

The depreciation system presently used for Corporate Assets is composed of the straight-line method, broad group procedure, whole-life technique for all plant categories. The rates proposed in this study are derived from a system composed of the straight-line method, vintage group procedure, whole-life technique with amortization of reserve imbalances over the estimated remaining life of each rate category. This formulation of the accrual rate is equivalent to a straight-line method, vintage group procedure, remaining-life technique.

The matching and expense recognition principles of accounting provide that the cost of an asset (or group of assets) should be allocated to operations over an estimate of the economic life of the asset in proportion to the consumption of service potential. It is the opinion of Foster Associates that the objectives of depreciation accounting can be more nearly achieved using the vintage-group procedure combined with the remaining-life technique. Unlike the broad group procedure in which each vintage is estimated to have the same average service life, the vintage group procedure distinguishes average service lives among vintages and provides cost apportionment over the estimated weighted-average remaining life or average life of a rate category.

The level of asset grouping identified in the broad group procedure is the total plant in service from all vintages in an account. Each vintage is estimated to have the same average service life. It is highly unlikely, therefore, that compensating deviations (*i.e.*, over and underestimates of average service life) will be created among vintages to achieve cost allocation over the average service life of each vintage. The level of asset grouping identified in the vintage group procedure is the plant in service from each vintage. The average service life (or remaining life) is estimated independently for each vintage and composite life statistics are computed for each plant account. It is more likely, therefore, that compensating deviations will be created with a vintage group procedure than with a broad group procedure.

The dependency of both the broad group procedure and the vintage group procedure on compensating deviations in the estimate of service lives is attribut-

able to the use of the whole-life technique. A permanent excess or deficiency will be created in the depreciation reserve by a continued application of the whole-life technique if these deviations are not exactly offsetting. The potential for a permanent reserve imbalance can be eliminated, however, by an application of the remaining-life technique.

The principal distinction between a whole-life rate and a remaining-life rate is the treatment of depreciation reserve imbalances. A reserve imbalance is the difference between a theoretical or computed reserve and the corresponding recorded reserve for a rate category. The remaining-life technique provides a systematic amortization of these differences over the composite weighted average remaining life of a rate category.

Although the emergence of economic factors such as bypass and incentive forms of regulation may ultimately encourage abandonment of the straight-line method, no attempt was made in the current study to address these concerns.

PROPOSED DEPRECIATION RATES

Table 1 provides a summary of the changes in annual depreciation rates and accruals applicable to Corporate Assets devoted to MPS operations.

*Rates
and
Accruals*

Function	Accrual Rate			2003 Annualized Accrual		
	Present	Proposed	Difference	Present	Proposed	Difference
General Plant	1.39%	11.86%	10.47%	\$732,797	\$6,256,676	\$5,523,879

TABLE 1. CORPORATE ASSETS – MPS RATES AND ACCRUALS

The composite accrual rate recommended for MPS operations is 11.86 percent. The current equivalent rate is 1.39 percent. The recommended change in the composite rate is an increase of 10.47 percentage points.

A continued application of rates currently adopted for MPS would provide annualized depreciation expense of \$732,797 compared to an annualized expense of \$6,256,676 using the rates developed in this study. The proposed expense increase is \$5,523,879. Of this increase, \$1,985,795 represents amortization of a \$12,229,229 reserve imbalance. The remaining portion of the increase is attributable to recommended changes in service life parameters.

Of the 10 primary accounts included in the 2003 study, a rate reduction is recommended for one account and rate increases for nine accounts.

Table 2 provides a summary of the changes in annual depreciation rates and accruals applicable to Corporate Assets devoted to SJLP operations.

*Rates
and
Accruals*

Function	Accrual Rate			2003 Annualized Accrual		
	Present	Proposed	Difference	Present	Proposed	Difference
General Plant	1.41%	11.97%	10.56%	\$241,203	\$2,046,124	\$1,804,921

TABLE 2. CORPORATE ASSETS – SJLP RATES AND ACCRUALS

The composite accrual rate recommended for SJLP operations is 11.97 percent. The current equivalent rate is 1.41 percent. The recommended change in the composite rate is an increase of 10.56 percentage points.

A continued application of rates currently adopted for SJLP would provide annualized depreciation expense of \$241,203 compared to an annualized expense of \$2,046,124 using the rates developed in this study. The proposed expense increase is \$1,804,921. Of this increase, \$663,511 represents amortization of a \$4,020,601 reserve imbalance. The remaining portion of the increase is attributable to recommended changes in service life parameters.

Of the 10 primary accounts included in the 2003 study, a rate reduction is recommended for one account and rate increases for nine accounts.

COMPANY PROFILE

GENERAL

Aquila began as Green Light and Power Company in 1917. In 1922 the name was changed to West Missouri Power Company and in 1927 was merged with Missouri Public Service Company, adopting the Missouri Public Service Company name. Over the ensuing years, the Company continued to grow and acquire other utilities. In 1985, the Company name was changed to UtiliCorp United to better describe the numerous areas of the country being served by the Company. In 2002, the Company changed its name to Aquila.

Based in Kansas City, Missouri, Aquila operates electric and natural gas distribution networks serving customers in seven states, Canada, the United Kingdom, and Australia. The Company also owns and operates power generation assets.

At June 30, 2002, Aquila had total assets of \$11.9 billion. Aquila Corporate Assets included in this study are used to provide corporate support to the networks and power generation asset groups. Corporate Assets and associated costs are distributed to other business units based on annually adjusted allocation factors.

STUDY PROCEDURE

INTRODUCTION

The purpose of a depreciation study is to analyze the mortality characteristics, net salvage rates and adequacy of the depreciation accrual and recorded depreciation reserve for each rate category. This study provides the foundation and documentation for recommended changes in the depreciation accrual rates used for Aquila Corporate Assets – MPS and Aquila Corporate Assets - SJLP.

SCOPE

The steps involved in conducting a depreciation study can be grouped into five major tasks:

- Data Collection;
- Life Analysis and Estimation;
- Net Salvage Analysis;
- Depreciation Reserve Analysis; and
- Development of Accrual Rates.

The scope of the 2003 study of Corporate Assets included a consideration of each of these tasks as described below.

DATA COLLECTION

The minimum database required to conduct a statistical life study consists of a history of vintage year additions and unaged activity year retirements, transfers and adjustments. These data must be appropriately adjusted for transfers, sales and other plant activity that would otherwise bias the measured service life of normal retirements. The age distribution of surviving plant for unaged data can be estimated by distributing the plant in service at the beginning of the study year to prior vintages in proportion to the theoretical amount surviving from a projection or survivor curve identified in the life study. The statistical methods of life analysis used to examine unaged plant data are known as *semi-actuarial techniques*.

A far more extensive database is required to apply the statistical methods of life analysis known as *actuarial techniques*. Plant data used in an actuarial life study most often include the age distribution of surviving plant at the beginning of the study year and the vintage year, activity year, and dollar amounts associated with normal retirements, reimbursed retirements, sales, abnormal retirements, transfers, corrections, and extraordinary adjustments over a series of prior activity years. An actuarial database may include the age distribution of surviving plant at the beginning of the earliest activity year, rather than at the beginning of the study year. Plant additions, however, must be included in a database containing an opening age distribution to derive aged survivors at the beginning of the study year. All activity year transactions with vintage year identification are

coded and stored in a data file. The data are processed by a computer program and transaction summary reports are created in a format reconcilable to the Company's official plant records. The availability of such detailed information is dependent upon an accounting system that supports aged property records. The Continuing Property Record (CPR) system used by Aquila for Corporate Assets provides aged transactions for all plant accounts.

The database used in the 2003 study was compiled from the current CPR system installed by Aquila in October 1998. The database was provided to Foster Associates in an electronic format containing activity year transactions over the period 1999 through September 30, 2002. Forecasted plant additions and depreciation accruals were provided over the period October 1 through December 31, 2002.

Transaction codes are used to describe the nature of the detailed accounting activity extracted from the CPR. Transaction codes for plant additions, for example, are used to distinguish normal additions from acquisitions, purchases, reimbursements and adjustments. Similar transaction codes are used to distinguish normal retirements from sales, reimbursements, abnormal retirements and adjustments. Transaction codes are also assigned to transfers, capital leases and other accounting activity which should be considered in a depreciation study.

The database was initially constructed to provide a reverse calculation of the historical arrangement over the period 1998–2002 for each account. Age distributions of plant exposed to retirement at the beginning of each activity year were obtained by adding (or subtracting) transaction amounts to the coded age distribution of surviving plant at the end of 2002. Plant additions for each activity year and age distributions of surviving plant at the beginning of 1999 derived from these transactions were subsequently coded and added to the database. The age distribution of surviving plant at the end of 2002 was then removed from the database. This conversion of the database from a reverse construction to a forward construction of the historical arrangement was made to facilitate maintaining the database for future depreciation studies. Future activity-year transactions (including plant additions) can now be appended to the database without removing or adjusting prior coded transactions.

The accuracy and completeness of the assembled data base was verified by Foster Associates for activity years 1999 through September 30, 2002 by comparing the beginning plant balance, additions, retirements, transfers and adjustments, and the ending plant balance derived for each activity year to the official plant records of the Company. Forecasted plant and reserve activity could not be reconciled to any official plant records of the Company.

LIFE ANALYSIS AND ESTIMATION

Life analysis and life estimation are terms used to describe a two-step procedure for estimating the mortality characteristics of a plant category. The first step (*i.e.*, life analysis) is largely mechanical and primarily concerned with history. Statistical techniques are used in this step to obtain a mathematical description of the forces of retirement acting upon a plant category and an estimate of service life known as the *projection life* of the account. The mathematical expressions used to describe these life characteristics are known as *survival functions* or *survivor curves*.

The second step (*i.e.*, life estimation) is concerned with predicting the expected remaining life of property units still exposed to the forces of retirement. It is a process of blending the results of a life analysis with informed judgment (including expectations about the future) to obtain an appropriate projection life and curve. The amount of weight given to the life analysis will depend upon the extent to which past retirement experience is considered descriptive of the future.

The analytical methods used in a life analysis are broadly classified as actuarial and semi-actuarial techniques. Actuarial techniques can be applied to plant accounting records that reveal the age of a plant asset at the time of its retirement from service. Stated differently, each property unit must be identifiable by date of installation and age at retirement. Semi-actuarial techniques can be used to derive service life and dispersion estimates when age identification of retirements is not maintained or readily available.

An actuarial life analysis program designed and developed by Foster Associates was used in this study. The first step in an actuarial analysis involves a systematic treatment of the available data for the purpose of constructing an observed life table. A complete life table contains the life history of a group of property units installed during the same accounting period and various probability relationships derived from the data. A life table is arranged by age-intervals (usually defined as one year) and shows the number of units (or dollars) entering and leaving each age-interval and probability relationships associated with this activity. A life table minimally shows the age of each survivor and the age of each retirement from a group of units installed in a given accounting year.

A life table can be constructed in any one of at least five alternative methods. The annual-rate or retirement-rate method was used in this study. The mechanics of the annual-rate method require the calculation of a series of ratios obtained by dividing the number of units (or dollars) surviving at the beginning of an age interval into the number of units (or dollars) retired during the same interval. This ratio (or set of ratios) is commonly referred to as retirement ratios. The cumulative proportion surviving is obtained by multiplying the retirement ratio for each age interval by the proportion of the original group surviving at the beginning of

that age interval and subtracting this product from the proportion surviving at the beginning of the same interval. The annual-rate method is applied to multiple groups or vintages by combining the retirements and/or survivors of like ages for each vintage included in the analysis.

The second step in an actuarial analysis involves graduating or smoothing the observed life table and fitting the smoothed series to a family of survival functions. The functions used in this study are the Iowa-type curves which were mathematically derived from the Pearson frequency curve family. The observed life table was smoothed by a weighted least-squares procedure in which first, second and third degree polynomials were fitted to the observed retirement ratios. The resulting function can be expressed as a survivorship function which is numerically integrated to obtain an estimate of the average service life. The smoothed survivorship function is then fitted by a weighted least-squares procedure to the Iowa-curve family to obtain a mathematical description or classification of the dispersion characteristics of the data.

The set of computer programs used in this analysis provides multiple rolling-band and shrinking-band analyses of an account. Observation bands are defined for a "retirement era" which restricts the analysis to the retirement activity of all vintages represented by survivors at the beginning of a selected era. In a rolling-band analysis, a year of retirement experience is added to each successive retirement band and the earliest year from the preceding band is dropped. A shrinking-band analysis begins with the total retirement experience available and the earliest year from the preceding band is dropped for each successive band. Rolling and shrinking band analyses are used to detect the emergence of trends in the behavior of the dispersion and average service life.

Options available in the actuarial life analysis program developed by Foster Associates include the width and location of both placement and observation bands; the interval of years included in a selected rolling or shrinking band analysis; the estimator of the hazard rate (actuarial, conditional proportion retired, or maximum likelihood); the elements to include on the diagonal of a weight matrix (exposures, inverse of age, inverse of variance, or unweighted); and the age at which an observed life table is truncated. The program also provides tabular and graphics output as an aid in the analysis and optionally produces data output files used in the calculation of depreciation accruals.

While actuarial and semi-actuarial statistical methods are well suited to an analysis of plant categories containing a large number of homogeneous units (*e.g.*, mains and services), the concept of retirement dispersion is inappropriate for plant categories composed of major items of plant that will most likely be retired as a single unit. Plant retirements from an integrated system prior to the retirement of the entire facility are more properly viewed as interim retirements that will be re-

placed in order to maintain the integrity of the system. Additionally, plant facilities may be added to the existing system (*i.e.*, interim additions) in order to expand or enhance its productive capacity without extending the service life of the present system. A proper depreciation rate can be developed for an integrated system using a life-span method. All plant accounts were treated as full mortality categories in this study.

Without exception, service life indications were indeterminate from a statistical analysis of the available activity years. Much of the plant activity over the period 1999–2002 consisted of transfers, adjustments, and several large retirements associated with the formation of the Corporate Assets business unit. Service life indications were generally much shorter than either experience or the anticipated future use of the assets would suggest. Absent meaningful indications from the analysis of historical retirement activity, the service-life statistics recommended in this study were based largely on judgment and a consideration of the parameters approved for similar assets managed by other Aquila business units.

NET SALVAGE ANALYSIS

Depreciation rates designed to achieve the goals and objectives of depreciation accounting will include a parameter for future net salvage and a variable for average net salvage which reflects both realized and future net salvage rates.

An estimate of the net salvage rate applicable to future retirements is most often obtained from an analysis of gross salvage and removal expense realized in the past. An analysis of past experience (including an examination of trends over time) provides an appropriate basis for estimating future salvage and cost of removal. Consideration should also be given, however, to events that may cause deviations from net salvage realized in the past.

Special consideration should also be given to the treatment of insurance proceeds and other forms of third-party reimbursements credited to the depreciation reserve. A properly conducted net salvage study will exclude such activity from the estimate of future parameters and include the activity in the computation of realized and average net salvage rates.

A traditional, historical analysis using a one-year moving average of the ratio of realized salvage and removal expense to the associated retirements was used in this study to a) estimate realized net salvage rates; b) detect the emergence of historical trends; and c) provide a basis for estimating future net salvage rates. Cost of removal and salvage opinions obtained from the Company were blended with judgment and historical indications in developing estimates of the future.

Account 390001 (Structures and Improvements) is the only account for which net salvage has been recorded. Salvage proceeds resulted from the sale infrastructure improvements on developable land. Foster Associates was advised by

Aquila that any future interim salvage from Corporate Assets will, most likely, be offset by removal expense. Accordingly, a future net salvage rate of zero percent is recommended for all Corporate Asset accounts.

The average net salvage rate for Account 390001 was estimated using direct dollar weighting of historical retirements with the historical net salvage rate, and future retirements (*i.e.*, surviving plant) with the estimated future net salvage rate. The computation of the estimated average net salvage rate for this account is shown in Statement D.

DEPRECIATION RESERVE ANALYSIS

The purpose of a depreciation reserve analysis is to compare the current level of the recorded reserve with the level required to achieve the goals or objectives of depreciation accounting if the amount and timing of future retirements and net salvage are realized as predicted. The difference between the required depreciation reserve and the recorded reserve provides a measurement of the expected excess or shortfall that will remain in the depreciation reserve if corrective action is not taken to eliminate the reserve imbalance.

Unlike a recorded reserve which represents the net amount of depreciation expense charged to previous periods of operations, a theoretical reserve is a measure of the implied reserve requirement at the beginning of a study year if the timing of future retirements and net salvage is in exact conformance with a survivor curve chosen to predict the probable life of plant units still exposed to the forces of retirement. Stated differently, a theoretical depreciation reserve is the difference between the recorded cost of plant presently in service and the sum of the depreciation expense and net salvage that will be charged in the future if plant retirements are distributed over time according to a specified retirement frequency distribution.

The survivor curve used in the calculation of a theoretical depreciation reserve is intended to describe forces of retirement that will be operative in the future. However, retirements caused by forces such as accidents, physical deterioration and changing technology seldom, if ever, remain stable over time. It is unlikely, therefore, that a probability or retirement frequency distribution can be identified that will accurately describe the age of plant retirements over the complete life cycle of a vintage. It is for this reason that depreciation rates should be reviewed periodically and adjusted for observed or expected changes in the parameters chosen to describe the underlying forces of mortality.

Although reserve records are commonly maintained by various account classifications, the total reserve for a company is the most important measure of the status of the company's depreciation practices and procedures. If a company has not previously conducted statistical life studies or considered retirement disper-

sion in setting depreciation rates, it is likely that some accounts will be over-depreciated and other accounts will be under-depreciated relative to a calculated theoretical reserve. Differences between the theoretical reserve and the recorded reserve also will arise as a normal occurrence when service lives, dispersion patterns and net salvage estimates are adjusted in the course of depreciation reviews. It is appropriate, therefore, and consistent with group depreciation theory to periodically redistribute or rebalance the total recorded reserve among the various primary accounts based upon the most recent estimates of retirement dispersion and net salvage rates.

A redistribution of recorded reserves is considered appropriate for Corporate Assets at this time. Although recorded reserves have been maintained by primary account, these reserves were largely ignored in the development of the currently used whole-life accrual rates. The MPS rates adopted for Corporate Assets were established by negotiations and compromise without specifying the projection curve and reserve ratios contemplated in the settled rates. The failure to address prior reserve imbalances produces an added dimension of instability in accrual rates beyond the variability attributable to the parameters estimated in the current study. A redistribution of the recorded reserve is necessary, therefore, to develop an initial reserve balance for each primary account consistent with the age distributions and estimates of retirement dispersion developed in this study. Reserves should also be realigned in this study to reflect implementation of the vintage group procedure.

A redistribution of the recorded reserve was achieved for Corporate Assets by multiplying the calculated reserve for each primary account within the general function by the ratio of the function total recorded reserve to the function total calculated reserve. The sum of the redistributed reserves within the general function is, therefore, equal to the function total recorded depreciation reserve before the redistribution.

Statement C (page 19) provides a comparison of the computed and recorded reserves forecasted for Corporate Assets – MPS on December 31, 2002. The recorded reserve is \$2,051,206, or 3.9 percent of the depreciable plant investment. The corresponding computed reserve is \$14,280,435 or 27.1 percent of the depreciable plant investment. A proportionate amount of the measured reserve imbalance of \$12,229,229 will be amortized over the composite weighted-average remaining life of each rate category.

Statement C (page 26) provides a comparison of the computed and recorded reserves forecasted for Corporate Assets – SJLP on December 31, 2002. The recorded reserve is \$697,985, or 4.1 percent of the depreciable plant investment. The corresponding computed reserve is \$4,718,586 or 27.6 percent of the depreciable plant investment. A proportionate amount of the measured reserve imbalance

ance of \$4,020,601 will be amortized over the composite weighted-average remaining life of each rate category.

DEVELOPMENT OF ACCRUAL RATES

The goal or objective of depreciation accounting is cost allocation over the economic life of an asset in proportion to the consumption of service potential. Ideally, the cost of an asset—which represents the cost of obtaining a bundle of service units—should be allocated to future periods of operation in proportion to the amount of service potential expended during an accounting interval. The service potential of an asset is the present value of future net revenue (*i.e.*, revenue less expenses exclusive of depreciation and other non-cash expenses) or cash inflows attributable to the use of that asset alone.

Cost allocation in proportion to the consumption of service potential is often approximated by the use of depreciation methods employing time rather than net revenue as the apportionment base. Examples of time-based methods include sinking-fund, straight-line, declining balance, and sum-of-the-years' digits. The advantage of using a time-based method is that it does not require an estimate of the remaining amount of service capacity an asset will provide or the amount of capacity actually consumed during an accounting interval. Using a time-based allocation method, however, does not change the goal of depreciation accounting. If it is predictable that the net revenue pattern of an asset will either decrease or increase over time, then an accelerated or decelerated time-based method should be used to approximate the rate at which service potential is actually consumed.

The time period over which the cost of an asset will be allocated to operations is determined by the combination of a procedure and a technique. A depreciation procedure describes the level of grouping or sub-grouping of assets within a plant category. The broad group, vintage group, equal-life group, and item or unit are a few of the more widely used procedures. A depreciation technique describes the life statistic used in a depreciation system. The whole life and remaining life (or expectancy) are the most common techniques.

Depreciation rates recommended in this study were developed using a system composed of the straight-line method, vintage group procedure, whole-life technique with amortization of reserve imbalances over the estimated remaining life of each rate category. This formulation of the accrual rate is equivalent to a straight-line method, vintage group procedure, remaining-life technique. It is the opinion of Foster Associates that this system will remain appropriate for Corporate Assets, provided depreciation studies are conducted periodically and parameters are routinely adjusted to reflect changing operating conditions.

STATEMENTS

INTRODUCTION

This section provides a comparative summary of depreciation rates, annual depreciation accruals, recorded and computed depreciation reserves, and present and proposed service life statistics recommended for Corporate Assets – MPS and Corporate Assets - SJLP. The content of these statements is briefly described below.

- Statement A provides a comparative summary of present and proposed annual depreciation rates using the vintage group procedure, whole-life technique with amortization of reserve imbalances.
- Statement B provides a comparison of the present and proposed 2003 annualized depreciation accruals based upon the rates developed in Statement A.
- Statement C provides a comparison of the recorded, computed and re-distributed reserves for each rate category at December 31, 2002.
- Statement D provides a summary of the components used to obtain a weighted average net salvage rate for each plant account.
- Statement E provides a comparative summary of present and proposed parameters including projection life, projection curve and future net salvage rates. The statement also contains present and proposed statistics including average service life, average remaining life, and average net salvage rates.
- Statement F provides plant and reserve allocation factors and the derivation of plant and reserves allocated to Missouri operations.

Present depreciation accruals shown on Statement B are the product of the plant investment (Column B) and the present depreciation rates (Column D) shown on Statement A. These are the current Missouri rates used by the Company for the mix of investments estimated at December 31, 2002. Similarly, proposed depreciation accruals shown on Statement B are the product of the plant investment and the proposed depreciation rates (Column I) shown on Statement A. Proposed accrual rates shown on Statement A are given by:

$$\text{Accrual Rate} = \frac{1.0 - \text{Average Net Salvage}}{\text{Average Life}} + \frac{\text{Computed Reserve} - \text{Recorded Reserve}}{\text{Remaining Life}}$$

where *Average Net Salvage*, *Computed Reserve* and *Recorded Reserve* are expressed in percent. This formulation of the accrual rate is equivalent to

$$\text{Accrual Rate} = \frac{1.0 - \text{Reserve Ratio} - \text{Future Net Salvage Rate}}{\text{Remaining Life}}.$$

Statements A through F

Aquila Corporate Assets - MPS

Statement A

Comparison of Present and Proposed Accrual Rates

Present: [BG Procedure / WL Technique](#)

Proposed: VG Procedure / RL Technique

Account Description A	Present			Proposed				
	Avg. Life B	Net Salvage C	Accrual Rate D	Avg. Life E	Avg. Net Salvage F	W/L Rate G	Amortization H	R/L Rate I=G+H
GENERAL PLANT								
390001 Structures and Improvements			2.22%	44.97	2.9%	2.16%	0.28%	2.44%
391001 Office Furniture and Equipment			7.69%	19.95		5.01%	0.77%	5.78%
391003 Computers - Hardware				4.95		20.20%	12.96%	33.16%
391004 Computer Software				9.85		10.15%	3.59%	13.74%
391005 Computer Systems Development				9.37		10.67%	9.20%	19.87%
392004 Trans. Equip. - Medium Trucks			11.11%	11.27		8.87%	39.46%	48.33%
394000 Tools, Shop & Garage Equipment				20.39		4.90%	2.80%	7.70%
395000 Laboratory Equipment				15.11		6.62%	8.63%	15.25%
397000 Communication Equipment			5.00%	9.97		10.03%	5.98%	16.01%
398000 Miscellaneous Equipment			5.56%	10.07		9.93%	6.65%	16.58%
Total General Plant			1.39%	12.27	0.7%	8.09%	3.77%	11.86%

Aquila Corporate Assets - MPS

Statement B

Comparison of Present and Proposed Accruals

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description	12/31/02 Plant Investment	2003 Annualized Accrual					Difference
		Present	Proposed			Total	
			Whole-Life	Amortization			
A	B	C	D	E	F=D+E	G=F-C	
GENERAL PLANT							
390001 Structures and Improvements	\$16,586,756	\$368,226	\$358,274	\$46,443	\$404,717	\$36,491	
391001 Office Furniture and Equipment	3,283,822	252,526	164,519	25,286	189,805	(62,721)	
391003 Computers - Hardware	3,847,681		777,232	498,659	1,275,891	1,275,891	
391004 Computer Software	21,104,602		2,142,117	757,655	2,899,772	2,899,772	
391005 Computer Systems Development	5,636,230		601,386	518,533	1,119,919	1,119,919	
392004 Trans. Equip. - Medium Trucks	5,688	632	505	2,244	2,749	2,117	
394000 Tools, Shop & Garage Equipment	83,065		4,070	2,326	6,396	6,396	
395000 Laboratory Equipment	16,201		1,073	1,398	2,471	2,471	
397000 Communication Equipment	2,065,696	103,285	207,189	123,529	330,718	227,433	
398000 Miscellaneous Equipment	146,187	8,128	14,516	9,722	24,238	16,110	
Total General Plant	\$52,775,928	\$732,797	\$4,270,881	\$1,985,795	\$6,256,676	\$5,523,879	

Aquila Corporate Assets - MPS

Depreciation Reserve Summary
Vintage Group Procedure
December 31, 2002

Statement C

Account Description	Plant Investment	Recorded Reserve				Computed Reserve		Redistributed Reserve	
		Allocated	Adjustment	Total	Ratio	Amount	Ratio	Amount	Ratio
A	B	C	D	E=C+D	F=E/B	G	H=G/B	I	J=I/B
GENERAL PLANT									
390001 Structures and Improvements	\$16,586,756	\$1,126,697	(\$28,659)	\$1,098,038	6.62%	\$2,175,038	13.11%	\$312,417	1.88%
391001 Office Furniture and Equipment	3,283,822	289,291	3,928	293,219	8.93%	500,392	15.24%	71,875	2.19%
391003 Computers - Hardware	3,847,681	(465,078)	(372,863)	(837,941)	-21.78%	1,647,896	42.83%	236,700	6.15%
391004 Computer Software	21,104,602	2,608,430	(2,106,578)	501,852	2.38%	6,170,686	29.24%	886,342	4.20%
391005 Computer Systems Development	5,636,230	1,249,231	(598,233)	650,998	11.55%	2,827,138	50.16%	406,083	7.20%
392004 Trans. Equip. - Medium Trucks	5,688	(2,813)	(144)	(2,957)	-51.98%	4,769	83.85%	685	12.04%
394000 Tools, Shop & Garage Equipment	83,065	66,090	(4,743)	61,347	73.85%	33,161	39.92%	4,763	5.73%
395000 Laboratory Equipment	16,201	1,867	(614)	1,253	7.74%	9,778	60.36%	1,405	8.67%
397000 Communication Equipment	2,065,696	220,960	(10,003)	210,957	10.21%	847,412	41.02%	121,720	5.89%
398000 Miscellaneous Equipment	146,187	74,307	133	74,440	50.92%	64,165	43.89%	9,217	6.30%
Total General Plant	\$52,775,928	\$5,168,982	(\$3,117,776)	\$2,051,206	3.89%	\$14,280,435	27.06%	\$2,051,206	3.89%

Aquila Corporate Assets - MPS

Average Net Salvage

Statement D

Account Description	Plant Investment			Salvage Rate		Net Salvage			Average
	Additions	Retirements	Survivors	Realized	Future	Realized	Future	Total	Rate
A	B	C	D=B-C	E	F	G=E*C	H=F*D	I=G+H	J=I/B
GENERAL PLANT									
390001 Structures and Improvements	\$17,730,438	\$1,143,682	\$16,586,756	44.3%		\$506,651		\$506,651	2.9%
391001 Office Furniture and Equipment	4,973,263	1,689,441	3,283,822						
391003 Computers - Hardware	15,924,258	12,076,577	3,847,681						
391004 Computer Software	26,128,438	5,023,836	21,104,602						
391005 Computer Systems Development	8,018,639	2,382,409	5,636,230						
392004 Trans. Equip. - Medium Trucks	11,159	5,471	5,688						
394000 Tools, Shop & Garage Equipment	112,696	29,631	83,065						
395000 Laboratory Equipment	29,654	13,453	16,201						
397000 Communication Equipment	2,534,514	468,818	2,065,696						
398000 Miscellaneous Equipment	214,264	68,077	146,187						
Total General Plant	\$75,677,324	\$22,901,396	\$52,775,928	2.2%		\$506,651		\$506,651	0.7%

Aquila Corporate Assets - MPS

Statement E

Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters					
	P-Life/ AYFR	Curve Shape	BG ASL	Rem. Life	Average Salvage	Future Salvage	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Average Salvage	Future Salvage
	A	B	C	D	E	F	G	H	I	J	K	L
GENERAL PLANT												
390001 Structures and Improvements							45.00	R5	44.97	40.24		2.9
391001 Office Furniture and Equipment							20.00	L1.5	19.95	16.91		
391003 Computers - Hardware							5.00	R4	4.95	2.83		
391004 Computer Software							10.00	R4	9.85	6.97		
391005 Computer Systems Development							10.00	R4	9.37	4.67		
392004 Trans. Equip. - Medium Trucks							10.00	S3	11.27	1.82		
394000 Tools, Shop & Garage Equipment							20.00	L1.5	20.39	12.25		
395000 Laboratory Equipment							15.00	R4	15.11	5.99		
397000 Communication Equipment							10.00	S2	9.97	5.88		
398000 Miscellaneous Equipment							10.00	S2	10.07	5.65		
Total General Plant									12.27	8.11		0.7

Aquila Corporate Assets - MPS
Jurisdictional Allocations

Statement F

Account Description	Plant Investment			Depreciation Reserve		
	Corporate	Factor	Allocated	Corporate	Factor	Allocated
A	B	C	D=B-C	B	C	D=B-C
GENERAL PLANT						
390001 Structures and Improvements	\$65,250,810	25.42%	\$16,586,756	\$4,634,704	24.31%	\$1,126,697
391001 Office Furniture and Equipment	12,933,525	25.39%	3,283,822	1,137,150	25.44%	289,291
391003 Computers - Hardware	15,795,080	24.36%	3,847,681	(2,091,178)	22.24%	(465,078)
391004 Computer Software	98,850,597	21.35%	21,104,602	12,805,254	20.37%	2,608,430
391005 Computer Systems Development	29,022,811	19.42%	5,636,230	6,432,704	19.42%	1,249,231
392004 Trans. Equip. - Medium Trucks	22,305	25.50%	5,688	(11,030)	25.50%	(2,813)
394000 Tools, Shop & Garage Equipment	326,258	25.46%	83,065	259,176	25.50%	66,090
395000 Laboratory Equipment	63,534	25.50%	16,201	7,321	25.50%	1,867
397000 Communication Equipment	4,972,787	41.54%	2,065,696	523,850	42.18%	220,960
398000 Miscellaneous Equipment	594,983	24.57%	146,187	304,289	24.42%	74,307
Total General Plant	\$227,832,690	23.16%	\$52,775,928	\$24,002,240	21.54%	\$5,168,982

Statements A through F

Aquila Corporate Assets - SJLP

Statement A

Comparison of Present and Proposed Accrual Rates

Present: [BG Procedure / WL Technique](#)

Proposed: VG Procedure / RL Technique

Account Description	Present			Proposed				
	Avg. Life	Net Salvage	Accrual Rate	Avg. Life	Avg. Net Salvage	W/L Rate	Amortization	R/L Rate
A	B	C	D	E	F	G	H	I=G+H
GENERAL PLANT								
390001 Structures and Improvements			2.22%	44.97	2.9%	2.16%	0.28%	2.44%
391001 Office Furniture and Equipment			7.69%	19.95		5.01%	0.77%	5.78%
391003 Computers - Hardware				4.95		20.20%	12.90%	33.10%
391004 Computer Software				9.85		10.15%	3.58%	13.73%
391005 Computer Systems Development				9.37		10.67%	9.15%	19.82%
392004 Trans. Equip. - Medium Trucks			11.11%	11.27		8.87%	39.26%	48.13%
394000 Tools, Shop & Garage Equipment				20.39		4.90%	2.78%	7.68%
395000 Laboratory Equipment				15.11		6.62%	8.58%	15.20%
397000 Communication Equipment			5.00%	9.97		10.03%	5.94%	15.97%
398000 Miscellaneous Equipment			5.56%	10.07		9.93%	6.62%	16.55%
Total General Plant			1.41%	12.28	0.7%	8.09%	3.88%	11.97%

Aquila Corporate Assets - SJLP

Statement B

Comparison of Present and Proposed Accruals

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description	12/31/02 Plant Investment	2003 Annualized Accrual				Total	Difference
		Present	Proposed				
			Whole-Life	Amortization			
A	B	C	D	E	F=D+E	G=F-C	
GENERAL PLANT							
390001 Structures and Improvements	\$5,376,667	\$119,362	\$116,136	\$15,055	\$131,191	\$11,829	
391001 Office Furniture and Equipment	1,064,429	81,855	53,328	8,196	61,524	(20,331)	
391003 Computers - Hardware	1,222,539		246,953	157,707	404,660	404,660	
391004 Computer Software	6,356,093		645,143	227,549	872,692	872,692	
391005 Computer Systems Development	2,249,268		239,997	205,808	445,805	445,805	
392004 Trans. Equip. - Medium Trucks	1,851	206	164	727	891	685	
394000 Tools, Shop & Garage Equipment	27,014		1,324	751	2,075	2,075	
395000 Laboratory Equipment	5,273		349	452	801	801	
397000 Communication Equipment	742,934	37,147	74,516	44,131	118,647	81,500	
398000 Miscellaneous Equipment	47,361	2,633	4,703	3,135	7,838	5,205	
Total General Plant	\$17,093,429	\$241,203	\$1,382,613	\$663,511	\$2,046,124	\$1,804,921	

Aquila Corporate Assets - SJLP

Depreciation Reserve Summary
Vintage Group Procedure
December 31, 2002

Statement C

Account Description	Plant Investment	Recorded Reserve				Computed Reserve		Redistributed Reserve	
		Allocated	Adjustment	Total	Ratio	Amount	Ratio	Amount	Ratio
A	B	C	D	E=C+D	F=E/B	G	H=G/B	I	J=I/B
GENERAL PLANT									
390001 Structures and Improvements	\$5,376,667	\$364,751	(\$9,414)	\$355,337	6.61%	\$705,048	13.11%	\$104,292	1.94%
391001 Office Furniture and Equipment	1,064,429	93,701	1,205	94,906	8.92%	162,199	15.24%	23,993	2.25%
391003 Computers - Hardware	1,222,539	(149,101)	(120,570)	(269,671)	-22.06%	523,592	42.83%	77,451	6.34%
391004 Computer Software	6,356,093	795,206	(654,649)	140,557	2.21%	1,858,431	29.24%	274,904	4.33%
391005 Computer Systems Development	2,249,268	498,535	(241,384)	257,151	11.43%	1,128,235	50.16%	166,891	7.42%
392004 Trans. Equip. - Medium Trucks	1,851	(915)	(48)	(963)	-52.02%	1,552	83.85%	230	12.40%
394000 Tools, Shop & Garage Equipment	27,014	21,512	(1,550)	19,962	73.90%	10,784	39.92%	1,595	5.91%
395000 Laboratory Equipment	5,273	608	(201)	407	7.72%	3,183	60.36%	471	8.93%
397000 Communication Equipment	742,934	79,625	(3,439)	76,186	10.25%	304,774	41.02%	45,083	6.07%
398000 Miscellaneous Equipment	47,361	24,069	43	24,112	50.91%	20,788	43.89%	3,075	6.49%
Total General Plant	\$17,093,429	\$1,727,991	(\$1,030,006)	\$697,985	4.08%	\$4,718,586	27.60%	\$697,985	4.08%

Aquila Corporate Assets - SJLP

Average Net Salvage

Statement D

Account Description A	Plant Investment			Salvage Rate		Net Salvage			Average Rate J=I/B
	Additions B	Retirements C	Survivors D=B-C	Realized E	Future F	Realized G=E*C	Future H=F*D	Total I=G+H	
GENERAL PLANT									
390001 Structures and Improvements	\$5,747,396	\$370,729	\$5,376,667	44.3%		\$164,233		\$164,233	2.9%
391001 Office Furniture and Equipment	1,612,050	547,621	1,064,429						
391003 Computers - Hardware	5,059,678	3,837,139	1,222,539						
391004 Computer Software	7,869,127	1,513,034	6,356,093						
391005 Computer Systems Development	3,200,023	950,755	2,249,268						
392004 Trans. Equip. - Medium Trucks	3,632	1,781	1,851						
394000 Tools, Shop & Garage Equipment	36,651	9,637	27,014						
395000 Laboratory Equipment	9,652	4,379	5,273						
397000 Communication Equipment	911,547	168,613	742,934						
398000 Miscellaneous Equipment	69,416	22,055	47,361						
Total General Plant	\$24,519,172	\$7,425,743	\$17,093,429	2.2%		\$164,233		\$164,233	0.7%

Aquila Corporate Assets - SJLP

Statement E

Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters					
	P-Life/ AYFR	Curve Shape	BG ASL	Rem. Life	Average Salvage	Future Salvage	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Average Salvage	Future Salvage
	A	B	C	D	E	F	G	H	I	J	K	L
GENERAL PLANT												
390001 Structures and Improvements							45.00	R5	44.97	40.24		2.9
391001 Office Furniture and Equipment							20.00	L1.5	19.95	16.91		
391003 Computers - Hardware							5.00	R4	4.95	2.83		
391004 Computer Software							10.00	R4	9.85	6.97		
391005 Computer Systems Development							10.00	R4	9.37	4.67		
392004 Trans. Equip. - Medium Trucks							10.00	S3	11.27	1.82		
394000 Tools, Shop & Garage Equipment							20.00	L1.5	20.39	12.25		
395000 Laboratory Equipment							15.00	R4	15.11	5.99		
397000 Communication Equipment							10.00	S2	9.97	5.88		
398000 Miscellaneous Equipment							10.00	S2	10.07	5.65		
Total General Plant									12.28	8.01		0.7

Aquila Corporate Assets - SJLP
Jurisdictional Allocations

Statement F

Account Description	Plant Investment			Depreciation Reserve		
	Corporate	Factor	Allocated	Corporate	Factor	Allocated
A	B	C	D=B-C	B	C	D=B-C
GENERAL PLANT						
390001 Structures and Improvements	\$65,250,810	8.24%	\$5,376,667	\$4,634,704	7.87%	\$364,751
391001 Office Furniture and Equipment	12,933,525	8.23%	1,064,429	1,137,150	8.24%	93,701
391003 Computers - Hardware	15,795,080	7.74%	1,222,539	(2,091,178)	7.13%	(149,101)
391004 Computer Software	98,850,597	6.43%	6,356,093	12,805,254	6.21%	795,206
391005 Computer Systems Development	29,022,811	7.75%	2,249,268	6,432,704	7.75%	498,535
392004 Trans. Equip. - Medium Trucks	22,305	8.30%	1,851	(11,030)	8.30%	(915)
394000 Tools, Shop & Garage Equipment	326,258	8.28%	27,014	259,176	8.30%	21,512
395000 Laboratory Equipment	63,534	8.30%	5,273	7,321	8.30%	608
397000 Communication Equipment	4,972,787	14.94%	742,934	523,850	15.20%	79,625
398000 Miscellaneous Equipment	594,983	7.96%	47,361	304,289	7.91%	24,069
Total General Plant	\$227,832,690	7.50%	\$17,093,429	\$24,002,240	7.20%	\$1,727,991

ANALYSIS

INTRODUCTION

This section provides an explanation of the supporting schedules developed in the Corporate Assets depreciation study to estimate appropriate projection curves, projection lives and statistics for each rate category. The form and content of the schedules developed for an account depend upon the method of analysis adopted for the category.

This section also includes an example of the supporting schedules developed for Account 390001 – Structures and Improvements as an illustration. Documentation for all other plant accounts is contained in the study work papers. The supporting schedules developed in the Corporate Assets study include:

Schedule A – Generation Arrangement;

Schedule B – Age Distribution;

Schedule C – Unadjusted Plant History;

Schedule D – Adjusted Plant History;

Schedule E – Actuarial Life Analysis;

Schedule F – Graphics Analysis; and

Schedule G – Historical Net Salvage Analysis.

The format and content of these schedules are briefly described below.

SCHEDULE A – GENERATION ARRANGEMENT

The purpose of this schedule is to obtain appropriate weighted-average life statistics for a rate category. The weighted-average remaining-life is the sum of Column H divided by the sum of Column I. The weighted average life is the sum of Column C divided by the sum of Column I.

It should be noted that the generation arrangement does not include parameters for net salvage. Computed Net Plant (Column C) and Accruals (Column I) must be adjusted for net salvage to obtain a correct measurement of theoretical reserves and annualized depreciation accruals.

The following table provides a description of each column in the generation arrangement.

Generation Arrangement

Column	Title	Description
A	Vintage	Vintage or placement year of surviving plant.
B	Age	Age of surviving plant at beginning of study year.
C	Surviving Plant	Actual dollar amount of surviving plant.
D	Average Life	Estimated average life of each vintage. This statistic is the sum of the realized life and the unrealized life, which is the product of the remaining life (Column E) and the theoretical proportion surviving.
E	Remaining Life	Estimated remaining life of each vintage.
F	Net Plant Ratio	Theoretical net plant ratio of each vintage.
G	Allocation Factor	A pivotal ratio which determines the amortization period of the difference between the recorded and computed reserve.
H	Computed Net Plant	Plant in service less theoretical reserve for each vintage.
I	Accrual	Ratio of computed net plant (Column H) and remaining life (Column E).

TABLE 3. GENERATION ARRANGEMENT

SCHEDULE B – AGE DISTRIBUTION

This schedule provides the age distribution and realized life of surviving plant shown in Column C of the Generation Arrangement (Schedule A). The format of the schedule depends upon the availability of either aged or unaged data. Derived additions for vintage years older than the earliest activity year in an account for unaged data are obtained from the age distribution of surviving plant at the beginning of the earliest activity year. The amount surviving from these vintages is shown in Column D. The realized life (Column G) is derived from the dollar years of service provided by a vintage over the period of years the vintage has been in service. Plant additions for vintages older than the earliest activity year in an account are represented by the opening balances shown in Column D.

The computed proportion surviving (Column D) for unaged is derived from a computed mortality analysis. The average service life displayed in the title block is the life statistic derived for the most recent activity year, given the derived age distribution at the start of the year and the specified retirement dispersion. The realized life (Column F) is obtained by finding the slope of an SC retirement dispersion, which connects the computed survivors of a vintage (Column E) to the recorded vintage addition (Column B). The realized life is the area bounded by the SC dispersion, the computed proportion surviving and the age of the vintage.

SCHEDULE C – UNADJUSTED PLANT HISTORY

This schedule provides a summary of recorded plant data extracted from the continuing property records maintained by Company. Activity year total amounts shown on this schedule for aged data are obtained from a historical arrangement of the data base in which all plant accounting transactions are identified by vintage and activity year. Activity year totals for unaged data are obtained from a transaction file without vintage identification. Information displayed in the unadjusted plant history is consistent with regulated investments reported internally by the Company.

SCHEDULE D – ADJUSTED PLANT HISTORY

This schedule provides a summary of recorded plant data extracted from the continuing property records maintained by the Company with sales, transfers, and adjustments appropriately aged for depreciation study purposes. Activity year total amounts shown on this schedule for aged data are obtained from a historical arrangement of the data base in which all plant accounting transactions are identified by vintage and activity year. Ageing of adjusting transactions is achieved using transaction codes that identify an adjusting year associated with the dollar amount of a transaction. Adjusting transactions processed in the adjusted plant history are not aged in the Company's records nor in the unadjusted plant history.

SCHEDULE E – ACTUARIAL LIFE ANALYSIS

These schedules provide a summary of the dispersion and life indications obtained from an actuarial life analysis for a specified placement band. The observation band (Column A) is specified to produce either a rolling-band or a shrinking-band analysis depending upon the movement of the end points of the band. The degree of censoring (or point of truncation) of the observed life table is shown in Column B for each observation band. The estimated average service life, best fitting Iowa dispersion, and a statistical measure of the goodness of fit are shown for each degree polynomial (First, Second, and Third) fitted to the estimated hazard rates. Options available in the analysis include the width and location of both the placement and observation bands; the interval of years included in a selected rolling or shrinking band analysis; the estimator of the hazard rate (actuarial, conditional proportion retired, or maximum likelihood); the elements to include on the diagonal of a weight matrix (exposures, inverse of age, inverse of variance, or unweighted); and the age at which an observed life table is truncated.

The estimated average service lives (Columns C, F, and I) are flagged with an asterisk if negative hazard rates are indicated by the fitted polynomial. All negative hazard rates are set equal to zero in the calculation of the graduated survivor curve. The Conformance Index (Columns E, H, and K) is the square root of the mean sum-of-squared differences between the graduated survivor curve and

the best fitting Iowa curve. A Conformance Index of zero would indicate a perfect fit.

SCHEDULE F – GRAPHICS ANALYSIS

This schedule provides a graphics plot of a) the observed proportion surviving for a selected placement and observation band; b) the statistically best fitting Iowa dispersion and derived average service life; and c) the projection curve and projection life selected to describe future forces of mortality.

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS

This schedule provides a moving analysis of the ratio of realized net salvage (Column I) to the associated retirements (Column B). This schedule also provides a moving average analysis of the components of net salvage related to retirements. The ratio of gross salvage to retirements is shown in Column D and the ratio of cost of removal to retirements is shown in Column G.

AQUILA CORPORATE ASSETS

Schedule A

General Plant

Page 1 of 1

Depreciable General Plant

Account: 390001 Structures and Improvements

Dispersion: 45 - R5

Procedure: Vintage Group

Generation Arrangement

Vintage	December 31, 2002		Avg. Life	Rem. Life	Net Plant Ratio	Alloc. Factor	Computed Net Plant	Accrual
	Age	Surviving Plant						
A	B	C	D	E	F	G	H=C*F*G	I=H/E
2002	0.5	4,764,788	44.93	44.50	0.9904	1.0000	4,718,943	106,044
2001	1.5	11,441,163	45.00	43.50	0.9667	1.0000	11,059,792	254,248
2000	2.5	269,189	44.03	42.50	0.9652	1.0000	259,811	6,113
1999	3.5	454,812	44.96	41.50	0.9230	1.0000	419,810	10,116
1998	4.5	470,277	44.99	40.50	0.9002	1.0000	423,335	10,453
1997	5.5	44,703,387	45.00	39.50	0.8778	1.0000	39,239,705	993,410
1996	6.5	42,261	44.29	38.50	0.8693	1.0000	36,736	954
1995	7.5	60,988	44.41	37.50	0.8445	1.0000	51,504	1,373
1994	8.5	174,587	44.15	36.50	0.8268	1.0000	144,350	3,955
1993	9.5	960,384	44.75	35.50	0.7934	1.0000	761,948	21,463
1992	10.5	213,692	43.88	34.50	0.7862	1.0000	168,010	4,870
1991	11.5	331,302	44.36	33.50	0.7552	1.0000	250,195	7,468
1990	12.5	63,200	45.00	32.50	0.7222	1.0000	45,645	1,404
1989	13.5	21,086	44.12	31.50	0.7140	1.0000	15,055	478
1988	14.5	12,272	43.88	30.50	0.6951	1.0000	8,530	280
1987	15.5	364,145	44.70	29.50	0.6599	1.0000	240,312	8,146
1986	16.5	140,712	44.91	28.50	0.6346	1.0000	89,294	3,133
1985	17.5	81,206	44.11	27.50	0.6235	1.0000	50,633	1,841
1984	18.5	642,823	44.31	26.50	0.5981	1.0000	384,463	14,508
1983	19.5	38,537	43.66	25.50	0.5841	1.0000	22,508	883
Total	4.8	\$65,250,810	44.97	40.24	0.8949	1.0000	\$58,390,577	\$1,451,140

AQUILA CORPORATE ASSETS

Schedule B

General Plant

Page 1 of 1

Depreciable General Plant

Account: 390001 Structures and Improvements

Age Distribution

Vintage	Age as of 12/31/2002	Derived Additions	1999 Opening Balance	Experience to 12/31/2002		
				Amount Surviving	Proportion Surviving	Realized Life
A	B	C	D	E	F=E/(C+D)	G
2002	0.5	5,510,775		4,764,788	0.8646	0.4323
2001	1.5	11,441,163		11,441,163	1.0000	1.5000
2000	2.5	756,033		269,189	0.3561	1.5341
1999	3.5	467,241		454,812	0.9734	3.4601
1998	4.5		473,143	470,277	0.9939	4.4909
1997	5.5		44,705,584	44,703,387	1.0000	5.4999
1996	6.5		53,527	42,261	0.7895	5.7906
1995	7.5		100,987	60,988	0.6039	6.9059
1994	8.5		405,706	174,587	0.4303	7.6455
1993	9.5		1,156,784	960,384	0.8302	9.2453
1992	10.5		842,056	213,692	0.2538	9.3807
1991	11.5		577,917	331,302	0.5733	10.8599
1990	12.5		63,200	63,200	1.0000	12.5000
1989	13.5		51,047	21,086	0.4131	12.6196
1988	14.5		48,310	12,272	0.2540	13.3810
1987	15.5		454,659	364,145	0.8009	15.2014
1986	16.5		149,572	140,712	0.9408	16.4111
1985	17.5		201,245	81,206	0.4035	16.6053
1984	18.5		1,175,737	642,823	0.5467	17.8086
1983	19.5		183,079	38,537	0.2105	18.1614
1978	24.5		40,187		0.0000	21.0000
1977	25.5		19,827		0.0000	22.0000
1976	26.5		938		0.0000	23.0000
1975	27.5		14,345		0.0000	24.0000
1973	29.5		959		0.0000	26.0000
1971	31.5		1,765		0.0000	28.0000
1969	33.5		2,940		0.0000	30.0000
1968	34.5		353		0.0000	31.0000
1967	35.5		1,464		0.0000	32.0000
1966	36.5		1,832		0.0000	33.0000
1965	37.5		284		0.0000	34.0000
1962	40.5		291		0.0000	37.0000
1961	41.5		397		0.0000	38.0000
1960	42.5		616		0.0000	39.0000
1959	43.5		9,131		0.0000	40.0000
1958	44.5		33,889		0.0000	41.0000
1957	45.5		802,970		0.0000	42.0295
Total		\$18,175,213	\$51,574,740	\$65,250,810	0.9355	

AQUILA CORPORATE ASSETS

General Plant

Depreciable General Plant

Account: 390001 Structures and Improvements

Schedule C

Page 1 of 1

Unadjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
1999	45,144,336	874,914	930,896	7,639,934	52,728,289
2000	52,728,289	1,478,779	41,831	(341,431)	53,823,805
2001	53,823,805	10,032,260	2,780,428	(2,073,442)	59,002,195
2002	59,002,195	6,994,602	745,987		65,250,810

AQUILA CORPORATE ASSETS

General Plant

Depreciable General Plant

Account: 390001 Structures and Improvements

Schedule D

Page 1 of 1

Adjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
1999	45,687,028	606,983	930,896	7,639,934	53,003,048
2000	53,003,048	1,179,195	41,831	(341,431)	53,798,981
2001	53,798,981	11,540,912	2,780,428	(2,073,442)	60,486,023
2002	60,486,023	5,510,775	745,987		65,250,810

AQUILA CORPORATE ASSETS

General Plant

Depreciable General Plant

Account: 390001 Structures and Improvements

T-Cut: None

Placement Band: 1957-2002

Hazard Function: Proportion Retired

Rolling Band Life Analysis

Weighting: Exposures

Observation Band	Censoring	First Degree			Second Degree			Third Degree		
		Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index
A	B	C	D	E	F	G	H	I	J	K
1999-2002	0.0	13.3	L2 *	1.39	16.1	S1.5	0.45	16.2	S1.5 *	0.43

AQUILA CORPORATE ASSETS

General Plant

Depreciable General Plant

Account: 390001 Structures and Improvements

Schedule F

Page 1 of 1

T-Cut: None


Placement Band: 1957-2002 Observation Band: 1999-2002

Hazard Function: Proportion Retired

Weighting: Exposures

Graphics Analysis

1st: 13.3-L2 2nd: 16.1-S1.5 3rd: 16.2-S1.5



AQUILA CORPORATE ASSETS

General Plant

Depreciable General Plant

Account: 390001 Structures and Improvements


T-Cut: None

Placement Band: 1957-2002

Observation Band: 1999-2002

Proposed Projection Life Curve

45.0-R5



AQUILA CORPORATE ASSETS

General Plant

Depreciable General Plant

Account: 390001 Structures and Improvements - Owned

Schedule G

Page 1 of 1

Unadjusted Net Salvage History

Year	Retirements	Gross Salvage			Cost of Retiring			Net Salvage		
		Amount	Pct.	1-Yr Avg.	Amount	Pct.	1-Yr Avg.	Amount	Pct.	1-Yr Avg.
A	B	C	D=C/B	E	F	G=F/B	H	I=C-F	J=I/B	K
1999	930,896	155	0.0	0.0		0.0	0.0	155	0.0	0.0
2000	41,831		0.0	0.0		0.0	0.0		0.0	0.0
2001	2,780,428	1,145,739	41.2	41.2		0.0	0.0	1,145,739	41.2	41.2
2002	745,987	847,000	113.5	113.5		0.0	0.0	847,000	113.5	113.5
Total	4,499,143	1,992,894	44.3			0.0		1,992,894	44.3	

2002 Depreciation Rate Study

*Aquila Networks—MPS
(Electric and Common)*

Revised June 9, 2003

Prepared by
Foster Associates, Inc.



CONTENTS

EXECUTIVE SUMMARY

INTRODUCTION	1
SCOPE OF STUDY	2
DEPRECIATION SYSTEM	2
PROPOSED DEPRECIATION RATES.....	4

STUDY PROCEDURE

INTRODUCTION	5
SCOPE	5
DATA COLLECTION	5
LIFE ANALYSIS AND ESTIMATION.....	7
NET SALVAGE ANALYSIS	9
DEPRECIATION RESERVE ANALYSIS.....	10
DEVELOPMENT OF ACCRUAL RATES	12

STATEMENTS

INTRODUCTION	14
STATEMENT A – REMAINING-LIFE ACCRUAL RATES.....	15
STATEMENT B – REMAINING-LIFE ACCRUALS	17
STATEMENT C – DEPRECIATION RESERVE SUMMARY	19
STATEMENT D – AVERAGE NET SALVAGE	22
STATEMENT E – FUTURE NET SALVAGE.....	24
STATEMENT F – PRESENT AND PROPOSED PARAMETERS	25

ANALYSIS

INTRODUCTION	28
SCHEDULE A – GENERATION ARRANGEMENT	28
SCHEDULE B – AGE DISTRIBUTION	29
SCHEDULE C – UNADJUSTED PLANT HISTORY	30
SCHEDULE D – ADJUSTED PLANT HISTORY.....	30
SCHEDULE E – ACTUARIAL LIFE ANALYSIS	30
SCHEDULE F – GRAPHICS ANALYSIS.....	31
SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS	31
SCHEDULE H – AVERAGE YEAR OF FINAL RETIREMENT	31

DISTRIBUTION

368000 – LINE TRANSFORMERS

SCHEDULE A – GENERATION ARRANGEMENT 32

SCHEDULE B – AGE DISTRIBUTION 34

SCHEDULE C – UNADJUSTED PLANT HISTORY 36

SCHEDULE D – ADJUSTED PLANT HISTORY 37

SCHEDULE E – ACTUARIAL LIFE ANALYSIS 38

SCHEDULE F – GRAPHICS ANALYSIS 40

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS 42

June 9, 2003

EXECUTIVE SUMMARY

INTRODUCTION

This report presents the findings and recommendations developed in a 2002 Depreciation Rate Study for utility plant owned by Aquila Networks – MPS (Electric and Common). Work on the study, conducted by Foster Associates, Inc., commenced in October 2001 and progressed through mid-September 2002, at which time the project was completed.

Foster Associates, Inc. is a public utility economic consulting firm headquartered in Bethesda, Maryland offering economic research and consulting services on issues and problems arising from governmental regulation of business. The areas of specialization supported by our Fort Myers office include property life forecasting, technological forecasting, depreciation estimation, and valuation of industrial property.

Foster Associates has undertaken numerous depreciation engagements for both public and privately owned corporations including detailed statistical life studies, analyses of required net salvage rates, and the selection of depreciation systems that will most nearly achieve the goals of depreciation accounting under the constraints of either government regulation or competitive market pricing. Foster Associates is widely recognized for industry leadership in the development of depreciation systems, life analysis techniques and computer software for conducting depreciation and valuation studies.

Depreciation rates currently used by MPS were approved by the Missouri Public Service Commission (Commission) pursuant to a Stipulation and Agreement in Formal Case No. ER-2001-672 and EC-2002-265 dated February 5, 2002.¹ With the exception of General Plant Account 391001 (Office Furniture and Equipment), average service lives used to derive the settled depreciation rates were included in an appendix attached to the Stipulation and Agreement.

In addition to specifying depreciation rates, the settlement Agreement provided that “UtiliCorp shall book for its MPS electric operations, now and in the future, current levels of net salvage costs as an expense, and not against accrued depreciation reserve.” The agreement further provides that “... in the next general rate increase case or complaint case in which MPS’s retail electric rates are under review, the Parties shall be free to contest how future net salvage costs should be booked.” The parties further agreed that “On or before August 1, 2002, [Aquila

¹Depreciation rates used by MPS prior to the 2002 Agreement were prescribed by the Commission in Case No. ER-97-394. Service life and net salvage statistics (e.g., projection life, projection curve, remaining life and future net salvage rates) used to derive the approved depreciation rates were not identified in either the Order or other documents related to the case. Parameters contained in a set of schedules captioned “Staff Recommended Depreciation Rates” did not produce either the Staff recommended rates or the prescribed rates transmitted to the Missouri Public Service Commission by correspondence dated May 1, 1998.

would] file with the Commission its next depreciation study for its MPS electric operations, provide to the Staff its work papers for that study, and supply the underlying data for that study to the Staff in Gannett Fleming format.”

A 2002 Depreciation Rate Study for MPS electric and common was provided to the Commission Staff on September 30, 2002 in accordance with the settlement Agreement and subsequent approval for an extension of time. This report is identical to the filed study with the exception of the reported present rate for Common Utility Account 393000 (Stores Equipment), Account 394000 (Tools, Shop and Garage Equipment) and Account 395000 (Laboratory Equipment). Additionally, this report provides a correction to the computation of future net salvage rates for Steam Production plant. The whole-life and amortization components of the proposed remaining-life accrual rates are also provided in this report.

The principal findings and recommendations of the MPS Depreciation Rate Study are summarized in the Statements section of this report. Statement A provides a comparative summary of present and proposed annual depreciation rates for each rate category. Statement B provides a comparison of present and proposed annual depreciation accruals. Statement C provides a comparison of the computed, recorded and redistributed depreciation reserves for each rate category. Statement D provides a summary of the components used to obtain a weighted-average net salvage rate for each plant account. Statement E provides a computation of the estimated future net salvage rate for steam production facilities. Statement F provides a comparative summary of present and proposed parameters and statistics including projection life, projection curve, average service life, and average remaining life.

SCOPE OF STUDY

The principal activities undertaken in the current study included:

- Collection of plant and net salvage data;
- Reconciliation of data to the official records of the Company;
- Discussions with MPS plant accounting personnel;
- On-site plant inspections;
- Estimation of projection lives and retirement dispersion patterns;
- Analysis of gross salvage and removal expense;
- Analysis and redistribution of recorded depreciation reserves; and
- Development of recommended accrual rates for each rate category.

DEPRECIATION SYSTEM

A depreciation rate is formed by combining the elements of a depreciation system. A depreciation system is composed of a method, a procedure and a tech-

nique. A depreciation method (*e.g.*, straight-line) describes the component of the system that determines the acceleration or deceleration of depreciation accruals in relation to either time or use. A depreciation procedure (*e.g.*, vintage group) identifies the level of grouping or sub-grouping of assets within a plant category. The level of grouping specifies the weighting used to obtain composite life statistics for an account. A depreciation technique (*e.g.*, remaining-life) describes the life statistic used in the system.

MPS is presently using a depreciation system composed of the straight-line method, broad group procedure, whole-life technique for all plant categories. Depreciation rates proposed in this study are derived from a system composed of the straight-line method, vintage group procedure, whole-life technique with amortization of reserve imbalances over the estimated remaining life of each rate category. This formulation of the accrual rate is equivalent to a straight-line method, vintage group procedure, remaining-life technique.

The matching and expense recognition principles of accounting provide that the cost of an asset (or group of assets) should be allocated to operations over an estimate of the economic life of the asset in proportion to the consumption of service potential. It is the opinion of Foster Associates that the objectives of depreciation accounting can be more nearly achieved using the vintage-group procedure combined with the remaining-life technique. Unlike the broad group procedure in which each vintage is estimated to have the same average service life, the vintage group procedure distinguishes average service lives among vintages and provides cost apportionment over the estimated weighted-average remaining life or average life of a rate category.

The level of asset grouping identified in the broad group procedure is the total plant in service from all vintages in an account. Each vintage is estimated to have the same average service life. It is highly unlikely, therefore, that compensating deviations (*i.e.*, over and underestimates of average service life) will be created among vintages to achieve cost allocation over the average service life of each vintage. The level of asset grouping identified in the vintage group procedure is the plant in service from each vintage. The average service life (or remaining life) is estimated for each vintage and composite life statistics are computed for each plant account. It is more likely, therefore, that compensating deviations will be created with a vintage group procedure than with a broad group procedure.

The dependency of both the broad group procedure and the vintage group procedure on compensating deviations in the estimate of service lives is attributable to the use of the whole-life technique. A permanent excess or deficiency will be created in the depreciation reserve by a continued application of the whole-life technique if these deviations are not exactly offsetting. The potential for a permanent reserve imbalance can be eliminated, however, by an application of the re-

maintaining-life technique.

The principal distinction between a whole-life rate and a remaining-life rate is the treatment of depreciation reserve imbalances. A reserve imbalance is the difference between a theoretical or computed reserve and the corresponding recorded reserve for a rate category. The remaining-life technique provides a systematic amortization of these differences over the composite weighted average remaining life of a rate category.

Although the emergence of economic factors such as bypass and incentive forms of regulation may ultimately encourage abandonment of the straight-line method, no attempt was made in the current study to address these concerns.

PROPOSED DEPRECIATION RATES

Table 1 provides a summary of the changes in annual rates and accruals resulting from adoption of the parameters and depreciation system recommended in this study.

*Rates
and
Accruals*

Function	Accrual Rate			2002 Annualized Accrual		
	Present	Proposed	Difference	Present	Proposed	Difference
Steam Production	2.75%	4.28%	1.53%	\$9,583,823	\$14,910,910	\$5,327,087
Other Production	3.46%	4.05%	0.59%	1,023,877	1,199,677	175,800
Transmission	1.99%	2.04%	0.05%	3,008,839	3,087,251	78,412
Distribution	2.79%	3.16%	0.37%	14,139,774	16,015,491	1,875,717
General Plant	5.06%	4.20%	-0.86%	1,274,665	1,059,085	-215,580
Common Plant	4.90%	3.06%	-1.84%	933,983	582,784	-351,199
Total Utility	2.78%	3.41%	0.63%	\$29,964,961	\$36,855,198	\$6,890,237

TABLE 1. PRESENT AND PROPOSED RATES AND ACCRUALS

Foster Associates is recommending primary account depreciation rates equivalent to a composite rate of 3.41 percent. Depreciation expense is presently accrued at an equivalent composite rate of 2.78 percent. The recommended change in the composite depreciation rate is, therefore, an increase of 0.63 percentage points.

A continued application of rates currently prescribed would provide annualized depreciation expense of \$29,964,961 compared to an annualized expense of \$36,855,198 using the rates developed in this study. The proposed expense increase is \$6,890,237. Of this increase, (\$1,928,876) represents amortization of a (\$36,459,274) reserve imbalance. The remaining portion of the increase is attributable to recommended changes in service life and net salvage parameters.

Of the 57 primary accounts included in the 2002 study, Foster Associates is recommending rate reductions for 30 accounts and rate increases 27 accounts.

STUDY PROCEDURE

INTRODUCTION

The purpose of a depreciation study is to analyze the mortality characteristics, net salvage rates and adequacy of the depreciation accrual and recorded depreciation reserve for each rate category. This study provides the foundation and documentation for recommended changes in the depreciation accrual rates used by Aquila for its MPS (Electric and Common) operations. The proposed rates are subject to approval by the Missouri Public Service Commission.

SCOPE

The steps involved in conducting a depreciation study can be grouped into five major tasks:

- Data Collection;
- Life Analysis and Estimation;
- Net Salvage Analysis;
- Depreciation Reserve Analysis; and
- Development of Accrual Rates.

The scope of the 2002 study for MPS included a consideration of each of these tasks as described below.

DATA COLLECTION

The minimum database required to conduct a statistical life study consists of a history of vintage year additions and unaged activity year retirements, transfers and adjustments. These data must be appropriately adjusted for transfers, sales and other plant activity that would otherwise bias the measured service life of normal retirements. The age distribution of surviving plant for unaged data can be estimated by distributing the plant in service at the beginning of the study year to prior vintages in proportion to the theoretical amount surviving from a projection or survivor curve identified in the life study. The statistical methods of life analysis used to examine unaged plant data are known as *semi-actuarial techniques*.

A far more extensive database is required to apply the statistical methods of life analysis known as *actuarial techniques*. Plant data used in an actuarial life study most often include the age distribution of surviving plant at the beginning of the study year and the vintage year, activity year, and dollar amounts associated with normal retirements, reimbursed retirements, sales, abnormal retirements, transfers, corrections, and extraordinary adjustments over a series of prior activity years. An actuarial database may include the age distribution of surviving plant at the beginning of the earliest activity year, rather than at the beginning of the study year. Plant additions, however, must be included in a database containing an opening age distribution to derive aged survivors at the beginning of the

study year. All activity year transactions with vintage year identification are coded and stored in a data file. The data are processed by a computer program and transaction summary reports are created in a format reconcilable to the Company's official plant records. The availability of such detailed information is dependent upon an accounting system that supports aged property records. The Continuing Property Record (CPR) system used by Aquila for MPS assets provides aged transactions for all plant accounts.

The database used in the 2002 study was compiled from two sources. Detailed accounting transactions were extracted from these sources and assigned transaction codes which identify the nature of the accounting activity. Transaction codes for plant additions, for example, are used to distinguish normal additions from acquisitions, purchases, reimbursements and adjustments. Similar transaction codes are used to distinguish normal retirements from sales, reimbursements, abnormal retirements and adjustments. Transaction codes are also assigned to transfers, capital leases and other accounting activity which should be considered in a depreciation study.

The first data source was an electronic file historically provided to the Missouri Commission to conduct independent analyses. While the file included vintage years since inception through 1997, it did not provide a distinction between additions, transfers, and adjustments. The file, therefore, was recreated by the Company using a legacy system database to provide the appropriate distinctions. A translation program was then used by Foster Associates to create a database in a format compatible with the software used to conduct the depreciation study.

The second source of data was the current CPR system installed by Aquila in 1998. The database obtained from this system included activity year transactions over the period 1998-2001 and the age distribution of surviving plant at December 31, 2001. Age distributions at December 31, 2001 were used in conjunction with activity year transactions to reverse the transaction flow and generate an age distribution at December 31, 1997. The resulting age distributions were then compared to the age distributions generated by the Commission database. Differences were coded as vintage adjustments in 1997 to interconnect and provide continuity between the two databases. Care was taken in creating the Foster Associates database to ensure a proper mapping of the legacy system account structure to the current CPR account structure. No attempt, however, was made to reconcile the Foster Associates database to the historical Commission database because of the treatment of adjusting transactions in the Commission database.

The accuracy and completeness of the assembled data base was verified by Foster Associates for activity years 1998 through 2001 by comparing the beginning plant balance, additions, retirements, transfers and adjustments, and the ending plant balance derived for each activity year to the official plant records of the

Company. Age distributions of surviving plant at December 31, 2001 were reconciled to the CPR.

LIFE ANALYSIS AND ESTIMATION

Life analysis and life estimation are terms used to describe a two-step procedure for estimating the mortality characteristics of a plant category. The first step (*i.e.*, life analysis) is largely mechanical and primarily concerned with history. Statistical techniques are used in this step to obtain a mathematical description of the forces of retirement acting upon a plant category and an estimate of service life known as the *projection life* of the account. The mathematical expressions used to describe these life characteristics are known as *survival functions* or *survivor curves*.

The second step (*i.e.*, life estimation) is concerned with predicting the expected remaining life of property units still exposed to the forces of retirement. It is a process of blending the results of the life analysis with informed judgment (including expectations about the future) to obtain an appropriate projection life and curve. The amount of weight given to the life analysis will depend upon the extent to which past retirement experience is considered descriptive of the future.

The analytical methods used in a life analysis are broadly classified as actuarial and semi-actuarial techniques. Actuarial techniques can be applied to plant accounting records that reveal the age of a plant asset at the time of its retirement from service. Stated differently, each property unit must be identifiable by date of installation and age at retirement. Semi-actuarial techniques can be used to derive service life and dispersion estimates when age identification of retirements is not maintained or readily available.

An actuarial life analysis program designed and developed by Foster Associates was used in this study. The first step in an actuarial analysis involves a systematic treatment of the available data for the purpose of constructing an observed life table. A complete life table contains the life history of a group of property units installed during the same accounting period and various probability relationships derived from the data. A life table is arranged by age-intervals (usually defined as one year) and shows the number of units (or dollars) entering and leaving each age-interval and probability relationships associated with this activity. A life table minimally shows the age of each survivor and the age of each retirement from a group of units installed in a given accounting year.

A life table can be constructed in any one of at least five alternative methods. The annual-rate or retirement-rate method was used in this study. The mechanics of the annual-rate method require the calculation of a series of ratios obtained by dividing the number of units (or dollars) surviving at the beginning of an age interval into the number of units (or dollars) retired during the same interval. This

ratio (or set of ratios) is commonly referred to as retirement ratios. The cumulative proportion surviving is obtained by multiplying the retirement ratio for each age interval by the proportion of the original group surviving at the beginning of that age interval and subtracting this product from the proportion surviving at the beginning of the same interval. The annual-rate method is applied to multiple groups or vintages by combining the retirements and/or survivors of like ages for each vintage included in the analysis.

The second step in an actuarial analysis involves graduating or smoothing the observed life table and fitting the smoothed series to a family of survival functions. The functions used in this study are the Iowa-type curves which are mathematically described in terms of the Pearson frequency curve family. The observed life table was smoothed by a weighted least-squares procedure in which first, second and third degree polynomials were fitted to the observed retirement ratios. The resulting function can be expressed in terms of a survivorship function which is numerically integrated to obtain an estimate of the average service life. The smoothed survivorship function is then fitted by a weighted least-squares procedure to the Iowa-curve family to obtain a mathematical description or classification of the dispersion characteristics of the data.

The set of computer programs used in this analysis provides multiple rolling-band and shrinking-band analyses of an account. Observation bands are defined for a "retirement era" which restricts the analysis to the retirement activity of all vintages represented by survivors at the beginning of a selected era. In a rolling-band analysis, a year of retirement experience is added to each successive retirement band and the earliest year from the preceding band is dropped. A shrinking-band analysis begins with the total retirement experience available and the earliest year from the preceding band is dropped for each successive band. Rolling and shrinking band analyses are used to detect the emergence of trends in the behavior of the dispersion and average service life.

Options available in the actuarial life analysis program include the width and location of both placement and observation bands; the interval of years included in a selected rolling or shrinking band analysis; the estimator of the hazard rate (actuarial, conditional proportion retired, or maximum likelihood); the elements to include on the diagonal of a weight matrix (exposures, inverse of age, inverse of variance, or unweighted); and the age at which an observed life table is truncated. The program also provides tabular and graphics output as an aid in the analysis and optionally produces data output files used in the calculation of depreciation accruals.

While actuarial and semi-actuarial statistical methods are well suited to an analysis of plant categories containing a large number of homogeneous units (*e.g.*, poles and conductors), the concept of retirement dispersion is inappropriate for

plant categories composed of major items of plant that will most likely be retired as a single unit. Plant retirements from an integrated system prior to the retirement of the entire facility are more properly viewed as interim retirements that will be replaced in order to maintain the integrity of the system. Additionally, plant facilities may be added to the existing system (*i.e.*, interim additions) in order to expand or enhance its productive capacity without extending the service life of the present system. A proper depreciation rate can be developed for an integrated system using a life-span method.

The life-span method requires the selection of a coterminous retirement date for all plant additions to a specific facility. A composite depreciation rate is calculated for the facility using the technique of harmonic weighting of the expected life span of each vintage addition. The resulting accrual rate must be adjusted for interim retirements to the extent that such retirements can be reasonably expected. Absent this adjustment, the depreciation accumulated over the life span of the facility will be deficient by an amount equal to a portion of the interim retirements. Properly implemented, the life-span method does not include plant additions or replacements of interim retirements until such activity is reported. All plant accounts classified in the Steam and Other Production functions were identified by location and treated as life-span categories in this study.

NET SALVAGE ANALYSIS

Depreciation rates designed to achieve the goals and objectives of depreciation accounting will include a parameter for future net salvage and a variable for average net salvage which reflects both realized and future net salvage rates.

An estimate of the net salvage rate applicable to future retirements is most often obtained from an analysis of gross salvage and removal expense realized in the past. An analysis of past experience (including an examination of trends over time) provides an appropriate basis for estimating future salvage and cost of removal. However, consideration should also be given to events that may cause deviations from net salvage realized in the past. Among the factors that should be considered are the age of plant retirements; the portion of retirements likely to be reused; changes in the method of removing plant; the type of plant to be retired in the future; inflation expectations; the shape of the projection life curve; and economic conditions that may warrant greater or lesser weight to be given to the net salvage observed in the past.

Special consideration should also be given to the treatment of insurance proceeds and other forms of third-party reimbursements credited to the depreciation reserve. A properly conducted net salvage study will exclude such activity from the estimate of future parameters and include the activity in the computation of realized and average net salvage rates.

A traditional, historical analysis using a five-year moving average of the ratio of realized salvage and removal expense to the associated retirements was used in this study to a) estimate a realized net salvage rate; b) detect the emergence of historical trends; and c) establish a basis for estimating a future net salvage rate. Cost of removal and salvage opinions obtained from Company engineers were blended with judgment and historical net salvage indications in developing estimates of the future.

Consideration was also given in the 2002 MPS depreciation study to the cost of dismantling the Sibley Generating Station and the Jeffery Energy Center. The projected cost of dismantling these facilities was derived, as shown in Table 2, from an estimated cost of \$50 per kW, denominated in 2001 dollars. This cost estimate is intended to serve as a placeholder pending completion of a detailed dismantling cost study. The Company is prepared to undertake a dismantling cost study upon receipt of authorization by the Commission to include removal expense in the accrual for depreciation.

Plant	Capacity (MW)	Cost per kW	2001 Cost	Inflation Rate	AYFR	Dismantlement Cost
Jeffrey	172.0	\$50.00	\$8,600,000	1.50%	2022	\$11,756,697
Sibley	512.2	50.00	25,610,000	1.50%	2015	31,545,264

Table 2. Dismantlement Cost

The average net salvage rate for an account was estimated using direct dollar weighting of historical retirements with the historical net salvage rate, and future retirements (*i.e.*, surviving plant) with the estimated future net salvage rate. The computation of the estimated average net salvage rate for each rate category is shown in Statement D. Future net salvage rates estimated for Jeffrey and Sibley are shown in Statement E.

DEPRECIATION RESERVE ANALYSIS

The purpose of a depreciation reserve analysis is to compare the current level of the recorded reserve with the level required to achieve the goals or objectives of depreciation accounting if the amount and timing of future retirements and net salvage are realized as predicted. The difference between the required depreciation reserve and the recorded reserve provides a measurement of the expected excess or shortfall that will remain in the depreciation reserve if corrective action is not taken to eliminate the reserve imbalance.

Unlike a recorded reserve which represents the net amount of depreciation expense charged to previous periods of operations, a theoretical reserve is a measure of the implied reserve requirement at the beginning of a study year if the timing of future retirements and net salvage is in exact conformance with a survivor curve chosen to predict the probable life of plant units still exposed to the

forces of retirement. Stated differently, a theoretical depreciation reserve is the difference between the recorded cost of plant presently in service and the sum of the depreciation expense and net salvage that will be charged in the future if plant retirements are distributed over time according to a specified retirement frequency distribution.

The survivor curve used in the calculation of a theoretical depreciation reserve is intended to describe forces of retirement that will be operative in the future. However, retirements caused by forces such as accidents, physical deterioration and changing technology seldom, if ever, remain stable over time. It is unlikely, therefore, that a probability or retirement frequency distribution can be identified that will accurately describe the age of plant retirements over the complete life cycle of a vintage. It is for this reason that depreciation rates should be reviewed periodically and adjusted for observed or expected changes in the parameters chosen to describe the underlying forces of mortality.

Although reserve records are commonly maintained by various account classifications, the total reserve for a company is the most important measure of the status of the company's depreciation practices. If statistical life studies have not been conducted or retirement dispersion has been ignored in setting depreciation rates, it is likely that some accounts will be over-depreciated and other accounts will be under-depreciated relative to a calculated theoretical reserve. Differences between the theoretical reserve and the recorded reserve also will arise as a normal occurrence when service lives, dispersion patterns and net salvage estimates are adjusted in the course of depreciation reviews. It is appropriate, therefore, and consistent with group depreciation theory to periodically redistribute or rebalance the total recorded reserve among the various primary accounts based upon the most recent estimates of retirement dispersion and net salvage rates.

A redistribution of recorded reserves is appropriate for MPS at this time. Although recorded reserves have been maintained by primary account (and locations within primary accounts), these reserves were largely ignored in the development of the presently prescribed whole-life accrual rates. The present rates were established by negotiations and compromise without specifying the projection curve and reserve ratios contemplated in the settled rates. This failure to address prior reserve imbalances produces an added dimension of instability in accrual rates beyond the variability attributable to the parameters estimated in the current study. A redistribution of the recorded reserve is necessary, therefore, to develop an initial reserve balance for each primary account consistent with the age distributions and estimates of retirement dispersion developed in this study. Reserves should also be realigned in this study to reflect implementation of the vintage group procedure.

A redistribution of the recorded reserve was achieved for MPS by multiply-

ing the calculated reserve for each primary account within a function by the ratio of the function total recorded reserve to the function total calculated reserve. The sum of the redistributed reserves within a function is, therefore, equal to the function total recorded depreciation reserve before the redistribution.

Statement C provides a comparison of the computed and recorded reserves for MPS on December 31, 2001. The recorded reserve was \$464,379,209, or 43.0 percent of the depreciable plant investment. The corresponding computed reserve is \$427,919,935 or 39.6 percent of the depreciable plant investment. A proportionate amount of the measured reserve imbalance of (\$36,459,274) will be amortized over the composite weighted-average remaining life of each rate category.

DEVELOPMENT OF ACCRUAL RATES

The goal or objective of depreciation accounting is cost allocation over the economic life of an asset in proportion to the consumption of service potential. Ideally, the cost of an asset—which represents the cost of obtaining a bundle of service units—should be allocated to future periods of operation in proportion to the amount of service potential expended during an accounting interval. The service potential of an asset is the present value of future net revenue (*i.e.*, revenue less expenses exclusive of depreciation and other non-cash expenses) or cash inflows attributable to the use of that asset alone.

Cost allocation in proportion to the consumption of service potential is often approximated by the use of depreciation methods employing time rather than net revenue as the apportionment base. Examples of time-based methods include sinking-fund, straight-line, declining balance, and sum-of-the-years' digits. The advantage of using a time-based method is that it does not require an estimate of the remaining amount of service capacity an asset will provide or the amount of capacity actually consumed during an accounting interval. Using a time-based allocation method, however, does not change the goal of depreciation accounting. If it is predictable that the net revenue pattern of an asset will either decrease or increase over time, then an accelerated or decelerated time-based method should be used to approximate the rate at which service potential is actually consumed.

The time period over which the cost of an asset will be allocated to operations is determined by the combination of a procedure and a technique. A depreciation procedure describes the level of grouping or sub-grouping of assets within a plant category. The broad group, vintage group, equal-life group, and item or unit are a few of the more widely used procedures. A depreciation technique describes the life statistic used in a depreciation system. The whole-life and remaining-life (or expectancy) are the most common techniques.

Depreciation rates recommended in this study were developed using a system composed of the straight-line method, vintage group procedure, whole-life tech-

nique with amortization of reserve imbalances over the estimated remaining life of each rate category. This formulation of the accrual rate is equivalent to a straight-line method, vintage group procedure, remaining-life technique. It is the opinion of Foster Associates that this system will remain appropriate for MPS, provided depreciation studies are conducted periodically and parameters are routinely adjusted to reflect changing operating conditions.

STATEMENTS

INTRODUCTION

This section provides a comparative summary of depreciation rates, annual depreciation accruals, recorded and computed depreciation reserves, and present and proposed service life statistics recommended for MPS electric and common operations. The content of these statements is briefly described below.

- Statement A provides a comparative summary of present and proposed annual depreciation rates using the vintage group procedure, whole-life technique with amortization of reserve imbalances.
- Statement B provides a comparison of the present and proposed annualized 2002 depreciation accruals based upon the rates developed in Statement A.
- Statement C provides a comparison of the recorded, computed and redistributed reserves for each rate category at December 31, 2001.
- Statement D provides a summary of the components used to obtain a weighted average net salvage rate for each rate category.
- Statement E provides a computation of the estimated future net salvage rate for steam production facilities.
- Statement F provides a comparative summary of present and proposed parameters including projection life, projection curve, average service life, and average remaining life.

Present depreciation accruals shown on Statement B are the product of the plant investment (Column B) and the present depreciation rates (Column D) shown on Statement A. These are the effective rates used by the Company for the mix of investments recorded on December 31, 2001. Similarly, proposed depreciation accruals shown on Statement B are the product of the plant investment and the proposed depreciation rates (Column I) shown on Statement A. Proposed accrual rates shown on Statement A are given by:

$$\text{Accrual Rate} = \frac{1.0 - \text{Average Net Salvage}}{\text{Average Life}} + \frac{\text{Computed Reserve} - \text{Recorded Reserve}}{\text{Remaining Life}}$$

where *Average Net Salvage*, *Computed Reserve* and *Recorded Reserve* are expressed in percent. This formulation of the accrual rate is equivalent to

$$\text{Accrual Rate} = \frac{1.0 - \text{Reserve Ratio} - \text{Future Net Salvage Rate}}{\text{Remaining Life}}.$$

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement A

Comparison of Present and Proposed Accrual Rates

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description	Present			Proposed				
	Avg. Life	Net Salvage	Accrual Rate	Avg. Life	Avg. Net Salvage	W/L Rate	Amortization	R/L Rate
A	B	C	D	E	F	G	H	I=G+H
STEAM PRODUCTION								
311000 Structures and Improvements			3.23%	27.86	-13.2%	4.06%	-0.20%	3.86%
312000 Boiler Plant Equipment			2.48%	26.27	-15.4%	4.39%	-0.19%	4.20%
314000 Turbogenerator Units			2.85%	22.96	-14.0%	4.97%	-0.12%	4.85%
315000 Accessory Electric Equipment			3.46%	26.37	-13.6%	4.31%	-0.18%	4.13%
316000 Misc. Power Plant Equipment			3.13%	28.35	-13.7%	4.01%	-0.21%	3.80%
Total Steam Production Plant			2.75%	25.73	-14.6%	4.45%	-0.17%	4.28%
OTHER PRODUCTION								
341000 Structures and Improvements	40.20		2.49%	23.25	-4.9%	4.51%	-1.17%	3.34%
342000 Fuel Holders and Accessories	32.70		3.06%	21.81	-4.9%	4.81%	-1.23%	3.58%
343000 Prime Movers	24.10		4.15%	19.46	-5.8%	5.44%	-0.66%	4.78%
343100 Wind Turbines	24.10		4.15%	23.45	-5.0%	4.48%	-0.26%	4.22%
344000 Generators	32.00		3.13%	23.43	-6.4%	4.54%	-1.15%	3.39%
345000 Accessory Electric Equipment	31.30		3.19%	21.58	-5.4%	4.88%	-1.18%	3.70%
346000 Misc. Power Plant Equipment	36.40		2.75%	13.66		7.32%	-0.19%	7.13%
Total Other Production Plant			3.46%	21.15	-5.7%	5.00%	-0.95%	4.05%
TRANSMISSION PLANT								
352000 Structures and Improvements	45.00		2.22%	60.36	-10.2%	1.83%	-0.23%	1.60%
353000 Station Equipment	50.00		2.00%	60.17	-4.8%	1.74%	-0.11%	1.63%
354000 Towers and Fixtures	55.00		1.82%	53.92		1.85%	-0.50%	1.35%
355000 Poles and Fixtures	48.00		2.08%	55.05	-60.1%	2.91%	-0.20%	2.71%
356000 Overhead Conductors and Devices	54.00		1.85%	59.92	-40.2%	2.34%	-0.22%	2.12%
358000 Underground Conductors and Devices	32.00		3.13%	60.27	-20.0%	1.99%	-0.30%	1.69%
Total Transmission Plant			1.99%	58.41	-28.8%	2.21%	-0.17%	2.04%
DISTRIBUTION PLANT								
361000 Structures and Improvements	43.00		2.33%	60.04	-9.7%	1.83%	-0.01%	1.82%
362000 Station Equipment	44.00		2.27%	54.62	-3.4%	1.89%		1.89%
364000 Poles, Towers and Fixtures	40.00		2.50%	43.16	-75.3%	4.06%	-0.03%	4.03%
365000 Overhead Conductors and Devices	50.00		2.00%	54.82	-30.0%	2.37%	-0.01%	2.36%
366000 Underground Conduit	55.00		1.82%	54.91	-10.0%	2.00%		2.00%
367000 Underground Conductors and Devices	37.00		2.70%	44.91	-20.1%	2.67%	-0.01%	2.66%
368000 Line Transformers	29.00		3.45%	30.02	-14.9%	3.83%	-0.03%	3.80%
369001 Overhead Services	48.00		2.08%	55.07	-154.7%	4.63%	-0.05%	4.58%
369002 Underground Services	28.00		3.57%	35.05	-15.0%	3.28%	-0.02%	3.26%
370001 Meters	40.00		2.50%	50.18	-5.1%	2.09%	-0.01%	2.08%
370002 Load Research Meters	10.00		10.00%	12.16		8.22%	-0.27%	7.95%
371000 Installations on Customers' Premises	20.00		5.00%	24.97	-30.4%	5.22%	-0.03%	5.19%
373000 Street Lighting and Signal Systems	27.00		3.70%	30.36	-9.5%	3.61%	-0.02%	3.59%
Total Distribution Plant			2.79%	40.73	-29.7%	3.18%	-0.02%	3.16%
GENERAL PLANT								
390001 Structures and Improvements	45.00		2.22%	40.26	-22.7%	3.05%	-0.31%	2.74%
391001 Office Furniture and Equipment			3.60%	18.17	-0.1%	5.51%	-0.75%	4.76%
391200 Computer Hardware	10.00		10.00%	5.99	-0.1%	16.71%	-3.61%	13.10%
391300 Computer Software	10.00		10.00%	6.02		16.61%	-8.28%	8.33%
392000 Transportation Equipment			10.06%	13.46	10.0%	6.69%	-1.31%	5.38%
393000 Stores Equipment	18.00		5.56%	26.25		3.81%	-0.72%	3.09%
394000 Tools, Shop and Garage Equipment	16.00		6.25%	23.37	-1.0%	4.32%	-0.53%	3.79%
395000 Laboratory Equipment	25.00		4.00%	27.98	0.7%	3.55%	-0.61%	2.94%
396000 Power Operated Equipment			6.67%	14.65	0.1%	6.82%	-1.40%	5.42%
397000 Communication Equipment	16.00		6.25%	26.50	-0.2%	3.78%	-0.70%	3.08%
398000 Miscellaneous Equipment	20.00		5.00%	22.41	3.4%	4.31%	-1.08%	3.23%
Total General Plant			5.06%	20.99	-7.8%	5.14%	-0.94%	4.20%
TOTAL ELECTRIC UTILITY			2.74%	34.71	-23.5%	3.56%	-0.14%	3.42%

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement A

Comparison of Present and Proposed Accrual Rates

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description A	Present			Proposed				
	Avg. Life B	Net Salvage C	Accrual Rate D	Avg. Life E	Avg. Net Salvage F	W/L Rate G	Amortization H	R/L Rate I=G+H
COMMON UTILITY								
390001 Structures and Improvements	45.00		2.22%	39.73	-12.9%	2.84%	-0.40%	2.44%
391001 Office Furniture and Equipment	13.00		7.69%	19.72	5.1%	4.81%	-0.93%	3.88%
391200 Computer Hardware	9.00			10.04	6.7%	9.29%	-1.64%	7.65%
392000 Transportation Equipment			6.45%	11.23	9.3%	8.08%	-4.95%	3.13%
393000 Stores Equipment	18.00		5.56%	15.91		6.29%	-1.96%	4.33%
394000 Tools, Shop and Garage Equipment			6.25%	15.77		6.34%	-3.15%	3.19%
395000 Laboratory Equipment	25.00		4.00%	15.20		6.58%	-2.18%	4.40%
396000 Power Operated Equipment			6.67%	13.11	5.2%	7.23%	-2.64%	4.59%
397000 Communication Equipment	20.00		5.00%	26.31		3.80%	-0.97%	2.83%
398000 Miscellaneous Equipment	18.00		5.56%	24.79		4.03%	-1.02%	3.01%
Total Common Utility			4.90%	17.58	4.1%	5.46%	-2.40%	3.06%
TOTAL ELECTRIC AND COMMON PLANT								
			2.78%	34.02	-22.2%	3.59%	-0.18%	3.41%
STEAM PRODUCTION								
Jeffery								
311000 Structures and Improvements	31.00		3.23%	38.39	-12.4%	2.93%	-0.59%	2.34%
312000 Boiler Plant Equipment	38.80		2.58%	37.25	-12.1%	3.01%	-0.57%	2.44%
314000 Turbogenerator Units	27.00		3.70%	31.75	-11.6%	3.51%	-0.45%	3.06%
315000 Accessory Electric Equipment	28.90		3.46%	44.07	-13.3%	2.57%	-0.66%	1.91%
316000 Misc. Power Plant Equipment	32.00		3.13%	28.17	-14.5%	4.06%	-0.28%	3.78%
Total Jeffery			2.94%	36.53	-12.1%	3.07%	-0.56%	2.51%
Sibley								
311000 Structures and Improvements	31.00		3.23%	24.68	-13.5%	4.60%	-0.02%	4.58%
312000 Boiler Plant Equipment	41.20		2.43%	23.36	-16.9%	5.00%	-0.02%	4.98%
314000 Turbogenerator Units	38.50		2.60%	21.28	-14.7%	5.39%	-0.02%	5.37%
315000 Accessory Electric Equipment	28.90		3.46%	23.29	-13.6%	4.88%	-0.02%	4.86%
316000 Misc. Power Plant Equipment	32.00		3.13%	28.72	-11.6%	3.89%	-0.03%	3.86%
Total Sibley			2.67%	23.04	-15.6%	5.02%	-0.02%	5.00%

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement B

Comparison of Present and Proposed Accruals

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description A	12/31/01 Plant		2002 Annualized Accrual			
	Investment B	Present C	Proposed			Difference G=F-C
			Whole-Life D	Amortization E	Total F=D+E	
STEAM PRODUCTION						
311000 Structures and Improvements	\$56,771,294	\$1,833,713	\$2,307,069	(\$115,256)	\$2,191,813	\$358,100
312000 Boiler Plant Equipment	191,046,861	4,729,960	8,391,230	(359,121)	8,032,109	3,302,149
314000 Turbogenerator Units	74,708,709	2,128,386	3,708,976	(87,635)	3,621,341	1,492,955
315000 Accessory Electric Equipment	23,897,737	826,862	1,029,448	(42,669)	986,779	159,917
316000 Misc. Power Plant Equipment	2,073,533	64,902	83,148	(4,280)	78,868	13,966
Total Steam Production Plant	\$348,498,134	\$9,583,823	\$15,519,871	(\$608,961)	\$14,910,910	\$5,327,087
OTHER PRODUCTION						
341000 Structures and Improvements	\$2,133,946	\$53,135	\$96,241	(\$24,967)	\$71,274	\$18,139
342000 Fuel Holders and Accessories	1,286,981	39,382	61,904	(15,830)	46,074	6,692
343000 Prime Movers	10,957,158	454,722	596,069	(72,317)	523,752	69,030
343100 Wind Turbines	179,373	7,444	8,036	(466)	7,570	126
344000 Generators	11,133,659	348,484	505,468	(128,037)	377,431	28,947
345000 Accessory Electric Equipment	3,049,611	97,283	148,821	(35,985)	112,836	15,553
346000 Misc. Power Plant Equipment	851,895	23,427	62,359	(1,619)	60,740	37,313
Total Other Production Plant	\$29,592,622	\$1,023,877	\$1,478,898	(\$279,221)	\$1,199,677	\$175,800
TRANSMISSION PLANT						
352000 Structures and Improvements	\$2,641,211	\$58,635	\$48,334	(\$6,075)	\$42,259	(\$16,376)
353000 Station Equipment	70,387,348	1,407,747	1,224,740	(77,426)	1,147,314	(260,433)
354000 Towers and Fixtures	332,143	6,045	6,145	(1,661)	4,484	(1,561)
355000 Poles and Fixtures	40,942,159	851,597	1,191,417	(81,885)	1,109,532	257,935
356000 Overhead Conductors and Devices	36,918,960	683,001	863,904	(81,222)	782,682	99,681
358000 Underground Conductors and Devices	57,959	1,814	1,153	(173)	980	(834)
Total Transmission Plant	\$151,279,780	\$3,008,839	\$3,335,693	(\$248,442)	\$3,087,251	\$78,412
DISTRIBUTION PLANT						
361000 Structures and Improvements	\$3,354,806	\$78,167	\$61,393	(\$336)	\$61,057	(\$17,110)
362000 Station Equipment	56,207,405	1,275,908	1,062,320		1,062,320	(213,588)
364000 Poles, Towers and Fixtures	96,704,253	2,417,606	3,926,193	(29,012)	3,897,181	1,479,575
365000 Overhead Conductors and Devices	59,931,318	1,198,626	1,420,372	(5,993)	1,414,379	215,753
366000 Underground Conduit	22,660,951	412,429	453,219		453,219	40,790
367000 Underground Conductors and Devices	66,527,910	1,796,254	1,776,295	(6,653)	1,769,642	(26,612)
368000 Line Transformers	99,095,931	3,418,810	3,795,374	(29,729)	3,765,645	346,835
369001 Overhead Services	11,774,224	244,904	545,147	(5,888)	539,259	294,355
369002 Underground Services	36,748,862	1,311,934	1,205,363	(7,350)	1,198,013	(113,921)
370001 Meters	21,420,615	535,515	447,691	(2,142)	445,549	(89,966)
370002 Load Research Meters	2,045,596	204,560	168,148	(5,523)	162,625	(41,935)
371000 Installations on Customers' Premises	11,384,984	569,249	594,296	(3,415)	590,881	21,632
373000 Street Lighting and Signal Systems	18,265,202	675,812	659,374	(3,653)	655,721	(20,091)
Total Distribution Plant	\$506,122,057	\$14,139,774	\$16,115,185	(\$99,694)	\$16,015,491	\$1,875,717
GENERAL PLANT						
390001 Structures and Improvements	\$8,627,571	\$191,532	\$263,141	(\$26,746)	\$236,395	\$44,863
391001 Office Furniture and Equipment	843,885	30,380	46,498	(6,329)	40,169	9,789
391200 Computer Hardware	1,981,733	198,173	331,148	(71,541)	259,607	61,434
391300 Computer Software	247,261	24,726	41,070	(20,473)	20,597	(4,129)
392000 Transportation Equipment	466,243	46,904	31,192	(6,108)	25,084	(21,820)
393000 Stores Equipment	98,332	5,467	3,746	(708)	3,038	(2,429)
394000 Tools, Shop and Garage Equipment	2,467,415	154,213	106,592	(13,077)	93,515	(60,698)
395000 Laboratory Equipment	1,805,261	72,210	64,087	(11,012)	53,075	(19,135)
396000 Power Operated Equipment	2,583,837	172,342	176,218	(36,174)	140,044	(32,298)
397000 Communication Equipment	5,962,555	372,660	225,385	(41,738)	183,647	(189,013)
398000 Miscellaneous Equipment	121,170	6,058	5,222	(1,308)	3,914	(2,144)
Total General Plant	\$25,205,262	\$1,274,665	\$1,294,299	(\$235,214)	\$1,059,085	(\$215,580)
TOTAL ELECTRIC UTILITY	\$1,060,697,855	\$29,030,978	\$37,743,946	(\$1,471,532)	\$36,272,414	\$7,241,436

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement B

Comparison of Present and Proposed Accruals

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description	12/31/01 Plant Investment	2002 Annualized Accrual				
		Present	Proposed			Difference
			Whole-Life	Amortization	Total	
A	B	C	D	E	F=D+E	G=F-C
COMMON UTILITY						
390001 Structures and Improvements	\$6,228,235	\$138,267	\$176,882	(\$24,913)	\$151,969	\$13,702
391001 Office Furniture and Equipment	1,241,962	95,507	59,738	(11,550)	48,188	(47,319)
391200 Computer Hardware	150,782		14,008	(2,473)	11,535	11,535
392000 Transportation Equipment	7,043,398	454,299	569,107	(348,649)	220,458	(233,841)
393000 Stores Equipment	14,724	819	926	(288)	638	(181)
394000 Tools, Shop and Garage Equipment	141,872	8,867	8,995	(4,469)	4,526	(4,341)
395000 Laboratory Equipment	17,867	715	1,176	(390)	786	71
396000 Power Operated Equipment	1,408,853	93,971	101,860	(37,194)	64,666	(29,305)
397000 Communication Equipment	2,755,152	137,758	104,696	(26,725)	77,971	(59,787)
398000 Miscellaneous Equipment	67,991	3,780	2,740	(693)	2,047	(1,733)
Total Common Utility	\$19,070,836	\$933,983	\$1,040,128	(\$457,344)	\$582,784	(\$351,199)
TOTAL ELECTRIC AND COMMON PLANT	\$1,079,768,690	\$29,964,961	\$38,784,074	(\$1,928,876)	\$36,855,198	\$6,890,237
STEAM PRODUCTION						
Jeffery						
311000 Structures and Improvements	\$18,228,211	\$588,771	\$534,087	(\$107,547)	\$426,540	(\$162,231)
312000 Boiler Plant Equipment	58,347,427	1,505,364	1,756,258	(332,581)	1,423,677	(81,687)
314000 Turbogenerator Units	16,905,473	625,502	593,382	(76,075)	517,307	(108,195)
315000 Accessory Electric Equipment	5,920,401	204,846	152,154	(39,074)	113,080	(91,766)
316000 Misc. Power Plant Equipment	1,462,927	45,790	59,395	(4,096)	55,299	9,509
Total Jeffery	\$100,864,440	\$2,970,273	\$3,095,276	(\$559,373)	\$2,535,903	(\$434,370)
Sibley						
311000 Structures and Improvements	\$38,543,083	\$1,244,942	\$1,772,982	(\$7,709)	\$1,765,273	\$520,331
312000 Boiler Plant Equipment	132,699,434	3,224,596	6,634,972	(26,540)	6,608,432	3,383,836
314000 Turbogenerator Units	57,803,236	1,502,884	3,115,594	(11,560)	3,104,034	1,601,150
315000 Accessory Electric Equipment	17,977,336	622,016	877,294	(3,595)	873,699	251,683
316000 Misc. Power Plant Equipment	610,605	19,112	23,753	(184)	23,569	4,457
Total Sibley	\$247,633,694	\$6,613,550	\$12,424,595	(\$49,588)	\$12,375,007	\$5,761,457

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement C

Depreciation Reserve Summary

Vintage Group Procedure

December 31, 2001

Account Description	Plant Investment	Recorded Reserve		Computed Reserve		Redistributed Reserve	
		Amount	Ratio	Amount	Ratio	Amount	Ratio
A	B	C	D=C/B	E	F=E/B	G	H=G/B
STEAM PRODUCTION							
311000 Structures and Improvements	\$56,771,294	\$35,001,923	61.65%	\$29,875,420	52.62%	\$32,105,373	56.55%
312000 Boiler Plant Equipment	191,046,861	105,193,764	55.06%	98,838,542	51.74%	105,789,131	55.37%
314000 Turbogenerator Units	74,708,709	35,347,618	47.31%	34,160,676	45.73%	35,835,598	47.97%
315000 Accessory Electric Equipment	23,897,737	12,278,699	51.38%	13,153,028	55.04%	13,983,311	58.51%
316000 Misc. Power Plant Equipment	2,073,533	753,911	36.36%	774,025	37.33%	862,502	41.60%
Total Steam Production Plant	\$348,498,134	\$188,575,916	54.11%	\$176,801,692	50.73%	\$188,575,916	54.11%
OTHER PRODUCTION							
341000 Structures and Improvements	\$2,133,946	\$952,953	44.66%	\$720,383	33.76%	\$1,113,635	52.19%
342000 Fuel Holders and Accessories	1,286,981	985,824	76.60%	430,255	33.43%	665,129	51.68%
343000 Prime Movers	10,957,158	2,990,982	27.30%	2,086,714	19.04%	3,225,839	29.44%
343100 Wind Turbines	179,373	20,756	11.57%	17,910	9.99%	27,688	15.44%
344000 Generators	11,133,659	5,939,906	53.35%	3,706,914	33.29%	5,730,498	51.47%
345000 Accessory Electric Equipment	3,049,611	1,492,284	48.93%	985,751	32.32%	1,523,867	49.97%
346000 Misc. Power Plant Equipment	851,895	(36,277)	-4.26%	38,666	4.54%	59,773	7.02%
Total Other Production Plant	\$29,592,622	\$12,346,428	41.72%	\$7,986,593	26.99%	\$12,346,428	41.72%
TRANSMISSION PLANT							
352000 Structures and Improvements	\$2,641,211	\$1,060,357	40.15%	\$934,543	35.38%	\$1,181,646	44.74%
353000 Station Equipment	70,387,348	23,303,271	33.11%	14,570,310	20.70%	18,422,848	26.17%
354000 Towers and Fixtures	332,143	265,873	80.05%	168,597	50.76%	213,176	64.18%
355000 Poles and Fixtures	40,942,159	13,674,165	33.40%	13,390,228	32.71%	16,930,741	41.35%
356000 Overhead Conductors and Devices	36,918,960	15,581,196	42.20%	13,557,318	36.72%	17,142,011	46.43%
358000 Underground Conductors and Devices	57,959	37,602	64.88%	25,341	43.72%	32,042	55.28%
Total Transmission Plant	\$151,279,780	\$53,922,464	35.64%	\$42,646,337	28.19%	\$53,922,464	35.64%
DISTRIBUTION PLANT							
361000 Structures and Improvements	\$3,354,806	\$955,391	28.48%	\$841,241	25.08%	\$854,957	25.48%
362000 Station Equipment	56,207,405	16,606,811	29.55%	8,943,543	15.91%	9,089,369	16.17%
364000 Poles, Towers and Fixtures	96,704,253	45,902,961	47.47%	57,094,608	59.04%	58,025,547	60.00%
365000 Overhead Conductors and Devices	59,931,318	23,158,544	38.64%	19,470,572	32.49%	19,788,044	33.02%
366000 Underground Conduit	22,660,951	4,350,642	19.20%	4,094,736	18.07%	4,161,502	18.36%
367000 Underground Conductors and Devices	66,527,910	18,350,441	27.58%	17,457,747	26.24%	17,742,399	26.67%
368000 Line Transformers	99,095,931	31,934,540	32.23%	37,344,840	37.69%	37,953,755	38.30%

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement C

Depreciation Reserve Summary

Vintage Group Procedure

December 31, 2001

Account Description	Plant Investment	Recorded Reserve		Computed Reserve		Redistributed Reserve	
		Amount	Ratio	Amount	Ratio	Amount	Ratio
A	B	C	D=C/B	E	F=E/B	G	H=G/B
369001 Overhead Services	11,774,224	9,420,248	80.01%	10,261,583	87.15%	10,428,901	88.57%
369002 Underground Services	36,748,862	15,010,918	40.85%	12,539,697	34.12%	12,744,159	34.68%
370001 Meters	21,420,615	10,142,768	47.35%	6,798,002	31.74%	6,908,844	32.25%
370002 Load Research Meters	2,045,596	1,081,366	52.86%	1,374,384	67.19%	1,396,794	68.28%
371000 Installations on Customers' Premises	11,384,984	4,968,709	43.64%	4,330,379	38.04%	4,400,987	38.66%
373000 Street Lighting and Signal Systems	18,265,202	6,237,359	34.15%	4,551,230	24.92%	4,625,439	25.32%
Total Distribution Plant	\$506,122,057	\$188,120,697	37.17%	\$185,102,562	36.57%	\$188,120,697	37.17%
GENERAL PLANT							
390001 Structures and Improvements	\$8,627,571	\$847,289	9.82%	\$2,227,881	25.82%	\$2,964,354	34.36%
391001 Office Furniture and Equipment	843,885	90,631	10.74%	246,484	29.21%	327,965	38.86%
391200 Computer Hardware	1,981,733	108,350	5.47%	782,894	39.51%	1,041,696	52.56%
391300 Computer Software	247,261	45,720	18.49%	148,685	60.13%	197,837	80.01%
392000 Transportation Equipment	466,243	262,289	56.26%	155,876	33.43%	207,405	44.48%
393000 Stores Equipment	98,332	61,831	62.88%	35,774	36.38%	47,600	48.41%
394000 Tools, Shop and Garage Equipment	2,467,415	2,105,229	85.32%	667,395	27.05%	888,017	35.99%
395000 Laboratory Equipment	1,805,261	920,506	50.99%	619,361	34.31%	824,104	45.65%
396000 Power Operated Equipment	2,583,837	1,119,345	43.32%	991,036	38.36%	1,318,645	51.03%
397000 Communication Equipment	5,962,555	5,091,471	85.39%	2,147,906	36.02%	2,857,942	47.93%
398000 Miscellaneous Equipment	121,170	92,462	76.31%	52,277	43.14%	69,558	57.41%
Total General Plant	\$25,205,262	\$10,745,122	42.63%	\$8,075,570	32.04%	\$10,745,122	42.63%
TOTAL ELECTRIC UTILITY	\$1,060,697,855	\$453,710,626	42.77%	\$420,612,754	39.65%	\$453,710,626	42.77%
COMMON UTILITY							
390001 Structures and Improvements	\$6,228,235	\$1,038,051	16.67%	\$1,606,946	25.80%	\$2,346,162	37.67%
391001 Office Furniture and Equipment	1,241,962	900,971	72.54%	349,091	28.11%	509,677	41.04%
391200 Computer Hardware	150,782	102,362	67.89%	41,909	27.79%	61,188	40.58%
392000 Transportation Equipment	7,043,398	6,093,508	86.51%	3,619,880	51.39%	5,285,074	75.04%
393000 Stores Equipment	14,724	4,337	29.45%	5,941	40.35%	8,674	58.91%
394000 Tools, Shop and Garage Equipment	141,872	115,570	81.46%	73,680	51.93%	107,574	75.82%
395000 Laboratory Equipment	17,867	6,203	34.72%	7,488	41.91%	10,932	61.19%
396000 Power Operated Equipment	1,408,853	1,104,358	78.39%	592,679	42.07%	865,319	61.42%
397000 Communication Equipment	2,755,152	1,247,278	45.27%	985,404	35.77%	1,438,703	52.22%

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement C

Depreciation Reserve Summary

Vintage Group Procedure

December 31, 2001

Account Description	Plant Investment	Recorded Reserve		Computed Reserve		Redistributed Reserve	
		Amount	Ratio	Amount	Ratio	Amount	Ratio
A	B	C	D=C/B	E	F=E/B	G	H=G/B
398000 Miscellaneous Equipment	67,991	55,945	82.28%	24,163	35.54%	35,278	51.89%
Total Common Utility	\$19,070,836	\$10,668,583	55.94%	\$7,307,181	38.32%	\$10,668,583	55.94%
TOTAL ELECTRIC AND COMMON PLANT	\$1,079,768,690	\$464,379,209	43.01%	\$427,919,935	39.63%	\$464,379,209	43.01%
STEAM PRODUCTION							
Jeffery							
311000 Structures and Improvements	\$18,228,211	\$12,530,615	68.74%	\$9,804,859	53.79%	\$11,940,941	65.51%
312000 Boiler Plant Equipment	58,347,427	38,461,008	65.92%	30,435,506	52.16%	37,066,171	63.53%
314000 Turbogenerator Units	16,905,473	7,346,698	43.46%	7,107,295	42.04%	8,655,687	51.20%
315000 Accessory Electric Equipment	5,920,401	3,827,584	64.65%	3,606,137	60.91%	4,391,768	74.18%
316000 Misc. Power Plant Equipment	1,462,927	373,430	25.53%	398,049	27.21%	484,767	33.14%
Total Jeffery	\$100,864,440	\$62,539,334	62.00%	\$51,351,846	50.91%	\$62,539,334	62.00%
Sibley							
311000 Structures and Improvements	\$38,543,083	\$22,471,308	58.30%	\$20,070,561	52.07%	\$20,164,432	52.32%
312000 Boiler Plant Equipment	132,699,434	66,732,757	50.29%	68,403,036	51.55%	68,722,961	51.79%
314000 Turbogenerator Units	57,803,236	28,000,921	48.44%	27,053,381	46.80%	27,179,911	47.02%
315000 Accessory Electric Equipment	17,977,336	8,451,115	47.01%	9,546,891	53.11%	9,591,543	53.35%
316000 Misc. Power Plant Equipment	610,605	380,481	62.31%	375,976	61.57%	377,735	61.86%
Total Sibley	\$247,633,694	\$126,036,582	50.90%	\$125,449,846	50.66%	\$126,036,582	50.90%

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement D

Average Net Salvage

Account Description A	Plant Investment			Salvage Rate		Net Salvage		Average Rate J=I/B	
	Additions B	Retirements C	Survivors D=B-C	Realized E	Future F	Realized G=E*C	Future H=F*D		Total I=G+H
STEAM PRODUCTION									
311000 Structures and Improvements	\$58,048,792	\$1,277,498	\$56,771,294	-30.2%	-12.8%	(\$386,223)	(\$7,272,986)	(\$7,659,209)	-13.2%
312000 Boiler Plant Equipment	207,059,261	16,012,400	191,046,861	-46.7%	-12.8%	(7,484,214)	(24,502,012)	(31,986,226)	-15.4%
314000 Turbogenerator Units	80,669,566	5,960,857	74,708,709	-27.5%	-12.9%	(1,640,052)	(9,634,692)	(11,274,744)	-14.0%
315000 Accessory Electric Equipment	27,616,282	3,718,545	23,897,737	-17.9%	-12.9%	(665,561)	(3,077,320)	(3,742,881)	-13.6%
316000 Misc. Power Plant Equipment	2,207,371	133,838	2,073,533	-32.0%	-12.5%	(42,846)	(258,466)	(301,312)	-13.7%
Total Steam Production Plant	\$375,601,272	\$27,103,138	\$348,498,134	-37.7%	-12.8%	(\$10,218,895)	(\$44,745,476)	(\$54,964,371)	-14.6%
OTHER PRODUCTION									
341000 Structures and Improvements	\$2,203,565	\$69,619	\$2,133,946	-3.2%	-5.0%	(\$2,228)	(\$106,697)	(\$108,925)	-4.9%
342000 Fuel Holders and Accessories	1,303,230	16,249	1,286,981	-5.0%	-5.0%	(64,349)	(64,349)	(64,349)	-4.9%
343000 Prime Movers	11,648,304	691,146	10,957,158	-19.0%	-5.0%	(131,318)	(547,858)	(679,176)	-5.8%
343100 Wind Turbines	179,373	0	179,373	-5.0%	-5.0%	(8,969)	(8,969)	(8,969)	-5.0%
344000 Generators	11,237,975	104,316	11,133,659	-153.3%	-5.0%	(159,917)	(556,683)	(716,600)	-6.4%
345000 Accessory Electric Equipment	3,201,841	152,230	3,049,611	-13.3%	-5.0%	(20,247)	(152,481)	(172,727)	-5.4%
346000 Misc. Power Plant Equipment	858,839	6,944	851,895						
Total Other Production Plant	\$30,633,127	\$1,040,505	\$29,592,622	-30.1%	-4.9%	(\$313,709)	(\$1,437,036)	(\$1,750,746)	-5.7%
TRANSMISSION PLANT									
352000 Structures and Improvements	\$2,659,222	\$18,011	\$2,641,211	-34.8%	-10.0%	(\$6,268)	(\$264,121)	(\$270,389)	-10.2%
353000 Station Equipment	75,293,911	4,906,563	70,387,348	-2.4%	-5.0%	(117,758)	(3,519,367)	(3,637,125)	-4.8%
354000 Towers and Fixtures	352,679	20,536	332,143						
355000 Poles and Fixtures	45,026,505	4,084,347	40,942,159	-61.5%	-60.0%	(2,511,873)	(24,565,295)	(27,077,168)	-60.1%
356000 Overhead Conductors and Devices	39,269,966	2,351,006	36,918,960	-43.8%	-40.0%	(1,029,740)	(14,767,584)	(15,797,325)	-40.2%
358000 Underground Conductors and Devices	57,959	0	57,959	-43.8%	-20.0%	(0)	(11,592)	(11,592)	-20.0%
Total Transmission Plant	\$162,660,242	\$11,380,462	\$151,279,780	-32.2%	-28.5%	(\$3,665,639)	(\$43,127,960)	(\$46,793,599)	-28.8%
DISTRIBUTION PLANT									
361000 Structures and Improvements	\$3,412,602	\$57,796	\$3,354,806	5.7%	-10.0%	\$3,294	(\$335,481)	(\$332,186)	-9.7%
362000 Station Equipment	66,033,075	9,825,670	56,207,405	6.0%	-5.0%	589,540	(2,810,370)	(2,220,830)	-3.4%
364000 Poles, Towers and Fixtures	103,436,941	6,732,688	96,704,253	-79.3%	-75.0%	(5,339,021)	(72,528,190)	(77,867,211)	-75.3%
365000 Overhead Conductors and Devices	65,587,497	5,656,179	59,931,318	-30.4%	-30.0%	(1,719,478)	(17,979,395)	(19,698,874)	-30.0%
366000 Underground Conduit	23,050,038	389,087	22,660,951	-11.9%	-10.0%	(46,301)	(2,266,095)	(2,312,396)	-10.0%
367000 Underground Conductors and Devices	68,207,048	1,679,138	66,527,910	-22.1%	-20.0%	(371,089)	(13,305,582)	(13,676,671)	-20.1%
368000 Line Transformers	116,104,683	17,008,752	99,095,931	-14.1%	-15.0%	(2,398,234)	(14,864,390)	(17,262,624)	-14.9%
369001 Overhead Services	12,311,437	537,213	11,774,224	-256.7%	-150.0%	(1,379,027)	(17,661,335)	(19,040,362)	-154.7%
369002 Underground Services	37,066,430	317,568	36,748,862	-16.3%	-15.0%	(51,764)	(5,512,329)	(5,564,093)	-15.0%
370001 Meters	23,892,314	2,471,699	21,420,615	-6.1%	-5.0%	(150,774)	(1,071,031)	(1,221,804)	-5.1%
370002 Load Research Meters	2,330,669	285,073	2,045,596						
371000 Installations on Customers' Premises	13,229,102	1,844,118	11,384,984	-32.7%	-30.0%	(603,027)	(3,415,495)	(4,018,522)	-30.4%
373000 Street Lighting and Signal Systems	22,592,596	4,327,394	18,265,202	-7.5%	-10.0%	(324,555)	(1,826,520)	(2,151,075)	-9.5%
Total Distribution Plant	\$557,254,432	\$51,132,375	\$506,122,057	-23.1%	-30.3%	(\$11,790,435)	(\$153,576,214)	(\$165,366,649)	-29.7%

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement D

Average Net Salvage

Account Description A	Plant Investment			Salvage Rate		Net Salvage		Average Rate J=I/B	
	Additions B	Retirements C	Survivors D=B-C	Realized E	Future F	Realized G=E\C	Future H=F\D		Total I=G+H
GENERAL PLANT									
390001 Structures and Improvements	\$10,546,238	\$1,918,667	\$8,627,571	-80.0%	-10.0%	(\$1,534,934)	(\$862,757)	(\$2,397,691)	-22.7%
391001 Office Furniture and Equipment	896,224	52,339	843,885	-1.1%		(576)		(576)	-0.1%
391200 Computer Hardware	2,687,874	706,141	1,981,733	-0.2%		(1,412)		(1,412)	-0.1%
391300 Computer Software	281,626	34,365	247,261						
392000 Transportation Equipment	528,409	62,166	466,243	9.9%	10.0%	6,154	46,624	52,779	10.0%
393000 Stores Equipment	167,968	69,636	98,332						
394000 Tools, Shop and Garage Equipment	3,939,517	1,472,102	2,467,415	-2.6%		(38,275)		(38,275)	-1.0%
395000 Laboratory Equipment	2,171,042	365,781	1,805,261	3.9%		14,265		14,265	0.7%
396000 Power Operated Equipment	2,744,137	160,300	2,583,837	1.9%		3,046		3,046	0.1%
397000 Communication Equipment	6,163,194	200,639	5,962,555	-5.0%		(10,032)		(10,032)	-0.2%
398000 Miscellaneous Equipment	174,502	53,332	121,170	11.1%		5,920		5,920	3.4%
Total General Plant	\$30,300,731	\$5,095,469	\$25,205,262	-30.5%	-3.2%	(\$1,555,843)	(\$816,133)	(\$2,371,976)	-7.8%
TOTAL ELECTRIC UTILITY	\$1,156,449,804	\$95,751,949	\$1,060,697,855	-28.8%	-23.0%	(\$27,544,522)	(\$243,702,818)	(\$271,247,340)	-23.5%
COMMON UTILITY									
390001 Structures and Improvements	\$8,312,673	\$2,084,438	\$6,228,235	-21.6%	-10.0%	(\$450,239)	(\$622,824)	(\$1,073,062)	-12.9%
391001 Office Furniture and Equipment	3,339,154	2,097,192	1,241,962	5.1%	5.0%	106,957	62,098	169,055	5.1%
391200 Computer Hardware	8,166,963	8,016,181	150,782	6.8%		545,100		545,100	6.7%
392000 Transportation Equipment	23,980,265	16,936,867	7,043,398	9.0%	10.0%	1,524,318	704,340	2,228,658	9.3%
393000 Stores Equipment	67,573	52,849	14,724						
394000 Tools, Shop and Garage Equipment	141,872	(0)	141,872						
395000 Laboratory Equipment	17,867	0	17,867						
396000 Power Operated Equipment	5,498,919	4,090,066	1,408,853	5.3%	5.0%	216,773	70,443	287,216	5.2%
397000 Communication Equipment	3,513,182	758,030	2,755,152	-0.1%		(758)		(758)	
398000 Miscellaneous Equipment	122,561	54,570	67,991						
Total Common Utility	\$53,161,029	\$34,090,193	\$19,070,836	5.7%	1.1%	\$1,942,152	\$214,057	\$2,156,209	4.1%
TOTAL ELECTRIC AND COMMON PLANT	\$1,209,610,833	\$129,842,143	\$1,079,768,690	-19.7%	-22.6%	(\$25,602,370)	(\$243,488,761)	(\$269,091,131)	-22.2%
STEAM PRODUCTION									
Jeffery									
311000 Structures and Improvements	\$18,294,813	\$66,602	\$18,228,211	-78.1%	-12.2%	(\$52,016)	(\$2,223,842)	(\$2,275,858)	-12.4%
312000 Boiler Plant Equipment	61,847,146	3,499,719	58,347,427	-9.7%	-12.2%	(339,473)	(7,118,386)	(7,457,859)	-12.1%
314000 Turbogenerator Units	19,922,487	3,017,014	16,905,473	-8.5%	-12.2%	(256,446)	(2,062,468)	(2,318,914)	-11.6%
315000 Accessory Electric Equipment	6,030,471	110,070	5,920,401	-70.3%	-12.2%	(77,379)	(722,289)	(799,668)	-13.3%
316000 Misc. Power Plant Equipment	1,532,517	69,590	1,462,927	-63.6%	-12.2%	(44,259)	(178,477)	(222,736)	-14.5%
Total Jeffery	\$107,627,434	\$6,762,994	\$100,864,440	-11.4%	-12.2%	(\$769,573)	(\$12,305,462)	(\$13,075,035)	-12.1%
Sibley									
311000 Structures and Improvements	\$39,753,979	\$1,210,896	\$38,543,083	-27.6%	-13.1%	(\$334,207)	(\$5,049,144)	(\$5,383,351)	-13.5%
312000 Boiler Plant Equipment	145,212,115	12,512,681	132,699,434	-57.1%	-13.1%	(7,144,741)	(17,383,626)	(24,528,367)	-16.9%
314000 Turbogenerator Units	60,747,079	2,943,843	57,803,236	-47.0%	-13.1%	(1,383,606)	(7,572,224)	(8,955,830)	-14.7%
315000 Accessory Electric Equipment	21,585,811	3,608,475	17,977,336	-16.3%	-13.1%	(588,181)	(2,355,031)	(2,943,212)	-13.6%
316000 Misc. Power Plant Equipment	674,854	64,249	610,605	2.2%	-13.1%	1,413	(79,989)	(78,576)	-11.6%
Total Sibley	\$267,973,838	\$20,340,144	\$247,633,694	-46.5%	-13.1%	(\$9,449,322)	(\$32,440,014)	(\$41,889,336)	-15.6%

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement E

Future Net Salvage
Steam Production

Account Description	Derived Additions	12/31/01 Plant Investment	Interim Retirements		Interim Net Salvage				Future Rate	
			Historical	Future	Realized		Future			
					Rate	Amount	Rate	Amount		
A	B	C	D=B-C	E	F	G=D*F	H	I=E*H	J=I/C	
STEAM PRODUCTION										
Jeffery										
311000 Structures and Improvements	\$18,294,813	\$18,228,211	\$66,602	\$959,264	-78.1%	(\$52,016)	-10.0%	(\$95,926)		
312000 Boiler Plant Equipment	61,847,146	58,347,427	3,499,719	3,065,639	-9.7%	(339,473)	-10.0%	(306,564)		
314000 Turbogenerator Units	19,922,487	16,905,473	3,017,014	877,162	-8.5%	(256,446)	-10.0%	(87,716)		
315000 Accessory Electric Equipment	6,030,471	5,920,401	110,070	310,685	-70.3%	(77,379)	-10.0%	(31,069)		
316000 Misc. Power Plant Equipment	1,532,517	1,462,927	69,590	78,695	-63.6%	(44,259)	-10.0%	(7,870)		
Interim Net Salvage	\$107,627,434	\$100,864,440	\$6,762,994	\$5,291,445	-11.4%	(\$769,573)	-10.0%	(\$529,145)	-0.5%	
Dismantlement Cost								(11,756,697)	-11.7%	
Total Jeffery		\$100,864,440						(\$12,285,842)	-12.2%	
Sibley										
311000 Structures and Improvements	\$39,753,979	\$38,543,083	\$1,210,896	\$1,307,786	-27.6%	(\$334,207)	-10.0%	(\$130,779)		
312000 Boiler Plant Equipment	145,212,115	132,699,434	12,512,681	4,138,613	-57.1%	(7,144,741)	-10.0%	(413,861)		
314000 Turbogenerator Units	60,747,079	57,803,236	2,943,843	1,803,227	-47.0%	(1,383,606)	-10.0%	(180,323)		
315000 Accessory Electric Equipment	21,585,811	17,977,336	3,608,475	564,168	-16.3%	(588,181)	-10.0%	(56,417)		
316000 Misc. Power Plant Equipment	674,854	610,605	64,249	20,914	2.2%	1,413	-10.0%	(2,091)		
Interim Net Salvage	\$267,973,838	\$247,633,694	\$20,340,144	\$7,834,708	-46.5%	(\$9,449,322)	-10.0%	(\$783,471)	-0.3%	
Dismantlement Cost								(31,545,264)	-12.7%	
Total Sibley		\$247,633,694						(\$32,328,735)	-13.1%	
Total Steam Production Plant	\$375,601,272	\$348,498,134	\$27,103,138	\$13,126,153	-37.7%	(\$10,218,895)	-10.0%	(\$44,614,577)	-12.8%	

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement F

Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters					
	P-Life/ AYFR	Curve Shape	BG ASL	Rem. Life	Avg. Sal.	Fut. Sal.	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Avg. Sal.	Fut. Sal.
A	B	C	D	E	F	G	H	I	J	K	L	M
STEAM PRODUCTION												
311000 Structures and Improvements								200-SC	27.86	11.25	-13.2	
312000 Boiler Plant Equipment								200-SC	26.27	10.61	-15.4	
314000 Turbogenerator Units								200-SC	22.96	10.73	-14.0	
315000 Accessory Electric Equipment								200-SC	26.37	10.05	-13.6	
316000 Misc. Power Plant Equipment								200-SC	28.35	15.36	-13.7	
Total Steam Production Plant									25.73	13.73	-14.6	-12.8
OTHER PRODUCTION												
341000 Structures and Improvements	40.20		40.20				2018	100-SC	23.25	15.79	-4.9	-5.0
342000 Fuel Holders and Accessories	32.70		32.70				2017	100-SC	21.81	14.88	-4.9	-5.0
343000 Prime Movers	24.10		24.10				2018	100-SC	19.46	15.81	-5.8	-5.0
343100 Wind Turbines	24.10		24.10				2024	100-SC	23.45	21.22	-5.0	-5.0
344000 Generators	32.00		32.00				2018	100-SC	23.43	15.79	-6.4	-5.0
345000 Accessory Electric Equipment	31.30		31.30				2017	100-SC	21.58	14.88	-5.4	-5.0
346000 Misc. Power Plant Equipment	36.40		36.40				2015	100-SC	13.66	13.04		
Total Other Production Plant									21.15	15.57	-5.7	-4.9
TRANSMISSION PLANT												
352000 Structures and Improvements	45.00		45.00				60.00	S2	60.36	40.87	-10.2	-10.0
353000 Station Equipment	50.00		50.00				60.00	S0	60.17	48.40	-4.8	-5.0
354000 Towers and Fixtures	55.00		55.00				55.00	R4	53.92	26.55		
355000 Poles and Fixtures	48.00		48.00				55.00	L1.5	55.05	43.77	-60.1	-60.0
356000 Overhead Conductors and Devices	54.00		54.00				60.00	S1.5	59.92	44.14	-40.2	-40.0
358000 Underground Conductors and Devices	32.00		32.00				60.00	S1.5	60.27	38.31	-20.0	-20.0
Total Transmission Plant									58.41	45.50	-28.8	-28.5
DISTRIBUTION PLANT												
361000 Structures and Improvements	43.00		43.00				60.00	S2	60.04	46.48	-9.7	-10.0
362000 Station Equipment	44.00		44.00				55.00	R0.5	54.62	47.06	-3.4	-5.0
364000 Poles, Towers and Fixtures	40.00		40.00				43.00	S3	43.16	28.55	-75.3	-75.0
365000 Overhead Conductors and Devices	50.00		50.00				55.00	S1	54.82	41.12	-30.0	-30.0
366000 Underground Conduit	55.00		55.00				55.00	R4	54.91	45.89	-10.0	-10.0
367000 Underground Conductors and Devices	37.00		37.00				45.00	S2	44.91	35.06	-20.1	-20.0
368000 Line Transformers	29.00		29.00				30.00	S1.5	30.02	20.20	-14.9	-15.0

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement F

Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters						
	P-Life/ AYFR	Curve Shape	BG ASL	Rem. Life	Avg. Sal.	Fut. Sal.	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Avg. Sal.	Fut. Sal.	
	A	B	C	D	E	F	G	H	I	J	K	L	M
369001 Overhead Services	48.00		48.00					55.00	S3	55.07	35.21	-154.7	-150.0
369002 Underground Services	28.00		28.00					35.00	R4	35.05	24.65	-15.0	-15.0
370001 Meters	40.00		40.00					50.00	S1	50.18	34.98	-5.1	-5.0
370002 Load Research Meters	10.00		10.00					12.00	R4	12.16	3.99		
371000 Installations on Customers' Premises	20.00		20.00					25.00	S1	24.97	17.61	-30.4	-30.0
373000 Street Lighting and Signal Systems	27.00		27.00					30.00	L0.5	30.36	23.59	-9.5	-10.0
Total Distribution Plant										40.73	29.43	-29.7	-30.3
GENERAL PLANT													
390001 Structures and Improvements	45.00		45.00					40.00	R2.5	40.26	27.62	-22.7	-10.0
391001 Office Furniture and Equipment								18.00	S2	18.17	12.85	-0.1	
391200 Computer Hardware	10.00		10.00					6.00	L1.5	5.99	3.62	-0.1	
391300 Computer Software	10.00		10.00					6.00	R5	6.02	2.40		
392000 Transportation Equipment								13.00	S3	13.46	8.46	10.0	10.0
393000 Stores Equipment	18.00		18.00					25.00	L0.5	26.25	16.70		
394000 Tools, Shop and Garage Equipment	16.00		16.00					23.00	L0	23.37	16.88	-1.0	
395000 Laboratory Equipment	25.00		25.00					28.00	S1.5	27.98	18.51	0.7	
396000 Power Operated Equipment								13.00	L1	14.65	9.04	0.1	
397000 Communication Equipment	16.00		16.00					26.00	L1.5	26.50	16.92	-0.2	
398000 Miscellaneous Equipment	20.00		20.00					22.00	S1.5	22.41	13.19	3.4	
Total General Plant										20.99	14.41	-7.8	-3.2
TOTAL ELECTRIC UTILITY										34.71	23.46	-23.5	-23.0
COMMON UTILITY													
390001 Structures and Improvements	45.00		45.00					40.00	S0.5	39.73	29.63	-12.9	-10.0
391001 Office Furniture and Equipment	13.00		13.00					20.00	L0	19.72	13.90	5.1	5.0
391200 Computer Hardware	9.00		9.00					10.00	R2.5	10.04	7.77	6.7	
392000 Transportation Equipment								11.00	L2	11.23	4.78	9.3	10.0
393000 Stores Equipment	18.00		18.00					10.00	O4	15.91	9.49		
394000 Tools, Shop and Garage Equipment								15.00	S3	15.77	7.58		
395000 Laboratory Equipment	25.00		25.00					15.00	S3	15.20	8.83		
396000 Power Operated Equipment								13.00	L1	13.11	7.32	5.2	5.0
397000 Communication Equipment	20.00		20.00					26.00	L1.5	26.31	16.90		

AQUILA NETWORKS - MPS (ELECTRIC and COMMON)

Statement F

Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters					
	P-Life/ AYFR	Curve Shape	BG ASL	Rem. Life	Avg. Sal.	Fut. Sal.	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Avg. Sal.	Fut. Sal.
A	B	C	D	E	F	G	H	I	J	K	L	M
398000 Miscellaneous Equipment	18.00		18.00				23.00	L0	24.79	15.98		
Total Common Utility									17.58	14.06	4.1	1.1
TOTAL ELECTRIC AND COMMON PLANT									34.02	23.32	-22.2	-22.6
STEAM PRODUCTION												
Jeffery												
311000 Structures and Improvements	31.00		31.00				2022	200-SC	38.39	19.95	-12.4	-12.2
312000 Boiler Plant Equipment	38.80		38.80				2022	200-SC	37.25	19.95	-12.1	-12.2
314000 Turbogenerator Units	27.00		27.00				2022	200-SC	31.75	19.96	-11.6	-12.2
315000 Accessory Electric Equipment	28.90		28.90				2022	200-SC	44.07	19.95	-13.3	-12.2
316000 Misc. Power Plant Equipment	32.00		32.00				2023	200-SC	28.17	20.91	-14.5	-12.2
Total Jeffery									36.53	19.97	-12.1	-12.2
Sibley												
311000 Structures and Improvements	31.00		31.00				2015	200-SC	24.68	13.27	-13.5	-13.1
312000 Boiler Plant Equipment	41.20		41.20				2014	200-SC	23.36	12.30	-16.9	-13.1
314000 Turbogenerator Units	38.50		38.50				2014	200-SC	21.28	12.30	-14.7	-13.1
315000 Accessory Electric Equipment	28.90		28.90				2014	200-SC	23.29	12.30	-13.6	-13.1
316000 Misc. Power Plant Equipment	32.00		32.00				2015	200-SC	28.72	13.26	-11.6	-13.1
Total Sibley									23.04	12.45	-15.6	-13.1

ANALYSIS

INTRODUCTION

This section provides an explanation of the supporting schedules developed in the MPS electric and common depreciation study to estimate appropriate projection curves, projection lives and statistics for each rate category. The form and content of the schedules developed for an account depend upon the method of analysis adopted for the category.

This section also includes an example of the supporting schedules developed for Account 368000 – Line Transformers as an illustration. Documentation for all other plant accounts is contained in the study work papers. The supporting schedules developed in the MPS study include:

- Schedule A – Generation Arrangement;
- Schedule B – Age Distribution;
- Schedule C – Unadjusted Plant History;
- Schedule D – Adjusted Plant History;
- Schedule E – Actuarial Life Analysis;
- Schedule F – Graphics Analysis;
- Schedule G – Historical Net Salvage Analysis; and
- Schedule H – Average Year of Final Retirement.

The format and content of these schedules are briefly described below.

SCHEDULE A – GENERATION ARRANGEMENT

The purpose of this schedule is to obtain appropriate weighted-average life statistics for a rate category. The weighted-average remaining-life is the sum of Column H divided by the sum of Column I. The weighted average life is the sum of Column C divided by the sum of Column I.

It should be noted that the generation arrangement does not include parameters for net salvage. Computed Net Plant (Column H) and Accruals (Column I) must be adjusted for net salvage to obtain a correct measurement of theoretical reserves and annualized depreciation accruals.

The following table provides a description of each column in the generation arrangement.

Generation Arrangement

Column	Title	Description
A	Vintage	Vintage or placement year of surviving plant.
B	Age	Age of surviving plant at beginning of study year.
C	Surviving Plant	Actual dollar amount of surviving plant.
D	Average Life	Estimated average life of each vintage. This statistic is the sum of the realized life and the unrealized life, which is the product of the remaining life (Column E) and the theoretical proportion surviving.
E	Remaining Life	Estimated remaining life of each vintage.
F	Net Plant Ratio	Theoretical net plant ratio of each vintage.
G	Allocation Factor	A pivotal ratio which determines the amortization period of the difference between the recorded and computed reserve.
H	Computed Net Plant	Plant in service less theoretical reserve for each vintage.
I	Accrual	Ratio of computed net plant (Column H) and remaining life (Column E).

TABLE 3. GENERATION ARRANGEMENT

SCHEDULE B – AGE DISTRIBUTION

This schedule provides the age distribution and realized life of surviving plant shown in Column C of the Generation Arrangement (Schedule A). The format of the schedule depends upon the availability of either aged or unaged data. Derived additions for vintage years older than the earliest activity year in an account for unaged data are obtained from the age distribution of surviving plant at the beginning of the earliest activity year. The amount surviving from these vintages is shown in Column D. The realized life (Column G) is derived from the dollar years of service provided by a vintage over the period of years the vintage has been in service. Plant additions for vintages older than the earliest activity year in an account are represented by the opening balances shown in Column D.

The computed proportion surviving (Column D) for unaged is derived from a computed mortality analysis. The average service life displayed in the title block is the life statistic derived for the most recent activity year, given the derived age distribution at the start of the year and the specified retirement dispersion. The realized life (Column F) is obtained by finding the slope of an SC retirement dispersion, which connects the computed survivors of a vintage (Column E) to the recorded vintage addition (Column B). The realized life is the area bounded by the SC dispersion, the computed proportion surviving and the age of the vintage.

SCHEDULE C – UNADJUSTED PLANT HISTORY

This schedule provides a summary of recorded plant data extracted from the continuing property records maintained by the Company. Activity year total amounts shown on this schedule for aged data are obtained from a historical arrangement of the data base in which all plant accounting transactions are identified by vintage and activity year. Activity year totals for unaged data are obtained from a transaction file without vintage identification. Information displayed in the unadjusted plant history is consistent with regulated investments reported internally by the Company.

SCHEDULE D – ADJUSTED PLANT HISTORY

This schedule provides a summary of recorded plant data extracted from the continuing property records maintained by the Company with sales, transfers, and adjustments appropriately aged for depreciation study purposes. Activity year total amounts shown on this schedule for aged data are obtained from a historical arrangement of the data base in which all plant accounting transactions are identified by vintage and activity year. Ageing of adjusting transactions is achieved using transaction codes that identify an adjusting year associated with the dollar amount of a transaction. Adjusting transactions processed in the adjusted plant history are not aged in the Company's records nor in the unadjusted plant history.

SCHEDULE E – ACTUARIAL LIFE ANALYSIS

These schedules provide a summary of the dispersion and life indications obtained from an actuarial life analysis for a specified placement band. The observation band (Column A) is specified to produce either a rolling-band or a shrinking-band analysis depending upon the movement of the end points of the band. The degree of censoring (or point of truncation) of the observed life table is shown in Column B for each observation band. The estimated average service life, best fitting Iowa dispersion, and a statistical measure of the goodness of fit are shown for each degree polynomial (First, Second, and Third) fitted to the estimated hazard rates. Options available in the analysis include the width and location of both the placement and observation bands; the interval of years included in a selected rolling or shrinking band analysis; the estimator of the hazard rate (actuarial, conditional proportion retired, or maximum likelihood); the elements to include on the diagonal of a weight matrix (exposures, inverse of age, inverse of variance, or unweighted); and the age at which an observed life table is truncated.

The estimated average service lives (Columns C, F, and I) are flagged with an asterisk if negative hazard rates are indicated by the fitted polynomial. All negative hazard rates are set equal to zero in the calculation of the graduated survivor curve. The Conformance Index (Columns E, H, and K) is the square root of the mean sum-of-squared differences between the graduated survivor curve and

the best fitting Iowa curve. A Conformance Index of zero would indicate a perfect fit.

SCHEDULE F – GRAPHICS ANALYSIS

This schedule provides a graphics plot of a) the observed proportion surviving for a selected placement and observation band; b) the statistically best fitting Iowa dispersion and derived average service life; and c) the projection curve and projection life selected to describe future forces of mortality.

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS

This schedule provides a moving average analysis of the ratio of realized net salvage (Column I) to the associated retirements (Column B). The schedule also provides a moving average analysis of the components of net salvage related to retirements. The ratio of gross salvage to retirements is shown in Column D and the ratio of cost of removal to retirements is shown in Column G.

SCHEDULE H – AVERAGE YEAR OF FINAL RETIREMENT

This schedule provides a computation of the weighted average year of final retirement for major structure categories. Direct dollar weighting is used to obtain a composite year of final retirement for plant investments classified in service at the beginning of the study year.

AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)

Distribution Plant

Account: 368000 Line Transformers

Dispersion: 30 - S1.5

Procedure: Vintage Group

Generation Arrangement

Vintage	December 31, 2001		Avg. Life	Rem. Life	Net Plant Ratio	Alloc. Factor	Computed Net Plant	Accrual
	Age	Surviving Plant						
A	B	C	D	E	F	G	H=C*F*G	I=H/E
2001	0.5	6,296,036	29.98	29.50	0.9839	1.0000	6,194,537	209,983
2000	1.5	6,349,347	29.99	28.50	0.9503	1.0000	6,033,689	211,683
1999	2.5	5,554,521	29.99	27.51	0.9173	1.0000	5,095,166	185,184
1998	3.5	4,910,115	30.00	26.53	0.8846	1.0000	4,343,371	163,685
1997	4.5	5,818,558	29.99	25.57	0.8525	1.0000	4,960,199	193,992
1996	5.5	4,820,472	30.00	24.62	0.8206	1.0000	3,955,473	160,666
1995	6.5	4,308,150	29.99	23.69	0.7898	1.0000	3,402,747	143,653
1994	7.5	4,773,138	29.95	22.77	0.7605	1.0000	3,629,834	159,380
1993	8.5	4,644,683	30.00	21.88	0.7294	1.0000	3,388,023	154,813
1992	9.5	4,068,426	30.03	21.02	0.6998	1.0000	2,847,144	135,467
1991	10.5	4,137,192	30.05	20.17	0.6713	1.0000	2,777,212	137,662
1990	11.5	3,315,171	30.10	19.36	0.6432	1.0000	2,132,234	110,155
1989	12.5	3,294,547	29.96	18.56	0.6197	1.0000	2,041,784	109,981
1988	13.5	3,873,835	29.91	17.80	0.5951	1.0000	2,305,494	129,527
1987	14.5	3,795,414	29.98	17.06	0.5691	1.0000	2,159,878	126,600
1986	15.5	2,906,913	29.35	16.35	0.5570	1.0000	1,619,120	99,039
1985	16.5	2,120,603	29.42	15.66	0.5323	1.0000	1,128,777	72,071
1984	17.5	1,619,751	29.46	15.00	0.5093	1.0000	824,937	54,988
1983	18.5	1,531,402	29.27	14.37	0.4908	1.0000	751,662	52,318
1982	19.5	1,223,824	29.53	13.76	0.4659	1.0000	570,158	41,446
1981	20.5	1,532,303	30.05	13.17	0.4383	1.0000	671,636	50,995
1980	21.5	1,626,882	30.11	12.61	0.4187	1.0000	681,214	54,032
1979	22.5	1,549,741	30.52	12.07	0.3954	1.0000	612,794	50,785
1978	23.5	2,386,191	30.60	11.55	0.3774	1.0000	900,483	77,985
1977	24.5	1,659,393	30.66	11.05	0.3603	1.0000	597,917	54,123
1976	25.5	1,483,526	30.12	10.57	0.3508	1.0000	520,466	49,252
1975	26.5	698,361	30.31	10.11	0.3334	1.0000	232,831	23,039
1974	27.5	1,043,505	29.72	9.66	0.3251	1.0000	339,233	35,109
1973	28.5	2,226,835	31.19	9.23	0.2960	1.0000	659,252	71,387
1972	29.5	1,161,010	30.84	8.82	0.2861	1.0000	332,178	37,647
1971	30.5	914,451	28.24	8.43	0.2984	1.0000	272,899	32,385
1970	31.5	687,385	29.31	8.04	0.2744	1.0000	188,651	23,452
1966	35.5	1,755,125	31.12	6.64	0.2133	1.0000	374,305	56,394
1964	37.5	754	20.27	6.00	0.2959	1.0000	223	37
1963	38.5	108	32.55	5.69	0.1749	1.0000	19	3
1962	39.5	1,098	27.04	5.39	0.1995	1.0000	219	41
1961	40.5	670,850	32.14	5.10	0.1588	1.0000	106,526	20,871

AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)

Distribution Plant

Account: 368000 Line Transformers

Dispersion: 30 - S1.5

Procedure: Vintage Group

Generation Arrangement

Vintage	December 31, 2001		Avg. Life	Rem. Life	Net Plant Ratio	Alloc. Factor	Computed Net Plant	Accrual
	Age	Surviving Plant						
A	B	C	D	E	F	G	H=C*F*G	I=H/E
1960	41.5	454	28.95	4.82	0.1665	1.0000	76	16
1958	43.5	256,693	30.07	4.27	0.1421	1.0000	36,467	8,538
1957	44.5	6,740	35.78	4.00	0.1119	1.0000	754	188
1955	46.5	27,688	27.35	3.48	0.1274	1.0000	3,527	1,012
1953	48.5	25,806	26.48	2.97	0.1123	1.0000	2,898	975
1951	50.5	3,713	42.81	2.47	0.0578	1.0000	215	87
1950	51.5	9,179	28.12	2.22	0.0791	1.0000	726	326
1946	55.5	5,784	29.33	1.23	0.0420	1.0000	243	197
1941	60.5	64	28.54			1.0000		
1937	64.5	9	29.95			1.0000		
1933	68.5	188	33.31			1.0000		
Total	11.7	\$99,095,931	30.02	20.20	0.6731	1.0000	\$66,697,189	\$3,301,170

AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)

Distribution Plant

Account: 368000 Line Transformers

Age Distribution

Vintage	Age as of 12/31/2001	Derived Additions	1961 Opening Balance	Experience to 12/31/2001		
				Amount Surviving	Proportion Surviving	Realized Life
A	B	C	D	E	F=E/(C+D)	G
2001	0.5	6,520,987		6,296,036	0.9655	0.4836
2000	1.5	6,382,756		6,349,347	0.9948	1.4946
1999	2.5	5,585,691		5,554,521	0.9944	2.4942
1998	3.5	4,920,067		4,910,115	0.9980	3.4961
1997	4.5	5,851,108		5,818,558	0.9944	4.4907
1996	5.5	4,831,157		4,820,472	0.9978	5.4963
1995	6.5	4,330,899		4,308,150	0.9947	6.4773
1994	7.5	4,835,097		4,773,138	0.9872	7.4263
1993	8.5	4,681,743		4,644,683	0.9921	8.4665
1992	9.5	4,099,521		4,068,426	0.9924	9.4783
1991	10.5	4,179,819		4,137,192	0.9898	10.4730
1990	11.5	3,334,973		3,315,171	0.9941	11.4815
1989	12.5	3,420,528		3,294,547	0.9632	12.2979
1988	13.5	4,065,009		3,873,835	0.9530	13.1949
1987	14.5	4,024,075		3,795,414	0.9432	14.1990
1986	15.5	3,232,692		2,906,913	0.8992	14.4876
1985	16.5	2,372,525		2,120,603	0.8938	15.4604
1984	17.5	1,785,413		1,619,751	0.9072	16.3748
1983	18.5	1,727,537		1,531,402	0.8865	17.0509
1982	19.5	1,416,692		1,223,824	0.8639	18.1468
1981	20.5	1,688,134		1,532,303	0.9077	19.4817
1980	21.5	1,832,754		1,626,882	0.8877	20.3318
1979	22.5	1,674,876		1,549,741	0.9253	21.4993
1978	23.5	2,658,389		2,386,191	0.8976	22.3141
1977	24.5	1,912,410		1,659,393	0.8677	23.0779
1976	25.5	1,886,419		1,483,526	0.7864	23.2093
1975	26.5	1,099,370		698,361	0.6352	24.0380
1974	27.5	1,737,517		1,043,505	0.6006	24.0510
1973	28.5	2,963,303		2,226,835	0.7515	26.0929
1972	29.5	1,919,747		1,161,010	0.6048	26.2731
1971	30.5	1,677,705		914,451	0.5451	24.1705
1970	31.5	1,322,446		687,385	0.5198	25.7089
1968	33.5	805			0.0000	11.0000
1967	34.5	481,178			0.0000	18.7791
1966	35.5	2,766,752		1,755,125	0.6344	29.0403
1965	36.5	387,257			0.0000	25.0978
1964	37.5	46,831		754	0.0161	18.7551
1963	38.5	420,556		108	0.0003	31.2677

AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)
Distribution Plant
Account: 368000 Line Transformers

Age Distribution

Vintage	Age as of 12/31/2001	Derived Additions	1961 Opening Balance	Experience to 12/31/2001		
				Amount Surviving	Proportion Surviving	Realized Life
A	B	C	D	E	F=E/(C+D)	G
1962	39.5	595,365		1,098	0.0018	25.9701
1961	40.5	1,773,202		670,850	0.3783	31.2606
1960	41.5		13,333	454	0.0340	28.2272
1959	42.5		87		0.0000	18.0000
1958	43.5		1,495,123	256,693	0.1717	29.6026
1957	44.5		16,449	6,740	0.4098	35.4169
1955	46.5		1,529,017	27,688	0.0181	27.1339
1953	48.5		749,419	25,806	0.0344	26.3652
1952	49.5		1,417		0.0000	41.7706
1951	50.5		10,796	3,713	0.3439	42.7532
1950	51.5		800,705	9,179	0.0115	28.0890
1946	55.5		506,756	5,784	0.0114	29.3298
1944	57.5		892		0.0000	41.5818
1941	60.5		265,056	64	0.0002	28.5401
1937	64.5		92,468	9	0.0001	29.9513
1934	67.5		4,126		0.0000	50.1105
1933	68.5		36,292	188	0.0052	33.3052
1932	69.5		116,702		0.0000	33.1050
1924	77.5		22,738		0.0000	46.1766
Total		\$110,443,306	\$5,661,376	\$99,095,931	0.8535	

AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)

Distribution Plant

Account: 368000 Line Transformers

Unadjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
1962	5,501,530	520,384	39,357	(14,648)	5,967,909
1963	5,967,909	525,350	51,864	1,013	6,442,408
1964	6,442,408	539,943	66,142	224,274	7,140,483
1965	7,140,483	743,356	141,843	(337)	7,741,659
1966	7,741,659	917,378	134,391	38,394	8,563,040
1967	8,563,040	783,476	120,377	(3,192)	9,222,947
1968	9,222,947	726,930	172,991	4,274	9,781,160
1969	9,781,160	1,075,282	184,149	(4,659)	10,667,634
1970	10,667,634	1,291,331	195,902	(9,021)	11,754,042
1971	11,754,042	1,273,588	118,359		12,909,271
1972	12,909,271	1,769,262	190,665		14,487,868
1973	14,487,868	2,616,074	248,019	(700)	16,855,223
1974	16,855,223	1,842,737	360,413	22,826	18,360,373
1975	18,360,373	2,091,155	314,793	6,930	20,143,665
1976	20,143,665	2,417,478	795,165	(244,091)	21,521,887
1977	21,521,887	2,324,138	283,643	(1,033,456)	22,528,926
1978	22,528,926	2,592,815	329,810	11,150	24,803,081
1979	24,803,081	1,782,747	332,185	23,727	26,277,370
1980	26,277,370	1,869,739	622,757	4,301	27,528,653
1981	27,528,653	1,652,414	287,904	(1,095)	28,892,068
1982	28,892,068	1,308,210	307,397	63,975	29,956,856
1983	29,956,856	1,651,161	262,521	5,693	31,351,189
1984	31,351,189	1,766,763	461,346	(29,157)	32,627,449
1985	32,627,449	2,109,028	240,716	23,398	34,519,159
1986	34,519,159	3,889,885	639,622	40,485	37,809,907
1987	37,809,907	3,328,023	558,914	94,802	40,673,818
1988	40,673,818	4,260,563	1,155,569	(652)	43,778,160
1989	43,778,160	3,822,362	502,817		47,097,705
1990	47,097,705	3,345,175	1,023,043		49,419,837
1991	49,419,837	1,348,164	348,671		50,419,330
1992	50,419,330	6,864,691	1,043,275		56,240,746
1993	56,240,746	4,572,383	762,622	516	60,051,023
1994	60,051,023	4,933,262	563,069		64,421,216
1995	64,421,216	4,072,245	389,323		68,104,138
1996	68,104,138	5,136,104	863,545	(385,599)	71,991,098
1997	71,991,098	4,089,816	363,872	89,158	75,806,200
1998	75,806,200	4,799,621	305,868		80,299,953
1999	80,299,953	3,968,042	135,131		84,132,864
2000	84,132,864	9,905,114	1,340,192	703,508	93,401,295
2001	93,401,295	6,412,310	693,202	(24,471)	99,095,931

AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)
Distribution Plant

Account: 368000 Line Transformers

Adjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
1962	5,620,336	614,285	39,357	(14,648)	6,180,616
1963	6,180,616	430,715	51,864	1,013	6,560,480
1964	6,560,480	669,639	66,142	224,274	7,388,251
1965	7,388,251	729,250	141,843	(337)	7,975,321
1966	7,975,321	837,168	134,391	38,394	8,716,491
1967	8,716,491	796,736	120,377	(3,192)	9,389,658
1968	9,389,658	769,303	172,991	4,274	9,990,244
1969	9,990,244	1,170,186	184,149	(4,659)	10,971,622
1970	10,971,622	1,424,021	195,902	(9,021)	12,190,720
1971	12,190,720	1,548,524	118,359		13,620,885
1972	13,620,885	3,139,846	190,665		16,570,066
1973	16,570,066	2,996,356	248,019	(700)	19,317,703
1974	19,317,703	1,698,568	360,413	22,826	20,678,684
1975	20,678,684	1,203,435	314,793	6,930	21,574,256
1976	21,574,256	1,888,192	795,165	(244,091)	22,423,192
1977	22,423,192	1,901,041	283,643	(1,033,456)	23,007,134
1978	23,007,134	2,608,998	329,810	11,150	25,297,472
1979	25,297,472	1,682,677	332,185	23,727	26,671,691
1980	26,671,691	1,979,261	622,757	4,301	28,032,496
1981	28,032,496	1,676,206	287,904	(1,095)	29,419,703
1982	29,419,703	1,371,991	307,397	63,975	30,548,272
1983	30,548,272	1,730,128	262,521	5,693	32,021,572
1984	32,021,572	1,800,332	461,346	(29,157)	33,331,401
1985	33,331,401	2,449,950	240,716	23,398	35,564,033
1986	35,564,033	3,348,176	639,594	40,485	38,313,100
1987	38,313,100	3,874,335	558,762	94,802	41,723,475
1988	41,723,475	4,516,985	1,155,749	(652)	45,084,059
1989	45,084,059	3,418,959	502,817		48,000,201
1990	48,000,201	2,690,609	1,023,043		49,667,767
1991	49,667,767	4,157,696	348,671		53,476,792
1992	53,476,792	4,100,628	1,043,275		56,534,145
1993	56,534,145	5,066,190	762,622	516	60,838,230
1994	60,838,230	4,785,609	563,069		65,060,769
1995	65,060,769	4,335,084	389,323		69,006,531
1996	69,006,531	4,835,553	863,545	(385,599)	72,592,939
1997	72,592,939	5,842,598	260,983	89,158	78,263,712
1998	78,263,712	3,495,457	408,757		81,350,412
1999	81,350,412	5,964,319	135,131		87,179,600
2000	87,179,600	6,749,701	1,340,192	703,508	93,292,617
2001	93,292,617	6,520,987	679,025	(24,471)	99,110,108

AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)

Distribution Plant

Account: 368000 Line Transformers

T-Cut: None

Placement Band: 1924-2001

Hazard Function: Proportion Retired

Rolling Band Life Analysis

Weighting: Exposures

Observation Band	Censoring	First Degree			Second Degree			Third Degree		
		Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index
A	B	C	D	E	F	G	H	I	J	K
1961-1965	8.0	28.1	L2*	0.77	27.2	S2	1.06	27.4	S2	1.33
1962-1966	7.2	28.1	L2*	0.69	26.9	S2	0.99	27.1	R2.5	0.86
1963-1967	3.5	27.2	L2*	0.69	26.2	S2	1.06	26.4	R2.5	0.76
1964-1968	2.7	26.5	L2*	0.71	25.6	S2	1.20	25.7	R2.5	1.07
1965-1969	1.9	25.7	L2*	0.72	25.0	S2	1.30	25.0	R2.5	1.25
1966-1970	1.2	25.7	L2*	0.71	25.1	S2	0.96	25.1	S2	0.95
1967-1971	0.7	26.7	L2*	0.72	25.8	S2	0.75	25.8	S2	0.79
1968-1972	0.7	27.0	L2*	0.83	26.1	S2	0.78	26.1	S2	0.70
1969-1973	0.6	26.4	L2*	0.75	26.0	S2	0.51	26.0	S2*	1.00
1970-1974	1.0	25.9	L2*	0.97	25.6	S1.5	0.93	25.7	S2	0.88
1971-1975	1.3	25.7	L2*	1.00	25.5	S1.5	0.69	25.7	S2	1.01
1972-1976	0.9	22.5	L2*	0.96	22.8	S1.5	0.66	23.0	S1.5*	0.60
1973-1977	1.4	22.9	L1.5*	1.00	23.1	S1	0.77	23.5	S1.5*	0.74
1974-1978	2.5	23.7	L1.5*	0.78	23.6	S1	0.87	24.7	L2*	1.47
1975-1979	2.2	24.4	L1.5*	1.00	24.3	S1	0.67	25.1	S1.5*	1.49
1976-1980	2.4	23.8	L2*	0.96	23.8	S1	0.71	24.2	S1.5*	1.16
1977-1981	1.6	26.9	L2*	0.94	26.4	S1.5	0.70	27.6	L3*	1.87
1978-1982	0.0	27.3	L2*	0.77	26.9	S1.5	0.37	28.4	L3*	2.22
1979-1983	0.0	28.4	L2*	0.72	27.8	S1.5*	0.49	29.2	L3*	2.12
1980-1984	0.6	29.0	L2*	0.75	28.2	S1.5	0.40	30.4	L3*	3.08
1981-1985	0.3	32.8	L2*	0.82	31.2	S1.5*	0.45	35.8	L2*	5.26
1982-1986	2.4	32.8	L1.5*	0.91	31.0	S1	0.93	39.3	L1.5*	8.57
1983-1987	0.5	32.4	L1.5*	0.94	30.7	S1	0.93	39.5	L1.5*	9.13
1984-1988	0.3	29.8	L1.5*	0.55	28.1	S1	1.13	30.1	L2*	2.59
1985-1989	0.0	31.2	L1.5*	0.46	28.9	R1.5	1.04	31.5	L2*	2.90
1986-1990	0.0	28.6	L1.5*	0.54	27.1	R2	1.25	27.0	R2*	0.99
1987-1991	0.0	30.2	L1.5*	0.68	28.4	R2	0.93	28.4	S1.5*	0.99
1988-1992	0.0	29.0	L1.5*	1.04	27.8	R2	1.19	27.8	R2.5	1.67
1989-1993	0.2	30.2	L2*	0.77	29.1	R2.5	1.17	29.0	S2*	1.48
1990-1994	0.2	30.1	L2*	0.69	29.4	S2*	1.55	29.1	S2*	1.81
1991-1995	0.5	33.3	L2*	0.70	31.5	S2*	1.36	31.4	S2*	1.47
1992-1996	0.1	32.5	L2*	0.71	31.0	S2*	1.49	30.9	S2*	1.59
1993-1997	0.3	37.5	L2*	0.95	34.3	S2	0.83	34.4	S2*	0.84
1994-1998	3.6	41.6	L1.5*	0.90	37.1	S2	0.49	37.4	S2	0.70
1995-1999	35.6	48.8	L1.5*	0.47	41.9	S1.5	0.93	42.8	S1.5*	0.77
1996-2000	2.3	40.9	L2*	1.02	37.1	S2	1.12	36.9	R3	1.35
1997-2001	0.1	44.1	L2*	1.00	39.2	S2*	1.59	38.8	R3	0.80

AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)

Distribution Plant

Account: 368000 Line Transformers

Schedule E

Page 1 of 1

T-Cut: None

Placement Band: 1924-2001

Hazard Function: Proportion Retired

Shrinking Band Life Analysis

Weighting: Exposures

Observation Band	Censoring	First Degree			Second Degree			Third Degree		
		Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index
A	B	C	D	E	F	G	H	I	J	K
1961-2001	1.0	33.4	L1.5 *	0.91	31.6	S1.5	0.66	31.7	S1.5	0.78
1964-2001	1.0	33.4	L1.5 *	0.89	31.7	S1.5	0.66	31.7	S1.5	0.78
1967-2001	1.0	33.6	L1.5 *	0.89	31.8	S1.5	0.66	31.8	S1.5	0.79
1970-2001	1.0	33.7	L1.5 *	0.88	31.9	S1.5	0.68	32.0	S1.5	0.80
1973-2001	1.0	33.9	L1.5 *	0.88	32.0	S1.5	0.72	32.1	S1.5	0.82
1976-2001	1.0	34.4	L1.5 *	0.89	32.3	S1.5	0.83	32.4	S1.5	0.85
1979-2001	0.9	35.0	L1.5 *	0.99	32.8	S1.5	1.10	32.9	S1.5	1.06
1982-2001	0.9	35.7	L1.5 *	0.97	33.3	S2	1.27	33.3	S1.5	1.23
1985-2001	0.9	36.0	L1.5 *	0.97	33.5	S2	1.18	33.5	S2	1.15
1988-2001	0.6	36.4	L1.5 *	1.03	33.8	S2	1.00	33.8	S2	0.98
1991-2001	0.5	38.5	L2 *	0.93	35.5	S2	0.77	35.5	S2	0.81
1994-2001	1.0	41.3	L2 *	0.99	37.3	S2	1.14	37.2	S2	1.38
1997-2001	0.1	44.1	L2 *	1.00	39.2	S2 *	1.59	38.8	R3	0.80
2000-2001	0.0	35.9	L2 *	0.68	34.7	S3 *	1.56	34.9	R3	0.93

AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)

Distribution Plant

Account: 368000 Line Transformers

T-Cut: None


Placement Band: 1924-2001 Observation Band: 1961-2001

Hazard Function: Proportion Retired

Weighting: Exposures

Graphics Analysis

1st: 33.4-L1.5 2nd: 31.6-S1.5 3rd: 31.7-S1.5




AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)
Distribution Plant
Account: 368000 Line Transformers

T-Cut: None
Placement Band: 1924-2001
Observation Band: 1961-2001

Proposed Projection Life Curve

30.0-S1.5



AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)

Distribution Plant

Account: 368000 Line Transformers

Unadjusted Net Salvage History

Year	Retirements	Gross Salvage			Cost of Retiring			Net Salvage		
		Amount	Pct.	1-Yr Avg.	Amount	Pct.	1-Yr Avg.	Amount	Pct.	1-Yr Avg.
A	B	C	D=C/B	E	F	G=F/B	H	I=C-F	J=I/B	K
1985	240,716	41,774	17.4	17.4	111,216	46.2	46.2	(69,442)	-28.8	-28.8
1986	639,622	99,058	15.5	15.5	134,011	21.0	21.0	(34,953)	-5.5	-5.5
1987	558,914	101,435	18.1	18.1	186,077	33.3	33.3	(84,642)	-15.1	-15.1
1988	1,155,569	246,991	21.4	21.4	275,370	23.8	23.8	(28,379)	-2.5	-2.5
1989	502,817	57,602	11.5	11.5	124,792	24.8	24.8	(67,190)	-13.4	-13.4
1990	1,023,043	361,272	35.3	35.3	442,309	43.2	43.2	(81,037)	-7.9	-7.9
1991	348,671	23,205	6.7	6.7	143,315	41.1	41.1	(120,110)	-34.4	-34.4
1992	1,043,275	110,943	10.6	10.6	310,170	29.7	29.7	(199,227)	-19.1	-19.1
1993	762,622	92,471	12.1	12.1	228,748	30.0	30.0	(136,277)	-17.9	-17.9
1994	563,069	53,028	9.4	9.4	184,163	32.7	32.7	(131,135)	-23.3	-23.3
1995	389,323	24,537	6.3	6.3	212,524	54.6	54.6	(187,987)	-48.3	-48.3
1996	863,545	112,017	13.0	13.0	139,003	16.1	16.1	(26,987)	-3.1	-3.1
1997	363,872	28,539	7.8	7.8	105,289	28.9	28.9	(76,750)	-21.1	-21.1
1998	305,868	7,724	2.5	2.5	46,085	15.1	15.1	(38,361)	-12.5	-12.5
1999	135,131	84,050	62.2	62.2		0.0	0.0	84,050	62.2	62.2
2000	1,340,192	46,392	3.5	3.5	266,586	19.9	19.9	(220,194)	-16.4	-16.4
2001	693,202	114,204	16.5	16.5	241,304	34.8	34.8	(127,100)	-18.3	-18.3
Total	10,929,452	1,605,241	14.7		3,150,962	28.8		(1,545,720)	-14.1	

AQUILA NETWORKS - MPS (ELECTRIC AND COMMON)

Distribution Plant

Account: 368000 Line Transformers

Adjusted Net Salvage History

Year	Retirements	Gross Salvage			Cost of Retiring			Net Salvage		
		Amount	Pct.	1-Yr Avg.	Amount	Pct.	1-Yr Avg.	Amount	Pct.	1-Yr Avg.
A	B	C	D=C/B	E	F	G=F/B	H	I=C-F	J=I/B	K
1985	240,716	41,774	17.4	17.4	111,216	46.2	46.2	(69,442)	-28.8	-28.8
1986	639,594	99,058	15.5	15.5	134,011	21.0	21.0	(34,953)	-5.5	-5.5
1987	558,762	101,435	18.2	18.2	186,077	33.3	33.3	(84,642)	-15.1	-15.1
1988	1,155,749	246,991	21.4	21.4	275,370	23.8	23.8	(28,379)	-2.5	-2.5
1989	502,817	57,602	11.5	11.5	124,792	24.8	24.8	(67,190)	-13.4	-13.4
1990	1,023,043	361,272	35.3	35.3	442,309	43.2	43.2	(81,037)	-7.9	-7.9
1991	348,671	23,205	6.7	6.7	143,315	41.1	41.1	(120,110)	-34.4	-34.4
1992	1,043,275	110,943	10.6	10.6	310,170	29.7	29.7	(199,227)	-19.1	-19.1
1993	762,622	92,471	12.1	12.1	228,748	30.0	30.0	(136,277)	-17.9	-17.9
1994	563,069	53,028	9.4	9.4	184,163	32.7	32.7	(131,135)	-23.3	-23.3
1995	389,323	24,537	6.3	6.3	212,524	54.6	54.6	(187,987)	-48.3	-48.3
1996	863,545	112,017	13.0	13.0	139,003	16.1	16.1	(26,987)	-3.1	-3.1
1997	260,983	28,539	10.9	10.9	105,289	40.3	40.3	(76,750)	-29.4	-29.4
1998	408,757	7,724	1.9	1.9	46,085	11.3	11.3	(38,361)	-9.4	-9.4
1999	135,131	84,050	62.2	62.2		0.0	0.0	84,050	62.2	62.2
2000	1,340,192	46,392	3.5	3.5	266,586	19.9	19.9	(220,194)	-16.4	-16.4
2001	679,025	114,204	16.8	16.8	241,304	35.5	35.5	(127,100)	-18.7	-18.7
Total	10,915,274	1,605,241	14.7		3,150,962	28.9		(1,545,720)	-14.2	

2002 Depreciation Rate Study

*Aquila Networks—SJLP
(Electric, Steam and Common)*

Prepared by
Foster Associates, Inc.



CONTENTS

EXECUTIVE SUMMARY

INTRODUCTION 1

SCOPE OF STUDY 2

DEPRECIATION SYSTEM 2

PROPOSED DEPRECIATION RATES..... 3

STUDY PROCEDURE

INTRODUCTION 5

SCOPE 5

DATA COLLECTION 5

LIFE ANALYSIS AND ESTIMATION..... 7

NET SALVAGE ANALYSIS 9

DEPRECIATION RESERVE ANALYSIS..... 10

DEVELOPMENT OF ACCRUAL RATES 12

STATEMENTS

INTRODUCTION 13

STATEMENT A – REMAINING-LIFE ACCRUAL RATES 14

STATEMENT B – REMAINING-LIFE ACCRUALS 17

STATEMENT C – DEPRECIATION RESERVE SUMMARY 19

STATEMENT D – AVERAGE NET SALVAGE 23

STATEMENT E – FUTURE NET SALVAGE..... 26

STATEMENT F – PRESENT AND PROPOSED PARAMETERS 27

ANALYSIS

INTRODUCTION 31

SCHEDULE A – GENERATION ARRANGEMENT 31

SCHEDULE B – AGE DISTRIBUTION 32

SCHEDULE C – UNADJUSTED PLANT HISTORY 33

SCHEDULE D – ADJUSTED PLANT HISTORY..... 33

SCHEDULE E – ACTUARIAL LIFE ANALYSIS 33

SCHEDULE F – GRAPHICS ANALYSIS..... 34

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS 34

SCHEDULE H – AVERAGE YEAR OF FINAL RETIREMENT 34

DISTRIBUTION

365000 – OVERHEAD CONDUCTORS AND DEVICES

SCHEDULE A – GENERATION ARRANGEMENT 35

SCHEDULE B – AGE DISTRIBUTION 37

SCHEDULE C – UNADJUSTED PLANT HISTORY 40

SCHEDULE D – ADJUSTED PLANT HISTORY 41

SCHEDULE E – ACTUARIAL LIFE ANALYSIS 42

SCHEDULE F – GRAPHICS ANALYSIS 44

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS 46

June 9, 2003

EXECUTIVE SUMMARY

INTRODUCTION

This report presents the findings and recommendations developed in a 2002 Depreciation Rate Study for utility plant owned by Aquila Networks – SJLP (Electric, Industrial Steam and Common). Work on the study, conducted by Foster Associates, Inc., commenced in January 2003 and progressed through mid-March 2003, at which time the project was completed.

Foster Associates, Inc. is a public utility economic consulting firm headquartered in Bethesda, Maryland offering economic research and consulting services on issues and problems arising from governmental regulation of business. The areas of specialization supported by our Fort Myers office include property life forecasting, technological forecasting, depreciation estimation, and valuation of industrial property.

Foster Associates has undertaken numerous depreciation engagements for both public and privately owned corporations including detailed statistical life studies, analyses of required net salvage rates, and the selection of depreciation systems that will most nearly achieve the goals of depreciation accounting under the constraints of either government regulation or competitive market pricing. Foster Associates is widely recognized for industry leadership in the development of depreciation systems, life analysis techniques and computer software for conducting depreciation and valuation studies.

Electric and Common depreciation rates currently used by SJLP were approved by the Missouri Public Service Commission (Commission) pursuant to a Stipulation and Agreement in Formal Case No. ER-99-247 and Case No. EC-98-573 dated August 17, 1999. Net salvage rates and service life statistics (*i.e.*, projection lives, projection curves and average service lives) used to derive the settled depreciation rates were included in work papers related to the case.

Industrial Steam depreciation rates currently used by SJLP were approved by the Commission pursuant to a Stipulation and Agreement in Formal Case No. HR-99-245 dated August 17, 1999. Net salvage rates and service life statistics used to derive the settled depreciation rates were not included in either the Stipulation and Agreement or in other documents related to the case.

The principal findings and recommendations of the SJLP Depreciation Rate Study are summarized in the Statements section of this report. Statement A provides a comparative summary of present and proposed annual depreciation rates for each rate category. Statement B provides a comparison of present and proposed annual depreciation accruals. Statement C provides a comparison of the computed, recorded and redistributed depreciation reserves for each rate category. Statement D provides a summary of the components used to obtain a weighted-average net salvage rate for each plant account. Statement E provides a computation of the estimated future net salvage rate for steam production facilities. State-

ment F provides a comparative summary of present and proposed parameters including projection life, projection curve, average service life, and average remaining life.

SCOPE OF STUDY

The principal activities undertaken in the current study included:

- Collection of plant and net salvage data;
- Reconciliation of data to the official records of the Company;
- Discussions with Aquila plant accounting personnel;
- On-site plant inspections;
- Estimation of projection lives and retirement dispersion patterns;
- Analysis of gross salvage and removal expense;
- Analysis and redistribution of recorded depreciation reserves; and
- Development of recommended accrual rates for each rate category.

DEPRECIATION SYSTEM

A depreciation rate is formed by combining the elements of a depreciation system. A depreciation system is composed of a method, a procedure and a technique. A depreciation method (*e.g.*, straight-line) describes the component of the system that determines the acceleration or deceleration of depreciation accruals in relation to either time or use. A depreciation procedure (*e.g.*, vintage group) identifies the level of grouping or sub-grouping of assets within a plant category. The level of grouping specifies the weighting used to obtain composite life statistics for an account. A depreciation technique (*e.g.*, remaining-life) describes the life statistic used in the system.

SJLP is presently using a depreciation system composed of the straight-line method, broad group procedure, whole-life technique for all plant categories. The rates proposed in this study are derived from a system composed of the straight-line method, vintage group procedure, whole-life technique with amortization of reserve imbalances over the estimated remaining life of each rate category. This formulation of the accrual rate is equivalent to a straight-line method, vintage group procedure, remaining-life technique.

The matching and expense recognition principles of accounting provide that the cost of an asset (or group of assets) should be allocated to operations over an estimate of the economic life of the asset in proportion to the consumption of service potential. It is the opinion of Foster Associates that the objectives of depreciation accounting can be more nearly achieved using the vintage-group procedure combined with the remaining-life technique. Unlike the broad group procedure in which each vintage is estimated to have the same average service life, the

vintage group procedure distinguishes average service lives among vintages and provides cost apportionment over the estimated weighted-average remaining life or average life of a rate category.

The level of asset grouping identified in the broad group procedure is the total plant in service from all vintages in an account. Each vintage is estimated to have the same average service life. It is highly unlikely, therefore, that compensating deviations (*i.e.*, over and underestimates of average service life) will be created among vintages to achieve cost allocation over the average service life of each vintage. The level of asset grouping identified in the vintage group procedure is the plant in service from each vintage. The average service life (or remaining life) is estimated for each vintage and composite life statistics are computed for each plant account. It is more likely, therefore, that compensating deviations will be created with a vintage group procedure than with a broad group procedure.

The dependency of both the broad group procedure and the vintage group procedure on compensating deviations in the estimate of service lives is attributable to the use of the whole-life technique. A permanent excess or deficiency will be created in the depreciation reserve by a continued application of the whole-life technique if these deviations are not exactly offsetting. The potential for a permanent reserve imbalance can be eliminated, however, by an application of the remaining-life technique.

The principal distinction between a whole-life rate and a remaining-life rate is the treatment of depreciation reserve imbalances. A reserve imbalance is the difference between a theoretical or computed reserve and the corresponding recorded reserve for a rate category. The remaining-life technique provides a systematic amortization of these differences over the composite weighted average remaining life of a rate category.

Although the emergence of economic factors such as bypass and incentive forms of regulation may ultimately encourage abandonment of the straight-line method, no attempt was made in the current study to address these concerns.

PROPOSED DEPRECIATION RATES

Table 1 provides a summary of the changes in annual rates and accruals resulting from adoption of the parameters and depreciation system recommended in this study.

*Rates
and
Accruals*

Function	Accrual Rate			2002 Annualized Accrual		
	Present	Proposed	Difference	Present	Proposed	Difference
Steam Production	3.84%	4.56%	0.72%	\$5,106,031	\$6,069,973	\$963,942
Other Production	3.83%	1.37%	-2.46%	620,501	222,546	-397,955
Transmission	2.89%	1.59%	-1.30%	721,231	396,668	-324,563
Distribution	3.43%	2.72%	-0.71%	4,689,115	3,716,828	-972,287
General Plant	4.36%	2.26%	-2.10%	34,547	17,891	-16,656
Total Electric	3.58%	3.34%	-0.24%	\$11,171,425	\$10,423,906	\$-747,519
Common Plant	5.13%	2.95%	-2.18%	1,457,454	837,671	-619,783
Industrial Steam	3.04%	6.16%	3.12%	96,156	194,924	98,768
Total SJLP	3.71%	3.34%	-0.37%	\$12,725,035	\$11,456,501	\$-1,268,534

TABLE 1. PRESENT AND PROPOSED RATES AND ACCRUALS

Foster Associates is recommending primary account depreciation rates equivalent to a composite rate of 3.34 percent. Depreciation expense is presently accrued at an equivalent composite rate of 3.71 percent. The recommended change in the composite depreciation rate is, therefore, a decrease of 0.37 percentage points.

A continued application of rates currently prescribed would provide annualized depreciation expense of \$12,725,035 compared to an annualized expense of \$11,456,501 using the rates developed in this study. The proposed expense decrease is \$1,268,534. Of this decrease, (\$1,267,709) represents amortization of a (\$25,104,272) reserve imbalance. The remaining portion of the decrease is attributable to recommended changes in service life and net salvage parameters.

Of the 82 primary accounts included in the 2002 study, Foster Associates is recommending rate reductions for 51 accounts and rate increases for 31 accounts.

STUDY PROCEDURE

INTRODUCTION

The purpose of a depreciation study is to analyze the mortality characteristics, net salvage rates and adequacy of the depreciation accrual and recorded depreciation reserve for each rate category. This study provides the foundation and documentation for recommended changes in the depreciation accrual rates used by Aquila for its SJLP (Electric, Industrial Steam and Common) operations. The proposed rates are subject to approval by the Missouri Public Service Commission.

SCOPE

The steps involved in conducting a depreciation study can be grouped into five major tasks:

- Data Collection;
- Life Analysis and Estimation;
- Net Salvage Analysis;
- Depreciation Reserve Analysis; and
- Development of Accrual Rates.

The scope of the 2002 study for SJLP included a consideration of each of these tasks as described below.

DATA COLLECTION

The minimum database required to conduct a statistical life study consists of a history of vintage year additions and unaged activity year retirements, transfers and adjustments. These data must be appropriately adjusted for transfers, sales and other plant activity that would otherwise bias the measured service life of normal retirements. The age distribution of surviving plant for unaged data can be estimated by distributing the plant in service at the beginning of the study year to prior vintages in proportion to the theoretical amount surviving from a projection or survivor curve identified in the life study. The statistical methods of life analysis used to examine unaged plant data are known as *semi-actuarial techniques*.

A far more extensive database is required to apply the statistical methods of life analysis known as *actuarial techniques*. Plant data used in an actuarial life study most often include the age distribution of surviving plant at the beginning of the study year and the vintage year, activity year, and dollar amounts associated with normal retirements, reimbursed retirements, sales, abnormal retirements, transfers, corrections, and extraordinary adjustments over a series of prior activity years. An actuarial database may include the age distribution of surviving plant at the beginning of the earliest activity year, rather than at the beginning of the study year. Plant additions, however, must be included in a database contain-

ing an opening age distribution to derive aged survivors at the beginning of the study year. All activity year transactions with vintage year identification are coded and stored in a data file. The data are processed by a computer program and transaction summary reports are created in a format reconcilable to the Company's official plant records. The availability of such detailed information is dependent upon an accounting system that supports aged property records. The Continuing Property Record (CPR) system used by Aquila for SJLP assets provides aged transactions for all plant accounts.

The database used in the 2002 study was compiled from two sources. Detailed accounting transactions were extracted from these sources and assigned transaction codes which identify the nature of the accounting activity. Transaction codes for plant additions, for example, are used to distinguish normal additions from acquisitions, purchases, reimbursements and adjustments. Similar transaction codes are used to distinguish normal retirements from sales, reimbursements, abnormal retirements and adjustments. Transaction codes are also assigned to transfers, capital leases and other accounting activity which should be considered in a depreciation study.

The first data source was an electronic file used by SJLP in conducting its 1998 depreciation rate study. The legacy data base was updated by SJLP to include activity years 1998 through 2000. The earliest activity year in the updated file was 1980. An electronic worksheet was used by Foster Associates to create a coded database in a format compatible with the software used to conduct the current depreciation study.

The second source of data was the current CPR system installed by Aquila in 1998. The database obtained from this system included activity year transactions for calendar year 2001 and the age distribution of surviving plant at December 31, 2001. Plant transactions for 2001 were added to the legacy database to generate age distributions at December 31, 2001. The resulting age distributions were then compared to the age distributions extracted from the current CPR. Differences were coded as vintage adjustments in 2001 to interconnect and provide continuity between the two databases. Care was taken in creating the Foster Associates database to ensure a proper mapping of the legacy system account structure to the current CPR account structure.

The accuracy and completeness of the assembled data base was verified by Foster Associates for activity year 2001 by comparing additions, retirements, transfers and adjustments, and the ending plant balance derived for 2001 to the official plant records of the Company. The legacy database contains adjustments for depreciation study purposes which prevents reconciling the database to the official plant records for activity years prior to 2001.

LIFE ANALYSIS AND ESTIMATION

Life analysis and life estimation are terms used to describe a two-step procedure for estimating the mortality characteristics of a plant category. The first step (*i.e.*, life analysis) is largely mechanical and primarily concerned with history. Statistical techniques are used in this step to obtain a mathematical description of the forces of retirement acting upon a plant category and an estimate of service life known as the *projection life* of the account. The mathematical expressions used to describe these life characteristics are known as *survival functions* or *survivor curves*.

The second step (*i.e.*, life estimation) is concerned with predicting the expected remaining life of property units still exposed to the forces of retirement. It is a process of blending the results of the life analysis with informed judgment (including expectations about the future) to obtain an appropriate projection life and curve. The amount of weight given to the life analysis will depend upon the extent to which past retirement experience is considered descriptive of the future.

The analytical methods used in a life analysis are broadly classified as actuarial and semi-actuarial techniques. Actuarial techniques can be applied to plant accounting records that reveal the age of a plant asset at the time of its retirement from service. Stated differently, each property unit must be identifiable by date of installation and age at retirement. Semi-actuarial techniques can be used to derive service life and dispersion estimates when age identification of retirements is not maintained or readily available.

An actuarial life analysis program designed and developed by Foster Associates was used in this study. The first step in an actuarial analysis involves a systematic treatment of the available data for the purpose of constructing an observed life table. A complete life table contains the life history of a group of property units installed during the same accounting period and various probability relationships derived from the data. A life table is arranged by age-intervals (usually defined as one year) and shows the number of units (or dollars) entering and leaving each age-interval and probability relationships associated with this activity. A life table minimally shows the age of each survivor and the age of each retirement from a group of units installed in a given accounting year.

A life table can be constructed in any one of at least five alternative methods. The annual-rate or retirement-rate method was used in this study. The mechanics of the annual-rate method require the calculation of a series of ratios obtained by dividing the number of units (or dollars) surviving at the beginning of an age interval into the number of units (or dollars) retired during the same interval. This ratio (or set of ratios) is commonly referred to as retirement ratios. The cumulative proportion surviving is obtained by multiplying the retirement ratio for each age interval by the proportion of the original group surviving at the beginning of

that age interval and subtracting this product from the proportion surviving at the beginning of the same interval. The annual-rate method is applied to multiple groups or vintages by combining the retirements and/or survivors of like ages for each vintage included in the analysis.

The second step in an actuarial analysis involves graduating or smoothing the observed life table and fitting the smoothed series to a family of survival functions. The functions used in this study are the Iowa-type curves which are mathematically described in terms of the Pearson frequency curve family. The observed life table was smoothed by a weighted least-squares procedure in which first, second and third degree polynomials were fitted to the observed retirement ratios. The resulting function can be expressed in terms of a survivorship function which is numerically integrated to obtain an estimate of the average service life. The smoothed survivorship function is then fitted by a weighted least-squares procedure to the Iowa-curve family to obtain a mathematical description or classification of the dispersion characteristics of the data.

The set of computer programs used in this analysis provides multiple rolling-band and shrinking-band analyses of an account. Observation bands are defined for a "retirement era" which restricts the analysis to the retirement activity of all vintages represented by survivors at the beginning of a selected era. In a rolling-band analysis, a year of retirement experience is added to each successive retirement band and the earliest year from the preceding band is dropped. A shrinking-band analysis begins with the total retirement experience available and the earliest year from the preceding band is dropped for each successive band. Rolling and shrinking band analyses are used to detect the emergence of trends in the behavior of the dispersion and average service life.

Options available in the actuarial life analysis program developed by Foster Associates include the width and location of both placement and observation bands; the interval of years included in a selected rolling or shrinking band analysis; the estimator of the hazard rate (actuarial, conditional proportion retired, or maximum likelihood); the elements to include on the diagonal of a weight matrix (exposures, inverse of age, inverse of variance, or unweighted); and the age at which an observed life table is truncated. The program also provides tabular and graphics output as an aid in the analysis and optionally produces data output files used in the calculation of depreciation accruals.

While actuarial and semi-actuarial statistical methods are well suited to an analysis of plant categories containing a large number of homogeneous units (*e.g.*, poles and conductors), the concept of retirement dispersion is inappropriate for plant categories composed of major items of plant that will most likely be retired as a single unit. Plant retirements from an integrated system prior to the retirement of the entire facility are more properly viewed as interim retirements that

will be replaced in order to maintain the integrity of the system. Additionally, plant facilities may be added to the existing system (*i.e.*, interim additions) in order to expand or enhance its productive capacity without extending the service life of the present system. A proper depreciation rate can be developed for an integrated system using a life-span method.

The life-span method requires the selection of a coterminous retirement date for all plant additions to a specific facility. A composite depreciation rate is calculated for the facility using the technique of harmonic weighting of the expected life span of each vintage addition. The resulting accrual rate must be adjusted for interim retirements to the extent that such retirements can be reasonably expected. Absent this adjustment, the depreciation accumulated over the life span of the facility will be deficient by an amount equal to a portion of the interim retirements. Properly implemented, the life-span method does not include plant additions or replacements of interim retirements until such activity is reported. Plant accounts classified in the Steam Production, Industrial Steam and Other Production functions were identified by location and treated as life-span categories in this study.

NET SALVAGE ANALYSIS

Depreciation rates designed to achieve the goals and objectives of depreciation accounting will include a parameter for future net salvage and a variable for average net salvage which reflects both realized and future net salvage rates.

An estimate of the net salvage rate applicable to future retirements is most often obtained from an analysis of gross salvage and removal expense realized in the past. An analysis of past experience (including an examination of trends over time) provides an appropriate basis for estimating future salvage and cost of removal. However, consideration should also be given to events that may cause deviations from net salvage realized in the past. Among the factors that should be considered are the age of plant retirements; the portion of retirements likely to be reused; changes in the method of removing plant; the type of plant to be retired in the future; inflation expectations; the shape of the projection life curve; and economic conditions that may warrant greater or lesser weight to be given to the net salvage observed in the past.

Special consideration should also be given to the treatment of insurance proceeds and other forms of third-party reimbursements credited to the depreciation reserve. A properly conducted net salvage study will exclude such activity from the estimate of future parameters and include the activity in the computation of realized and average net salvage rates.

A traditional, historical analysis using a five-year moving average of the ratio of realized salvage and removal expense to the associated retirements was used in this study to a) estimate a realized net salvage rate; b) detect the emergence of

historical trends; and c) establish a basis for estimating a future net salvage rate. Cost of removal and salvage opinions obtained from Company engineers were blended with judgment and historical net salvage indications in developing estimates of the future.

Consideration was also given in the 2002 SJLP depreciation study to the cost of dismantling the Lake Road and Iatan generating stations. The projected cost of dismantling these facilities was derived, as shown in Table 2, from an estimated cost of \$50 per kW, denominated in 2001 dollars. This cost estimate is intended to serve as a placeholder pending completion of a detailed dismantling cost study. The Company is prepared to undertake a dismantling cost study upon receipt of authorization by the Commission to include removal expense in the accrual for depreciation.

Plant	Capacity (MW)	Cost per kW	2001 Cost	Inflation Rate	AYFR	Dismantlement Cost
Lake Road	152.0	\$50.00	\$7,600,000	1.50%	2012	\$8,952,412
Iatan	121.0	50.00	6,050,000	1.50%	2015	7,452,122

Table 2. Dismantlement Cost

The average net salvage rate for an account was estimated using direct dollar weighting of historical retirements with the historical net salvage rate, and future retirements (*i.e.*, surviving plant) with the estimated future net salvage rate. The computation of the estimated average net salvage rate for each rate category is shown in Statement D. Future net salvage rates estimated for Lake Road and Iatan are shown in Statement E.

DEPRECIATION RESERVE ANALYSIS

The purpose of a depreciation reserve analysis is to compare the current level of the recorded reserve with the level required to achieve the goals or objectives of depreciation accounting if the amount and timing of future retirements and net salvage are realized as predicted. The difference between the required depreciation reserve and the recorded reserve provides a measurement of the expected excess or shortfall that will remain in the depreciation reserve if corrective action is not taken to eliminate the reserve imbalance.

Unlike a recorded reserve which represents the net amount of depreciation expense charged to previous periods of operations, a theoretical reserve is a measure of the implied reserve requirement at the beginning of a study year if the timing of future retirements and net salvage is in exact conformance with a survivor curve chosen to predict the probable life of property still exposed to the forces of retirement. Stated differently, a theoretical depreciation reserve is the difference between the recorded cost of plant presently in service and the sum of the depreciation and net salvage that will be charged in the future if retirements are

distributed over time according to a specified retirement frequency distribution.

The survivor curve used in the calculation of a theoretical depreciation reserve is intended to describe forces of retirement that will be operative in the future. However, retirements caused by forces such as accidents, physical deterioration and changing technology seldom, if ever, remain stable over time. It is unlikely, therefore, that a probability or retirement frequency distribution can be identified that will accurately describe the age of plant retirements over the complete life cycle of a vintage. It is for this reason that depreciation rates should be reviewed periodically and adjusted for observed or expected changes in the parameters chosen to describe the underlying forces of mortality.

Although reserve records are commonly maintained by various account classifications, the total reserve for a company is the most important measure of the status of the company's depreciation practices. If statistical life studies have not been conducted or retirement dispersion has been ignored in setting depreciation rates, it is likely that some accounts will be over-depreciated and other accounts will be under-depreciated relative to a calculated theoretical reserve. Differences between the theoretical reserve and the recorded reserve also will arise as a normal occurrence when service lives, dispersion patterns and net salvage estimates are adjusted in the course of depreciation reviews. It is appropriate, therefore, and consistent with group depreciation theory to periodically redistribute or rebalance the total recorded reserve among the various primary accounts based upon the most recent estimates of retirement dispersion and net salvage rates.

A redistribution of recorded reserves is appropriate for SJLP at this time. Although recorded reserves have been maintained by primary account (and locations within primary accounts), these reserves were largely ignored in the development of the presently prescribed whole-life accrual rates. This failure to address prior reserve imbalances produces an added dimension of instability in accrual rates beyond the variability attributable to the parameters estimated in the current study. A redistribution of the recorded reserve is necessary, therefore, to establish an initial reserve balance for each account consistent with the age distributions and estimates of retirement dispersion developed in this study. Reserves should also be realigned in this study to reflect adoption of the vintage group procedure.

A redistribution of the recorded reserve was achieved for SJLP by multiplying the calculated reserve for each primary account within a function by the ratio of the function total recorded reserve to the function total calculated reserve. The sum of the redistributed reserves within a function is, therefore, equal to the function total recorded depreciation reserve before the redistribution.

Statement C provides a comparison of the computed and recorded reserves for SJLP on December 31, 2001. The recorded reserve was \$191,504,496, or 55.8 percent of the depreciable plant investment. The corresponding computed reserve

is \$166,400,224 or 48.5 percent of the depreciable plant investment. A proportionate amount of the measured reserve imbalance of (\$25,104,272) will be amortized over the composite weighted-average remaining life of each rate category using the remaining life depreciation rates proposed in this study.

DEVELOPMENT OF ACCRUAL RATES

The goal or objective of depreciation accounting is cost allocation over the economic life of an asset in proportion to the consumption of service potential. Ideally, the cost of an asset—which represents the cost of obtaining a bundle of service units—should be allocated to future periods of operation in proportion to the amount of service potential expended during an accounting interval. The service potential of an asset is the present value of future net revenue (*i.e.*, revenue less expenses exclusive of depreciation and other non-cash expenses) or cash inflows attributable to the use of that asset alone.

Cost allocation in proportion to the consumption of service potential is often approximated by the use of depreciation methods employing time rather than net revenue as the apportionment base. Examples of time-based methods include sinking-fund, straight-line, declining balance, and sum-of-the-years' digits. The advantage of using a time-based method is that it does not require an estimate of the remaining amount of service capacity an asset will provide or the amount of capacity actually consumed during an accounting interval. Using a time-based allocation method, however, does not change the goal of depreciation accounting. If it is predictable that the net revenue pattern of an asset will either decrease or increase over time, then an accelerated or decelerated time-based method should be used to approximate the rate at which service potential is actually consumed.

The time period over which the cost of an asset will be allocated to operations is determined by the combination of a procedure and a technique. A depreciation procedure describes the level of grouping or sub-grouping of assets within a plant category. The broad group, vintage group, equal-life group, and item or unit are a few of the more widely used procedures. A depreciation technique describes the life statistic used in a depreciation system. The whole life and remaining life (or expectancy) are the most common techniques.

Depreciation rates recommended in this study were developed using a system composed of the straight-line method, vintage group procedure, whole-life technique with amortization of reserve imbalances over the estimated remaining life of each rate category. This formulation of the accrual rate is equivalent to a straight-line method, vintage group procedure, remaining-life technique. It is the opinion of Foster Associates that this system will remain appropriate for SJLP, provided depreciation studies are conducted periodically and parameters are routinely adjusted to reflect changing operating conditions.

STATEMENTS

INTRODUCTION

This section provides a comparative summary of depreciation rates, annual depreciation accruals, recorded and computed depreciation reserves, and present and proposed service life and net salvage statistics recommended for SJLP electric, industrial steam and common operations. The content of these statements is briefly described below.

- Statement A provides a comparative summary of present and proposed annual depreciation rates using the vintage group procedure, whole-life technique with amortization of reserve imbalances.
- Statement B provides a comparison of the present and proposed annualized 2002 depreciation accruals based upon the rates developed in Statement A.
- Statement C provides a comparison of the recorded, computed and redistributed reserves for each rate category at December 31, 2001.
- Statement D provides a summary of the components used to obtain a weighted average net salvage rate for each rate category.
- Statement E provides a computation of the estimated future net salvage rate for steam production facilities.
- Statement F provides a comparative summary of present and proposed parameters including projection life, projection curve, average service life, and average remaining life.

Present depreciation accruals shown on Statement B are the product of the plant investment (Column B) and the present depreciation rates (Column D) shown on Statement A. These are the effective rates used by the Company for the mix of investments recorded on December 31, 2001. Similarly, proposed depreciation accruals shown on Statement B are the product of the plant investment and the proposed depreciation rates (Column I) shown on Statement A. Proposed accrual rates shown on Statement A are given by:

$$\text{Accrual Rate} = \frac{1.0 - \text{Average Net Salvage}}{\text{Average Life}} + \frac{\text{Computed Reserve} - \text{Recorded Reserve}}{\text{Remaining Life}}$$

where *Average Net Salvage*, *Computed Reserve* and *Recorded Reserve* are expressed in percent. This formulation of the accrual rate is equivalent to

$$\text{Accrual Rate} = \frac{1.0 - \text{Reserve Ratio} - \text{Future Net Salvage Rate}}{\text{Remaining Life}}$$

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement A

Comparison of Present and Proposed Accrual Rates

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description A	Present			Proposed				
	Avg. Life B	Net Salvage C	Accrual Rate D	Avg. Life E	Avg. Net Salvage F	W/L Rate G	Amortization H	R/L Rate I=G+H
STEAM PRODUCTION								
311000 Structures and Improvements			4.09%	22.70	-14.1%	5.03%	0.04%	5.07%
312001 Boiler Plant Equipment			3.90%	24.47	-12.3%	4.59%	0.03%	4.62%
314000 Turbogenerator Units			3.50%	27.69	-14.0%	4.12%	0.04%	4.16%
315000 Accessory Electric Equipment			3.43%	27.87	-12.8%	4.05%	0.02%	4.07%
316000 Miscellaneous Power Plant Equipment			3.50%	23.69	-14.6%	4.84%	0.02%	4.86%
353000 Station Equipment			2.20%	31.43	-10.0%	3.50%		3.50%
391001 Office Furniture and Equipment			7.14%	18.68		5.35%	0.02%	5.37%
391003 Computer Hardware				12.82		7.80%	0.04%	7.84%
391004 Computer Software			14.30%	12.38		8.08%	0.01%	8.09%
392000 Transportation Equipment			6.20%	15.04	19.4%	5.36%	0.12%	5.48%
393000 Stores Equipment			4.99%	30.04		3.33%		3.33%
394000 Tools, Shop and Garage Equipment			4.40%	25.19		3.97%	0.02%	3.99%
395000 Laboratory Equipment			3.40%	25.71		3.89%	0.03%	3.92%
396002 Power Operated Equipment			3.90%	18.38	25.0%	4.08%	0.04%	4.12%
397000 Communication Equipment			2.50%	25.03	-5.1%	4.20%		4.20%
398000 Miscellaneous Equipment			3.60%	25.51	-3.1%	4.04%	0.02%	4.06%
Total Steam Production Plant			3.84%	24.83	-12.4%	4.53%	0.03%	4.56%
OTHER PRODUCTION (Lake Road)								
341000 Structures and Improvements	22.00			35.49	-5.0%	2.96%	-2.62%	0.34%
342000 Fuel Holders and Accessories	22.00			38.64	-5.0%	2.72%	-2.78%	-0.06%
343000 Prime Movers	22.00		4.70%	28.00	-5.1%	3.75%	-2.10%	1.65%
344001 Generators	22.00		4.70%	33.49	-15.2%	3.44%	-2.31%	1.13%
345000 Accessory Electric Equipment	22.00			29.36	-5.0%	3.58%	-2.22%	1.36%
Total Other Production Plant			3.83%	29.89	-7.1%	3.58%	-2.21%	1.37%
TRANSMISSION PLANT								
352000 Structures and Improvements	53.00		1.90%	60.02	-10.0%	1.83%	-0.45%	1.38%
353000 Station Equipment	27.00	-5.0%	3.90%	30.17	3.4%	3.20%	-1.43%	1.77%
355000 Poles and Fixtures	53.00	-37.0%	2.60%	60.76	-30.8%	2.15%	-0.51%	1.64%
356000 Overhead Conductors and Devices	50.00	-17.0%	2.30%	60.30	-29.1%	2.14%	-0.77%	1.37%
357000 Underground Conduit	58.00		1.70%	60.00	-5.0%	1.75%	-0.20%	1.55%
358000 Underground Conductors and Devices	41.00		2.40%	60.75	-5.0%	1.73%	-0.41%	1.32%
Total Transmission Plant			2.89%	48.05	-18.3%	2.46%	-0.87%	1.59%
DISTRIBUTION PLANT								
361000 Structures and Improvements	50.00		2.00%	50.15	-10.0%	2.19%	-0.03%	2.16%
362000 Station Equipment	30.00	-16.0%	3.90%	50.27	-19.3%	2.37%	-0.11%	2.26%
364000 Poles, Towers and Fixtures	44.00	-53.0%	3.50%	45.37	-65.1%	3.64%	-0.28%	3.36%
365000 Overhead Conductors and Devices	47.00	-37.0%	2.90%	55.30	-37.1%	2.48%	-0.15%	2.33%
366000 Underground Conduit	50.00		2.00%	55.03	-40.0%	2.54%	-0.09%	2.45%
367000 Underground Conductors and Devices	58.00	-14.0%	2.00%	49.98	-15.0%	2.30%	-0.08%	2.22%
368000 Line Transformers			2.87%	40.22	-19.3%	2.97%	-0.22%	2.75%
369001 Overhead Services	40.00	-78.0%	4.50%	50.22	-101.8%	4.02%	-0.38%	3.64%
369002 Underground Services	40.00	-78.0%	4.50%	35.07	-10.0%	3.14%	-0.18%	2.96%
370001 Meters	29.00	1.0%	3.40%	40.63	0.1%	2.46%	-0.26%	2.20%
371000 Installations on Customers' Premises	13.00	7.0%	7.20%	17.07	9.1%	5.33%	-0.33%	5.00%
373000 Street Lighting and Signal Systems	18.00	-25.0%	6.90%	25.29	-17.7%	4.65%	-0.21%	4.44%
Total Distribution Plant			3.43%	44.54	-29.1%	2.90%	-0.18%	2.72%
GENERAL PLANT								
391001 Office Furniture and Equipment			7.08%	16.11	2.6%	6.05%	-4.08%	1.97%
391003 Computer Hardware				10.01	4.2%	9.57%	-3.83%	5.74%
391004 Computer Software	7.00		14.30%	11.09		9.02%	-4.43%	4.59%
393000 Stores Equipment	20.00		5.00%	26.78		3.73%	-2.68%	1.05%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement A

Comparison of Present and Proposed Accrual Rates

Present: [BG Procedure / WL Technique](#)

Proposed: [VG Procedure / RL Technique](#)

Account Description A	Present			Proposed				
	Avg. Life B	Net Salvage C	Accrual Rate D	Avg. Life E	Avg. Net Salvage F	W/L Rate G	Amortization H	R/L Rate I=G+H
394000 Tools, Shop and Garage Equipment	22.00	4.0%	4.40%	24.38	-53.6%	6.30%	0.48%	6.78%
395000 Laboratory Equipment	27.00	7.0%	3.40%	23.27	0.8%	4.26%	-5.02%	-0.76%
397000 Communication Equipment	21.00	-2.0%	4.90%	25.36	-4.4%	4.12%	-3.57%	0.55%
398000 Miscellaneous Equipment	28.00		3.60%	25.69	-25.4%	4.88%	-1.84%	3.04%
Total General Plant			4.36%	19.17		5.22%	-2.96%	2.26%
TOTAL ELECTRIC UTILITY			3.58%	33.19	-19.5%	3.60%	-0.26%	3.34%
COMMON UTILITY								
390001 Structures and Improvements	31.00	3.0%	3.10%	40.19	-9.2%	2.72%	-1.06%	1.66%
391001 Office Furniture and Equipment			7.96%	20.17		4.96%	-1.53%	3.43%
391003 Computer Hardware				13.97		7.16%	-3.14%	4.02%
391004 Computer Software	7.00		14.30%	13.40		7.46%	-2.31%	5.15%
392000 Transportation Equipment	12.00	26.0%	6.20%	12.99	18.8%	6.25%	-3.08%	3.17%
393000 Stores Equipment	20.00		5.00%	30.66		3.26%	-1.81%	1.45%
394000 Tools, Shop and Garage Equipment	22.00	4.0%	4.40%	25.59		3.91%	-1.20%	2.71%
395000 Laboratory Equipment	27.00	7.0%	3.40%	26.34		3.80%	-1.76%	2.04%
396002 Power Operated Equipment	18.00	30.0%	3.90%	18.91	20.4%	4.21%	-2.14%	2.07%
397000 Communication Equipment	21.00	-2.0%	4.90%	25.62	-5.0%	4.10%	-0.87%	3.23%
398000 Miscellaneous Equipment	28.00		3.60%	25.62	-5.0%	4.10%	-0.91%	3.19%
Total Common Utility			5.13%	20.89	-0.1%	4.79%	-1.84%	2.95%
TOTAL ELECTRIC AND COMMON UTILITY			3.71%	31.87	-17.9%	3.70%	-0.39%	3.31%
INDUSTRIAL STEAM PRODUCTION								
311009 Structures and Improvements			4.40%	32.05	-27.6%	3.98%	2.17%	6.15%
312009 Boiler Plant Equipment			4.00%	33.09	-24.9%	3.77%	2.22%	5.99%
315009 Accessory Electric Equipment			3.80%	23.46	-11.2%	4.74%	1.91%	6.65%
375009 Structures and Improvements			2.00%	22.48	-5.6%	4.70%	1.58%	6.28%
376009 Mains			2.50%	26.72	-3.1%	3.86%	2.00%	5.86%
379009 Measuring and Regulating Equipment			3.00%	21.49	-4.7%	4.87%	1.68%	6.55%
380009 Services			3.00%	25.79	-4.9%	4.07%	1.93%	6.00%
381009 Meters			4.00%	19.19	-0.1%	5.22%	1.42%	6.64%
Total Industrial Steam Production Plant			3.04%	25.08	-7.2%	4.27%	1.89%	6.16%
TOTAL SJLP			3.71%	31.80	-17.8%	3.70%	-0.36%	3.34%
STEAM PRODUCTION								
Lake Road								
311000 Structures and Improvements	54.00	-31.0%	4.40%	20.82	-15.1%	5.53%	0.06%	5.59%
312001 Boiler Plant Equipment			4.18%	20.26	-15.4%	5.70%	0.06%	5.76%
314000 Turbogenerator Units	33.00	-33.0%	3.90%	24.16	-15.0%	4.76%	0.07%	4.83%
315000 Accessory Electric Equipment	39.00	-9.0%	3.80%	23.29	-13.7%	4.88%	0.07%	4.95%
316000 Miscellaneous Power Plant Equipment	32.00		3.50%	19.26	-22.4%	6.36%	0.05%	6.41%
353000 Station Equipment								
391001 Office Furniture and Equipment			7.16%	18.64		5.36%	0.02%	5.38%
391003 Computer Hardware				12.82		7.80%	0.04%	7.84%
391004 Computer Software			14.30%	12.37		8.08%	0.03%	8.11%
392000 Transportation Equipment			6.20%	15.04	19.4%	5.36%	0.12%	5.48%
393000 Stores Equipment			5.00%	30.00		3.33%	0.01%	3.34%
394000 Tools, Shop and Garage Equipment			4.40%	25.21		3.97%	0.02%	3.99%
395000 Laboratory Equipment			3.40%	25.74		3.89%	0.03%	3.92%
396002 Power Operated Equipment			3.90%	18.40	25.0%	4.08%	0.04%	4.12%
397000 Communication Equipment								
398000 Miscellaneous Equipment			3.60%	25.49	-3.1%	4.04%	0.03%	4.07%
Total Lake Road			4.17%	20.95	-14.4%	5.46%	0.06%	5.52%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement A

Comparison of Present and Proposed Accrual Rates

Present: [BG Procedure / WL Technique](#)

Proposed: [VG Procedure / RL Technique](#)

Account Description A	Present			Proposed				
	Avg. Life B	Net Salvage C	Accrual Rate D	Avg. Life E	Avg. Net Salvage F	W/L Rate G	Amortization H	R/L Rate I=G+H
latan								
311000 Structures and Improvements	30.50	-1.0%	3.30%	29.64	-11.4%	3.76%		3.76%
312001 Boiler Plant Equipment	28.60	-4.0%	3.60%	32.14	-8.8%	3.39%		3.39%
314000 Turbogenerator Units	32.30	-1.0%	3.10%	32.62	-13.0%	3.46%	0.01%	3.47%
315000 Accessory Electric Equipment	31.30	-1.0%	3.20%	31.72	-12.2%	3.54%		3.54%
316000 Miscellaneous Power Plant Equipment	28.00	2.0%	3.50%	25.41	-10.1%	4.33%	0.01%	4.34%
353000 Station Equipment	42.00	6.0%	2.20%	31.43	-10.0%	3.50%		3.50%
391001 Office Furniture and Equipment	18.40	1.0%	5.40%	21.26		4.70%	0.01%	4.71%
391003 Computer Hardware								
391004 Computer Software			14.30%	12.38		8.08%		8.08%
392000 Transportation Equipment								
393000 Stores Equipment								
394000 Tools, Shop and Garage Equipment								
395000 Laboratory Equipment								
396002 Power Operated Equipment								
397000 Communication Equipment	38.80	3.0%	2.50%	25.03	-5.1%	4.20%		4.20%
398000 Miscellaneous Equipment								
Total latan			3.46%	31.73	-10.0%	3.47%		3.47%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement B

Comparison of Present and Proposed Accruals

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description	12/31/01 Plant Investment	2002 Annualized Accrual				
		Present	Proposed			Difference
			Whole-Life	Amortization	Total	
A	B	C	D	E	F=D+E	G=F-C
STEAM PRODUCTION						
311000 Structures and Improvements	\$15,203,556	\$621,317	\$764,102	\$6,523	\$770,625	\$149,308
312001 Boiler Plant Equipment	83,114,290	3,242,269	3,813,882	25,878	3,839,760	597,491
314000 Turbogenerator Units	21,863,116	766,162	900,123	8,816	908,939	142,777
315000 Accessory Electric Equipment	8,369,106	286,835	338,753	2,219	340,972	54,137
316000 Miscellaneous Power Plant Equipment	965,048	33,777	46,681	192	46,873	13,096
353000 Station Equipment	1,032,185	22,708	36,126		36,126	13,418
391001 Office Furniture and Equipment	173,724	12,408	9,300	35	9,335	(3,073)
391003 Computer Hardware	145,037		11,313	58	11,371	11,371
391004 Computer Software	263,961	37,746	21,328	32	21,360	(16,386)
392000 Transportation Equipment	270,805	16,790	14,515	325	14,840	(1,950)
393000 Stores Equipment	841	42	28		28	(14)
394000 Tools, Shop and Garage Equipment	416,418	18,322	16,532	83	16,615	(1,707)
395000 Laboratory Equipment	319,441	10,861	12,426	96	12,522	1,661
396002 Power Operated Equipment	864,775	33,726	35,283	346	35,629	1,903
397000 Communication Equipment	109,934	2,748	4,617		4,617	1,869
398000 Miscellaneous Equipment	8,882	320	359	2	361	41
Total Steam Production Plant	\$133,121,119	\$5,106,031	\$6,025,368	\$44,605	\$6,069,973	\$963,942
OTHER PRODUCTION (Lake Road)						
341000 Structures and Improvements	\$1,298,083		\$38,423	(\$34,010)	\$4,413	\$4,413
342000 Fuel Holders and Accessories	605,108		16,459	(16,822)	(363)	(363)
343000 Prime Movers	10,409,845	489,263	390,369	(218,607)	171,762	(317,501)
344001 Generators	2,792,302	131,238	96,055	(64,502)	31,553	(99,685)
345000 Accessory Electric Equipment	1,116,283		39,963	(24,782)	15,181	15,181
Total Other Production Plant	\$16,221,621	\$620,501	\$581,269	(\$358,723)	\$222,546	(\$397,955)
TRANSMISSION PLANT						
352000 Structures and Improvements	\$272,023	\$5,168	\$4,978	(\$1,224)	\$3,754	(\$1,414)
353000 Station Equipment	7,586,890	295,889	242,780	(108,492)	134,288	(161,601)
355000 Poles and Fixtures	9,088,521	236,302	195,403	(46,351)	149,052	(87,250)
356000 Overhead Conductors and Devices	7,949,371	182,836	170,117	(61,211)	108,906	(73,930)
357000 Underground Conduit	16,148	275	283	(33)	250	(25)
358000 Underground Conductors and Devices	31,692	761	548	(130)	418	(343)
Total Transmission Plant	\$24,944,645	\$721,231	\$614,109	(\$217,441)	\$396,668	(\$324,563)
DISTRIBUTION PLANT						
361000 Structures and Improvements	\$1,892,325	\$37,847	\$41,442	(\$568)	\$40,874	\$3,027
362000 Station Equipment	29,270,625	1,141,554	693,714	(32,198)	661,516	(480,038)
364000 Poles, Towers and Fixtures	21,560,742	754,626	784,811	(60,370)	724,441	(30,185)
365000 Overhead Conductors and Devices	19,226,885	557,580	476,827	(28,841)	447,986	(109,594)
366000 Underground Conduit	5,089,186	101,784	129,265	(4,580)	124,685	22,901
367000 Underground Conductors and Devices	12,922,690	258,454	297,222	(10,338)	286,884	28,430
368000 Line Transformers	22,711,503	651,820	674,532	(49,966)	624,566	(27,254)
369001 Overhead Services	3,565,101	160,430	143,317	(13,547)	129,770	(30,660)
369002 Underground Services	7,294,246	328,241	229,039	(13,129)	215,910	(112,331)
370001 Meters	6,465,205	219,817	159,044	(16,809)	142,235	(77,582)
371000 Installations on Customers' Premises	3,010,295	216,741	160,449	(9,934)	150,515	(66,226)
373000 Street Lighting and Signal Systems	3,771,314	260,221	175,366	(7,920)	167,446	(92,775)
Total Distribution Plant	\$136,780,117	\$4,689,115	\$3,965,028	(\$248,200)	\$3,716,828	(\$972,287)
GENERAL PLANT						
391001 Office Furniture and Equipment	\$46,917	\$3,322	\$2,838	(\$1,914)	\$924	(\$2,398)
391003 Computer Hardware	90,755		8,685	(3,476)	5,209	5,209
391004 Computer Software	1,556	223	140	(69)	71	(152)
393000 Stores Equipment	12,698	635	474	(341)	133	(502)
394000 Tools, Shop and Garage Equipment	120,242	5,291	7,575	577	8,152	2,861
395000 Laboratory Equipment	6,433	219	274	(323)	(49)	(268)
397000 Communication Equipment	488,864	23,954	20,141	(17,452)	2,689	(21,265)
398000 Miscellaneous Equipment	25,081	903	1,224	(462)	762	(141)
Total General Plant	\$792,546	\$34,547	\$41,351	(\$23,460)	\$17,891	(\$16,656)
TOTAL ELECTRIC UTILITY	\$311,860,048	\$11,171,425	\$11,227,125	(\$803,219)	\$10,423,906	(\$747,519)

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement B

Comparison of Present and Proposed Accruals

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description	12/31/01 Plant Investment	2002 Annualized Accrual				
		Present	Proposed			Difference
			Whole-Life	Amortization	Total	
A	B	C	D	E	F=D+E	G=F-C
COMMON UTILITY						
390001 Structures and Improvements	\$10,660,323	\$330,470	\$289,961	(\$113,000)	\$176,961	(\$153,509)
391001 Office Furniture and Equipment	1,425,582	113,476	70,709	(21,812)	48,897	(64,579)
391003 Computer Hardware	3,783,535		270,901	(118,803)	152,098	152,098
391004 Computer Software	3,831,650	547,926	285,841	(88,511)	197,330	(350,596)
392000 Transportation Equipment	4,214,102	260,046	263,381	(129,794)	133,587	(126,459)
393000 Stores Equipment	137,302	6,865	4,476	(2,485)	1,991	(4,874)
394000 Tools, Shop and Garage Equipment	1,164,568	51,241	45,535	(13,975)	31,560	(19,681)
395000 Laboratory Equipment	225,497	7,667	8,569	(3,969)	4,600	(3,067)
396002 Power Operated Equipment	470,793	18,361	19,820	(10,075)	9,745	(8,616)
397000 Communication Equipment	2,398,872	117,545	98,354	(20,870)	77,484	(40,061)
398000 Miscellaneous Equipment	107,147	3,857	4,393	(975)	3,418	(439)
Total Common Utility	\$28,419,371	\$1,457,454	\$1,361,940	(\$524,269)	\$837,671	(\$619,783)
TOTAL ELECTRIC AND COMMON UTILITY	\$340,279,419	\$12,628,879	\$12,589,065	(\$1,327,488)	\$11,261,577	(\$1,367,302)
INDUSTRIAL STEAM PRODUCTION						
311009 Structures and Improvements	\$84,675	\$3,726	\$3,370	\$1,838	\$5,208	\$1,482
312009 Boiler Plant Equipment	294,172	11,767	11,090	6,531	17,621	5,854
315009 Accessory Electric Equipment	270,046	10,262	12,800	5,158	17,958	7,696
375009 Structures and Improvements	78,278	1,566	3,679	1,237	4,916	3,350
376009 Mains	1,448,150	36,204	55,899	28,963	84,862	48,658
379009 Measuring and Regulating Equipment	582,661	17,480	28,376	9,788	38,164	20,684
380009 Services	102,362	3,071	4,166	1,976	6,142	3,071
381009 Meters	302,006	12,080	15,765	4,288	20,053	7,973
Total Industrial Steam Production Plant	\$3,162,350	\$96,156	\$135,145	\$59,779	\$194,924	\$98,768
TOTAL SJLP	\$343,441,769	\$12,725,035	\$12,724,210	(\$1,267,709)	\$11,456,501	(\$1,268,534)
STEAM PRODUCTION						
Lake Road						
311000 Structures and Improvements	\$10,872,761	\$478,401	\$601,264	\$6,523	\$607,787	\$129,386
312001 Boiler Plant Equipment	43,130,173	1,802,841	2,458,420	25,878	2,484,298	681,457
314000 Turbogenerator Units	11,050,685	430,977	526,013	7,735	533,748	102,771
315000 Accessory Electric Equipment	3,170,631	120,484	154,727	2,219	156,946	36,462
316000 Miscellaneous Power Plant Equipment	241,084	8,438	15,333	120	15,453	7,015
353000 Station Equipment						
391001 Office Furniture and Equipment	171,982	12,314	9,218	35	9,253	(3,061)
391003 Computer Hardware	145,037		11,313	58	11,371	11,371
391004 Computer Software	106,199	15,186	8,581	32	8,613	(6,573)
392000 Transportation Equipment	270,805	16,790	14,515	325	14,840	(1,950)
393000 Stores Equipment	841	42	28		28	(14)
394000 Tools, Shop and Garage Equipment	416,418	18,322	16,532	83	16,615	(1,707)
395000 Laboratory Equipment	319,441	10,861	12,426	96	12,522	1,661
396002 Power Operated Equipment	864,775	33,726	35,283	346	35,629	1,903
397000 Communication Equipment						
398000 Miscellaneous Equipment	8,882	320	359	2	361	41
Total Lake Road	\$70,769,714	\$2,948,702	\$3,864,012	\$43,452	\$3,907,464	\$958,762
latan						
311000 Structures and Improvements	\$4,330,795	\$142,916	\$162,838		\$162,838	\$19,922
312001 Boiler Plant Equipment	39,984,117	1,439,428	1,355,462		1,355,462	(83,966)
314000 Turbogenerator Units	10,812,431	335,185	374,110	1,081	375,191	40,006
315000 Accessory Electric Equipment	5,198,475	166,351	184,026		184,026	17,675
316000 Miscellaneous Power Plant Equipment	723,964	25,339	31,348	72	31,420	6,081
353000 Station Equipment	1,032,185	22,708	36,126		36,126	13,418
391001 Office Furniture and Equipment	1,742	94	82		82	(12)
391003 Computer Hardware						
391004 Computer Software	157,762	22,560	12,747		12,747	(9,813)
392000 Transportation Equipment						
393000 Stores Equipment						
394000 Tools, Shop and Garage Equipment						
395000 Laboratory Equipment						
396002 Power Operated Equipment						
397000 Communication Equipment	109,934	2,748	4,617		4,617	1,869
398000 Miscellaneous Equipment						

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement B

Comparison of Present and Proposed Accruals

Present: BG Procedure / WL Technique

Proposed: VG Procedure / RL Technique

Account Description	12/31/01 Plant Investment	2002 Annualized Accrual				Difference
		Present	Whole-Life	Amortization	Proposed Total	
A	B	C	D	E	F=D+E	G=F-C
Total latan	\$62,351,405	\$2,157,329	\$2,161,356	\$1,153	\$2,162,509	\$5,180

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement C

Depreciation Reserve Summary
Vintage Group Procedure
December 31, 2001

Account Description	Plant Investment	Recorded Reserve		Computed Reserve		Redistributed Reserve	
		Amount	Ratio	Amount	Ratio	Amount	Ratio
A	B	C	D=C/B	E	F=E/B	G	H=G/B
STEAM PRODUCTION							
311000 Structures and Improvements	\$15,203,556	\$5,702,041	37.50%	\$8,835,838	58.12%	\$8,759,314	57.61%
312001 Boiler Plant Equipment	83,114,290	52,428,372	63.08%	50,615,784	60.90%	50,302,528	60.52%
314000 Turbogenerator Units	21,863,116	14,218,525	65.03%	14,312,098	65.46%	14,218,657	65.03%
315000 Accessory Electric Equipment	8,369,106	6,338,187	75.73%	5,415,491	64.71%	5,387,617	64.38%
316000 Miscellaneous Power Plant Equipment	965,048	653,858	67.75%	514,858	53.35%	513,020	53.16%
353000 Station Equipment	1,032,185	112,949	10.94%	597,505	57.89%	596,820	57.82%
391001 Office Furniture and Equipment	173,724	892	0.51%	37,630	21.66%	37,187	21.41%
391003 Computer Hardware	145,037	46,187	31.84%	43,330	29.88%	42,810	29.52%
391004 Computer Software	263,961	86,364	32.72%	51,651	19.57%	51,373	19.46%
392000 Transportation Equipment	270,805	276,950	102.27%	140,598	51.92%	138,910	51.30%
393000 Stores Equipment	841	114	13.59%	97	11.57%	96	11.43%
394000 Tools, Shop and Garage Equipment	416,418	222,375	53.40%	121,737	29.23%	120,276	28.88%
395000 Laboratory Equipment	319,441	165,759	51.89%	128,695	40.29%	127,149	39.80%
396002 Power Operated Equipment	864,775	326,888	37.80%	297,854	34.44%	294,277	34.03%
397000 Communication Equipment	109,934	37,728	34.32%	25,879	23.54%	25,849	23.51%
398000 Miscellaneous Equipment	8,882	1,502	16.91%	2,842	31.99%	2,807	31.61%
Total Steam Production Plant	\$133,121,119	\$80,618,691	60.56%	\$81,141,887	60.95%	\$80,618,691	60.56%
OTHER PRODUCTION (Lake Road)							
341000 Structures and Improvements	\$1,298,083	\$1,186,441	91.40%	\$793,828	61.15%	\$1,298,200	100.01%
342000 Fuel Holders and Accessories	605,108	601,415	99.39%	391,840	64.76%	640,803	105.90%
343000 Prime Movers	10,409,845	8,469,967	81.36%	5,127,834	49.26%	8,385,891	80.56%
344001 Generators	2,792,302	2,792,302	100.00%	1,507,488	53.99%	2,465,296	88.29%
345000 Accessory Electric Equipment	1,116,283	687,372	61.58%	579,262	51.89%	947,306	84.86%
Total Other Production Plant	\$16,221,621	\$13,737,496	84.69%	\$8,400,252	51.78%	\$13,737,496	84.69%
TRANSMISSION PLANT							
352000 Structures and Improvements	\$272,023	\$155,256	57.07%	\$83,905	30.84%	\$136,929	50.34%
353000 Station Equipment	7,586,890	3,900,934	51.42%	3,462,861	45.64%	5,651,255	74.49%
355000 Poles and Fixtures	9,088,521	7,473,943	82.23%	3,220,107	35.43%	5,255,090	57.82%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement C

Depreciation Reserve Summary
Vintage Group Procedure
December 31, 2001

Account Description	Plant Investment	Recorded Reserve		Computed Reserve		Redistributed Reserve	
		Amount	Ratio	Amount	Ratio	Amount	Ratio
A	B	C	D=C/B	E	F=E/B	G	H=G/B
356000 Overhead Conductors and Devices	7,949,371	5,606,990	70.53%	3,739,204	47.04%	6,102,236	76.76%
357000 Underground Conduit	16,148	2,890	17.90%	2,642	16.36%	4,312	26.70%
358000 Underground Conductors and Devices	31,692	24,684	77.89%	9,115	28.76%	14,875	46.94%
Total Transmission Plant	\$24,944,645	\$17,164,698	68.81%	\$10,517,833	42.16%	\$17,164,698	68.81%
DISTRIBUTION PLANT							
361000 Structures and Improvements	\$1,892,325	\$205,256	10.85%	\$200,062	10.57%	\$229,420	12.12%
362000 Station Equipment	29,270,625	12,370,556	42.26%	8,755,987	29.91%	10,040,884	34.30%
364000 Poles, Towers and Fixtures	21,560,742	9,970,543	46.24%	12,210,176	56.63%	14,001,957	64.94%
365000 Overhead Conductors and Devices	19,226,885	8,655,258	45.02%	7,912,656	41.15%	9,073,798	47.19%
366000 Underground Conduit	5,089,186	1,182,646	23.24%	1,472,100	28.93%	1,688,123	33.17%
367000 Underground Conductors and Devices	12,922,690	3,168,535	24.52%	2,997,195	23.19%	3,437,019	26.60%
368000 Line Transformers	22,711,503	13,137,259	57.84%	9,159,150	40.33%	10,503,209	46.25%
369001 Overhead Services	3,565,101	2,547,403	71.45%	2,772,320	77.76%	3,179,143	89.17%
369002 Underground Services	7,294,246	2,696,509	36.97%	2,267,310	31.08%	2,600,027	35.64%
370001 Meters	6,465,205	3,998,735	61.85%	2,707,277	41.87%	3,104,556	48.02%
371000 Installations on Customers' Premises	3,010,295	888,793	29.53%	844,782	28.06%	968,749	32.18%
373000 Street Lighting and Signal Systems	3,771,314	1,238,032	32.83%	1,074,904	28.50%	1,232,640	32.68%
Total Distribution Plant	\$136,780,117	\$60,059,526	43.91%	\$52,373,919	38.29%	\$60,059,526	43.91%
GENERAL PLANT							
391001 Office Furniture and Equipment	\$46,917	\$28,461	60.66%	\$16,140	34.40%	\$36,914	78.68%
391003 Computer Hardware	90,755	105,606	116.36%	21,530	23.72%	49,242	54.26%
391004 Computer Software	1,556	1,860	119.54%	429	27.59%	982	63.11%
393000 Stores Equipment	12,698	8,523	67.12%	4,547	35.81%	10,400	81.90%
394000 Tools, Shop and Garage Equipment	120,242	41,292	34.34%	(7,482)	-6.22%	(17,111)	-14.23%
395000 Laboratory Equipment	6,433	5,570	86.59%	3,074	47.78%	7,030	109.27%
397000 Communication Equipment	488,864	369,881	75.66%	206,600	42.26%	472,511	96.65%
398000 Miscellaneous Equipment	25,081	12,412	49.49%	5,963	23.78%	13,638	54.38%
Total General Plant	\$792,546	\$573,605	72.38%	\$250,802	31.65%	\$573,605	72.38%
TOTAL ELECTRIC UTILITY	\$311,860,048	\$172,154,015	55.20%	\$152,684,692	48.96%	\$172,154,015	55.20%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement C

Depreciation Reserve Summary

Vintage Group Procedure

December 31, 2001

Account Description	Plant Investment	Recorded Reserve		Computed Reserve		Redistributed Reserve	
		Amount	Ratio	Amount	Ratio	Amount	Ratio
A	B	C	D=C/B	E	F=E/B	G	H=G/B
COMMON UTILITY							
390001 Structures and Improvements	\$10,660,323	\$4,778,843	44.83%	\$4,957,212	46.50%	\$7,593,755	71.23%
391001 Office Furniture and Equipment	1,425,582	604,510	42.40%	523,020	36.69%	801,193	56.20%
391003 Computer Hardware	3,783,535	3,608,923	95.38%	1,708,955	45.17%	2,617,880	69.19%
391004 Computer Software	3,831,650	3,831,650	100.00%	1,409,704	36.79%	2,159,469	56.36%
392000 Transportation Equipment	4,214,102	3,025,869	71.80%	1,622,160	38.49%	2,484,922	58.97%
393000 Stores Equipment	137,302	108,389	78.94%	70,129	51.08%	107,428	78.24%
394000 Tools, Shop and Garage Equipment	1,164,568	464,922	39.92%	425,506	36.54%	651,816	55.97%
395000 Laboratory Equipment	225,497	146,827	65.11%	104,872	46.51%	160,650	71.24%
396002 Power Operated Equipment	470,793	221,076	46.96%	172,358	36.61%	264,028	56.08%
397000 Communication Equipment	2,398,872	1,154,481	48.13%	717,695	29.92%	1,099,409	45.83%
398000 Miscellaneous Equipment	107,147	45,782	42.73%	33,110	30.90%	50,720	47.34%
Total Common Utility	\$28,419,371	\$17,991,270	63.31%	\$11,744,722	41.33%	\$17,991,270	63.31%
TOTAL ELECTRIC AND COMMON UTILITY	\$340,279,419	\$190,145,285	55.88%	\$164,429,414	48.32%	\$190,145,285	55.88%
INDUSTRIAL STEAM PRODUCTION							
311009 Structures and Improvements	\$84,675	\$1,513	1.79%	\$61,299	72.39%	\$42,276	49.93%
312009 Boiler Plant Equipment	294,172	68,903	23.42%	217,491	73.93%	149,997	50.99%
315009 Accessory Electric Equipment	270,046	123,025	45.56%	172,543	63.89%	118,998	44.07%
375009 Structures and Improvements	78,278	28,069	35.86%	40,735	52.04%	28,094	35.89%
376009 Mains	1,448,150	695,327	48.01%	950,609	65.64%	655,607	45.27%
379009 Measuring and Regulating Equipment	582,661	254,868	43.74%	321,958	55.26%	222,045	38.11%
380009 Services	102,362	72,671	70.99%	65,012	63.51%	44,837	43.80%
381009 Meters	302,006	114,834	38.02%	141,164	46.74%	97,356	32.24%
Total Industrial Steam Production Plant	\$3,162,350	\$1,359,211	42.98%	\$1,970,810	62.32%	\$1,359,211	42.98%
TOTAL SJLP	\$343,441,769	\$191,504,496	55.76%	\$166,400,224	48.45%	\$191,504,496	55.76%
STEAM PRODUCTION							
Lake Road							
311000 Structures and Improvements	\$10,872,761	\$3,755,763	34.54%	\$6,113,364	56.23%	\$6,039,958	55.55%
312001 Boiler Plant Equipment	43,130,173	24,090,086	55.85%	23,501,601	54.49%	23,219,407	53.84%
314000 Turbogenerator Units	11,050,685	7,725,161	69.91%	7,093,113	64.19%	7,007,943	63.42%
315000 Accessory Electric Equipment	3,170,631	2,332,554	73.57%	1,995,065	62.92%	1,971,109	62.17%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement C

Depreciation Reserve Summary

Vintage Group Procedure

December 31, 2001

Account Description	Plant Investment	Recorded Reserve		Computed Reserve		Redistributed Reserve	
		Amount	Ratio	Amount	Ratio	Amount	Ratio
A	B	C	D=C/B	E	F=E/B	G	H=G/B
316000 Miscellaneous Power Plant Equipment	241,084	160,176	66.44%	114,902	47.66%	113,523	47.09%
353000 Station Equipment							
391001 Office Furniture and Equipment	171,982	(105)	-0.06%	36,814	21.41%	36,372	21.15%
391003 Computer Hardware	145,037	46,187	31.84%	43,330	29.88%	42,810	29.52%
391004 Computer Software	106,199	31,161	29.34%	20,175	19.00%	19,933	18.77%
392000 Transportation Equipment	270,805	276,950	102.27%	140,598	51.92%	138,910	51.30%
393000 Stores Equipment	841	114	13.59%	97	11.57%	96	11.43%
394000 Tools, Shop and Garage Equipment	416,418	222,375	53.40%	121,737	29.23%	120,276	28.88%
395000 Laboratory Equipment	319,441	165,759	51.89%	128,695	40.29%	127,149	39.80%
396002 Power Operated Equipment	864,775	326,888	37.80%	297,854	34.44%	294,277	34.03%
397000 Communication Equipment							
398000 Miscellaneous Equipment	8,882	1,502	16.91%	2,842	31.99%	2,807	31.61%
Total Lake Road	\$70,769,714	\$39,134,571	55.30%	\$39,610,188	55.97%	\$39,134,571	55.30%
latan							
311000 Structures and Improvements	\$4,330,795	\$1,946,278	44.94%	\$2,722,474	62.86%	\$2,719,356	62.79%
312001 Boiler Plant Equipment	39,984,117	28,338,286	70.87%	27,114,183	67.81%	27,083,121	67.73%
314000 Turbogenerator Units	10,812,431	6,493,364	60.05%	7,218,985	66.77%	7,210,715	66.69%
315000 Accessory Electric Equipment	5,198,475	4,005,632	77.05%	3,420,426	65.80%	3,416,508	65.72%
316000 Miscellaneous Power Plant Equipment	723,964	493,682	68.19%	399,955	55.25%	399,497	55.18%
353000 Station Equipment	1,032,185	112,949	10.94%	597,505	57.89%	596,820	57.82%
391001 Office Furniture and Equipment	1,742	997	57.24%	816	46.85%	815	46.79%
391003 Computer Hardware							
391004 Computer Software	157,762	55,203	34.99%	31,476	19.95%	31,440	19.93%
392000 Transportation Equipment							
393000 Stores Equipment							
394000 Tools, Shop and Garage Equipment							
395000 Laboratory Equipment							
396002 Power Operated Equipment							
397000 Communication Equipment	109,934	37,728	34.32%	25,879	23.54%	25,849	23.51%
398000 Miscellaneous Equipment							
Total latan	\$62,351,405	\$41,484,120	66.53%	\$41,531,699	66.61%	\$41,484,120	66.53%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement D

Average Net Salvage

Account Description A	Plant Investment			Salvage Rate		Net Salvage			Average Rate J=I/B
	Additions B	Retirements C	Survivors D=B-C	Realized E	Future F	Realized G=E*C	Future H=F*D	Total I=G+H	
STEAM PRODUCTION									
311000 Structures and Improvements	\$15,995,047	\$791,491	\$15,203,556	-29.1%	-13.3%	(\$230,567)	(\$2,017,834)	(\$2,248,401)	-14.1%
312001 Boiler Plant Equipment	92,207,631	9,093,341	83,114,290	-4.7%	-13.1%	(430,856)	(10,900,556)	(11,331,413)	-12.3%
314000 Turbogenerator Units	22,745,723	882,607	21,863,116	-37.3%	-13.1%	(328,776)	(2,865,021)	(3,193,797)	-14.0%
315000 Accessory Electric Equipment	8,949,392	580,286	8,369,106	-9.8%	-13.0%	(57,045)	(1,088,242)	(1,145,286)	-12.8%
316000 Miscellaneous Power Plant Equipment	1,304,571	339,523	965,048	-19.5%	-12.9%	(66,267)	(124,490)	(190,757)	-14.6%
353000 Station Equipment	1,032,185		1,032,185		-10.0%		(103,219)	(103,219)	-10.0%
391001 Office Furniture and Equipment	245,489	71,765	173,724						
391003 Computer Hardware	280,665	135,628	145,037						
391004 Computer Software	264,693	732	263,961						
392000 Transportation Equipment	279,764	8,959	270,805		20.0%		54,161	54,161	19.4%
393000 Stores Equipment	841		841						
394000 Tools, Shop and Garage Equipment	471,495	55,077	416,418						
395000 Laboratory Equipment	397,501	78,060	319,441						
396002 Power Operated Equipment	864,775		864,775		25.0%		216,194	216,194	25.0%
397000 Communication Equipment	111,029	1,095	109,934	-19.8%	-5.0%	(217)	(5,497)	(5,714)	-5.1%
398000 Miscellaneous Equipment	14,105	5,223	8,882		-5.0%		(444)	(444)	-3.1%
Total Steam Production Plant	\$145,164,906	\$12,043,787	\$133,121,119	-9.2%	-12.6%	(\$1,113,728)	(\$16,834,947)	(\$17,948,675)	-12.4%
OTHER PRODUCTION (Lake Road)									
341000 Structures and Improvements	\$1,302,967	\$4,884	\$1,298,083		-5.0%		(\$64,904)	(\$64,904)	-5.0%
342000 Fuel Holders and Accessories	607,958	2,850	605,108		-5.0%		(30,255)	(30,255)	-5.0%
343000 Prime Movers	10,456,606	46,761	10,409,845	-24.4%	-5.0%	(11,410)	(520,492)	(531,902)	-5.1%
344001 Generators	3,333,871	541,569	2,792,302	-68.0%	-5.0%	(368,267)	(139,615)	(507,882)	-15.2%
345000 Accessory Electric Equipment	1,129,814	13,531	1,116,283	-5.9%	-5.0%	(798)	(55,814)	(56,612)	-5.0%
Total Other Production Plant	\$16,831,216	\$609,595	\$16,221,621	-62.4%	-5.0%	(\$380,475)	(\$811,081)	(\$1,191,556)	-7.1%
TRANSMISSION PLANT									
352000 Structures and Improvements	\$272,240	\$217	\$272,023		-10.0%		(\$27,202)	(\$27,202)	-10.0%
353000 Station Equipment	9,833,749	2,246,859	7,586,890	48.5%	-10.0%	1,089,727	(758,689)	331,038	3.4%
355000 Poles and Fixtures	9,871,724	783,203	9,088,521	-40.7%	-30.0%	(318,764)	(2,726,556)	(3,045,320)	-30.8%
356000 Overhead Conductors and Devices	8,456,993	507,622	7,949,371	-15.6%	-30.0%	(79,189)	(2,384,811)	(2,464,000)	-29.1%
357000 Underground Conduit	16,148		16,148		-5.0%		(807)	(807)	-5.0%
358000 Underground Conductors and Devices	31,692		31,692		-5.0%		(1,585)	(1,585)	-5.0%
Total Transmission Plant	\$28,482,546	\$3,537,901	\$24,944,645	19.6%	-23.7%	\$691,774	(\$5,899,651)	(\$5,207,877)	-18.3%
DISTRIBUTION PLANT									
361000 Structures and Improvements	\$1,948,562	\$56,237	\$1,892,325	-10.1%	-10.0%	(\$5,680)	(\$189,233)	(\$194,912)	-10.0%
362000 Station Equipment	31,418,807	2,148,182	29,270,625	-9.2%	-20.0%	(197,633)	(5,854,125)	(6,051,758)	-19.3%
364000 Poles, Towers and Fixtures	23,214,543	1,653,801	21,560,742	-66.5%	-65.0%	(1,099,778)	(14,014,482)	(15,114,260)	-65.1%
365000 Overhead Conductors and Devices	20,983,728	1,756,843	19,226,885	-5.1%	-40.0%	(89,599)	(7,690,754)	(7,780,353)	-37.1%
366000 Underground Conduit	5,119,534	30,348	5,089,186	-35.7%	-40.0%	(10,834)	(2,035,674)	(2,046,509)	-40.0%
367000 Underground Conductors and Devices	13,224,201	301,511	12,922,690	-13.0%	-15.0%	(39,196)	(1,938,404)	(1,977,600)	-15.0%
368000 Line Transformers	24,973,904	2,262,401	22,711,503	-12.2%	-20.0%	(276,013)	(4,542,301)	(4,818,314)	-19.3%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement D

Average Net Salvage

Account Description A	Plant Investment			Salvage Rate		Net Salvage			Average Rate J=I/B
	Additions B	Retirements C	Survivors D=B-C	Realized E	Future F	Realized G=E*F	Future H=F*D	Total I=G+H	
369001 Overhead Services	3,895,791	330,690	3,565,101	-121.0%	-100.0%	(400,135)	(3,565,101)	(3,965,236)	-101.8%
369002 Underground Services	7,531,368	237,122	7,294,246	-9.3%	-10.0%	(22,052)	(729,425)	(751,477)	-10.0%
370001 Meters	6,990,213	525,008	6,465,205	1.3%		6,825		6,825	0.1%
371000 Installations on Customers' Premises	4,243,933	1,233,638	3,010,295	19.2%	5.0%	236,858	150,515	387,373	9.1%
373000 Street Lighting and Signal Systems	4,277,593	506,279	3,771,314	-0.5%	-20.0%	(2,531)	(754,263)	(756,794)	-17.7%
Total Distribution Plant	\$147,822,177	\$11,042,060	\$136,780,117	-17.2%	-30.1%	(\$1,899,768)	(\$41,163,246)	(\$43,063,014)	-29.1%
GENERAL PLANT									
391001 Office Furniture and Equipment	\$966,882	\$919,965	\$46,917	2.7%		\$24,839		\$24,839	2.6%
391003 Computer Hardware	4,969,762	4,879,007	90,755	4.3%		209,797		209,797	4.2%
391004 Computer Software	29,760	28,204	1,556						
393000 Stores Equipment	83,165	70,467	12,698						
394000 Tools, Shop and Garage Equipment	332,984	212,742	120,242	-83.9%		(178,491)		(178,491)	-53.6%
395000 Laboratory Equipment	105,772	99,339	6,433	0.8%		795		795	0.8%
397000 Communication Equipment	1,036,045	547,181	488,864	-3.8%	-5.0%	(20,793)	(24,443)	(45,236)	-4.4%
398000 Miscellaneous Equipment	53,437	28,356	25,081	-43.5%	-5.0%	(12,335)	(1,254)	(13,589)	-25.4%
Total General Plant	\$7,577,807	\$6,785,261	\$792,546	0.4%	-3.2%	\$23,813	(\$25,697)	(\$1,884)	
TOTAL ELECTRIC UTILITY	\$345,878,652	\$34,018,604	\$311,860,048	-7.9%	-20.8%	(\$2,678,384)	(\$64,734,622)	(\$67,413,007)	-19.5%
COMMON UTILITY									
390001 Structures and Improvements	\$11,387,883	\$727,560	\$10,660,323	2.4%	-10.0%	\$17,461	(\$1,066,032)	(\$1,048,571)	-9.2%
391001 Office Furniture and Equipment	1,427,731	2,149	1,425,582	4.1%		88		88	
391003 Computer Hardware	3,783,535		3,783,535						
391004 Computer Software	3,831,650		3,831,650						
392000 Transportation Equipment	5,349,991	1,135,889	4,214,102	14.3%	20.0%	162,432	842,820	1,005,253	18.8%
393000 Stores Equipment	137,302		137,302						
394000 Tools, Shop and Garage Equipment	1,164,568		1,164,568						
395000 Laboratory Equipment	225,497		225,497						
396002 Power Operated Equipment	652,319	181,526	470,793	8.3%	25.0%	15,067	117,698	132,765	20.4%
397000 Communication Equipment	2,398,872		2,398,872		-5.0%		(119,944)	(119,944)	-5.0%
398000 Miscellaneous Equipment	107,147		107,147		-5.0%		(5,357)	(5,357)	-5.0%
Total Common Utility	\$30,466,495	\$2,047,124	\$28,419,371	9.5%	-0.8%	\$195,048	(\$230,815)	(\$35,766)	-0.1%
TOTAL ELECTRIC AND COMMON UTILITY	\$376,345,147	\$36,065,728	\$340,279,419	-6.9%	-19.1%	(\$2,483,336)	(\$64,965,437)	(\$67,448,773)	-17.9%
INDUSTRIAL STEAM PRODUCTION									
311009 Structures and Improvements	\$110,697	\$26,022	\$84,675	-73.3%	-13.6%	(\$19,074)	(\$11,516)	(\$30,590)	-27.6%
312009 Boiler Plant Equipment	445,407	151,235	294,172	-48.0%	-13.0%	(72,593)	(38,242)	(110,835)	-24.9%
315009 Accessory Electric Equipment	315,032	44,986	270,046	-0.2%	-13.0%	(90)	(35,106)	(35,196)	-11.2%
375009 Structures and Improvements	83,591	5,313	78,278	-87.7%		(4,660)		(4,660)	-5.6%
376009 Mains	1,669,539	221,389	1,448,150	9.2%	-5.0%	20,368	(72,408)	(52,040)	-3.1%
379009 Measuring and Regulating Equipment	624,602	41,941	582,661	-0.4%	-5.0%	(168)	(29,133)	(29,301)	-4.7%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement D

Average Net Salvage

Account Description A	Plant Investment			Salvage Rate		Net Salvage			Average Rate J=I/B
	Additions B	Retirements C	Survivors D=B-C	Realized E	Future F	Realized G=E*C	Future H=F*D	Total I=G+H	
380009 Services	104,033	1,671	102,362		-5.0%		(5,118)	(5,118)	-4.9%
381009 Meters	373,420	71,414	302,006	-0.4%		(286)		(286)	-0.1%
Total Industrial Steam Production Plant	\$3,726,321	\$563,971	\$3,162,350	-13.6%	-6.1%	(\$76,502)	(\$191,523)	(\$268,025)	-7.2%
TOTAL SJLP	\$380,071,468	\$36,629,699	\$343,441,769		-19.0%	(\$286)	(\$65,156,959)	(\$67,716,798)	-17.8%
STEAM PRODUCTION									
Lake Road									
311000 Structures and Improvements	\$11,545,176	\$672,415	\$10,872,761	-40.7%	-13.5%	(\$273,673)	(\$1,467,823)	(\$1,741,496)	-15.1%
312001 Boiler Plant Equipment	48,470,256	5,340,083	43,130,173	-30.7%	-13.5%	(1,639,405)	(5,822,573)	(7,461,979)	-15.4%
314000 Turbogenerator Units	11,595,409	544,724	11,050,685	-46.4%	-13.5%	(252,752)	(1,491,842)	(1,744,594)	-15.0%
315000 Accessory Electric Equipment	3,509,378	338,747	3,170,631	-15.2%	-13.5%	(51,490)	(428,035)	(479,525)	-13.7%
316000 Miscellaneous Power Plant Equipment	479,588	238,504	241,084	-31.3%	-13.5%	(74,652)	(32,546)	(107,198)	-22.4%
353000 Station Equipment									
391001 Office Furniture and Equipment	243,747	71,765	171,982						
391003 Computer Hardware	280,665	135,628	145,037						
391004 Computer Software	106,731	532	106,199						
392000 Transportation Equipment	279,764	8,959	270,805		20.0%		54,161	54,161	19.4%
393000 Stores Equipment	841		841						
394000 Tools, Shop and Garage Equipment	471,495	55,077	416,418						
395000 Laboratory Equipment	397,501	78,060	319,441						
396002 Power Operated Equipment	864,775		864,775		25.0%		216,194	216,194	25.0%
397000 Communication Equipment									
398000 Miscellaneous Equipment	14,105	5,223	8,882		-5.0%		(444)	(444)	-3.1%
Total Lake Road	\$78,259,431	\$7,489,717	\$70,769,714	-30.6%	-12.7%	(\$2,291,972)	(\$8,972,909)	(\$11,264,881)	-14.4%
Iatan									
311000 Structures and Improvements	\$4,449,871	\$119,076	\$4,330,795	36.2%	-12.7%	\$43,106	(\$550,011)	(\$506,905)	-11.4%
312001 Boiler Plant Equipment	43,737,375	3,753,258	39,984,117	32.2%	-12.7%	1,208,549	(5,077,983)	(3,869,434)	-8.8%
314000 Turbogenerator Units	11,150,314	337,883	10,812,431	-22.5%	-12.7%	(76,024)	(1,373,179)	(1,449,202)	-13.0%
315000 Accessory Electric Equipment	5,440,014	241,539	5,198,475	-2.3%	-12.7%	(5,555)	(660,206)	(665,762)	-12.2%
316000 Miscellaneous Power Plant Equipment	824,983	101,019	723,964	8.3%	-12.7%	8,385	(91,943)	(83,559)	-10.1%
353000 Station Equipment	1,032,185		1,032,185		-10.0%		(103,219)	(103,219)	-10.0%
391001 Office Furniture and Equipment	1,742		1,742						
391003 Computer Hardware									
391004 Computer Software	157,962	200	157,762						
392000 Transportation Equipment									
393000 Stores Equipment									
394000 Tools, Shop and Garage Equipment									
395000 Laboratory Equipment									
396002 Power Operated Equipment									
397000 Communication Equipment	111,029	1,095	109,934	-19.8%	-5.0%	(217)	(5,497)	(5,714)	-5.1%
398000 Miscellaneous Equipment									
Total Iatan	\$66,905,475	\$4,554,070	\$62,351,405	25.9%	-12.6%	\$1,178,243	(\$7,862,038)	(\$6,683,794)	-10.0%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement E

Future Net Salvage
Steam Production

Account Description	Derived Additions	12/31/01 Plant Investment	Interim Retirements		Interim Net Salvage				Future Rate
			Historical	Future	Realized		Future		
					Rate	Amount	Rate	Amount	
A	B	C	D=B-C	E	F	G=D*F	H	I=E*H	J=I/C
STEAM PRODUCTION									
<u>Lake Road</u>									
311000 Structures and Improvements	\$11,545,176	\$10,872,761	\$672,415	\$284,526	-40.7%	(\$273,673)	-30.0%	(\$85,358)	
312001 Boiler Plant Equipment	48,470,256	43,130,173	5,340,083	1,125,690	-30.7%	(1,639,405)	-10.0%	(112,569)	
314000 Turbogenerator Units	11,595,409	11,050,685	544,724	295,590	-46.4%	(252,752)	-30.0%	(88,677)	
315000 Accessory Electric Equipment	3,509,378	3,170,631	338,747	84,183	-15.2%	(51,490)	-10.0%	(8,418)	
316000 Miscellaneous Power Plant Equipment	479,588	241,084	238,504	6,268	-31.3%	(74,652)	-10.0%	(627)	
Interim Net Salvage	\$75,599,807	\$68,465,334	\$7,134,473	\$1,796,257	-32.1%	(\$2,291,972)	-16.5%	(\$295,649)	-0.4%
Dismantlement Cost								(8,952,412)	-13.1%
Total Lake Road		\$68,465,334						(\$9,248,061)	-13.5%
<u>latan</u>									
311000 Structures and Improvements	\$4,449,871	\$4,330,795	\$119,076	\$147,688	36.2%	\$43,106	-30.0%	(\$44,306)	
312001 Boiler Plant Equipment	43,737,375	39,984,117	3,753,258	1,369,821	32.2%	1,208,549	-10.0%	(136,982)	
314000 Turbogenerator Units	11,150,314	10,812,431	337,883	370,548	-22.5%	(76,024)	-30.0%	(111,164)	
315000 Accessory Electric Equipment	5,440,014	5,198,475	241,539	177,914	-2.3%	(5,555)	-10.0%	(17,791)	
316000 Miscellaneous Power Plant Equipment	824,983	723,964	101,019	24,446	8.3%	8,385	-10.0%	(2,445)	
Interim Net Salvage	\$65,602,557	\$61,049,782	\$4,552,775	\$2,090,417	25.9%	\$1,178,460	-15.0%	(\$312,689)	-0.5%
Dismantlement Cost								(7,452,122)	-12.2%
Total latan		\$61,049,782						(\$7,764,811)	-12.7%
Total Steam Production Plant	\$141,202,364	\$129,515,116	\$11,687,248	\$3,886,674	-9.5%	(\$1,113,512)	-15.7%	(\$17,012,872)	-13.1%

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement F

Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters					
	P-Life/ AYFR	Curve Shape	BG ASL	Rem. Life	Avg. Sal.	Fut. Sal.	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Avg. Sal.	Fut. Sal.
A	B	C	D	E	F	G	H	I	J	K	L	M
STEAM PRODUCTION												
311000 Structures and Improvements								200-SC	22.70	8.36	-14.1	
312001 Boiler Plant Equipment								200-SC	24.47	8.55	-12.3	
314000 Turbogenerator Units								200-SC	27.69	8.41	-14.0	
315000 Accessory Electric Equipment								200-SC	27.87	8.74	-12.8	
316000 Miscellaneous Power Plant Equipment								200-SC	23.69	9.64	-14.6	
353000 Station Equipment								200-SC	31.43	12.05	-10.0	
391001 Office Furniture and Equipment								200-SC	18.68	14.63		
391003 Computer Hardware								200-SC	12.82	8.99		
391004 Computer Software								200-SC	12.38	9.95		
392000 Transportation Equipment								200-SC	15.04	8.89	19.4	
393000 Stores Equipment								200-SC	30.04	26.60		
394000 Tools, Shop and Garage Equipment								200-SC	25.19	17.82		
395000 Laboratory Equipment								200-SC	25.71	15.36		
396002 Power Operated Equipment								200-SC	18.38	16.01	25.0	
397000 Communication Equipment								200-SC	25.03	18.21	-5.1	
398000 Miscellaneous Equipment								200-SC	25.51	16.83	-3.1	
Total Steam Production Plant									24.83	11.42	-12.4	-12.6
OTHER PRODUCTION (Lake Road)												
341000 Structures and Improvements	22.00		22.00				2017	100-SC	35.49	14.82	-5.0	-5.0
342000 Fuel Holders and Accessories	22.00		22.00				2017	100-SC	38.64	14.81	-5.0	-5.0
343000 Prime Movers	22.00		22.00				2017	100-SC	28.00	14.85	-5.1	-5.0
344001 Generators	22.00		22.00				2017	100-SC	33.49	14.83	-15.2	-5.0
345000 Accessory Electric Equipment	22.00		22.00				2017	100-SC	29.36	14.85	-5.0	-5.0
Total Other Production Plant									29.89	14.81	-7.1	-5.0
TRANSMISSION PLANT												
352000 Structures and Improvements	53.00		53.00				60.00	S3	60.02	43.19	-10.0	-10.0
353000 Station Equipment	27.00	L3	27.00		-5.0	-5.0	30.00	L2	30.17	20.10	3.4	-10.0
355000 Poles and Fixtures	53.00	L1	53.00		-37.0	-37.0	60.00	R1.5	60.76	43.93	-30.8	-30.0

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement F

Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters					
	P-Life/ AYFR	Curve Shape	BG ASL	Rem. Life	Avg. Sal.	Fut. Sal.	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Avg. Sal.	Fut. Sal.
A	B	C	D	E	F	G	H	I	J	K	L	M
356000 Overhead Conductors and Devices	50.00	R2.5	50.00		-17.0	-17.0	60.00	R2.5	60.30	38.75	-29.1	-30.0
357000 Underground Conduit	58.00		58.00				60.00	R4	60.00	50.65	-5.0	-5.0
358000 Underground Conductors and Devices	41.00		41.00				60.00	R1.5	60.75	44.11	-5.0	-5.0
Total Transmission Plant									48.05	34.52	-18.3	-23.7
DISTRIBUTION PLANT												
361000 Structures and Improvements	50.00		50.00				50.00	R3	50.15	45.33	-10.0	-10.0
362000 Station Equipment	30.00	L0	30.00		-16.0	-16.0	50.00	R2	50.27	37.96	-19.3	-20.0
364000 Poles, Towers and Fixtures	44.00	S4	44.00		-53.0	-53.0	45.00	R3	45.37	29.78	-65.1	-65.0
365000 Overhead Conductors and Devices	47.00	R1	47.00		-37.0	-37.0	55.00	R2	55.30	39.87	-37.1	-40.0
366000 Underground Conduit	50.00		50.00				55.00	R4	55.03	43.66	-40.0	-40.0
367000 Underground Conductors and Devices	58.00	R2	58.00		-14.0	-14.0	50.00	R3	49.98	39.90	-15.0	-15.0
368000 Line Transformers							40.00	S2	40.22	26.86	-19.3	-20.0
369001 Overhead Services	40.00	R4	40.00		-78.0	-78.0	50.00	R4	50.22	30.42	-101.8	-100.0
369002 Underground Services	40.00	R4	40.00		-78.0	-78.0	35.00	S3	35.07	25.16	-10.0	-10.0
370001 Meters	29.00	R2	29.00		1.0	1.0	40.00	R3	40.63	23.64	0.1	
371000 Installations on Customers' Premises	13.00	O1	13.00		7.0	7.0	17.00	L0.5	17.07	12.57	9.1	5.0
373000 Street Lighting and Signal Systems	18.00	R2	18.00		-25.0	-25.0	25.00	L1	25.29	19.66	-17.7	-20.0
Total Distribution Plant									44.54	31.72	-29.1	-30.1
GENERAL PLANT												
391001 Office Furniture and Equipment							18.00	L0	16.11	10.85	2.6	
391003 Computer Hardware							12.00	SC	10.01	7.97	4.2	
391004 Computer Software	7.00		7.00				12.00	SC	11.09	8.03		
393000 Stores Equipment	20.00	L3	20.00				30.00	S1.5	26.78	17.19		
394000 Tools, Shop and Garage Equipment	22.00	L0.5	22.00		4.0	4.0	25.00	L2	24.38	16.86	-53.6	
395000 Laboratory Equipment	27.00	R1.5	27.00		7.0	7.0	25.00	S1	23.27	12.25	0.8	
397000 Communication Equipment	21.00	R1.5	21.00		-2.0	-2.0	25.00	L1.5	25.36	15.24	-4.4	-5.0
398000 Miscellaneous Equipment	28.00	O3	28.00				25.00	L1	25.69	16.64	-25.4	-5.0
Total General Plant									19.17	13.66		-3.2
TOTAL ELECTRIC UTILITY									33.19	19.63	-19.5	-20.8

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement F

Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters					
	P-Life/ AYFR	Curve Shape	BG ASL	Rem. Life	Avg. Sal.	Fut. Sal.	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Avg. Sal.	Fut. Sal.
A	B	C	D	E	F	G	H	I	J	K	L	M
COMMON UTILITY												
390001 Structures and Improvements	31.00	R4	31.00		3.0	3.0	40.00	R3	40.19	23.37	-9.2	-10.0
391001 Office Furniture and Equipment							18.00	L0	20.17	12.77		
391003 Computer Hardware							12.00	SC	13.97	7.66		
391004 Computer Software	7.00		7.00				12.00	SC	13.40	8.47		
392000 Transportation Equipment	12.00	L1.5	12.00		26.0	26.0	12.00	L1.5	12.99	6.64	18.8	20.0
393000 Stores Equipment	20.00	L3	20.00				30.00	S1.5	30.66	15.00		
394000 Tools, Shop and Garage Equipment	22.00	L0.5	22.00		4.0	4.0	25.00	L2	25.59	16.24		
395000 Laboratory Equipment	27.00	R1.5	27.00		7.0	7.0	25.00	S1	26.34	14.09		
396002 Power Operated Equipment	18.00	L2	18.00		30.0	30.0	17.00	R1	18.91	9.12	20.4	25.0
397000 Communication Equipment	21.00	R1.5	21.00		-2.0	-2.0	25.00	L1.5	25.62	18.32	-5.0	-5.0
398000 Miscellaneous Equipment	28.00	O3	28.00				25.00	L1	25.62	18.08	-5.0	-5.0
Total Common Utility									20.89	12.72	-0.1	-0.8
TOTAL ELECTRIC AND COMMON UTILITY									31.87	19.10	-17.9	-19.1
INDUSTRIAL STEAM PRODUCTION												
311009 Structures and Improvements							2012	200-SC	32.05	10.35	-27.6	-13.6
312009 Boiler Plant Equipment							2012	200-SC	33.09	10.35	-24.9	-13.0
315009 Accessory Electric Equipment							2012	200-SC	23.46	10.36	-11.2	-13.0
375009 Structures and Improvements							2012	100-SC	22.48	10.21	-5.6	
376009 Mains							2012	100-SC	26.72	10.20	-3.1	-5.0
379009 Measuring and Regulating Equipment							2012	100-SC	21.49	10.21	-4.7	-5.0
380009 Services							2012	100-SC	25.79	10.20	-4.9	-5.0
381009 Meters							2012	100-SC	19.19	10.21	-0.1	
Total Industrial Steam Production Plant									25.08	10.23	-7.2	-6.1
TOTAL SJLP									31.80	18.96	-17.8	-19.0
STEAM PRODUCTION												
Lake Road												
311000 Structures and Improvements	54.00	O1	54.00		-31.0	-31.0	2012	200-SC	20.82	10.36	-15.1	-13.5
312001 Boiler Plant Equipment							2012	200-SC	20.26	10.36	-15.4	-13.5
314000 Turbogenerator Units	33.00		33.00		-33.0	-33.0	2012	200-SC	24.16	10.36	-15.0	-13.5
315000 Accessory Electric Equipment	39.00	S4	39.00		-9.0	-9.0	2012	200-SC	23.29	10.36	-13.7	-13.5

AQUILA NETWORKS - SJLP (ELECTRIC AND COMMON)

Statement F

Proposed Parameters
Vintage Group Procedure

Account Description	Present Parameters						Proposed Parameters					
	P-Life/ AYFR	Curve Shape	BG ASL	Rem. Life	Avg. Sal.	Fut. Sal.	P-Life/ AYFR	Curve Shape	VG ASL	Rem. Life	Avg. Sal.	Fut. Sal.
A	B	C	D	E	F	G	H	I	J	K	L	M
316000 Miscellaneous Power Plant Equipment	32.00		32.00				2012	200-SC	19.26	10.36	-22.4	-13.5
353000 Station Equipment												
391001 Office Furniture and Equipment							18.00	L0	18.64	14.65		
391003 Computer Hardware							12.00	SC	12.82	8.99		
391004 Computer Software							12.00	SC	12.37	10.02		
392000 Transportation Equipment							12.00	L1.5	15.04	5.24	19.4	20.0
393000 Stores Equipment							30.00	S1.5	30.00	26.53		
394000 Tools, Shop and Garage Equipment							25.00	L2	25.21	17.84		
395000 Laboratory Equipment							25.00	S1	25.74	15.37		
396002 Power Operated Equipment							17.00	R1	18.40	9.95	25.0	25.0
397000 Communication Equipment												
398000 Miscellaneous Equipment							25.00	L1	25.49	18.05	-3.1	-5.0
Total Lake Road									20.95	10.39	-14.4	-12.7
latan												
311000 Structures and Improvements	30.50		30.50		-1.0	-1.0	2015	200-SC	29.64	13.26	-11.4	-12.7
312001 Boiler Plant Equipment	28.60		28.60		-4.0	-4.0	2015	200-SC	32.14	13.26	-8.8	-12.7
314000 Turbogenerator Units	32.30		32.30		-1.0	-1.0	2015	200-SC	32.62	13.26	-13.0	-12.7
315000 Accessory Electric Equipment	31.30		31.30		-1.0	-1.0	2015	200-SC	31.72	13.26	-12.2	-12.7
316000 Miscellaneous Power Plant Equipment	28.00		28.00		2.0	2.0	2015	200-SC	25.41	13.26	-10.1	-12.7
353000 Station Equipment	42.00		42.00		6.0	6.0	30.00	L2	31.43	14.89	-10.0	-10.0
391001 Office Furniture and Equipment	18.40		18.40		1.0	1.0	18.00	L0	21.26	11.30		
391003 Computer Hardware												
391004 Computer Software							12.00	SC	12.38	9.91		
392000 Transportation Equipment												
393000 Stores Equipment												
394000 Tools, Shop and Garage Equipment												
395000 Laboratory Equipment												
396002 Power Operated Equipment												
397000 Communication Equipment	38.80		38.80		3.0	3.0	25.00	L1.5	25.03	19.40	-5.1	-5.0
398000 Miscellaneous Equipment												
Total latan									31.73	13.29	-10.0	-12.6

ANALYSIS

INTRODUCTION

This section provides an explanation of the supporting schedules developed in the SJLP electric and common depreciation study to estimate appropriate projection curves, projection lives and statistics for each rate category. The form and content of the schedules developed for an account depend upon the method of analysis adopted for the category.

This section also includes an example of the supporting schedules developed for Account 365000 – Overhead Conductors and Devices as an illustration. Documentation for all other plant accounts is contained in the study work papers. The supporting schedules developed in the SJLP study include:

- Schedule A – Generation Arrangement;
- Schedule B – Age Distribution;
- Schedule C – Unadjusted Plant History;
- Schedule D – Adjusted Plant History;
- Schedule E – Actuarial Life Analysis;
- Schedule F – Graphics Analysis;
- Schedule G – Historical Net Salvage Analysis; and
- Schedule H – Average Year of Final Retirement.

The format and content of these schedules are briefly described below.

SCHEDULE A – GENERATION ARRANGEMENT

The purpose of this schedule is to obtain appropriate weighted-average life statistics for a rate category. The weighted-average remaining-life is the sum of Column H divided by the sum of Column I. The weighted average life is the sum of Column C divided by the sum of Column I.

It should be noted that the generation arrangement does not include parameters for net salvage. Computed Net Plant (Column H) and Accruals (Column I) must be adjusted for net salvage to obtain a correct measurement of theoretical reserves and annualized depreciation accruals.

The following table provides a description of each column in the generation arrangement.

Generation Arrangement

Column	Title	Description
A	Vintage	Vintage or placement year of surviving plant.
B	Age	Age of surviving plant at beginning of study year.
C	Surviving Plant	Actual dollar amount of surviving plant.
D	Average Life	Estimated average life of each vintage. This statistic is the sum of the realized life and the unrealized life, which is the product of the remaining life (Column E) and the theoretical proportion surviving.
E	Remaining Life	Estimated remaining life of each vintage.
F	Net Plant Ratio	Theoretical net plant ratio of each vintage.
G	Allocation Factor	A pivotal ratio which determines the amortization period of the difference between the recorded and computed reserve.
H	Computed Net Plant	Plant in service less theoretical reserve for each vintage.
I	Accrual	Ratio of computed net plant (Column H) and remaining life (Column E).

TABLE 3. GENERATION ARRANGEMENT

SCHEDULE B – AGE DISTRIBUTION

This schedule provides the age distribution and realized life of surviving plant shown in Column C of the Generation Arrangement (Schedule A). The format of the schedule depends upon the availability of either aged or unaged data. Derived additions for vintage years older than the earliest activity year in an account for unaged data are obtained from the age distribution of surviving plant at the beginning of the earliest activity year. The amount surviving from these vintages is shown in Column D. The realized life (Column G) is derived from the dollar years of service provided by a vintage over the period of years the vintage has been in service. Plant additions for vintages older than the earliest activity year in an account are represented by the opening balances shown in Column D.

The computed proportion surviving (Column D) for unaged is derived from a computed mortality analysis. The average service life displayed in the title block is the life statistic derived for the most recent activity year, given the derived age distribution at the start of the year and the specified retirement dispersion. The realized life (Column F) is obtained by finding the slope of an SC retirement dispersion, which connects the computed survivors of a vintage (Column E) to the recorded vintage addition (Column B). The realized life is the area bounded by the SC dispersion, the computed proportion surviving and the age of the vintage.

SCHEDULE C – UNADJUSTED PLANT HISTORY

This schedule provides a summary of recorded plant data extracted from the continuing property records maintained by the Company. Activity year total amounts shown on this schedule for aged data are obtained from a historical arrangement of the data base in which all plant accounting transactions are identified by vintage and activity year. Activity year totals for unaged data are obtained from a transaction file without vintage identification. Information displayed in the unadjusted plant history is consistent with regulated investments reported internally by the Company.

SCHEDULE D – ADJUSTED PLANT HISTORY

This schedule provides a summary of recorded plant data extracted from the continuing property records maintained by the Company with sales, transfers, and adjustments appropriately aged for depreciation study purposes. Activity year total amounts shown on this schedule for aged data are obtained from a historical arrangement of the data base in which all plant accounting transactions are identified by vintage and activity year. Ageing of adjusting transactions is achieved using transaction codes that identify an adjusting year associated with the dollar amount of a transaction. Adjusting transactions processed in the adjusted plant history are not aged in the Company's records nor in the unadjusted plant history.

SCHEDULE E – ACTUARIAL LIFE ANALYSIS

These schedules provide a summary of the dispersion and life indications obtained from an actuarial life analysis for a specified placement band. The observation band (Column A) is specified to produce either a rolling-band or a shrinking-band analysis depending upon the movement of the end points of the band. The degree of censoring (or point of truncation) of the observed life table is shown in Column B for each observation band. The estimated average service life, best fitting Iowa dispersion, and a statistical measure of the goodness of fit are shown for each degree polynomial (First, Second, and Third) fitted to the estimated hazard rates. Options available in the analysis include the width and location of both the placement and observation bands; the interval of years included in a selected rolling or shrinking band analysis; the estimator of the hazard rate (actuarial, conditional proportion retired, or maximum likelihood); the elements to include on the diagonal of a weight matrix (exposures, inverse of age, inverse of variance, or unweighted); and the age at which an observed life table is truncated.

The estimated average service lives (Columns C, F, and I) are flagged with an asterisk if negative hazard rates are indicated by the fitted polynomial. All negative hazard rates are set equal to zero in the calculation of the graduated survivor curve. The Conformance Index (Columns E, H, and K) is the square root of the mean sum-of-squared differences between the graduated survivor curve and

the best fitting Iowa curve. A Conformance Index of zero would indicate a perfect fit.

SCHEDULE F – GRAPHICS ANALYSIS

This schedule provides a graphics plot of a) the observed proportion surviving for a selected placement and observation band; b) the statistically best fitting Iowa dispersion and derived average service life; and c) the projection curve and projection life selected to describe future forces of mortality.

SCHEDULE G – HISTORICAL NET SALVAGE ANALYSIS

This schedule provides a moving average analysis of the ratio of realized net salvage (Column I) to the associated retirements (Column B). The schedule also provides a moving average analysis of the components of net salvage related to retirements. The ratio of gross salvage to retirements is shown in Column D and the ratio of cost of removal to retirements is shown in Column G.

SCHEDULE H – AVERAGE YEAR OF FINAL RETIREMENT

This schedule provides a computation of the weighted average year of final retirement for major structure categories. Direct dollar weighting is used to obtain a composite year of final retirement for plant investments classified in service at the beginning of the study year.

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)

Distribution Plant

Account: 365000 Overhead Conductors and Devices

Dispersion: 55 - R2

Procedure: Vintage Group

Generation Arrangement

Vintage	December 31, 2001		Avg. Life	Rem. Life	Net Plant Ratio	Alloc. Factor	Computed Net Plant	Accrual
	Age	Surviving Plant						
A	B	C	D	E	F	G	H=C*F*G	I=H/E
2001	0.5	267,611	55.00	54.55	0.9918	1.0000	265,407	4,866
2000	1.5	889,165	55.00	53.65	0.9753	1.0000	867,227	16,166
1999	2.5	426,372	54.99	52.75	0.9593	1.0000	409,003	7,754
1998	3.5	704,846	55.01	51.85	0.9427	1.0000	664,435	12,813
1997	4.5	616,505	55.02	50.97	0.9263	1.0000	571,093	11,205
1996	5.5	577,373	55.02	50.08	0.9103	1.0000	525,570	10,494
1995	6.5	595,526	55.00	49.21	0.8947	1.0000	532,802	10,828
1994	7.5	526,959	55.05	48.33	0.8780	1.0000	462,673	9,573
1993	8.5	515,089	55.07	47.46	0.8619	1.0000	443,941	9,353
1992	9.5	695,436	55.09	46.60	0.8460	1.0000	588,322	12,624
1991	10.5	632,766	55.11	45.75	0.8301	1.0000	525,286	11,483
1990	11.5	1,509,260	55.12	44.90	0.8145	1.0000	1,229,307	27,382
1989	12.5	794,278	55.16	44.05	0.7985	1.0000	634,254	14,398
1988	13.5	445,113	55.03	43.21	0.7853	1.0000	349,531	8,089
1987	14.5	514,616	54.84	42.38	0.7728	1.0000	397,676	9,384
1986	15.5	542,376	54.88	41.55	0.7571	1.0000	410,643	9,883
1985	16.5	541,305	54.86	40.73	0.7425	1.0000	401,902	9,867
1984	17.5	326,116	54.66	39.92	0.7302	1.0000	238,129	5,966
1983	18.5	384,369	54.29	39.11	0.7203	1.0000	276,867	7,080
1982	19.5	479,912	54.33	38.31	0.7051	1.0000	338,394	8,834
1981	20.5	532,920	54.86	37.51	0.6838	1.0000	364,423	9,715
1980	21.5	311,792	53.68	36.72	0.6841	1.0000	213,311	5,808
1979	22.5	326,440	52.85	35.94	0.6801	1.0000	222,016	6,177
1978	23.5	227,918	52.40	35.17	0.6712	1.0000	152,970	4,349
1977	24.5	510,266	54.46	34.40	0.6318	1.0000	322,365	9,370
1976	25.5	417,002	55.07	33.65	0.6109	1.0000	254,751	7,572
1975	26.5	344,473	53.81	32.89	0.6113	1.0000	210,566	6,401
1974	27.5	289,911	53.80	32.15	0.5976	1.0000	173,250	5,389
1973	28.5	234,953	55.11	31.41	0.5701	1.0000	133,937	4,264
1972	29.5	165,783	54.51	30.68	0.5629	1.0000	93,320	3,041
1971	30.5	290,166	54.62	29.96	0.5486	1.0000	159,173	5,312
1970	31.5	438,823	56.24	29.25	0.5201	1.0000	228,254	7,803
1969	32.5	202,976	55.44	28.55	0.5150	1.0000	104,527	3,661
1968	33.5	190,794	55.70	27.85	0.5000	1.0000	95,405	3,425
1967	34.5	128,538	56.18	27.17	0.4836	1.0000	62,160	2,288
1966	35.5	227,755	56.51	26.49	0.4688	1.0000	106,764	4,031
1965	36.5	289,299	56.76	25.82	0.4549	1.0000	131,604	5,097

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)

Distribution Plant

Account: 365000 Overhead Conductors and Devices

Dispersion: 55 - R2

Procedure: Vintage Group

Generation Arrangement

Vintage	December 31, 2001		Avg. Life	Rem. Life	Net Plant Ratio	Alloc. Factor	Computed Net Plant	Accrual
	Age	Surviving Plant						
A	B	C	D	E	F	G	H=C*F*G	I=H/E
1964	37.5	138,028	56.33	25.16	0.4467	1.0000	61,653	2,451
1963	38.5	123,964	57.04	24.51	0.4297	1.0000	53,264	2,173
1962	39.5	139,611	56.19	23.87	0.4248	1.0000	59,301	2,485
1961	40.5	99,603	56.52	23.24	0.4111	1.0000	40,945	1,762
1960	41.5	119,526	56.90	22.61	0.3974	1.0000	47,497	2,100
1959	42.5	125,118	57.32	22.00	0.3838	1.0000	48,021	2,183
1958	43.5	126,451	55.94	21.40	0.3825	1.0000	48,364	2,260
1957	44.5	140,743	56.76	20.80	0.3665	1.0000	51,587	2,480
1956	45.5	95,898	56.19	20.22	0.3599	1.0000	34,513	1,707
1955	46.5	108,475	55.26	19.65	0.3556	1.0000	38,575	1,963
1954	47.5	61,502	58.78	19.09	0.3248	1.0000	19,974	1,046
1953	48.5	57,927	58.55	18.54	0.3166	1.0000	18,342	989
1952	49.5	56,446	58.39	18.00	0.3082	1.0000	17,398	967
1951	50.5	46,703	60.33	17.47	0.2895	1.0000	13,522	774
1950	51.5	63,529	60.45	16.95	0.2804	1.0000	17,812	1,051
1949	52.5	94,977	60.68	16.44	0.2710	1.0000	25,735	1,565
1948	53.5	117,321	61.99	15.94	0.2572	1.0000	30,177	1,893
1947	54.5	58,355	60.29	15.46	0.2564	1.0000	14,961	968
1946	55.5	22,392	59.63	14.98	0.2512	1.0000	5,626	375
1945	56.5	9,779	60.07	14.52	0.2417	1.0000	2,363	163
1944	57.5	11,217	59.98	14.06	0.2345	1.0000	2,630	187
1943	58.5	5,475	56.37	13.62	0.2416	1.0000	1,323	97
1942	59.5	10,998	61.41	13.19	0.2147	1.0000	2,362	179
1941	60.5	14,345	65.88	12.77	0.1938	1.0000	2,780	218
1940	61.5	13,321	66.44	12.35	0.1859	1.0000	2,477	200
1939	62.5	14,998	67.21	11.95	0.1778	1.0000	2,667	223
1938	63.5	7,258	67.03	11.56	0.1724	1.0000	1,252	108
1937	64.5	130,350	67.43	11.18	0.1658	1.0000	21,606	1,933
1936	65.5	13,010	69.06	10.80	0.1564	1.0000	2,035	188
1935	66.5	1,292	67.89	10.44	0.1538	1.0000	199	19
1934	67.5	493	65.95	10.08	0.1529	1.0000	75	7
1933	68.5	1,558	70.71	9.74	0.1377	1.0000	215	22
1932	69.5	8,531	71.81	9.40	0.1308	1.0000	1,116	119
1931	70.5	3,463	67.97	9.06	0.1333	1.0000	462	51
1930	71.5	15,175	68.21	8.74	0.1281	1.0000	1,944	222
1929	72.5	25,520	68.81	8.42	0.1223	1.0000	3,122	371

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)

Distribution Plant

Account: 365000 Overhead Conductors and Devices

Dispersion: 55 - R2

Procedure: Vintage Group

Generation Arrangement

Vintage	December 31, 2001		Avg. Life	Rem. Life	Net Plant Ratio	Alloc. Factor	Computed Net Plant	Accrual
	Age	Surviving Plant						
A	B	C	D	E	F	G	H=C*F*G	I=H/E
1928	73.5	28,732	64.73	8.10	0.1252	1.0000	3,597	444
Total	18.7	\$19,226,885	55.30	39.87	0.7209	1.0000	\$13,860,748	\$347,690

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)
Distribution Plant

Account: 365000 Overhead Conductors and Devices

Age Distribution

Vintage	Age as of 12/31/2001	Derived Additions	1980 Opening Balance	Experience to 12/31/2001		
				Amount Surviving	Proportion Surviving	Realized Life
A	B	C	D	E	F=E/(C+D)	G
2001	0.5	267,611		267,611	1.0000	0.5000
2000	1.5	889,223		889,165	0.9999	1.5000
1999	2.5	431,603		426,372	0.9879	2.4818
1998	3.5	705,857		704,846	0.9986	3.4971
1997	4.5	616,558		616,505	0.9999	4.5000
1996	5.5	579,151		577,373	0.9969	5.4904
1995	6.5	604,090		595,526	0.9858	6.4566
1994	7.5	528,355		526,959	0.9974	7.4918
1993	8.5	515,416		515,089	0.9994	8.4983
1992	9.5	697,766		695,436	0.9967	9.4940
1991	10.5	636,118		632,766	0.9947	10.4896
1990	11.5	1,526,177		1,509,260	0.9889	11.4761
1989	12.5	796,409		794,278	0.9973	12.4916
1988	13.5	474,245		445,113	0.9386	13.3217
1987	14.5	574,266		514,616	0.8961	14.0971
1986	15.5	596,994		542,376	0.9085	15.0974
1985	16.5	612,607		541,305	0.8836	16.0301
1984	17.5	367,293		326,116	0.8879	16.7882
1983	18.5	460,065		384,369	0.8355	17.3632
1982	19.5	550,766		479,912	0.8714	18.3390
1981	20.5	574,016		532,920	0.9284	19.8059
1980	21.5	362,872		311,792	0.8592	19.5600
1979	22.5		414,203	326,440	0.7881	19.6566
1978	23.5		290,616	227,918	0.7843	20.1299
1977	24.5		561,088	510,266	0.9094	23.0995
1976	25.5		446,998	417,002	0.9329	24.6238
1975	26.5		480,367	344,473	0.7171	24.2636
1974	27.5		344,147	289,911	0.8424	25.1443
1973	28.5		258,510	234,953	0.9089	27.3396
1972	29.5		191,743	165,783	0.8646	27.6265
1971	30.5		333,458	290,166	0.8702	28.6111
1970	31.5		455,149	438,823	0.9641	31.0889
1969	32.5		224,005	202,976	0.9061	31.1425
1968	33.5		209,873	190,794	0.9091	32.2535
1967	34.5		138,675	128,538	0.9269	33.5658
1966	35.5		241,918	227,755	0.9415	34.7234
1965	36.5		304,230	289,299	0.9509	35.7915
1964	37.5		153,831	138,028	0.8973	36.1666

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)
Distribution Plant

Account: 365000 Overhead Conductors and Devices

Age Distribution

Vintage	Age as of 12/31/2001	Derived Additions	1980 Opening Balance	Experience to 12/31/2001		
				Amount Surviving	Proportion Surviving	Realized Life
A	B	C	D	E	F=E/(C+D)	G
1963	38.5		137,878	123,964	0.8991	37.6742
1962	39.5		182,932	139,611	0.7632	37.6095
1961	40.5		123,025	99,603	0.8096	38.7144
1960	41.5		143,449	119,526	0.8332	39.8576
1959	42.5		147,526	125,118	0.8481	41.0218
1958	43.5		166,803	126,451	0.7581	40.3789
1957	44.5		177,630	140,743	0.7923	41.9153
1956	45.5		140,311	95,898	0.6835	42.0513
1955	46.5		199,923	108,475	0.5426	41.8119
1954	47.5		82,038	61,502	0.7497	46.0080
1953	48.5		86,862	57,927	0.6669	46.4371
1952	49.5		85,191	56,446	0.6626	46.9242
1951	50.5		54,526	46,703	0.8565	49.4967
1950	51.5		69,442	63,529	0.9149	50.2288
1949	52.5		105,632	94,977	0.8991	51.0480
1948	53.5		123,231	117,321	0.9520	52.9330
1947	54.5		78,072	58,355	0.7475	51.7974
1946	55.5		30,982	22,392	0.7227	51.6782
1945	56.5		14,579	9,779	0.6708	52.6412
1944	57.5		16,058	11,217	0.6985	53.0499
1943	58.5		11,376	5,475	0.4813	49.9269
1942	59.5		13,743	10,998	0.8003	55.4314
1941	60.5		15,058	14,345	0.9526	60.3401
1940	61.5		13,502	13,321	0.9866	61.3243
1939	62.5		15,019	14,998	0.9986	62.4950
1938	63.5		7,818	7,258	0.9284	62.7058
1937	64.5		139,916	130,350	0.9316	63.4689
1936	65.5		13,134	13,010	0.9906	65.4411
1935	66.5		1,538	1,292	0.8403	64.5995
1934	67.5		709	493	0.6957	62.9676
1933	68.5		1,695	1,558	0.9196	68.0084
1932	69.5		8,604	8,531	0.9916	69.3825
1931	70.5		9,062	3,463	0.3821	65.7898
1930	71.5		24,779	15,175	0.6124	66.2561
1929	72.5		35,904	25,520	0.7108	67.0767
1928	73.5		89,040	28,732	0.3227	63.1937
1922	79.5		213		0.0000	63.0000
1913	88.5		224		0.0000	68.1250

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)
Distribution Plant
Account: 365000 Overhead Conductors and Devices

Age Distribution

Vintage	Age as of 12/31/2001	Derived Additions	1980 Opening Balance	Experience to 12/31/2001		
				Amount Surviving	Proportion Surviving	Realized Life
A	B	C	D	E	F=E/(C+D)	G
1910	91.5		34		0.0000	71.0000
Total		\$13,367,460	\$7,616,268	\$19,226,885	0.9163	

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)

Distribution Plant

Account: 365000 Overhead Conductors and Devices

Unadjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
1980	6,458,142	363,030	69,101		6,752,071
1981	6,752,071	589,402	49,730		7,291,743
1982	7,291,743	571,281	76,653		7,786,371
1983	7,786,371	543,797	73,303		8,256,865
1984	8,256,865	393,329	37,858		8,612,336
1985	8,612,336	732,358	125,049		9,219,645
1986	9,219,645	630,757	94,166		9,756,236
1987	9,756,236	547,012	104,256		10,198,992
1988	10,198,992	426,456	46,914		10,578,534
1989	10,578,534	749,195	74,772		11,252,957
1990	11,252,957	773,356	59,596		11,966,717
1991	11,966,717	562,808	54,398		12,475,127
1992	12,475,127	664,640	87,009		13,052,758
1993	13,052,758	398,079	65,571		13,385,266
1994	13,385,266	493,109	71,984		13,806,391
1995	13,806,391	437,194	52,733		14,190,852
1996	14,190,852	551,653	109,279		14,633,226
1997	14,633,226	4,168,440	93,006		18,708,660
1998	18,708,660	874,555	64,844		19,518,371
1999	19,518,371	441,364	95,929		19,863,806
2000	19,863,806	867,031	204,668		20,526,169
2001	20,526,169	306,076	46,023	(1,559,336)	19,226,885

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)
Distribution Plant

Account: 365000 Overhead Conductors and Devices

Adjusted Plant History

Year	Beginning Balance	Additions	Retirements	Sales, Transfers & Adjustments	Ending Balance
A	B	C	D	E	F=B+C-D+E
1980	7,699,577	371,362	69,101		8,001,838
1981	8,001,838	637,402	49,730		8,589,510
1982	8,589,510	599,964	76,653		9,112,821
1983	9,112,821	575,285	73,303		9,614,803
1984	9,614,803	473,628	37,858		10,050,573
1985	10,050,573	904,954	125,049		10,830,478
1986	10,830,478	745,251	94,166		11,481,563
1987	11,481,563	748,391	104,256		12,125,698
1988	12,125,698	521,741	46,914		12,600,525
1989	12,600,525	910,967	74,772		13,436,720
1990	13,436,720	1,531,697	59,596		14,908,821
1991	14,908,821	658,851	54,398		15,513,274
1992	15,513,274	712,318	87,009		16,138,583
1993	16,138,583	550,206	65,571		16,623,218
1994	16,623,218	547,608	71,984		17,098,842
1995	17,098,842	626,805	52,733		17,672,914
1996	17,672,914	609,983	109,279		18,173,618
1997	18,173,618	645,518	93,006		18,726,130
1998	18,726,130	857,085	64,844		19,518,371
1999	19,518,371	441,364	95,929		19,863,806
2000	19,863,806	905,496	204,668		20,564,634
2001	20,564,634	267,611	46,023	(1,559,336)	19,226,885

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)
Distribution Plant

Account: 365000 Overhead Conductors and Devices

T-Cut: None

Placement Band: 1910-2001

Hazard Function: Proportion Retired

Rolling Band Life Analysis

Weighting: Exposures

Observation Band	Censoring	First Degree			Second Degree			Third Degree		
		Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index
A	B	C	D	E	F	G	H	I	J	K
1980-1984	0.3	64.6	L0.5	0.42	52.0	R1.5	1.16	50.4	R2	3.08
1981-1985	0.0	59.0	L0.5	0.40	50.3	R1.5	0.90	48.6	R2	4.00
1982-1986	0.0	58.3	L0.5	0.43	50.7	R1	1.04	48.4	R1.5	4.44
1983-1987	0.0	58.0	L0.5	0.38	52.8	S0	1.15	48.9	R1.5 *	4.17
1984-1988	0.0	60.6	L0.5	0.53	55.3	S0	1.10	50.5	R1.5 *	4.63
1985-1989	0.0	61.5	L0.5	0.40	57.7	L1	1.42	51.1	R1.5 *	4.20
1986-1990	51.0	69.2	L0.5	0.43	74.5	L0	1.64	56.4	R1.5 *	3.34
1987-1991	58.9	74.0	L0.5	0.80	102.4	O3 *	8.35	61.4	R1.5 *	2.40
1988-1992	64.7	81.0	L0.5	0.57	127.1	SC *	13.19	67.3	R1.5	2.24
1989-1993	70.3	88.4	L0.5	0.96	148.9	SC *	16.43	82.8	R1	3.95
1990-1994	69.5	88.2	L0.5	0.61	148.8	SC *	16.22	96.3	R1	4.96
1991-1995	71.0	93.8	L0.5	0.91	152.1	SC *	16.54	85.4	R1	3.89
1992-1996	68.2	90.2	L0.5	0.99	145.9	SC *	15.65	81.5	R1	3.03
1993-1997	68.5	91.9	L0.5	1.06	143.4	SC *	14.94	80.5	R1	2.58
1994-1998	63.3	88.1	L0.5	0.61	113.5	SC *	9.36	81.0	R1	0.95
1995-1999	60.9	91.6	L0.5	0.86	103.3	L0	3.88	73.2	R1.5	2.00
1996-2000	45.9	74.3	L0.5	0.48	78.8	L0	1.46	65.8	R1	0.93
1997-2001	49.1	77.0	L1	0.93	76.2	L1	0.75	70.6	S0	0.88

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)
Distribution Plant

Account: 365000 Overhead Conductors and Devices

T-Cut: None

Placement Band: 1910-2001

Hazard Function: Proportion Retired

Shrinking Band Life Analysis

Weighting: Exposures

Observation Band	Censoring	First Degree			Second Degree			Third Degree		
		Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index	Average Life	Disper- sion	Conf. Index
A	B	C	D	E	F	G	H	I	J	K
1980-2001	45.2	75.3	L0.5	0.42	74.2	L0.5	0.76	64.7	R1	1.16
1982-2001	46.1	75.8	L0.5	0.45	78.3	L0.5	0.88	65.0	R1	1.51
1984-2001	48.2	77.2	L0.5	0.48	90.8	O2 *	4.03	66.3	R1	1.87
1986-2001	50.5	78.9	L0.5	0.53	101.6	O3 *	7.44	68.5	R1	1.62
1988-2001	53.1	81.4	L0.5	0.67	103.6	O3 *	7.71	71.4	R1	1.35
1990-2001	54.4	81.8	L0.5	0.67	111.3	O3 *	10.34	73.9	R1	0.83
1992-2001	54.3	81.6	L0.5	0.59	102.3	O2 *	7.30	72.8	R1	0.79
1994-2001	53.6	80.0	L0.5	0.86	88.6	L0	2.32	73.0	R1	0.82
1996-2001	50.2	76.9	L0.5	0.91	78.9	L0.5	0.61	71.2	S0	0.57
1998-2001	47.8	74.9	L1	0.59	73.5	L1	0.69	69.7	S0	0.88
2000-2001	38.2	65.9	L1 *	0.71	68.3	L1 *	1.19	92.9	O3 *	8.43

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)

Distribution Plant

Account: 365000 Overhead Conductors and Devices

T-Cut: None


Placement Band: 1910-2001 Observation Band: 1980-2001

Hazard Function: Proportion Retired

Weighting: Exposures

Graphics Analysis

1st: 75.3-L0.5 2nd: 74.2-L0.5 3rd: 64.7-R1




AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)
Distribution Plant
Account: 365000 Overhead Conductors and Devices

T-Cut: None
Placement Band: 1910-2001
Observation Band: 1980-2001

Proposed Projection Life Curve

55.0-R2



AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)

Distribution Plant

Account: 365000 Overhead Conductors and Devices

Unadjusted Net Salvage History

Year	Retirements	Gross Salvage			Cost of Retiring			Net Salvage		
		Amount	Pct.	5-Yr Avg.	Amount	Pct.	5-Yr Avg.	Amount	Pct.	5-Yr Avg.
A	B	C	D=C/B	E	F	G=F/B	H	I=C-F	J=I/B	K
1980	69,101	88,306	127.8		48,838	70.7		39,468	57.1	
1981	49,730	59,785	120.2		69,332	139.4		(9,547)	-19.2	
1982	76,653	48,006	62.6		84,365	110.1		(36,359)	-47.4	
1983	73,303	84,891	115.8		67,419	92.0		17,472	23.8	
1984	37,858	142,291	375.9	138.0	54,116	142.9	105.7	88,175	232.9	32.4
1985	125,049	154,899	123.9	135.1	76,650	61.3	97.0	78,249	62.6	38.1
1986	94,166	146,649	155.7	141.7	72,446	76.9	87.2	74,203	78.8	54.5
1987	104,256	141,081	135.3	154.1	117,917	113.1	89.4	23,164	22.2	64.7
1988	46,914	85,476	182.2	164.2	78,689	167.7	97.9	6,787	14.5	66.3
1989	74,772	117,622	157.3	145.1	90,614	121.2	98.0	27,008	36.1	47.0
1990	59,596	119,739	200.9	160.8	97,116	163.0	120.3	22,623	38.0	40.5
1991	54,398	61,279	112.6	154.5	95,555	175.7	141.2	(34,276)	-63.0	13.3
1992	87,009	61,500	70.7	138.1	100,005	114.9	143.2	(38,505)	-44.3	-5.1
1993	65,571	48,644	74.2	119.8	79,460	121.2	135.6	(30,816)	-47.0	-15.8
1994	71,984	43,614	60.6	98.9	81,398	113.1	134.0	(37,784)	-52.5	-35.1
1995	52,733	41,278	78.3	77.3	68,598	130.1	128.1	(27,320)	-51.8	-50.9
1996	109,279	64,455	59.0	67.1	96,449	88.3	110.2	(31,994)	-29.3	-43.0
1997	93,006	52,437	56.4	63.8	75,156	80.8	102.2	(22,719)	-24.4	-38.4
1998	64,844	35,489	54.7	60.6	85,511	131.9	103.9	(50,022)	-77.1	-43.3
1999	95,929	22,557	23.5	52.0	72,079	75.1	95.7	(49,522)	-51.6	-43.7
2000	204,668	24,231	11.8	35.1	101,995	49.8	76.0	(77,764)	-38.0	-40.9
2001	46,023	865	1.9	26.9	20,193	43.9	70.4	(19,328)	-42.0	-43.5
Total	1,756,842	1,645,094	93.6		1,733,901	98.7		(88,807)	-5.1	

AQUILA NETWORKS - SJLP (ELECTRIC and COMMON)

Distribution Plant

Account: 365000 Overhead Conductors and Devices

Adjusted Net Salvage History

Year	Retirements	Gross Salvage			Cost of Retiring			Net Salvage		
		Amount	Pct.	5-Yr Avg.	Amount	Pct.	5-Yr Avg.	Amount	Pct.	5-Yr Avg.
A	B	C	D=C/B	E	F	G=F/B	H	I=C-F	J=I/B	K
1980	69,101	88,306	127.8		48,838	70.7		39,468	57.1	
1981	49,730	59,785	120.2		69,332	139.4		(9,547)	-19.2	
1982	76,653	48,006	62.6		84,365	110.1		(36,359)	-47.4	
1983	73,303	84,891	115.8		67,419	92.0		17,472	23.8	
1984	37,858	142,291	375.9	138.0	54,116	142.9	105.7	88,175	232.9	32.4
1985	125,049	154,899	123.9	135.1	76,650	61.3	97.0	78,249	62.6	38.1
1986	94,166	146,649	155.7	141.7	72,446	76.9	87.2	74,203	78.8	54.5
1987	104,256	141,081	135.3	154.1	117,917	113.1	89.4	23,164	22.2	64.7
1988	46,914	85,476	182.2	164.2	78,689	167.7	97.9	6,787	14.5	66.3
1989	74,772	117,622	157.3	145.1	90,614	121.2	98.0	27,008	36.1	47.0
1990	59,596	119,739	200.9	160.8	97,116	163.0	120.3	22,623	38.0	40.5
1991	54,398	61,279	112.6	154.5	95,555	175.7	141.2	(34,276)	-63.0	13.3
1992	87,009	61,500	70.7	138.1	100,005	114.9	143.2	(38,505)	-44.3	-5.1
1993	65,571	48,644	74.2	119.8	79,460	121.2	135.6	(30,816)	-47.0	-15.8
1994	71,984	43,614	60.6	98.9	81,398	113.1	134.0	(37,784)	-52.5	-35.1
1995	52,733	41,278	78.3	77.3	68,598	130.1	128.1	(27,320)	-51.8	-50.9
1996	109,279	64,455	59.0	67.1	96,449	88.3	110.2	(31,994)	-29.3	-43.0
1997	93,006	52,437	56.4	63.8	75,156	80.8	102.2	(22,719)	-24.4	-38.4
1998	64,844	35,489	54.7	60.6	85,511	131.9	103.9	(50,022)	-77.1	-43.3
1999	95,929	22,557	23.5	52.0	72,079	75.1	95.7	(49,522)	-51.6	-43.7
2000	204,668	24,231	11.8	35.1	101,995	49.8	76.0	(77,764)	-38.0	-40.9
2001	46,023	865	1.9	26.9	20,193	43.9	70.4	(19,328)	-42.0	-43.5
Total	1,756,842	1,645,094	93.6		1,733,901	98.7		(88,807)	-5.1	