

Confluence Rivers Utility Operating Company
SCHEDULE OF DEPRECIATION RATES
(SEWER CLASS C)
WA-2019-0299

ACCOUNT NUMBER	ACCOUNT DESCRIPTION	PORT PERRY DEPRECIATION RATES
COLLECTION PLANT		
311/351	Structures & Improvements	4.0%*
352.1	Collection Sewers (Force)	2.0%
352.2	Collection Sewers (Gravity)	2.0%*
354	Services	2.0%*
355	Flow Measurement Devices	3.3%*
PUMPING PLANT		
361	Structures and Improvements	4.0%*
362	Receiving Wells	4.0%*
363	Electric Pumping Equipment	10.0%*
TREATMENT & DISPOSAL PLANT		
371	Structures and Improvements	4.0%*
372	Oxidation Lagoons	4.0%*
373	Treatment & Disposal Facilities	5.0%*
374	Plant Sewers	2.5%*
375	Outfall Sewer Lines	2.0%*
GENERAL PLANT		
390	Structures and Improvements	4.0%*
391	Office Furniture & Equipment	5.0%*
391.1	Office Electronic & Computer Equip.	14.3%*
392	Transportation Equipment	13.0%*
393	Other General Equipment/Stores Equipment	10.0%*
394	Tools/Shop/Garage Equip.	5.0%*
395	Lab Equipment	5.0%*
396	Power Operated Equipment	6.7%*
397	Communication Equipment	6.7%*

*Designates a rate proposed in this case, rather than a rate ordered by the Commission in a previous case.