Access Services Tariff
Section 6
Original Sheet 19.01

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

MAR 29 1993

6.1 General-(Continued)

CCCI od Mulii

6.1.2 Rate Categories-(Continued)

MISSOURI Public Service Commission

D. DNAL Mileage

DNAL Mileage applies only to the DNAL BSA and provides for the transmission facilities between the serving wire center of the customer's designated premises and the Telephone Company end office switch where the DNAL terminates. DNAL Mileage is portrayed in mileage bands. There are two rates that apply for each band: a flat rate per band and a rate per mile.

FILED

APR 11 1993 92 - 304 MO. PUBLIC SERVICE COMM.

Issued:

MAR 2 6 1993

Effective:

MPR 11 1303

Access Services Tariff
Section 6
2nd Revised Sheet 20
Replacing 1st Revised Sheet 20

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

6.1 General-(Continued)

(RT)

6.1.3 Design Layout Report

At the request of the customer, the Telephone Company will provide to the customer the makeup of the facilities and services provided from the customer's premises to the first point of switching. This information will be provided in the form of a Design Layout Report. The Design Layout Report will be provided to the customer at no charge and will be reissued or updated whenever these facilities are materially changed.

6.1.4 Acceptance Testing

At no additional charge, the Telephone Company will, at the customer's request, cooperatively test, at the time of installation, the following parameters: loss, C-notched noise, C-message noise, 3-tone slope, d.c. continuity and operational signaling. When the Local Transport is provided with Interface Groups 2 through 10 and the Transport Termination is two-wire (i.e., there is a four-wire to two-wire conversion in Local Transport), balance parameters (equal level echo path loss) may also be tested.

6.1.5 Ordering Options and Conditions

Switched Access Service is ordered under the Access Order provisions set forth in Section 5, preceding. Also, included in that section are other charges which may be associated with ordering Switched Access Service (i.e., Service Date Charge Charges).

Issued: October 14, 1987 Effective: October 16, 1987

CANCELLED
June 29, 2007
TO-2002-185
Missouri Public
Service Commission

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

Access Services Tariff

(CP)ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

6.1 General-(Continued)

6.1.3 Design Layout Report

Section 6 1st Revised Sheet 20 Replacing Original Sheet 20

> MISSUURI Public Service Commission

JUN 27 1259

At the request of the customer, the Telephone Company will provide to the customer the makeup of the facilities and services provided from the customer's premises to the first point of switching. This information will be provided in the form of a Design Layout Report. Design Layout Reports will also be provided for WATS Access Lines when specifically requested by the customer. The Design Layout Report will be provided to the customer at no charge and will be reissued of provided whenever these facilities are materially changed. OCT 16 1987

6.1.4 Acceptance Testing

At no additional charge, the Telephone Company will geticene customer's request, cooperatively test, at the time of Parla latings (the Following parameters: loss, C-notched noise, C-message noise, 3-tone slope, d.c. continuity and operational signaling. When the Local Transport is provided with Interface Groups 2 through 10 and the Transport Termination is two-wire (i.e., there is a four-wire to two-wire conversion in Local Transport), balance parameters (equal level echo path loss) may also be tested.

6.1.5 Ordering Options and Conditions

Switched Access Service is ordered under the Access Order provisions set forth in Section 5, preceding. Also, included in that section are other charges which may be associated with ordering Switched Access Service (i.e., Service Date Change Charges).

> '.HH 1 1986 8.6 - 8.4 ublic Service Commission

Issued:

JUN 27 1986

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.1 General-(Continued)
 - 6.1.5 Design Layout Report

Access Services Tariff Section 6 -Original Sheet 20 DEC 20 ACC LESSOURI Public Service Commission

The Telephone Company will provide to the IC the makeup of the facilities and services provided to the first point of switching. This information will be provided in the form of a Design Layout Report. The Design Layout Report will be provided to the IC at no charge.

6.1.6 Acceptance Testing

At no additional charge, the Telephone Company will, at the IC's request, cooperatively test, at the time of installation, the following parameters: loss, 3-tone slope, d.c. continuity and operational signaling. When the Access Connection is provided with a Type 2 interface and the Transport Termination is two-wire (i.e., there is a four-wire to two-wire conversion in Local Transport), balance parameters (equal level echo path loss) may also be tested.

If acceptance tests are not started within 30 minutes after the scheduled appointment time for such tests, as negotiated between the Telephone Company and the IC, additional charges will apply, as set forth in Section 13, Paragraph 13.2.6, following.

6.1.7 Ordering Options and Conditions

There are two ordering options available to the IC in the provision of Switched Access Service. These are:

- Access Order
- Planned Facilities Order

These options are set forth in detail in Section 5., preceding, as are the conditions under which the options may be elected. Cancellation charges associated with these options are also included in Sec-

tion 5, preceding.

JUL 1 1986

PUBLIC SERVICE COMMISSION OF MISSOURI

Public Sar. in Com- mic.

Issued: DEC 2 9 1983 Effective: JAN 0 1 1984

Access Services Tariff
Section 6
3rd Revised Sheet 21
Replacing 2nd Revised Sheet 21

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups
- (RT) The provision of each Feature Group requires Local Transport facilities and
 (CT) the appropriate Local Switching functions.

There are three specific transmission performances (i.e., Types A, B and C) that have been identified for the provision of Feature Groups. The specific performance provided is dependent on the Interface Group and the routing of the service, i.e., whether the service is routed directly to the end office or via an access tandem.

Feature Groups are arranged for either originating, terminating or two-way calling, based on the IC end office switching busy-hour minutes of capacity ordered. Originating calling permits the delivery of calls from Telephone Exchange Service locations to the IC terminal location. Terminating calling permits the delivery of calls from the IC terminal location to Telephone Exchange Service locations. Two-way calling permits the delivery of calls in both directions, but not simultaneously. The Telephone Company will determine the type of calling to be provided unless the IC specifies in its order that a different type of directional calling is to be provided. In such cases, the Telephone Company will work cooperatively with the IC to determine directionality.

Issued: March 26, 1993 Effective: April 11, 1993

CANCELLED
June 29, 2007
TO-2002-185
Missouri Public
Service Commission

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

(RT)

Access Services Tariff
Section 6
2nd Revised Sheet 21
Replacing 1st Revised Sheet 21

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE-(Continued)

OCT-1 3 1987

6.2 Provision and Description of Switched Access Service Feature [Group's A]

Public Service Commission Switched Access Service is provided in four different Feature Group arrangements. The provision of each Feature Group requires Local Transport facil-

ities and the appropriate End Office functions.

There are three specific transmission performances (i.e., Types A, B and C) that have been identified for the provision of Feature Groups. The specific performance provided is dependent on the Interface Group and the routing of the service, i.e., whether the service is routed directly to the end office or via an access tandem.

Feature Groups are arranged for either originating, terminating or two-way calling, based on the IC end office switching busy-hour minutes of capacity ordered. Originating calling permits the delivery of calls from Telephone Exchange Service locations to the IC terminal location. Terminating calling permits the delivery of calls from the IC terminal location to Telephone Exchange Service locations. Two-way calling permits the delivery of calls in both directions, but not simultaneously. The Telephone Company will determine the type of calling to be provided unless the IC specifies in its order that a different type of directional calling is to be provided. In such cases, the Telephone Company will work cooperatively with the IC to determine directionality.

CANCELLED

Public Service Commission
MISSOURI

FILED

OCT 16 1987

To-87-42

Access Services Tariff
Section 6
1st Revised Sheet 21
Replacing Original Sheet 21

(CP)ACCESS SERVICES

REGEIVED

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups

Switched Access Service is provided in four different Feature Group arrangements. The provision of each Feature Group requires Flocal Stransfort Magiliaties and the appropriate End Office functions. In addition, WATS-Access Lines may, at the option of the IC, be provided for use with Feature Groups C and D.

There are three specific transmission performances (i.e., Types A, B and C) that have been identified for the provision of Feature Groups. The specific performance provided is dependent on the Interface Group and the routing of the service, i.e., whether the service is routed directly to the end office or via an access tandem.

Feature Groups are arranged for either originating, terminating or two-way calling, based on the IC end office switching busy-hour minutes of capacity ordered. Originating calling permits the delivery of calls from Telephone Exchange Service locations to the IC terminal location. Terminating calling permits the delivery of calls from the IC terminal location to Telephone Exchange Service locations. Two-way calling permits the delivery of calls in both directions, but not simultaneously. The Telephone Company will determine the type of calling to be provided unless the IC specifies in its order that a different type of directional calling is to be provided. In such cases, the Telephone Company will work cooperatively with the IC to determine directionality.

OCT 16 1987

Public Service Commission MISSOURI

FALED

JUL 1 1986

86-84

Fublic Service Commission

Issued:

JIIN 27 1986

Effective:

JUL 1 1986

Access-Services Tariff Original/Sheet 21

DEC 28 EES

MISSOURI

Public Service Commission

SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature-Groups.

ACCESS SERVICES

Switched Access Service is provided in four different Feature Group arrangements. The provision of each Feature Group requires an Access Connection, Local Transport facilities and the appropriate End Office functions.

There are three specific transmission performances (i.e., Types A, B and C) that have been identified for the provision of Feature Groups. The specific performance provided is dependent on the Interface Group and the routing of the service, i.e., whether the service is routed directly to the end office or via an access tandem. The parameters for the transmission performances are set forth in Paragraph 6.4.1, following.

Feature Groups are arranged for either originating, terminating or two-way calling, based on the IC end office switching busy-hour minutes of capacity ordered. Originating calling permits the delivery of calls from Telephone Exchange Service locations to the IC terminal location. Terminating calling permits the delivery of calls from the IC terminal location to Telephone Exchange Service locations. Two-way calling permits the delivery of calls in both directions, but not simultaneously. The Telephone Company will determine the type of calling to be provided unless the IC specifies in its order that a different type of directional calling is to be provided.

GANGELLED

JUL 1 1986

PUBLIC SERVICE COMMISSION

OF MISSOURI

JAN 71 1931

83 - 253 Public Service Communication

Access Services Tariff
Section 6
5th Revised Sheet 22
Replacing 4th Revised Sheet 22

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

There are various features available with the Feature Groups. These additional features are provided as Local Transport, Common Switching, Transport Termination or Line Termination features.

Following are detailed descriptions of each of the available Feature Groups. Each Feature Group is described in terms of its specific physical characteristics and calling patterns, the transmission performances with which it is provided, the features available for use with it and the standard testing capabilities.

The Common Switching and Transport Termination features, which are described in Paragraphs 6.3, 6.4 and 6.5, following, unless specifically stated otherwise, are available at all Telephone Company end office switches.

6.2.1 Feature Group A (FGA)

A. Description

- 1. FGA is provided in connection with Telephone Company electronic and electromechanical end offices. At the option of the IC, FGA is provided on a single or multiple line group basis and is arranged for originating calling-only, terminating calling-only or two-way calling. FGA is arranged for use by the Interexchange Carrier in the provision of its FX/ONAL service or MTS/WATS-type Service.
- 2. FGA provides a line side termination at the first point of switching. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the IC.
- 3. The Telephone Company shall select the first point of switching, within the selected LATA, at which the line side termination is to be provided unless the IC requests a different first point of switching and Telephone Company facilities and measurement capabilities are available to accommodate such a request. The first point of switching must comply with comply with Section 2, Paragraph 2.1.2., A.
- 4. A seven-digit local telephone number assigned by the Telephone Company is provided for access to FGA switching in the originating direction. The seven-digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX.

Issued: March 26, 1993 Effective: April 11, 1993

(AT)

Access Services Tariff
Section 6
4th Revised Sheet 22
Replacing 3rd Revised Sheet 22

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE-(Continued)

NOV 19 1991

6.2 Provision and Description of Switched Access Service Feature
Groups-(Continued) MO. PUBLIC SERVICE COMM.

There are various features available with the Feature Groups. These additional features are provided as Local Transport, Common Switching, Transport Termination or Line Termination features.

Following are detailed descriptions of each of the available Feature Groups. Each Feature Group is described in terms of its specific physical characteristics and calling patterns, the transmission performances with which it is provided, the features available for use with it and the standard testing capabilities.

The Common Switching and Transport Termination features, which are described in Paragraph 6.3, following, unless specifically states can are available at all Telephone Company end office switches.

6.2.1 Feature Group A (FGA)

APR 11 1993 BY 5 株 R.S. サンシン

A. Description

(CT)

(TA)

(AT)

Public Service Commission

- 1. FGA is provided in connection with Telephone Company electronical and electronechanical end offices. At the option of the IC, FGA is provided on a single or multiple line group basis and is arranged for originating calling-only, terminating calling-only or two-way calling. FGA is arranged for use by the Interexchange Carrier in the provision of its FX/ONAL service or MTS/WATS-type Service.
- 2. FGA provides a line side termination at the first point of switching. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the IC.
- 3. The Telephone Company shall select the first point of switching, within the selected LATA, at which the line side termination is to be provided unless the IC requests a different first point of switching and Telephone Company facilities and measurement capabilities are available to accommodate such a request. The first point of switching must comply with Section 2, Paragraph 2.1.2., A.
- 4. A seven-digit local telephone number assigned by the Telephone Company is provided for access to FGA switching in the originating direction. The seven-digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX.

Issued: NOV 2 1 1991

Effective: AFD 4 4 1991

FEB 1 2 1992

Access Services Tariff
Section 6
3rd Revised Sheet 22
Replacing 2nd Revised Sheet 22

ACCESS SERVICES

RECEIVED

- ----

6. SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

- 6.2 Provision and Description of Switched Access Service Feature MISSOURI
 Groups-(Continued)
- (RT) There are various features available with the Feature Groups. These
 (RT) additional features are provided as Local Transport, Common Switching,
- (CT) Transport Termination or Line Termination features.

Following are detailed descriptions of each of the available Feature Groups. Each Feature Group is described in terms of its specific physical characteristics and calling patterns, the transmission performances with which it is provided, the features available for use with it and the standard testing capabilities.

(RT) The Common Switching and Transport Termination features, which are described in Paragraph 6.3, following, unless specifically stated otherwise, are available at all Telephone Company end office switches. CANCELLED

6.2.1 Feature Group A (FGA)

FEB 12 1992

BY 4th R.S. #22

A. Description

(RT)

- Public Service Commission

 1. FGA is provided in connection with Telephone Company electroniscours
 and electromechanical end offices. At the option of the IC, FGA is
 provided on a single or multiple line group basis and is arranged for
 originating calling-only, terminating calling-only or two-way calling.
 FGA is arranged for use by the IC in the provision of its FX/ONAL
 service or MTS/WATS-type Service.
- 2. FGA provides a line side termination at the first point of switching. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the IC.
- 3. The Telephone Company shall select the first point of switching, within the selected LATA, at which the line side termination is to be provided unless the IC requests a different first point of switching and Telephone Company facilities and measurement capabilities are available to accommodate such a request.
- 4. A seven-digit local telephone number assigned by the Telephone Company is provided for access to FGA switching in the originating direction. The seven-digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX.

Issued: AU6 0 9 1991

Effective: SEP 0 9 1993 A 1001

FILED

SEP 3 0 1991

Access Services Tariff
Section 6
2nd Revised Sheet 22
Replacing 1st-Revised Sheet 22

ACCESS SERVICES

OCT 1 3 1987

SWITCHED ACCESS SERVICE-(Continued)

MICCOURI

6.2 Provision and Description of Switched Access Service, Feature, Groups, (Containued)

There are various optional features available with the Feature Groups. These additional optional features are provided as Local Transport, Common Switching, Transport Termination or Line Termination options.

Following are detailed descriptions of each of the available Feature Groups. Each Feature Group is described in terms of its specific physical characteristics and calling patterns, the transmission performances with which it is provided, the optional features available for use with it and the standard testing capabilities.

The Common Switching and Transport Termination optional features, which are described in Paragraph 6.3, following, unless specifically Claude Contact are available at all Telephone Company end office switches.

6.2.1 Feature Group A (FGA)

SEP 3 0 1991 # BY 3 MR.S. 22

A. Description

(CT)

Public Service Commission

- MISSOURI

 1. FGA is provided in connection with Telephone Company electronic and electromechanical end offices. At the option of the IC, FGA is provided on a single or multiple line group basis and is arranged for originating calling-only, terminating calling-only or two-way calling. FGA is arranged for use by the IC in the provision of its FX/ONAL service or MTS/WATS-type Service.
- 2. FGA provides a line side termination at the first point of switching. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the IC.
- 3. The Telephone Company shall select the first point of switching, within the selected LATA, at which the line side termination is to be provided unless the IC requests a different first point of switching and Telephone Company facilities and measurement capabilities are available to accommodate such a request.
- 4. A seven-digit local telephone number assigned by the Telephone Company is provided for access to FGA switching in the originating direction. The seven-digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX.

FILED

OCT 16 1987

Issued: OCT 14 1987,

Effective: OCT 16 1987 To-87-42-Public Service Commission

Access Services Tariff Section 6 1st Revised Sheet 22 Replacing Original Sheet 22

(CP)ACCESS SERVICES.

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

There are various optional features available with the Feature Groups!

These additional optional features are provided as Local Diffansport Commission. Common Switching or Transport Termination or WATS Access Line options....

Following are detailed descriptions of each of the available Feature Groups. Each Feature Group is described in terms of its specific physical characteristics and calling patterns, the transmission performances with which it is provided, the optional features available for use with it and the standard testing capabilities.

The Common Switching and Transport Termination optional features, which are described in Paragraph 6.3, following, unless specifically stated otherwise, are available at all Telephone Company end office swifter.

6.2.1 Feature Group A (FGA)

- A. Description
- Description

 1. FGA is provided in connection with Telephone Gompany Generonic and electromechanical end offices. At the option of the IC, FGA is provided on a single or multiple line group basis and its annual form. vided on a single or multiple line group basis and is arranged for originating calling-only, terminating calling-only or two-way calling. FGA is arranged for use by the IC in the provision of its FX/ONAL service or MTS/WATS-type Service.
 - 2. FGA provides a line side termination at the first point of switching. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the IC.
 - The Telephone Company shall select the first point of switching, within the selected LATA, at which the line side termination is to be provided unless the IC requests a different first point of switching and Telephone Company facilities and measurement capabilities are available to accommodate such a request.
 - 4. A seven-digit local telephone number assigned by the Telephone Company is provided for access to FGA switching in the originating direction. The seven-digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX. 86-84

Public Service Commission

Issued:

JUN 27 1986

Effective:

1 1986 JUL

Access Services Tariff
Section 6
FOriginal Sheet 22

ACCESS SERVICES

DEC 29 1000

SWITCHED ACCESS SERVICE-(Continued)

MSSOURI

6.2 Provision and Description of Switched Access Service Frague Groups (Gontinued)

There are various chargeable and nonchargeable optional features available with the Feature Groups. These additional optional features are provided as Access Connections, Local Transport, Common Switching or Transport Termination options.

Following are detailed descriptions of each of the available Feature Groups. Each Feature Group is described in terms of its specific physical characteristics and calling patterns, the transmission performances with which it is provided, the optional features available for use with it and the standard testing capabilities.

The Common Switching and Transport Termination optional features, which are described in Paragraph 6.3, following, unless specifically stated otherwise, are available at all Telephone Company end office switches.

6.2.1 Feature Group A (FGA)

A. Description

- 1. FGA is provided in connection with Telephone Company electronic and electromechanical end offices. At the option of the IC, FGA is provided on a single or multiple line group basis and is arranged for originating calling-only, terminating calling-only or two-way calling. FGA is arranged for use by the IC in the provision of its foreign dial tone service, second dial tone service or switched private network service.
- 2. FGA provides a line side termination at the first point of switching. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the IC.
- 3. The Telephone Company shall select the first point of switching, within the selected LATALD at which the line side termination is to be provided unless the IC requests a different first point of switching and Telephone Company facilities and the aburement capabilities are available to accommodate such a request.
- 4. A seven-digit local telephone Company is provided for access too FOA Switching in the originating direction.

 The seven-digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX.

Issued: DEC 2 9 1983

Effective: JAN 0 1 1984

Access Services Tariff
Section 6
4th Revised Sheet 23
Replacing 3rd Revised Sheet 23

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.1 Feature Group A (FGA)-(Continued)
 - A. Description-(Continued)
 - 4. (Continued)

If the customer requests a specific seven-digit telephone number that s available and the necessary facilities and/or equipment are available to the customer, the requested number will be assigned to the customer.

- 5. FGA switching, when used in the terminating direction, is arranged with dial tone start-dial signaling. When used in the terminating direction, FGA switching may, at the option of the IC, be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When FGA switching is provided in a hunt group or uniform call distribution arrangement, all FGA switching will be arranged for the same type of address signaling.
- 6. No address signaling is provided by the Telephone Company when FGA Switching is used in the originating direction. Address signaling in such cases, if required by the IC, must be provided by the IC's customer using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- 7. FGA switching, when used in the terminating direction, may be used to access valid NXX's in the LATA. Local operator service (0- and 0+), Directory Assistance (411 where available and 555-1212), emergency reporting service (911 where available), exchange telephone repair, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits) may also be accessed by FGA services. FGA may be used for the termination of ACIS, 800 and 900 Access Service calls. FGA may also be used for completion of calls to WATS Access Line Service. Charges for FGA terminating calls requiring operator assistance or calls to 911 will only apply where sufficient call details are available. Additional non-access charges will also be billed on a separate account for (1) an operator surcharge, as set forth in the Local Exchange Tariffs, for local operator assistance (0- and 0+) calls; (2) calls to certain community information services, for which rates are applicable under Telephone Company exchange service

Issued: March 20, 1995 Effective: April 20, 1995

(AT)

By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri

Access Services Tariff Section 6 3rd Revised Sheet 23 Replacing 2nd Revised Sheet 23

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.2 Provision and Description of Switched Address Service Feature
Groups-(Continued) DEC 7 1989

6.2.1 Feature Group A (FGA)-(Continued) 201995

MISSOURI

A. Description-(Continued)

(Continued)

APR 23 Public Service Commission

(Continued)

If the customer requests Public Service Commission

(Continued)

RY 23 Public Service Commission

(Continued)

(Continued)

(Continued)

(Continued)

(Continued)

(Continued) 4. (Continued) is available and the necessary facilities and/or equipment are available to the customer, the requested number will be assigned to the customer.

- 5. FGA switching, when used in the terminating direction, is arranged with dial tone start-dial signaling. When used in the terminating direction, FGA switching may, at the option of the IC, be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When FGA switching is provided in a hunt group or uniform call distribution arrangement, all FGA switching will be arranged for the same type of address signaling.
- No address signaling is provided by the Telephone Company when FGA Switching is used in the originating direction. Address signaling in such cases, if required by the IC, must be provided by the IC's customer using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- 7. FGA switching, when used in the terminating direction, may be used to access valid NXX's in the LATA. Local operator service (0- and 0+), Directory Assistance (411 where available and 555-1212), emergency reporting service (911 where available), exchange telephone repair, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits) may also be accessed by PGA services. FGA may be used for the termination of 800 and 900 Access Service calls. FGA may also be used for completion of calls to WATS Access Line Service. Charges for PGA terminating calls requiring operator assistance or calls to 911 will only apply where sufficient call details are available. Additional non-access charges will also be billed on a separate account for (1) an operator surcharge, as set forth in the Local Exchange Tariffs, for local operator assistance (0and 0+) calls; (2) calls to certain community information services, for which rates are applicable under Telephone Company exchange service

(TH)

(AT)

(AT)

Issued: DEC 2 9 1989

Effective: JAN 2 9 1990

FILED

Access Services Tariff Section 6 2nd Revised Sheet 23 Replacing 1st Revised Sheet 23

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 1 3 1987

6.2 Provision and Description of Switched Access Prvice Feature Groups-(Continued)

6.2.1 Feature Group A (FGA)-(Continued)

Public Service Commission

A. Description-(Continued)

4. (Continued)

(AT) (AT)

eature Group A (FGA)-(Continued)

Cription-(Continued)

(Continued)

If the customer requests a specifical Service OUR!

If the customer requests a specifical Seven-digit telephone number that is available and the necessary facilities and/or equipment are available. is available and the necessary facilities and/or equipment are available to the customer, the requested number will be assigned to the customer.

- FGA switching, when used in the terminating direction, is arranged with dial tone start-dial signaling. When used in the terminating direction, FGA switching may, at the option of the IC, be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When FGA switching is provided in a hunt group or uniform call distribution arrangement, all FGA switching will be arranged for the same type of address signaling.
- 6. No address signaling is provided by the Telephone Company when FGA Switching is used in the originating direction. Address signaling in such cases, if required by the IC, must be provided by the IC's customer using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- 7. FGA switching, when used in the terminating direction, may be used to access valid NXX's in the LATA. Local operator service (0- and 0+), Directory Assistance (411 where available and 555-1212), emergency reporting service (911 where available), exchange telephone repair, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits) may also be accessed by FGA services. FGA may also be used for completion of calls to WATS Access Line Service. Charges for FGA terminating calls requiring operator assistance or calls to 911 will only apply where sufficient call details are available. Additional non-access charges will also be billed on a separate account for (1) an operator surcharge, as set forth in the Local Exchange Tariffs, for local operator assistance (0- and 0+) calls; (2) calls to certain community inform ation services, for which rates are applicable under Telephone

OCT <u>16 1987</u>

TO-87-42-Issued: OCT 1 4 1987 Effective: OCT 1.6 1987 ublic Service Commission

(CP) ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feather Groups-(Continued)

6.2.1 Feature Group A (FGA)-(Continued)

A. Description-(Continued)

4. (Continued)

OCT 16 1987

BY 2 A S. #23

Public Service Commission

JUN 27 (35)

Access Services Tariff

1st_Revised-Sheet 23

Section 6

If the customer requests a specific seven-digit telephone inher that is available and the necessary facilities and/or equipment are available to the customer, the requested number will be assigned to the customer.

- 5. FGA switching, when used in the terminating direction, is arranged with dial tone start-dial signaling. When used in the terminating direction, FGA switching may, at the option of the IC, be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When FGA switching is provided in a hunt group or uniform call distribution arrangement, all FGA switching will be arranged for the same type of address signaling.
- 6. No address signaling is provided by the Telephone Company when FGA Switching is used in the originating direction. Address signaling in such cases, if required by the IC, must be provided by the IC's customer using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- 7. FGA switching, when used in the terminating direction, may be used to access valid NXX's in the LATA. Local operator service (0- and 0+), Directory Assistance (411 where available and 555-1212), emergency reporting service (911 where available), exchange telephone repair, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits) may also be accessed by FGA services. Charges for FGA terminating calls requiring operator assistance or calls to 911 will only apply where sufficient call details are available. Additional—non-access—charges—will also be billed on a separate account for (1) an operator operator assistance (0- and 0+) calls; (2) calls to certain community information services, for which rates are applicable under Tellephone 1986—84

Public Service Commission

Issued:

JUN 27 1986

Effective:

JUL 1 1986

Access Services Tariff
Section 6
Original Sheet 23

ACCESS SERVICES

DEC 20 1000

SWITCHED ACCESS SERVICE-(Continued)

- MISSOURI
- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.1 Feature Group A (FGA)-(Continued)
 - A. Description-(Continued)
 - 5. FGA switching, when used in the terminating direction, is arranged with dial tone start-dial signaling. When used in the terminating direction, FGA switching may, at the option of the IC, be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When FGA switching is provided in a hunt group or uniform call distribution arrangement, all FGA switching will be arranged for the same type of address signaling.
 - 6. No address signaling is provided by the Talephone Company when FGA Switching is used in the Original fine direction. Address signaling in such cases, if required by the TC, must be provided by the IC's customer using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Helephone Company and will be subject to the ordinary transmission capabilities of Access Connections and Local Transport provided.

 BY SERVICE COMMISSION
 - FGA switching, when used in the creen atting direction, may be used to access valid NXX's in the LATA, local operator service (0- and 0+), directory assistance (411 where available and 555-1212), emergency reporting service (911 where available), exchange telephone repair (611 where available), time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits). Charges for FGA terminating calls requiring operator assistance or calls to 611 or 911 will only apply where sufficient call details are available. For calls to services of other IC's, additional charges may apply. Additional charges will also be billed for (1) an operator surcharge, as set forth in the Local Exchange Tariffs, for local operator assistance (0 and 0+) calls; (2) calls to certain community information services, for which rates are applicable under Telephone Company exchange servide tariffs, e. 2001/976 (DIAL-IT) Network Services, and, (3) IC call charges in accompance with the tariffs in force when the Telephone Company performs the billing for such IC calls. For calls to Directory Assistance (411 where available) and 555-1212), Local Transport rates for FGA Switched Access Service will not apply. Instead, Local Transport for calls to this service is subject to a per call rate as set forth in Paragraph 9.6, B., following. Additionally, calls to Directory Assistance are subject to the Directory Assistance Service Call rate set forth in Paragraph 9.6, A., following.

Issued: DEC 2 9 1983

Effective: JAN 0 1 1984

Access Services Tariff
Section 6
5th Revised Sheet 24
Replacing 4th Revised Sheet 24

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.1 Feature Group A (FGA)-(Continued)
 - A. Description-(Continued)
 - 7. (Continued)

tariffs, i.e., 976 (DIAL-IT) Network Services, and, (3) calls from a FGA line to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. For calls to Directory Assistance (411 and 555-1212, whichever is available), Local Transport rates for FGA Switched Access Service will not apply. Instead, FGA calls to this service are subject to the Directory Assistance Service

- (AT) Call rates set forth in Paragraph 9.6, B., following. FGA Access is not offered for use in terminating FGC, FGD, BSA-C or BSA-D originating communications.
 - 8. When a FGA switching arrangement for an individual IC (a single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.

B. Features

- 1. Common Switching Feature
 - a. Hunt Group Arrangement
 - b. Uniform Call Distribution Arrangement
 - c. Nonhunting Number for use with Hunt Group Arrangement or Uniform Call Distribution Arrangement
 - d. Call Denial
 - e. Service Code Denial
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number Arrangement for use with WATS Access Line Service as described in f. or g., preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
- 2. Transport Termination Features
 - a. Two-way operation with dial pulse address signaling and loop start supervisory signaling

(MT)

Issued: March 26, 1993 Effective: April 11, 1993

Access Services Tariff Section 6 4th Revised Sheet 24

Replacing 3rd Revised Sheet 24

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

AUG 9 1991

6.2.1 Feature Group A (FGA)-(Continued)

MISSOURI nlic Service Commission

- Description-(Continued)
 - 7. (Continued)

tariffs, i.e., 976 (DIAL-IT) Network Services, and, (3) calls from a FGA line to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. For calls to Directory Assistance (411 and 555-1212, whichever is available), Local Transport rates for FGA Switched Access Service will not apply. Instead, FGA calls to this service are subject to the Directory Assistance Service Call rates set forth in Paragraph 9.6, B., following.

8. When a FGA switching arrangement for an individual IC (a single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.

(RT) Features CANCELLED

(RT) 1. Common Switching Feature

APR 11 1993 BY 5 ARIS #24

- Hunt Group Arrangement
- Uniform Call Distribution Arrangement

Public Service Commission Nonhunting Number for use with Hunt Group Arrangement SOURI

Uniform Call Distribution Arrangement

Call Denial d.

Service Code Denial

- Hunt Group Arrangement for use with WATS Access Line Service
- Uniform Call Distribution Arrangement for use with WATS Access Line Service
- Nonhunting Number Arrangement for use with VATS Access Line Service as described in f. or g., preceding
- Band Advance Arrangement for use with WATS Access Line Service

(RT) 2. Transport Termination Features

- Two-way operation with dial pulse address signaling and loop start supervisory signaling
- Two-way operation with dial pulse address signaling and ground start supervisory signaling
- Two-way operation with dual tone multifrequency address signaling and loop start supervisory signaling. FILED

Issued: AUG 0 9 1991

Effective: SEP 0 9 189 SEP 3 0 1991

SEP 3 0 1991

Access Services Tariff Section 6 3rd Revised Sheet 24 Replacing 2nd Revised Sheet 24

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature, EIVED Groups-(Continued)
- 6.2.1 Feature Group A (FGA)-(Continued)

DEC 7 1989

A. Description-(Continued)

MISSOURI Public Service Commission

7. (Continued)

(MT)

tariffs, i.e., 976 (DIAL-IT) Network Services, and, (3) calls from a FGA line to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. For calls to Directory Assistance (411 and 555-1212, whichever is available), Local Transport rates for FGA Switched Access Service will not apply. Instead, FGA calls to this service are subject to the Directory Assistance Service Call rates set forth in Paragraph 9.6, B., following.

8. When a FGA switching arrangement for an individual IC (a single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service and the period of 90 days, an announcement that the service and the period of 90 days, and announcement that the service and the period of 90 days, and announcement that the service and the period of 90 days, and announcement that the service and the period of 90 days, and announcement that the service and the period of 90 days, and announcement that the service and the period of 90 days, are announcement that the service and the period of 90 days, and announcement that the service and the period of 90 days, are announcement that the service and the period of 90 days, are announcement that the service and the period of 90 days, are announcement that the service and the period of 90 days, are also announcement that the service and the period of 90 days, are also and the period of 90 days. the number dialed has been disconnected.

B. Optional Features

BY + MR. S. = 24

1. Common Switching Optional Peature

Public Service Commission

SEP 3 0 1991

MISSOURI

Hunt Group Arrangement

Uniform Call Distribution Arrangement b.

- Nonhunting Number for use with Hunt Group Arrangement or Uniform Call Distribution Arrangement
- d. Call Denial
- e. Service Code Denial
- f. Hunt Group Arrangement for use with WATS Access Line Service
- g. Uniform Call Distribution Arrangement for use with WATS Access
- Nonhunting Number Arrangement for use with WATS Access Line Service as described in f. or g., preceding
- i. Band Advance Arrangement for use with WATS Access Line Service
- 2. Transport Termination Optional Features
 - a. Two-way operation with dial pulse address signaling and loop start supervisory signaling
 - b. Two-way operation with dial pulse address signaling and ground start supervisory signaling
 - c. Two-way operation with dual tone multifrequency address signaling and loop start supervisory signaling. FILED

JAN 2 9 1990 Effective:

DEC 2 9 1989 R. D. BARRON, President-Missouri Division

JAN 29 1990

Access Services Tariff Section 6 2nd Revised Sheet 24 Replacing 1st Revised Sheet 24

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 1 3 1987 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

6.2.1 Feature Group A (FGA)-(Continued)

MISSCURI Public Service Commission

- A. Description-(Continued)
 - 7. (Continued)

Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Services, and, (3) calls from a FGA line to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. For calls to Directory Assistance (411 and 555-1212, whichever is available), Local Transport rates for FGA Switched Access Service will not apply. Instead, FGA calls to this service are subject to the Directory Assistance Service Call rates set forth in Paragraph 9.6, B., following.

8. When a FGA switching arrangement for an individual IC (a single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected. number dialed has been disconnected.

- B. Optional Features
 - 1. Common Switching Optional Feature

b. Uniform Call Distribution Arrangement

C. Nonhunting Number for use with Harring Missouri Uniform Call Distribution Arrangement

d. Call Denial

e. Service Code Denial

f. Hunt Group Arrangement for use with WATS Access Line Service

g. Uniform Call Distribution Arrangement for use with WATS Access Line Service

h. Nonhunting Number Arrangement for use with WATS Access Line Service as described in f. or g, preceding

i. Band Advance Arrangement for use with WATS Access Line Service

- 2. Transport Termination Optional Features
 - Two-way operation with dial pulse address signaling and loop start supervisory signaling
 - Two-way operation with dial pulse address signaling and ground start supervisory signaling
 - Two-way operation with dual tone multifrequency address signaling and loop start supervisory signaling.

Issued: OCT 1 4 1987

Effective: OCT 16 1987 T0-87-42

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

(AT)

(AT)

Access Services Tariff Section 6 1st Revised Sheet 24 Replacing Original Sheet 24

MISSUURI

Public Service Commission

(CP)ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

JUN 27 4940 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

6.2.1 Feature Group A (FGA)-(Continued)

A. Description-(Continued)

7. (Continued)

Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Services, and, (3) calls from a FGA line to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. For calls to Directory Assistance (411 and 555-1212, whichever is available), Local Transport rates for FGA Switched Access Service will not apply. Instead, FGA calls to this service are subject to the Directory Assistance Service Call rates set forth in Paragraph 9.6, B., following.

8. When a FGA switching arrangement for an individual IC (a single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected. CANCELLED

B. Optional Features

1. Common Switching Optional Feature

a. Hunt Group Arrangement

b. Uniform Call Distribution Arrangement

Nonhunting Number for use with Hunt Grouph Arrangement Uniform Call Distribution Arrangement Call Denial

d.

e. Service Code Denial

2. Transport Termination Optional Features

Two-way operation with dial pulse address signating and loop

Two-way operation with dial pulse address signaling and ground start supervisory signaline

Two-way operation with dual tone multifrequency address signalling

and loop start supervisory signaling. 86-84 Public Service Commission

Issued: Effective: 1 1986 JUL JUN 27 1985

Access Services Tariff
Section 6
Original Sheet 24

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

DEC 29 1883

- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.1 Feature Group A (FGA)-(Continued)
 - A. Description-(Continued)
 - 8. When a FGA switching arrangement for an individual IC (a single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.
 - B. Optional Features
 - 1. Common Switching Optional Feature
 - a. Hunt Group Arrangement
 - b. Uniform Call Distribution Arrangement
 - c. Nonhunting Number for use with Hunt Group Artangement or Uniform Call Distribution Arrangement US
 - d. Call Denial
 - e. Service Code Denial

JUL 1 1986

2. Transport Termination Optional Features 3 # 24

a. Two-way operation with dial pullse address signaling and loop start supervisory signaling

 Two-way operation with dial pulse address signaling and ground start supervisory signaling

c. Two-way operation with dual tone multifrequency address signaling and loop start supervisory signaling

d. Two-way operation with dual tone multifrequency address signaling and ground start supervisory signaling

e. Terminating operation with dial pulse address signaling and loop start supervisory signaling

f. Terminating operation with dial pulse address signaling and ground start supervisory signaling AV = 1

g. Terminating operation with dual tone multifrequency address signaling and loop start supervisory signaling

h. Terminating operation with dual tone multifrequency address signaling and ground start supervisory signaling

i. Originating operation with loop start supervisory signaling

j. Originating operation with ground start supervisory signaling

Issued: DEC 29 1983

Effective: JAN 0 1 1984

Access Services Tariff
Section 6
3rd Revised Sheet 25
Replacing 2nd Revised Sheet 25

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.1 Feature Group A (FGA)-(Continued)
 - B. Features-(Continued)
 - 2. Transport Termination Features-(Continued)
- (MT) (MT)
- b. Two-way operation with dial pulse address signaling and ground start supervisory signaling
- c. Two-way operation with dual tone multifrequency address signaling and loop start supervisory signaling.
- d. Two-way operation with dual tone multifrequency address signaling and ground start supervisory signaling
- e. Terminating operation with dial pulse address signaling and loop start supervisory signaling
- f. Terminating operation with dial pulse address signaling and ground start supervisory signaling
- g. Terminating operation with dual tone multifrequency address signaling and loop start supervisory signaling
- h. Terminating operation with dual tone multifrequency address signaling and ground start supervisory signaling
- i. Originating operation with loop start supervisory signaling
- j. Originating operation with ground start supervisory signaling
- 3. Local Transport Features
 - a. Supervisory Signaling
 - b. Customer Specified Entry Switch Receive Level
- 4. Certain other features which may be available in connection with Feature Group A are provided under the Telephone Company's Local and/or General Exchange Service Tariffs. These are:
 - Custom Calling Features
 - Billed Number Screening
 - IntraLATA Extensions
- $(AT) TeleBranch^{R}$
 - C. Transmission Performance

FGA is provided with either Type B or Type C Transmission Performance. The parameters associated with these performances are guaranteed to the

(MT)

CANCELLED June 29, 2007

TO-2002-185

Missouri Public

Service Commission

(C)

Issued: March 26, 1993

Effective: April 11, 1993

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

Access Services Tariff Section 6 2nd Revised Sheet 25 Replacing 1st Revised Sheet 25

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

MISSOURI 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued) plic Service Commission

6.2.1 Feature Group A (FGA)-(Continued)

(RT) Features-(Continued)

(RT) Transport Termination Features-(Continued)

> Two-way operation with dual tone multifrequency address signaling and ground start supervisory signaling

Terminating operation with dial pulse address signaling and loop start supervisory signaling

Terminating operation with dial pulse address signaling and ground start supervisory signaling

Terminating operation with dual tone multifrequency address signaling and loop start supervisory signaling

Terminating operation with dual tone multifrequency address signaling and ground start supervisory signaling

Originating operation with loop start supervisory signaling

Originating operation with ground start supervisory signaling

3. Local Transport Features (RT)

(RT)

(RT) Supervisory Signaling

Customer Specified Entry Switch Receive Level

Certain other features which may be available in connection with Feature Group A are provided under the Telephone Company's Local and/or General Exchange Service Tariffs. These are: CANCELLED

- Custom Calling Features

- Bill Number Screening

- IntraLATA Extensions

Transmission Performance

Public Service Commission

APR 11 1993

MISSOUR:

FGA is provided with either Type B or Type C Transmission Performance. The parameters associated with these performances are guaranteed to the first point of switching except when optional extensions are provided. Type C Transmission Performance is provided with Interface Group 1, and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGA to the first point of switching.

Issued: AUG 0 9 1991 Effective: SEP-0-9-1991

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company

Public Service Commission

St. Louis, Missouri

Access Services Tariff
Section 6
1st Revised Sheet 25
Replacing Original Sheet 25

(CP)ACCESS SERVICES

RECEIVED

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.1 Feature Group A (FGA)-(Continued)

MISSUUKI Public Service Commission

- B. Optional Features-(Continued)
 - 2. Transport Termination Optional Features-(Continued)
 - d. Two-way operation with dual tone multifrequency address signaling and ground start supervisory signaling

e. Terminating operation with dial pulse address signaling and loop start supervisory signaling

f. Terminating operation with dial pulse address signaling and ground start supervisory signaling

g. Terminating operation with dual tone multifrequency address signaling and loop start supervisory signaling

h. Terminating operation with dual tone multifrequency address signaling and ground start supervisory signaling

- i. Originating operation with loop start supervisory signaling
- j. Originating operation with ground start supervisory signaling
- 3. Local Transport Optional Features
 - a. Supervisory Signaling (as set forth in Paragraph 6.1.2, A.12.a., preceding)
 - b. Customer Specified Entry Switch Receive Level
- 4. Certain other features which may be available in connection with Feature Group A are provided under the Telephone Company's LCANG For Certain Exchange Service Tariffs. These are:

- Custom Calling Features

- Bill Number Screening

- IntraLATA Extensions

BY 2nd R.S. #25

SEP 3 0 1991

Public Service Commission MISSOURI

C. Transmission Performance

FGA is provided with either Type B or Type C Transmission Performance. The parameters associated with these performances are guaranteed to the first point of switching except when optional extensions are provided. Type C Transmission Performance is provided with Interface Group I and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGA to the first point of switching.

86-84

Public Confice Commission

Issued:

JUN 27 1986

Effective:

JUL 1 1986

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service F
 - 6.2.1 Feature Group A (FGA)-(Continued)
 - B. Optional Features-(Continued)
 - 3. Certain other features which may be available in connection with Feature Group A are provided under the Telephone Company's Local and/or General Exchange Service Tariffs. These are:
 - Speed Calling
 - Remote Call Forwarding
 - Bill Number Screening
 - IntraLATA Extensions
 - C. Transmission Performance

FGA is provided with either Type B or Type C Transmission Performance. The parameters associated with these performances are guaranteed to the first point of switching. Type C Transmission Performance is provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGA to the first point of switching.

CAMBELLED

JUL 1 1986

BY SERVICE COMMISSION OF MISSOURI

JAN - 1 1934 83 - 253

Access Services Tariff

Original Sheet 25

DEC 25 1003

tiissouri

Section 6

Issued: DEC 29 1983

Effective: JAN 0 1 1984

Access Services Tariff
Section 6
3rd Revised Sheet 26
Replacing 2nd Revised Sheet 26

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.1 Feature Group A (FGA)-(Continued)
 - C. Transmission Performance-(Continued)

(MT) (MT) first point of switching except when optional extensions are provided. Type C Transmission Performance is provided with Interface Group 1, and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGA to the first point of switching.

D. Testing Capabilities

FGA is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line and milliwatt (102 type) test line. In addition to the tests described in Paragraph 6.1.4, preceding, which are included with the installation of service, Additional Cooperative Acceptance Testing and Nonscheduled Testing are available for FGA as set forth in Paragraph 13.3.5, following.

6.2.2 Feature Group B (FGB)

A. Description

- 1. FGB, when directly routed to an end office (i.e., provided without the use of an access tandem switch), is provided at appropriately equipped Telephone Company electronic end office switches. When provided via Telephone Company designated electronic access tandem switches, FGB switching is provided at Telephone Company electronic and electromechanical end office switches.
- 2. FGB is provided as trunk side switching. The switch trunk equipment is provided with Wink Start Address Signaling or Immediate Dial Pulse Address Signaling and answer and disconnect supervisory signaling.
- 3. FGB switching is provided with multifrequency address signaling in both the originating and terminating directions. Except for FGB switching provided with the automatic number identification (ANI) or rotary dial station signaling arrangements as set forth in Paragraph 6.4, following, any other address signaling in the originating direction, if required by the IC, must be provided by the IC's customer using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.

(FC)

Issued: March 26, 1993 Effective: April 11, 1993

Access Services Tariff
Section 6
2nd Revised Sheet 26
Replacing 1st Revised Sheet 26

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

6.2 Provision and Description of Switched Access Service Feature Groups(Continued)

MISSOURI

blic Service Commission

- 6.2.1 Feature Group A (FGA)-(Continued)
- D. Testing Capabilities

FGA is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line and milliwatt (102 type) test line. In addition to the tests described in Paragraph 6.1.4, preceding, which are included with the installation of service, Additional Cooperative Acceptance Testing and Nonscheduled Testing are available for FGA as set forth in Paragraph 13.3.5, following.

- 6.2.2 Feature Group B (FGB)
 - A. Description

(AT)

- FGB, when directly routed to an end office (i.e., provided without the
 use of an access tandem switch), is provided at appropriately equipped
 Telephone Company electronic end office switches. When provided via
 Telephone Company designated electronic access tandem switches, FGB
 switching is provided at Telephone Company electronic and electromechanical end office switches.
- 2. FGB is provided as trunk side switching. The switch trunk equipment is provided with Wink Start Address Signaling or Immediate Dial Pulse Address Signaling and answer and disconnect supervisory signaling.
 - 3. FGB switching is provided with multifrequency address signaling in both the originating and terminating directions. Except for FGB switching provided with the automatic number identification (ANI) or rotary dial station signaling arrangements as set forth in Paragraph 6.3, following, any other address signaling in the originating direction, if required by the IC, must be provided by the IC's customer using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.

CANCELLED

APR 11 1993 #26 BY 3rd R.S. #26

Public Service Commission

Issued: AUG 0 9 1991

Effective: SEP MISSOURI

I les ton tre

SEP 3 0 1891 SEP 3 0 1991

Access Services Tariff Section 6 1st Revised Sheet 26 Replacing Original Sheet 26

(CP) ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

6.2.1 Feature Group A (FGA)-(Continued)

D. Testing Capabilities

MISSORKI Public Service Commission

FGA is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line and milliwatt (102 type) test line. In addition to the tests described in Paragraph 6.1.4, preceding, which are included with the installation of service, Additional Cooperative Acceptance Testing and Nonscheduled Testing ANG Higher for FGA as set forth in Paragraph 13.3.5, following.

SEP 3 0 1991

6.2.2 Feature Group B (FGB)

BY 2me R. **Public Service Commission** MISSOURI

A. Description

- 1. FGB, when directly routed to an end office (i.e., provided without the use of an access tandem switch), is provided at appropriately equipped Telephone Company electronic end office switches. When provided via Telephone Company designated electronic access tandem switches, FGB switching is provided at Telephone Company electronic and electromechanical end office switches.
- FGB is provided as trunk side switching. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
- 3. FGB switching is provided with multifrequency address signaling in both the originating and terminating directions. Except for FGB switching provided with the automatic number identification (ANI) or rotary dial station signaling arrangements as set forth in Paragraph 6.3, following, any other address signaling in the originating direction, if required by the IC, must be provided by the IC's customer using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.

Public Service Commission

JUN 27 1986 Issued:

Effective:

1 1986 JUL

Access Services Tariff
Section 6
Original Sheet 26

ACCESS SERVICES

DEC 2 9 1000

SWITCHED ACCESS SERVICE-(Continued)

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.1 Feature Group A (FGA)-(Continued)
 - D. Testing Capabilities

FGA is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line and milliwatt (102 type) test line. Additional Cooperative Acceptance Testing and Non-Scheduled Testing will be provided as set forth in Section 13, following.

6.2.2 Feature Group B (FGB)

- A. Description
 - 1. FGB, when directly routed to an end office (i.e., provided without the use of an access tandem switch), is provided at appropriately equipped Telephone Company electronic end office switches. When provided via Telephone Company designated electronic access tandem switches, FGB switching is provided at Telephone Company electronic and electromechanical end office switches.
 - FGB is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
 - 3. FGB switching is provided with multifrequency address signaling in both the originating and terminating directions. Except for FGB switching provided with the automatic number identification (ANI) or rotary dial station signaling arrangements as set forth in Paragraph 6.3, following, any other address signaling in the originating direction, if required by the IC, must be provided by the IC's customer using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the access Connections and Local Transport provided.

JUL 1 1900

BY LOSERVICE COMMISSION

Issued: DEC 2 9 1983

Effective:

Access Services Tariff
Section 6
7th Revised Sheet 27
Replacing 6th Revised Sheet 27

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.2 Feature Group B (FGB(Continued)
 - A. Description-(Continued)
 - 4. The uniform access code for FGB switching is 950-XXXX. These uniform access codes will be the assigned access numbers of all FGB Switched Access Service provided to the customer the Telephone Company. FGB
- (AT) Switched Access may also be used to originate ACIS and 900 Access Service until such time as FGD becomes available in the end office. FGB may also be used for completion of calls to WATS Access Line Service. The customer's end user is not required to dial an access
- (AT) code for originating ACIS and 900 Access Service provided with Feature
 (AT) Group B Switched Access Service. FGB may be used to terminate ACIS, 800 NPAS and 900 Access Service calls.
- (AT) FGB Switched Access may be used to originate ACIS and 1+900 Access Services, until such time as FGD becomes available in the end office. 800 NPAS traffic originating from non-equal access end offices must be delivered to the customer via tandem-routed FGD trunk.

Issued: March 20, 1995 Effective: April 20, 1995

P.S.C. No.-No. 36 5

No supplement to this tariff will be issued except for the purpose of canceling this tariff. Access Services Tariff
Section 6
6th Revised Sheet 27
Replacing 5th Revised Sheet 27

ACCESS SERVICES

RECEIVED

Public Service Commission

- 6. SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature OCT 04 1993
 Groups-(Continued)
 MISSOURI
 - 6.2.2 Feature Group B (FGB)-(Continued)
 - A. Description-(Continued)

(CT)

4. The uniform access code for FGB switching is 950-XXXX. These uniform access codes will be the assigned access numbers of all FGB Switched Access Service provided to the customer the Telephone Company. FGB Switched Access may also be used to originate 900 Access Service until such time as FGD becomes available in the end office. FGB may also be used for completion of calls to WATS Access Line Service. The customer's end user is not required to dial an access code for originating 900 Access Service provided with Feature Group B Switched Access Service. FGB may be used to terminate 800 NPAS and 900 Access Service calls.

FGB Switched Access may be used to originate 1+900 Access Services, until such time as FGD becomes available in the end office. 800 NPAS traffic originating from non-equal access end offices must be delivered to the customer via tandem-routed FGD trunk.

CANCELLED

APR 201995

BY M R. S. 27

Public Service Commission

MISSOURI

FLED

NOV 111993

Issued: OCT 1 1 1993

Effective:

NOV 1 1 1993 c Service Commission

Access Services Tariff
Section 6
5th Revised Sheet 27
Replacing 4th Revised Sheet 27

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

MAR 13 1993

6.2 Provision and Description of Switched Access Service Feature
Groups-(Continued)

MO. PUELIG SERVICE COMM

- 6.2.2 Feature Group B (FGB)-(Continued)
 - A. Description-(Continued)
 - 4. The uniform access code for FGB switching is either 950-0XXX or 950-1XXX. These uniform access codes will be the assigned access numbers of all FGB Switched Access Service provided to the customer by the Telephone Company. FGB Switched Access may also be used to originate 900 Access Service until such time as FGD becomes available in the end office. FGB may also be used for completion of calls to WATS Access Line Service. The customer's end user is not required to dial an access code for originating 900 Access Service provided with Feature Group B Switched Access Service. FGB may be used to terminate 800 NPAS and 900 Access Service calls.

FGB Switched Access may be used to originate 1+900 Access Services, until such time as FGD becomes available in the end office. 800 NPAS traffic originating from non-equal access end offices must be delivered to the customer via tandem-routed FGD trunk.

(AT)

(RT)

(RT)

(AT)

(AT)

(MT)

CANCELLED

NOV 11 1993 #27
BY GARS, 27
Public Service Commission
MISSOURI

FILED)

[JAY 0 1 1993

wo. Tublic service corm

Issued: MAR 2 2 1993

Effective:

MAY - 1 1993

By A. D. ROBERTSON, Assistant Vice President-External Affairs
Southwestern Bell Telephone Company
St. Louis, Missouri
P.S.C. Mo.-No. 36

Access Services Tariff Section 6 4th Revised Sheet 27 Replacing 3rd Revised Sheet 27

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.2 Provision and Description of Switched ACCARCETTEE Feature Groups-(Continued)

MAR 29 1993

6.2.2 Feature Group B (FGB)-(Continued)

BY 5 Th R. S. Public Service Commission Public Service Commission

A. Description-(Continued)

The uniform access code for FGB switching is either 950-0XXX or 950-1XXX. These uniform access codes will be the assigned access numbers of all FGB Switched Access Service provided to the customer by the Telephone Company. FGB Switched Access may also be used to originate 800 and 900 Access Service until such time as FGD becomes

calls to WATS Access Line Service. The customer's end user is not required to dial an access code for originating 800 and 900 Access Service provided with Feature Group B Switched Access Service. FGB

available in the end office. FGB may also be used for completion of

may be used to terminate 800 and 900 Access Service calls.

FGB switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from an FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 where available and 555-1212), service codes 611 and 911 or 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGB switching is combined with Directory Assistance switching. The combination of FGB Switched Access Service with DA service is provided as set forth in Section 9., following. FGB, in the terminating direction, may not be (1) switched to access another Feature Group B, C or D in the same LATA and (2) switched to access a BSA-B, BSA-C or BSA-D in the same LATA and (3) used to terminate originating FGC, FGD, BSA-C or BSA-D calls.

(AT)

MAR 2 6 1993. Issued:

Effective:

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

P.S.C. Mo.-No. 36

MO. PUBLIC SERVICE COMN

Access Services Tariff Section 6 3rd Revised Sheet 27 Replacing 2nd Revised Sheet 27

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

CANCELLED

DEC 7

6.2 Provision and Description of Switched Access Service Feature
Groups-(Continued)

APR 11 1993 Public Service Commission Groups-(Continued)

6.2.2 Feature Group B (FGB)-(Continued)

A. Description-(Continued)

MISSOURI

The uniform access code for FGB switching is either 950-0XXX or 950-1XXX. These uniform access codes will be the assigned access numbers of all FGB Switched Access Service provided to the customer by the Telephone Company. FGB Switched Access may also be used to originate 800 and 900 Access Service until such time as FGD becomes available in the end office. FGB may also be used for completion of calls to WATS Access Line Service. The customer's end user is not required to dial an access code for originating 800 and 900 Access Service provided with Feature Group B Switched Access Service. FGB may be used to terminate 800 and 900 Access Service calls.

(AT)

(AT)

(AT)

(AT)

5. FGB switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, nonaccess charges will also be billed for calls from an FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 where available and 555-1212), service codes 611 and 911 or 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGB switching is combined with Directory Assistance switching. The combination of FGB Switched Access Service with DA service is provided as set forth in Section 9., following. FGB, in the terminating direction, may not be (1) switched to access another Feature Group B, C or D in the same LATA and (2) used to terminate originating FGC or FGD calls.

UEC 2 9 1989 Issued:

JAN 2 9 1980 Effective:

FILED

JAN 29 1390

(AT)

(ÅT)

(AT)

Access Services Tariff
Section 6
2nd Revised Sheet 27
Replacing 1st Revised Sheet 27

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.2 Feature Group B (FGB)-(Continued)

OCT 1 3 1987

- A. Description-(Continued)
 - 4. The uniform access code for FGB switching is either 950-0XXX or 950-1XXX. These uniform access codes will be the assigned access sion numbers of all FGB Switched Access Service provided to the customer by the Telephone Company. FGB Switched Access may also be used to originate 800 Access Service until such time as FGD becomes available in the end office. FGB may also be used for completion of calls to WATS Access Line Service. The customer's end user is not required to dial an access code for originating 800 Access Service provided with Feature Group B Switched Access Service.
- 5. FGB switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange customer's service in accordance with that customer's applicable service of the customer. Calls in the terminating direction will not be completed.

 Directors of the customer of the customer of the customer. Calls in the terminating direction will not be completed.

 Directors of the customer of the customer of the customer of the customer. Calls in the terminating direction will not be completed. service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, nonaccess charges will also be billed for calls from an FGB trunk to another customer's service in accordance with that customer's applicable service 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+),
 Directory Assistance (411 where available and 555-1212), service codes 611 Table (NPA-555-1212 or 555-1212) when FGB switching is combined with Directory Assistance courses a specific of the complete of the complete of the combination of FGB Switched Access the course of the combination of FGB Switched Access the course of the combination of FGB Switched Access the course of the combination of FGB Switched Access the course of the course and 910 or 10XXX access codes. Calls will be completed to Directory Assisanother Feature Group B, C or D in the same LATA and (2) used to terminate originating FGC or FGD calls.
 - 6. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided, e.g., 800 Access Service. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

Issued: OCT 1 4 1987

Effective: OCT 16 1987

Public Service Commission

Access Services Tariff Section 6 1st Revised Sheet 27 Replacing_Original

(CP)ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

JUN 27 66

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued) M12209KI
- 6.2.2 Feature Group B (FGB)-(Continued)

Public Service Commission

A. Description-(Continued)

- CANCELLED The uniform access code for FGB switching is either 950-0XXX or 950-1XXX. These uniform access codes will be the Cassigned access numbers of all FGB Switched Access Service provided to the outroper by the Telephone Company.

 BY Commission
- 5. FGB switching, when used in the terminating directing Smay He used to access valid NXX's in the LATA. time or weather access. of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, nonaccess charges will also be billed for calls from an FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 where available and 555-1212), service codes 611 and 911 or 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGB switching is combined with Directory Assistance switching. The combination of FGB Switched Access Service with DA service is provided as set forth in Section 9., following. FGB, in the terminating direction, may not be (1) switched to access another Feature Group B, C or D in the same LATA and (2) used to terminate originating FGC or FGD calls.
- 6. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches_where FGB_switch= ing is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

86-84 Public Service Commission

Issued:

JUN 27 1986

Effective:

JUL 1 1986

Access Services Tariff
Section 6
Original Sheet 27

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

DEC 29 4003

6.2 Provision and Description of Switched Access Service Feature Groups (Continued)

6.2.2 Feature Group B (FGB)-(Continued)

A. Description-(Continued)

- 4. The access code for FGB switching is a uniform access code. The form of the uniform access code is 950-10XX for carriers. One uniform access code will be assigned to the IC for its domestic communications and another will be assigned to the IC for its international communications, if required. These uniform access codes will be the assigned access numbers of all FGB switched access service provided to the IC by the Telephone Company.
- 5. FGB switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. For calls to services of other IC's, additional charges may apply. The IC will also be billed additional charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Calls in the terminating direction will not be completed to 950-10XX access codes, local operator assistance (0- and 0+), directory assistance (411 where available and 555-1212), service codes (611 and 911 where available) or 10XX access codes. FGB may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C and D.
- 6. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

JUL 1 1986

BY AL Q S # 2 T

PUBLIC SERVICE COMMISSION

OF MISSOUN

JAN = 1 1924 83 - 253

Issued: DEC 29 1983

Effective: JAN 0 1 1984

Access Services Tariff
Section 6
4th Revised Sheet 27.01
Replacing 3rd Revised Sheet 27.01

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.2 Feature Group B (FGB)-(Continued)
 - A. Description-(Continued)
 - 5. FGB switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from an FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0and 0+), Directory Assistance (411 where available and 555-1212), service codes 611, 911 or 101XXXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGB switching is combined with Directory Assistance switching. The combination of FGB Switched Access Service with DA service is provided as set forth in Section 9., following. FGB, in the terminating direction, may not be (1) switched to access another Feature Group B, C or D in the same LATA and switched to access a BSA-B, BSA-C or BSA-D (3) used to terminate originating FGC, FGD, BSA-C or BSA-D calls.
 - 6. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided, e.g., 900 Access Service. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

Issued: September 21, 1998 Effective: October 21, 1998

CANCELLED June 29, 2007 TO-2002-185

Missouri Public

Service Commission

By PRISCILLA HILL-ARDOIN, President-Missouri Southwestern Bell Telephone Company St. Louis, Missouri

(CT)

Access Services Tariff
Section 6
3rd Revised Sheet 27.01
Replacing 2nd Revised Sheet 27.01

ACCESS SERVICES

RECEIVED

- 6. SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.2 Feature Group B (FGB) (Continued)

MO. PUBLIC SERVICE COMM.

- A. Description-(Continued)
 - FGB switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, nonaccess charges will also be billed for calls from an FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411 where available and 555-1212), service codes 611, 911 or 10XXXX or 101XXXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGB switching is combined with Directory Assistance switching. The combination of FGB Switched Access Service with DA service is provided as set forth in Section 9., following. FGB, in the terminating direction, may not be (1) switched to access another Feature Group B, C or D in the same LATA and switched to access a BSA-B, BSA-C or BSA-D (3) used to terminate originating FGC, FGD, BSA-C or BSA-D calls.
 - 6. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided, e.g., 900 Access Service. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company. CANCELLED

DCT 2-1 1998

By Hh RS# 27,0|

Public Service Commission

MISSOURI

FILED

Issued: AUG 1 5 1995

Effective:

SEP 15 1995EP 1 5 1995

(AT)

P.S.C. Mo.-No. 36

No supplement to this tariff will be issued except for the purpose of canceling this tariff.

Access Services Tariff Section 6 2nd Revised Sheet 27.01 Replacing 1st Revised Sheet 27.01

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 04 1993

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI Public Service Commission

6.2.2 Feature Group B (FGB)-(Continued)

Description-(Continued)

- 5. FGB switching, when used in the terminativise direction, may be used to access valid NXX's in the LATA, Pure or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, nonaccess charges will also be billed for calls from an FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411 where available and 555-1212), service codes 611 and 911 or 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGB switching is combined with Directory Assistance switching. The combination of FGB Switched Access Service with DA service is provided as set forth in Section 9., following. FGB, in the terminating direction, may not be (1) switched to access another Feature Group B, C or D in the same LATA and switched to access a BSA-B, BSA-C or BSA-D (3) used to terminate originating FGC, FGD, BSA-C or BSA-D calls.
- The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided, e.g., 900 Access Service. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

NOV 111993

OCT 1 1 1993 Issued:

(CT)

WISSOURI Effective: 1993 lic Service Commission

Access Services Tariff Section 6 1st Revised Sheet 27.01 Replacing Original Sheet 27.01

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

MAR 13 1993

6.2 Provision and Description of Switched Acces (ACCE) Feature Groups-(Continued)

MO. PUELIG SERVICE COMM.

6.2.2 Feature Group B (FGB)-(Continued)

Description-(Continued)

(TM)

(MT)

(RT)

Description-(Continued)

BY Service Commission

5. FGB switching, when used in the terminat MS affection, may be used to

access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider and other IC's services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, nonaccess charges will also be billed for calls from an FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 where available and 555-1212), service codes 611 and 911 or 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGB switching is combined with Directory Assistance switching. The combination of FGB Switched Access Service with DA service is provided as set forth in Section 9., following. FGB, in the terminating direction, may not be (1) switched to access another Feature Group B, C or D in the same LATA and (2) switched to access a BSA-B, BSA-C or BSA-D in the same LATA and (3) used to terminate originating FGC, FGD, BSA-C or BSA-D calls.

6. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided, e.g., 900 Access Service. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

MAY 0 1 1993

Issued:

MAR 2 2 1993

Effective:

MO. PJBLIC SERVICE CONTAIN.

MAY 0 1 1993

By A. D. ROBERTSON, Assistant Vice President-External Affairs Southwestern Bell Telephone Company St. Louis, Missouri

Access Services Tariff Section 6 Original Sheet 27.01

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

DEC 7 1989

6.2 Provision and Description of Switched Access Service Feature MISSOURI Groups-(Continued) Public Service Commission

6.2.2 Feature Group B (FGB)-(Continued)

(HT) A. Description-(Continued)

(TA)

The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided, e.g., 800 and 900 Access Service. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

> CANCELLED MAY 1 1393 # 27.01
> BY 12+ R.S. 27.01 Public Service Commission

Issued:

DEC 2 9 1989

Effective:

JAN 2 9 1990

PILED

JAN 29 1990

Access Services Tariff
Section 6
5th Revised Sheet 28
Replacing 4th Revised Sheet 28

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.2 Feature Group B (FGB(Continued)
 - A. Description-(Continued)
 - 7. When all FGB switching arrangements are discontinued at an end office and/or in a LATA, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.
 - B. Features
 - 1. Common Switching Features
 - a. Automatic Number Identification (ANI)
 - b. Up to 7-Digit Outpulsing of Access Digits to IC
 - c. Alternate Traffic Routing
 - d. Hunt Group Arrangement for use with WATS Access Line Service
 - e. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - f. Nonhunting Number Arrangement for use with WATS Access Line Service as described in d. or e., preceding
 - g. Band Advance Arrangement for use with WATS Access Line Service
 - h. Wink Start Address Signaling
 - i. Immediate Dial Pulse Address Signaling
 - j. Carrier Identification Code
 - k. Multifrequency Address Signaling
 - 2. Transport Termination Features
 - a. Dial Pulse Station Signaling
 - 3. Local Transport Features
 - a. Customer Specification of Local Transport Termination
 - b. Supervisory Signaling
 - c. Customer Specified Entry Switch Receive Level
 - 4. Another feature, Billed Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's Local and/or General Exchange Service Tariffs.

Issued: March 7, 1994 Effective: April 7, 1994

By M. H. SCHULTEIS, Division Manager-Regulatory & Industry Relations Southwestern Bell Telephone Company St. Louis, Missouri

(AT)

Access Services Tariff
Section 6
4th Revised Sheet 28
Replacing 3rd Revised Sheet 28

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MAR 29 1993

6.2.2 Feature Group B (FGB)-(Continued)

MISSOURI Public Service Commissic:

- A. Description-(Continued)
 - 7. When all FGB switching arrangements are discontinued at an end office and/or in a LATA, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.

B. Features

- 1. Common Switching Features
 - a. Automatic Number Identification (ANI)
 - b. Up to 7-Digit Outpulsing of Access Digits to IC
 - c. Alternate Traffic Routing
 - d. Hunt Group Arrangement for use with WATS Access Line Service
 - e. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - f. Nonhunting Number Arrangement for use with WATS Access Line Service as described in d. or e., preceding
 - g. Band Advance Arrangement for use with WATS Access Line Service
 - h. Wink Start Address Signaling
 - i. Immediate Dial Pulse Address Signaling
 - j. Carrier Identification Code

CANCELLED

2. Transport Termination Features

a. Dial Pulse Station Signaling

APR 7 1994 BY 5 ™ R.S. ♥ 28

3. Local Transport Features

Public Service Commission MISSOURI

- a. Customer Specification of Local Transport Termination
- b. Supervisory Signaling
- c. Customer Specified Entry Switch Receive Level
- (C) 4. Another feature, Billed Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's Local and/or General Exchange Service Tariffs.

Issued: MAR 2 6 1993

Effective:

FALED 1993

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

APR 11 1993 92 - 304

Access Services Tariff
Section 6
3rd Revised Sheet 28
Replacing 2nd Revised Sheet 28

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI

blic Service Commission

6.2.2 Feature Group B (FGB)-(Continued)

iplic Service C

- A. Description-(Continued)
 - 7. When all FGB switching arrangements are discontinued at an end office and/or in a LATA, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.
- (RT) B. Features
- (RT) 1. Common Switching Features
 - a. Automatic Number Identification (ANI)
 - b. Up to 7-Digit Outpulsing of Access Digits to IC
 - c. Alternate Traffic Routing
 - d. Hunt Group Arrangement for use with WATS Access Line Service
 - e. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - f. Nonhunting Number Arrangement for use with WATS Access Line Service as described in d. or e., preceding
 - g. Band Advance Arrangement for use with WATS Access Line Service
- (AT) h. Wink Start Address Signaling
 - i. Immediate Dial Pulse Address Signaling
- (AT) j. Carrier Identification Code

CANCELLED

(RT) 2. Transport Termination Features

APR 11 1993 BY 4 Th R.S. #28

a. Dial Pulse Station Signaling

Public Service Commission MISSOURI

- Local Transport Features
 - a. Customer Specification of Local Transport Termination
- (RT) b. Supervisory Signaling
 - c. Customer Specified Entry Switch Receive Level
 - 4. Another feature, Bill Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's Local and/or General Exchange Service Tariffs.

(MT)

(CT)

(RT)

(RT)

Issued: AUG 0 9 1991

Effective: **SEP 0 0 1991**

FILED

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

SEP 3 0 1991

Access Services Tariff Section 6 2nd Revised Sheet 28 Replacing 1st Revised Sheet 28

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 1 -3 1987

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued) Public Service Commission
- 6.2.2 Feature Group B (FGB)-(Continued)
- A. Description-(Continued)
 - 7. When all FGB switching arrangements are discontinued at an end office and/or in a LATA, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.
- B. Optional Features
 - Common Switching Optional Features
 - Automatic Number Identification (ANI)
 - b. Up to 7-Digit Outpulsing of Access Digits to IC

c. Alternate Traffic Routing

- d. Hunt Group Arrangement for use with WATS Access Line Service
- e. Uniform Call Distribution Arrangement for use with WATS Access Line Service
- f. Nonhunting Number Arrangement for use with WATS Access Line Service as described in d. or e, preceding

g. Band Advance Arrangement for use with WATS Access Line_Service

2. Transport Termination Optional Features

SEP 3 0 1991

Rotary Dial Station Signaling

3. Local Transport Optional Features

BY 3 MRS # 90

- Customer Specification of Local Transport Termination Public Service Commission
- Supervisory Signaling (as set forth in Paragraph 6.1.2, A.12.415SOURI preceding)
- Customer Specified Entry Switch Receive Level
- 4. Another feature, Bill Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's Local and/or General Exchange Service Tariffs.
- C. Transmission Performance

FGB is provided with either Type B or Type C Transmission Performance. The parameters associated with these performances are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission performance is provided with Interface Group 1, and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGB. to the first point of switching.

Effective: OCT 16 1987

TO-87-42 Public Service Commission

UCT 16 1987

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

Issued: OCT 1 4 1987

(AT)

(AT)

Access Services Tariff Section 6 1st Revised Sheet 28 Replacing Original Sheet 28

(CP)ACCESS SERVICES

MISSUUKI

Public Service Commission

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - JUN 27 1986 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.2 Feature Group B (FGB)-(Continued)

A. Description-(Continued)

7. When all FGB switching arrangements are discontinued at an end office and/or in a LATA, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.

- B. Optional Features
 - 1. Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - CANCELLED b. Up to 7-Digit Outpulsing of Access Digits to IC
 - c. Alternate Traffic Routing
 - 2. Transport Termination Optional Features
 - Local Transport Optional Features
- a. Customer Specification of Local Transport Termination
 b. Supervisory Signaling (as set forth in Paragraph 2 preceding)
 c. Customer Specificat

- Another feature, Bill Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's Local and/or General Exchange Service Tariffs.
- C. Transmission Performance

FGB is provided with either Type B or Type C Transmission Performance. The parameters associated with these performances are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission performance is provided with Interface Group 1, and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

86-84 Public Service Commission

Issued:

JUN 27 1986

Effective:

1 1986 JUL

Access Services Tariff Section 6 Original Sheet 28 MEDEOVED

ACCESS-SERVICES

6. SWITCHED ACCESS SERVICE-(Continued) DEC 2 3 1003

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.2 Feature Group B (FGB)-(Continued)

Public Service Commission :

- Description-(Continued)
 - When all FGB switching arrangements are discontinued at an end office and/or in a LATA, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.
- Optional Features
 - 1. Common Switching Optional Features
 - Automatic Number Identification (ANI)
 - b. Up to 7-Digit Outpulsing of Access Digits to IC
 - c. Alternate Traffic Routing
 - 2. Transport Termination Optional Features
 - Rotary Dial Station Signaling
 - 3. Local Transport Optional Features
 - IC Specification of Feature Group Directionality
 - Provision of Other Than Telephone Company Selected Traffic Routing
 - IC Specification of Local Transport Termination

Another feature, Bill Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's Local and/or General Exchange Service Tariffs.

C. Transmission Performance

FGB is provided with either Type B or Type C Transmission Performance. The parameters associated with these performances are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission performance is provided with Interface Group 1, and Type Bris provided with Interface Groups 2 through 10. Type DB Parks Pransmission Parameters are provided with FGB to the first point of switching.

> JUL 1 1986 PUBLIC SERVICE COMM OF MISSOURI

Public Service Commission

Issued: DEC 2 9 1983 Effective: JAN 0 1 1984

Access Services Tariff
Section 6
4th Revised Sheet 29
Replacing 3rd Revised Sheet 29

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

Miccourl Public Jordeo Commiccier

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

RECT SEP 17 1999

6.2.2 Feature Group B (FGB)-(Continued)

C. Transmission Performance

FGB is provided with either Type B or Type C Transmission Performance. The parameters associated with these performances are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission performance is provided with Interface Group I, and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

D. Testing Capabilities

Testing capabilities are the same as those set forth in Paragraph 6.2.4.D., following.

6.2.3 Feature Group C (FGC)

A. Description

- FGC is provided at all Telephone Company end office switches on a direct trunk basis or
 via Telephone Company-designated access tandem switches. FGC is used for Local
 Exchange Company to Local Exchange Company traffic. FGC switching is provided to the
 IC (i.e., providers of MTS and WATS) at an end office switch unless FGD or BSA-D end
 office switching is provided in the same office. When FGD or BSA-D switching is
 available, FGC switching will not be provided except for Local Exchange Company to
 Local Exchange Company traffic.
- 2. FGC is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start-pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no start-pulsing signals are provided.
- 3. FGC is provided with multifrequency address signaling except in certain electromechanical end office switches where multifrequency signaling is not available. In such switches, the address signaling will be dial pulse or immediate dial pulse, whichever is available. Up to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company to equipment to the IC terminal location where the Switched Access Service terminates. Such called party number

Issued:

September 17, 1999

Effective:

October 18, 1999

(CT)

(CT)

(CT)

(CT)

Access Services Tariff Section 6 3rd Revised Sheet 29 Replacing 2nd Revised Sheet 29

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued) MAR 29 1993

6.2.2 Feature Group B (FGB)-(Continued)

C. Transmission Performance

MISSOURI Public Service Commission

FGB is provided with either Type B or Type C Transmission Performance. The parameters associated with these performances are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission performance is provided with Interface Group 1, and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

D. Testing Capabilities

Testing capabilities are the same as those set forth Air CHARCED 6.2.4.D., following.

6.2.3 Feature Group C (FGC)

Description

1. FGC is provided at all Telephone Company end offices Signales on a direct trunk basis or via Telephone Company-designated access tandem switches. FGC switching is provided to the IC (i.e., providers of MTS and WATS) at an end office switch unless FGD or BSA-D end office

(AT) (AT) switching is provided in the same office. When FGD or BSA-D switching is available, FGC switching will not be provided.

- 2. FGC is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start-pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no start-pulsing signals are provided.
- FGC is provided with multifrequency address signaling except in certain electromechanical end office switches where multifrequency signaling is not available. In such switches, the address signaling will be dial pulse or immediate dial pulse, whichever is available. Up to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company to equipment to the IC terminal location where the Switched Access Service terminates. Such called party number

Issued:

MAR 2 6 1993

Effective:

Access Services Tariff
Section 6
2nd Revised Sheet 29
Replacing 1st Revised Sheet 29

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

6.2 Provision and Description of Switched Access Service Feature Groups(Continued) MISSOURI

blic Service Commission

6.2.2 Feature Group B (FGB)-(Continued)

(MT) C. Transmission Performance

FGB is provided with either Type B or Type C Transmission Performance. The parameters associated with these performances are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission performance is provided with Interface Group 1, and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

D. Testing Capabilities

CANCELLED

Testing capabilities are the same as those set forth in Paragraph 11 1993 6.2.4.D., following.

6.2.3 Feature Group C (FGC)

Public Service Commission MISSOURI

A. Description

(MT)

- 1. FGC is provided at all Telephone Company end office switches on a direct trunk basis or via Telephone Company-designated access tandem switches. FGC switching is provided to the IC (i.e., providers of MTS and WATS) at an end office switch unless Feature Group D end office switching is provided in the same office. When FGD switching is available, FGC switching will not be provided.
- 2. FGC is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start-pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no start-pulsing signals are provided.
- 3. FGC is provided with multifrequency address signaling except in certain electromechanical end office switches where multifrequency signaling is not available. In such switches, the address signaling will be dial pulse or immediate dial pulse, whichever is available. Up to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company to equipment to the IC terminal location where the Switched Access Service terminates. Such called party number

Issued:

AUG 0 9 1991

Effective: SEP 0 9 198EP 3 0 1991

SEP 3 0 1991

Access Services Tariff
Section 6
1st Revised Sheet 29
Replacing Original Sheet 29

JUN 9 m

REGEOVED

MISSUUK

Public Service Commission

(CP)ACCESS SERVICES

.....

SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

6.2.2 Feature Group B (FGB)-(Continued)

D. Testing Capabilities

Testing capabilities are the same as those set forth in Paragraph 6.2.4.D., following.

6.2.3 Feature Group C (FGC)

CANCELLED

SEP 3 0 1991 #

A. Description

- 1. FGC is provided at all Telephone Company end office switches on a direct trunk basis or via Telephone Company-designable Switches of switching is provided to the IC (i.e., provided to the IC (i.e., provided to the IC and WATS) at an end office switch unless Feature Group D end office switching is provided in the same office. When FGD switching is available, FGC switching will not be provided.
- 2. FGC is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start-pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no start-pulsing signals are provided.
- 3. FGC is provided with multifrequency address signaling except in certain electromechanical end office switches where multifrequency signaling is not available. In such switches, the address signaling will be dial pulse or immediate dial pulse, whichever is available. Up to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company to equipment to the IC terminal location where the Switched Access Service terminates. Such called party number

JUL 1 1986
86-84
Public Service Commission

Issued:

JUN 27 1986

Effective:

JUL 1 1986

Access Services Tariff Section 6 Original Sheet 29

DEC 20 003

MISSOURI

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Features Groups (Continued)

6.2.2 Feature Group B (FGB)-(Continued)

D. Testing Capabilities

FGB is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. Additional Cooperative Acceptance Testing, Automatic Schedule Testing, Cooperative Scheduled Testing, Manual Scheduled Testing and Nonscheduled Testing will be provided as set forth in Section 13., following.

6.2.3 Feature Group C (FGC)

A. Description

- 1. FGC is provided at all Telephone Company end office switches on a direct trunk basis or via Telephone Company-designated access tandem switches. FGC switching is provided to the IC (i.e., providers of MTS and WATS) at an end office switch unless Feature Group D end office switching is provided in the same office. When FGD switching is available, FGC switching will not be provided.
- 2. FGC is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no [5][]] start-pulsing signals are provided. PUBLIC SERVICE COMMISSION JAN - 1 1980
- 3. FGC is provided with multifrequency address signaling except 873 cer 253 tain electromechanical end office switches where multifrequency signaling is not available. In such switches, the address signating " stronger will be dial pulse, revertive pulse, immediate dial pulse or panel call indicator signaling, whichever is available. Up to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the IC terminal location where the

Issued: DEC 29 1983 Effective: JAN 0 1 1984

Access Services Tariff
Section 6
8th Revised Sheet 30
Replacing 7th Revised Sheet 30

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - A. Description-(Continued)
 - 3. (Continued)
 - signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
 - 4. No access code is required for FGC switching. The telephone number dialed by the IC's customer shall be a seven- or ten-digit number for calls in the North American Numbering Plan (NANP). FGC Switched Access Service may also be used to originate ACIS and 900 Access Service and terminate ACIS, 800 NPAS and 900 Access Service. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.
 - 5. FGC switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of an information provider and other IC's services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capability exists, the IC will also be billed additional non-access charges, for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from an FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes (611 and 911 where available) 101XXXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGC switching

(CT)

Issued: September 21, 1998 Effective: October 21, 1998

Access Services Tariff
Section 6
7th Revised Sheet 30
Replacing 6th Revised Sheet 30

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE- (Continued)

AUG 15 1995

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MO. PUBLIC SERVICE COMM.

- 6.2.3 Feature Group C (FGC) (Continued)
- A. Description-(Continued)
 - 3. (Continued)

signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

- 4. No access code is required for FGC switching. The telephone number dialed by the IC's customer shall be a seven- or tendigit number for calls in the North American Numbering Plan (NANP). FGC Switched Access Service may also be used to originate ACIS and 900 Access Service and terminate ACIS, 800 NPAS and 900 Access Service. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.
- 5. FGC switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of an information provider and other IC's services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capability exists, the IC will also be billed additional non-access charges, for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from an FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes (611 and 911 where available) and 10XXX or 101XXXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGC switching

(AT)

By Charles 30
Public Service Commission
MISSOURIECTIVE:

FILED

SEP 1 5 1995

Issued: AUG 1 5 1995

SEP 1 5 1995

Access Services Tariff
Section 6
6th Revised Sheet 30
Replacing 5th Revised Sheet 30

SEP 151995

ACCESS SERVICES

RECEIVED

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Flature MAR 201995
 Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)

MO. PUBLIC SERVICE COMM.

A. Description-(Continued)

3. (Continued)

Public Service Commission
MISSOURI

signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

- 4. No access code is required for FGC switching. The telephone number dialed by the IC's customer shall be a seven- or tendigit number for calls in the North American Numbering Plan (NANP). FGC Switched Access Service may also be used to originate ACIS and 900 Access Service and terminate ACIS, 800 NPAS and 900 Access Service. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.
- 5. FGC switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of an information provider and other IC's services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capability exists, the IC will also be billed additional non-access charges, for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from an FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes (611 and 911 where available) and 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGC switching

Issued: MAR 2 0 1995

Effective: APR 2 0 1995

APR 201995

By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri

MISSOURI Public Service Commission

(AT)

Access Services Tariff Section 6 5th Revised Sheet 30 Replacing 4th Revised Sheet 30

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 04 1993

- 6.2 Provision and Description of Switched Access Service_Feature **MISSOURI** CANCELLED Groups-(Continued) Public Service Commission
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - Description-(Continued)

(Continued)

BY CONTINUED

BY CONTINUED

Public Service Commission

Signals will be subject to the ordinary Mission capabilities of the Local Transport provided.

APR 201995

- No access code is required for FGC switching. The telephone number dialed by the IC's customer shall be a seven- or tendigit number for calls in the North American Numbering Plan (NANP). FGC Switched Access Service may also be used to originate 900 Access Service and terminate 800 NPAS and 900 Access Service. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.
- FGC switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of an information provider and other IC's services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capability exists, the IC will also be billed additional non-access charges, for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from an FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes (611 and 911 where available) and 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FCC swiftching

NOV 111993

(CT)

Access Services Tariff Section 6 4th Revised Sheet 30 Replacing 3rd Revised Sheet 30

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

- 6.2 Provision and Description of Switched Access Service FeatureMAR 13 1993 Groups-(Continued)
- 6.2.3 Feature Group C (FGC)-(Continued)

CANCELLED

MO. PUBLIC SERVICE COMM

- A. Description-(Continued)
 - (Continued)

NOV 11 1993 BY 5th R.S. # 30 signals will be subject to Rublic Service Commission capabilities of the Local Transport provided

- No access code is required for FGC switching. The telephone number dialed by the IC's customer shall be a seven- or tendigit number for calls in the North American Numbering Plan (NANP). FGC Switched Access Service may also be used to originate 900 Access Service and terminate 800 NPAS and 900 Access Service. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.
- FGC switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of an information provider and other IC's services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capability exists, the IC will also be billed additional non-access charges, for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from an FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes (611 and 911 where available) and 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGC switching

MAY 0 1 1993

Issued: MAR 2 2 1993

Effective:

MO. PUBLIC SERVICE COMM.

MAY - 1 1993 By A. D. ROBERTSON, Assistant Vice President-External Affairs Southwestern Bell Telephone Company St. Louis, Missouri

(AT)

Access Services Tariff Section 6 3rd Revised Sheet 30 Replacing 2nd Revised Sheet 30

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

- 6.2 Provision and Description of Switched Access Service Peature7 1989 Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)

MASSOUR!

CANCELLED Public Service Commission

A. Description-(Continued)

signals will be subject to the ordinary transmission capabilities of the Local Transport provided. By Cervice Commission Capabilities of 4. No access code is required that FGC soft ching. The telephone number dialed by the IC's customer shall be subject to the ordinary transmission.

- number dialed by the IC's customer shall be a seven- or tendigit number for calls in the North American Numbering Plan (NANP). FGC Switched Access Service may also be used to originate and terminate 800 and 900 Access Service. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.
- 5. FGC switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of an information provider and other IC's services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capability exists, the IC will also be billed additional non-access charges, for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from an FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes (611 and 911 where available) and 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGC switching

(AT)

Issued: DEC 2 9 1982 Effective: JAN 2 9 1990

FILEU

Access Services Tariff
Section 6
2nd Revised Sheet 30
Replacing 1st Revised Sheet 30

ACCESS SERVICES

OCT 1 3 1987

SWITCHED ACCESS SERVICE-(Continued)

MISSOURI

- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued),
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - A. Description-(Continued)
 - (Continued)

(AT)

(AT)

Public WISSOURI signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

- 4. No access code is required for FGC switching. The telephone number dialed by the IC's customer shall be a seven- or tendigit number for calls in the North American Numbering Plan (NANP). FGC Switched Access Service may also be used to originate and terminate 800 Access Service. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.
- FGC switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of an information provider and other IC's services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capability exists, the IC will also be billed additional non-access charges, for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from an FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes (611 and 911 where available) and 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGC switching

OCT 16 1987 TO -87-42 Public Service Commission

Issued: OCT 1 4 1987

Effective: OCT 16 1987

Access Services Tariff Section 6 1st Revised Sheet 30-Replacing OF ginal Sheet 30 **MEDUSIONA**

(CP)ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

Juli 21, 194

Public Service Commission

6.2 Provision and Description of Switched Access Service Feature Groups Continued)

6.2.3 Feature Group C (FGC)-(Continued)

A. Description-(Continued)

(Continued)

CANCELLED

- signals will be subject to the ordinary transmission capabilis 130
 ties of the Local Transport provided.

 4. No access code is required for FGC switching. The telephone Commission number dialed by the IC's customer shall be a sevenic or provided digit number for calls in the North American Numbering Blank (NANP). The form of the sevenic or provided the sevenic or provided the sevenic or provided. (NANP). The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.
- 5. FGC switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of an information provider and other IC's services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capability exists, the IC will also be billed additional non-access charges, for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from an FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (05 and 0+), Directory Assistance (411 and 555-1212), service codes (6F) and 911 where available) and 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGC switching

86-84 Public Service Commission

Issued:

JUN 27 1986

Effective:

JUL 1 1986

Access Services Tariff
Section 6
___Original Sheet 30

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

DEC 20 1003

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

eature Groups-(Continued)
Public Service Commission

- 6.2.3. Feature Group C (FGC)-(Continued)
- A. Description-(Continued)
 - (Continued)

Switched Access Service terminates. Such called party number signals will be subject to the ordinary transmission capabilities of the Access Connections and Local Transport provided.

- 4. No access code is required for FGC switching. The telephone number dialed by the IC's customer shall be a seven- or tendigit number for calls in the North American Numbering Plan (NANP). The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.
- FGC switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information provider and other ICs' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. For calls to services of other IC's, additional charges may apply. Where measurement capability exists, the IC will also be billed additional charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Services. Calls in the terminating direction will not be completed to 950-10XX access codes, local operator assistance (0- and 0+), service Assistance switching. FGC may not 900 switched, in the terminating direction, to Switched Access Service Feature Groups ABL Clop D.

Effective: JAN 0 1 1984

Public Service

PUBLIC SERVICE COMMISSION

Access Services Tariff
Section 6
3rd Revised Sheet 31
Replacing 2nd Revised Sheet 31

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - A. Description-(Continued)
 - 5. (Continued)

is combined with Directory Assistance switching. The combination of FGC Switched Access Service with DA Service is provided as set forth in Section 9., following. FGC may not be switched, in the terminating direction, to access another Feature Group B, C or D

in the same LATA or switched to access a BSA-B, BSA-C or BSA-D in the same LATA.

6. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGC switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

Issued: March 26, 1993 Effective: April 11, 1993

(AT) (AT)

Access Services Tariff Section 6 2nd Revised Sheet 31 Replacing 1st Revised Sheet 31

ACCESS SERVICES

OCT 1 3 1987

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - A. Description-(Continued)
 - (Continued)

is combined with Directory Assistance switching. The combination of FGC Switched Access Service with DA Service is provided as set forth in Section 9., following. FGC may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA.

The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGC switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(RT) (RT)

CANCELLED

APR 11 1993_ BY 3rd R.S.

Public Service Commission MISSOURI

FILED

OCT 16 1987

Effective: OCT 16 1987 ublic Service Commission

Issued: OCT 1 4 1987

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

Access Services Tariff
Section 6
1st Revised Sheet 31
Replacing Original Sheet 31

(CP)ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
- 6.2.3 Feature Group C (FGC)-(Continued)

Public Service Commission

JUN 27 1957

- A. Description-(Continued)
 - 5. (Continued)

is combined with Directory Assistance switching. The combination of FGC Switched Access Service with DA Service is provided as set forth in Section 9., following. FGC may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA.

- 6. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGC switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 7. A WATS Access Line as defined in Paragraph 6.2.4.A.8., following may, at the option of the customer, be provided for use with FGC Switched Access Service.

CANCELLED

OCT 16 1987

BYZUG Commission

Public Service Commission

MISSOUR!

JUL 1 1986

86-84
Public Service Commission

Issued:

JUN 27 1986

Effective:

JUL 1 1986

Access Services Tariff ME Section 6

ACCESS SERVICES

DEC 2 3 1883

LISSOURI

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-Gontinu
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - Description-(Continued)
 - The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGC switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
 - B. Optional Features
 - Common Switching Optional Features
 - Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Dial Pulse Address Signaling
 - d. Revertive Pulse Address Signaling
 - e. Immediate Dial Pulse Address Signaling
 - Panel Call Indicator Address Signaling
 - g. Alternate Traffic Routing
 - h. Trunk Access Limitation
 - End Office Customer Line Service Screening for use with Dedicated Access Line Service
 - Hunt Group Arrangement for use with Dedicated Access Line Service
 - Uniform Call Distribution Arrangement for use with Dedicated Access Line Service (available only at Telephone Company electronic end offices)

Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement from use with Dedicated Access Line Service
Band Advance Armangement for use with Dedicated Access Line Service

JUL 1 1986

Issued: DEC 2 9 1983 Effective: JAN 0 1 1984

Access Services Tariff
Section 6
4th Revised Sheet 32
Replacing 3rd Revised Sheet 32

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - B. Features
 - 1. Common Switching Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Dial Pulse Address Signaling
 - d. Delay Dial Start-Pulsing Signaling
 - e. Immediate Dial Pulse Address Signaling
 - f. Alternate Traffic Routing
 - g. End Office End User Line Service Screening for use with WATS Access Line Service
 - h. Hunt Group Arrangement for use with WATS Access Line Service
 - i. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - j. Nonhunting Number Arrangement for use with (h) or (i) preceding
 - k. Band Advance Arrangement for use with WATS Access Line Service
 - 1. Trunk Access Limitation
 - m. Wink Start Address Signaling
 - n. Multifrequency Address Signaling

Issued: March 7, 1994 Effective: April 7, 1994

(AT)

Access Services Tariff Section 6 3rd Revised Sheet 32 Replacing 2nd Revised Sheet 32

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI ublic Service Commission

6.2.3 Feature Group C (FGC)-(Continued)

(RT) B. Features

(AT)

(RT) 1. Common Switching Features

Automatic Number Identification (ANI)

b. Service Class Routing

c. Dial Pulse Address Signaling

d. Delay Dial Start-Pulsing Signaling

Immediate Dial Pulse Address Signaling

Alternate Traffic Routing

End Office End User Line Service Screening for use with WATS Access Line Service

Hunt Group Arrangement for use with WATS Access Line

Uniform Call Distribution Arrangement for use with WATS Access Line Service

Nonhunting Number Arrangement for use with (h) or (i) preceding

K. Band Advance Arrangement for use with WATS Access Line Service

1. Trunk Access Limitation

m. Wink Start Address Signaling

CANCELLED

APR 7 1994 BY 4# R-5,#32 **Public Service Commission MISSOURI**

Issued: **AUG 0 9 199**1

SEP 0 9 1991 SEP 3 0 1991

FILED

Access Services Tariff
Section 6
2nd Revised Sheet 32
Replacing 1st Revised Sheet 32

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 1 3 1987

- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 Public Service Commission
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - B. Optional Features

(CT)

(CT)

- Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Dial Pulse Address Signaling
 - d. Delay Dial Start-Pulsing Signaling
 - e. Immediate Dial Pulse Address Signaling
 - f. Alternate Traffic Routing
 - g. End Office End User Line Service Screening for use with WATS Access Line Service
 - h. Hunt Group Arrangement for use with WATS Access Line Service
 - Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - j. Nonhunting Number Arrangement for use with (h) or (i) preceding
 - k. Band Advance Arrangement for use with WATS Access Line Service
 - 1. Trunk Access Limitation

CANCELLED

SEP 3 0 1991 By 3 4 R.S. 32

Public Service Commission MISSOURI

FILED

OCT 16 1987 TO-87-42 Public Service Commission

Issued: OCT 1 4 1987

Effective: 0CT 16 1987

Access Services Tariff
Section 6
1st Revised Sheet 32
Replacing Original Sheet 32

(CP)ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

6.2.3 Feature Group C (FGC)-(Continued)

MISSUURI
Public Service Commission

- B. Optional Features
 - Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Dial Pulse Address Signaling
 - d. Delay Dial Start-Pulsing Signaling
 - e. Immediate Dial Pulse Address Signaling
 - f. Alternate Traffic Routing
 - g. End Office Customer Line Service Screening for use with WATS Access Line Service
 - h. Hunt Group Arrangement for use with WATS Access Line Service
 - i. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - j. Nonhunting Number for use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - k. Band Advance Arrangement for use with WATS Access Line Service
 - 1. Trunk Access Limitation

CANCELLED

OCT 16 1987

BY ZANS #32

Public Service Commission
MISSOUFI

FILED

JUL 1 1986

Public Service Commission

Issued:

JUN 27 1986

Effective:

JUL 1 1986

Access Services Tariff Section 6 Original Sheet 32

Public Service Commission

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
 - DEC 20 1223 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued) LIISSOURI
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - Optional Features-(Continued)
 - Transport Termination Optional Features
 - Operator Trunks i.e., Coin Non-Coin and Combined Coin and Non-Coin. (Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.)
 - 3. Local Transport Optional Features
 - IC Specification of Feature Group Directionality
 - Provision of Other Than Telephone Company Selected Traffic Routing
 - C. Transmission Performance

FGC is provided with either Type B or Type C Transmission Performance as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem, only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

Type DB Data Transmission Parameters are provided for the transmission path when directly routed to the end positive, and Type DB Data Transmission Parameters are provided for the Transmission path between the IC terminal location and the access tandem and between the access. tandem and the end office when routed via an access tandem.

> PUBLIC SERVICE COMMISSION OF MISSOURI

Issued: DEC 2 9 1983

JAN 0 1 1984 Effective:

Access Services Tariff
Section 6
3rd Revised Sheet 33
Replacing 2nd Revised Sheet 33

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
- (RT) B. Features-(Continued)
- (RT) 2. Transport Termination Features
 - a. Operator Trunks Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.
- (RT) 3. Local Transport Features
- (RT) a. Supervisory Signaling (RT)
 - b. Customer Specified Entry Switch Receive Level
 - C. Transmission Performance

FGC is provided with either Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or Type C is provided.
- When routed to an access tandem, only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

Type DB Data Transmission Parameters are provided with FGC for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office when routed via an access tandem.

Issued: August 9, 1991 Effective: September 30, 1991

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

Access Services Tariff
Section 6
2nd Revised Sheet 33
Replacing 1st Revised Sheet 33

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 1 3 1987

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)

Public Service Commission

- B. Optional Features-(Continued)
 - 2. Transport Termination Optional Features
 - a. Operator Trunks Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.
 - 3. Local Transport Optional Features
 - Supervisory Signaling (as set forth in Paragraph 6.1.2.A.12.a., preceding)
 - b. Customer Specified Entry Switch Receive Level

CANCELLED

SEP 3 0 1991 BY 3 MR.S. 33

C. Transmission Performance

Public Service Commission

MISSOUR Performance

FGC is provided with either Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or Type C is provided.
- When routed to an access tandem, only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

Type DB Data Transmission Parameters are provided with FGC for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the lend office when routed via an access tandem.

Issued: OCT 1 4 1987

Effective: OCT 16 1987

Public Service Commission

001-16 1987

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

(RT)

(RT)

(RT)

Access Services Tariff Section 6 1st Revised Sheet 33 Replacing Original Sheet 33

(CP)ACCESS SERVICES

REGEOVED

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - B. Optional Features-(Continued)
 - 2. Transport Termination Optional Features

MISSUUK Public Service Commission

- Operator Trunks Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.
- 3. Local Transport Optional Features
 - a. Supervisory Signaling (as set forth in Paragraph 6.1.2.A.12.a., preceding)
 - CANCELLED b. Customer Specified Entry Switch Receive Level
 - 4. WATS Access Lines

Optional features are the same as those specified in Paragraph 6.2.4.B.4., following. Public Service Commission

C. Transmission Performance

FGC is provided with either Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or Type C is provided.
- When routed to an access tandem, only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

Type DB Data Transmission Parameters are provided with FGC for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office when routed via an access tandem.

Public Service Commission

Issued:

JUN 27 1986

Effective:

JUL

Access Services Tariff

Original Sheet 33

DEC 28 LT

DEGETYED

Section 6

No supplement to this tariff will be issued except for the purpose of canceling this tariff.

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - D. Testing Capabilities

FGC is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. Additional Cooperative Acceptance Testing, nonoptional Automatic Scheduled Testing, Cooperative Scheduled Testing or Manual Scheduled Testing, and Nonscheduled Testing will be provided as set forth in Section 13, following, for FGC.

6.2.4 Feature Group D (FGD)

Description

- FGD is provided at Telephone Company-designated electronic end office switches whether routed directly or via Telephone Company-designated electronic access tandem switches.
- 2. FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
- FGD switching is provided with multifrequency address signaling. to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the IC terminal location where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Access Connections and Local Transport provided.
- FGD switching, when used in the terminating direction, may be used to access valid NXX's in the PANAL limbs or weather announcement1services of the Telephone Company, community information service 8 8 -av 53 rmation service provider, and other 1Cs 98 ervices (by dialing the appro-

PUBLIC SERVICE COMMISSION

Issued: DEC 29 1983

JAN 0 1 1984 Effective:

Access Services Tariff
Section 6
2nd Revised Sheet 34
Replacing 1st Revised Sheet 34

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - D. Testing Capabilities

Testing capabilities are the same as those set forth in Paragraph 6.2.4.D., following.

- 6.2.4 Feature Group D (FGD)
 - A. Description
 - 1. FGD is provided at Telephone Company-designated electronic end office switches whether routed directly or via Telephone Company-designated electronic access tandem switches.
 - 2. FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink-start, start-pulsing signals and answer and disconnect supervisory signaling.
 - 3. FGD switching is provided with inband multifrequency address signaling or out of band SS7 signaling. With multifrequency address signaling and SS7 signaling, up to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the IC terminal location where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
 - 4. FGD switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider, and other ICs' services (by dialing the appro

Issued: March 7, 1994 Effective: April 7, 1994

(AT)

(AT)

Access Services Tariff
Section 6
1st Revised Sheet 34
Replacing-Original Sheet 34

Public Service Commission -

(CP)ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

 MISSUK:
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - D. Testing Capabilities

Testing capabilities are the same as those set forth in AND Table 3.2.4.D., following.

6.2.4 Feature Group D (FGD)

A. Description

- 1. FGD is provided at Telephone Company-designate the Company of ice switches whether routed directly or via Telephone Company designated electronic access tandem switches.
- 2. FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink-start, start-pulsing signals and answer and disconnect supervisory signaling.
- 3. FGD switching is provided with multifrequency address signaling. Up to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the IC terminal location where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
- 4. FGD switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider, and other ICs' services (by dialing the appro-

FILED

JUL 1 1986

86-84

Public Service Commission

Issued:

JIIN 27 1986

Effective:

1 1986

JUL

ACCESS SERVICES

- Access Services Tariff Section 6 Original Sheet 34
 - DEC 28 1000

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)
 - 4. (Continued)

priate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. For calls to services of other IC's, additional charges may apply. The IC will also be billed additional charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Calls in the terminating direction will not be completed to 950-10XX access codes, local operator assistance (0- and 0+), service codes (611 and 911 where available) and 10XX access codes. Calls will not be completed to directory assistance (411 where available and 555-1212) unless FGD switching is combined with DA switching. FGD may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

- The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- The access code for FGD switching is a uniform access code of the form 10XX. No access code is required for calls to an IC over FGD Switched Access Service if the constoner's telephone exchange service is arranged for the substriction that IC, as set forth in Section 13, following. For a limited period of time, no access code is required for calls to a provider of MTS and WATS, when such calls are placed from a Telephone Company public or semi-public telephone. JAN - 1 1984

83 - 253 Public Sarvice Commiscie

Issued: DEC 29 1983 Effective: JAN 0 1 1984

Access Services Tariff
Section 6
7th Revised Sheet 35
Replacing 6th Revised Sheet 35

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.2 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)
 - 4. (Continued)

priate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional nonaccess charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9., following. FGD may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA or switched to access a BSA-B, BSA-C, or BSA-D in the same LATA.

- 5. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 6. The uniform access code for FGD switching is a 101XXXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service (this includes MicroLink I Access Capability provided in conjunction with FGD) if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in Section 13, following. FGD Switched Access may be originated using the 950-XXXX access code if the customer requests the FGD or BSA-D with 950 Access feature.

-____

Issued: September 21, 1998 Effective: October 21, 1998

CANCELLED
June 29, 2007
TO-2002-185
Missouri Public
Service Commission

(CT)

By PRISCILLA HILL-ARDOIN, President-Missouri Southwestern Bell Telephone Company St. Louis, Missouri

Access Services Tariff Section 6 6th Revised Sheet 35 Replacing 5th Revised Sheet 35

ACCESS SERVICES

SWITCHED ACCESS SERVICE - (Continued)

- 6.2 Provision and Description of Switched Access Service Feature AUG 15 1995
 - 6.2.4 Feature Group D (FGD) (Continued)

MO. PUBLIC SERVICE COMM.

- A. Description-(Continued)
 - (Continued)

CANCELLED

priate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an By Service Company exchange service tariffs

Service

Service

Service

NAA codes served by end offices

The IC will also be

Company exchange services, for which rates are applicable under Tolorian

Company exchange service tariffs

Service Information services, for which rates are applicable under Telephone calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9., following. FGD may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA or switched to access a BSA-B, BSA-C, or BSA-D in the same LATA.

- 5. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- The uniform access code for FGD switching is a 10XXXX or 101XXXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service (this includes MicroLink I Access Capability provided in conjunction with FGD) if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in Section 13, following. FGD Switched Access may be originated using the 950 XXX access code if the customer requests the FGD or BSA-D # feature.

AUG 1 5 1995 Issued:

Effective:

By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri

MISSOURI Public Service Commission

(AT)

Access Services Tariff Section 6 5th Revised Sheet 35 Replacing 4th Revised Sheet 35

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

the same LATA.

RECEIVED

6.2 Provision and Description of Switched Access Service Feature
Groups-(Continued)

CANCELLED MAY 24 1994

MISSOURI

6.2.4 Feature Group D (FGD)-(Continued)

A. Description-(Continued)

4. (Continued)

(Continued)

SEP 151995

Public Service Commission

(Continued)

Priate codes) when such serphic captures captures captures and service with the codes.

Public Service Commission

Priate codes when such serphic captures captures captures and service and service captures and service captures. codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9., following. FGD may not be switched, in the terminating direction, to access another Feature Group B, C or D

The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

in the same LATA or switched to access a BSA-B, BSA-C, or BSA-D in

6. The access code for FGD switching is a uniform access code of the form 10XXX. A single access code will be the assigned number of walk-FGD access provided to the customer by the Telephone Company No access code is required for calls to a customer over FGD Switched Access Service (this includes MicroLink I Access Capability provided in conjunction with FGD) if the end user's telephone exchange service? is arranged for presubscription to that customer, as set forth in Section 13, following. FGD Switched Access may be originated using the 950-XXXX access code if the customer requests the FGD Service Commission With 950 Access feature.

(AT)

(AT)

Issued: MAY 2 4 1994 Effective: By M. H. SCHULTEIS, Division Manager-Regulatory & Industry Relations

> Southwestern Bell Telephone Company . St Louis Missouri

Access Services Tariff Section 6 4th Revised Sheet 35 Replacing 3rd Revised Sheet 35

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued) CANCELLED

OCT 04 1993

6.2.4 Feature Group D (FGD)-(Continued)

MISSOURI Public Service Commission

Description-(Continued)

(Continued)

(CT)

JUL 21994 Public Service Commission MISSOURI priate codes) when such services can be reached using valid NXX

codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-acce charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9., following. FGD may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA or switched to access a BSA-B, BSA-C, or BSA-D in the same LATA.

- The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- The access code for FGD switching is a uniform access code of the form 10XXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is the 950-XXXX access code if the customer requests the FGD or BSA-D With 950 Access feature.

Issued: DCT 1 1 1993 1 1 1993 Public Service Commission

Access Services Tariff
Section 6
3rd Revised Sheet 35
Replacing 2nd Revised Sheet 35

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

RECEIVED

MAR 29 1993

- 6.2.4 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)
 - 4. (Continued)

NOV 11 1993 MISSOUP

W R ST 3 S Public Service Commission

Public Service Commission

Public Service Commission

Public Services Can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9., following. FGD may not be switched, in the terminating direction, to access another Feature Group B. C or D in the same LATA or switched to access a BSA-B, BSA-C, or BSA-D in

- (AT) (AT)
- 5. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 6. The access code for FGD switching is a uniform access code of the form 10XXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in Section 13, following. FGD Switched Access may be originated using the 950-XXXX access code if the customer requests the FGD or BSA-D With 950 Access feature.

Issued:

AT)

MAR 2 6 1993

the same LATA.

Effective:

ABR 11 1993 92 - 3 0 4

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

MO PIRIC CEDUCE COSCO

Access Services Tariff
Section 6
2nd Revised Sheet 35
Replacing 1st Revised Sheet 35

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

- 6.2 Provision and Description of Switched Access Service Feature P 6 1991 Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued) CANCELLED ublic Service Commission
 - A. Description-(Continued)

4. (Continued)

APR 11 1993

BY 3 R. S 3 S

B Service Commission

priate codes) when such se**Public Service Commission**codes. When directly routed to an was Solvice, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from an FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9, following. FGD may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA.

- 5. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 6. The access code for FGD switching is a uniform access code of the form 10XXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in Section 13, following. FGD Switched Access may be originated using the 950-XXXX access code if the customer requests the FGD with 950 Access feature.

Issued:

SEP 0 9 1991

OCT 19 199 OCT

Access Services Tariff
Section 6
1st Revised Sheet 35
Replacing Original Sheet 35

(CP) ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature (Groups-(Continued)

6.2.4 Feature Group D (FGD)-(Continued)

A. Description-(Continued)

MISSUUR: Public Service Commission

4. (Continued)

priate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from an FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXXANCELLED access codes, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of 1991 FGD Switched Access Service with DA Service is provided as set 2 ~ forth in Section 9., following. FGD may not be switched in the terminating direction, to access another Feature Group B, Corepvice Commission in the same LATA.

- 5. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 6. The access code for FGD switching is a uniform access code of the form 10XXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company 1000 access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for Easy Access Dialing to that customer, as set forth in Section 13., following.

Issued:

JUN 27 1986

Effective:

JUL 1 1986

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Contin
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - Description-(Continued)
 - (Continued)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven- to twelve-digit number may be dialed. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN. When the 10XX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

- 7. FGD switching will be arranged to accept calls from telephone exchange service locations without the need for dialing 10XX uniform access code. Each telephone exchange service line may be marked with a presubscription code to identify which 10XX code its calls will be directed to for interLATA service. Presubscription codes are applied as set forth in Section 13, following.
- B. Optional Features
 - Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Call Gapping Arrangement
 - Trunk Access Limitation International Carolier Ention e.



Access Services Tariff

DEC 25 1008

Original Sheet 35

Section 6

MSSOURI (Continued)

JAN - 1 1984

83 - 253 Public Service Conveniesion

JUL 1 1986

PUBLIC SERVICE COMMISSION OF MISSOURI

Issued: DEC 2 9 1983

Effective: JAN 0 1 1984

Access Services Tariff Section 6 8th Revised Sheet 36 Replacing 7th Revised Sheet 36

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.2 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)
 - 6. (Continued)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate ACIS, 800 NPAS and 900 Access Service. The customer's end user is not required to dial an access code for originating ACIS, 800 NPAS and 900 Access Service provided with FGD Switched Access Service. ACIS, 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 101XXXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-XXXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

September 21, 1998 October 21, 1998 Issued: Effective:

(CT)

FILED

Missouri Public

Access Services Tariff Section 6 7th Revised Sheet 36 Replacing 6th Revised Sheet 36

ACCESS SERVICES

SWITCHED ACCESS SERVICE - (Continued)

AUG 15 1995

6.2 Provision and Description of Switched Access Service Feature Groups - (Continued)

MO. PUBLIC SERVICE COMM.

- 6.2.4 Feature Group D (FGD) (Continued)
- A. Description-(Continued)
 - 6. (Continued)

(AT)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate ACIS, 800 NPAS and 900 Access Service. The customer's end user is not required to dial an access code for originating ACIS, 800 NPAS and 900 Access Service provided with FGD Switched Access Service. ACIS, 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX or 101XXXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-XXXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

CANCELLED

OCT 2 1 1998 By 844 RS#36 **Public Service Commission** MISSOURI

SEP 1 5 1995

AUG 1 5 1995 Issued:

Effective:

SEP 1 5 1995

MISSOURI

Access Services Tariff Section 6 6th Revised Sheet 36 Replacing 5th Revised Sheet 36

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

MAR 20 1995

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MO. PUBLIC SERVICE COMM.

- 6.2.4 Feature Group D (FGD)-(Continued)
- A. Description-(Continued)
 - 6. (Continued)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate ACIS, 800 NPAS and 900 Access Service. The customer's end user is not required to dial an access code for originating ACIS, 800 NPAS and 900 Access Service provided with FGD Switched Access Service. ACIS, 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-XXXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

CANCELLED

SEP 151995 Public Service Commission MISSOURI

Issued:

MAR 2 0 1995

Effective:

APR 2 0 1995 APR 2 0 1995

By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri

MISSOURI Public Service Commission

(AT)

(AT)

(AT)

Access Services Tariff Section 6 5th Revised Sheet 36 Replacing 4th Revised Sheet 36

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 04 1993

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI Public Service Commission

- 6.2.4 Feature Group D (FGD)-(Continued)
 - Description-(Continued)
 - 6. (Continued)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate 800 NPAS and 900 Access Service. The customer's end user is not required to dial an access code for originating 800 NPAS and 900 Access Service provided with FGD Switched Access Service. 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-XXXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching CANagres inutes will be rated as System General Requirements. FGD.

> APR 201995 Public Service Commission

MISSOURI

NOV 111993

Issued: OCT 1 1 1993

1,

(CT)

Effective:

Access Services Tariff
Section 6
4th Revised Sheet 36
Replacing 3rd Revised Sheet 36

ACCESS SERVICES

MAR 13 1993

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature COMMAGNUTE COMMAGNUTE CONCELED
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)

location.

6. (Continued)

(AT)

(AT)

(AT)

Public Service Commission
Public Service Commission
Public Service Commission
For calls in the North

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate 800 NPAS and 900 Access Service. The customer's end user is not required to dial an access code for originating 800 NPAS and 900 Access Service provided with FGD Switched Access Service. 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the

end-of-dialing digit (#) for cut-through access to the IC's terminal

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-0XXX and 950-1XXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

FIL ID

Issued: MAR 2 2 1993

Effective: MAY - 1 1993

MAY 0 1 1993

Access Services Tariff Section 6 3rd Revised Sheet 36 Replacing 2nd Revised Sheet 36

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI

6.2.4 Feature Group D (FGD)-(Continued) Public Service Commission CANCELLED

A. Description-(Continued)

(Continued)

MAY 1 1993 BY 44 R.S. # 3

(AT)

(AT)

(AT)

Where no access code is required violated himber dialed by the IC's customer shall be a seven bor ten digit humber for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate 800 and 900 Access Service. The customer's end user is not required to dial an access code for originating 800 and 900 Access Service provided with FGD Switched Access Service. 800 and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the

digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal

location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-0XXX and 950-1XXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

FILED)

Access Services Tariff
Section 6
2nd Revised Sheet 36
Replacing 1st Revised Sheet 36

ACCESS SERVICES

OCT 1 3 1987

SWITCHED ACCESS SERVICE-(Continued)

MISSOURI

- 6.2 Provision and Description of Switched Access Service Feature (Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)
 - 6. (Continued)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate 800 Access Service. The customer's end user is not required to dial an access code for originating 800 Access Service provided with FGD Switched Access Service. 800 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXXX, 0 or 1 + NXX-XXXXX, NPA + NXX-XXXXX, 0 or 1 + NPA + NXX-XXXXX. When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-0XXX and 950-1XXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

(RT)

JAN 29 1990
BY. 3 Public Service Commission
MISSOURI

FILED

0CT 16 1987 T0-87-42 Public Service Commission

Issued: OCT 1 4 1987

Effective: OCT 16 1987

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

(TA)

(AT)

(RT)

Access Services Tariff Section 6 1st Revised Sheet 36 Replacing-Original-Sheet,36

(CP)ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

JUN 27 1955

Public Sen As Postimission

MISSUMELLED

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
- 6.2.4 Feature Group D (FGD)-(Continued)
- A. Description-(Continued)
 - (Continued)

the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cutthrough access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-0XXX and 950-1XXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

A WATS Access Line may, at the option of the customer, be provided for use with FGD Switched Access Service. A WATS Access Line provides a connection between a customer's end user's premises and a Telephone Company end office switch capable of performing the necessary screening functions for 800 Service, WATS or similar services and is provided only for use at the closed end of such services.

WATS Access Lines are arranged for either originating calling only or terminating calling only. They are provided with rotary diallog dual tone multifrequency address signaling and either loop start or ground start supervisory signaling. The choice of the type of signaling is at the option of the customer.

86-84

Issued:

JUN 27 1986

Effective:

JUL

ACCESS SERVICES

Access Services Tariff Section 6 Original Sheet 36

DEC 29 1223

ILLSŠOURI

Public Service Commission

- SWITCHED ACCESS SERVICE-(Continued) 6.
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - B. Optional Features-(Continued)
 - 1. Common Switching Optional Features-(Continued)
 - End Office Customer Line Service Screening for use with Dedicated Access Line Service
 - h. Hunt Group Arrangement for use with Dedicated Access Line Service
 - i. Uniform Call Distribution Arrangement for use with Dedicated Access Line Service
 - j. Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for use with Dedicated Access Line Service
 - k. Band Advance Arrangement for use with Dedicated Access Line Service
 - 2. Transport Termination Optional Features
 - a. Operator Trunk Full Feature Arrangement
 - 3. Local Transport Optional Features
 - a. IC Specification of Feature Group Directionality
 - Provision of Other Than Telephone Company Selected Traffic Routing
 - C. Transmission Performance

FGD is provided with either Theral type B or Type C Transmission Performance as follows

- When routed directly to the lend office either Type B or C is pro-

SS Tangen Commission

SS Tangen Commission

SS Tangen Commission

Type A is provided. JAN - 1 1984 - When routed to an access

- Type A is provided on the transmission path from the access 83 - 253 tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1. Type A and Type B Transmission Performances are provided with Interface Groups 2 through 10.

DEC 2 9 1983 Issued:

Access Services Tariff
Section 6
11th Revised Sheet 37
Replacing 10th Revised Sheet 37

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - 1. Common Switching Optional Features

(FC)	a.	Alternate Traffic Routing
	b.	Automatic Number Identification (ANI)/Charge Number Parameter
	c.	Band Advance Arrangement for use with WATS Access Line Service
(AT)	d.	Calling Party Number (CPN) Parameter
(AT)	e.	Carrier Identification Code (CIC)
(AT)	f.	Carrier Identification Code Parameter (CIP)
()	g.	Carrier Selection Parameter (CSP)
	h.	Cut-Through
	i.	End Office End User Line Service Screening for use with WATS Access Line Service
	i	FGD or BSA-D With 950 Access
	k.	Flexible Automatic Number Identification (Flex ANI)
	1.	Hunt Group Arrangement for use with WATS Access Line Service
	m.	International Carrier Feature
	n.	MicroLink I Access Capability
	О.	Multifrequency Signaling
	p.	Multiple 64 Clear Channel Capability (64 CCC)
(CT)	q.	Nonhunting Number for use with (l) or(w)
	r.	Overlap Outpulsing
	S.	Service Class Routing
	t.	Signaling System 7 (SS7) Signaling
	u.	64 Clear Channel Capability (64 CCC)
(FC)	v.	Trunk Access Limitation
•	w.	Uniform Call Distribution Arrangement for use with WATS Access Line Service
(FC)	u. v.	64 Clear Channel Capability (64 CCC) Trunk Access Limitation

Issued: **JULY 27, 1999** Effective: **AUGUST 26, 1999**

Access Services Tariff
Section 6
10th Revised Sheet 37
Replacing 9th Revised Sheet 37

ACCESS SERVICES

RECEIVED

- 6. SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature AUG 15 1995 Groups-(Continued)
 - 6.2.4 Feature Group D (FGD) (Continued)

MO. PUBLIC SERVICE COMM.

- 1. Common Switching Optional Features
 - a. Automatic Number Identification (ANI)/Charge Number Parameter
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - m. International Carrier Feature
 - n. FGD or BSA-D With 950 Access
 - o. Flexible Automatic Number Identification (Flex ANI)

(RT)

- q. Carrier Selection Parameter (CSP)
- r. Multifrequency Signaling
- s. Signaling System 7 (SS7) Signaling
- t. MicroLink I Access Capability
- u. 64 Clear Channel Capability (64 CCC)
- v. Multiple 64 Clear Channel Capability (64 CCC)

CANCELLED

AUG 26 1999

FILED

Issued:

AUG 1 5 1995

Effective:

SEP 15 1995

SEP 1 5 1995

MISSOURI Public Service Commission

Access Services Tariff Section 6 9th Revised Sheet 37 Replacing 8th Revised Sheet 37

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

OCT 17 1994

- 6.2 Provision and Description of Switched Access Service Feature MO. PUBLIC SERVICE COMM. Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - 1. Common Switching Optional Features
 - a. Automatic Number Identification (ANI)/Charge Number Parameter
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - Hunt Group Arrangement for use with WATS Access Line Service
 - Uniform Call Distribution Arrangement for use with WATS Access g. Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
 - k. Overlap Outpulsing
 - Carrier Identification Code
 - International Carrier Feature
 - n. FGD or BSA-D With 950 Access
 - o. Flexible Automatic Number Identification (Flex ANI)
 - p. Calling Party Number (CPN) Parameter
 - q. Carrier Selection Parameter (CSP)
 - r. Multifrequency Signaling
 - s. Signaling System 7 (SS7) Signaling
 - MicroLink I Access Capability
 - u. 64 Clear Channel Capability (64 CCC)
- Multiple 64 Clear Channel Capability (64 CCC) (AT)

CANCELLED

SEP 151995 Public Service Commission

NOV 2 4 1994

Issued: OCT 1 7 1994

(AT)

MISSOURI Effective: Commission

Access Services Tariff Section 6 8th Revised Sheet 37 Replacing 7th Revised Sheet 37

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature 2 4 1994 Groups-(Continued)

MISSOURI

6.2.4 Feature Group D (FGD)-(Continued)

Public Service Commission

- 1. Common Switching Optional Features
 - a. Automatic Number Identification (ANI)/Charge Number Parameter
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - Nonhunting Number for use with (f) or (g), preceding
 - Band Advance Arrangement for use with WATS Access Line Service i.
 - Cut-Through j.
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - m. International Carrier Feature

 - o. Flexible Automatic Number Identification (Flex ANI)
 p. Calling Party Number (CPN) Parameter
 q. Carrier Selection 7

 - q. Carrier Selection Parameter (CSP)
 - r. Multifrequency Signaling
 - s. Signaling System 7 (SS7) Signaling

t. MicroLink I Access Capability

Public Service

101 - 21994

MISSOURI Public Service Commission

JUL 0 2 1991

Issued:

(TA)

MAY 2 4 1994

Effective:

Access Services Tariff
Section 6
7th Revised Sheet 37
Replacing 6th Revised Sheet 37

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

- 6.2 Provision and Description of Switched Access Service Feature 07 1994 Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)

MISSOURI
Public Service Commission

- 1. Common Switching Optional Features
- (AT) a. Automatic Number Identification (ANI)/Charge Number Parameter
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through

(AT)

- k. Overlap Outpulsing
- 1. Carrier Identification Code
- m. International Carrier Feature
- n. FGD or BSA-D With 950 Access
- o. Flexible Automatic Number Identification (Flex ANI)
- p. Calling Party Number (CPN) Parameter
- q. Carrier Selection Parameter (CSP)
- r. Multifrequency Signaling
- (AT) s. Signaling System 7 (SS7) Signaling

CANCELLED

JUL 8 1994 3 7

BY A R S. 3 7

Public Service Commission

MISSOURI

APR -7 1994

Issued: MAR 0 7 1994

Effective:

APRole Taggize Commission

Access Services Tariff
Section 6
6th Revised Sheet 37
Replacing 5th Revised Sheet 37

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

- 6.2 Provision and Description of Switched Access Service Feature B 03 1994 Groups-(Continued)
- 6.2.4 Feature Group D (FGD)-(Continued)

MISSOURI Public Service Commission

- 1. Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - m. International Carrier Feature
 - n. FGD or BSA-D With 950 Access
- (AT) o. Flexible Automatic Number Identification (Flex ANI)

CANCELLED

APR 7 1994

BY TRR.S.#37

Public Service Commission

MISSOURI

FILED

MAR 141994

MISSOURI Public Service Commission

MAR 1 4 1994

Issued: FEB 0 4 1994

Effective Effective

Access Services Tariff
Section 6
5th Revised Sheet 37
Replacing 4th Revised Sheet 37

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

- 6.2 Provision and Description of Switched Access Service Feature MAR 29 1993 Groups-(Continued)
- 6.2.4 Feature Group D (FGD)-(Continued)

MISSOURI

Public Service Commission

- 1. Common Switching Optional Features
 - Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - m. International Carrier Feature

n. FGD or BSA-D With 950 Access

CANCELLED

MAR 14 1937 TUR. ST Public Service Commission MISSOURI

FILED

APR 11 1993

92 - 30 4 MO PUBLIC SERVICE COMM

Issued:

(AT)

MAR 2 6 1993

Effective:

APR 1 1 1993

Access Services Tariff
Section 6
4th Revised Sheet 37
Replacing 3rd Revised Sheet 37

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

SEP 6 1991

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI
Public Service Commission

- 6.2.4 Feature Group D (FGD)-(Continued)
 - Common Switching Optional Features
 - Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - m. International Carrier Feature
 - n. FGD with 950 Access

CANCELLED

APR 11 1993 By 5 th R.S. #37

Public Service Commission MISSOURI

Issued: SEP 0 9 1991

(TA)

Effective: GCT 1 9 1991

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri FILED

OCT 19 1991

Access Services Tariff Section 6 3rd Revised Sheet 37 Replacing 2nd Revised Sheet 37

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI © Service Commission

6.2.4 Feature Group D (FGD)-(Continued)

(RT)

RT) В. Features

(RT)

(TM)

(MT)

(AT)

(AT)

- Common Switching Features
 - Automatic Number Identification (ANI)
 - Service Class Routing
 - Alternate Traffic Routing
 - Trunk Access Limitation
 - End Office End User Line Service Screening for use with WATS Access Line Service
 - Hunt Group Arrangement for use with WATS Access Line Service
 - Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - Band Advance Arrangement for use with WATS Access Line Service ED
 - Cut-Through j.
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - International Carrier Feature

OCT 19 1991

BY 4 R.S. * 37

Public Service Commission MISSOURI

Issued: AUG 0 9 1991

Effective: SEP 0.9.1991

FILED

Access Services Tariff Section 6 2nd Revised Sheet 37 Replacing 1st Revised Sheet 37

ACCESS SERVICES

OCT 1 3 1987

SWITCHED ACCESS SERVICE-(Continued)

- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)

(RT) (RT)

CANCELLED

Optional Features

Common Switching Optional Features

SEP 3 0 1991 **Public Service Commission**

MISSOURI

- Automatic Number Identification (ANI)
- Service Class Routing
- c. Alternate Traffic Routing
- d. Trunk Access Limitation
- End Office End User Line Service Screening for use with WATS Access Line Service
- f. Hunt Group Arrangement for use with WATS Access Line
- Uniform Call Distribution Arrangement for use with WATS Access Line Service

FILED

OCT **16 198**7 TO-87-42

Issued: OCT 14 1987

Effective: OCT 16 1987

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

(CT)

Access Services Tariff Section 6 1st Revised Sheet 37 Replacing Original Sheet 37

(CP) ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
- 6.2.4 Feature Group D (FGD)-(Continued)
- A. Description-(Continued)
 - (Continued)

WATS Access Lines are provided as either an effective two-wire or effective four-wire transmission path. Each transmission path is provided with Standard Transmission Specifications and Data Transmission Parameters as set forth in Paragraph 6.4., following. When optional extensions are provided, the echo control limits are not applicable. At the option of the customer, the WATS Access Line may be ordered with the Improved Two-Wire Voice Transmission Specifications or a DSI digital interface. CANCELLED

- B. Optional Features
 - Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office Customer Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - Uniform Call Distribution Arrangement for use with WATS Access Line Service

REGEIVED

WIZZORKI Public Service Commission

Public Service Commission

MISSOURI

JHL 1

86-84

Public Service Commission

Issued: JUN 27 1986 Effective:

1 1986 JUL

Access Services Tariff
Section 6
Signal Sheet 37

DEC 29 1003

falssouri

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feeture Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - C. Transmission Performance—(Continued)

Type DA Data Transmission Parameters are provided for the transmission path between the IC terminal location and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the IC terminal location and the end office when directly routed to the end office.

D. Testing Capabilities

FGD is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. Additional Cooperative Acceptance Testing, non-optional Automatic Scheduled Testing, Cooperative Scheduled Testing, or Manual Scheduled Testing and Nonscheduled Testing, will be provided for FGD as set forth in Section 13, following.

CANGELLED

JUL 1 1986

BY A R S. #37
PUBLIC SERVICE COMMISSION
OF MISSOURI

JAN - 1 1984 83 - 253 Public Service Commission

Issued: DEC 29 1983

Effective: JAN 0 1 1984

Access Services Tariff
Section 6
3rd Revised Sheet 38
Replacing 2nd Revised Sheet 38

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
- (RT) B. Features-(Continued)
- (MT)
- (RT) 2. Transport Termination Features
 - a. Operator Trunk Full Feature Arrangement
- (RT) 3. Local Transport Features
- (RT) a. Supervisory Signaling
- (RT)
- (AT) b. Customer Specified Entry Switch Receive Level
 - C. Transmission Performance

FGD is provided with either Type A, Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or C is provided.
- When routed to an access tandem only, Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1. Type A and Type B Transmission Performances are provided with Interface Groups 2 through 10.

Type DA Data Transmission Parameters are provided for the transmission path between the IC terminal location and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the IC terminal location and the end office when directly routed to the end office.

-____

Issued: August 9, 1991 Effective: September 9, 1991

Access Services Tariff
Section 6
2nd Revised Sheet 38
Replacing 1st Revised Sheet 38

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)

OCT 1 3 1987

B. Optional Features-(Continued)

MISSOURI

- 1. Common Switching Optional Features-(Continued) Public Service Commission
 - h. Nonhunting Number for use with (f) or (g) preceding
 - Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
- 2. Transport Termination Optional Features
 - a. Operator Trunk Full Feature Arrangement
- 3. Local Transport Optional Features
 - a. Supervisory Signaling (as set forth in Paragraph 6.1.2.A.12.a., preceding.)

(RT)

(CT)

CANCELLED

SEP 3 0 1991

C. Transmission Performance

BY 3MR.S. - 38

Public Service Commission FGD is provided with either Type A, Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or C is provided.
- When routed to an access tandem only, Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1. Type A and Type B Transmission Performances are provided with Interface Groups 2 through 10.

Type DA Data Transmission Parameters are provided for the transmission path between the IC terminal location and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the IC terminal location and the end office when directly routed to the end office.

Issued: OCT 1 4 1987

Effective: OCT 16 1987 OCT 16 1987

Access Services Tariff Section 6 1st Revised Sheet 38 Replacing Original Sheet 38

REGEIVED

WIZZNIKI

Public Service Commission

(CP)ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - B. Optional Features-(Continued)
 - Common Switching Optional Features-(Continued)
 - Nonhunting Number for use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - i. Band Advance Arrangement for use with WATS Access Line Service CANCELLED
 - j. Cut-Through

2. Transport Termination Optional Features

Operator Trunk Full Feature Arrangement

3. Local Transport Optional Features

BY 20075#3 Supervisory Signaling (as set forth in Paraglaph Service Commission MISSOUHI. ... preceding.)

4. WATS Access Lines

- a. Two-wire WATS Access Line
- b. Four-wire WATS Access Line
- Digital WATS Access Line
- Improved Two-wire Voice Transmission Performance
- C. Transmission Performance

FGD is provided with either Type A, Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or C is pro-
- When routed to an access tandem only, Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1. Type A and Type B Transmission Performances are provided with Interface Groups 2 through 10.

Type DA Data Transmission Parameters are provided for the transmission path between the IC terminal location and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the AC 1986 terminal location and the end office when directly routed to the end Public Service Commission office.

Issued:

JUN 27 1986

Effective:

1 1986 JUL

Access Services Tariff Section 6 Original Sheet 38

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

DEC 20 reco

6.3 Common Switching and Transport Termination Nonchargeable Optional) Features

Public Service Commission !

6.3.1 Common Switching Optional Features

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the feature groups. They are provided as either common switching or transport termination options.

A. Call Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the LATA, and for the completion only of calls to 411, 611, 911, 800, 555-1212, and a Telephone Company-specified set of NXX's within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices. It is available with Feature Group A.

Service Code Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the LATA and for disallowing completion of calls to 0- and N11 (e.g., 411, 611 and 911). This feature is provided, where available, in all Telephone Company electronic end offices and electromechanical end offices. It is available with Feature Group A.

C. Hunt Group Arrangement

This option provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Tele phone Company end offices. It is available with Feature Group A.

D. Uniform Call Distribution Arrangement

pany electronic end offices only.

This option provides a type of multiline unting arrangement which provides for an even distribution calls among the available lines in anssormant group. Where available, this feature is provided in Telephone Company electronic and office of the second company electronic and the second company THORs available with Feature Group A.

JAN - 1 1921

Issued: DEC 29 1983

Effective:

JAN 0 1 1984