

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)

4.2 Description of Switched Access (Cont'd)

4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd)

MISSOURI Public Service Commission

(B) BSA-B (Cont'd)

(11) BSA-B is provided with basic testing at no additional charge. Basic tests include: loss, 3 tone slope, (C-message and C-notched noise) and where applicable, dc continuity, signaling and balance testing.

(a) Where Telephone Company equipment is available, a seven digit access number will be provided to the customer for testing in the terminating direction. These access numbers shall include: balance (100 type) test line, milliwatt (102 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line.

(b) Where Telephone Company equipment is available and the customer is equipped with compatible remote office test lines, BSA-B will be provided with automatic testing (105 type or equivalent) in the originating direction.

Additional testing charges apply as in 6.6 when: (a) the customer requests a test not specified in the preceding; (b) the test requested is not essential to the ongoing maintenance of BSA-B; or (c) the customer requests testing on a more frequent basis than scheduled in the Telephone Company's Central Office Maintenance Planning System (COMPS). The Telephone Company will routinely perform maintenance testing from its access tandem or end office (if direct routed) to the customer's first point of switching.

(12) When all BSA-B is discontinued at an end office and/or in an Access Area, a regular number intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the BSA-B associated with the number dialed has been disconnected.

(13) BSA-B is provided with either Type B or Type C transmission performance. The parameters associated with these performances are guaranteed to the end office, when routed directly, or to the first point of switching, when routed via an access tandem. Type C transmission performance is provided with Interface Arrangement 1 and Type B is provided with Interface Arrangements 2 through 10. In addition, Data Transmission Parameters may, at the option of the customer, be provided with BSA-B.

(14) BSA-B may at the option of the customer and with the concurrence of the Telephone Company, be provided with Alternate Traffic Routing. This arrangement, as shown in 4.2.22, delivers originating traffic from an end office over a designated trunk group to the CDL. When that trunk group is fully loaded, additional originating traffic is automatically delivered over one or more designated trunk groups to one or more CDLs.

FILED

AUG 01 2000

MISSOURI 2 Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd)

**MISSOURI
Public Service Commission**

(C) BSA-C

Basic Serving Arrangement C (BSA-C) provides trunk-side access to Telephone Company end office switches for providers of MTS and WATS for originating and terminating communications. BSA-C is available in all end offices which are not equipped for FGD or BSA-D End Office Services.

- (1) BSA-C is provided at all Telephone Company end office switches or Telephone Company designated access tandem switches. BSA-C is available at an end office switch unless FGD or BSA-D is provided in the same office. When FGD or BSA-D is available, BSA-C will be discontinued as soon as the conversion to BSA-D can be arranged.

BSA-C utilizes a two-point electrical communications path between the Interface Arrangement and Common Line or Special Access Line which is a voice grade transmission path comprised of any form or configuration of plant capable of, and typically used in the telecommunications industry for, the transmission of the human voice and associated signals within the frequency bandwidth of approximately 300 to 3000 Hz.

- (2) BSA-C is provided as trunk-side switching through the use of end office switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start pulsing signals are provided in all offices where available. In those offices where wink start pulsing signals are not available, delay dial start pulsing signals will be provided.

BSA-C may also be provided with certain Basic Service Elements (BSEs) as shown in 4.2.22.

- (3) The Telephone Company will select the trunking arrangement from the end office within the selected Access Area from which BSA-C is to be provided. If the customer orders an ANI arrangement as shown in 4.2.22 and 4.5.10, or Service Class Routing Arrangement, special routing and trunking arrangements may be required.

- (4) BSA-C is arranged for either originating calling only, terminating calling only, or two-way calling based on the trunks or BHMC ordered. The Telephone Company will determine the type of Directional calling to be provided unless the customer requests the option, Customer Specification of Directionality as described in 4.2.5(H). For such specification, additional charges on an Individual Case Basis will apply if the trunk group Routing arrangements are different from that the Telephone Company would have provided without such special arrangements. Originating calling permits the origination of calls from the end user to the CDL. Terminating calling permits the termination of calls from the CDL to the end user. Two-way calling permits either the origination or termination of calls, but not simultaneously.

FILED

AUG 01 2000
00-182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.2 Description of Basic Serving Arrangements (BSAs) (C) **MISSOURI
Public Service Commission**(C) BSA-C (Cont'd)

- (5) BSA-C is provided with multifrequency address signaling except in certain electromechanical end office switches where multifrequency signaling is not available. In such electromechanical end office switches, the address signaling will be dial pulse or revertive pulse signaling, whichever is available. Dial pulse address signaling may, at the option of the customer, be provided in lieu of multifrequency address signaling if such signaling facilities are available in the end office. Up to twelve digits of the called party number dialed by the customer's end user will be provided by Telephone Company equipment to the CDL where the BSA-C terminates. Such called party number signals will be subject to the ordinary transmission capabilities of the Switched Transport provided.
- (6) BSA-C, when being used in the terminating direction, may be used to access NXXs in the BSA-C Access Area. If the BSA-C connection is made directly to an end office the Access Area is that of that end office only. If the BSA-C connection is made to a Telephone Company access tandem the Access Area is that of all end offices subtending that Telephone Company access tandem. The description of any BSA-C Access Area will be provided to the customer upon request. Access is also available to Directory Assistance and other services (by dialing the appropriate codes) when the services can be reached using valid NXX codes.
- (7) A separate trunk group will be established based on the directionality (i.e., originating only, terminating only, or two-way traffic) of the BSA-C arrangement provided.
- (8) No access code is required for BSA-C. In certain locations, due to Central Office equipment limitations, two or three digit access codes may be used. The telephone number dialed by AT&TC's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a five to twelve digit number may be dialed. The form of the numbers dialed by AT&TC's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the International Direct Distance Dialing Arrangement (IDDD) is provided, 01 + CC + NN or 011 + CC + NN.
- (9) BSA-C may, at the option of the customer, be arranged to provide an ANI arrangement to obtain the calling station billing number. The ANI arrangement provides seven digit station billing number information to the CDL. In those situations where no billing number is available in the end office switch, as with 4/8 party service, no seven digit number will be provided and an "operator identification" information digit will be provided.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd)**MISSOURI
Public Service Commission**(C) BSA-C (Cont'd)

(9) (Cont'd)

In those cases where an ANI failure has occurred in the end office switch, no seven digit number will be provided and an "identification failure" information digit will be provided. ANI will be made available using multifrequency signaling provided by the Telephone Company.

BSA-C is provided in directly routed arrangements to the end office switch where the ANI arrangement is provided. The Telephone Company will determine the end office ANI protocol for BSA-C.

Only calls from end users terminated on the end office switch will be provided with the ANI arrangement. ANI is provided from end offices for which Telephone Company recording for end user billing is not provided, or where it is not required, as with 800/888/877 Service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

- (10) BSA-C may, at the option of the customer, be arranged for International Direct Distance Dialing (IDDD) arrangement in the originating direction. End offices or Telephone Company access tandems equipped for IDDD will be designated by the Telephone Company. The CDL must be equipped to receive the IDDD supervisory and address signals and the CDL must provide operator assistance to the end users if necessary to obtain the IDDD address signals once the CDL acknowledges it is ready to receive IDDD address signals.
- (11) BSA-C is provided with basic testing at no additional charge. Basic tests include: loss, 3 tone slope, (C-message and C-notched), and where applicable, signaling and balance testing.
- (a) Where Telephone Company equipment is available, a seven digit access number will be provided to the customer for testing in the terminating direction. The access number shall include: balance (100 type) test line, milliwatt (102 type) test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, nonsynchronous or synchronous test line, loop around test line, short circuit test line and open circuit test line.
- (b) Where Telephone Company equipment is available and the customer is equipped with compatible equipment (remote office test lines and 105 test lines with associated responders or their functional equivalent), BSA-C will be provided with automatic testing.

FILEDAUG 01 2000
00-182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd)

**MISSOURI
Public Service Commission**

(C) BSA-C (Cont'd)

(11) (Cont'd)

(c) At the option of the Telephone Company, cooperative testing may be provided in lieu of automatic testing. Cooperative testing is where the Telephone Company provides a technician at its office(s) and the customer provides a technician at its CDL, with suitable test equipment to perform the required tests. The Telephone Company will routinely perform maintenance testing from its access tandem or end office (if direct routed) to the customer's first point of switching.

Additional testing charges will apply as in 6.6 when: (a) the customer requests a test not specified in the preceding; (b) the test requested is not essential to the ongoing maintenance of BSA-C; or (c) the customer requests testing on a more frequent basis than scheduled in the Telephone Company's Central Office Maintenance Planning System (COMPS).

- (12) BSA-C may, at the option of the customer, be provided with Alternate Traffic Routing. This arrangement, as shown in 4.2.22, delivers originating traffic from an end office over a designated trunk group to the CDL. When that trunk group is fully loaded, additional originating traffic is automatically delivered over one or more designated trunk groups to one or more CDLs.
- (13) BSA-C may, at the option of the customer, be provided with a Service Class Routing Arrangement. This arrangement allows originating traffic to be delivered over selected trunk groups to specified CDL based on service prefix (e.g., 0-, 0+, 1+, 01, 011); service class codes (e.g., 500, 700, 800, 888, 877, 900); or end user originating line class of service (e.g., coin, multiparty, hotel/motel).
- (14) BSA-C may, at the option of the customer, be provided with a Trunk Access Limitation Arrangement in all Telephone Company end offices. This arrangement provides for the routing of designated (e.g., 900 Service Code) originating calls to a specified number of transmission paths in a trunk group to the CDL in order to limit the amount of such traffic that can be completed.

FILED

AUG 01 2000
00-182

**MISSOURI
Public Service Commission**

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd)**MISSOURI
Public Service Commission**(C) BSA-C (Cont'd)

(15) BSA-C is provided with the following features in the originating direction for operator assistance services. BSA-C may require the routing by Service Class Routing Arrangement.

(a) Operator Assistance-Coin Control Arrangements for Telephone Company end offices where equipment is available - Such arrangements provide coin return control and routing of 0+, 0-, 01+ and 011+ prefixed originating calls to the CDL. The operator services system arrangement for receipt of 0+, 0-, 1+, 01+ and 011+ calls may, at the option of the customer, be provided with the ANI arrangement. The cord board arrangement for receipt of 0- originating calls is not provided with ANI. BSA-C is provided in a directly routed arrangement where the Operator Assistance-Coin Control arrangement is provided. Only calls from coin station lines terminated on the end office switch where the Operator Assistance-Coin Control Arrangement is provided will be provided to the CDL.

(b) Operator Assistance-Noncoin Arrangements in all Telephone Company end offices - Such arrangements provide routing of 0+, 0-, 1+, 01+, and 011+ prefixed originating calls to the CDL. This arrangement for receipt of 0+, 0-, 1+, 01+, and 011+ originating calls may, at the option of the customer, be provided with the ANI arrangement.

The cord board arrangement for receipt of 0- originating calls is not provided with ANI. BSA-C is provided in a directly routed arrangement where the Operator Assistance-Noncoin Arrangement is provided. Only calls from end users terminated on the end office switch where the Operator Assistance-Noncoin Arrangement is provided will be provided to the CDL.

(c) Operator Assistance - Combined (coin and noncoin) Arrangements in Telephone Company end offices where equipment is available - This arrangement provides the combined features described in (a) and (b).

(16) BSA-C is provided with either Type B or Type C transmission performance as follows: a) when routed directly to the end office, either Type B or Type C is provided; b) when routed to an access tandem, only Type B is provided; or c) Type B or Type C is provided on the transmission path from the access tandem to the end office. Type C transmission performance is provided with Interface Arrangement 1 when routed directly to an end office. Type B is provided with Interface Arrangements 2 through 10 whether routed directly to an end office or to an access tandem. In addition, Data Transmission Parameters may, at the option of the customer, be provided with BSA-C.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd)**MISSOURI
Public Service Commission**(D) BSA-D

Basic Serving Arrangement D (BSA-D), available to all customers at appropriately equipped electronic end office switches, provides trunk-side access to Telephone Company end office switches with an associated 101XXXX access code for providers of MTS/WATS and MTS/WATS-type services for originating and terminating communications for customer provided intrastate communications capability or connections to an interexchange intrastate service.

- (1) BSA-D utilizes a two-point electrical communications path between the Interface Arrangement and Common Line or Special Access Line which is a voice grade transmission path comprised of any form or configuration of plant capable of, and typically used in the telecommunications industry for, the transmission of the human voice and associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz.

SS7 Out of Band Signaling for BSA-D is provided at suitably equipped Telephone Company end office or access tandem switches.

- (2) BSA-D is provided as trunk-side switching through the use of end office or Telephone Company access tandem switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling and wink start pulsing signals except when SS7 Out of Band Signaling is specified. BSA-D may also be provided with certain Basic Service Elements as shown in 4.2.22.
- (3) The Telephone Company will select the trunking arrangement from the end office, within the selected Access Area from which BSA-D is to be provided. If the customer orders an Automatic Number Identification (ANI) Arrangement or an Alternate Traffic Routing Arrangement, as shown in 4.2.22, Service Class Routing Arrangement; Trunk Access Limitation Arrangement; or Operator Assistance Full Feature Arrangement, special routing and trunking arrangements may be required.
- (4) BSA-D is arranged for either originating calling only, terminating calling only, or two-way calling and is based on the trunks or BHMC ordered. The Telephone Company will determine the type of directional calling to be provided unless the customer orders an Operator Assistance Full Feature Arrangement or requests the option, Customer Specification of Switched Access Directionality as described in 4.2.5(H). For such arrangements, additional charges on an Individual Case Basis will apply if the trunking arrangements are different from that the Telephone Company would have provided without such special arrangements. Originating calling permits the origination of calls from the end user to the CDL. Terminating calling permits the termination of calls from the CDL. Two-way calling permits either the origination or termination of calls, but not simultaneously.
- (5) BSA-D is provided with multifrequency address signaling or SS7 Out of Band Signaling. Up to twelve digits of the called party number dialed by the end user will be provided by Telephone Company equipment to the CDL where the BSA-D terminates. Such address signals will be subject to the ordinary transmission capabilities of the Switched Transport provided.

FILEDAUG 01 2000
00-182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)4.2 Description of Switched Access (Cont'd)4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd) **MISSOURI Public Service Commission**(D) BSA-D (Cont'd)

- (6) BSA-D, when being used in the terminating direction, may be used to access valid NXXs in the BSA-D Access Area. If the BSA-D connection is made directly to an end office the Access Area is that of that end office only. If the BSA-D connection is made to a Telephone Company access tandem, the Access Area is all end offices subtending that access tandem that have BSA-D capabilities. When the customer wants access to all end offices subtending that access tandem (both equal access and non equal access) a single BSA-D trunk group may be used. Traffic terminating at a non equal access end office using a BSA-D trunk group will be ordered as BSA-B or BSA-C and billed at BSA-B or BSA-C rates. Separate trunk groups for the combined use of BSA-D and BSA-B or BSA-D and BSA-C are not required. The description of any BSA-D Access Area will be provided to the customer upon request. BSA-D may also be used in the terminating direction to access information services (e.g., time and temperature) and other services by dialing the appropriate codes when the services can be reached using valid NXX codes.
- (7) A separate trunk group will be established based on directionality (i.e., originating only, terminating only, or two-way traffic) of the BSA-D arrangement provided.
- (8) The access code for BSA-D is a uniform access code of 101XXXX. No access code is required if the end user's Telephone Company local service is arranged for Primary Interexchange Carrier (PIC) arrangement as in 6.5 to the same customer. The number dialed by the end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a five to twelve digit number may be dialed. The form of the numbers dialed by the end users is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the International Direct Distance Dialing Arrangement (IDDD) is provided, 01 + CC + NN or 011 + CC + NN. When the 101XXXX access code is used, BSA-D also provides for dialing the digit 0 for access to the customer's operator, or the end-of-dialing digit (#) for cut-through access to the CDL. BSA-D also provides for the dialing of digits 00 for access on a non-DDD basis to the customer's operator when the end user's service is designated to the customer as in 6.5 and 4.2.5(V). A single access code will be the assigned number for all BSA-D provided to the customer by the Telephone Company.

In addition to the standard 101XXXX access code, the customer has the option to use 950-XXXX as an access code for BSA-D Switched Access Service. When the customer orders BSA-D Switched Access Service with 950-XXXX Access as described in 4.2.5(T), BSA-D switched access calls may also be originated by using the customer's 950-XXXX access code(s). All such calls will be rated as BSA-D switched access calls.

BSA-D, provided with multifrequency address signaling or SS7 Out of Band Signaling, is arranged to receive address signaling through the use of Dual Tone Multifrequency (DTMF) or dial pulse address signaling from the end user.

FILEDAUG 01 2000
00 - 182**MISSOURI Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)4.2 Description of Switched Access (Cont'd)4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd)**MISSOURI
Public Service Commission**(D) BSA-D (Cont'd)

- (9) BSA-D may, at the option of the customer, be arranged to provide ANI arrangement to obtain the calling station billing number. The ANI arrangement provides ten digit station billing number information to the CDL. When SS7 Out of Band Signaling is specified, the customer may obtain an ANI equivalent by ordering the Charge Number optional feature as described in 4.2.22. In those situations where no billing number is available in the end office switch, as with 4/8 party service, no ten digit number will be provided, only the area code and an "operator identification" information digit will be provided.

In those cases where an ANI failure has occurred in the end office switch, no ten digit number will be provided, and an "identification failure" information digit will be provided. ANI will be made available using multifrequency signaling provided by the Telephone Company.

Dependent upon the group type, the ANI spill may be forwarded prior to the called number in appropriately equipped end offices. When the ANI spill is sent prior to the called number, ten digits will be forwarded (NPA + NXX-XXXX). When the ANI spill is sent after the called number, the conventional seven digits will be forwarded. The Telephone Company will determine the sequencing and protocol of the ANI spill and called number.

- (10) BSA-D may, at the option of the customer, be arranged for the International Direct Distance Dialing (IDDD) Arrangement in the originating direction. End Offices or Telephone Company access tandems equipped for IDDD will be designated by the Telephone Company. The CDL must be equipped to receive the IDDD supervisory and address signals and the CDL must provide operator assistance to the end users if necessary to obtain the IDDD address signals once the CDL acknowledges it is ready to receive IDDD address signals.

BSA-D may also be arranged to forward the international calls of one or more international carriers to the customer. This arrangement requires verification by the Telephone Company that the customer is authorized to forward such calls.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)

4.2 Description of Switched Access (Cont'd)

4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd) **MISSOURI Public Service Commission**

(D) BSA-D (Cont'd)

(11) BSA-D is provided with basic testing at no additional charge. Basic tests include: loss, 3 tone slope, (C-message and C-notched), and where applicable, signaling and balance testing.

- (a) Where Telephone Company equipment is available, a seven digit access number will be provided to the customer for testing in the terminating direction. These access numbers shall include: balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. Access to test lines by other than seven digits is at the option of the Telephone Company and may vary in availability.
- (b) Where Telephone Company equipment is available and the customer is equipped with compatible equipment (remote office test lines and 105 test lines with associated responders or their functional equivalent), BSA-D will be provided with automatic testing.
- (c) At the option of the Telephone Company, cooperative testing may be provided in lieu of automatic testing. Cooperative testing is where the Telephone Company provides a technician at its office(s) and the customer provides a technician at its CDL, with suitable test equipment to perform the required tests. The Telephone Company will routinely perform maintenance testing from its access tandem or end office (if direct routed) to the customer's first point of switching. Additional testing charges will apply as in 6.6 when: (a) the customer requests a test not specified in the preceding; (b) the test requested is not essential to the ongoing maintenance of BSA-D or (c) the customer requests testing on a more frequent basis than scheduled in the Telephone Company's Central Office Maintenance Planning System (COMPS).
- (d) When BSA-D or 800 SAC Access service with SS7 Out of Band Signaling is ordered, network compatibility and other operational tests will be performed cooperatively by the Telephone Company and the customer at locations, dates, and times as specified by the Telephone Company in consultation with the customer. These tests are as specified in Bellcore Technical Reference Publication TR-TSV-000905. Successful completion is necessary to receive the SS7 signaling option. To protect the security of the SS7 network, certain of the information provided, i.e., point codes, by the Telephone Company to the customer will be subject to a nondisclosure agreement.

FILEDAUG 01 2000
00-182**MISSOURI Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd)

**MISSOURI
Public Service Commission**

(D) BSA-D (Cont'd)

- (12) BSA-D may, at the option of the customer, be provided with Alternate Traffic Routing. This arrangement, as shown in 4.2.22, delivers originating traffic from an end office over a designated trunk group to the CDL. When that trunk group is fully loaded, additional originating traffic is automatically delivered over one or more designated trunk groups to one or more CDLs.
- (13) BSA-D may, at the option of the customer, be provided with a Service Class Routing Arrangement. This arrangement allows originating traffic to be delivered over selected trunk groups to specified CDLs based on service prefix code (e.g., 0-, 0+, 1+, 01, 011); service class codes (e.g., 500, 700, 800, 888, 877, 900); or end user originating line class of service (e.g., coin, multiparty, hotel/motel). Service classes of traffic unable to be served by a customer will be handled at the option of the Telephone Company.
- (14) BSA-D will be arranged to accept calls from Telephone Company local service without the 101XXXX uniform access code. Each Telephone Company local service will be marked to identify which 101XXXX code its calls will be directed to for InterLATA Area service.
- (15) BSA-D may, at the option of the customer, be provided with a Trunk Access Limitation Arrangement. The Trunk Access Limitation Arrangement provides for the routing of designated (e.g., 900 Service class code) originating calls to a specified number of transmission paths in a trunk group.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd)**MISSOURI
Public Service Commission**(D) BSA-D (Cont'd)

- (16) BSA-D may, at the option of the customer, be provided with an Operator Assistance Full Feature Arrangement. This arrangement provides, to the customer operator, the initial coin control function. BSA-D is provided in a directly routed arrangement from the end office switch when this feature is provided. This feature may require the routing by Service Class Routing Arrangement. The coin collection and return protocol required by the customer must be compatible with Telephone Company equipment. Offering of this feature is contingent upon suitable administrative procedures/agreements for coin services being negotiated between the customer and the Telephone Company. This option is unavailable in conjunction with SS7 Out of Band Signaling.
- (17) BSA-D is provided with either Type A, Type B, or Type C transmission performance as follows: a) when routed directly to the end office, either Type B or Type C is provided; b) when routed to a Telephone Company access tandem, only Type A is provided; c) Type A is provided on the transmission path from the Telephone Company access tandem to the end office. Type C transmission performance is provided with Interface Arrangement 1. Type A and Type B are provided with Interface Arrangements 2 through 10. In addition, Data Transmission Parameters may, at the option of the customer, be provided with BSA-D.
- (18) BSA-D trunking arrangements are available with two basic forms of signaling protocol. The standard signaling protocol provided with BSA-D is Overlap Outpulsing. At the option of the customer, where technically available BSA-D may be provided with Non-Overlap Outpulsing signaling protocol.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

**MISSOURI
Public Service Commission**

4.2.2 Description of Basic Serving Arrangements (BSAs) (Cont'd)

(E) (Reserved for Future Use)

(F) Alarm Signal Transport Service (ASTS)

ASTS is offered via DC (Metallic) and telegraph-grade facilities in conjunction with special scanning equipment in the central office.

DC (Metallic) and telegraph-grade facilities and services were discontinued effective November 3, 1991.

FILED

AUG 01 2000
00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.3 Description of Switched Transport**MISSOURI
Public Service Commission**(A) General

- (1) Switched Transport provides the transmission of Switched Access communications including SAC Access Service, between the CDL and the originating or terminating end office switch(es) in the Access Area with one exception. Switched Transport associated with FGA or BSA-A 1+ terminating traffic provides for the transmission of Switched Access outside the Access Area, however within the LATA. Switched Transport is made up of two rate elements which are the Switched Transport Facility rate and the Switched Transport Termination rate.

The Switched Transport Facility rate provides for the transmission path and for that portion of Switched Transport which extends beyond the Telephone Company end office/access tandem and includes both the physical outside plant facilities and necessary transmission equipment (repeaters, etc.) including that which may be found at intermediate offices. The Switched Transport Facility rate is both usage and distance sensitive.

The Switched Transport Termination rate provides for the communications transmission path at the Telephone Company Switching Office and includes the Wire Center Switching and circuit equipment (e.g., signaling, transmission devices, padding, carrier channels, trunk ports, etc.), used in conjunction with Switched Transport Facility as described above. The Switched Transport Termination rate is usage sensitive.

The application of the Switched Transport rates and the determination of the mileage measurement for Switched Transport Facility is in 4.5.2(N)(2).

- (2) Switched Transport is a two-way voice frequency transmission path composed of facilities determined by the Telephone Company. The two-way voice frequency path permits the transport of calls in the originating direction (from the end office switch to the CDL), and in the terminating direction (from the CDL to the end office switch), but not simultaneously. The voice frequency transmission path may be comprised of any form or configuration of plant capable of and typically used in the telecommunications industry for the transmission of the human voice and associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz.

The Telephone Company will work cooperatively with the customer in determining (1) whether the first point of switching will be an end office switch or an access tandem switch, and (2) the directionality of the service.

- (3) (Reserved for Future Use)

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.3 Description of Switched Transport (Cont'd)

MISSOURI Public Service Commission

(A) General (Cont'd)

(4) The number of Switched Transport transmission paths provided between an end office switch and the first point of switching are determined by the Telephone Company using standard traffic engineering methods. The number of Switched Transport transmission paths provided between the first point of switching and the CDL is determined:

(a) by the customer, when ordering FGA or BSA-A, based on the number of lines ordered, or;

(b) by the Telephone Company, when the customer orders FGB, FGC, FGD, BSA-B, BSA-C, BSA-D or SAC Access Service. If ordered in trunks, the customer may determine the number of trunks. If ordered in BHMC, the Telephone Company will determine the number of trunks, using standard traffic engineering methods.

(B) Interface Arrangements

The Interface Arrangement provides the interface between the Telephone Company provided Switched Access and customer provided facilities at the point of termination at the CDL.

Switched Access is provided in a number of separate Interface Arrangements. Each Interface Arrangement provides a specified facility interface (e.g., two-wire, four-wire, DS1, etc.). Each High Capacity Analog or Digital Interface Arrangement, as listed following, is subject to the minimum capacity requirements when ordered as in 3.5.5. Provision of the Interface Arrangements and any Optional Arrangements may require placement of Telephone Company equipment [e.g., supervisory signaling equipment as described in 4.2.3(C)(4)] on the customer's premises.

Where transmission facilities permit, the individual transmission paths between the point of termination and the first point of switching may, at the option of the customer, be provided with Optional Arrangements as in (C).

The following Standard Interface Arrangements (IA) are available:

IA

- Two-Wire VF
- Four-Wire VF
- Group Analog
- Supergroup Analog
- Mastergroup Analog
- DS1 Digital
- DS1C Digital
- DS3 Digital
- DS3C Digital

FILED

AUG 01 2000 00 - 182

MISSOURI Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.3 Description of Switched Transport (Cont'd)(B) Interface Arrangements (Cont'd)**MISSOURI
Public Service Commission**

The number of Interface Arrangements provided is determined by the Telephone Company based on the number of FGA or BSA-A lines or the number of transmission paths required to meet the total trunks or BHMC ordered for FGB, FGC, FGD, BSA-B, BSA-C and BSA-D, and the type of Interface Arrangement ordered.

(1) Two-Wire Voice Frequency Interface Arrangement

- (a) The Two-Wire Voice Frequency Interface Arrangement, except as in (b), provides two-wire voice frequency transmission at the point of termination at the CDL. The interface is capable of transmission signals within the frequency bandwidth of approximately 300 to 3000 Hz.
- (b) The Two-Wire interface is not provided in association with FGC, FGD, BSA-C and BSA-D when the first point of switching is an access tandem. In addition, the two-wire interface is not provided in association with FGB and BSA-B when the first point of switching is an access tandem where two-wire terminations are not provided.
- (c) The transmission path between the point of termination at the CDL and the serving wire center may be comprised of any form or configuration of plant capable of and typically used in the telecommunications industry for the transmission of the human voice and associated telephone signals within the frequency bandwidth of 300 to 3000 Hz.
- (d) The Two-Wire interface is provided with loop supervisory signaling. When the interface is associated with FGA or BSA-A, such signaling may be loop start or ground start. When the interface is associated with FGB, FGC, FGD, BSA-B, BSA-C and BSA-D, such signaling, except for two-way calling, may be reverse battery signaling. The interface may, at the option of the customer, be provided with DX supervisory signaling or E&M supervisory signaling as in 4.2.3 (C) (4).

(2) Four-Wire Voice Frequency Interface Arrangement

- (a) The Four-Wire Voice Frequency Interface Arrangement provides four-wire voice frequency transmission at the point of termination at the CDL. The interface is capable of transmission of the human voice and associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz.

FILED

AUG 01 2000

00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)**MISSOURI
Public Service Commission**4.2.3 Description of Switched Transport (Cont'd)(B) Interface Arrangements (Cont'd)(2) Four-Wire Voice Frequency Interface Arrangement (Cont'd)

(b) The transmission path between the point of termination at the CDL and the first point of switching may be comprised of any form or configuration of plant capable of and typically used in the telecommunications industry for the transmission of the human voice and associated telephone signals within the frequency bandwidth of 300 to 3000 Hz.

(c) The interface is provided with loop supervisory signaling. When the interface is associated with FGA or BSA-A, such signaling may be loop start or ground start signaling. When the interface is associated with FGB, FGC, FGD, BSA-B, BSA-C and BSA-D such signaling, except for two-way calling, may be reverse battery signaling. The interface may, at the option of the customer, be provided with supervisory signaling as in 4.2.3 (C)(4).

(3) Group Analog Interface Arrangement

(a) The Group Analog Interface Arrangement provides a group level analog transmission at the point of termination at the CDL subject to the limitations in 3.5. The interface is capable of transmitting electrical signals between the frequencies of 60 to 108 kHz, with the capability to multiplex up to 12 voice frequency transmission paths.

Between the serving wire center and the point of termination at the CDL, the Telephone Company may, at its option, provide multiplex equipment to derive 12 transmission paths of frequency bandwidth of approximately 300 to 3000 Hz.

(b) The interface is provided with individual transmission path supervisory signaling.

FILEDAUG 01 2000
00-182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)

4.2 Description of Switched Access (Cont'd)

4.2.3 Description of Switched Transport (Cont'd)

MISSOURI
Public Service Commission

(B) Interface Arrangements (Cont'd)

(4) Supergroup Analog Interface Arrangement

(a) The Supergroup Analog Interface Arrangement provides supergroup level analog transmission at the point of termination at the CDL subject to the limitations in 3.5. The interface is capable of transmitting electrical signals between the frequencies of 312 to 552 kHz, with the capability to multiplex up to 60 voice frequency transmission paths.

Between the first point of switching and the point of termination the Telephone Company may, at its option, provide multiplex equipment to derive 60 transmission paths of frequency bandwidth of approximately 300 to 3000 Hz to promote transmission efficiency, if required.

(b) The interface is provided with individual transmission path SF supervisory signaling.

(5) Mastergroup Analog Interface Arrangement

(a) The Mastergroup Analog Interface Arrangement provides mastergroup level analog transmission at the point of termination at the CDL subject to the limitations in 3.5. The interface is capable of transmitting electrical signals between the frequencies of 564 to 3084 kHz, with the capability to multiplex up to 600 voice frequency transmission paths.

Between the first point of switching and the point of termination at the CDL, the Telephone Company may, at its option, provide multiplex equipment to derive 600 transmission paths of frequency bandwidth of approximately 300 to 3000 Hz to promote transmission efficiency, if required.

(b) The interface is provided with individual transmission path SF supervisory signaling.

FILED

AUG 01 2000
00-182

MISSOURI
Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)**MISSOURI
Public Service Commission**4.2.3 Description of Switched Transport (Cont'd)(B) Interface Arrangements (Cont'd)(6) DS1 Digital Interface Arrangement

- (a) The DS1 Digital Interface Arrangement provides DS1 level digital transmission at the point of termination at the CDL subject to the limitations in 3.5. The interface is capable of transmitting electrical signals at 1.544 Mbps, with the capability to multiplex up to 24 voice frequency transmission paths.

Between the first point of switching and the point of termination at the CDL, when analog switching utilizing analog terminations is provided, the Telephone Company may, at its option, provide multiplex equipment to derive 24 transmission paths of frequency bandwidth of approximately 300 to 3000 Hz. When digital switching or analog switching with digital carrier terminations is provided, the Telephone Company will provide, at the first point of switching, DS1 signals in D4 or D3 format.

- (b) The interface is provided with individual transmission path bit stream supervisory signaling.

(7) DS1C Digital Interface Arrangement

- (a) The DS1C Digital Interface Arrangement provides a DS1C level digital transmission at the point of termination at the CDL subject to the limitations in 3.5. The interface is capable of transmitting electrical signals at 3.152 Mbps, with the capability to multiplex up to 48 voice frequency transmission paths.

Between the first point of switching and the point of termination, when analog switching utilizing analog terminations is provided, the Telephone Company may, at its option, provide multiplex equipment to derive up to 48 voice frequency transmission paths of frequency bandwidth of approximately 300 to 3000 Hz. When digital switching or analog switching with digital carrier terminations is provided, the Telephone Company will provide, at the first point of switching, DS1 signals in D4 or D3 format.

- (b) The interface is provided with individual transmission path bit stream supervisory signaling.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.3 Description of Switched Transport (Cont'd)**MISSOURI
Public Service Commission**(B) Interface Arrangements (Cont'd)(8) DS2 Digital Interface Arrangement

The Telephone Company currently does not offer the DS2 interface.

(9) DS3 Digital Interface Arrangement

- (a) The DS3 Digital Interface Arrangement provides a DS3 level digital transmission at the point of termination at the CDL subject to the limitations in 3.5. The interface is capable of transmitting electrical signals at 44.736 Mbps, with the capability to multiplex up to 672 voice frequency transmission paths.

Between the first point of switching and the point of termination at the CDL, when analog switching utilizing analog terminations is provided, the Telephone Company may, at its option, provide multiplex equipment to derive up to 672 voice frequency transmission paths of frequency bandwidth of approximately 300 to 3000 Hz. When digital switching or analog switching with digital carrier terminations is provided, the Telephone Company will provide, at the first point of switching, DS1 signals in D4 or D3 format.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.3 Description of Switched Transport (Cont'd)**MISSOURI
Public Service Commission**(B) Interface Arrangements (Cont'd)(9) DS3 Digital Interface Arrangement (Cont'd)

- (b) The interface is provided with individual transmission path bit stream supervisory signaling.
- (c) To insure compatibility of transmission, the utilization of the same manufacturer's equipment (end-to-end) may be required. The Telephone Company reserves the right to choose this equipment.

(10) DS3C Digital Interface Arrangement

- (a) The DS3C Digital Interface Arrangement provides a DS3C level digital transmission at the point of termination at the CDL subject to the limitations in 3.5. The interface is capable of transmitting electrical signals at 89.472 Mbps, with the capability to multiplex up to 1344 voice frequency transmission paths.

Between the first point of switching and the point of termination at the CDL, when analog switching utilizing analog terminations is provided, the Telephone Company may, at its option, provide multiplex equipment to derive up to 1344 voice frequency transmission paths of frequency bandwidth of approximately 300 to 3000 Hz. When digital switching or analog switching with digital carrier terminations is provided, the Telephone Company will provide, at the first point of switching, DS1 signals in D4 or D3 format.

- (b) The interface is provided with individual transmission path bit stream supervisory signaling.
- (c) To insure compatibility of transmission, the utilization of the same manufacturer's equipment (end-to-end) may be required. The Telephone Company reserves the right to choose this equipment.

FILED

AUG 01 2000

00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.3 Description of Switched Transport (Cont'd)**MISSOURI
Public Service Commission**(C) Optional Arrangements

- (1) Switched Transport facilities will be engineered and routed based on standard engineering methods, available facilities and equipment, and the Telephone Company traffic routing plans. The Telephone Company will work cooperatively with customers in providing design and traffic routing information. If the customer is provided with FGB, FGC, FGD, BSA-B, BSA-C, BSA-D or SAC Access Service and desires Provision of Other Than Telephone Company Selected Traffic Routing, it may specify the desired routing at rates and charges to be developed on an Individual Case Basis.
- (2) (Reserved for Future Use)
- (3) (Reserved for Future Use)
- (4) The Telephone Company will provide Optional Arrangements in association with the Interface Arrangements listed in 4.2.3(B)(1) and (2). The provision of such Optional Arrangements may require placement of Telephone Company equipment on the customer's premises. These Optional Arrangements are nonchargeable.

Supervisory Signaling

A supervisory signaling capability is provided for each Interface Arrangement as listed in 4.2.3 (B)(1) and (2). Where the transmission parameters permit and where signaling conversion is required by the customer to meet his signaling capability, the customer may order a supervisory signaling arrangement for each transmission path provided as follows:

For Interface Arrangements (1) and (2)

DX Supervisory Signaling arrangement, or
E&M Type I Supervisory Signaling arrangement, or
E&M Type II Supervisory Signaling arrangement.

For Interface Arrangement (2)

SF Supervisory Signaling arrangement, or
E&M Type III Supervisory Signaling arrangement.

These optional supervisory signaling arrangements are unavailable in conjunction with Signaling System 7 (SS7) Out of Band Signaling as described in 4.2.5(A) (A).

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)

4.2 Description of Switched Access (Cont'd)

**MISSOURI
Public Service Commission**

4.2.4 Description of End Office Services

End Office Services provide the end user termination functions and end office switching necessary to complete the transmission of Switched Access communications to and from the end users served by the end office. Standard Arrangements for End Office Services include the End Office Switching Rate Element. End Office Services Optional Arrangements are available as defined in 4.2.5.

End Office Services are provided in association with Switched Transport when ordered as in Section 3. End Office Services will be provided as one of the following types: FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C, BSA-D and SAC Access Service.

The number of End Office Service transmission paths and line terminations provided will be determined by the Telephone Company based on standard traffic engineering methods.

End Office Switching provides the following:

- b The facilities to terminate end user Common Lines in end office switches or Special Access Lines in WATS Serving Offices.
- b The end office switching functions necessary to complete a Switched Access Communication to or from end user Common Lines or Special Access Lines served by the end office.
- b The termination of a call at a Telephone Company intercept operator or recording. The operator or recording tells a caller why a call, as dialed, could not be completed, and if possible, provides the correct number.

End Office Switching is divided into two categories; End Office Switching - Bundled (EOSB) and End Office Switching - Unbundled (EOSU). Application of the charges is in 4.5.2(N)(5) and the rates are in 4.6.3(B), (C) and (D).

End Office Switching is not provided in conjunction with switched access minutes of use that originate or terminate at a Mobile Telephone Switching Office (MTSO) directly interconnected to a Telephone Company access tandem office.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)

4.2 Description of Switched Access (Cont'd)

MISSOURI Public Service Commission

4.2.5 End Office Services Optional Arrangements

The following optional arrangements are available in offices where equipment, facilities, and other conditions permit. The Telephone Company makes no guarantee that these optional arrangements will be available in all locations.

Unless otherwise noted, these End Office Services Optional Arrangements are nonchargeable.

(A) Alternate Traffic Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped Telephone Company access tandem) via a trunk group (the "high usage" group) to a CDL until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or Telephone Company access tandem to a different trunk group or groups (via one or more intermediate high usage groups) to one or more CDLs until the originating traffic is directed to a final group. The customer shall specify the last trunk CCS desired for the high usage group and each intermediate group.

This option is provided in suitably equipped end office or Telephone Company access tandem switches and is available with FGB, FGC, and FGD.

This option is available with BSA-B, BSA-C and BSA-D as a chargeable BSE as specified in 4.2.22 and 4.5.10.

(B) Automatic Number Identification (ANI) Arrangement

This option provides the automatic transmission of a seven or ten digit number and information digit to the CDL for calls originating in the Access Area to identify the calling station. The ANI arrangement will be associated with all individual transmission paths in a trunk group when this arrangement is provided.

The seven digit ANI telephone number is available with FGB and FGC. It will be transmitted on all calls except those identified as a multiparty line or ANI failure. The ten digit ANI telephone number is only available with FGD. When FGD with SS7 Out of Band Signaling is specified, the customer may order an ANI equivalent by ordering the Charge Number optional feature as described in 4.2.5(A)(D). The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as a multiparty line or ANI failure in which case only the NPA will be transmitted (in addition to the information digit described below). The ANI telephone number is the listed telephone number of the end user that originates the call.

With FGC, ANI is provided from end offices at which the Telephone Company recording for end user billing is not provided, or where it is not required, as with 800 Service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided (e.g., on calls from 2 (in some instances), 4, and 8 party services) information digits will be provided to the customer. The information digits are used in the following situations:

- (1) Telephone number is the station billing number - no special treatment is required.

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

RECEIVED

FACILITIES FOR INTRASTATE ACCESS

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)

4.2 Description of Switched Access (Cont'd)

4.2.5 End Office Services Optional Arrangements (Cont'd)

MISSOURI Public Service Commission

(B) Automatic Number Identification (ANI) Arrangement (Cont'd)

- (2) Multiparty line telephone number is a 2 (in some instances), 4, or 8 party line and cannot be identified - number must be obtained via an operator or in some other manner.
- (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - number must be obtained by operator or in some other manner.
- (4) (Reserved for Future Use)
- (5) The configuration of the line requires special screening or handling by the customer, or
- (6) Call is an Automatic Identified Outward Dialed (AIOD) call from end user terminal equipment.

These ANI information digits are available with FGB, FGC, and FGD only. In addition, the following information digits are available with FGD only:

- p InterLATA Area restricted - telephone number is identified line.
- p InterLATA Area restricted - line requires special screening or handling by the customer.

These information digits will be transmitted as agreed to by the customer and the Telephone Company.

The ANI Arrangement is available with BSA-B, BSA-C and BSA-D as a chargeable BSE as specified in 4.2.22 and 4.5.10.

(C) Intra Access Area Call Denial on Line or Hunt Group

This option is provided in conjunction with FGA and BSA-A and allows for the screening of terminating calls within the FGA and BSA-A Access Area, and for completion only of calls to 411, 611, 911, 800, 888, 877, 555-1212, and a specified set of NXX codes within the FGA and BSA-A Access Area. The set of NXX codes to which calls will be completed is selected by the FGA or BSA-A customer, in cooperation with the Telephone Company, from those NXX codes within the local calling area of the end office where the FGA or BSA-A connection is provided. All other calls are routed to a reorder tone or recorded announcement. This arrangement is provided at no charge in Telephone Company end offices, where available.

FILED

AUG 01 2000
00 = 182

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.5 End Office Services Optional Arrangements (Cont'd)**MISSOURI
Public Service Commission**(D) InterLATA Call Denial on Line or Hunt Group

This option allows for the screening of terminating calls and for completion only of calls within the LATA. All other calls are routed to an appropriate access announcement. Specifically, this option would block terminating calls to the following:

- InterLATA, dialed as either 7D, 10D, 1+7D, 1+10D, 950-XXXX, 101XXXX+7D, or 101XXXX+10D.
- Service Access Codes (500, 700, 800, 888, 877 and 900).
- International, dialed as either 011 or 01.
- Operator, dialed as either 0+, 0- or 00.

This arrangement is provided in Telephone Company end offices, where available. It is available with FGA or BSA-A. Blocking of the 800/888/877 Service Access Code may not be available in all end offices where this arrangement is otherwise available.

(E) Call Denial on Line or Hunt Group Outside the Access Area

This option allows for the screening of terminating calls and for completion only of calls within the Access Area. All other calls are routed to an appropriate access announcement. Specifically, this option would block terminating calls to the following:

- Outside the Access Area, dialed as either 7D, 10D, 1+7D, 1+10D, 950-XXXX, 101XXXX+7D, or 101XXXX+10D.
- Service Access Codes (500, 700, 800, 888, 877 and 900).
- International, dialed as either 011 or 01.
- Operator, dialed as either 0+, 0- or 00.

This arrangement is provided in Telephone Company end offices, where available. It is available with FGA or BSA-A. Blocking of the 800/888/877 Service Access Code may not be available in all end offices where this arrangement is otherwise available.

FILED

AUG 01 2000

00 - 182
MISSOURI
Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

RECEIVED

4.2 Description of Switched Access (Cont'd)

MAY 10 2000

4.2.5 End Office Services Optional Arrangements (Cont'd)

(F) Dual Tone Multifrequency Address Signaling

This option allows reception of called party numbers by the customer in the form of Dual Tone Multifrequency (DTMF) signals. It is provided in all Telephone Company end offices where available. When FGA or BSA-A arrangements are provided as part of a hunt group or uniform call distribution group, and the customer requires DTMF address signaling, then all arrangements in the hunt group or uniform call distribution group will be so equipped. It is available with FGA or BSA-A.

**MISSOURI
Public Service Commission**

(G) Hunt Group Arrangement

The Hunt Group Arrangement is available with FGA as a nonchargeable option. This feature is available with BSA-A as a chargeable BSE as specified in 4.2.22 and 4.5.10.

(1) This option provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This arrangement contemplates one access code (i.e., telephone number) per arrangement.

(2) This option provides the ability to sequentially access one of two or more lines in the terminating direction, when the hunting number of the line group is forwarded from the customer to the Telephone Company.

(H) Customer Specification of Switched Access Directionality

This option allows the customer to specify the directionality of the trunk group (i.e., originating, terminating, or two-way) in lieu of Telephone Company specification. It is available with all Feature Groups and Basic Serving Arrangements. Rates and charges will be developed on an Individual Case Basis.

(I) International Direct Distance Dialing Arrangement

This option allows for FGD or BSA-D end offices or Telephone Company access tandems equipped for International Direct Distance Dialing to be arranged to route originating international calls to a customer other than the one designated by the end user either through presubscription or 101XXXX dialing. This arrangement requires provision of written verification to the Telephone Company that the customer is authorized to forward such calls. The written verification must be in the form of a letter of agency authorizing the customer to order the option on behalf of the international carrier. This option is only provided at Telephone Company end offices or access tandems equipped for International Direct Distance Dialing.

FILED

AUG 01 2000 2

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.5 End Office Services Optional Arrangements (Cont'd)**MISSOURI
Public Service Commission**(J) Nonhunting Number for Use with Hunt Group Arrangement

This option provides an arrangement for an individual line within a multiline hunt group that provides access to that line within the hunt group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this arrangement is provided with originating use for FGA, BSA-A or terminating use for Special Access Lines.

(K) Nonhunting Number for Use with Uniform Call Distribution Arrangement

This option provides an arrangement for a uniform call distribution multiline hunt group that provides access to an individual line within the hunt group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this arrangement is provided with originating use for FGA, or BSA-A or terminating use for Special Access Lines. It can only be provided from suitably equipped stored program controlled switches.

(L) Operator Assistance Full Feature Arrangement

This option, which is available only on a direct trunking arrangement, provides the initial coin return control function to the customer's operator. It is available with FGD or BSA-D. Rates and charges will be developed on an Individual Case Basis. This option is unavailable in conjunction with SS7 Out of Band Signaling.

(M) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the CDL, for originating calls. It is available with FGB or BSA-B where conditions permit.

(N) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a CDL, based on the service prefix code (e.g., 0+ or 01+) or service class code (e.g., 500, 600, 700, 800, 888, 877 or 900). It is provided in suitably equipped end office or Telephone Company access tandems and is available with FGC, FGD, BSA-C and BSA-D. Originating 500-NXX-XXXX calls are routed in accordance with the 500 Customer Identification Function as described in 4.2.20. Originating 800-NXX-XXXX, 888-NXX-XXXX or 877-NXX-XXXX calls are routed in accordance with the 800/888/877 Customer Identification Function as described in 4.2.11.

(O) Service Code Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the Access Area and for disallowing completion of calls to 0- and N11 (e.g., 411, 611 and 911). Where available this arrangement is provided in Telephone Company end offices. It is available with FGA or BSA-A and can only be provided from suitably equipped stored program controlled switches.

FILEDAUG 01 2000
0 0 - 1 8 2**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.5 End Office Services Optional Arrangements (Cont'd)

**MISSOURI
Public Service Commission**(P) Trunk Access Limitation

This option, where available, provides for the routing of originating 900 or 900 like Service calls to a specified number of transmission paths in a trunk group, in order to limit (choke) the completion of such traffic to a customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group (i.e., the choked calls) would be routed to reorder tone. It is available with FGC, FGD, BSA-C and BSA-D.

(Q) Uniform Call Distribution Arrangement

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this arrangement is provided with originating use for FGA and terminating use for Special Access Lines.

Uniform Call Distribution is available with BSA-A as a chargeable BSE as specified in 4.2.22 and 4.5.10.

(R) Up to 7 Digit Outpulsing of Access Digits to the Customer

This option provides for the end office capability of providing up to 7 digits of the access code to the CDL. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the CDL using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that arrangement was provided. It is available with FGB and BSA-B in suitably equipped end offices.

(S) Band Advance Arrangement

This arrangement is available for Special Access Lines used with a Switching Interface. This option, which is provided in association with two or more groups, provides for the automatic overflow of terminating calls from a line group, that has exceeded its call capacity, to another line group with equal or a greater number of bands than that of the overflowing line group. This arrangement does not provide for call overflow from a group with a higher designation to one with a lower band designation.

FILEDAUG 01 2000
00 - 182
MISSOURI**Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.5 End Office Services Optional Arrangements (Cont'd)

MISSOURI Public Service Commission

(T) FGD and BSA-D Switched Access with 950-XXXX Access

FGD or BSA-D Switched Access with 950-XXXX Access is an optional arrangement that provides for the routing of originating calls using a customer's 950-XXXX access code to the customer over the customer's FGD or BSA-D trunks. All such calls will be rated as FGD or BSA-D switched access calls.

This optional arrangement, available where technically feasible in equal access end offices, uses FGD or BSA-D signaling protocols and technical specifications. The 950-XXXX traffic can be routed over FGD or BSA-D trunks combined with the customer's standard FGD or BSA-D traffic directly to the CDL or through a Telephone Company access tandem to the CDL. The customer must be able to differentiate standard FGD or BSA-D calls from 950-XXXX calls delivered over the same FGD or BSA-D trunks. FGD or BSA-D Switched Access with 950-XXXX Access is not available with certain Telephone Company Access tandem switches when the signaling from an end office to the Telephone Company Access tandem is multifrequency address signaling and the signaling from the Telephone Company Access tandem to the CDL is SS7 Out of Band signaling. The customer may not have originating FGD or BSA-D switched access with 950-XXXX access and originating FGD or BSA-B switched access in the same end office utilizing the same 950-XXXX Customer Identification Code.

(U) Operator Assistance for SAC Access Service

This option provides for operator completion of N00-NXX-XXXX type calls which are generated by an end user by dialing 0-. This option is available with SAC Access Service and with FGC, FGD, BSA-C and BSA-D which are used in conjunction with SAC Access Service.

(V) Switched Access Interface

This arrangement provides the line switching and supervisory functions necessary to interface Voice Grade Special Access and Switched Access Services together for the provision of customer WATS and WATS-Type service. This service provides a transmission path capable of originating and/or terminating the customer's interstate/intrastate traffic.

This arrangement is only available from Telephone Company designated end offices which are identified as WATS Serving Offices (WSO) in NECA Tariff FCC No. 4. Technical limitations resident in certain end office switches may preclude the availability of certain Switched Access Interface features. Depending on the configuration selected below, the Telephone Company will provide such services from the closest WSO that is technically equipped to provide such services. Special Access Transport charges as described in 5.1.1(B)(2) will be applicable to the WATS Serving Office appropriately equipped for the service feature requested.

The Switched Access portion of this arrangement is available from Section 4 of this tariff, except as set forth in (5) following, and provides connectivity from the Telephone Company's WATS Serving Office to the CDL of the customer. The Special Access portion of this feature is available from Section 5 of this tariff and provides connectivity from the Telephone Company's WATS Serving Office to the end user's CDL.

Switched Access Interface Service is available in the following configurations/ features:

FILED

AUG 01 2000

00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.5 End Office Services Optional Arrangements (Cont'd)

**MISSOURI
Public Service Commission**

(V) Switched Access Interface (Cont'd)

(1) Originating Only Feature

The Originating Only feature is available from appropriately equipped WATS Serving Offices on a per line basis and provides for the transporting of intrastate calls from a special access line to the customer via either FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D switched access. It is provided in the following arrangement:

FILED

AUG 01 2000
00-182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)**RECEIVED**4.2 Description of Switched Access (Cont'd)

MAY 10 2000

4.2.5 End Office Services Optional Arrangements (Cont'd)(V) Switched Access Interface (Cont'd)**MISSOURI
Public Service Commission**(1) Originating Only Feature (Cont'd)(a) Unrestricted Arrangement - Originating Only

This arrangement is a multi-jurisdictional offering provided from a Telephone Company appropriately equipped WATS Serving Office and provides for the transporting of interstate and intrastate calls from a Special Access Line to the customer via either FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D Switched Access. FGA or BSA-A access is obtained from a WATS Serving Office by dialing a standard seven digit number. FGB or BSA-B access is obtained from a WATS Serving Office by dialing 950-XXXX or 1+950-XXXX. The combining of interstate and intrastate traffic will be in accordance with 4.2.5(V)(5). This arrangement provides for transporting the following types of calls:

- 1+NPA-NXX-XXXX, 1+700-NXX-XXXX, and 1+FNPA-555-1212 calls to the IC customer;
- 1+800-NXX-XXXX, 1+888-NXX-XXXX or 1+877+NXX-XXXX calls to the carrier in accordance with the 800/888/877 Customer Identification Function described in 4.2.11;
- 1+900-NXX-XXXX calls to the carrier designated by the digits dialed;
- 1+500-NXX-XXXX calls to the carrier in accordance with the 500 Customer Identification Function described in 4.2.20;
- 0+NPA-NXX-XXXX calls to the IC customer;
- calls originated by dialing 0 (zero) to the Telephone Company operator;
- calls originated by dialing 00 (Zero, Zero) to the IC customer (available only with FGD or BSA-D);
- calls originated by dialing 01 or 011 to the IC customer; and
- 1+ or 0 (zero)+ NPA-NXX-XXXX calls preceded by the access code 101XXXX to the carrier designated by the dialed digits (available only with FGD or BSA-D).

FILED

AUG 01 2000
00 - 182
MISSOURI
Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)**MISSOURI
Public Service Commission**4.2.5 End Office Services Optional Arrangements (Cont'd)(V) Switched Access Interface (Cont'd)(1) Originating Only Feature (Cont'd)(a) Unrestricted Arrangement - Originating Only (Cont'd)Optional Access Code Arrangement

Subject to technical availability, on an individual line basis, calls preceded by the access code 101XXXX will be blocked.

(2) 800/888/877 Type Terminating Only Feature

The 800/888/877 Type Terminating Only feature is available on a per-line basis from appropriately equipped WATS Serving Offices and provides for the termination of all calls from the subscribing carrier (originated on a 1+800, 1+888 and 1+877 basis) directed to the Special Access via FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D Switched Access.

(3) Combined Originating 800/888/877 Type Terminating Calling Feature

The Combined Originating/Terminating Calling feature is available on a per-line basis from appropriately equipped WATS Serving Offices and provides the functionalities of both the Originating Only and the 800/888/877 Type Terminating Only features.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.5 End Office Services Optional Arrangements (Cont'd)

MISSOURI

(V) Switched Access Interface (Cont'd)

Public Service Commission

(4) The following matrix details the direction, call type, service prefix and traffic types provided on each Switched Access Interface Arrangement.

Switched Access Interface Arrangements

Section Ref.	Unrestricted Arrangement	800 Type Terminating Only	Combined Originating/800 Type Terminating
(V) (1) (a)	(V) (2)	(V) (3)	
<u>Directionality</u>			
Originating Only	x		
Terminating Only		x	
Two-Way			x
<u>Call Type (1+)</u>			
Local	B	B	B
IntraLATA/Intrast	R/D	C	R/D/C
InterLATA/Intrast.	D	C	D/C
<u>Service Prefix</u>			
0-	R		R
00-	D		D
0+	D		D
IDDD	D		D
101XXXX	D/B		D/B
<u>Traffic Type</u>			
411	B		B
911	R		R
976	R		R
700	D		D
500/800/888/877/900		D	D

D = Telephone Company DELIVERS traffic to the customer.
R = Telephone Company RETAINS and completes traffic.
C = Telephone Company COMPLETES traffic to the end user's premises.
B = Telephone Company BLOCKS traffic to an announcement.

FILED

AUG 01 2000

00 - 182

MISSOURI

Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.2 Description of Switched Access (Cont'd)

4.2.5 End Office Services Optional Arrangements (Cont'd)

(V) Switched Access Interface (Cont'd)

(5) Intrastate Traffic Restriction

An interstate Switched Access Interface and an intrastate Switched Access Interface must be ordered for the provisioning of multi-jurisdictional access.

Unless the customer subscribes to the 101XXXX blocking option, all calls carried over a Special Access Line used in conjunction with a Switched Access Interface for multi-jurisdictional access will be passed to the customer for completion.

RECEIVED

MAY 10 2000

**MISSOURI
Public Service Commission**

FILED

AUG 01 2000
00-182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

**MISSOURI
Public Service Commission**

4.2.5 End Office Services Optional Arrangements (Cont'd)

(W) (Reserved for Future Use)

(X) (Reserved for Future Use)

(Y) Switched Data Service

(1) Switched 56

This option provides for a connection capable of up to 56 Kbps digital transmission between the customer's CDL and a suitably equipped end office. Switched Data service lines connected at those suitably equipped end offices will be accessed on a switched basis for digital transmission up to 56 Kbps. These locations are identified in the National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4 Wire Center and Interconnection Information.

This option is provided only with FGD or BSA-D. A separate FGD or BSA-D trunk group must be established for the provision of Switched Data service. This trunk group requires the use of a DS1 digital interface as described in Section 4.2.3(B)(6). Switched Data and Non-Switched Data traffic may not be combined on the same trunk group.

Access is made via the standard dialing pattern as described in 4.2.1(D)(8) and 4.2.2(D)(8).

(2) Switched 64

This option provides for a connection capable of up to 64 Kbps digital transmission with clear channel capability between the customer's CDL and a suitably equipped end office. Clear channel capability allows for full bandwidth availability to the customer with no part of the channel used for control, framing or signaling.

Switched 64 requires all digital facilities including the use of a DS1 digital interface as described in Section 4.2.3(B)(6) and is available only with FGD or BSA-D from end offices capable of providing SS7 signaling, Bipolar with Eight Zero Substitution (B8ZS) line code format and Integrated Services Digital Network (ISDN) or other Switched Data based services. These locations are identified in the National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4 Wire Center and Interconnection Information.

Access is made via the standard dialing pattern as described in 4.2.1(D)(8) and 4.2.2(D)(8).

A separate FGD or BSA-D trunk group must be established for the provision of Switched 64 service.

Switched data and non-switched data traffic may not be combined on the same trunk group.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.5 End Office Services Optional Arrangements (Cont'd)**MISSOURI
Public Service Commission**

(Z) (Reserved for Future Use)

(A) (A) Signaling System 7 (SS7) Out of Band Signaling

This option is provided in conjunction with Common Channel Signaling System 7 (CCS7) Access Service and is only available with Switched Access FGD or BSA-D service, 500 SAC Access, 800/888/877 SAC Access and 900 SAC Access Services. SS7 Out of Band Signaling provides common channel out of band transmission of address and supervisory SS7 protocol signaling information between the end office or access tandem switching systems and the CDL. FGD or BSA-D Switched Access, 500 SAC Access, 800/888/877 SAC Access and 900 SAC Access service, equipped with SS7 Out of Band Signaling, are available with the following interface arrangements: DS1 Digital, DS1C Digital, DSC Digital, and DS3C Digital. SS7 Out of Band Signaling is provided at suitably equipped Telephone Company end office or access tandem switches. The technical specifications for SS7 Out of Band Signaling are described in Bellcore Technical Reference Publication TR-TSV-000905.

(A) (B) Calling Party Number (CPN) Parameter

The CPN parameter, available as a nonchargeable option for originating FGD or BSA-D with SS7 Out of Band Signaling, provides for the automatic transmission of the ten digit directory number, associated with a calling station, to the customer's premises for originating calls. The ten digit number consists of the NPA plus the seven digit telephone number which may or may not be the same number as the calling station's charge number. The CPN parameter also includes a "privacy indicator" which allows the ten digit telephone number to be coded as presented or restricted for delivery to the called end user. The technical specifications for CPN are described in Bellcore Technical Reference Publication TR-TSV-000905.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.5 End Office Services Optional Arrangements (Cont'd)**MISSOURI
Public Service Commission**(A) (C) Carrier Selection Parameter (CSP)

The CSP, available as a nonchargeable option for originating FGD or originating BSA-D with SS7 Out of Band Signaling, provides for the automatic transmission of a signaling indicator which signifies to the customer whether or not a given call originated from a presubscribed line. If the line was presubscribed, the indicator will signify if the end user did or did not dial 101XXXX. The technical specifications for CSP are described in Bellcore Technical Reference Publication TR-TSV-000905.

(A) (D) Charge Number (CN) Parameter

The CN parameter, available as a nonchargeable option for originating FGD with SS7 Out of Band Signaling, is equivalent to the existing ten digit Automatic Number Identification (ANI) available with FGD with MF signaling. When BSA-D with SS7 Out of Band Signaling is specified, the customer may order the CN parameter at the rates for ANI-BSE as shown in 4.6. The CN parameter provides for the automatic transmission of the ten digit billing number of the calling station and the originating line information. The technical specifications for CN are described in Bellcore Technical Reference Publication TR-TSV-000905.

(A) (E) (Reserved for Future Use)

(A) (F) (Reserved for Future Use)

(A) (G) Carrier Identification Parameter (CIP)

Carrier Identification Parameter is available as an optional feature in conjunction with originating FGD with SS7 Out of Band Signaling. CIP provides for the transmission of the Carrier Identification Code (CIC) or the access 101XXXX to the customer with the initial Address Message (IAM). CIP is available with originating FGD in suitably equipped end offices and access tandems. CIP will be populated by a four-digit CIC at the rates shown in 4.6.8. Application of the charges is in 4.5.2(N)(9).

The Telephone Company will make every effort to maintain the CIP information, equipment and facilities in a format which facilitates the customer's use of the CIP offering. Changes (i.e., technology, customer account makeup, etc.) can occur affecting such information, however, and the Telephone Company cannot guarantee that the CIP equipment and facilities will be completely capable of processing CIP data at all times. Accordingly, the Telephone Company shall not be liable for any incidental, indirect, special or consequential damages (including lost revenue or profits) of any kind, resulting from inaccuracy of CIP data and/or the inability of its equipment and facilities to process CIP data.

FILEDAUG 01 2000
000182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.6 Call Restriction and Code Screening Reports

The customer, when ordering Call Denial on Line, Call Forwarding, Class Routing or Trunk Access Limitation as in 4.2.5, shall report the appropriate codes to be instituted in each end office switch.

4.2.7 Installation and Acceptance Testing of Switched Access

(A) The Switched Access provided under this tariff (a) will include any Telephone Company installed equipment, entrance cable or drop wiring, and wiring or cable within a building necessary to terminate the Switched Access at a point of termination reasonably situated so as to serve the CDL, and (b) will be installed by the Telephone Company to such a point of termination. The customer shall be responsible for providing facilities beyond the point of termination. When performing installation and acceptance testing, the Telephone Company will, on a cooperative basis, test the line or trunk beyond the customer's first point of switching (i.e., End-To-End).

(B) At no additional charge, the Telephone Company will, at the customer's request, cooperatively test, at the time of installation, loss, 3-tone slope, DC continuity, C-notched noise, C-message noise and operational signaling, when applicable. When the Interface Arrangement is established at the Telephone Company's first point of switching, and the customer requests these tests, the Telephone Company will perform the tests independently and provide the results to the customer. When the Interface Arrangement provides a four-wire voice transmission facility and the point of termination provides two-wire voice transmission (i.e., there is a four-wire to two-wire conversion at the point of termination), echo control (balance-echo return loss/equal level echo path loss) may also be tested.

Additional charges will apply as in 6.6(A)(1) when: (a) the customer requests a test not set forth above, or (b) the test requested is not essential to the installation of the particular Switched Access ordered.

If acceptance tests are not started within 30 minutes after the scheduled appointment time for such tests, as negotiated between the Telephone Company and the customer, additional charges will apply, as in 6.2(D) and 6.2(G), unless the delay is caused by the Telephone Company.

4.2.8 Provision of Design Layout Report

The Telephone Company will provide to the customer the makeup of the Switched Transport portion of the Switched Access provided under this tariff to enable the customer to design its overall service. This information will be reissued or updated whenever the makeup of the facilities provided to the customer are materially changed.

4.2.9 Network Management

The Telephone Company will administer its network to ensure the provision of standard traffic grade of service levels to all telecommunications users of the Telephone Company's network services. The Telephone Company maintains the right to apply protective controls such as diversion of overflow traffic to informational announcements or restriction of access to congested traffic areas on any traffic carried over its network in order to assure satisfactory service levels to all customers. These controls include the right to restrict and, if necessary, deny access to and from the point of termination at the CDL.

Outage credit will apply as in 2.4.4, in cases where all transmission paths are blocked as a result of application of protective controls, except that to the extent that these controls relate to emergency situations, no notice requirement is necessary beyond that already provided for in this tariff.

Issued: May 10, 2000

AUG 01 2000

00-182

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Missouri
Public Service Commission
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

**MISSOURI
Public Service Commission**

4.2.10 (Reserved for Future Use)

4.2.11 800/888/877 Customer Identification Function

This function utilizes 800/888/877 Data Base Query Service, as described in 4.2.19, to screen all ten digits of all 800-NXX-XXXX, 888-NXX-XXXX or 877-NXX-XXXX type calls generated by end users to determine the customer to which the 800/888/877 call is to be routed. This function is provided in conjunction with 800/888/877 SAC Access Service.

4.2.12 900 Customer Identification Function

This function provides for screening of the first six digits of all 900-NXX-XXXX type calls generated by end users to determine the customer to which the call is to be routed. This function is provided in conjunction with 900 SAC Access Service and with FGC, FGD, BSA-C and BSA-D.

4.2.13 Design and Routing of Switched Access

The Telephone Company shall work cooperatively with the customer to design and determine the routing of Switched Access including the selection of facilities from the first point of switching to the CDL. The Telephone Company shall also decide if capacity is to be provided by originating only, terminating only or two-way facilities unless the customer requests Customer Specification of Switched Access Directionality for the ordered capacity. Selection of facilities, equipment and routing of the Switched Access is based on standard engineering methods, facilities and equipment available and the Telephone Company traffic routing plans.

FILED

AUG 01 2000

00-182
MISSOURI

Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.14 Provision of Switched Access Performance Data

**MISSOURI
Public Service Commission**

Performance data for Switched Access will be made available to the customer based on Telephone Company established intervals and availability. This data may include, but is not limited to, equipment blockage and failure results, ineffective attempt performance, transmission failures, and other service-related data. Any request for data or format that is not Telephone Company Standard will be handled on an Individual Case Basis with any associated cost to be borne by the customer.

4.2.15 Transmission Performance

Each Switched Access transmission path is provided with a standard transmission performance. The standard for a particular path is dependent on the Interface Arrangement and whether the Switched Access is routed direct or via an access tandem. In addition, Data Transmission Parameters may be ordered by the customer. The transmission performance parameters are set forth in Section 7000 of the GTE Technical Interface Reference Manual.

FILED

AUG 01 2000

0 U - 1 8 2
MISSOURI

Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.16 Design Blocking Probability

**MISSOURI
Public Service Commission**

The Telephone Company will design the facilities used in the provision of Switched Access to meet the blocking probability criteria as follows:

- (A) For FGA or BSA-A no design blocking criteria apply.
- (B) For FGB, FGC, BSA-B, BSA-C and SAC Access Service, the design blocking objective will be one percent (.01) between the CDL and the first point of switching as in reference document GTE Service Corporation Telephone Operations - Traffic Grade of Service Standards. Standard traffic engineering methods will be used by the Telephone Company to determine the number of transmission paths required to achieve this level of blocking.
- (C) For FGD or BSA-D the design blocking objective will be one percent (.01) between the CDL and the end office switch as in reference document GTE Service Corporation Telephone Operations - Traffic Grade of Service Standards. Standard traffic engineering methods will be used by the Telephone Company to determine the number of transmission paths required to achieve this level of blocking.
- (D) When FGB, FGC, FGD, BSA-B, BSA-C, BSA-D or SAC Access Service is ordered in trunks, the Telephone Company cannot guarantee these design blocking probabilities. The Telephone Company will perform routine measurement functions, except on FGA or BSA-A, to assure that an adequate number of transmission paths are in service. The Telephone Company will recommend that additional capacity (BHMC or quantities of trunks) be ordered by the customer when additional paths are required to reduce the measured blocking to the designed blocking level. For the capacity ordered, the design blocking objective is assumed to have been met if the routine measurements show that the measured blocking does not exceed the threshold listed in the following tables.

FILED

**AUG 01 2000
00-182
MISSOURI
Public Service Commission**

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

4.2.16 Design Blocking Probability (Cont'd)

**MISSOURI
Public Service Commission**

(D) (Cont'd)

- (1) For FGB, FGC, BSA-B and BSA-C transmission paths carrying traffic between a CDL and the first point of switching, or FGD and BSA-D transmission paths, carrying traffic direct between a CDL and an end office, the measured blocking thresholds are as follows:

Number of Transmission Paths Per Trunk Group	Measured Blocking Thresholds in the Daily Busiest Hour for the Number of Measurements Per Trunk Group			
	15-20	11-14	7-10	5-6
	<u>Measurements</u>	<u>Measurements</u>	<u>Measurements</u>	<u>Measurements</u>
2	.070	.080	.090	.140
3	.050	.060	.070	.090
4	.050	.060	.070	.080
5-6	.040	.050	.060	.070
7 or more	.030	.035	.040	.060

- (2) For FGD and BSA-D transmission paths carrying traffic between a CDL and an end office via an access tandem, the measured blocking thresholds are as follows:

Number of Transmission Paths Per Trunk Group	Measured Blocking Thresholds in the Daily Busiest Hour for the Number of Measurements Per Trunk Group			
	15-20	11-14	7-10	5-6
	<u>Measurements</u>	<u>Measurements</u>	<u>Measurements</u>	<u>Measurements</u>
2	.045	.055	.060	.095
3	.035	.040	.045	.060
4	.035	.040	.045	.055
5-6	.025	.035	.040	.045
7 or more	.020	.025	.030	.040

4.2.17 Special Facilities Routing

A customer may request that the facilities used to provide Switched Access be specially routed. The regulations, rates and charges for Special Facilities Routing (i.e., Avoidance, Diversity and Cable-Only) are in Section 9.

4.2.18 Information Surcharge

- (A) The Information Surcharge applies to each Switched Access minute of use (measured or assumed) and shall be assessed upon all customers that use local switching facilities for the provision of intrastate or foreign telecommunications.
- (B) The Information Surcharge is to recover the costs of the functions associated with the printing of the directory white pages. The surcharge is assessed to a customer based on the total number of access minutes at the rates in 4.6.4.
- (C) The Information Surcharge element does not apply to switched access minutes of use that originate or terminate at MTSOs directly interconnected to a Telephone Company access tandem office.

AUG 01 2000
00-182

Issued: May 10, 2000

Effective: August 1, 2000

**MISSOURI
Public Service Commission**

Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)4.2.19 800/888/877 Data Base Query Service**MISSOURI
Public Service Commission**

800/888/877 Data Base Query Service, offered in conjunction with 800/888/877 SAC Access Service, performs the 800/888/877 Customer Identification Function, as described in 4.2.11, to determine the customer to whom 800/888/877 calls must be routed. For all 1+800-NXX-XXXX, 1+888-NXX-XXXX or 1+877-NXX-XXXX calls originated by an end user, the Telephone Company will perform the customer identification function using a Telephone Company 800/888/877 Data Base to screen the dialed ten digits of the 800/888/877 call to determine the customer selected by the 800/888/877 subscriber to carry that 800/888/877 call. If the 800/888/877 call originates from an end office switch not equipped to provide the customer identification function, the call will be routed to an access tandem switch equipped to provide the customer identification function. Once customer identification has been established through 800/888/877 Data Base Query Service, the 800/888/877 call will be routed to the selected customer for completion.

Basic 800/888/877 Data Base Queries provide instructions to route 1+800-NXX-XXXX, 1+888-NXX-XXXX or 1+877-NXX-XXXX calls on a simple call turn around basis to one particular customer or to different customers based on the LATA in which the 800/888/877 call originates.

Premium 800/888/877 Data Base Queries provide instructions to route 1+800-NXX-XXXX, 1+888-NXX-XXXX or 1+877-NXX-XXXX calls to:

- (A) Different customers based on time of day, day of week, or based on number of calls allocated by 800/888/877 subscriber selected percentages.
- (B) Different terminating locations based on time of day, day of week, or based on number of calls allocated by 800/888/877 subscriber selected percentages.
- (C) Standard seven digit local exchange telephone numbers at the terminating end based on the 800/888/877 subscriber's specific requirements.

The 800/888/877 subscriber is responsible for arranging the entry of the various routing instructions discussed herein into the Number Administration Service Center's (NASC's) Service Management System (SMS).

Rate regulations and charges applicable to 800/888/877 Data Base Query Service appear in 4.5.2(H) and 4.6.3(A).

4.2.20 500 Customer Identification Function

This function provides for screening of the first six digits of all 500-NXX-XXXX type calls generated by end users to determine the customer to which the call is to be routed. This function is provided in conjunction with 500 SAC Access Service and with FGC, FGD, BSA-C and BSA-D.

4.2.21 (Reserved For Future Use)**FILED**

AUG 01 2000

00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)**MISSOURI
Public Service Commission**4.2.22 Basic Service Elements

The following Basic Service Elements (BSEs) are chargeable unbundled service options available only with Basic Serving Arrangements. The Telephone Company makes no guarantee that these BSE's will be available in all locations. Rate regulations and charges applicable to BSEs appear in 4.5.10 and 4.6.3.

(A) Alternate Traffic Routing - BSE

This BSE provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) via a trunk group (the "high usage" group) to a CDL until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group or groups (via one or more intermediate high usage groups) to one or more CDLs until the originating traffic is directed to a final group. The customer shall specify the last trunk CCS desired for the high usage group and each intermediate group.

When a BSA-D customer subscribes to TAS (Tandem Access Sectorization) and Alternate Traffic Routing, the "final" trunk group and any intermediate trunk groups carrying additional originating overflowing traffic must terminate at the same CDL as does the "high usage" trunk group.

Alternate Traffic Routing - BSE is provided in suitably equipped end office or access tandem switches and is available with BSA-B, BSA-C, and BSA-D.

(B) Automatic Number Identification (ANI) - BSE

This BSE provides the automatic transmission of a seven or ten digit number and information digit to the CDL for calls originating in the Access Area to identify the calling station. The ANI arrangement will be associated with all individual transmission paths in a trunk group when this arrangement is provided.

These information digits shall only be used for billing and collection, routing, screening, and completion of the originating subscriber's call or transaction or for service directly related to the originating subscriber's call or transaction.

The ANI provided shall not be reused or resold without first notifying the originating telephone subscriber and obtaining affirmative consent of the subscriber for reuse or resale.

Unless the originating subscriber has given consent for the reuse or resale, any information provided shall not be used for any purpose other than:

- performing the services or transactions that are subject of the originating subscriber's call;
- ensuring network performance security, and the effectiveness of call delivery;
- compiling, using and disclosing aggregate information; and,
- complying with applicable laws.

The above restrictions shall not prevent the subscriber to the ANI Arrangement from using information acquired from an ANI Arrangement, such as the telephone number or information derived from analysis of the characteristics of calls received through the ANI Arrangement, to offer a product or service that is directly related to the products or services previously purchased by a customer of the ANI Arrangement subscriber.

FILED
AUG 01 2000
00-182

Issued: May 10, 2000

Effective: August 1, 2000

**MISSOURI
Public Service Commission**
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)**MISSOURI
Public Service Commission**4.2.22 Basic Service Elements (Cont'd)(B) Automatic Number Identification (ANI) - BSE (Cont'd)

The seven digit ANI telephone number is available with BSA-B and BSA-C. It will be transmitted on all calls except those identified as a multiparty line or ANI failure. The ten digit ANI telephone number is only available with BSA-D. When BSA-D with SS7 Out of Band Signaling is specified, the customer may order an ANI equivalent by ordering the Charge Number Parameter as described in 4.2.5(A) (D) at the rates for ANI-BSE as shown in 4.6. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as a multiparty line or ANI failure in which case only the NPA will be transmitted (in addition to the information digit described below). The ANI telephone number is the listed telephone number of the end user that originates the call.

With BSA-C, ANI is provided from end offices at which the Telephone Company recording for end user billing is not provided, or where it is not required, as with 800/888/877 Service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided (e.g., on calls from 2, in some instances, 4, and 8 party services) information digits will be provided to the customer. The information digits are used in the following situations:

- (1) Telephone number is the station billing number - no special treatment is required.
- (2) Multiparty line telephone number is a 2, in some instances, 4, or 8 party line and cannot be identified - number must be obtained via an operator or in some other manner.
- (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - number must be obtained by operator or in some other manner.
- (4) The configuration of the line requires special screening or handling by the customer, or
- (5) Call is an Automatic Identified Outward Dialed (AIOD) call from end user terminal equipment.

These ANI information digits are available with BSA-B, BSA-C, and BSA-D only. In addition, the following information digits are available with BSA-D only:

- (a) InterLATA Area restricted - telephone number is identified line.
- (b) InterLATA Area restricted - line requires special screening or handling by the customer.

These information digits will be transmitted as agreed to by the customer and the Telephone Company.

(C) User Transfer - BSE

A feature which provides the ability to temporarily hold an established call, originate another call to a third party, and then redirect the first call to the third party. When a call has been transferred, the original line is cleared to place or receive another call.

FILED

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

AUG 01 2000
00 - 182
MISSOURI
Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

MISSOURI
Public Service Commission

4. SWITCHED ACCESS (Cont'd)

4.2 Description of Switched Access (Cont'd)

4.2.22 Basic Service Elements (Cont'd)

(D) Hunt Group Arrangement - BSE

This BSE, available only with BSA-A, provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This BSE contemplates one access code (i.e., telephone number) per arrangement. This BSE also provides the ability to sequentially access one of two or more lines in the terminating direction, when the hunting number of the line group is forwarded from the customer to the Telephone Company.

(E) Queuing - BSE

This BSE is available only with BSA-A in conjunction with the Uniform Call Distribution (UCD) BSE and may only be provided in Telephone Company electronic end offices.

When all terminals in a UCD Arrangement are busy, queuing allows for an incoming call to be placed in queue to await an available terminal in the UCD arrangement. When a call is placed in queue, audible ringing is returned to the customer and no further indication is sent until a terminal completes the call. The call that has been in queue the longest will be the first call handled when a terminal becomes available. The maximum number of calls that can be placed in queue is dependent upon the total number of lines in the multiline hunt group. If the incoming call cannot be placed in queue, the calling party will receive a busy tone.

(F) Uniform Call Distribution - BSE

This BSE provides a type of multiline hunting arrangement which evenly distributes calls among the available lines in a hunt group. Where available, this arrangement is provided with originating use for BSA-A and terminating use for Special Access Lines.

(G) (Reserved for Future Use)

FILED

AUG 01 2000
00-182

MISSOURI
Public Service Commission

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)**MISSOURI
Public Service Commission**4.2.22 Basic Service Elements (Cont'd)(H) Caller Identification - Number (ICLID) - BSE

This BSE provides the customer with the calling party's directory number at the time the call is received. The calling number is transmitted to the customer during the first silent interval of the ringing cycle. The number is displayed on customer-provided equipment.

Where available, this arrangement is provided as a nonchargeable option with originating BSA-A.

(I) Remote Call Forwarding - BSE

Remote Call Forwarding (RCF) is a service that utilizes a seven digit Directory Number (DN) to automatically forward all incoming calls to another DN. The forwarded to number can be in the same central office switch or in another central office switch.

The remote call forwarding directory number is not directly associated with an access connection arrangement, but rather is a software translation programmed within the central office switch. All calls dialed to that directory number will forward to another number automatically. The subscriber to this capability does not have a station set for termination of calls made to their remote call forwarding number. Where available, this arrangement is provided with BSA-A.

(J) Direct Inward Dialing (DID) - BSE

This BSE provides a two or four wire DID trunk side termination with line treatment at the first point of switching that permits the Dial Tone Central Office Switch to deliver all or part of the called number to the customer premises at the time the call is established. Multifrequency (MF), Dual Tone Multifrequency (DTMF) or Dial Pulse address signaling is used by the Telephone Company to deliver only the called telephone number to the customer premises. No other address signaling will be delivered to the customer premises. The type of signaling utilized depends on the Dial Tone Office switching equipment available. If additional address signaling is required by the customer, it must be provided by the customer's end user using inband tone address signals which will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Switched Transport provided.

This BSE is only available with new BSA-A arrangements and only in the originating direction. The customer must order a DID Termination and the first group of 20 DID numbers to be associated with the DID Termination in addition to BSA-A service. Additional groups of 20 DID telephone numbers are available. If the grade of service at the group busy hour of the DID trunk group is less than P.05 for two consecutive months, the customer may be required to subscribe to additional DID Terminations. The DID optional feature is only available as a stand alone BSE or optional feature, no other BSEs or optional features can be used in conjunction with it.

FILEDAUG 01 2000
80-182**MISSOURI
Public Service Commission**

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.2 Description of Switched Access (Cont'd)

**MISSOURI
Public Service Commission**

4.2.22 Basic Service Elements (Cont'd)

(K) Billed Number Screening (BNS) - BSE

This BSE prevents the billing of incoming collect and third number billed calls to a customer's telephone account.

Where available, this arrangement is provided with BSA-A.

(L) Digital Channel Service (CLDCS) - BSE

This BSE provides a digital common line connection between the CDL and the local serving wire center. The digital transmission rate available is either DS1 (1.544 Mbps) or DS3 (44.736 Mbps).

Digital Channel Service will be used by the customer to aggregate the customer's telecommunication services onto a digital local loop.

This arrangement is provided on an Individual Case Basis (ICB) with BSA-D.

FILED

AUG 01 2000
00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.3 Obligations of the Customer**MISSOURI
Public Service Commission**4.3.1 On and Off-Hook Supervision

The customer facilities shall provide the necessary on and off-hook supervision.

4.3.2 ASR Requirements

The customer shall order all Switched Access as in Section 3, and 4.3.2 and 4.3.3.

Switched Access capacity is measured at the Telephone Company's first point of switching. ASRs for Switched Access must specify the number of lines, trunks or BHMC (USOC - BHM++) connecting the first point of switching to the CDL. Ordered quantities shall be specified by originating and terminating direction and by traffic type (e.g., MTS/MTS-type or WATS/WATS-type). Where the customer desires to segregate its originating traffic into separate trunk groups by type of traffic, the customer must specify the ordered quantities by trunk group and by traffic type. For example, if a customer desires a separate trunk group to carry its 500, 800 or 900 traffic, the order must specify the trunks or BHMCs associated with 500, 800 or 900 traffic for that trunk group. In addition, the customer shall provide, when it orders BHMC, its projected interstate BHMC between the CDL and each end office in the Access Area by traffic type. The customer shall provide, when it orders lines or trunks, its projected intrastate traffic distribution by percent for each end office in the Access Area by traffic type. If the customer fails to provide its traffic distribution, the Telephone Company will use appropriate Telephone Company traffic studies to project distribution by end office.

When FGA or BSA-A is ordered the customer shall specify whether or not the terminating traffic is to be restricted to the Access Area as in 4.2.1(A) (6), and 4.2.5(C), (D) or (E), or extended beyond the Access Area (i.e., local calling area). If the customer wishes to extend the traffic beyond the FGA or BSA-A Access Area, the rates in 4.5.2(N) (3), will apply. If the customer wishes to restrict the traffic, the rates in 4.5.2(B) may apply, depending upon the optional arrangement selected.

When a customer orders Switched Access for mixed interstate and intrastate usage, the customer shall provide an estimate of the total usage which will be intrastate by traffic type.

The customer allocated percentages will be used as a basis of the jurisdictional determination for billing purposes of all charges until a more accurate determination can be provided as in 4.3.3 and 4.5.2(J).

4.3.3 Jurisdictional Determination

For purposes of determining the jurisdiction of Switched Access traffic, once the Switched Access service is activated, the following criteria will apply:

- (A) When the Telephone Company has measurement capability to provide the data to determine the jurisdiction of Switched Access traffic, the Telephone Company will determine the jurisdiction of Switched Access traffic. In those instances where the Telephone Company cannot determine the jurisdiction, the customer will be required to provide this information as described following.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)

MISSOURI Public Service Commission

4.3 Obligations of the Customer (Cont'd)

4.3.3 Jurisdictional Determination (Cont'd)

(B) To determine the jurisdiction of FGA, FGB, BSA-A and BSA-B Switched Access traffic and that traffic placed on a 1+ basis in conjunction with FGA or BSA-A, the following criteria will apply:

(1) Traffic that enters a customer's network at a point within the same state as that in which the station designated by dialing is situated will be considered intrastate. All intrastate usage will be reported as such whether or not the customer has the proper state certification or an effective intrastate tariff.

(a) All usage which originates on the customer's network in the Missouri portion of a LATA and terminates at a telephone number in the same LATA in Missouri will be reported as intrastate.

(b) All usage which originates on the customer's network in the Missouri portion of a LATA and terminates at a telephone number in a different LATA in Missouri will be reported as intrastate.

(2) Traffic that enters a customer's network at a point in a state other than that in which the station designated by dialing is situated will be considered interstate.

(C) (Reserved for Future Use)

(D) If the customer provides jurisdictional information, the following requirements apply:

(1) The customer will provide quarterly reports indicating the percent of total Telephone Company provided Switched Access usage that is interstate and intrastate. The reports may aggregate usage at a statewide, LATA, BAN (Billing Account Number) or end office level.

(2) The reports will be based on the calendar year and will be due within fifteen days after the end of the quarter beginning with the completion of the first full quarter of service.

(3) The customer will maintain records of call detail from which the jurisdictional determination is made. For verification purposes the Telephone Company may request that these records be made available for inspection and audit on not more than an annual basis. Such audit may be conducted by independent auditors if the Telephone Company and the customer, or the customer alone is willing to pay the expense.

The quarterly reports will be used as the basis for prorating charges to the interstate and intrastate jurisdictions for the next three month's billing and will be effective on the first day of the next monthly billing period which begins at least 15 business days after the day on which the customer reports the revised jurisdictional information to the Telephone Company.

In the event the customer fails to provide a report for one or more quarters, the Telephone Company will use the most recently provided quarterly report for subsequent bills until the customer provides an updated report.

No revisions to bills preceding the effective date of the revised jurisdictional information will be made based on this report.

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.4 Payment Arrangements and Credit Allowances

**MISSOURI
Public Service Commission**

4.4.1 (Reserved for Future Use)

4.4.2 Cancellation of Applications

A customer may cancel an application for Switched Access in Accordance with the regulations and charges in Section 3.

4.4.3 Credit Allowances

(A) Allowances for service interruptions are in 2.4.4.

(B) Usage Sensitive Service credit will be included in the FGA or BSA-A monthly bills rendered to customers to reflect usage charges collected from their end users for intrastate calls. The amount of credit applies to the End Office Switching rate element for originating calls. When the customer is provided originating only FGA or BSA-A service, the credit will apply to either the actual access minutes measured or the assumed minutes as in 4.5.2(O)(3).

No credit will apply for terminating only FGA or BSA-A.

4.5 Rate and Charge Regulations

4.5.1 Rate Elements

For the purposes of determining the rates and charges for Switched Access, including SAC Access Service the following rate elements may apply:

- Switched Transport Facility
- Switched Transport Termination
- End Office Switching
- Information Surcharge
- 800/888/877 Data Base Query

FGB, FGC, FGD, BSA-B, BSA-C, BSA-D and SAC Access Service are also subject to the Network Blocking charge per call as in 4.5.2(I).

FILED

AUG 01 2000

00 MISSOURI 2
Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)

4.5.2 Rate Regulations

**MISSOURI
Public Service Commission**

This section contains the specific regulations governing the rates and charges that apply for Switched Access including SAC Access service and 800/888/877 Data Base Query service.

(A) Types of Rates and Charges

There are two types of rates and charges that apply to Switched Access. These are usage rates and nonrecurring charges. They are described as:

(1) Usage Rates

Usage rates are rates that apply only when a specific rate element is used. These are applied on a per Access Minute basis as described in 4.5.2(N)(1), or they are applied on a per query basis either as basic or premium as described in 4.5.2(H).

The Switched Transport Facility rate element is both usage and distance sensitive.

(2) Nonrecurring Charges

Nonrecurring charges are one-time charges that apply for specific work activities in conjunction with providing Switched Access Service or a change to an existing Switched Access Arrangement, Feature Group or Basic Serving Arrangement.

(a) Switched Access Ordering Charges

Switched Access Ordering Charges are associated with the work performed by the Telephone Company in connection with the receiving, recording and processing of customer service requests. There are two types of service ordering charges.

(1) Initial Ordering Charge - Switched Access
(USOC - SESCL)

This charge applies on a per ASR basis, including those requests to add additional lines or trunks (whether ordered in trunks or based on BHMCs ordered) or activate an existing trunk as a result of additional trunks or BHMCs ordered for an existing service.

All nonrecurring charges (NRCs) for service connection are waived when a customer converts trunks from tandem-switched to direct-trunked or from direct-trunked to tandem-switched. NRCs are also waived if a customer orders the discontinuance of overprovisioned trunks. Waiver of these NRCs will be effective immediately and continue through December 31, 1994.

FILED

AUG 01 2000
00 - 182
**MISSOURI
Public Service Commission**

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)**MISSOURI
Public Service Commission**4.5.2 Rate Regulations (Cont'd)(A) Types of Rates and Charges (Cont'd)(2) Nonrecurring Charges (Cont'd)(a) Switched Access Ordering Charges (Cont'd)(2) Subsequent Ordering Charge - Switched Access
(USOC - SESBX)

This charge applies on a per ASR basis for modifications to an existing service. This would include activities such as:

- Changes and/or additions to end office services optional arrangements (changes in hunt group or screening arrangements).
- The combination or splitting of FGA or BSA-A hunt groups.
- A move to a new point of termination within the same CDL.
- A change for rating purposes from one type of Transport to another (i.e., Special to Switched).
- The activation or deactivation of 900 SAC NXX codes on a per tandem level basis.
- The addition of Calling Party Number (CPN) Parameter, Carrier Selection Parameter (CSP), and Charge Number (CN) Parameter when ordered subsequent to the provision of SS7 Out of Band Signaling.
- Changes in FGD or BSA-D switched access and 800/888/877 SAC Access signaling from multifrequency address signaling to SS7 Out of Band Signaling except as specified in 4.5.2(G)(1).
- All nonrecurring charges (NRCs) for service connection are waived when a customer converts trunks from tandem-switched to direct-trunked or from direct-trunked to tandem-switched. NRCs are also waived if a customer orders the discontinuance of overprovisioned trunks. Waiver of these NRCs will be effective immediately and continue through December 31, 1994.

FILED

AUG 01 2000

00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)4.5 Rate and Charge Regulations (Cont'd)**MISSOURI
Public Service Commission**4.5.2 Rate Regulations (Cont'd)(A) Types of Rates and Charges (Cont'd)(2) Nonrecurring Charges (Cont'd)(a) Switched Access Ordering Charges (Cont'd)

(3) Administrative changes will be made without charge to the customer. Administrative changes are as follows:

- Change in name or ownership or transfer of responsibility from one customer to another, provided there is no interruption of use or relocation of Switched Access service.
- Change of customer or customer's end user premise address when the change of address is not a result of a physical relocation of equipment,
- Change in billing data (name, address or contact name or telephone number),
- Change in customer circuit identification,
- Change of billing account number,
- Change of customer testline number,
- Change of customer or customer's end user contact name or telephone number, and
- Change of agency authorization.

(b) Design Change Charge (USOC - H28)

A design change is any change to a pending ASR or a change to an existing service which requires engineering review or change. Design changes may include the addition or deletion of End Office Services Optional Arrangements or changes in the signaling arrangements associated with the Interface Arrangements as described in 4.2.3(B). Design changes do not include a change of Switched Access Interface Arrangement or facility type, IC CDL, end user premises, end office switch, Feature Group or Basic Serving Arrangement type. Changes of this nature will require the issuance of a new ASR and the cancellation of the original ASR with the appropriate cancellation charges applied.

The Telephone Company will review the requested change, notify the customer whether the change can be accommodated and if a new service date is required. If the customer authorizes the Telephone Company to proceed with the design change, a Design Change Charge will apply.

The Design Change Charge for Switched Access Service in Section 4.6.1(C) will apply on a per ASR per occurrence basis for each request requiring a design change.

The Design Change Charge is in addition to any Switched Ordering charges associated with the change requested. When the design change is on a pending ASR, the Initial Ordering Charge - Switched Access will apply. If the design change is to an existing service, the Subsequent Ordering Charge - Switched Access will apply.

If a change of service date is required, the Service Date Change Charge in 3.2.2(A) will also apply.

FILEDAUG 01 2000
00-182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.5 Rate and Charge Regulations (Cont'd)

4.5.2 Rate Regulations (Cont'd)

(Reserved for Future Use)

RECEIVED

MAY 10 2000

**MISSOURI
Public Service Commission**

FILED

AUG 01 2000

00-182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)**MISSOURI
Public Service Commission**4.5.2 Rate Regulations (Cont'd)

(B) (Reserved for Future Use)

(C) (Reserved for Future Use)

(D) (Reserved for Future Use)

(E) Change of Switched Access Type

Changes from one type of Switched Access to another including the change from Feature Group to Basic Serving Arrangement or the change from Basic Serving Arrangement to Feature Group will be treated as a discontinuance of one type of FIA and start of another. The Initial Ordering Charge - Switched Access will apply, with the following exception. When a customer upgrades a FGA, FGB, FGC, BSA-A, BSA-B or BSA-C to a FGD or BSA-D at the same first point of switching, the charge will not apply. If however, optional features are added to the service at the time the conversion takes place, the Subsequent Ordering Charge - Switched Access for these additions will apply.

(F) Moves

A move involves a change in the physical location of the point of termination of Switched Access. The charge for the move depends on whether the move is within the same CDL or to a different CDL.

FILED

AUG 01 2000
00-182
MISSOURI
Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)**MISSOURI
Public Service Commission**4.5.2 Rate Regulations (Cont'd)(F) Moves (Cont'd)(1) Same CDL

When the move is to a new point within the same CDL, the Subsequent Ordering Charge - Switched Access in 4.6.1(B) will apply. There will be no change in the minimum period requirements.

(2) A Different CDL

When the move is to a different CDL it will be treated as a disconnect and an installation of Switched Access. The Initial Ordering Charge - Switched Access, as specified in 4.6.1(B) will apply to the Switched Access, installed at the CDL. A new minimum period will also be established for the installed Switched Access. The customer will remain responsible for all remaining minimum period charges associated with the disconnected Switched Access.

(G) Signaling System 7 (SS7) Out of Band Signaling

(1) Subsequent Ordering Charges - Switched Access will apply for a change in FGD or BSA-D switched access and 800/888/877 SAC Access signaling from multifrequency address signaling to SS7 Out of Band Signaling except as specified in 4.5.2(G)(1).

(2) Switched access ordering charges will not apply if Calling Party Number (CPN) Parameter, Carrier Selection Parameter (CSP), and/or Charge Number (CN) Parameter are ordered at the same time as SS7 Out of Band Signaling is ordered in conjunction with FGD or BSA-D. Subsequent Ordering Charges - Switched Access will apply if these optional features are ordered subsequent to the provision of SS7 Out of Band Signaling.

(H) 800/888/877 Data Base Query Service

Query usage charges for 800/888/877 Data Base Query Service shown in 4.6.3(A) apply as follows:

(1) A Basic 800/888/877 Data Base Query charge will apply for each basic 800, 888 or call query received at the Telephone Company's 800/888/877 data base. Per query charges are accumulated over a monthly period and billed to the customer on a monthly basis.

(2) A Premium 800/888/877 Data Base Query charge will apply for each premium 800, 888, 877 call query received at the Telephone Company's 800/888/877 data base. Per query charges are accumulated over a monthly period and billed to the customer on a monthly basis.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)

4.5.2 Rate Regulations (Cont'd)

MISSOURI Public Service Commission

(I) Network Blocking Charge for FGB, FGC, FGD, BSA-B, BSA-C, BSA-D and SAC Access Service

The customer will be notified by the Telephone Company to increase its capacity when excessive trunk group blocking occurs on groups carrying FGB, FGC, FGD, BSA-B, BSA-C, BSA-D or SAC Access Service traffic and the measured access minutes for the Daily Busiest Hour exceed the capacity purchased. Excessive trunk group blocking occurs when the blocking thresholds stated below are exceeded. They are predicated on Daily Busiest Hour measurements for four contiguous weeks using the five highest traffic days of the week, excluding national holidays. The Telephone Company will not bill the customer a Network Blocking Charge if an ASR for additional capacity is received by the Telephone Company within 15 days of the notification. If an ASR is not received within 15 days of notification the rate in 4.6.1(D), will apply when (1) the Daily Busiest Hour average blocking for the four contiguous weeks exceeds the threshold level and (2) the average originating or two-way usage measured for these same hours exceeds the Switched Access capacity purchased.

Blocking Thresholds

Trunks in Service	1%	1/2%
1-2	.070	.045
3-4	.050	.035
5-6	.040	.025
7-or more	.030	.020

The one percent blocking threshold is for FGB, FGC, BSA-B, BSA-C and SAC Access Service transmission paths carrying traffic between a CDL and the first point of switching, or FGD or BSA-D transmission paths carrying traffic direct between a CDL and an end office. The one-half percent blocking threshold is for FGD or BSA-D transmission paths carrying traffic between a CDL and an end office via an access tandem.

(J) Determination of Interstate Charges for Mixed Interstate and Intrastate Switched Access

When mixed interstate and intrastate Switched Access Service is provided, all charges will be prorated based on the jurisdictional distribution of access minutes as in 4.3.2 and 4.3.3. The portion of a Switched Access Service to be charged as intrastate is determined in the following manner:

Multiply the percent intrastate use times the total usage, either measured or assumed, rounded to whole access minutes times the appropriate tariff rate element.

(K) Local Dial-It Services

Customer will be billed charges for terminating Switched Access calls to certain community information services, for which rates are applicable under the Telephone Company General and/or Local Tariffs (e.g., 976 Dial-It Network Services).

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)

**MISSOURI
Public Service Commission**

4.5.2 Rate Regulations (Cont'd)

(L) Directory Assistance

Terminating Switched Access calls dialed to Directory Assistance will be rated under the applicable rates for the Switched Access in 4.6. In addition, the charge per call to Directory Assistance in the Telephone Company General and/or Local Tariffs may also apply.

(M) (Reserved for Future Use)

(N) Description and Application of Rates

(1) Determination of Premium Rates

Switched Transport, End Office Switching and the Information Surcharge rates are applied as premium rates as set forth in 4.6.

FILED

AUG 01 2000
00 - 182
**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)4.5.2 Rate Regulations (Cont'd)**MISSOURI
Public Service Commission**(N) Description and Application of Rates (Cont'd)(1) Determination of Premium Rates (Cont'd)

The specific application of premium rates for a specific customer is dependent upon the feature group or Basic Serving Arrangement, and the availability of equal access capabilities in the end office or the WATS Serving Office to which the service is provided.

Premium rates apply to all FGC, FGD, BSA-C and BSA-D access minutes; to all FGA, FGB, BSA-A, BSA-B and SAC Access Service access minutes that originate from or terminate at end offices or WATS Serving Offices equipped with equal access (i.e., FGD, BSA-D) capabilities; and to all FGB or BSA-D access minutes that terminate at end offices not equipped with equal access, when the service is provided to customers who furnish MTS and WATS. Premium rates also apply to switched access minutes that originate or terminate at a Mobile Telephone Switching Office (MTSO) directly interconnected to a Telephone Company access tandem office.

Premium rates apply to all FGA, FGB, BSA-A, BSA-B and SAC Access Service access minutes (measured or assumed) that originate from or terminate at end offices or WATS Serving Offices which are not equipped with equal access capabilities.

Premium rates also apply to switched access minutes of use that originate/terminate at a MTSO directly interconnected to a Telephone Company nonequal access type end office.

(2) Switched Transport

The Switched Transport is determined as follows:

- (a) The Switched Transport Facility rate is applied per access minute per airline mile for each Switched Access Feature Group or Basic Serving Arrangement type.

To determine the Switched Transport Facility airline mileage, distance will be measured from the wire center that normally serves the CDL to the end office or (for WATS or WATS/type) the WSO in the Access Area. The V&H coordinate method is used to determine the actual mileage as set forth in NECA, Inc.'s Tariff FCC No. 4. (*) If the calculated miles include a fraction, the value is always rounded up to the next full mile.

The Switched Transport Facility rate applies to the switched access minutes of use that originate/terminate at a MTSO directly interconnected to a Telephone Company access tandem or end office. The mileage for access is calculated on an airline mile basis, using the V&H coordinate method, between the customers SWC and the SWC of the MTSO.

Where Switched Transport Facility is provided by more than one telephone company, the mileage for each will be determined as in 2.7.

FILEDAUG 01 2000
00 18 2**MISSOURI
Public Service Commission**

(*) For intralATA LEC to LEC traffic, percentages of ownership will be determined by the coordinates located in the Missouri Intrastate IntraLATA Compensation Plan Database.

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)**MISSOURI
Public Service Commission**4.5.2 Rate Regulations (Cont'd)(N) Description and Application of Rates (Cont'd)(2) Switched Transport (Cont'd)

(a) (Cont'd)

When a non-AT&T CDL is within five miles of an AT&T Class 4 office, the Switched Transport Facility mileage for a call which is carried over Switched Access Service, originating or terminating through an end office switch, shall be the distance as would be determined from that end office switch to the wire center for that AT&T Class 4 office unless the customer specifies that for an entire LATA it wants all measurements determined from its wire center. This designation (i.e., which wire center to use in calculating mileage) may be changed only once in any 12 month period. Such change will be made without charge(s) to the customer.

The Switched Transport Facility rate will not apply if the CDL serving wire center and the end office are co-located (where $V/H = 0$).

- (b) The Switched Transport Termination rate applies per access minute for each termination (i.e., the first point of switching and the end office serving the end user) for all Switched Access Feature Group or Basic Serving Arrangement types. When both terminations are provided by the Telephone Company, the Switched Transport Termination rate applies twice, including those situations when the terminations are co-located.

The Switched Transport Termination rate applies to switched access minutes of use that originate/terminate at a MTSO directly interconnected to a Telephone Company access tandem or end office.

Where the Switched Transport Facility is provided by more than one telephone company, the Switched Transport Termination rate applies for the termination (i.e., the first point of switching or the end office serving the end user) at the Telephone Company end of the Switched Transport as in 2.7. The Switched Transport Termination rate will not apply when the Telephone Company is the intermediate provider of the Switched Transport Facility.

(c) (Reserved for Future Use)

FILEDAUG 01 2000
00-182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)

4.5.2 Rate Regulations (Cont'd)

MISSOURI Public Service Commission

(N) Description and Application of Rates (Cont'd)

(2) Switched Transport (Cont'd)

(d) When the Alternate Traffic Routing optional arrangement is provided in conjunction with Feature Groups B and D or BSA-B and BSA-D and the end office or access tandem switch is unable to determine the specific trunk group carrying alternate routed traffic to multiple CDLs, switched transport access minutes will be apportioned among the number of trunk groups utilized to provide this optional arrangement. Such apportionment will occur through the application of Percent Traffic Routed (PTR) values provided by the customer on the ASR. The PTR value for each trunk group, the percentage of total traffic to be attributed to each trunk group, will be determined by dividing the BHMC for each trunk group by the total BHMC for all trunk groups carrying alternate routed traffic. The resulting percentage, or PTR value, for each trunk group will be multiplied times the total alternate routed traffic quantity to apportion usage to the individual trunk group. This apportionment will serve as the basis for the switched transport mileage calculation for alternate routed originating traffic as described herein.

When Feature Group B or D or BSA-B or BSA-D Switched Access service is terminated from multiple CDLs through an access tandem or is terminated from multiple CDLs directly to an end office and the end office or access tandem switch is unable to determine the specific trunk group carrying such terminating traffic, switched transport access minutes will be apportioned among the number of trunk groups carrying such terminating traffic. Such apportionment will occur through the application of PTR values provided by the customer on the ASR. The PTR value for each trunk group will be determined by dividing the BHMC for each trunk group by the total BHMC for all trunk groups carrying such terminating traffic. The resulting PTR value for each trunk group will be multiplied times the total terminating traffic quantity to apportion usage to the individual trunk group. This apportionment will serve as the basis for the switched transport mileage calculation for traffic terminating from multiple CDLs as described herein.

The PTR values as described herein must be included on any ASR establishing or changing any Switched Access service arrangement requiring the use of PTRs. The notation of such PTR values on ASRs must indicate whether the PTR will be used to apportion alternate routed originating traffic to multiple CDLs or to apportion traffic terminating from multiple CDLs. The Telephone Company may conduct verification audits, not to exceed one each year, for each customer, and for each location. Such audits may be conducted by independent auditors if the Telephone Company and the customer, or the customer alone, is willing to pay the expense.

FILED

AUG 01 2000 8 2

MISSOURI Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)

4.5.2 Rate Regulations (Cont'd)

MISSOURI Public Service Commission

(N) Description and Application of Rates (Cont'd)

(3) Extended FGA and BSA-A Terminating Traffic

(a) For calls established on a 1+ or expanded seven digit measured calling basis, outside the specific FGA or BSA-A Access Area, however inside the LATA, in conjunction with terminating FGA or BSA-A traffic to an end office equipped with Equal Access capabilities, the following rates apply:

- for each access minute of each such call, the premium rates per access minute for End Office Switching, in 4.6.3, and the Information Surcharge in 4.6.4.
- for each access minute of each such call, the premium Switched Transport Facility rate per access minute per airline mile in 4.6.2(A).

For calls established on a 1+ or expanded seven digit measured calling basis, outside the specific FGA or BSA-A Access Area, however inside the LATA, in conjunction with terminating FGA or BSA-A traffic to an end office not equipped with Equal Access capabilities, the following rates apply:

- for each access minute of each such call, the premium rates per access minute for End Office Switching, in 4.6.3, and the Information Surcharge in 4.6.4.
- for each access minute of each such call, the premium Switched Transport Facility rate per access minute per airline mile in 4.6.2(A).

The rates for terminating FGA or BSA-A calls established on a 1+ or expanded seven digit measured calling basis in the preceding paragraphs are in addition to the applicable FGA or BSA-A rates charged within the Access Area for each such call.

(b) When FGA or BSA-A terminating traffic is extended outside the LATA, as in 4.2.1(A)(6) Switched Access rate elements in 4.6.3 and 4.6.4, will be billed to the FGA or BSA-A customer for the terminating interLATA access function provided via the FGA or BSA-A connection, and Switched Access rate elements, in 4.6.2(A) and(B), 4.6.3 and 4.6.4, will be billed to the IC providing the interLATA service to the FGA or BSA-A customer for the originating interLATA access function.

FILED

AUG 01 2000 8 2

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)4.5.2 Rate Regulations (Cont'd)**MISSOURI
Public Service Commission**(N) Description and Application of Rates (Cont'd)(4) Equal Access Notification

The Telephone Company will provide written notification to all of its customers of record operating within a particular LATA that an end office in that LATA is scheduled to be converted to an equal access end office. This notification will be sent, via U.S. Mail, to each GTOC customer of record operating in the LATA where the conversion is scheduled to occur, at least twelve months in advance of the conversion date.

The customer will have the choice of converting existing services to equal access (i.e., Feature Group D or BSA-D) at no charge or retaining the existing services (with the exception of FGC or BSA-C). Premium rates will apply to the total Access Minutes beginning on the actual conversion date, whether the customer chooses to convert to FGD, BSA-D or retain existing services.

(5) End Office Switching

End Office Switching is available on a bundled or unbundled basis. End Office Switching - Bundled (EOSB) rates apply to Switched Access services provided as Feature Groups. End Office Switching - Unbundled (EOSU) rates apply to Switched Access services provided as Basic Serving Arrangements.

When equal access becomes available, rates for end office switching 1 (EOS1) and end office switching 2 (EOS2) will apply as follows:

- (a) FGA and BSA-A customers will pay the EOS1 rate for all FGA or BSA-A access minutes originating from or terminating at that end office except as in (f).
- (b) FGB and BSA-B customers with no FGD or BSA-D service provided at the same end office will pay the EOS1 rate for all FGB or BSA-B or access minutes originating from or terminating at that end office except as in (f).
- (c) FGB and BSA-B customers with FGD or BSA-D service provided at the same end office will pay the EOS1 rate for FGB or BSA-B access minutes originating from that end office and the EOS2 rate for FGB or BSA-B access minutes terminating at that end office.
- (d) FGD and BSA-D customers will pay the EOS2 rate for all FGD or BSA-D access minutes originating from or terminating at that end office.
- (e) SAC Access Service customers will pay the EOS2 rate for all SAC Access minutes originating from that end office.
- (f) When FGA, FGB, BSA-A or BSA-B is used for terminating WATS or WATS-type services, the customer will pay the EOS2 rate for all terminating access minutes.
- (g) End Office Switching rates do not apply to switched access minutes of use that originate or terminate at MTSOs directly interconnected to a Telephone Company access tandem office.

FILED

AUG 01 2000

00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.5 Rate and Charge Regulations (Cont'd)

4.5.2 Rate Regulations (Cont'd)

(N) Description and Application of Rates (Cont'd)

(6) (Reserved for Future Use)

(7) (Reserved for Future Use)

(8) 500 NXX Translation Nonrecurring Charge

The 500 NXX Translation Nonrecurring Charge, as set forth in 4.6.1(E), shall apply to each 500 NXX code activated or deactivated in a Telephone Company switch capable of performing the customer identification function for 500 SAC Access Service. The total nonrecurring charge per customer order shall be determined by multiplying the number of switches in which the Telephone Company must activate or deactivate the 500 NXX code within the serving area specified by the customer's order times the appropriate nonrecurring charge. Separate nonrecurring charges apply to the activation or deactivation of the first 500 NXX code contained on the customer's ASR and to the activation or deactivation of each additional 500 NXX code contained on the same ASR. In addition, the Subsequent Ordering Charge-Switched Access, as set forth in 4.6.1(B) will apply per ASR submitted for the activation or deactivation of NXX codes.

(O) Measuring Access Minutes

Customer traffic to end offices will be measured (i.e., recorded or assumed) by the Telephone Company at end office switches or Telephone Company access tandems. Originating and terminating calls will be measured (i.e., recorded or assumed) by the Telephone Company to determine the basis for computing chargeable access minutes. For terminating calls over FGA, FGB, FGC, BSA-A, BSA-B, BSA-C (to SAC Access and Directory Assistance Services) and FGD or BSA-D, the measured access minutes are the chargeable access minutes. For originating calls over FGA, FGB, BSA-A and BSA-B, the measured access minutes are the chargeable access minutes.

For originating calls over FGC or BSA-C, chargeable access minutes are derived from measured access minutes through the use of a Telephone Company factor. A description of the factor is in (4).

RECEIVED

MAY 10 2000

**MISSOURI
Public Service Commission****FILED**AUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)4.5.2 Rate Regulations (Cont'd)**MISSOURI
Public Service Commission**(0) Measuring Access Minutes (Cont'd)

FGA or BSA-A access minutes, or fractions thereof, are accumulated over the billing period for each line or hunt group, and are then rounded up to the nearest access minute for each line or hunt group. FGB, FGC, FGD, BSA-B, BSA-C and BSA-D access minutes or fractions thereof, are accumulated over the billing period for each office, and are then rounded up to the nearest access minute for each end office. The exact value of the fraction is a function of the switch technology where the measurement is made.

When measurement capability for FGA, FGB, BSA-A and BSA-B is not available, access minutes shall be assumed as described in (3).

When usage data is required for a specific end office in an Access Area with multiple end offices, and usage to that office cannot be measured, a portion of total usage will be allocated to the specific end office based upon the portion of subscriber lines served by that end office.

(1) Feature Group A and BSA-A Usage Measurement

For originating calls over FGA or BSA-A, usage measurement begins when the FGA or BSA-A first point of switching receives an off-hook supervisory signal forwarded from the CDL. Where FGA or BSA-A is used for MTS/WATS-type service, this off-hook signal is generally provided by the customer's equipment. Where FGA or BSA-A is used for FCO/ONAL-type services, the off-hook signal is generally forwarded by the customer's equipment when the called party answers.

The measurement of originating call usage over FGA or BSA-A ends when the FGA or BSA-A first point of switching receives an on-hook supervisory signal from either the end office switch, indicating the originating end user has disconnected, or the CDL, whichever is recognized first by the first point of switching.

For terminating calls over FGA or BSA-A, usage measurement begins when the FGA or BSA-A first point of switching receives an off-hook supervisory signal from the end office switch, indicating the terminating end user has answered. The measurement of terminating call usage over FGA or BSA-A ends when the terminating FGA or BSA-A first point of switching receives an on-hook supervisory signal from either the end office switch, indicating the terminating end user has disconnected, or the CDL, whichever is recognized first by the first point of switching.

FILEDAUG 01 2000
00-182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED4. SWITCHED ACCESS (Cont'd)4.5 Rate and Charge Regulations (Cont'd)

MAY 10 2000

4.5.2 Rate Regulations (Cont'd)**MISSOURI
Public Service Commission**(0) Measuring Access Minutes (Cont'd)(2) Feature Group B and BSA-B Usage Measurement

For originating calls over FGB or BSA-B, usage measurement begins when the FGB or BSA-B first point of switching receives the first acknowledgement from the CDL, indicating the customer's equipment has answered.

The measurement of originating call usage over FGB or BSA-B ends when the FGB or BSA-B first point of switching receives disconnect supervision from either the end office switch, indicating the originating end user has disconnected, or the CDL, whichever is recognized first by the first point of switching.

For terminating calls over FGB or BSA-B, usage measurement begins when the FGB or BSA-B first point of switching receives answer supervision from the end office switch, indicating the terminating end user has answered.

The measurement of terminating call usage over FGB or BSA-B ends when the FGB or BSA-B first point of switching receives disconnect supervision from either the end office switch, indicating the terminating end user has disconnected, or the CDL, whichever is recognized first by the first point of switching.

(3) Usage Measurement Not Available For Feature Groups A and B or BSAs A and B

When originating and/or terminating measurement capability does not exist, the number of access minutes per FGA or BSA-A line or FGB or BSA-B trunk, per month, will be assumed based on the following:

- A single monthly surrogate of assumed minutes per two-way line/trunk per month shall apply as in 4.6.7. For FGA or BSA-A lines, the terminating assumed usage will be 47% of the two-way surrogate and the originating assumed usage will be 53% of the two-way surrogate. For FGB or BSA-B trunks, the terminating assumed usage will be one half of the two-way surrogate and the originating will be one half of the two-way surrogate.
- When measurement capabilities do not exist for a one way FGA or BSA-A line or FGB or BSA-B trunk, a single monthly surrogate of assumed minutes per one way line/trunk per month shall apply as in 4.6.7.
- When measurement capabilities do not exist in one direction for a two-way line (e.g., recording for terminating only) the number of access minutes per line, per month will be the assumed surrogate for a two-way line or the recorded usage for the single direction, whichever is greater.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)

**MISSOURI
Public Service Commission**

4.5.2 Rate Regulations (Cont'd)

(0) Measuring Access Minutes (Cont'd)

(3) Usage Measurement Not Available For Feature Groups A and B or BSAs A and B

- In the event of measurement equipment failure, minutes of use will be determined as follows:

For the initial month of service, FGA, FGB, BSA-A or BSA-B minutes will be assumed as indicated above unless actual usage recorded prior to the failure is greater than the assumed usage.

For subsequent months, the greater of 1) actual usage recorded prior to the failure, or 2) the average of the three month current months' usage (or less if three months are not available) will be used.

FILED

AUG 01 2000
00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092, YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)

4.5.2 Rate Regulations (Cont'd)

MISSOURI Public Service Commission

(0) Measuring Access Minutes (Cont'd)

(4) Feature Group C and BSA-C Usage Measurement

For originating calls over FGC or BSA-C, usage measurement begins when the originating FGC or BSA-C first point of switching receives answer supervision from the CDL, indicating the called party has answered. However, for billing purposes usage begins at the time that the originating end user's call is delivered by the Telephone Company, and acknowledged as received by the customer's facilities connected with the originating central office.

For originating calls over FGC or BSA-C, measured access minutes are converted into chargeable access minutes using the following equation and factor:

Originating Minutes = Conversation minutes + (factor x quantity of completed calls).

Factor = non-conversation minutes per completed call + [(non-conversation minutes per incompleated call) x (1 - completion ratio)] divided by completion ratio.

The measurement of originating call usage over FGC or BSA-C ends when the FGC or BSA-C first point of switching receives disconnect supervision from either the end office switch, indicating the originating end user has disconnected, or the CDL, whichever is recognized first by the first point of switching.

For terminating calls over FGC or BSA-C to services other than SAC Access or Directory Assistance, terminating FGC or BSA-C usage is not directly measured at the first point of switching, but is derived from originating usage, excluding usage from calls to SAC Access or Directory Assistance Services.

Terminating call usage over FGC or BSA-C, other than SAC Access and Directory Assistance, is derived from originating usage as follows:

Terminating Minutes = Originating conversation minutes x In/Out ratio.

In/Out Ratio = Relationship between originating (i.e. Out) and terminating (i.e. In) conversation minutes.

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

4. SWITCHED ACCESS (Cont'd)4.5 Rate and Charge Regulations (Cont'd)4.5.2 Rate Regulations (Cont'd)**MISSOURI
Public Service Commission**(0) Measuring Access Minutes (Cont'd)(4) Feature Group C and BSA-C Usage Measurement (Cont'd)

For terminating calls over FGC or BSA-C to SAC Access or Directory Assistance Service, usage measurement begins when the FGC or BSA-C first point of switching receives answer supervision from the end office switch, indicating the terminating SAC Access Service end user has answered, or from the Directory Assistance Service location, indicating the Directory Assistance operator has answered.

The measurement of terminating call usage over FGC or BSA-C to SAC Access or Directory Assistance Services ends when the FGC or BSA-C first point of switching receives an on-hook supervisory signal from the end office switch, indicating the terminating SAC Access Service end user has disconnected, or from the Directory Assistance location, indicating the Directory Assistance operator has disconnected, or from the CDL, whichever occurs first.

(5) Feature Group D and BSA-D Usage Measurement

For originating calls over FGD or BSA-D with multifrequency (MF) signaling, usage measurement begins when the FGD or BSA-D first point of switching receives the first wink supervisory signal forwarded from the CDL.

For originating calls over FGD or BSA-D with SS7 Out of Band Signaling, usage measurement for direct trunks begins when the FGD or BSA-D first point of switching sends an Initial Address Message. Usage measurement for tandem trunks begins when the FGD or BSA-D first point of switching receives an Exit Message.

The measurement of originating call usage over FGD or BSA-D with MF signaling ends when the FGD or BSA-D first point of switching receives disconnect supervision from either the end office switch, indicating the originating end user has disconnected, or the CDL, whichever is recognized first by the first point of switching.

The measurement of originating call usage over FGD or BSA-D with SS7 Out of Band Signaling ends when a Release Message is sent or received by the originating end user's end office, whichever occurs first.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

RECEIVED

4.5 Rate and Charge Regulations (Cont'd)

MAY 10 2000

4.5.2 Rate Regulations (Cont'd)

(O) Measuring Access Minutes (Cont'd)

(5) Feature Group D and BSA-D Usage Measurement (Cont'd)

MISSOURI Public Service Commission

For terminating calls over FGD or BSA-D with MF signaling or FGD or BSA-D with SS7 Out of Band Signaling, usage measurement begins when the FGD or BSA-D first point of switching receives answer supervision from the end office switch, indicating the terminating end user has answered.

The measurement of terminating call usage over FGD or BSA-D with MF signaling ends when the FGD or BSA-D first point of switching receives disconnect supervision from either the end office switch, indicating the terminating end user has disconnected, or the CDL, whichever is recognized first by the first point of switching.

The measurement of terminating call usage over FGD or BSA-D with SS7 Out of Band Signaling ends when the FGD or BSA-D first point of switching receives or sends a Release Message, whichever occurs first.

(6) SAC Access Service Usage Measurement

SAC Access Service usage measurement shall be in accordance with the regulations set forth for FGC, FGD, BSA-C and BSA-D. Specifically, for usage originating from end offices not equipped with equal access capabilities, access minutes shall be measured in the same manner in which FGC or BSA-C access minutes are measured. For usage originating from end offices equipped with equal access capabilities, access minutes shall be measured in the same manner in which FGD or BSA-D access minutes are measured.

(P) FGD and BSA-D Switched Access Service With 950-XXXX Access

When a customer orders FGD or BSA-D Switched Access Service with 950-XXXX Access, as described in 4.2.5(T), to be included with the installation of new FGD or BSA-D switched access facilities, appropriate Switched Access Installation Charges and Switched Access Ordering Charges will apply for the installation of the new FGD or BSA-D switched access facilities.

When a customer orders FGD or BSA-D Switched Access Service with 950-XXXX Access to be added to an existing FGD or BSA-D switched access service, only the Subsequent Ordering Charge - Switched Access and the Design Change Charge will apply for the addition of this optional end office service arrangement.

4.5.3 (Reserved for Future Use)

FILED

AUG 01 2000
00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)

**MISSOURI
Public Service Commission**

4.5.4 (Reserved for Future Use)

4.5.5 Application of Rates for FGA and BSA-A Extension Service

FGA or BSA-A is available with extensions (i.e., additional terminations of the service at different buildings in the same LATA). FGA or BSA-A extensions are provided and charged for as Special Access. The rate elements which apply are Special Transport (from the extension bridging point to the wire center serving the CDL), and Special Access Lines. All appropriate monthly rates and nonrecurring charges are in 5.7.

4.5.6 (Reserved for Future Use)

4.5.7 (Reserved for Future Use)

4.5.8 (Reserved for Future Use)

4.5.9 (Reserved for Future Use)

FILED

AUG 01 2000
00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.5 Rate and Charge Regulations (Cont'd)

4.5.10 Basic Service Elements (BSEs)

MISSOURI Public Service Commission

Recurring rates and charges for Basic Service Elements (BSEs) in 4.2.22 are applied on a premium basis as discussed in 4.5.2(N)(1). The Switched Access Ordering Charge will not apply when a customer orders BSEs in conjunction with the establishment of a Basic Serving Arrangement (BSA) or the conversion of a feature group to a BSA. The Switched Access Ordering Charge will apply to changes to or additions of BSEs associated with an established BSA. The application of monthly recurring charges or usage rates to BSEs are as follows.

(A) Alternate Traffic Routing - BSE

Premium nonrecurring charges in 4.6.3 apply per trunk group equipped.

(B) Automatic Number Identification (ANI) - (BSE)

Rates in 4.6.3 apply per ANI attempt.

(C) User Transfer - BSE

Monthly recurring charges in 4.6.3 apply per line arranged.

(D) Hunt Group Arrangement - BSE

Premium monthly recurring charges in 4.6.3 apply per line equipped.

(E) Queuing - BSE

Premium monthly recurring charges in 4.6.3 apply per group equipped.

(F) Uniform Call Distribution - BSE

Premium monthly recurring charges in 4.6.3 apply per line equipped.

(G) Simplified Message Desk Interface (SMDI) - BSE

Premium monthly recurring charges in 4.6.3 apply per DNAL.

(H) Remote Call Forwarding - BSE

Premium monthly recurring charges in 4.6.3 apply per line.

(I) Direct Inward Dialing (DID) - BSE

Monthly recurring charges in 4.6.3 apply.

(J) Billed Number Screening (BNS) - BSE

Monthly recurring charges in 4.6.3 apply per line screened.

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.6 Rates and Charges

**MISSOURI
Public Service Commission**

4.6.1 Nonrecurring Charges

(A) (Reserved for Future Use)

(B) Switched Access Service Ordering Charges

	<u>Initial</u> <u>Subsequent</u> <u>Ordering Charge - Switched Access</u> <u>per ASR</u> (SESCL)	<u>Ordering Charge - Switched Access</u> <u>per ASR</u> (SESBX)
(USOC)	\$232.81	\$218.49

(C) Design Change Charge

Per ASR/Per Occurrence

\$49.39

(D) Network Blocking Charge

Applies to FGB, FGC, FGD, BSA-B,
BSA-C, BSA-D SAC Access Service
Per Call

\$.018

(E) 500 NXX Translation Charge

	<u>First NXX</u> <u>Per ASR/Per End Office</u> (NW51X)	<u>Each Additional NXX</u> <u>Per ASR/Per End Office</u> (NW5AX)
(USOC)	\$23.00	\$12.00

FILED

AUG 01 2000
00 - 182
MISSOURI
Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2030-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.2 Switched Transport

(A) Switched Transport Facility

Rates for each Access Minute, per airline mile.

Premium Rates
Switched Transport Facility
Per Access Minute Per
Airline Mile

\$.00052841 (I)

(B) Switched Transport Termination

Rates for each Access Minute, for each termination.

Premium Rates
Switched Transport Termination
Per Access Minute Per
Termination

\$.00488735 (I)

Issued: July 15, 2008

Effective: September 1, 2008

Chantel Mosby
Director, Tariffs and Compliance
Monroe, Louisiana

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.2 Switched Transport

(A) Switched Transport Facility

Rates for each Access Minute, per airline mile.

Premium Rates
Switched Transport Facility
Per Access Minute Per
Airline Mile

\$.0005165 (I)

(B) Switched Transport Termination

Rates for each Access Minute, for each termination.

Premium Rates
Switched Transport Termination
Per Access Minute Per
Termination

\$.0047771 (I)

Issued: July 16, 2007

Effective: September 1, 2007

Chanel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

CANCELLED
September 1, 2008
Missouri Public
Service Commission

FILED
Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.2 Switched Transport

(A) Switched Transport Facility

Rates for each Access Minute, per airline mile.

Premium Rates
Switched Transport Facility
Per Access Minute Per
Airline Mile

\$.0005070 (R)

(B) Switched Transport Termination

Rates for each Access Minute, for each termination.

Premium Rates
Switched Transport Termination
Per Access Minute Per
Termination

\$.0046886 (R)

Issued: July 14, 2006

Effective: September 1, 2006

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

CANCELLED
Sept. 1, 2007
Missouri Public
Service Commission

Filed
Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.2 Switched Transport

(A) Switched Transport Facility

Rates for each Access Minute, per airline mile.

Premium Rates
Switched Transport Facility
Per Access Minute Per
Airline Mile

\$.0005080

(R)

(B) Switched Transport Termination

Rates for each Access Minute, for each termination.

Premium Rates
Switched Transport Termination
Per Access Minute Per
Termination

\$.0046960

(R)

Issued: August 1, 2005

Effective: September 1, 2005

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

Cancelled

September 1, 2006

Missouri Public
Service Commission

Filed

Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.2 Switched Transport

(A) Switched Transport Facility

Rates for each Access Minute, per airline mile.

Premium Rates
Switched Transport Facility
Per Access Minute Per
Airline Mile

\$.0005192

(R)

(B) Switched Transport Termination

Rates for each Access Minute, for each termination.

Premium Rates
Switched Transport Termination
Per Access Minute Per
Termination

\$.0047970

(R)

CANCELLED

SEP 01 2005
by *3rdRS151*
Public Service Commission
MISSOURI

FACILITIES FOR INTRASTATE ACCESS

Missouri Public

4. SWITCHED ACCESS (Cont'd)

REC'D JUL 23 2003

4.6 Rates and Charges (Cont'd)

Service Commission

4.6.2 Switched Transport

(A) Switched Transport Facility

Rates for each Access Minute, per airline mile.

Premium Rates
Switched Transport Facility
Per Access Minute Per
Airline Mile

\$.0005330

(l)

(B) Switched Transport Termination

Rates for each Access Minute, for each termination.

Premium Rates
Switched Transport Termination
Per Access Minute Per
Termination

\$.0049242

(l)

CANCELLED

SEP 01 2004
By *RS 151*
Public Service Commission
MISSOURI

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.6 Rates and Charges (Cont'd)

MISSOURI
Public Service Commission

4.6.2 Switched Transport

(A) Switched Transport Facility

Rates for each Access Minute, per airline mile.

Premium Rates
Switched Transport Facility
Per Access Minute Per
Airline Mile

\$.00053186

(B) Switched Transport Termination

Rates for each Access Minute, for each termination.

Premium Rates
Switched Transport Termination
Per Access Minute Per
Termination

\$.00491350

CANCELLED
SEP 06 2003
By *STC/S*
Public Service Commission
MISSOURI

FILED

AUG 01 2000
00 - 182
MISSOURI
Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services

(A)	Basic 800/888/877 Data Base <u>Query Charge</u> Rate Per Query	Premium 800/888/877 Data Base <u>Query Charge</u> Rate Per Query
	\$.00994629 (I)	\$.00994704 (I)

(B) End Office Switching - Bundled (EOSB)

The bundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u> <u>EOSB</u> Per Access Minute	<u>Premium EOS2 Rate</u> <u>EOSB</u> Per Access Minute
\$.02547585 (I)	\$.02800266 (I)

(C) End Office Switching Unbundled (EOSU) - Circuit Switched Line

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u> <u>EOSU</u> Per Access Minute	<u>Premium EOS2 Rate</u> <u>EOSU</u> Per Access Minute
\$.02547585 (I)	\$.02800266 (I)

(D) End Office Switching - Unbundled (EOSU) - Circuit Switched Trunk

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u> <u>EOSU</u> Per Access Minute	<u>Premium EOS2 Rate</u> <u>EOSU</u> Per Access Minute
\$.02547585 (I)	\$.02800266 (I)

(E) Alternate Traffic Routing - BSE

<u>Premium Nonrecurring</u> <u>Charge Per Trunk</u> <u>Group Equipped</u> (CF3AR)
\$ 68.35 (I)

Issued: July 15, 2008

Effective: September 1, 2008

Chantel Mosby
Director, Tariffs and Compliance
Monroe, Louisiana

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services

(A)	Basic 800/888/877 Data Base	Premium 800/888/877 Data Base
	<u>Query Charge</u>	<u>Query Charge</u>
	Rate	Rate
	<u>Per Query</u>	<u>Per Query</u>
	\$.0097220 (I)	\$.0097227 (I)

(B) End Office Switching - Bundled (EOSB)

The bundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u>	<u>Premium EOS2 Rate</u>
<u>EOSB</u>	<u>EOSB</u>
<u>Per Access Minute</u>	<u>Per Access Minute</u>
\$.0249014 (I)	\$.02737118 (I)

(C) End Office Switching Unbundled (EOSU) - Circuit Switched Line

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u>	<u>Premium EOS2 Rate</u>
<u>EOSU</u>	<u>EOSU</u>
<u>Per Access Minute</u>	<u>Per Access Minute</u>
\$.0249014 (I)	\$.02737118 (I)

(D) End Office Switching - Unbundled (EOSU) - Circuit Switched Trunk

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u>	<u>Premium EOS2 Rate</u>
<u>EOSU</u>	<u>EOSU</u>
<u>Per Access Minute</u>	<u>Per Access Minute</u>
\$.0249014 (I)	\$.02737118 (I)

(E) Alternate Traffic Routing - BSE

<u>Premium Nonrecurring</u>
<u>Charge Per Trunk</u>
<u>Group Equipped</u>
(CF3AR)
\$ 66.81 (I)

Issued: July 16, 2007

Effective: September 1, 2007

Chanel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

CANCELLED
September 1, 2008
Missouri Public
Service Commission

FILED
Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services

(A)	Basic 800/888/877 Data Base <u>Query Charge</u> Rate Per Query	Premium 800/888/877 Data Base <u>Query Charge</u> Rate Per Query
	\$.0095420 (R)	\$.0095425 (R)

(B) End Office Switching - Bundled (EOSB)

The bundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u> <u>EOSB</u> Per Access Minute	<u>Premium EOS2 Rate</u> <u>EOSB</u> Per Access Minute
\$.0244398 (R)	\$.02686380 (R)

(C) End Office Switching Unbundled (EOSU) - Circuit Switched Line

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u> <u>EOSU</u> Per Access Minute	<u>Premium EOS2 Rate</u> <u>EOSU</u> Per Access Minute
\$.0244398 (R)	\$.02686380 (R)

(D) End Office Switching - Unbundled (EOSU) - Circuit Switched Trunk

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u> <u>EOSU</u> Per Access Minute	<u>Premium EOS2 Rate</u> <u>EOSU</u> Per Access Minute
\$.0244398 (R)	\$.02686380 (R)

(E) Alternate Traffic Routing - BSE

<u>Premium Nonrecurring</u> <u>Charge Per Trunk</u> <u>Group Equipped</u> (CF3AR)
\$ 65.58 (R)

Issued: July 14, 2006

Effective: September 1, 2006

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

CANCELLED
Sept. 1, 2007
Missouri Public
Service Commission

Filed
Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services

(A)	Basic 800/888/877 Data Base	Premium 800/888/877 Data Base	
	<u>Query Charge</u>	<u>Query Charge</u>	
	Rate	Rate	
	<u>Per Query</u>	<u>Per Query</u>	
	\$.0095576	\$.0095576	(R)

(B) End Office Switching - Bundled (EOSB)

The bundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u>	<u>Premium EOS2 Rate</u>	
<u>EOSB</u>	<u>EOSB</u>	
<u>Per Access Minute</u>	<u>Per Access Minute</u>	
\$.0244784	\$.02690626	(R)

(C) End Office Switching Unbundled (EOSU) - Circuit Switched Line

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u>	<u>Premium EOS2 Rate</u>	
<u>EOSU</u>	<u>EOSU</u>	
<u>Per Access Minute</u>	<u>Per Access Minute</u>	
\$.0244784	\$.02690626	(R)

(D) End Office Switching - Unbundled (EOSU) - Circuit Switched Trunk

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u>	<u>Premium EOS2 Rate</u>	
<u>EOSU</u>	<u>EOSU</u>	
<u>Per Access Minute</u>	<u>Per Access Minute</u>	
\$.0244784	\$.02690626	(R)

(E) Alternate Traffic Routing - BSE

<u>Premium Nonrecurring</u>	
<u>Charge Per Trunk</u>	
<u>Group Equipped</u>	
<u>(CF3AR)</u>	
\$ 65.68	(R)

Issued: August 1, 2005

Effective: September 1, 2005

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

Cancelled

September 1, 2006

Missouri Public
Service Commission

Filed

Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services

(A)	Basic 800/888/877 Data Base <u>Query Charge</u> Rate Per Query	Premium 800/888/877 Data Base <u>Query Charge</u> Rate Per Query	
	\$.00976287	\$.00976287	(R)

(B) End Office Switching - Bundled (EOSB)

The bundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u> EOSB Per Access Minute	<u>Premium EOS2 Rate</u> EOSB Per Access Minute	
\$.025004	\$.027484	(R)

(C) End Office Switching Unbundled (EOSU) - Circuit Switched Line

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u> EOSU Per Access Minute	<u>Premium EOS2 Rate</u> EOSU Per Access Minute	
\$.025004	\$.027484	(R)

(D) End Office Switching - Unbundled (EOSU) - Circuit Switched Trunk

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u> EOSU Per Access Minute	<u>Premium EOS2 Rate</u> EOSU Per Access Minute	
\$.025004	\$.027484	(R)

(E) Alternate Traffic Routing - BSE

<u>Premium Nonrecurring</u> <u>Charge Per Trunk</u> <u>Group Equipped</u> (CF3AR)
\$ 67.09

CANCELLED

SEP 01 2005
By 3rd RS 152
Public Service Commission
MISSOURI

Issued: July 16, 2004

Effective: September 1, 2004

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

FILED
MO PSC

FACILITIES FOR INTRASTATE ACCESS

Missouri Public

4. SWITCHED ACCESS (Cont'd)

REC'D JUL 23 2003

4.6 Rates and Charges (Cont'd)

Service Commission

4.6.3 End Office Services

(A) Basic 800/888/877 Data Base Premium 800/888/877 Data Base
Query Charge Query Charge

Rate Rate
Per Query Per Query
\$.0100217 \$.0100217

(I)

(B) End Office Switching - Bundled (EOSB)

The bundled rates for End Office Switching are based on originating and terminating Access Minutes.

Premium EOS1 Rate Premium EOS2 Rate
EOSB EOSB
Per Access Minute Per Access Minute
\$.025667 \$.028213

(I)

(C) End Office Switching Unbundled (EOSU) - Circuit Switched Line

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

Premium EOS1 Rate Premium EOS2 Rate
EOSU EOSU
Per Access Minute Per Access Minute
\$.025667 \$.028213

(I)

(D) End Office Switching - Unbundled (EOSU) - Circuit Switched Trunk

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

Premium EOS1 Rate Premium EOS2 Rate
EOSU EOSU
Per Access Minute Per Access Minute
\$.025667 \$.028213

(I)

(E) Alternate Traffic Routing - BSE

Premium Nonrecurring
Charge Per Trunk
Group Equipped
(CF3AR)
\$ 67.09

CANCELLED

SEP 01 2004
By *20RS152*
Public Service Commission
MISSOURI

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.6 Rates and Charges (Cont'd)

MISSOURI
Public Service Commission

4.6.3 End Office Services

(A)	<u>Basic 800/888/877 Data Base</u>	<u>Premium 800/888/877 Data Base</u>
	<u>Query Charge</u>	<u>Query Charge</u>

<u>Rate</u>	<u>Rate</u>
<u>Per Query</u>	<u>Per Query</u>
\$.01	\$.01

(B) End Office Switching - Bundled (EOSB)

The bundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u>	<u>Premium EOS2 Rate</u>
<u>EOSB</u>	<u>EOSB</u>
<u>Per Access Minute</u>	<u>Per Access Minute</u>
\$.0256119	\$.0281522

(C) End Office Switching Unbundled (EOSU) - Circuit Switched Line

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u>	<u>Premium EOS2 Rate</u>
<u>EOSU</u>	<u>EOSU</u>
<u>Per Access Minute</u>	<u>Per Access Minute</u>
\$.0256117	\$.0281520

(D) End Office Switching - Unbundled (EOSU) - Circuit Switched Trunk

The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.

<u>Premium EOS1 Rate</u>	<u>Premium EOS2 Rate</u>
<u>EOSU</u>	<u>EOSU</u>
<u>Per Access Minute</u>	<u>Per Access Minute</u>
\$.0256117	\$.0281520

(E) Alternate Traffic Routing - BSE

Premium Nonrecurring
Charge Per Trunk
Group Equipped
(CF3AR)

\$ **CANCELLED**

FILED

SEP 06 2003
by *15hrs 132.*
Public Service Commission
MISSOURI

AUG 01 2000
00 - 182
MISSOURI
Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services (Cont'd)

(F) Automatic Number Identification (ANI) – BSE

Rate
Per ANI Attempt

\$.00014257 (I)

(G) User Transfer – BSE

Monthly Rate
Per Line Arranged
(EO3)

\$ 1.50 (I)

(H) Hunt Group Arrangement – BSE

Premium Monthly Rate
Per Line Equipped
(CF3HG)

\$.05

(I) Queuing – BSE

Premium Monthly Rate
Per Group Equipped
(CF3QU)

\$ 15.26 (I)

(J) Uniform Call Distribution – BSE

Premium Monthly Rate
Per Line Equipped
(CF3UD)

\$ 5.08 (I)

(K) (Reserved for Future Use)

Issued: July 15, 2008

Effective: September 1, 2008

Chantel Mosby
Director, Tariffs and Compliance
Monroe, Louisiana

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services (Cont'd)

(F) Automatic Number Identification (ANI) – BSE

Rate
Per ANI Attempt

\$.00013936 (I)

(G) User Transfer – BSE

Monthly Rate
Per Line Arranged
(EO3)

\$ 1.47 (I)

(H) Hunt Group Arrangement – BSE

Premium Monthly Rate
Per Line Equipped
(CF3HG)

\$.05

(I) Queuing – BSE

Premium Monthly Rate
Per Group Equipped
(CF3QU)

\$ 14.92 (I)

(J) Uniform Call Distribution – BSE

Premium Monthly Rate
Per Line Equipped
(CF3UD)

\$ 4.97 (I)

(K) (Reserved for Future Use)

Issued: July 16, 2007

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

Effective: September 1, 2007

CANCELLED
September 1, 2008
Missouri Public
Service Commission

FILED
Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services (Cont'd)

(F) Automatic Number Identification (ANI) – BSE

Rate
Per ANI Attempt

\$.00013678 (R)

(G) User Transfer – BSE

Monthly Rate
Per Line Arranged
(EO3)

\$ 1.45 (R)

(H) Hunt Group Arrangement – BSE

Premium Monthly Rate
Per Line Equipped
(CF3HG)

\$.05 (R)

(I) Queuing – BSE

Premium Monthly Rate
Per Group Equipped
(CF3QU)

\$ 14.65 (R)

(J) Uniform Call Distribution – BSE

Premium Monthly Rate
Per Line Equipped
(CF3UD)

\$ 4.88 (R)

(K) (Reserved for Future Use)

Issued: July 14, 2006

Effective: September 1, 2006

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services (Cont'd)

(F) Automatic Number Identification (ANI) – BSE

Rate
Per ANI Attempt

\$.00013700

(R)

(G) User Transfer – BSE

Monthly Rate
Per Line Arranged
(EO3)

\$ 1.46

(R)

(H) Hunt Group Arrangement – BSE

Premium Monthly Rate
Per Line Equipped
(CF3HG)

\$.06

(R)

(I) Queuing – BSE

Premium Monthly Rate
Per Group Equipped
(CF3QU)

\$ 14.68

(R)

(J) Uniform Call Distribution – BSE

Premium Monthly Rate
Per Line Equipped
(CF3UD)

\$ 4.89

(R)

(K) (Reserved for Future Use)

Issued: August 1, 2005

Effective: September 1, 2005

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

Cancelled

September 1, 2006

Missouri Public
Service Commission

Filed

Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.6 Rates and Charges (Cont'd)

**MISSOURI
Public Service Commission**

4.6.3 End Office Services (Cont'd)

(F) Automatic Number Identification (ANI) - BSE

Rate
Per ANI Attempt

\$.00014

(G) User Transfer - BSE

Monthly Rate
Per Line Arranged
(EO3)

\$ 1.50

(H) Hunt Group Arrangement - BSE

Premium Monthly Rate
Per Line Equipped
(CF3HG)

\$.07

(I) Queuing - BSE

Premium Monthly Rate
Per Group Equipped
(CF3QU)

\$ 15.00

(J) Uniform Call Distribution - BSE

Premium Monthly Rate
Per Line Equipped
(CF3UD)

\$ 5.00

(K) (Reserved for Future Use)

CANCELLED

SEP 01 2005
By *ISRS/SL*
Public Service Commission
MISSOURI

FILED

AUG 01 2000
00 - 182
**MISSOURI
Public Service Commission**

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services (Cont'd)

(L) Remote Call Forwarding – BSE
Premium Monthly Rate
Per Line
(FOMPX)

\$ 16.28 (I)

(M) Direct Inward Dialing (DID) – BSE

Monthly Rate
Per DID Term
(NDT)

\$ 35.64 (I)

Monthly Rate
Per Block of 20 Numbers
(ND4)

\$ 18.33 (I)

(N) Billed Number Screening (BNS) – BSE

Monthly Rate
Per Lines Screened
(RTVXQ)

\$ 4.16 (I)

Issued: July 15, 2008

Effective: September 1, 2008

Chantel Mosby
Director, Tariffs and Compliance
Monroe, Louisiana

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services (Cont'd)

(L) Remote Call Forwarding – BSE
Premium Monthly Rate
Per Line
(FOMPX)

\$ 15.92 (I)

(M) Direct Inward Dialing (DID) – BSE

Monthly Rate
Per DID Term
(NDT)

\$ 34.84 (I)

Monthly Rate
Per Block of 20 Numbers
(ND4)

\$ 17.92 (I)

(N) Billed Number Screening (BNS) – BSE

Monthly Rate
Per Lines Screened
(RTVXQ)

\$ 4.07 (I)

Issued: July 16, 2007

Effective: September 1, 2007

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

CANCELLED
September 1, 2008
Missouri Public
Service Commission

FILED
Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services (Cont'd)

(L) Remote Call Forwarding – BSE
Premium Monthly Rate
Per Line
(FOMPX)

\$ 15.63 (R)

(M) Direct Inward Dialing (DID) – BSE

Monthly Rate
Per DID Term
(NDT)

\$ 34.20 (R)

Monthly Rate
Per Block of 20 Numbers
(ND4)

\$ 17.59 (R)

(N) Billed Number Screening (BNS) – BSE

Monthly Rate
Per Lines Screened
(RTVXQ)

\$ 4.00 (R)

Issued: July 14, 2006

Effective: September 1, 2006

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.3 End Office Services (Cont'd)

(L) Remote Call Forwarding – BSE
Premium Monthly Rate

Per Line
(FOMPX)

\$ 15.66

(R)

(M) Direct Inward Dialing (DID) – BSE

Monthly Rate
Per DID Term
(NDT)

\$ 34.26

Monthly Rate
Per Block of 20 Numbers
(ND4)

\$ 17.62

(R)

(N) Billed Number Screening (BNS) – BSE

Monthly Rate
Per Lines Screened
(RTVXQ)

\$ 4.01

(R)

Issued: August 1, 2005

Effective: September 1, 2005

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

Cancelled

September 1, 2006

Missouri Public
Service Commission

Filed

Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.6 Rates and Charges (Cont'd)

**MISSOURI
Public Service Commission**

4.6.3 End Office Services (Cont'd)

(L) Remote Call Forwarding - BSE

Premium Monthly Rate
Per Line
(FOMPX)

\$ 16.00

(M) Direct Inward Dialing (DID) - BSE

Monthly Rate
Per DID Term
(NDT)

\$ 35.00

Monthly Rate
Per Block of 20 Numbers
(ND4)

\$ 18.00

(N) Billed Number Screening (BNS) - BSE

Monthly Rate
Per Lines Screened
(RTVXQ)

\$ 4.10

CANCELLED

SEP 01 2005
By *154RS152.2*
**Public Service Commission
MISSOURI**

FILED

AUG 01 2000
00-182

**MISSOURI
Public Service Commission**

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.4 Information Surcharge

The rates for Information Surcharge are based on originating and terminating Access Minutes.

Premium Rates
Information Surcharge

Per Access Minute

\$.00008429 (I)

4.6.5 FGA or BSA-A Usage Sensitive Credit Allowance

Usage Sensitive Service
Credit Allowance
Credit Per Originating FGA or BSA-A Access Minute #

\$.00049351 (I)

4.6.6 (Reserved For Future Use)*

4.6.7 Assumed Minutes of Use Monthly Surrogate

<u>Per Two Way</u> <u>Line/Trunk</u> <u>Originating</u> <u>Only</u>		<u>Per One Way</u> <u>Line/Trunk</u> <u>Terminating</u> <u>Only</u>		<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>
<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>
2451	(1)	(1)	(1)	(1)	(1)

4.6.8 Carrier Identification Parameter (CIP)

<u>Non-Recurring</u> <u>Charge-Per CIC.</u> <u>Per End Office</u> <u>Direct Trunk</u> <u>Group</u>	<u>Non-Recurring</u> <u>Charge Per CIC.</u> <u>Per Access Tandem</u> <u>Direct Trunk</u> <u>Group</u>	<u>Monthly Recurring</u> <u>Charges</u> <u>Per Trunk</u>
\$80.00	\$1,120.00	\$0.45657581 (I)

* The Equal Access Cost Recovery Charge has been eliminated.
The credit is applied to the End Office Switching rate element.
(1) These jurisdictions either have all existing services measured or have no customers at this time. In the event an ASR is received for a new customer and there is no measurement capability for the office requested, a traffic study will be made to establish a surrogate and such surrogate will be tariffed.

Issued: July 15, 2008

Effective: September 1, 2008

Chantel Mosby
Director, Tariffs and Compliance
Monroe, Louisiana

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.4 Information Surcharge

The rates for Information Surcharge are based on originating and terminating Access Minutes.

Premium Rates
Information Surcharge

Per Access Minute

\$.00008239 (I)

4.6.5 FGA or BSA-A Usage Sensitive Credit Allowance

Usage Sensitive Service
Credit Allowance
Credit Per Originating FGA or BSA-A Access Minute #

\$.0004824 (I)

4.6.6 (Reserved For Future Use)*

4.6.7 Assumed Minutes of Use Monthly Surrogate

Per Two Way
Line/Trunk
Originating
Only

Per One Way
Line/Trunk
Terminating
Only

FGA or
BSA-A

FGB or
BSA-B

FGA or
BSA-A

FGB or
BSA-B

FGA or
BSA-A

FGB or
BSA-B

2451

(1)

(1)

(1)

(1)

(1)

4.6.8 Carrier Identification Parameter (CIP)

Non-Recurring
Charge-Per CIC.
Per End Office
Direct Trunk
Group

Non-Recurring
Charge Per CIC.
Per Access Tandem
Monthly Recurring
Direct Trunk
Charges
Group
Per Trunk

\$80.00

\$1,120.00

\$0.4462797 (I)

* The Equal Access Cost Recovery Charge has been eliminated.

The credit is applied to the End Office Switching rate element.

(1) These jurisdictions either have all existing services measured or have no customers at this time. In the event an ASR is received for a new customer and there is no measurement capability for the office requested, a traffic study will be made to establish a surrogate and such surrogate will be tariffed.

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.4 Information Surcharge

The rates for Information Surcharge are based on originating and terminating Access Minutes.

Premium Rates
Information Surcharge

Per Access Minute

\$.0000809 (R)

4.6.5 FGA or BSA-A Usage Sensitive Credit Allowance

Usage Sensitive Service
Credit Allowance
Credit Per Originating FGA or BSA-A Access Minute #

\$.0004735 (R)

4.6.6 (Reserved For Future Use)*

4.6.7 Assumed Minutes of Use Monthly Surrogate

<u>Per Two Way</u> <u>Line/Trunk</u> <u>Originating</u> <u>Only</u>		<u>Per One Way</u> <u>Line/Trunk</u> <u>Terminating</u> <u>Only</u>		<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>
<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>
2451	(1)	(1)	(1)	(1)	(1)

4.6.8 Carrier Identification Parameter (CIP)

<u>Non-Recurring</u> <u>Charge-Per CIC.</u> <u>Per End Office</u> <u>Direct Trunk</u> <u>Group</u>	<u>Non-Recurring</u> <u>Charge Per CIC.</u> <u>Per Access Tandem</u> <u>Direct Trunk</u> <u>Group</u>	<u>Monthly Recurring</u> <u>Charges</u> <u>Per Trunk</u>
\$80.00	\$1,120.00	\$0.4380071 (R)

* The Equal Access Cost Recovery Charge has been eliminated.
The credit is applied to the End Office Switching rate element.
(1) These jurisdictions either have all existing services measured or have no customers at this time. In the event an ASR is received for a new customer and there is no measurement capability for the office requested, a traffic study will be made to establish a surrogate and such surrogate will be tariffed.

Issued: July 14, 2006

Effective: September 1, 2006

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.4 Information Surcharge

The rates for Information Surcharge are based on originating and terminating Access Minutes.

Premium Rates
Information Surcharge

Per Access Minute

\$.0000810

(R)

4.6.5 FGA or BSA-A Usage Sensitive Credit Allowance

Usage Sensitive Service
Credit Allowance
Credit Per Originating FGA or BSA-A Access Minute #

\$.0004742

(R)

4.6.6 (Reserved For Future Use)*

4.6.7 Assumed Minutes of Use Monthly Surrogate

Per Two Way
Line/Trunk
Originating
Only

Per One Way
Line/Trunk
Terminating
Only

FGA or
BSA-A

FGB or
BSA-B

FGA or
BSA-A

FGB or
BSA-B

FGA or
BSA-A

FGB or
BSA-B

2451

(1)

(1)

(1)

(1)

(1)

4.6.8 Carrier Identification Parameter (CIP)

Non-Recurring
Charge-Per CIC.
Per End Office
Direct Trunk
Group

Non-Recurring
Charge Per CIC.
Per Access Tandem
Direct Trunk
Group

Monthly Recurring
Charges
Per Trunk

\$80.00

\$1,120.00

\$0.4386994 (R)

* The Equal Access Cost Recovery Charge has been eliminated.

The credit is applied to the End Office Switching rate element.

(1) These jurisdictions either have all existing services measured or have no customers at this time. In the event an ASR is received for a new customer and there is no measurement capability for the office requested, a traffic study will be made to establish a surrogate and such surrogate will be tariffed.

Issued: August 1, 2005

Effective: September 1, 2005

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

Cancelled

September 1, 2006

Missouri Public
Service Commission

Filed

Missouri Public
Service Commission

FACILITIES FOR INTRASTATE ACCESS

4. SWITCHED ACCESS (Cont'd)

4.6 Rates and Charges (Cont'd)

4.6.4 Information Surcharge

The rates for Information Surcharge are based on originating and terminating Access Minutes.

Premium Rates
Information Surcharge

Per Access Minute

\$.000083

(R)

4.6.5 FGA or BSA-A Usage Sensitive Credit Allowance

Usage Sensitive Service
Credit Allowance
Credit Per Originating FGA or BSA-A Access Minute #

\$.00048440

CANCELLED
SEP 01 2005
By 3rdRS153
Public Service Commission
MISSOURI

4.6.6 (Reserved For Future Use)*

4.6.7 Assumed Minutes of Use Monthly Surrogate

<u>Per Two Way</u> <u>Line/Trunk</u> <u>Originating</u> <u>Only</u>		<u>Per One Way</u> <u>Terminating</u> <u>Only</u>		<u>Line/Trunk</u>	
<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>
2451	(1)	(1)	(1)	(1)	(1)

4.6.8 Carrier Identification Parameter (CIP)

<u>Non-Recurring</u> <u>Charge-Per CIC.</u> <u>Per End Office</u> <u>Direct Trunk</u> <u>Group</u>	<u>Non-Recurring</u> <u>Charge Per CIC.</u> <u>Per Access Tandem</u> <u>Direct Trunk</u> <u>Group</u>	<u>Monthly Recurring</u> <u>Charges</u> <u>Per Trunk</u>
\$80.00	\$1,120.00	\$0.4481194 (R)

* The Equal Access Cost Recovery Charge has been eliminated.

The credit is applied to the End Office Switching rate element.

(1) These jurisdictions either have all existing services measured or have no customers at this time. In the event an ASR is received for a new customer and there is no measurement capability for the office requested, a traffic study will be made to establish a surrogate and such surrogate will be tariffed.

Issued: July 16, 2004

Effective: September 1, 2004

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

FILED
MO PSC

FACILITIES FOR INTRASTATE ACCESS

Missouri Public

4. SWITCHED ACCESS (Cont'd)

REC'D JUL 23 2003

4.6 Rates and Charges (Cont'd)

Service Commission

4.6.4 Information Surcharge

The rates for Information Surcharge are based on originating and terminating Access Minutes.

Premium Rates
Information Surcharge

Per Access Minute

\$.00008565

(1)

4.6.5 FGA or BSA-A Usage Sensitive Credit Allowance

Usage Sensitive Service
Credit Allowance
Credit Per Originating FGA or BSA-A Access Minute #

\$.00048440

CANCELLED

SEP 01 2004
2:21 PM
Public Service Commission
MISSOURI

4.6.6 (Reserved For Future Use)*

4.6.7 Assumed Minutes of Use Monthly Surrogate

<u>Per Two Way</u> <u>Line/Trunk</u> <u>Originating</u> <u>Only</u>		<u>Per One Way</u> <u>Terminating</u> <u>Only</u>		<u>Line/Trunk</u>	
<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>
2451	(1)	(1)	(1)	(1)	(1)

4.6.8 Carrier Identification Parameter (CIP)

<u>Non-Recurring</u> <u>Charge-Per CIP.</u> <u>Per End Office</u> <u>Direct Trunk</u> <u>Group</u>	<u>Non-Recurring</u> <u>Charge Per CIP.</u> <u>Per Access Tandem</u> <u>Direct Trunk</u> <u>Group</u>	<u>Monthly Recurring</u> <u>Charges</u> <u>Per Trunk</u>
\$80.00	\$1,120.00	\$0.46

* The Equal Access Cost Recovery Charge has been eliminated.
The credit is applied to the End Office Switching rate element.
(1) These jurisdictions either have all existing services measured or have no customers at this time. In the event an ASR is received for a new customer and there is no measurement capability for the office requested, a traffic study will be made to establish a surrogate and such surrogate will be tariffed.

Issued: July 23, 2003

Effective: September 6, 2003

Kenneth Matzdorff
Chief Operating Officer
Wentzville, MO 63385

Missouri Public
Service Commission

FILED SEP 06 2003

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

4. SWITCHED ACCESS (Cont'd)

MAY 10 2000

4.6 Rates and Charges (Cont'd)

MISSOURI
Public Service Commission

4.6.4 Information Surcharge

The rates for Information Surcharge are based on originating and terminating Access Minutes.

Premium Rates
Information Surcharge

Per Access Minute

\$.00008547

4.6.5 FGA or BSA-A Usage Sensitive Credit Allowance

Usage Sensitive Service
Credit Allowance
Credit Per Originating FGA or BSA-A Access Minute #

\$.00048440

4.6.6 (Reserved For Future Use)*

4.6.7 Assumed Minutes of Use Monthly Surrogate

<u>Per Two Way</u> <u>Line/Trunk</u> <u>Originating</u> <u>Only</u>				<u>Per One Way</u> <u>Line/Trunk</u> <u>Terminating</u> <u>Only</u>		
<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	<u>FGA or</u> <u>BSA-A</u>	<u>FGB or</u> <u>BSA-B</u>	
2451	(1)	(1)	(1)	(1)	(1)	

4.6.8 Carrier Identification Parameter (CIP)

<u>Non-Recurring</u> <u>Charge-Per CIC.</u> <u>Per End Office</u> <u>Direct Trunk</u> <u>Group</u>	<u>Non-Recurring</u> <u>Charge Per CIC.</u> <u>Per Access Tandem</u> <u>Direct Trunk</u> <u>Group</u>	<u>Monthly Recurring</u> <u>Charges</u> <u>Per Trunk</u>
\$80.00	\$1,120.00	\$0.46

CANCELLED
SEP 06 2003
1505/53
Public Service Commission
MISSOURI

FILED

AUG 01 2000
182

MISSOURI
Public Service Commission

* The Equal Access Cost Recovery Charge has been eliminated.
The credit is applied to the End Office Switching rate element.
(1) These jurisdictions either have all existing services measured or have no customers at this time. In the event an ASR is received for a new customer and there is no measurement capability for the office requested, a traffic study will be made to establish a surrogate and such surrogate will be tarified.

FACILITIES FOR INTRASTATE ACCESS

SECTION 5 TABLE OF CONTENTS

5. <u>SPECIAL ACCESS</u>	<u>Sheet</u>	
5.1 <u>General</u>	159	
5.1.1 Rate Elements	159	
(A) (Reserved for Future Use)	159	
(B) Special Transport	160	
(C) Special Access Line (SAL)	161	
(D) (Reserved for Future Use)	162	
(E) Supplemental Features	162	
(F) Multiplexing Arrangements	163	
(G) Special Transport Termination	163	
5.1.2 Special Access Configurations	164	
5.1.3 Special Facilities Routing	166	
5.1.4 Design Layout Report	166	
5.1.5 Acceptance Testing	166	
5.1.6 Ordering Conditions	167	
(A) Determination of Jurisdiction of Mixed Use Special Access Lines	167	
(B) Special Access Jurisdictional Verification	168	
5.2 <u>Description of Special Access</u>	169	
5.2.1 Voiceband	170	
(A) Two-Wire Voiceband Facility	170	
(B) Four-Wire Voiceband Facility	170	
5.2.2 (Reserved for Future Use)	171	
5.2.3 Program Audio	171	
(A) 200 to 3500 Hz	171	
(B) 100 to 5000 Hz	171	
(C) 50 to 8000 Hz	171	
(D) 50 to 15000 Hz	171	
5.2.4 Videoband	171	
5.2.5 Wideband Analog	172	
5.2.6 Wideband Data Service	172	
5.2.7 High Capacity Digital	172	
5.2.8 Digital Data Service	173	
5.2.9 Metro Ethernet Service	173.1	
5.2.10 (Reserved for Future Use)	173	(N)
5.3 <u>Description of Terminating Options</u>	174	
5.3.1 Narrowband	174	
(A) 0 to 75 Baud Type 1	174	
(B) 0 to 75 Baud Type 2	174	
(C) 0 to 150 Baud	174	

Issued: November 2, 2006

Effective: December 2, 2006

Chantel Mosby
Manager, Tariffs and Compliance
Monroe, Louisiana

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

SECTION 5 TABLE OF CONTENTS

MAY 10 2000

5. SPECIAL ACCESS

Sheet

MISSOURI Public Service Commission

5.1 General 159

5.1.1 Rate Elements 159

 (A) (Reserved for Future Use) 159

 (B) Special Transport 160

 (C) Special Access Line (SAL) 161

 (D) (Reserved for Future Use) 162

 (E) Supplemental Features 162

 (F) Multiplexing Arrangements 163

 (G) Special Transport Termination 163

5.1.2 Special Access Configurations 164

5.1.3 Special Facilities Routing 166

5.1.4 Design Layout Report 166

5.1.5 Acceptance Testing 166

5.1.6 Ordering Conditions 167

 (A) Determination of Jurisdiction of Mixed Use Special Access Lines 167

 (B) Special Access Jurisdictional Verification 168

5.2 Description of Special Access 169

5.2.1 Voiceband 170

 (A) Two-Wire Voiceband Facility 170

 (B) Four-Wire Voiceband Facility 170

5.2.2 (Reserved for Future Use) 171

5.2.3 Program Audio 171

 (A) 200 to 3500 Hz 171

 (B) 100 to 5000 Hz 171

 (C) 50 to 8000 Hz 171

 (D) 50 to 15000 Hz 171

5.2.4 Videoband 171

5.2.5 Wideband Analog 172

5.2.6 Wideband Data Service 172

5.2.7 High Capacity Digital 172

5.2.8 Digital Data Service 173

5.2.9 (Reserved for Future Use) 173

5.2.10 (Reserved for Future Use) 173

5.3 Description of Terminating Options 174

5.3.1 Narrowband 174

 (A) 0 to 75 Baud Type 1 174

 (B) 0 to 75 Baud Type 2 174

 (C) 0 to 150 Baud 174

FILED

AUG 01 2000
00 - 182

MISSOURI Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

SECTION 5 TABLE OF CONTENTS (Cont'd)

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

Sheet

5.3 Description of Terminating Options (Cont'd)

MISSOURI

Public Service Commission

5.3.2 Voice Grade 174

(A) Two-Wire Voice Grade, Non-Data, Without Signaling 174

(B) Four-Wire Voice Grade, Non-Data, Without Signaling 174

(C) (Reserved for Future Use) 175

(D) Two-Wire Voice Grade Station Connecting Facility Termination 175

(E) Four-Wire Voice Grade Station Connecting Facility Termination 175

(F) Two-Wire Station Connecting Facility Termination for the Open End of an Off Premises PBX Extension 175

(G) Dial Repeating Tie Trunk Termination 175

5.3.3 Program Audio 176

(A) 200 to 3500 Hz 176

(B) 100 to 5000 Hz, 50 to 8000 Hz, and 50 to 15000 Hz 176

5.3.4 Videoband 176

5.3.5 Wideband Data Service 176

5.3.6 High Capacity Digital 177

(A) High Capacity Digital DS1 177

(B) High Capacity Digital DS1C 177

(C) Fractional T1 Service 177

(D) (Reserved for Future Use) 177

(E) High Capacity Digital DS3 177

(F) High Capacity Digital DS3C 177

5.3.7 Digital Data Service (DDS) 177

5.4 Description of Supplemental Features 178

5.4.1 Bridging 178

(A) MultiPoint Data Bridging 178

(B) Voice Conference Bridging 179

(C) Alarm Distribution Bridging 179

(D) Program Audio Bridging 179

(E) (Reserved for Future Use) 179

(F) DDS Bridging 179

5.4.2 Conditioning Arrangements - Data 180

(A) Type C 180

(B) Type C - Improved 180

(C) Type DA 181

5.4.3 Conditioning - Program Audio 182

(A) Stereo Conditioning 182

(B) Zero Loss 182

5.4.4 Signaling Arrangements 182

5.4.5 Echo Control 183

(A) Echo Suppression 183

(B) Echo Canceller 184

5.4.6 Improved Return Loss 184

5.4.7 Voiceband Facility Switching Arrangement 184

5.4.8 Automatic Protection Switch 184

5.4.9 Improved Termination Option 185

5.4.10 Improved Equal Level Echo Path Loss Option - ELEPL-2 185

FILED

AUG 01 2000
00 - 182

MISSOURI
Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

SECTION 5 TABLE OF CONTENTS (Cont'd)

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

MISSOURI Public Service Commission

5.5 Description of Multiplexing Arrangements 186

(A) (Reserved for Future Use) 186

(B) Group to Voice 186

(C) Supergroup to Group 186

(D) Mastergroup to Supergroup 186

(E) DS1 to Voice 186

(F) (Reserved for Future Use) 187

(G) (Reserved for Future Use) 187

(H) (Reserved for Future Use) 187

(I) DS3 to DS1 187

(J) DS3C to DS1 187

(K) Group to DS1 187

(L) Digital Data Carrier Multiplexer 187

(M) Digital Data Substrate Multiplexer 187

5.6 Rate Regulations 188

5.6.1 Types of Rates and Charges 188

(A) Monthly Rates 188

(B) Daily Rates 188

(C) Time Sensitive Rates 188

(D) Nonrecurring Charges 189

(1) Special Access Ordering Charges 189

(a) Initial Ordering Charge - Special Access 189

(b) Subsequent Ordering Charge - Special Access 189

(2) Nonrecurring Charge for Service Installation 189

(3) Design Change Charge 190

(4) Installation of Supplemental Features and Multiplexing Arrangements 190

(5) Installation of DS1 and FT1 Special Access Lines 190

(6) Installation of Temporary Videoband Service 191

(7) (Reserved for Future Use) 192

(8) Service Rearrangements 192

5.6.2 Minimum Periods 198

5.6.3 Mileage Measurement 198

5.6.4 Moves 198

(A) Same CDL 198

(B) Different CDL 198

5.6.5 Rates and Charges on an Individual Case Basis 199

5.6.6 Hub Wire Centers 200

5.6.7 Shared Use Analog and Digital High Capacity Services 201

5.6.8 (Reserved for Future Use) 201

FILED

AUG 01 2000

00 - 182

MISSOURI Public Service Commission

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

SECTION 5 TABLE OF CONTENTS (Cont'd)

MAY 10 2000
Sheet

5. SPECIAL ACCESS (Cont'd)

5.6 Rate Regulations (Cont'd)

5.6.9	Special Access Surcharge	202
5.6.10	Message Station Equipment Recovery Charge	203
5.6.11	(Reserved for Future Use)	203
5.6.12	Optional Payment Plan (OPP)	203.1
5.6.13	(Reserved for Future Use)	203.4
5.6.14	(Reserved for Future Use)	203.4
5.6.15	(Reserved for Future Use)	203.4
5.6.16	SPECTRALAN Special Transport	203.5

MISSOURI
Public Service Commission

5.7 Rates and Charges

5.7.1	Nonrecurring Charges	204
5.7.2	Voiceband Facilities	205
	(A) Standard Arrangements	205
	(B) Optional Arrangements	205

FILED

AUG 01 2000

00 - 182

MISSOURI
Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

SECTION 5 TABLE OF CONTENTS (Cont'd)

MAY 10 2000 ^{Sheet}

5. SPECIAL ACCESS (Cont'd)

MISSOURI
Public Service Commission

5.7 Rates and Charges (Cont'd)

5.7.3	Program Audio Facilities	211
	(A) Standard Arrangements 200-3500 Hz	211
	(B) Standard Arrangements 100-5000 Hz	211
	(C) Standard Arrangements 50-8000 Hz	212
	(D) Standard Arrangements 50-15000 Hz	212
	(E) Optional Arrangements (50-15000 Hz Facilities Only)	213
	(F) Optional Arrangements (All Bandwidths)	213
5.7.4	Video Facilities	214
5.7.5	Digital Data Service Facilities	215
	(A) Standard Arrangements	215
	(B) Optional Arrangements	216
5.7.6	Multiplexing Arrangements	217
5.7.7	High Capacity Digital DS-1 (1.544 Mbps) Facilities	219
	(A) Standard Arrangements	219
	(B) Optional Arrangements	219
5.7.8	(Reserved for Future Use)	219.1
5.7.9	High Capacity Digital FT1 Facilities	219.1
	(A) Standard Arrangements	219.1
	(B) FT1 Optional Payment Plan	219.2

5.8 Miscellaneous Special Access Services 220

5.8.1 Clear Channel Capability 220

5.9 Individual Case Basis Rates and Charges 220

FILED

AUG 01 2000
00 - 182

MISSOURI
Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

5. SPECIAL ACCESS

5.1 General

MISSOURI Public Service Commission

Special Access provides a transmission path to connect CDLs* within a state for intrastate telecommunications. Special Access provided to a customer may be connected directly to customer facilities, through Telephone Company Hub Wire Centers where bridging or multiplexing functions are performed, and/or may be connected to access facilities of another telephone company or companies in the joint provision of Special Access Service as well as may be connected to Switched Access as set forth in Section 4.

The provision of Switched Access and Special Access in combination is normally for, but not limited to, the use of WATS or WATS-type Access. When Special Access is connected to Switched Access, the terms, conditions and rates for the facilities between the end user's CDL and the WATS Serving Office are as set forth in this section of the tariff; the terms, conditions and rates for the facilities between the WATS Serving Office and the IC's CDL, as well as the switching functionalities (e.g., end user access codes, screening) are as set forth in Section 4 of this tariff.

Special Access can be provided in either analog or digital format. Analog formats are differentiated by spectrum and bandwidth. Digital formats are differentiated by bit rate. The specific types of Special Access (e.g., Voiceband, Digital Data Service) provided are described in 5.2.

5.1.1 Rate Elements

With the exception of Temporary Videoband Service, there are five basic rate elements which apply to Special Access Service:

- Special Transport (described in 5.1.1(B) following)
- Special Transport Termination (described in 5.1.1(G) following)
- Special Access Line (described in 5.1.1(C) following)
- Supplemental Features (described in 5.4 following)
- Multiplexing Arrangements (described in 5.5 following)

The following is a list of the Company's Open Network Architecture (ONA) Special Access Basic Service Elements (BSEs) which provide a cross-reference to the generic ONA product names.

<u>Generic Name</u>	<u>Company Name</u>
Access to Clear Channel Transmission	Clear Channel Capability
Automatic Protection Switching	Automatic Protection Switching
Bridging	Bridging
Conditioning	Conditioning
Data Over Voice (DOV) Service	DOV Connect
Secondary Channel Capability	Digital Data Service - Secondary Channel
Multiplexing - Digital 2000	Multiplexing Arrangements

FILED

AUG 01 2000
00 - 182

MISSOURI Public Service Commission

* Telephone Company Centrex CO-like switches are considered to be CDLs for the purposes of this tariff.

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.1 General (Cont'd)**MISSOURI
Public Service Commission**5.1.1 Rate Elements (Cont'd)

(A) Reserved for Future Use

(B) Special Transport

- (1) The Special Transport rate element provides for the transmission facilities between the serving wire centers associated with two CDLs, between a serving wire center associated with an end user's CDL and a WATS Serving Office, between a serving wire center associated with a CDL and a Telephone Company Hub Wire Center or between two Telephone Company Hub Wire Centers.

The Special Transport element is distance sensitive, except for SPECTRALAN, and varies with type of capability (i.e., analog or digital) and type of facility (e.g., Voiceband, Digital Data Service, etc.). Special Transport may be provided by more than one telephone company. The method of calculating applicable airline miles for rating purposes for Special Access is specified in 2.7.

SPECTRALAN Transport provides flat rate non-distance sensitive transport for DS1 bandwidth on fiber optic facilities. The rate element associated with SPECTRALAN is a monthly recurring charge as set forth in 5.7.7(B).

- (2) Special Transport may be used in conjunction with Switched Access for the purpose of provisioning Originating Only, Terminating Only or Combined Originating/Terminating Access as set forth in 4.2.5(V). Special Transport employed in this manner provides the FIA for the closed-end of the services between the wire center serving the end user's CDL where WATS Serving Office functions are not available and the WATS Serving Office.

When the necessary WATS Serving Office functions are not provided at the wire center which serves the end user's CDL, the Telephone Company will designate the wire center where the WATS Serving Office functions are available.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.1 General (Cont'd)**MISSOURI
Public Service Commission**5.1.1 Rate Elements (Cont'd)(C) Special Access Line (SAL)

- (1) A Special Access Line provides the transmission facilities to a Customer Designated Location (CDL) or the facilities between a CDL and the serving wire center. This rate element varies by type of capability (i.e., analog or digital) and type of facility (e.g., Voiceband, Digital Data Service, etc.).

The selection of a Terminating Option, as defined in 5.3, is required for terminating the network portion of a Special Access Line at a CDL. Terminating Options provide a clearly delineated interface which facilitates the design, isolation, and testing of the Special Access.

One Special Access Line charge applies per CDL at which the facility is terminated. This charge applies even if the facilities to the CDL do not transit a serving wire center; this charge also applies if the CDL and the serving wire center are co-located in a Telephone Company building. The Special Access Line charge used with a Switching Interface, as set forth in (2) below, is applicable only for the transmission facilities between the end user's CDL and the serving wire center of that location.

- (2) A Special Access Line may be provided in conjunction with FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C and BSA-D Switched Access Service for the purpose of Originating Only, Terminating Only or Combined Originating and Terminating Access as set forth in 4.2.1 and 4.2.2. A Switching Interface is required for the provision of this service as set forth in 4.2.5(V). The Special Access Line provides the closed-end of the dedicated facilities between an end user's CDL and its serving wire center. This serving wire center may or may not be a WATS Serving Office. In those instances when the serving wire center is not a WATS Serving Office Special Transport is applicable as set forth in 5.1.1(B) to the nearest Telephone Company WATS Serving Office.

The Switched Access used in conjunction with the Special Access Line provides various standard switching functionalities and optional arrangements as set forth in Section 4.2.5(V).

FILED

AUG 01 2000

00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.1 General (Cont'd)5.1.1 Rate Elements (Cont'd)**MISSOURI
Public Service Commission**(C) Special Access Line (SAL) (Cont'd)

(2) All Special Access Lines used with a Switching Interface are:

- provided with dial pulse address signaling or Dual Tone Multifrequency (DTMF) address signaling and either loop start or ground start supervisory signaling. The type of signaling is the option of the customer.
- available as either a two-wire or four-wire Voiceband Special Access Service (i.e., 300-3000 Hz bandwidth). Each transmission path is provided at the option of the customer with transmission specifications as described in Section 7000 of the GTE Technical Interface Reference Manual.

All rules and regulations pertaining to Special Access are applicable to Special Access Lines used with a Switching Interface. Rates and Charges are found in 5.7.5 for two-wire and four-wire Voiceband Special Access Lines.

A customer may also order high capacity facilities from an end user's CDL to a Telephone Company Hub for the purpose of originating or terminating Special Access Lines used with a Switching Interface. High capacity to voice multiplexing will be required at the Hub. The customer will be required to submit an ASR for the high capacity facility and voice multiplexing. The customer will also be required to submit an ASR(s) for the individual Voiceband SALs specifying the channel facility assignment (CFA) for each service. This Hub may or may not be a WATS Serving Office. In those instances when the Hub is not a WATS Serving Office, Voiceband Special Transport is applicable as set forth in 5.1.1(B), for each individual Special Access Line used with a Switching Interface to the Telephone Company designated WATS Serving Office.

(D) (Reserved for Future Use)

(E) Supplemental Features

Supplemental Features may be added to a Special Access circuit to improve its quality or utility to meet specific communications requirements. These are not necessarily identifiable with specific facilities, but rather represent the end result in terms of performance characteristics which may be obtained. These characteristics may be obtained by using various combinations of facilities. Although the facilities necessary to perform a specified function may be installed at various locations along the path of the Special Access circuit, including the CDL, it will be provided for as a single rate element.

Examples of Supplemental Features that are available include, but are not limited to, bridging and conditioning. Each Supplemental Feature is described in 5.4, and rates are set forth in 5.7.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.1 General (Cont'd)**MISSOURI
Public Service Commission**5.1.1 Rate Elements (Cont'd)(F) Multiplexing Arrangements

Multiplexing provides for arrangements to convert a single higher capacity or bandwidth circuit for bulk transport to several lower capacity or bandwidth circuits. Multiplexing is only available at a Telephone Company designated Hub Wire Center arranged for multiplexing. All types of multiplexing may not be available at each Hub Wire Center. Refer to Section 5.6.6 for a description of Hub Wire Center. Descriptions for each type of multiplexing arrangements are provided in 5.5 following, and rates are set forth in 5.7 following.

(G) Special Transport Termination(1) DS1 Service

The Special Transport Termination rate element as set forth in 5.7, applies to selected Special Access Service offerings, except for SPECTRALAN Special Transport Service, and is in addition to the Special Transport rate element. Special Transport Termination provides the equipment and arrangements necessary to terminate the Special Transport facility at a serving wire center. One Special Transport Termination charge applies for the termination of each end of a Special Transport facility for DS1 offerings.

(2) Fractional T1 Service (FT1)

For Fractional T1 Service, Special Transport Termination must be ordered as Fractional Special Transport Termination in the same grouping ($N \times 56$ Kbps or $N \times 64$ Kbps where $N = 2, 4, \text{ or } 6$) as the associated FT1 SALs.

FILED

AUG 01 2000
00 - 182
**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.1 General (Cont'd)

5.1.2 Special Access Configurations

**MISSOURI
Public Service Commission**

There are two types of facility configurations over which Special Access Services are provided - two-point and multipoint.

(A) Two-point Service


A two-point configuration is a circuit which is provided to connect two CDLs, either directly connected or through a Hub Wire Center where multiplexing functions are performed, or a CDL and a WATS Serving Office.

All Special Access offerings may be provided as a two-point configuration.

With the exception of Temporary Videoband Service, applicable rate elements are:

- Special Access Lines
- Special Transport (when applicable)
- Special Transport Termination (when applicable)
- Supplemental Features (when applicable)
- Multiplexing Arrangements (when applicable)

The following diagram depicts a typical two-point service connecting two CDLs. The service is provided with the supplemental feature of Type C Conditioning:



- SAL - Special Access Line
- ST - Special Transport
- SWC - Serving Wire Center
- CDL - Customer Designated Location

Applicable rate elements are:

- Special Access Line (2 applicable)
- Special Transport (per airline mile between SWCs)
- Supplemental Feature of Type C Conditioning (2 applicable)

In addition, a Special Access Surcharge, as set forth in 5.6.9 following, and a Message Station Equipment Recovery Charge, as set forth in 5.6.10 following may be applicable.

FILED

AUG 01 2000
00 - 182

**MISSOURI
Public Service Commission**

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

MISSOURI Public Service Commission

5. SPECIAL ACCESS (Cont'd)

5.1 General (Cont'd)

5.1.2 Special Access Configurations (Cont'd)

(B) Multipoint Service


A multipoint configuration is a circuit that is provided to connect three or more CDLs through a Telephone Company Hub Wire Center.

Only Voiceband, Program Audio, Digital Data Service facilities, and Miscellaneous Services where so designated, will be provided as multipoint configurations. There is no limitation on the number of mid-links, but the use of more than three mid-links in tandem may degrade the quality of the multipoint facilities. A mid-link is defined as the Special Transport facilities between Hub Wire Centers where the circuit is bridged and/or where circuit switching devices, such as loop transfer arrangement, are located.

Multipoint service is provided in the following manner:

- (1) Special Access Line per CDL to their respective serving wire centers.
(2) Special Transport between serving wire centers associated with the CDLs and the Hub Wire Center.
(3) Special Transport between Hub Wire Centers.
(4) Supplemental Features: Bridging equipment for each bridging location and other Supplemental Features when applicable.
(5) (Reserved for Future Use)
(6) Multiplexing Arrangements when applicable.

The following diagram depicts a multipoint service connecting four CDLs via two customer specified Hub Wire Centers:



SAL - Special Access Line
ST - Special Transport
SWC - Serving Wire Center
CDL - Customer Designated Location
HWC - Hub Wire Center
B - Bridging

FILED

AUG 01 2000

00-182

MISSOURI Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.1 General (Cont'd)MISSOURI
Public Service Commission5.1.2 Special Access Configurations (Cont'd)(B) Multipoint Service (Cont'd)

Applicable rate elements are:

- Special Access Lines (4 applicable)
- Special Transport (5 segments, per airline between SWCs and HWCs)
- Bridging (6 applicable, one per bridge port)

In addition, the Special Access Surcharge, as set forth in 5.6.9 following, and the Message Station Equipment Recovery Charge, as set forth in 5.6.10 may be applicable.

5.1.3 Special Facilities Routing

A customer may request that the facilities used to provide Special Access Service be specially routed. The regulations, rates and charges for Special Facilities Routing (i.e., Avoidance, Diversity and Cable-Only) are as set forth in Section 9 following.

5.1.4 Design Layout Report

The Telephone Company will provide to the customer the makeup of the Special Access provided under this tariff to aid the customer in designing its overall service. This information will be provided in the form of a Design Layout Report and will include the following:

Cable gauge, length and loading.

Makeup (e.g., T-Carrier, two-wire, four-wire, etc.).

Specific pair of circuit assignment at the customer designated location.

The Design Layout Report will be provided to the customer within fourteen working days from the ASR Date. Updated reports will be reissued within fourteen working days whenever facilities provided to the customer are materially changed. Both the initial and updated Design Layout Reports will be provided to the customer at no charge.

5.1.5 Acceptance Testing

At the time of installation, the following test parameters apply:

- (A) For Voiceband services, acceptance testing will include tests for loss, 3-tone slope, DC continuity, operational signaling, C-notched noise, and C-message noise.

When the Interface Arrangement provides a four-wire voice transmission facility and the point of termination provides two-wire voice transmission (i.e., there is a four-wire to two-wire conversion at the point of termination) balance tests are also included in acceptance testing. When performing installation and acceptance testing, the Telephone Company will test the access service within the LATA.

On four-wire and effective four-wire circuits where the Network Channel Terminating Equipment (NCTE) has the capability of being remotely aligned, the Telephone Company may perform acceptance testing without a Telephone Company technician at the customer's premise. Should the customer request a technician be present at the customer's premise, additional charges will apply as set forth in Section 6.2(C). The applicable rates are in Section 6.2(G).

FILED

Issued: May 10, 2000

Effective: AUG 01 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

00-182
MISSOURI
Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)5.1 General (Cont'd)

MAY 10 2000

5.1.5 Acceptance Testing (Cont'd)

(A) (Cont'd)

**MISSOURI
Public Service Commission**

If the NCTE at the customer's premise does not have the capability of being aligned remotely, the additional charges will not apply. The Telephone Company will determine the type of NCTE placed at a customer's premise.

- (B) For other analog services (i.e., Program Audio, Video, Wideband Analog and Wideband Data Services) and for digital services (i.e., Digital Data Services and High Capacity Digital Services), acceptance testing will include tests for the parameters applicable to the service as set forth in Section 7000 of the GTE Technical Interface Reference Manual for each of these services.

When the customer requests the performance of additional cooperative tests which are not required to meet these specified performance parameters, charges as set forth in 6.6 (B) following will apply. All test results will be made available to the customer upon request.

If acceptance tests are not started within 15 minutes after pre-service tests have been completed and the customer has been notified by the Telephone Company, additional charges may apply, as set forth in 6:2 following, unless the delay is caused by the Telephone Company.

5.1.6 Ordering Conditions

Ordering conditions are set forth in detail in Section 3 preceding. Also included in that section, are other charges which may be associated with ordering Special Access (e.g., Service Date Change Charges, Cancellation Charges, etc.).

(A) Determination of Jurisdiction of Mixed Use Special Access Lines

When mixed interstate and intrastate Special Access Service is ordered, the jurisdiction will be determined as follows:

1. If the customer's estimate of the interstate traffic on the physically intrastate line involved constitutes 10% or less of the total traffic on that line, the line will be ordered and provided in accordance with the applicable rules and regulations of this tariff.
2. If the customer's estimate of the interstate traffic on the physically intrastate line involved constitutes more than 10% of the total traffic on that line, the line will be ordered and provided in accordance with the applicable rules and regulations of the interstate tariff.

FILED

AUG 01 2000

00-182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.1 General (Cont'd)

5.1.6 Ordering Conditions (Cont'd)

MISSOURI
Public Service Commission

(B) Special Access Jurisdictional Verification

If a billing dispute arises or a regulatory commission questions the customer's certification of the jurisdiction of the line the Telephone Company will ask the customer to provide the data used to determine the jurisdiction. The customer shall supply the data within 30 days of the Telephone Company's request. The customer shall keep records of system design and functions from which the jurisdiction can be ascertained and upon request of the Telephone Company make the records available for inspection as reasonably necessary for purposes of verification of the jurisdiction of the service.

FILED

AUG 01 2000
00 - 182

MISSOURI
Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

5. SPECIAL ACCESS (Cont'd)

5.2 Description of Special Access

MISSOURI Public Service Commission

There are seven generic types of Special Access offerings.

- Voiceband
- Program Audio
- Videoband
- Wideband Analog
- Wideband Data *
- High Capacity Digital
- Digital Data Service

Each type has its own characteristics, and are subdivided by one or more of the following:

- Transmission specifications
- Bandwidth
- Speed (i.e., bit rate)
- Spectrum

The Special Access offerings described below are comprised of a combination of the rate elements described in 5.1.1. The following descriptions indicate the most effective use for each facility. Customer use for purposes other than those indicated is limited only to the extent that such use must not harm the network. Further, the Telephone Company does not guarantee transmission performance beyond the parameters identified in the descriptions.

The transmission performance characteristics of each Special Access offering are stated in Section 7000 of the GTE Technical Interface Reference Manual. The Telephone Company will maintain existing transmission specifications on services installed prior to the effective date of this tariff, except that existing services with performance specifications exceeding the standards in the GTE Technical Interface Reference Manual will be maintained at the performance level specified in the manual. Where transmission performance characteristics are required other than those as stated in Section 7000 of the GTE Technical Interface Reference Manual, the Telephone Company will review, and where technically feasible, will develop rates and charges for the additional costs associated with provisioning the parameters. These rates and charges will be filed on an individual case basis in Section 5.9 and will apply in addition to all other applicable rates and charges.

The customer also has the option of ordering Voiceband and analog and digital high capacity facilities to a Telephone Company Hub for multiplexing to individual channels of a lower capacity or bandwidth. Descriptions of the types of multiplexing available at the Hubs, as well as the number of individual channels which may be derived from each type of facility, are set forth in 5.5. Additionally, the customer may specify supplemental features for the individual channels derived from the facility to further tailor the channel to meet specific communications requirements. Descriptions of the supplemental features available are set forth in 5.4.

For example, a customer may order a DS3 from a CDL to a Telephone Company Hub for multiplexing to 28 DS1 channels. The DS1 channels may be further multiplexed at the same or a different Hub to Voiceband channels or may be extended to other CDLs. Optional features may be added to either the DS1 or the Voiceband channels.

FILED

AUG 01 2000

00-182 MISSOURI Public Service Commission

* Limited to those offerings for existing circuits at existing locations.

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.2 Description of Special Access (Cont'd)5.2.1 Voiceband**MISSOURI
Public Service Commission**(A) Two-Wire Voiceband Facility (USOC - XDM++, XDN++, XDV++)

These facilities are unconditioned and are capable of transmitting voice or data signals within the frequency spectrum of approximately 300 Hz to 3000 Hz. These facilities are furnished on a two-point or multipoint basis and may be terminated two-wire or four-wire at the point of termination. They permit the simultaneous transmission of information in both directions over a circuit, but it is not possible to ensure independent information transmission in both directions. Supplemental features may be added, at applicable charges, to enhance the operational capabilities of these facilities.

(B) Four-Wire Voiceband Facility (USOC - XDN++, XDV++)

These facilities are unconditioned and are capable of transmitting voice or data signals within the frequency spectrum of approximately 300 Hz to 3000 Hz. The facilities are furnished on a two-point or multipoint basis and may be terminated two-wire or four-wire at the point of termination. When terminated four-wire, they permit simultaneous independent transmission of information in both directions over a circuit. However, when terminated two-wire, simultaneous independent transmission cannot be supported. Supplemental features may be added, at applicable charges, to enhance the operational capabilities of these facilities.

FILED

AUG 01 2008 2

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.2 Description of Special Access (Cont'd)

5.2.2 (Reserved for Future Use)

5.2.3 Program Audio

MISSOURI Public Service Commission

These facilities are arranged and provided for the transmission of non-broadcast audio to be broadcast or which is to be used in connection with loudspeakers, wired music, closed circuit or recordings. Facilities to be used in conjunction with broadcast audio must be ordered from the appropriate interstate tariff. Audio facilities are furnished for transmission in one direction. Audio facilities may be provided on a two-point or multipoint basis.

Program audio facilities are provided on either a full-time or part-time basis. The minimum periods for full-time and part-time service are set forth in Section 3.2.4. When a part-time program audio service is provided for ten or more consecutive days, it will be treated as a full-time service and rated accordingly. In no event will the charge for continuous part-time program audio exceed the amount that would have been charged in the same time period for full-time program audio facilities.

Listed below are the types of Program Audio facilities that are offered under this tariff.

(A) 200 to 3500 Hz (USOC - XDP1D; XDP1M)

Facilities are generally acceptable for speech quality programming and are subject to use over limited distance due to transmission factors.

(B) 100 to 5000 Hz (USOC - XDP2D; XDP2M)

Facilities are generally acceptable for music and provide good quality speech programming.

(C) 50 to 8000 Hz (USOC - XDP3D; XDP3M)

Facilities for the provision of high fidelity music transmission.

(D) 50 to 15000 Hz (USOC - XDP4D; XDP4M)

Facilities for the provision of high fidelity music transmission. Two such facilities may be conditioned, at applicable charges, for stereo operation.

5.2.4 Videoband (USOC - XDT1D; XDT1M)

These facilities are arranged and provided for the transmission of television which is to be used other than for broadcast purposes in connection with viewing or recording. Facilities to be used in connection with broadcast video services must be ordered from the appropriate interstate tariff.

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.2 Description of Special Access (Cont'd)5.2.5 Wideband Analog (USOC - XDW++)**MISSOURI
Public Service Commission**

These facilities are two-point and are furnished between CDLs or between a CDL and a Telephone Company designated Hub Wire Center where multiplexing is offered. The three types of Wideband Analog facilities are:

- (A) Group band facilities with a bandwidth from 60 kHz to 108 kHz for the transmission of a 12 circuit frequency division multiplexer (FDM) group.
- (B) Supergroup band facilities with a bandwidth from 312 kHz to 552 kHz for the transmission of a 60 circuit FDM supergroup.
- (C) Mastergroup band facilities with a bandwidth from 564 kHz to 3084 kHz for the transmission of a 600 circuit FDM mastergroup.

5.2.6 Wideband Data Service (USOC - XDL++) *

These analog facilities are arranged and furnished for two-point simultaneous two-way transmission of high speed data between two CDLs. These facilities are normally utilized for the following data speeds: 19.2 Kbps, 50 Kbps, 56 Kbps and 230.4 Kbps.

5.2.7 High Capacity Digital (USOC - XDH++)

These facilities are two-point and are furnished between CDLs or between a CDL and a Telephone Company designated Hub Wire Center where multiplexing is offered. High Capacity facilities may be used to provide Special Access Lines as set forth in 5.1.1(C)(2). A High Capacity to Voice multiplexing arrangement, as described in Section 5.5, is required at the Hub Wire Center.

- (A) DS1 facilities provide for the transmission of isochronous bipolar serial data at a rate of 1.544 Mbps.
- (B) DS1C facilities provide for the transmission of isochronous bipolar serial data at a rate of 3.152 Mbps.
- (C) FT1 facilities are furnished for the transmission of isochronous bipolar serial data and are available at transmission rate groupings of $N \times 56$ Kbps or $N \times 64$ Kbps where N equals 2, 4, or 6. FT1 channels are contiguous within the network and can be used to create a wideband circuit using customer provided equipment. When $N \times 64$ FT1 is ordered in conjunction with DS1 service for multiplexing purposes, the DS1 must have Clear Channel Capability as described in 5.8.1. FT1 Service at a rate of $N \times 64$ Kbps will only be provided where Clear Channel Capability is available in the network. Where Clear Channel Capability is not available, $N \times 56$ Kbps service can be provided in lieu of $N \times 64$ Kbps.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**

* Limited to existing customers at existing locations.

Issued: May 10, 2000

Effective: August 1, 2000

FACILITIES FOR INTRASTATE ACCESS

5. SPECIAL ACCESS (Cont'd)

5.2 Description of Special Access (Cont'd)

5.2.7 High Capacity Digital (USOC - XDH++) (Cont'd)

(D) (Reserved for Future Use)

(E) DS3 facilities provide for the transmission of isochronous bipolar serial data at a rate of 44.736 Mbps. The Telephone Company will provide an electrical interface with the service unless otherwise specified by the customer.

(F) DS3C facilities provide for the transmission of isochronous bipolar serial data at a rate of 89.472 Mbps. The Telephone Company will provide an optical interface with this service unless the service is provided via microwave, in which case an electro-magnetic interface is provided, or unless the customer requests an electrical interface.

5.2.8 Digital Data Service (USOC - XDD++)

Facilities for Digital Data Service are furnished for the simultaneous two-way transmission of synchronous data and are available at transmission speeds of: 2.4 Kbps, 4.8 Kbps, 9.6 Kbps or 56 Kbps. Digital Data facilities may be provided on a two-point or multipoint basis.

5.2.9 (Reserved for Future Use)

5.2.10 (Reserved for Future Use)

RECEIVED

MAY 10 2000

MISSOURI
Public Service Commission

FILED

AUG 01 2000
00 - 182

MISSOURI
Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.3 Description of Terminating Options

Terminating Options provide a clearly delineated interface between Telephone Company and customer facilities at the point of termination at the end of terminating Options facilitate the design, isolation, and testing of the Special Access. The description of each Terminating Option defines the most effective use of the Terminating Option. The technical parameters of each type of associated interface are set forth in Section 7000 of the GTE Technical Interface Reference Manual. Although a customer is not restricted from alternate applications, except where such application is harmful to the network, the Telephone Company cannot guarantee technical performance for other than the applications stated below. Terminating Options are nonchargeable.

MISSOURI
Public Service Commission5.3.1 Narrowband(A) 0 to 75 Baud Type 1

Provides standard open/closed 20 or 62 Ma energized interface to customer terminal equipment and converts customer terminal equipment signals to voice frequency signaling for transmission over two-wire or four-wire voiceband network facilities suitable for voice grade to narrowband multiplexing. This terminating option is obsolete and is limited to those circuits so equipped and in service for existing customers at existing locations.

(B) 0 to 75 Baud Type 2

Provides two-wire or four-wire metallic interface for customer or Telephone Company energized circuits. Telephone Company energized circuits are only available in conjunction with voice grade to narrowband multiplexing. This option does not guarantee dc current operation over special transport facilities. This terminating option is obsolete and is limited to those circuits so equipped and in service for existing customers at existing locations.

(C) 0 to 150 Baud

Provides standard RS-232C interface to customer terminal equipment and converts customer terminal equipment signals to voice frequency signaling for transmission over two-wire or four-wire voiceband facilities. This terminating option is obsolete and is limited to those circuits so equipped and in service for existing customers at existing locations.

5.3.2 Voice Grade(A) Two-Wire Voice Grade, Non-Data, Without Signaling

This option provides a two-wire interface to a customer and terminates an effective two-wire facility furnished for voice transmission only. Customer provided signaling must be limited to tones in the voice band. Customer provided voiceband signaling equipment must limit transmission power to 0.0 dBm peak and -13 dBm average power over a three-second period.

(B) Four-Wire Voice Grade, Non-Data, Without Signaling

This option provides a four-wire interface to the customer terminal equipment and terminates an effective four-wire facility furnished for voice transmission only. Customer provided signaling must be limited to tones in the voiceband. Customer provided voice band signaling equipment must limit transmission power to 0.0 dBm peak and -13 dBm average power over a three-second period.

FILED

Issued: May 10, 2000

Effective: August 1, 2000

AUG 01 2000
00-182Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriMISSOURI
Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.3 Description of Terminating Options (Cont'd)**MISSOURI
Public Service Commission**5.3.2 Voice Grade (Cont'd)(C) Voice Grade Data Termination

This option provides a two-wire or four-wire transmission interface to a customer's private line data modem and terminates an effective four-wire facility furnished for voiceband data transmission.

(D) Two-Wire Voice Grade Station Connecting Facility Termination

This option provides a means to terminate an effective two-wire facility or an effective four-wire facility with a two-wire customer interface on a telephone, key system, PBX, ACD, or similar equipment. This option is normally used to terminate facilities that furnish foreign central office service, the station end of PBX off premises service, or private switched service network access lines. The option provides both the transmission and loop signaling functions normally associated with these services. The option is also used to terminate facilities arranged with automatic ringdown signaling. This option provides the loop and ringdown signaling with the facility.

(E) Four-Wire Voice Grade Station Connecting Facility Termination

A terminating option similar to (D) preceding used to terminate effective four-wire foreign central office service. The option provides a four-wire transmission interface to the customer terminal equipment and the loop signaling function normally associated with these services. This option provides the loop and ringdown signaling with the facility.

(F) Two-Wire Station Connecting Facility Termination for the Open End of an Off Premises PBX Extension

Terminating options are available depending on the signaling range of the PBX (or similar system) as defined in Part 68 of the FCC Rules and Regulations. Type 1 is an option requiring range extension equipment at the CDL. Type 2 is an option with no range extension equipment at the CDL. If needed, the loop signaling range equipment for Type 1 must be specifically specified, see Section 5.4.4 following for available arrangements.

(G) Dial Repeating Tie Trunk Termination

Two network terminating options are provided for terminating effective four-wire transmission facilities used to furnish dial repeating tie trunk services. These options are described in terms of the interface they provide to a PBX (or similar system).

- (1) A Type I tie line termination provides the customer with a two-wire transmission interface and includes either two-wire or four-wire E&M type signaling. Transmission and signaling interface options available are described in Part 68 of the FCC Rules and Regulations. This option provides the E&M type signaling with the facility.

FILEDAUG 01 2000
00 - 182**MISSOURI
Public Service Commission**
Effective: August 1, 2000

Issued: May 10, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, MissouriCANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.3 Description of Terminating Options (Cont'd)

MISSOURI Public Service Commission

5.3.2 Voice Grade (Cont'd)

(G) Dial Repeating Tie Trunk Termination (Cont'd)

(2) A Type III tie line termination provides the customer with a four-wire transmission interface and includes either two-wire or four-wire E&M type signaling. Transmission and signaling options available are described in Part 68 of the FCC Rules and Regulations. This option provides the E&M signaling with the facility.

5.3.3 Program Audio

(A) 200 to 3500 Hz

Provides standard program audio interface levels and impedance matching to two-wire network facilities.

(B) 100 to 5000 Hz, 50 to 8000 Hz, and 50 to 15000 Hz

Provides standard program audio interface levels, circuit equalization and impedance matching to two-wire network facilities.

5.3.4 Videoband

Provides a Videoband Special Access Line interface for use in providing the one way transmission of video signals.

Standard Videoband service is provided via one signal (combined video and audio). This signal is in the 30 hz to 6.6 MHz frequency range. It includes a one-way duplexed transmission of standard 525 lines/60 fields monochrome or NTSC color video signal, and one or two associated 15 kHz audio signals.

As an option, the customer may select to receive Videoband service via two or three signals (one video and one or two audio). Under this option, the video signal received will be in the 30 Hz to 4.5 MHz frequency range and the one or two audio signals will be in the 50 Hz to 15000 Hz frequency range.

5.3.5 Wideband Data Service *

(A) Provides a Wideband Data Service Special Access interface for use in providing two-way transmission of sequential synchronous or nonsynchronous data at rates of 19.2, 50 or 230.4 kbps; or sequential synchronous bipolar data signals at a rate of 56 kbps over four-wire facilities.

(B) (Reserved for Future Use)

FILED

AUG 01 2000 00 - 182

MISSOURI Public Service Commission

* Limited to existing customers at existing locations.

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.3 Description of Terminating Options (Cont'd)

MISSOURI Public Service Commission

5.3.6 High Capacity Digital

(A) High Capacity Digital DS1

Provides a High Capacity Digital DS1 Special Access interface for use in providing simultaneous two-way transmission of isochronous bipolar serial data signals at the rate of 1.544 Mbps.

(B) High Capacity Digital DS1C

Provides a High Capacity Digital DS1C Special Access interface for use in providing simultaneous two-way transmission of isochronous bipolar serial data signals at the rate of 3.152 Mbps.

(C) Fractional T1 Service

Provides a DS1 Special Access interface for use in providing simultaneous two-way transmission of isochronous bipolar serial data signals and is limited to groupings of N x 56 Kbps or N x 64 Kbps where N equals 2, 4, or 6.

(D) (Reserved for Future Use)

(E) High Capacity Digital DS3

Provides a High Capacity Digital DS3 Special Access interface for use in providing simultaneous two-way transmission of isochronous bipolar serial data signals at the rate of 44.736 Mbps. The Telephone Company will provide an electrical interface with the service unless otherwise specified by the customer.

(F) High Capacity Digital DS3C

Provides a High Capacity Digital DS3C Special Access interface for use in providing simultaneous two-way transmission of isochronous bipolar serial data signals at the rate of 89.472 Mbps. The Telephone Company will provide an optical interface with this service unless the service is provided via microwave, in which case, an electromagnetic interface is provided, or unless the customer requests an electrical interface.

5.3.7 Digital Data Service (DDS)

Provides DDS Special Access interface for use in providing simultaneous two-way transmission of sequential bipolar data signals at transmission speeds of 2.4 Kbps, 4.8 Kbps, 9.6 Kbps or 56 Kbps over four-wire facilities.

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

RECEIVED

FACILITIES FOR INTRASTATE ACCESS

MAY 10 2000

5. SPECIAL ACCESS (Cont'd)

5.4 Description of Supplemental Features

**MISSOURI
Public Service Commission**

Supplemental Features are items which can be added to a Special Access service to provide enhanced capabilities or improve its utility. References to specific uses or Special Access types indicate the most effective use for each Supplemental Feature. Customer use for other purposes or with other Special Access types is limited only to the extent that such use must not harm the network. Further, the Telephone Company does not guarantee functional operation of Supplemental Features for these alternate applications.

Listed below are the Supplemental Features that are offered under this tariff.

5.4.1 Bridging

Bridging is the function of connecting three or more CDLs in a multipoint arrangement. Listed below are those bridging services offered under this tariff.

(A) MultiPoint Data Bridging (USOC - BSNDJ)

This feature provides the capability to derive a multipoint data circuit from a single facility and is normally provided on Voiceband facilities provided for transmission of data signals. This function is provided on a per port basis. Polled multipoint data circuits are a typical application of this feature.

FILED

AUG 01 2000
00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.4 Description of Supplemental Features (Cont'd)

MISSOURI Public Service Commission

5.4.1 Bridging (Cont'd)

(B) Voice Conference Bridging (USOC - B5NVJ)

Bridging arrangement to connect multiple Voiceband facilities in order that a voice frequency input signal from any location will be reproduced at the output of all other circuit locations. This function is provided on a per port basis.

(C) Alarm Distribution Bridging (USOC - BCNTA)

Provides polling type bridging capabilities, band splitting filters and conversion of four-wire common terminations up to a capacity of 40 two-wire terminations. This function is offered as two tariff elements. The first element provides all shelving and common equipment for a capacity of 40 two-wire terminations. The second element provides a two-wire port. One common equipment rate element will apply to accommodate up to 40 two-wire terminations. One two-wire port charge will apply to each two-wire Special Access Line terminated in the bridge.

(D) Program Audio Bridging (USOC - BCNPT)

An arrangement to provide multiple channel outputs from a single Program Audio or Voiceband facility. This arrangement is provided and rated on a per port basis.

(E) (Reserved for Future Use)

(F) DDS Bridging (USOC - BCNDA)

Provides for a multi-junction unit (MJU) arrangement to bridge 2.4 kbps, 4.8 kbps, 9.6 kbps, or 56 kbps DDS facilities. Different speeds cannot be mixed on the same bridge. This function is provided on a per port basis.

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.4 Description of Supplemental Features (Cont'd)

MISSOURI Public Service Commission

5.4.2 Conditioning Arrangements - Data

Data conditioning, when utilized in conjunction with effective four-wire Voiceband transmission facilities, improves the characteristics of these facilities. These improved characteristics are not represented to apply to the entire end to end facility of the customer, but only to that portion of the facility provided by the Telephone Company.

There are three types of data conditioning: Type C, Type C-Improved and Type DA. Type C and Type C-Improved conditioning control attenuation distortion and envelope delay distortion. Type DA controls the signal to C-notched noise ratio and intermodulation distortion. Type C and Type DA conditioning may be combined on the same circuit. Type C-Improved and Type DA conditioning may be combined on the same circuit.

Data conditioning is charged for on a per Special Access line basis. The parameters listed for each type of data conditioning apply from two or more CDLs located within the Telephone Company serving area. Conditioning parameters apply to each end of a two-point circuit. For multipoint circuits, the conditioning parameters apply from any CDL to either the point of interface at another CDL or the first Telephone Company bridging point depending on the circuit configuration. These parameters are not applicable to High Capacity or Wideband Analog points of interface, because there is no voice frequency test access point. In these instances the data conditioning parameters apply to the last telephone company voice frequency test access point before the High Capacity or Wideband Analog point of interface.

(A) Type C (USOC - X1CPT)

Type C conditioning of Voiceband facilities provides a facility with the following transmission parameters enhanced to meet the values specified for Type C conditioning in Section 7000 of the GTE Technical Interface Reference Manual in addition to the standard parameters for Voiceband circuits.

- (1) Attenuation distortion with reference to 1004 Hz.
(2) Envelope delay distortion.

(B) Type C-Improved

Type C-Improved conditioning of Voiceband facilities provides a facility with the following transmission parameters enhanced to meet the values specified for Type C conditioning in Section 7000 of the GTE Technical Interface Reference Manual in addition to the standard parameters for Voiceband circuits.

- (1) Improved attenuation distortion with reference to 1004 Hz. (USOC - UHW)
(2) Improved envelope delay distortion. (USOC - UHY)

The customer may choose to order Improved Attenuation Distortion or Improved Envelope Delay Distortion or both (USOC - XCECM) configurations. The rates specified for Type C-Improved conditioning, Section 5.7.2(B), will apply regardless of the configuration specified.

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.4 Description of Supplemental Features (Cont'd)

5.4.2 Conditioning Arrangements - Data (Cont'd)

**MISSOURI
Public Service Commission**

(C) Type DA (USOC - XDCPT)

Type DA conditioning of Voiceband facilities provides a facility with the following transmission parameter enhanced to meet the values specified for Type DA conditioning in Section 7000 of the GTE Technical Interface Reference Manual in addition to the standard parameters for voiceband circuits.

- (1) Signal to C-notched noise ratio.
- (2) Nonlinear signal to second order distortion.
- (3) Nonlinear signal to third order distortion.

FILED

AUG 01 2000
00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.4 Description of Supplemental Features (Cont'd)

MISSOURI Public Service Commission

5.4.3 Conditioning - Program Audio

(A) Stereo Conditioning (USOC - XCS)

Provides the option of two radio program facilities which are identical in all transmission characteristics. Two Program Audio facilities are required to provide this Supplemental Feature. This feature is normally used only with Program Audio 50 to 15000 Hz facilities. Stereo Conditioning is charged on a per occurrence basis.

(B) Zero Loss (USOC - XZB)

Conditioning of Program Audio facilities to provide zero loss at 1000 Hz test frequency. Zero Loss is charged on a per Special Access Line basis.

5.4.4 Signaling Arrangements (USOC - OS+; XSSLR)

Signaling arrangements, when furnished with Voiceband transmission facilities, enable the facilities to accommodate standard telecommunications signaling protocols. Signaling arrangements provide for the conversion of one signaling method to another signaling method and/or extension of a signaling method at customer and Telephone Company interfaces and enables the transmission facilities to accommodate signaling transmission. Signaling arrangements are available with Voiceband transmission facilities to enable transmission of requested signaling formats. The third and fourth protocol characters of the Network Channel Interface (NCI) and Secondary Network Channel Interface (SEC NCI) codes as indicated on the customer's order, reflect signaling activity. Typical protocol characters contained in the NCI or SEC NCI codes that designate signaling arrangements are: AB, AC, DS, DX, DY, EA, EB, EC, EX, GO, GS, LA, LB, LC, LO, LR, LS, NO, RV and SF.

The customer identified NCI and SEC NCI codes will be considered the customer's request for signaling. The Telephone Company will endeavor to provide the specific signaling protocols requested by the customer. In those cases where facilities and equipment are not available to meet the customer's specific requests, the Telephone Company will provide the customer acceptable alternate protocols. Sections 3300, 6000 and 7000 of the GTE Technical Interface Reference Manual provide detailed technical descriptions of the signaling protocols normally available with each service offering. To properly provision SF signaling, when associated signaling code, is DS (PCM), additional information of SF requirements (loop signaling type DX/E&M or ringdown) must accompany the customer's order.

Signaling arrangement charges apply whenever interfaces at the customer premises or at the customer's Telephone Company serving wire center require a signaling arrangement other than those provided with the Terminating Options in 5.3.2 preceding. Signaling Arrangements will be charged on a per SAL basis. Specifically, a signaling charge applies if the signaling protocol characters in the NCI and the SEC NCI fields are different and include one of the following codes: RV, EX, SF, DX, DY, DS, AB.

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

5. SPECIAL ACCESS (Cont'd)5.4 Description of Supplemental Features (Cont'd)**MISSOURI
Public Service Commission**5.4.4 Signaling Arrangements (Cont'd)

For the above conditions, one additional signaling charge applies for each additional leg of multipoint circuit. When a Multiplexing Arrangement is ordered that converts a single higher capacity or bandwidth circuit into several lower Voiceband circuits, the Voiceband Signaling Arrangements are provided as part of the Multiplexing Arrangement, and no additional Signaling Arrangement charges will apply.

A signaling charge applies in addition to any other applicable signaling charge when loop range extension equipment is required. The Telephone Company will obtain customer approval for signaling range extension equipment.

Listed below are the Signaling Arrangements offered under this tariff:

- (A) Loop Signaling Range Extension - An arrangement to extend the metallic resistance limitations of loop type signaling. (USOC - OSA)
- (B) Conversion of Loop or E&M Signaling to SF - An arrangement to convert loop or E&M signaling to the single frequency signaling format. (USOC - OSB)
- (C) E&M to DX Signaling Conversion - Conversion of E&M signaling to the DX signaling format. (USOC - OSC)
- (D) E&M to Loop Signaling Conversion - Conversion of E&M signaling format to the loop type signaling. (USOC - OSD)
- (E) Loop or E&M to PCM Signaling - Conversion of loop or E&M signaling to the digital (PCM) signaling format. (USOC - OSN)
- (F) Automatic Ringdown Signaling (ARD) - A signaling arrangement on a two-point Special Access which converts loop seizure at one end of the facility into ringing signal at the opposite end. (USOC - XSSLR)

5.4.5 Echo Control(A) Echo Suppression (USOC - OE1)

An arrangement provided at the customer's request to attenuate reflected speech energy on a four-wire facility. This conditioning is generally required on circuits with long propagation delay. Echo suppression is charged on a per Special Access circuit basis. Echo suppression is an obsolete service offering and is applicable only to those circuits equipped with echo suppression prior to January 1, 1987. Any service rearrangements or order activity on the circuits equipped with echo suppression may require a change to echo canceller as described in 5.4.5(B) following.

FILED

AUG 01 2000

OU - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.4 Description of Supplemental Features (Cont'd)**MISSOURI
Public Service Commission**5.4.5 Echo Control (Cont'd)(B) Echo Cancellor (USOC - ORJ)

An arrangement provided at the customer's request to cancel reflected speech energy on a four-wire facility. This conditioning is generally required on circuits with long propagation delay. Echo canceller is charged on a per Special Access circuit basis.

5.4.6 Improved Return Loss (USOC - 1RL)

Improved Return Loss provides for increased echo return and singing return parameters of an effective two-wire channel. This optional feature is available with certain Voiceband services at a two-wire point of termination when the transmission interface is four-wire at one CDL and two-wire at the other CDL. Placement of Telephone Company equipment may be required at the customer's premises with the two-wire point of termination.

Improved Return Loss rates and charges will apply on a per Special Access Line basis at the rates specified in 5.7.2(B) following. Technical parameters and the applicable Voiceband services are specified in Section 7000 of the GTE Technical Interface Reference Manual.

5.4.7 Voiceband Facility Switching Arrangement (USOC - UST)

An arrangement to provide switching between two Voiceband Special Access Services. This arrangement may require a Voiceband control circuit to control the switching arrangement at an additional charge.

5.4.8 Automatic Protection Switch (USOC - APP)

Consists of special switching equipment placed at both ends of a duplicate DSL facility (i.e., DSL, High Capacity Circuit) for automatic switching to the duplicate (standby) facility in the event the active facility is inoperative.

Duplicate facilities may terminate at a serving wire center, a CDL or both. The option provided under this tariff only includes the APS(s) located at a serving wire center(s). When the duplicate facility terminates at a CDL, the customer will be responsible for providing the associated APS and ensuring it is compatible with the Telephone Company provided switch if appropriate.

The duplicate facilities are not a part of this supplemental feature.

FILED

AUG 01 2000

00 - 182
MISSOURI**Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.4 Description of Supplemental Features (Cont'd)5.4.9 Improved Termination Option (USOC - X4T)**MISSOURI
Public Service Commission**

Improved Termination provides for a fixed 600 ohm impedance, an increased range of transmission levels, and simplex reversal (when applicable) on an effective four-wire channel. This optional feature is available with most Voiceband services with a four-wire point of termination. Telephone Company equipment is required at the customer's premises where this option is ordered.

The Improved Termination option will be ordered and rates and charges, as set forth in 5.7.2(B) following, will apply on a per SAL basis. Technical parameters and the applicable Voiceband services are specified in Section 7000 of the GTE Technical Interface Reference Manual.

5.4.10 Improved Equal Level Echo Path Loss Option - ELEPL-2 (USOC - ORP)

This option provides improved echo control parameters for an effective two-wire channel at a four-wire point of termination. Placement of Telephone Company equipment may be required at the customer's premises with the two-wire point of termination.

The term "Equal Level Echo Path Loss" (ELEPL) represents the measure of Echo Path Loss (EPL) at a four-wire interface which is corrected by the difference between the send and receive Transmission Level Point (TLP), i.e., $ELEPL = EPL - TLP(\text{send}) + TLP(\text{receive})$.

Improved ELEPL rates and charges will apply on a per SAL basis at the rates set forth in 5.7.2(B) following. Technical parameters are specified in Section 7000 of the GTE Technical Interface Reference Manual.

FILED

AUG 01 2000

00-182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

MAY 10 2000

5. SPECIAL ACCESS (Cont'd)

5.5 Description of Multiplexing Arrangements

MISSOURI Public Service Commission

Multiplexing Arrangements provide the function to convert or bandwidth circuit for bulk transport to several lower capacity or bandwidth circuits. Cascading multiplexing occurs when a high capacity analog or digital channel is de-multiplexed to provide channels with a lesser capacity and one of the lesser capacity channels is further de-multiplexed. For example, a DS1C may be de-multiplexed to two DS1 facilities and then the DS1 facilities may be further de-multiplexed to 24 Voiceband channels.

When cascading multiplexing is performed in the same or different Hub Wire Center, a charge for the additional multiplexing unit will also apply. When cascading multiplexing is performed at a different Hub Wire Center, Special Transport will also apply between the involved Hub Wire Centers.

Listed below are the multiplexing arrangements offered under this tariff.

(A) (Reserved for Future Use)

(B) Group to Voice (USOC - MQV++)

An arrangement that multiplexes twelve voice grade circuits to a single wideband analog group band circuit, or multiplexes a single wideband analog group band circuit to twelve voice grade circuits.

(C) Supergroup to Group (USOC - MQS++)

An arrangement that multiplexes five wideband analog group band circuits to a single wideband analog supergroup band circuit, or multiplexes a single wideband analog supergroup band circuit to five wideband analog group band circuits.

(D) Mastergroup to Supergroup (USOC - MQ9++)

An arrangement that multiplexes ten wideband analog supergroup band circuits to a single wideband analog mastergroup band circuit, or multiplexes a single wideband analog mastergroup band circuit to ten wideband analog supergroup band circuits.

(E) DS1 to Voice (USOC - MQ1)

An arrangement that multiplexes twenty-four voice grade circuits to a single DS1 digital circuit at a rate of 1.544 Mbps, or multiplexes a single DS1 digital circuit at a rate of 1.544 Mbps to twenty-four voice grade circuits. If this DS1 terminates in a DDS hub, a channel(s) of the DS1 can be used to provide DDS; however, DDS service stops at the DS1 interface. Multiple channels may be required to provide individual Program Audio Channels.

Up to 16 channels of this DS1 can be used for Direct Digital Service (DDS-like service) with the assurance that circuit performance parameters will be met. If more than 16 channels are used for DDS-like service, the performance parameters for the DS1 and all circuits riding the DS1 will not be guaranteed.

FT1 can be used in conjunction with DS1 to Voice Multiplexing in groupings of N x 56 Kbps or N x 64 Kbps where N = 2, 4, or 6, to a single DS1 digital circuit at a rate of 1.544 Mbps.

FILED

AUG 01 2000 00-182

MISSOURI Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff Chief Operating Officer Kansas City, Missouri

CANCELLED October 19, 2009 Missouri Public Service Commission TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.5 Description of Multiplexing Arrangements (Cont'd)**MISSOURI
Public Service Commission**

(F) (Reserved for Future Use)

(G) (Reserved for Future Use)

(H) (Reserved for Future Use)

(I) DS3 to DS1 (USOC - MXB++)

An arrangement that multiplexes twenty-eight DS1 digital circuits to a single DS3 digital circuit at a rate of 44.736 Mbps, or multiplexes a single DS3 digital circuit at a rate of 44.736 Mbps to twenty-eight DS1 digital circuits.

(J) DS3C to DS1 (USOC - MQT++)

An arrangement that multiplexes fifty-six DS1 digital circuits to a single DS3C digital circuit at a rate of 89.472 Mbps, or multiplexes a single DS3C digital circuit at a rate of 89.472 Mbps to fifty-six DS1 digital circuits.

(K) Group to DS1 (USOC - MQG++)

An arrangement that multiplexes two wideband analog groupband circuits to a single DS1 digital circuit at a rate of 1.544 Mbps, or multiplexes a single DS1 digital circuit at a rate of 1.544 Mbps to two wideband analog groupband circuits.

(L) Digital Data Carrier Multiplexer (USOC - QMU)

An arrangement that multiplexes a single DS1 1.544 Mbps digital circuit to twenty-three DSO digital ports for connection to either a subrate data multiplexer as described in 5.5(M) following or 56 Kbps digital circuits.

(M) Digital Data Subrate Multiplexer (USOC - QSU24; QSU48; QSU96)

Used with cascading multiplexing, the Digital Data Subrate Multiplexer is an arrangement that multiplexes the following quantities of subrate digital data circuits into a single DSO digital port: 1) twenty 2.4 Kbps, 2) ten 4.8 Kbps or 3) five 9.6 Kbps. In turn, the DSO digital port is then multiplexed to a single DS1 digital circuit using the Digital Data Carrier Multiplexer described in 5.5(L) preceding.

FILED

AUG 01 2000

00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

RECEIVED

FACILITIES FOR INTRASTATE ACCESS

MAY 10 2000

5. SPECIAL ACCESS (Cont'd)5.6 Rate Regulations

This section contains specific regulations governing the rates and charges that apply for Special Access Service.

**MISSOURI
Public Service Commission**

5.6.1 Types of Rates and Charges

There are four types of rates and charges. These are monthly rates, daily rates, time sensitive rates and nonrecurring charges. The rates and charges are described as follows:

(A) Monthly Rates

Monthly rates are recurring charges that apply each month or fraction thereof that a Special Access Service is provided. For billing purposes, each month is considered to have 30 days.

(B) Daily Rates

Daily rates are recurring charges that apply to each 24 hour period or fraction thereof that a part-time Program Audio Special Access Service is provided. This 24 hour period is not limited to a calendar day. When part-time Program Audio service is provided for ten or more consecutive days it will be treated as a full-time service and monthly rates will apply. In no event will the charges for continuous part-time Program Audio service exceed the amount that would be charged in the same time period for full-time service.

(C) Time Sensitive RatesHourly Rates

Hourly rates are recurring charges that apply to each 60 minute period, or fraction thereof, that a part-time Videoband Special Access Service is provided. The billing period commences when the video circuit is available for the customer's use and ceases when the customer's use is discontinued. There is a maximum monthly charge that may be assessed to any Temporary Videoband - Special Access Service. The maximum charge during any 30 day period will be that amount equal to 100 hours of use.

FILED

AUG 01 2000

00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.6 Rate Regulations (Cont'd)5.6.1 Types of Rates and Charges (Cont'd)**MISSOURI
Public Service Commission**(D) Nonrecurring Charges

Nonrecurring charges are one-time charges that apply for specific work activity, (i.e., installation of service or change to an existing service). The types of nonrecurring charges that apply for Special Access Service are those listed below.

(1) Special Access Ordering Charges

Special Access Ordering Charges are associated with the work performed by the Telephone Company in connection with the receiving, recording and processing of customer service requests. There are two types of service ordering charges.

(a) Initial Ordering Charge - Special Access (USOC - SESCL)

This charge applies on a per Access Service Request (ASR) basis, including those requests to add additional termination to an existing service.

(b) Subsequent Ordering Charge - Special Access (USOC - SESBX)

This charge applies on a per ASR basis for modifications to an existing service. This would include activities such as:

- Additions of supplemental features and multiplexing arrangements.
- Changes in the type of transport rate option from Switched Transport to Special Transport for FGA and FGB Switched Access Service as described in 4.1 preceding.

(2) Nonrecurring Charge for Service Installation

The Nonrecurring Charge for service installation is associated with the work performed by the Telephone Company in connection with the physical installation activities involving central office and/or outside plant facilities. This charge applies on a per SAL basis for the installation of service, and for additional terminations to existing service.

FILEDAUG 01 2000
00 - 18 2**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.6 Rate Regulations (Cont'd)

MISSOURI
Public Service Commission

5.6.1 Types of Rates and Charges (Cont'd)

(D) Nonrecurring Charges (Cont'd)

(3) Design Change Charge (USOC - H28)

The customer may request a design change to the service ordered. A design change is any change to a pending ASR for Special Access Service which requires engineering review. Design changes include such things as the addition or deletion of supplemental features or changes in the terminating options. Design changes do not include a change of IC CDL or end user premises when its serving wire center changes or Special Access service type (e.g., 2-wire to 4-wire Voiceband or Voiceband to Program Audio, etc.). Changes of this nature will require the issuance of a new ASR and the cancellation of the original ASR. The cancellation charges apply as set forth in 3.2.6.

The Telephone Company will review the requested change, notify the customer whether the change can be accommodated and specify if a new service date is required. If the customer authorizes the Telephone Company to proceed with the design change, a Design Change Charge will apply.

The Design Change Charge, in 5.7.1, will apply on a per ASR per occurrence basis, for each ASR requiring a design change.

If a change of service date is required, the Service Date Change Charge in Section 3 will also apply.

(4) Installation of Supplemental Features and Multiplexing Arrangements

Nonrecurring charges apply for the installation of certain supplemental features and multiplexing arrangements available with Special Access service. The charge applies whether the feature or multiplexing arrangement is installed coincident with the initial installation of service or at any time subsequent to the installation of service. These charges are in addition to the appropriate Special Access Ordering Charge as set forth in 5.6.1(D)(1).

(5) Installation of DS1 and FT1 Special Access Lines

(a) There are two levels of NRC and monthly charges for the installation of a DS1 SAL in 5.7.7(A). The "First System" charge is assessed per SAL for the first DS1 service ordered by a customer between CDLs or a hub wire center. When the same customer requests additional DS1 service on the same ASR, to be installed at the same time and between the same CDLs as the "First System" DS1 SAL, the lesser charge under "Additional System" will apply.

(b) (Reserved for Future Use)

(c) (Reserved for Future Use)

FILED

AUG 01 2000
00182

MISSOURI
Public Service Commission

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.6 Rate Regulations (Cont'd)

**MISSOURI
Public Service Commission**

5.6.1 Types of Rates and Charges (Cont'd)

(D) Nonrecurring Charges (Cont'd)

(5) Installation of DS1 and FT1 Special Access Lines (Cont'd)

(d) Fractional T1 Standard Arrangements

Customers subscribing to Fractional T1 service, at rates set forth in 5.7.9(A), will be assessed a nonrecurring charge. The NRC for Fractional T1 service will be assessed per SAL.

(e) Fractional T1 Optional Payment Plan (OPP) Arrangements

Customers subscribing to the Fractional T1 OPP arrangements, at rates set forth in 5.7.9(B), will not be assessed a nonrecurring charge.

The regulations in Section 5.6.1(D)(8) will apply to FT1 OPP customers when required for changes and other service rearrangements.

FILED

AUG 01 2000

00-182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

FACILITIES FOR INTRASTATE ACCESS

RECEIVED

5. SPECIAL ACCESS (Cont'd)

MAY 10 2000

5.6 Rate Regulations (Cont'd)

**MISSOURI
Public Service Commission**

5.6.1 Types of Rates and Charges (Cont'd)

(D) Nonrecurring Charges (Cont'd)

(6) Installation of Temporary Videoband Service

There are two nonrecurring charges for the installation of Temporary Videoband Service. One nonrecurring charge will be assessed when permanent in place facilities are used to provide the service, and a different nonrecurring charge will be assessed when nonpermanent portable facilities are used to provide the service.

FILED

AUG 01 2000

00 - 182

**MISSOURI
Public Service Commission**

Issued: May 10, 2000

Effective: August 1, 2000

Kenneth Matzdorff
Chief Operating Officer
Kansas City, Missouri

CANCELLED
October 19, 2009
Missouri Public
Service Commission
TN-2010-0092; YI-2010-0175