

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(A) Description (Cont'd)

(5) (Cont'd)

Additionally, non-access charges will also be billed for calls from a FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for the customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 where available and 555-1212), service codes (611 and 911 where available) or 101XXXX access codes. FGB, in the terminating direction may not be: 1) switched to access another Feature Group B,C or D, in the same LATA and (2) use to terminate originating FGC or FGD calls.

(6) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(7) When all FGB switching arrangements are discontinued at an end office and/or in an exchange, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

ACCESS SERVICE

6. Switched Access Service (Cont'd)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

JUL 02 1998

6.2.2 Feature Group B (FGB) (Cont'd)

MO. PUBLIC SERVICE COMM

(A) Description (Cont'd)

(5) (Cont'd)

Additionally, non-access charges will also be billed for calls from a FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for the customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 where available and 555-1212), service codes (611 and 911 where available) or 101XXXX access codes. FGB, in the terminating direction may not be: 1) switched to access another Feature Group B,C or D, in the same LATA and (2) use to terminate originating FGC or FGD calls.

(CT)

(6) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(7) When all FGB switching arrangements are discontinued at an end office and/or in an exchange, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.

FILED

AUG 03 1998

MISSOURI  
Public Service Commission

ISSUED:  
July 2, 1998

BY: Richard Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE :  
August 3, 1998

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

JUN 5 1995

6.2.2 Feature Group B (FGB) (Cont'd)

MO. PUBLIC SERVICE COMM.

(A) Description (Cont'd)

(5) (Cont'd)

Additionally, non-access charges will also be billed for calls from a FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for the customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 where available and 555-1212), service codes (611 and 911 where available) or 10XXX or 101XXXX access codes. FGB, in the terminating direction may not be: 1) switched to access another Feature Group B,C or D, in the same LATA and (2) use to terminate originating FGC or FGD calls.

(C)

(6) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(7) When all FGB switching arrangements are discontinued at an end office and/or in an exchange, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.

CANCELLED

AUG 03 1998  
By 2nd RS #181  
Public Service Commission  
MISSOURI

FILED

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~July 5, 1995~~

JUL 15 1995

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 181

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

MISSOURI

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

Public Service Commission  
CANCELLED

6.2.2 Feature Group B (FGB) (Cont'd)

(A) Description (Cont'd)

(5) (Cont'd)

Additionally, non-access charges will also be billed for calls from a FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for the customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 where available and 555-1212), service codes (611 and 911 where available) or 10XXX access codes. FGB, in the terminating direction may not be: 1) switched to access another Feature Group B, C or D, in the same LATA and (2) use to terminate originating FGC or FGD calls.

(6) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGB switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB switching arrangement provided. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(7) When all FGB switching arrangements are discontinued at an end office and/or in an exchange, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.

JUL 15 1995

BY *1st R.S. #181*  
Public Service Commission  
MISSOURI

FILED

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

MO. PUBLIC SERVICE COMM.  
EFFECTIVE:

~~October 1, 1992~~

NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(A) Description (Cont'd)

- (8) AT&T Communications of the Southwest, Inc. (AT&T) subscribing to FGB:

When AT&T subscribes to both FGB and FGD at an equal access end office or to both FGB and FGC at any end office, all such FGB, FGC, and FGD usage originating and terminating at those end offices will be subject to the Carrier Common Line, Local Transport and Local Switching rates set forth in 3.8 and 6.8.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Second Revised Page 182  
Cancels First Revised Page 182

ACCESS SERVICE

Missouri Public

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd) <sup>DECISION</sup> 07 2002

6.2.2 Feature Group B (FGB) (Cont'd)

Service Commission

(A) Description (Cont'd)

- (8) AT&T Communications of the Southwest, Inc. (AT&T) subscribing to FGB:

When AT&T subscribes to both FGB and FGD at an equal access end office or to both FGB and FGC at any end office, all such FGB, FGC, and FGD usage originating and terminating at those end offices will be subject to the Carrier Common Line, Local Transport *and* Local **Switching rates** set forth in 3.8 and 6.8.

(T)

Missouri Public

FILED FEB 07 2002

Service Commission

ISSUED:  
January 7, 2002

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
February 7, 2002

ACCESS SERVICE

~~RECEIVED~~

6. Switched Access Service (Cont'd)

NOV 2 1993

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.2 Feature Group B (FGB) (Cont'd)

(A) Description (Cont'd)

- (8) AT&T Communications of the Southwest, Inc. (AT&T) subscribing to FGB:

When AT&T subscribes to both FGB and FGD at an equal access end office or to both FGB and FGC at any end office, all such FGB, FGC, and FGD usage originating and terminating at those end offices will be subject to the Carrier Common Line, Local Transport, Local Switching and Information Surcharge rates set forth in 3.8 and 6.8.

(T)  
(T)

**CANCELLED**

FEB 07 2002

By *2nd R P 182*  
Public Service Commission  
MISSOURI

**FILED**

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 182

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(A) Description (Cont'd)

- (8) AT&T Communications of the Southwest, Inc.  
(AT&T) subscribing to FGB:

When AT&T subscribes to both FGB and FGD at an equal access end office or to both FGB and FGC at any end office, all such FGB, FGC, and FGD usage originating and terminating at those end offices will be subject to the premium Carrier Common Line, Local Transport, Local Switching - LS2, and Information Surcharge rates set forth in 3.8 and 6.8.

CANCELLED

NOV 7 1993  
BY *Let R.S. #182*  
Public Service Commission  
MISSOURI

FILED

NOV 7 1992

MISSOURI PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992



ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(B) Optional Features

(1) Common Switching Optional Features

- (a) Automatic Number Identification (ANI)
- (b) Up to 7 Digit Outpulsing of Access Digits to Customer
- (c) Alternate Traffic Routing
- (d) Hunt Group Arrangement for Use with WATS Access Line Service
- (e) Uniform Call Distribution Arrangement for use with WATS Access Line Service
- (f) Nonhunting Number Arrangement for use with WATS Access Line Service as described in d or e, preceding.
- (g) Band Advance Arrangement for Use with WATS Access Line Service.
- (h) Rotary Dial Station Signaling

(2) Local Transport Optional Features

- (a) Provision of Other Than Telephone Company Selected Traffic Routing
- (b) Customer Specification of Feature Group Directionality
- (c) Customer Specification of Local Transport Termination

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

NOV 9 1993

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.2 Feature Group B (FGB) (Cont'd)

(B) Optional Features

(1) Local Switching Optional Features

(T)

- (a) Automatic Number Identification (ANI)
- (b) Up to 7 Digit Outpulsing of Access Digits to Customer
- (c) Alternate Traffic Routing
- (d) Hunt Group Arrangement for Use with WATS Access Line Service
- (e) Uniform Call Distribution Arrangement for use with WATS Access Line Service
- (f) Nonhunting Number Arrangement for use with WATS Access Line Service as described in d or e, preceding.
- (g) Band Advance Arrangement for Use with WATS Access Line Service.

(D)

(h) Rotary Dial Station Signaling

(T)

(2) Local Transport Optional Features

(T)

- (a) Provision of Other Than Telephone Company Selected Traffic Routing
- (b) Customer Specification of Feature Group Directionality
- (c) Customer Specification of Local Transport Termination

FILED

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 183

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(B) Optional Features

(1) Common Switching Optional Features

- (a) Automatic Number Identification (ANI)
- (b) Up to 7 Digit Outpulsing of Access Digits to Customer
- (c) Alternate Traffic Routing
- (d) Hunt Group Arrangement for Use with WATS Access Line Service
- (e) Uniform Call Distribution Arrangement for use with WATS Access Line Service
- (f) Nonhunting Number Arrangement for use with WATS Access Line Service as described in d or e, preceding.
- (g) Band Advance Arrangement for Use with WATS Access Line Service.

(2) Transport Termination Optional Features

- (a) Rotary Dial Station Signaling

(3) Local Transport Optional Features

- (a) Provision of Other Than Telephone Company Selected Traffic Routing
- (b) Customer Specification of Feature Group Directionality
- (c) Customer Specification of Local Transport Termination

CANCELLED

NOV 7 1993  
BY *LeRR.S. #183*  
Public Service Commission  
MISSOURI

FILED

NOV 7 1992

200. PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(B) Optional Features (Cont'd)

- (3) Another feature, Bill Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's local and/or general exchange service tariffs.

(C) Transmission Performance

FGB is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 9. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

(D) Testing Capabilities

FGB is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type)

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Second Revised Page 184  
Cancels First Revised Page 184

**Missouri Public  
Service Commission**

ACCESS SERVICE

REC'D MAY 03 2000

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature  
Groups (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(B) Optional Features (Cont'd)

(3) Another feature, Bill Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's local and/or general exchange service tariffs.

(C) Transmission Performance

FGB is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 9. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

(T)

(D) Testing Capabilities

FGB is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type)

**Missouri Public  
Service Commission**

FILED JUN 02 2000

ISSUED:  
May 3, 2000

Richard D. Lawson  
State Executive, External Affairs

EFFECTIVE:  
June 2, 2000

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

NOV 2 1993

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.2 Feature Group B (FGB) (Cont'd)

(B) Optional Features (Cont'd)

(3) Another feature, Bill Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's local and/or general exchange service tariffs. (1)

(C) Transmission Performance

FGB is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

(D) Testing Capabilities

FGB is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type)

CANCELLED

JUN 02 2000

By *2nd RP184*  
Public Service Commission  
MISSOURI

FILED

NOV 7 1993  
85-181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 184

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

MISSOURI

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd) **Public Service Commission**

6.2.2 Feature Group B (FGB) (Cont'd)

(B) Optional Features (Cont'd)

(4) Another feature, Bill Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's local and/or general exchange service tariffs.

(C) Transmission Performance

FGB is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

(D) Testing Capabilities

FGB is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type)

CANCELLED

NOV 7 1993  
BY Lot R.S. #184  
Public Service Commission  
MISSOURI

NOV 7 1992

MISSOURI PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 1, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(D) Testing Capabilities (Cont'd)

test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding, which are included with the installation of service, Additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing and Non-Scheduled Testing are available as set forth in 13.3.5 following.

6.2.3 Feature Group C (FGC)

(A) Description

- (1) FGC is available in all end offices for LEC to LEC traffic. FGC is provided at all Telephone Company end office switches on a direct trunk basis or via Telephone Company designated access tandem switches. FGC switching is provided to the customer (i.e., providers of MTS and WATS) at an end office switch unless Feature Group D end office switching is provided in the same office. When FGD is available, FGC will be discontinued for Interexchange Carriers (ICs).
- (2) FGC is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start-pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no start-pulsing signals are provided.
- (3) FGC is provided with multifrequency address signaling.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007



SPRINT MISSOURI, INC.  
d/b/a SPRINT

Second Revised Page 185  
Cancels First Revised Page 185  
**Missouri Public  
Service Commission**

ACCESS SERVICE

REC'D MAY 03 2000

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(D) Testing Capabilities (Cont'd)

test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding, which are included with the installation of service, Additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing and Non-Scheduled Testing are available as set forth in 13.3.5 following.

6.2.3 Feature Group C (FGC)

(A) Description

- (1) FGC is available in all end offices for LEC to LEC traffic. FGC is provided at all Telephone Company end office switches on a direct trunk basis or via Telephone Company designated access tandem switches. FGC switching is provided to the customer (i.e., providers of MTS and WATS) at an end office switch unless Feature Group D end office switching is provided in the same office. When FGD is available, FGC will be discontinued for Interexchange Carriers (ICs).
- (2) FGC is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start-pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no start-pulsing signals are provided.
- (3) FGC is provided with multifrequency address signaling.

(D)

(D)

**Missouri Public  
Service Commission**

FILED JUN 02 2000

ISSUED:  
May 3, 2000

Richard D. Lawson  
State Executive, External Affairs

EFFECTIVE:  
June 2, 2000

SPRINT MISSOURI, INC.  
d/b/a SPRINT

First Revised Page 185  
Cancels Original Page 185

Missouri Public  
Service Commission

ACCESS SERVICE

REC'D FEB 09 2000

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(D) Testing Capabilities (Cont'd)

test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding, which are included with the installation of service, Additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing and Non-Scheduled Testing are available as set forth in 13.3.5 following.

6.2.3 Feature Group C (FGC)

(A) Description

- (1) FGC is available in all end offices for LEC to LEC traffic. FGC is provided at all Telephone Company end office switches on a direct trunk basis or via Telephone Company designated access tandem switches. FGC switching is provided to the customer (i.e., providers of MTS and WATS) at an end office switch unless Feature Group D end office switching is provided in the same office. When FGD is available, FGC will be discontinued for Interexchange Carriers (ICs). (C)
- (2) FGC is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start-pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no start-pulsing signals are provided. (C)
- (3) FGC is provided with multifrequency address signaling except in certain electromechanical end office switches where multifrequency signaling is not available. In

**CANCELLED**

JUN 02 2000

By *2nd RP 185*  
Public Service Commission  
MISSOURI

Missouri Public  
Service Commission

ISSUED:  
February 9, 2000

Richard D. Lawson  
State Executive, External Affairs

FILED MAR 10 2000

EFFECTIVE:  
March 10, 2000

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 185

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
Public Service Commission

6.2.2 Feature Group B (FGB) (Cont'd)

(D) Testing Capabilities (Cont'd)

test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding, which are included with the installation of service, Additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing and Non-Scheduled Testing are available as set forth in 13.3.5 following.

6.2.3 Feature Group C (FGC)

(A) Description

- (1) FGC is provided at all Telephone Company end office switches on a direct trunk basis or via Telephone Company designated access tandem switches. FGC switching is provided to the customer (i.e., providers of MTS and WATS) at an end office switch unless Feature Group D end office switching is provided in the same office. When FGD switching is available, FGC switching will not be provided.
- (2) FGC is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start-pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no start-pulsing signals are provided.
- (3) FGC is provided with multifrequency address signaling except in certain electromechanical end office switches where multifrequency signaling is not available. In

CANCELLED

MAR 10 2000  
1st RPI 85

By  
Public Service Commission  
MISSOURI

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:

~~October 17, 1992~~

NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.3 Feature Group C (FGC) (Cont'd)

(A) Description (Cont'd)

(3) (Cont'd)

Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the Switched Access Service terminates. Such called party number signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

(4) No access code is required for FGC switching. The telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, and 0 or 1 + NPA + NXX-XXXX.

(5) FGC switching, when used in the terminating direction, may be used to access valid NXXs in the local calling area, time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

First Revised Page 186  
Cancels Original page 186

**Missouri Public  
Service Commission**

ACCESS SERVICE

REC'D MAY 03 2000

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature  
Groups (Cont'd)

6.2.3 Feature Group C (FGC) (Cont'd)

(A) Description (Cont'd)

(3) (Cont'd)

(D)  
|  
(D)

Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the Switched Access Service terminates. Such called party number signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

(4) No access code is required for FGC switching. The telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, and 0 or 1 + NPA + NXX-XXXX.

(5) FGC switching, when used in the terminating direction, may be used to access valid NXXs in the local calling area, time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes

**Missouri Public  
Service Commission**

FILED JUN 02 2000

ISSUED:  
May 3, 2000

Richard D. Lawson  
State Executive, External Affairs

EFFECTIVE:  
June 2, 2000

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 186

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd) MISSOURI Public Service Commission

6.2.3 Feature Group C (FGC) (Cont'd)

(A) Description (Cont'd)

(3) (Cont'd)

such switches address signaling will be dial pulse, revertive pulse, immediate dial pulse or panel call indicator signaling, whichever is available. Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the Switched Access Service terminates. Such called party number signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

(4) No access code is required for FGC switching. The telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, and 0 or 1 + NPA + NXX-XXXX.

(5) FGC switching, when used in the terminating direction, may be used to access valid NXXs in the local calling area, time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes

CANCELLED

JUN 02 2000

By 1st RP 186  
Public Service Commission  
MISSOURI

RECEIVED

NOV 7 1992

MO. PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 14, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.3 Feature Group C (FGC) (Cont'd)

(A) Description (Cont'd)

(5) (Cont'd)

served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capabilities exist, the customer will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from a FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes 611 and 911, and 101XXXX access codes. Calls will be (completed to Directory Assistance (NPA-555-1212 and 555-1212) when FGC switching is combined with Directory Assistance switching. The combination of FGC Switched Access Service with DA Service is provided as set forth in 9. following. FGC may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

(6) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGC switching is provided. When required for technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

ACCESS SERVICE

6. Switched Access Service (Cont'd)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

JUL 02 1998

6.2.3 Feature Group C (FGC) (Cont'd)

(A) Description (Cont'd)

MO. PUBLIC SERVICE COMM

(5) (Cont'd)

served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capabilities exist, the customer will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from a FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes 611 and 911, and 101XXXX access codes. Calls will be (completed to Directory Assistance (NPA-555-1212 and 555-1212) when FGC switching is combined with Directory Assistance switching. The combination of FGC Switched Access Service with DA Service is provided as set forth in 9. following. FGC may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

(CT)

(6) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGC switching is provided. When required for technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

FILED

AUG 03 1998

MISSOURI  
Public Service Commission

ISSUED:  
July 2, 1998

BY: Richard Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE :  
August 3, 1998

Cancelled  
April 30, 2007  
Missouri Public  
Service Commission



ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

JUN 5 1995

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.3 Feature Group C (FGC) (Cont'd)

(A) Description (Cont'd)

(5) (Cont'd)

served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capabilities exist, the customer will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from a FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes 611 and 911, and 10XXX or 101XXXX access codes. Calls will be (C)  
(completed to Directory Assistance (NPA-555-1212 and 555-1212) when FGC switching is combined with Directory Assistance switching. The combination of FGC Switched Access Service with DA Service is provided as set forth in 9. following. FGC may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

(6) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGC switching is provided. When required for technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

CANCELLED

AUG 03 1998  
By *2nd RS #187*  
Public Service Commission  
MISSOURI

FILED

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~July 5, 1995~~  
JUL 15 1995

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 187  
**RECEIVED**

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

**CANCELLED**

6.2.3 Feature Group C (FGC) (Cont'd)

(A) Description (Cont'd)

JUL 15 1995

(5) (Cont'd)

BY John L. Roe #187

Public Service Commission

MISSOURI

served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Where measurement capabilities exist, the customer will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from a FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes 611 and 911, and 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 and 555-1212) when FGC switching is combined with Directory Assistance switching. The combination of FGC Switched Access Service with DA Service is provided as set forth in 9. following. FGC may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

- (6) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGC switching is provided. When required for technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

~~CONFIDENTIAL~~

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.3 Feature Group C (FGC) (Cont'd)

(B) Optional Features (where equipment is available)

(1) Common Switching Optional Features

- (a) Automatic Number Identification (ANI)
- (b) Service Class Routing
- (c) Dial Pulse Address Signaling
- (d) Revertive Pulse Address Signaling
- (e) Delay Dial Start-Pulsing Signaling
- (f) Immediate Dial Pulse Address Signaling
- (g) Panel Call Indicator Address Signaling
- (h) Alternate Traffic Routing
- (i) Trunk Access Limitation
- (j) End Office End User Line Service Screening for Use with WATS Access Line Service
- (k) Hunt Group Arrangement for Use with WATS Access Line Service
- (l) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (m) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (n) Band Advance Arrangement for Use with WATS Access Line Service.
- (o) Operator Trunks - i.e., Pay Telephone. Pay Telephone Trunks are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.)

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

JAN 15 1997

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
Public Service Commission

6.2.3 Feature Group C (FGC) (Cont'd)

(B) Optional Features (where equipment is available)

(1) Common Switching Optional Features

- (a) Automatic Number Identification (ANI)
- (b) Service Class Routing
- (c) Dial Pulse Address Signaling
- (d) Revertive Pulse Address Signaling
- (e) Delay Dial Start-Pulsing Signaling
- (f) Immediate Dial Pulse Address Signaling
- (g) Panel Call Indicator Address Signaling
- (h) Alternate Traffic Routing
- (i) Trunk Access Limitation
- (j) End Office End User Line Service Screening for Use with WATS Access Line Service
- (k) Hunt Group Arrangement for Use with WATS Access Line Service
- (l) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (m) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (n) Band Advance Arrangement for Use with WATS Access Line Service.
- (o) Operator Trunks - i.e., Pay Telephone. Pay Telephone Trunks are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.) (T)

FILED

APR 15 1997

ISSUED:  
January 15, 1997

BY: John L. Roe  
VP - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

MO. PERSPECTIVE (REG. COMM.)  
APR 15 1997

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

NOV 2 1993

6.2.3 Feature Group C (FGC) (Cont'd)

MO. PUBLIC SERVICE COMM.

(B) Optional Features (where equipment is available)

(1) Local Switching Optional Features

- (a) Automatic Number Identification (ANI)
- (b) Service Class Routing
- (c) Dial Pulse Address Signaling
- (d) Revertive Pulse Address Signaling
- (e) Delay Dial Start-Pulsing Signaling
- (f) Immediate Dial Pulse Address Signaling
- (g) Panel Call Indicator Address Signaling
- (h) Alternate Traffic Routing
- (i) Trunk Access Limitation
- (j) End Office End User Line Service Screening for Use with WATS Access Line Service
- (k) Hunt Group Arrangement for Use with WATS Access Line Service
- (l) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (m) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (n) Band Advance Arrangement for Use with WATS Access Line Service.
- (o) Operator Trunks - i.e., Coin, Non-Coin and Combined Coin and Non-Coin. (Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.)

(D)  
(T)

CANCELLED

APR 15 1997  
BY 2- R.S. #188  
Public Service Commission  
MISSOURI

FILED

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 188  
**RECEIVED**  
SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.3 Feature Group C (FGC) (Cont'd)

(B) Optional Features (where equipment is available)

(1) Common Switching Optional Features

- (a) Automatic Number Identification (ANI)
- (b) Service Class Routing
- (c) Dial Pulse Address Signaling
- (d) Revertive Pulse Address Signaling
- (e) Delay Dial Start-Pulsing Signaling
- (f) Immediate Dial Pulse Address Signaling
- (g) Panel Call Indicator Address Signaling
- (h) Alternate Traffic Routing
- (i) Trunk Access Limitation
- (j) End Office End User Line Service Screening for Use with WATS Access Line Service
- (1) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (m) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (n) Band Advance Arrangement for Use with WATS Access Line Service.

**CANCELLED**

NOV 7 1993  
BY *Let R.S. #188*  
Public Service Commission  
MISSOURI

(2) Transport Termination Optional Features (where equipment is available)

- (a) Operator Trunks - i.e., Coin, Non-Coin and Combined Coin and Non-Coin. (Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.)

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

**EFFECTIVE:**  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.3 Feature Group C (FGC) (Cont'd)

(B) Optional Features (where equipment is available) (Cont'd)

(2) Local Transport Optional Features

(a) Supervisory signaling (as set forth in 6.1.3(B)(3)(a) preceding).

(C) Transmission Specifications

FGC is provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2, 6 and 9, whether routed directly to an end office or to an access tandem.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Third Revised Page 189  
Cancels Second Revised Page 189

ACCESS SERVICE

Missouri Public

6. Switched Access Service (Cont'd)

REC'D JAN 07 2002

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

Service Commission

6.2.3 Feature Group C (FGC) (Cont'd)

(B) Optional Features (where equipment is available) (Cont'd)

(2) Local Transport Optional Features

(a) Supervisory signaling (as set forth in 6.1.3(B)(3)(a) preceding).

(C) Transmission Specifications

FGC is provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2, **6 and 9**, whether routed directly to an end office or to an access tandem.

(T)

Missouri Public

FILED FEB 07 2002

Service Commission

ISSUED:  
January 7, 2002

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
February 7, 2002



SPRINT MISSOURI, INC.  
d/b/a SPRINT

Second Revised Page 189  
Cancels First Revised Page 189

**Missouri Public  
Service Commission**

ACCESS SERVICE

REC'D MAY 03 2000

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.3 Feature Group C (FGC) (Cont'd)

(B) Optional Features (where equipment is available)  
(Cont'd)

(2) Local Transport Optional Features

(a) Supervisory signaling (as set forth in 6.1.3(B) (3) (a) preceding).

(C) Transmission Specifications

FGC is provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 9, whether routed directly to an end office or to an access tandem.

(T)

**CANCELLED**

FEB 07 2002

1,34 RP 189  
**Public Service Commission  
MISSOURI**

**Missouri Public  
Service Commission**

FILED JUN 02 2000

ISSUED:  
May 3, 2000

Richard D. Lawson  
State Executive, External Affairs

EFFECTIVE:  
June 2, 2000

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd) NOV 2 1993

6.2.3 Feature Group C (FGC) (Cont'd) MO. PUBLIC SERVICE COMM.

(B) Optional Features (where equipment is available)  
(Cont'd)

(2) Local Transport Optional Features (7)

(a) Supervisory signaling (as set forth in 6.1.3(B)(3)(a) preceding).

(C) Transmission Specifications

FGC is provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

**CANCELLED**

JUN 02 2000

By *2nd RP 189*  
Public Service Commission  
MISSOURI

**FILED**

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 189

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
Public Service Commission

6.2.3 Feature Group C (FGC) (Cont'd)

(B) Optional Features (where equipment is available)  
(Cont'd)

(3) Local Transport Optional Features

(a) Supervisory signaling (as set forth in  
6.1.3(B)(3)(a) preceding).

(C) Transmission Specifications

FGC is provided with either Type B or Type C  
Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

CANCELLED

NOV 7 1993  
BY Let R.S. #189  
Public Service Commission  
MISSOURI

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 2, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.3 Feature Group C (FGC) (Cont'd)

(C) Transmission Performance (Cont'd)

Type DB Data Transmission Parameters are provided with FGC for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office when routed via an access tandem.

(D) Testing Capabilities

FGC is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing or Manual Scheduled Testing, and Nonscheduled Testing are available as set forth in 13.3.5 following for FGC.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 190

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
Service Commission

6.2.3 Feature Group C (FGC) (Cont'd)

(C) Transmission Performance (Cont'd)

Type DB Data Transmission Parameters are provided with FGC for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office when routed via an access tandem.

(D) Testing Capabilities

FGC is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing or Manual Scheduled Testing, and Nonscheduled Testing are available as set forth in 13.3.5 following for FGC.

NOV 17 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD)

(A) Description

- (1) FGD is provided at Telephone Company designated electronic end office switches whether routed directly or via Telephone Company designated electronic access tandem switches.
- (2) FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
- (3) FGD switching is provided with multifrequency address signaling. Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
- (4) FGD switching, when used in the terminating direction, may be used to access valid NXXs in the local exchange, time or weather announcement services of the Telephone Company, community information services of an information service provider, and other customers' services (by dialing the appropriate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The customer will also be billed additional non-access charges for calls to certain

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 191

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD)

(A) Description

- (1) FGD is provided at Telephone Company designated electronic end office switches whether routed directly or via Telephone Company designated electronic access tandem switches.
- (2) FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
- (3) FGD switching is provided with multifrequency address signaling. Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
- (4) FGD switching, when used in the terminating direction, may be used to access valid NXXs in the local exchange, time or weather announcement services of the Telephone Company, community information services of an information service provider, and other customers' services (by dialing the appropriate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The customer will also be billed additional non-access charges for calls to certain

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(A) Description (Cont'd)

(4) (Cont'd)

community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes 611 and 911 or 101XXXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 and 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in 9. following. FGD may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

(5) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(6) The access code for FGD switching is a uniform access code of the form 101XXXX. These uniform access codes will be the assigned access numbers of all FGD access

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007



ACCESS SERVICE

6. Switched Access Service (Cont'd)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

JUL 03 1998

6.2.4 Feature Group D (FGD) (Cont'd)

MO. PUBLIC SERVICE COMM

(A) Description (Cont'd)

(4) (Cont'd)

community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes 611 and 911 or 101XXXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 and 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in 9. following. FGD may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

(CT)

(5) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(6) The access code for FGD switching is a uniform access code of the form 101XXXX. These uniform access codes will be the assigned access numbers of all FGD access

(CT)

FILED

AUG 03 1998

MISSOURI  
Public Service Commission

ISSUED:  
July 2, 1998

BY: Richard Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE :  
August 3, 1998

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

RECEIVED

6.2.4 Feature Group D (FGD) (Cont'd)

JUN 5 1995

(A) Description (Cont'd)

(4) (Cont'd)

MO. PUBLIC SERVICE COMM.

community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes 611 and 911 and 10XXX or 101XXXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 and 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in 9. following. FGD may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

(C)

(5) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(6) The access code for FGD switching is a uniform access code of the form 10XXX or 101XXXX. These uniform access codes will be the assigned access numbers of all FGD access

(C)

CANCELLED

AUG 03 1998  
L. J. Anderson #192  
Public Service Commission  
MISSOURI

FILED

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~June 5, 1995~~  
JUL 15 1995

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 192

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI

Public Service Commission

CANCELLED

6.2.4 Feature Group D (FGD) (Cont'd)

(A) Description (Cont'd)

(4) (Cont'd)

community information services, exchange service rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes 611 and 911 and 10XXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 and 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in 9. following. FGD may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

JUL 15 1995

BY 1st R.S. #792

Public Service Commission  
MISSOURI

- (5) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- (6) The access code for FGD switching is a uniform access code of the form 10XXX. These uniform access codes will be the assigned access numbers of all FGD access

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(A) Description (Cont'd)

(6) (Cont'd)

provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer as set forth in 13. following.

Where no access code is required, the number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). The form of the numbers dialed by the customer's end user is NXX-XXXX, or 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.

When the 101XXXX access code is used, FGD switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or at the customer's option, the end-of-dialing digit (#) for cut-through access to the customer's premises.

- (7) FGD switching will be arranged to accept calls from telephone exchange service locations without the need for dialing the 101XXXX uniform access code. Each telephone exchange service line may be marked with a presubscription code to identify which 101XXXX code its calls will be directed to for interLATA and intraLATA service. Presubscription codes are applied as set forth in 13. following.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

ACCESS SERVICE

6. Switched Access Service (Cont'd)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

JUL 03 1998

6.2.4 Feature Group D (FGD) (Cont'd)

MO. PUBLIC SERVICE COMM

(A) Description (Cont'd)

(6) (Cont'd)

provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer as set forth in 13. following.

Where no access code is required, the number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). The form of the numbers dialed by the customer's end user is NXX-XXXX, or 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.

When the 101XXXX access code is used, FGD switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or at the customer's option, the end-of-dialing digit (#) for cut-through access to the customer's premises. (CT)

(7) FGD switching will be arranged to accept calls from telephone exchange service locations without the need for dialing the 101XXXX uniform access code. Each telephone exchange service line may be marked with a presubscription code to identify which 101XXXX code its calls will be directed to for interLATA and intraLATA service. Presubscription codes are applied as set forth in 13. following. (CT)

FILED

AUG 03 1998

MISSOURI  
Public Service Commission

ISSUED:  
July 2, 1998

BY: Richard Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE :  
August 3, 1998

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service  
Feature Groups (Cont'd)

RECEIVED

6.2.4 Feature Group D (FGD) (Cont'd)

MAY 29 1997

(A) Description (Cont'd)

MISSOURI

(6) (Cont'd)

Public Service Commission

provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer as set forth in 13. following.

Where no access code is required, the number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). The form of the numbers dialed by the customer's end user is NXX-XXXX, or 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.

When the 10XXX or 101XXXX access code is used, FGD switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or at the customer's option, the end-of-dialing digit (#) for cut-through access to the customer's premises.

(7) FGD switching will be arranged to accept calls from telephone exchange service locations without the need for dialing the 10XXX or 101XXXX uniform access code. Each telephone exchange service line may be marked with a presubscription code to identify which 10XXX or 101XXXX code its calls will be directed to for interLATA and intraLATA service. Presubscription codes are applied as set forth in 13. following.

(C)

CANCELLED

AUG 03 1998  
By 3rd RS #193  
Public Service Commission  
MISSOURI

FILED

JUN 30 1997  
97-253  
MO. PUBLIC SERVICE COMMISSION

ISSUED:  
May 29, 1997

BY: John L. Roe  
VP - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
June 30, 1997

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

JUN 5 1995

6.2.4 Feature Group D (FGD) (Cont'd)

MO. PUBLIC SERVICE COMM.

(A) Description (Cont'd)

(6) (Cont'd)

provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer as set forth in 13. following.

Where no access code is required, the number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). The form of the numbers dialed by the customer's end user is NXX-XXXX, or 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.

When the 10XXX or 101XXXX access code is used, FGD switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or at the customer's option, the end-of-dialing digit (#) for cut-through access to the customer's premises. (C)

(7) FGD switching will be arranged to accept calls from telephone exchange service locations without the need for dialing the 10XXX or 101XXXX uniform access code. Each telephone exchange service line may be marked with a presubscription code to identify which 10XXX or 101XXXX code its calls will be directed to for interLATA service. Presubscription codes are applied as set forth in 13. following. (C) (C) (C) (C)

CANCELLED

JUN 30 1997  
By 2nd P.S. #193  
Public Service Commission  
MISSOURI

FILED

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~July 15, 1995~~  
JUL 15 1995

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 193

RECEIVED

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI

Public Service Commission

6.2.4 Feature Group D (FGD) (Cont'd)

(A) Description (Cont'd)

(6) (Cont'd)

JUL 15 1995  
BY L.A.R.S. #193  
Public Service Commission  
MISSOURI

provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer as set forth in 13. following.

Where no access code is required, the number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). The form of the numbers dialed by the customer's end user is NXX-XXXX, or 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX.

When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or at the customer's option, the end-of-dialing digit (#) for cut-through access to the customer's premises.

- (7) FGD switching will be arranged to accept calls from telephone exchange service locations without the need for dialing the 10XXX uniform access code. Each telephone exchange service line may be marked with a presubscription code to identify which 10XXX code its calls will be directed to for interLATA service. Presubscription codes are applied as set forth in 13. following.

FILED

NOV 7 1992

CLERK OF PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~September 17, 1992~~  
NOV 7 1992



ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(A) Description (Cont'd)

- (8) When a customer has had FGB access in an end office and subsequently replaces the FGB access with FGD access, at the mutual agreement of the customer and the Telephone Company, the Telephone Company will, for a limited period of time, direct calls dialed by the customer's end users using the customer's previous FGB access code to the customer's FGD access service. The customer must be prepared to handle normally dialed FGD calls as well as calls dialed with the FGB access code which requires the customer to receive additional address signaling from the end user. Such calls will be rated as FGD.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

UNITED TELEPHONE COMPANY  
OF MISSOURI

RECEIVED  
Original Page 194

SEP 17 1992

ACCESS SERVICE

MISSOURI  
Public Service Commission

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(A) Description (Cont'd)

- (8) When a customer has had FGB access in an end office and subsequently replaces the FGB access with FGD access, at the mutual agreement of the customer and the Telephone Company, the Telephone Company will, for a limited period of time, direct calls dialed by the customer's end users using the customer's previous FGB access code to the customer's FGD access service. The customer must be prepared to handle normally dialed FGD calls as well as calls dialed with the FGB access code which requires the customer to receive additional address signaling from the end user. Such calls will be rated as FGD.

NOV 17 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(B) Optional Features (where equipment is available)

(1) Local Switching Optional Features

- (a) Automatic Number Identification (ANI)
- (b) Service Class Routing
- (c) Alternate Traffic Routing
- (d) Call Gapping Arrangement
- (e) Trunk Access Limitation
- (f) International Carrier Option
- (g) End Office End User Line Service Screening for Use with WATS Access Line Service
- (h) Hunt Group Arrangement for Use with WATS Access Line Service
- (i) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (j) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (k) Band Advance Arrangement for Use with WATS Access Line Service
- (l) Cut-Through
- (m) Flexible Automatic Number Identification (Flex ANI)
- (n) Operator Trunk, Full Feature Arrangement
- (o) Feature Group D With 950 Access
- (p) Switched 64 Clear Channel Capability
- (q) Multifrequency Address Signaling

(2) Local Transport Optional Features (where equipment is available)

- (a) Supervisory Signaling (as set forth in 6.1.3(B)(3)(a) preceding)
- (b) Improved Return Loss
- (c) Data Transmission Parameters
- (d) Provision of Other Than Telephone Company Selected Traffic Routing
- (e) Customer Specification of Feature Group Directionality

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Fourth Revised Page 195  
Cancels Third Revised Page 195

ACCESS SERVICE

Missouri Public  
Service Commission

6. Switched Access Service (Cont'd)

REC'D NOV 29 2000

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(B) Optional Features (where equipment is available)

(1) Local Switching Optional Features

- (a) Automatic Number Identification (ANI)
- (b) Service Class Routing
- (c) Alternate Traffic Routing
- (d) Call Gapping Arrangement
- (e) Trunk Access Limitation
- (f) International Carrier Option
- (g) End Office End User Line Service Screening for Use with WATS Access Line Service
- (h) Hunt Group Arrangement for Use with WATS Access Line Service
- (i) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (j) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (k) Band Advance Arrangement for Use with WATS Access Line Service
- (l) Cut-Through
- (m) Flexible Automatic Number Identification (Flex ANI)
- (n) Operator Trunk, Full Feature Arrangement
- (o) Feature Group D With 950 Access
- (p) Switched 64 Clear Channel Capability (N)**
- (q) Multifrequency Address Signaling (N)**

(2) Local Transport Optional Features (where equipment is available)

- (a) Supervisory Signaling (as set forth in 6.1.3(B)(3)(a) preceding)
- (b) Improved Return Loss (N)**
- (c) Data Transmission Parameters**
- (d) Provision of Other Than Telephone Company Selected Traffic Routing**
- (e) Customer Specification of Feature Group Directionality (N)**

ISSUED:  
November 29, 2000

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
December 29, 2000  
Missouri Public  
Service Commission

FILED DEC 29 2000

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service ~~June 5, 1995~~  
Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

MO. PUBLIC SERVICE COMM.

(B) Optional Features (where equipment is available)

(1) Local Switching Optional Features

- (a) Automatic Number Identification (ANI)
- (b) Service Class Routing
- (c) Alternate Traffic Routing
- (d) Call Gapping Arrangement
- (e) Trunk Access Limitation
- (f) International Carrier Option
- (g) End Office End User Line Service Screening for Use with WATS Access Line Service
- (h) Hunt Group Arrangement for Use with WATS Access Line Service
- (i) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (j) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (k) Band Advance Arrangement for Use with WATS Access Line Service
- (l) Cut-Through
- (m) Flexible Automatic Number Identification (Flex ANI)

(n) Operator Trunk, Full Feature Arrangement

(o) Feature Group D With 950 Access

(N)

(2) Local Transport Optional Features (where equipment is available)

- (a) Supervisory Signaling (as set forth in 6.1.3(B)(3)(a) preceding)

CANCELLED

FILED

DEC 29 2000

By 4th RP 195  
Public Service Commission  
MISSOURI

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~June 5, 1995~~

JUL 15 1995

UNITED TELEPHONE COMPANY  
OF MISSOURI

Second Revised Page 195  
Cancels First Revised page 195

RECEIVED

ACCESS SERVICE

NOV 2 1993

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.4 Feature Group D (FGD) (Cont'd)

CANCELLED

(B) Optional Features (where equipment is available) <sup>15 1995</sup>

(1) Local Switching Optional Features <sup>BY 3rd R.S. 195</sup>

- (a) Automatic Number Identification (ANI)
- (b) Service Class Routing
- (c) Alternate Traffic Routing
- (d) Call Gapping Arrangement
- (e) Trunk Access Limitation
- (f) International Carrier Option
- (g) End Office End User Line Service Screening for Use with WATS Access Line Service
- (h) Hunt Group Arrangement for Use with WATS Access Line Service
- (i) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (j) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (k) Band Advance Arrangement for Use with WATS Access Line Service
- (l) Cut-Through
- (m) Flexible Automatic Number Identification (Flex ANI)

Public Service Commission  
MISSOURI

(D)

(n) Operator Trunk, Full Feature Arrangement

(T)

(2) Local Transport Optional Features (where equipment is available)

(T)

- (a) Supervisory Signaling (as set forth in 6.1.3(B)(3)(a) preceding)

FILED

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President-Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

RECEIVED  
MAR 31 1993

MO. PUBLIC SERVICE COMM.

(B) Optional Features (where equipment is available)

(1) Common Switching Optional Features

- (a) Automatic Number Identification (ANI)
- (b) Service Class Routing
- (c) Alternate Traffic Routing
- (d) Call Gapping Arrangement
- (e) Trunk Access Limitation
- (f) International Carrier Option
- (g) End Office End User Line Service Screening for Use with WATS Access Line Service
- (h) Hunt Group Arrangement for Use with WATS Access Line Service
- (i) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (j) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (k) Band Advance Arrangement for Use with WATS Access Line Service
- (l) Cut-Through
- (m) Flexible Automatic Number Identification (Flex ANI) (N)

(2) Transport Termination Optional Features (where equipment is available)

- (a) Operator Trunk, Full Feature Arrangement

(3) Local Transport Optional Features (where equipment is available)

- (a) Supervisory Signaling (as set forth in 6.1.3(B)(3)(a) preceding)

CANCELLED

NOV 7 1993  
BY 2nd R.S. #195  
Public Service Commission  
MISSOURI

MAY 01 1993

MO. PUBLIC SERVICE COMM.

ISSUED:  
March 31, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
May 1, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 195  
**RECEIVED**

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(B) Optional Features (where equipment is available)

**CANCELLED**

(1) Common Switching Optional Features

- (a) Automatic Number Identification
- (b) Service Class Routing
- (c) Alternate Traffic Routing
- (d) Call Gapping Arrangement
- (e) Trunk Access Limitation
- (f) International Carrier Option
- (g) End Office End User Line Service Screening for Use with WATS Access Line Service
- (h) Hunt Group Arrangement for Use with WATS Access Line Service
- (i) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (j) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
- (k) Band Advance Arrangement for Use with WATS Access Line Service
- (l) Cut-Through

MAY 1 1993  
BY: lat R.S. #195  
Public Service Commission  
MISSOURI

(2) Transport Termination Optional Features (where equipment is available)

- (a) Operator Trunk, Full Feature Arrangement

(3) Local Transport Optional Features (where equipment is available)

- (a) Supervisory Signaling (as set forth in 6.1.3(B)(3)(a) preceding)

**FILED**

NOV 7 1992

REG. FILING & RECORDS

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 27, 1992~~  
NOV 7 1992



ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(C) Transmission Specifications

FGD is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or C is provided.
- When routed to an access tandem only Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2, 6 and 9.

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the customer's premises and the end office when directly routed to the end office.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Second Revised Page 196  
Cancels First Revised Page 196

ACCESS SERVICE

Missouri Public

6. Switched Access Service (Cont'd)

REC'D JAN 07 2002

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

Service Commission

6.2.4 Feature Group D (FGD) (Cont'd)

(C) Transmission Specifications

FGD is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or C is provided.
- When routed to an access tandem only Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2, **6 and 9**.

(T)

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the customer's premises and the end office when directly routed to the end office.

Missouri Public

FILED FEB 07 2002

Service Commission

ISSUED:  
January 7, 2002

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
February 7, 2002

SPRINT MISSOURI, INC.  
d/b/a SPRINT

First Revised Page 196  
Cancels Original Page 196

**Missouri Public  
Service Commission**

ACCESS SERVICE

REC'D MAY 03 2000

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature  
Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(C) Transmission Specifications

FGD is provided with either Type A, Type B or Type C  
Transmission Specifications as follows:

- When routed directly to the end office either  
Type B or C is provided.
- When routed to an access tandem only Type A is  
provided.
- Type A is provided on the transmission path from  
the access tandem to the end office.

Type C Transmission Specifications are provided with  
Interface Group 1. Type A and Type B Transmission  
Specifications are provided with Interface Groups 2  
through 9.

(T)

Type DA Data Transmission Parameters are provided for  
the transmission path between the customer's premises  
and the access tandem and between the access tandem  
and the end office. Type DB Data Transmission  
Parameters are provided with FGD for the transmission  
path between the customer's premises and the end  
office when directly routed to the end office.

**CANCELLED**

FEB 07 2002

2nd RP 196  
Public Service Commission  
MISSOURI

**Missouri Public  
Service Commission**

FILED JUN 02 2000

ISSUED:  
May 3, 2000

Richard D. Lawson  
State Executive, External Affairs

EFFECTIVE:  
June 2, 2000

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 196  
**RECEIVED**  
SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
Public Service Commission

6.2.4 Feature Group D (FGD) (Cont'd)

(C) Transmission Specifications

FGD is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or C is provided.
- When routed to an access tandem only Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2 through 10.

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the customer's premises and the end office when directly routed to the end office.

**CANCELLED**

JUN 02 2000

By *1st RP 196*  
Public Service Commission  
MISSOURI

**FILED**

NOV 7 1992

NO. FOR INFO ONLY

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(D) Testing Capabilities

FGD is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing, and NonScheduled Testing, are available for FGD as set forth in 13.3.5 following.

6.2.5 Miscellaneous Switched Access Services

(A) WATS Access Line Service

WATS Access Line Service combines Switched Access Service with Voice Grade Special Access Service that connects an end user premise with a WATS Serving Office. WATS Access Line Service will be provided as follows:

(1) Originating

WATS Access Line Service used for originating calling purposes is available only in conjunction with Feature Group C and D Switched Access Service.

When intrastate WATS Access Line Service is utilized for originating non-joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 197

SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(D) Testing Capabilities

FGD is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing, and NonScheduled Testing, are available for FGD as set forth in 13.3.5 following.

6.2.5 Miscellaneous Switched Access Services

(A) WATS Access Line Service

WATS Access Line Service combines Switched Access Service with Voice Grade Special Access Service that connects an end user premise with a WATS Serving Office. WATS Access Line Service will be provided as follows:

(1) Originating

WATS Access Line Service used for originating calling purposes is available only in conjunction with Feature Group C and D Switched Access Service.

When intrastate WATS Access Line Service is utilized for originating non-joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications

NOV 7 1992

ERR

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Services (Cont'd)

(A) WATS Access Line Service (Cont'd)

(1) Originating (Cont'd)

Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in this tariff will apply to such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following.

When intrastate WATS Access Line Service is utilized for originating joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunication Service tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in this tariff will apply for such originating interLATA usage. For originating WATS Access Line service, a WATS Access Line charge will apply as described in Section 7, following, and in addition, a WATS Access Line charge will apply as specified in the Wide Area Telecommunications Service Tariff.

(2) Terminating

WATS Access Line Service used for terminating calling purposes is available in conjunction with Feature Groups A, B, C and D Switched Access Service.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of non-joint provided TFC Access Service calling as described in (B), following. For this arrangement, terminating interLATA and intraLATA usage will be billed Switched Access charges as specified in this tariff. For non-joint provided TFC Access

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

RECEIVED

ACCESS SERVICE

MAR 27 1996

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
PUBLIC SERVICE COMMISSION

6.2.5 Miscellaneous Switched Access Services (Cont'd)

(A) WATS Access Line Service (Cont'd)

(1) Originating (Cont'd)

Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in this tariff will apply to such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following.

When intrastate WATS Access Line Service is utilized for originating joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunication Service tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in this tariff will apply for such originating interLATA usage. For originating WATS Access Line service, a WATS Access Line charge will apply as described in Section 7, following, and in addition, a WATS Access Line charge will apply as specified in the Wide Area Telecommunications Service Tariff.

(2) Terminating

WATS Access Line Service used for terminating calling purposes is available in conjunction with Feature Groups A, B, C and D Switched Access Service.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of non-joint provided TFC Access Service calling as described in (B), following. For this arrangement, terminating interLATA and intraLATA usage will be billed Switched Access charges as specified in this tariff. For non-joint provided TFC Access

(T)

(T)

FILED

MAR 29 1996

MISSOURI PUBLIC SERVICE COMMISSION

ISSUED:  
March 27, 1996

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 29, 1996



UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 198

ACCESS SERVICE

RECEIVED

SEP 17 1992

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
Public Service Commission

6.2.5 Miscellaneous Switched Access Services (Cont'd)

(A) WATS Access Line Service (Cont'd)

(1) Originating (Cont'd)

Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in this tariff will apply to such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following.

CANCELLED

APR 29 1996  
BY 1st R.S. # 198  
Public Service Commission  
MISSOURI

When intrastate WATS Access Line Service is utilized for originating joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunication Service tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in this tariff will apply for such originating interLATA usage. For originating WATS Access Line service, a WATS Access Line charge will apply as described in Section 7, following, and in addition, a WATS Access Line charge will apply as specified in the Wide Area Telecommunications Service Tariff.

(2) Terminating

WATS Access Line Service used for terminating calling purposes is available in conjunction with Feature Groups A, B, C and D Switched Access Service.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of non-joint provided 800 Access Service calling as described in (B), following. For this arrangement, terminating interLATA and intraLATA usage will be billed Switched Access charges as specified in this tariff. For non-joint provided 800 Access

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

MO. PUBLIC SERVICE COMMISSION  
EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 WATS Access Line Service (Cont'd)

(A) WATS Access Line Service (Cont'd)

(2) Terminating (Cont'd)

Service which utilizes terminating WATS Access Line Service for the completion of TFC Access Service calling, a WATS Access Line charge will apply as described in Section 7, following.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of joint provided TFC Access Service calling as described in (B), following. For this arrangement, terminating interLATA usage will be billed Switched Access charges as described in this tariff. IntraLATA usage will be billed as specified in the Wide Area Telecommunications Service Tariff. For joint provided TFC Access Service which utilizes terminating WATS Access Line Service for the completion of TFC Access Service calling a WATS Access Line charge will apply as specified in Section 7, following, and in addition, a WATS Access Line charge will apply as described in the Wide Area Telecommunication Service Tariff.

Local Switching optional features for WATS Access Line Service are provided in Section 6.

WATS Access Line Service is provided with either dial pulse or dual tone multifrequency address signaling and either loop start or ground start supervisory signaling. The choice of the type of signaling is at the option of the customer.

A description of WATS Access Line Service provided in 7.2.11 following.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

RECEIVED

ACCESS SERVICE

MAR 27 1996

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
Public Service Commission

6.2.5 WATS Access Line Service (Cont'd)

(A) WATS Access Line Service (Cont'd)

(2) Terminating (Cont'd)

Service which utilizes terminating WATS Access Line Service for the completion of TFC Access Service calling, a WATS Access Line charge will apply as described in Section 7, following. (T)

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of joint provided TFC Access Service calling as described in (B), following. For this arrangement, terminating interLATA usage will be billed Switched Access charges as described in this tariff. IntraLATA usage will be billed as specified in the Wide Area Telecommunications Service Tariff. (T)

For joint provided TFC Access Service which utilizes terminating WATS Access Line Service for the completion of TFC Access Service calling a WATS Access Line charge will apply as specified in Section 7, following, and in addition, a WATS Access Line charge will apply as described in the Wide Area Telecommunication Service Tariff. (T)

Local Switching optional features for WATS Access Line Service are provided in Section 6.

WATS Access Line Service is provided with either dial pulse or dual tone multifrequency address signaling and either loop start or ground start supervisory signaling. The choice of the type of signaling is at the option of the customer.

A description of WATS Access Line Service provided in 7.2.11 following.

FILED

APR 29 1996

MISSOURI PUBLIC SERVICE COMMISSION

ISSUED:  
March 27, 1996

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 29, 1996

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

RECEIVED

6.2.5 Miscellaneous Switched Access Service (Cont'd)

NOV 2 1993

(A) WATS Access Line Service (Cont'd)

(2) Terminating (Cont'd)

MO. PUBLIC SERVICE COMM.

Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling, a WATS Access Line charge will apply as described in Section 7, following.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of joint provided 800 Access Service calling as described in (B), following. For this arrangement, terminating interLATA usage will be billed Switched Access charges as described in this tariff. IntraLATA usage will be billed as specified in the Wide Area Telecommunications Service Tariff. For joint provided 800 Access Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling a WATS Access Line charge will apply as specified in Section 7, following, and in addition, a WATS Access Line charge will apply as described in the Wide Area Telecommunication Service Tariff.

Local Switching optional features for WATS Access Line Service are provided in Section 6. (T)

WATS Access Line Service is provided with either dial pulse or dual tone multifrequency address signaling and either loop start or ground start supervisory signaling. The choice of the type of signaling is at the option of the customer.

A description of WATS Access Line Service provided in 7.2.11 following.

CANCELLED

APR 29 1995  
BY 3rd R.S. #179  
Public Service Commission  
MISSOURI

FILED

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(A) WATS Access Line Service (Cont'd)

(2) Terminating (Cont'd)

Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling, a WATS Access Line charge will apply as described in Section 7, following.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of joint provided 800 Access Service calling as described in (B), following. For this arrangement, terminating interLATA usage will be billed Switched Access charges as described in this tariff. IntraLATA usage will be billed as specified in the Wide Area Telecommunications Service Tariff. For joint provided 800 Access Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling a WATS Access Line charge will apply as specified in Section 7, following, and in addition, a WATS Access Line charge will apply as described in the Wide Area Telecommunication Service Tariff.

Common Switching optional features and Line Terminations for WATS Access Line Service are provided in Section 6.

WATS Access Line Service is provided with either dial pulse or dual tone multifrequency address signaling and either loop start or ground start supervisory signaling. The choice of the type of signaling is at the option of the customer.

A description of WATS Access Line Service provided in 7.2.11 following.

**CANCELLED**

NOV 7 1993  
BY 2nd R.S. #199  
Public Service Commission  
MISSOURI

MAY 01 1993  
MO. PUBLIC SERVICE COMM.

ISSUED:  
March 31, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
May 1, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

RECEIVED  
Originals Page 199

SEP 17 1992

ACCESS SERVICE

MISSOURI  
Public Service Commission

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 WATS Access Line Service (Cont'd)

CANCELLED

(A) WATS Access Line Service (Cont'd)

MAY 1 1993

(2) Terminating (Cont'd)

BY Let R.S. #199

Public Service Commission

MISSOURI

Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling, a WATS Access Line charge will apply as described in Section 7, following.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of joint provided 800 Access Service calling as described in (B), following. For this arrangement, terminating interLATA usage will be billed Switched Access charges as described in this tariff. IntraLATA usage will be billed as specified in the Wide Area Telecommunications Service Tariff. For joint provided 800 Access Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling a WATS Access Line charge will apply as specified in Section 7, following, and in addition, a WATS Access Line charge will apply as described in the Wide Area Telecommunication Service Tariff.

Common Switching optional features and Line Terminations for WATS Access Line Service are provided in Section 6.

WATS Access Line Service is provided with either dial pulse or dual tone multifrequency address signaling and either loop start or ground start supervisory signaling. The choice of the type of signaling is at the option of the customer.

A description of WATS Access Line Service provided in 7.2.11 following.

FILED

NOV 7 1992

MO. PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:

~~October 27, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) Toll Free Code (TFC) Access Service

(1) Description

TFC Access Service is an originating trunk side switched service that is available to the customer via TFC Access Service trunk groups, or may be provided in conjunction with FGB, FGC, or FGD. The service provides for the forwarding of end user dialed TFC calls to a Telephone Company Service Switching Point (SSP) which will initiate a TFC data base query to the Telephone Company's TFC data base to perform the customer identification function. The call is forwarded to the appropriate customer based on the dialed TFC number. The customer has the option of having the TFC dialed number (i.e., TFC-NXX-XXXX), or, if the TFC to Local Exchange Number Translation optional feature described in Section 6.2.5 is specified, a translated ten digit local exchange number (i.e., NPA-NXX-XXXX), delivered to the customer premises.

No access code is required for TFC Access Service. When the TFC call is originated by an end user, the Telephone Company will perform the TFC data base query based on the dialed digits to determine the customer location to which the call is to be routed. The TFC data base query will be performed from suitably equipped end offices or access tandems. If the call originates from an end office not equipped to perform the TFC data base query, the call will be routed to an access tandem at which the query function is available. Once customer identification has been established, the call will be routed to the customer. TFC calls may be routed to different customers based on the local access transport area in which the call originates, however, calls originating from an end office switch not included in the customer's area of service for TFC Access Service will not be completed.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

RECEIVED

ACCESS SERVICE

MAR 27 1996

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
Public Service Commission

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) Toll Free Code (TFC) Access Service

(T)

(1) Description

TFC Access Service is an originating trunk side switched service that is available to the customer via TFC Access Service trunk groups, or may be provided in conjunction with FGB, FGC, or FGD. The service provides for the forwarding of end user dialed TFC calls to a Telephone Company Service Switching Point (SSP) which will initiate a TFC data base query to the Telephone Company's TFC data base to perform the customer identification function. The call is forwarded to the appropriate customer based on the dialed TFC number. The customer has the option of having the TFC dialed number (i.e., TFC-NXX-XXXX), or, if the TFC to Local Exchange Number Translation optional feature described in Section 6.2.5 is specified, a translated ten digit local exchange number (i.e., NPA-NXX-XXXX), delivered to the customer premises.

(T)

(T)

(T)

(T)

(T)

(T)

(T)

(T)

No access code is required for TFC Access Service. When the TFC call is originated by an end user, the Telephone Company will perform the TFC data base query based on the dialed digits to determine the customer location to which the call is to be routed. The TFC data base query will be performed from suitably equipped end offices or access tandems. If the call originates from an end office not equipped to perform the TFC data base query, the call will be routed to an access tandem at which the query function is available. Once customer identification has been established, the call will be routed to the customer. TFC calls may be routed to different customers based on the local access transport area in which the call originates, however, calls originating from an end office switch not included in the customer's area of service for TFC Access Service will not be completed.

(T)

(T)

(T)

(T)

(T)

(T)

(T)

FILED

APR 29 1996

MISSOURI  
Public Service Commission

EFFECTIVE:

ISSUED:  
March 27, 1996

BY: John L. Roe

April 29, 1996

Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

Cancelled

April 30, 2007  
Missouri Public  
Service Commission



ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) 800 Access Service

(1) Description

RECEIVED

MAR 31 1993

MO. PUBLIC SERVICE COMM.

800 Access Service is an originating trunk side switched service that is available to the customer via 800 Access Service trunk groups, or may be provided in conjunction with FGB, FGC, or FGD. The service provides for the forwarding of end user dialed 800 calls to a Telephone Company Service Switching Point (SSP) which will initiate an 800 data base query to the Telephone Company's 800 data base to perform the customer identification function. The call is forwarded to the appropriate customer based on the dialed 800 number. The customer has the option of having the 800 dialed number (i.e., 800-NXX-XXXX), or, if the 800 to Local Exchange Number Translation optional feature described in Section 6.2.5 is specified, a translated ten digit local exchange number (i.e., NPA-NXX-XXXX), delivered to the customer premises.

No access code is required for 800 Access Service. When the 800 call is originated by an end user, the Telephone Company will perform the 800 data base query based on the dialed digits to determine the customer location to which the call is to be routed. The 800 data base query will be performed from suitably equipped end offices or access tandems. If the call originates from an end office not equipped to perform the 800 data base query, the call will be routed to an access tandem at which the query function is available. Once customer identification has been established, the call will be routed to the customer. 800 calls may be routed to different customers based on the local access transport area in which the call originates, however, calls originating from an end office switch not included in the customer's area of service for 800 Access Service will not be completed.

CANCELLED

APR 29 1993

MAY 01 1993

ISSUED:  
March 31, 1993

BY: John L. Rose  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

BY: *2nd RS #200*  
Public Service Commission  
MISSOURI  
PUBLIC SERVICE COMM.  
EFFECTIVE:  
May 1, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 200

RECEIVED  
SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) 800 Access Service

800 Access Service is an originating offering utilizing trunk side Switched Access Services. 800 Access Service allows the customer's end user to originate 800 calls on a one plus basis without the use of an access code. The customer will be identified from the dialed 800 telephone number.

When a customer's end user originates a 1+800+NX+XXXX call, the Telephone Company will perform the customer identification function at an 800 Access Service Screening Office to determine the customer to which the call is to be routed. The customer identification function will consist of the 800 Access Service Screening Office examining the 800 - NX digits to determine which customer should receive the call. If an 800 Access Service call originates at an office not equipped to provide the customer identification function, the call will be routed to an office where the function is available.

800 Access Service may be provided as either a joint provided or a non-joint provided service. Under the joint provided option, customers must complete 800 traffic to WATS Access Line Service, while under the non-joint provided option customers may complete their 800 traffic to WATS Access Line Service, Special Access, common lines or other facility arrangements. When WATS Access Lines are utilized for the completion of terminating 800 Access Services traffic, the customer's 800 Access Services within the State of Missouri that terminate on these WATS Access Lines, must all be all joint provided, or they must all be non-joint provided.

CANCELLED

MAY 1 1993

BY Let R.S. #200

Public Service Commission  
MISSOURI

RECEIVED

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

MO. PUBLIC SERVICE COM. EFFECTIVE:

~~October 20, 1992~~

NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) Toll Free Code (TFC) Access Service (Cont'd)

(1) Description (Cont'd)

The provision of TFC Access Service requires access to the TFC Service Management System (TFC SMS) by a Responsible Organization on behalf of the customer or through direct access by the customer to the TFC SMS. When TFC Access Service originates from an end office equipped with equal access capabilities (i.e., FGD), all such service will be provisioned in accordance with the technical characteristics available with FGD. When TFC Access Service originates from an end office not equipped with equal access, such service will be provisioned in accordance with the technical characteristics available with FGC. For FGB customers, end offices lacking equal access capability or the TFC data base query function may only be served via an access tandem over FGD trunks or TFC Access Service trunk groups. Such service will be provisioned in accordance with the characteristics available with FGC or FGD. In either case, when more than one access tandem is involved in the transport of a TFC Access Service call, standard transmission characteristics are not guaranteed.

Unless prohibited by network considerations (e.g., different dialing plans), the customer's TFC Access Service traffic may, at the option of the customer, be combined in the same trunk group arrangement with the customer's non-TFC switched access traffic except as follows. Combining TFC Access Service traffic with the customer's direct routed switched access traffic will be allowed only when the end office is equipped to perform the TFC data base query. When required by network considerations, a separate trunk group must be established for TFC Access Service.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

RECEIVED

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MAR 27 1996

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
Public Service Commission

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) Toll Free Code (TFC) Access Service (Cont'd) (T)

(1) Description (Cont'd)

The provision of TFC Access Service requires access to the TFC Service Management System (TFC SMS) by a Responsible Organization on behalf of the customer or through direct access by the customer to the TFC SMS. When TFC Access Service originates from an end office equipped with equal access capabilities (i.e., FGD), all such service will be provisioned in accordance with the technical characteristics available with FGD. When TFC Access Service originates from an end office not equipped with equal access, such service will be provisioned in accordance with the technical characteristics available with FGC. For FGB customers, end offices lacking equal access capability or the TFC data base query function may only be served via an access tandem over FGD trunks or TFC Access Service trunk groups. Such service will be provisioned in accordance with the characteristics available with FGC or FGD. In either case, when more than one access tandem is involved in the transport of a TFC Access Service call, standard transmission characteristics are not guaranteed. (T)

Unless prohibited by network considerations (e.g., different dialing plans), the customer's TFC Access Service traffic may, at the option of the customer, be combined in the same trunk group arrangement with the customer's non-TFC switched access traffic except as follows. Combining TFC Access Service traffic with the customer's direct routed switched access traffic will be allowed only when the end office is equipped to perform the TFC data base query. When required by network considerations, a separate trunk group must be established for TFC Access Service. (T)

FILED

APR 29 1996

MISSOURI PUBLIC SERVICE COMMISSION

ISSUED:  
March 27, 1996

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 29, 1996

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

RECEIVED

6.2.5 Miscellaneous Switched Access Service (Cont'd)

MAR 31 1993

(B) 800 Access Service (Cont'd)

MO. PUBLIC SERVICE COMM.

(1) Description (Cont'd)

The provision of 800 Access Service requires access to the 800 Service Management System (800 SMS) by a Responsible Organization on behalf of the customer or through direct access by the customer to the 800 SMS. When 800 Access Service originates from an end office equipped with equal access capabilities (i.e., FGD), all such service will be provisioned in accordance with the technical characteristics available with FGD. When 800 Access Service originates from an end office not equipped with equal access, such service will be provisioned in accordance with the technical characteristics available with FGC. For FGB customers, end offices lacking equal access capability or the 800 data base query function may only be served via an access tandem over FGD trunks or 800 Access Service trunk groups. Such service will be provisioned in accordance with the characteristics available with FGC or FGD. In either case, when more than one access tandem is involved in the transport of an 800 Access Service call, standard transmission characteristics are not guaranteed.

Unless prohibited by network considerations (e.g., different dialing plans), the customer's 800 Access Service traffic may, at the option of the customer, be combined in the same trunk group arrangement with the customer's non-800 switched access traffic except as follows. Combining 800 Access Service traffic with the customer's direct routed switched access traffic will be allowed only when the end office is equipped to perform the 800 data base query. When required by network considerations, a separate trunk group must be established for 800 Access Service.

CANCELLED

APR 29 1993  
BY 2nd R.S. #201  
Public Service Commission  
MISSOURI

RECEIVED

MAY 01 1993

MO. PUBLIC SERVICE COMM.

ISSUED:  
March 31, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
May 1, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 201  
**RECEIVED**

SEP 17 1992

ACCESS SERVICE

MISSOURI  
Public Service Commission

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) 800 Access Service (Cont'd)

Joint provided 800 Access Service is an offering which requires 800 traffic to complete on either intrastate WATS Access Line Service as described in (A) preceding or on interstate WATS Access Line Service which carries both interstate and intrastate 800 traffic as described in the Telephone Company's Interstate Access tariff FCC No. 5. Under joint provided 800 Access service, the Telephone Company will bill the 800 Access Service customer Switched Access rates for intrastate interLATA 800 usage, and the Telephone Company will bill the end user intrastate 800 service rates for intrastate intraLATA 800 usage as described in the Wide Area Telecommunications Service Tariff.

Non-joint provided 800 Access Service is an offering which allows 800 traffic to complete on either intrastate WATS Access Line Service as described in (A) preceding, interstate and intrastate 800 traffic as provisioned in the Telephone Company's Interstate Access tariff FCC No. 5, common lines, Special Access, or customer provided facilities. Under non-joint provided 800 Access Service, the Telephone Company will bill the 800 Access Service customer Switched Access rates for originating intrastate 800 usage.

Terminating usage and/or a line charge will be billed according to the type of facility arrangement utilized for termination and completion of the 800 Access Service call.

Unless prohibited by technical limitations (e.g., different dialing plans), originating 800 Access Service traffic may, at the option of the customer, be combined in the same Feature Group B, C or D trunk group with the customer's other Access Service traffic. However, when Feature Group D becomes available in an end office, originating 800 Access Service traffic from that end office must be provided with Feature Group D.

**CANCELLED**  
MAY 1 1993  
By let R.S. #201  
Public Service Commission  
MISSOURI

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

NOV 7 1992  
EFFECTIVE:  
~~November 7, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) Toll Free Code (TFC) Access Service (Cont'd)

(1) Description (Cont'd)

The TFC Access Service Data Base Query Charge, and the TFC Data Base Optional Service Features charge associated with various options ordered by the customer, as specified in Sections 6.1.3(D) preceding and 6.2.5(B) (3) following also apply.

(2) Technical Specifications

TFC Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type Bi is provided with Interface Groups 2, 6 and 9, whether routed directly to an end office or to an access tandem.

Telephone Company switch and customer premises interfaces and design blocking criteria for Feature Group C apply to TFC Access Service.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Third Revised Page 202  
Cancels Second Revised Page 202

Missouri Public  
Service Commission

ACCESS SERVICE

REC'D MAY 03 2000

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) Toll Free Code (TFC) Access Service (Cont'd)

(1) Description (Cont'd)

The TFC Access Service Data Base Query Charge, and the TFC Data Base Optional Service Features charge associated with various options ordered by the customer, as specified in Sections 6.1.3(D) preceding and 6.2.5(B) (3) following also apply.

(2) Technical Specifications

TFC Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type Bi is provided with Interface Groups 2, 6 and 9, whether routed directly to an end office or to an access tandem. (C)

Telephone Company switch and customer premises interfaces and design blocking criteria for Feature Group C apply to TFC Access Service.

Missouri Public  
Service Commission

FILED JUN 02 2000

ISSUED:  
May 3, 2000

Richard D. Lawson  
State Executive, External Affairs

EFFECTIVE:  
June 2, 2000



RECEIVED

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MAR 27 1996

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
Public Service Commission

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) Toll Free Code (TFC) Access Service (Cont'd) (T)

(1) Description (Cont'd)

The TFC Access Service Data Base Query Charge, and the TFC Data Base Optional Service Features charge associated with various options ordered by the customer, as specified in Sections 6.1.3(D) preceding and 6.2.5(B) (3) following also apply. (T)

(2) Technical Specifications

TFC Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows: (T)

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type Bi is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

Telephone Company switch and customer premises interfaces and design blocking criteria for Feature Group C apply to TFC Access Service. (T)

CANCELLED

JUN 02 2000

By *3rd RP 202*  
Public Service Commission  
MISSOURI

FILED

APR 29 1996

MO. PUBLIC SERVICE COMM

ISSUED:  
March 27, 1996

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 29, 1996

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

RECEIVED

6.2.5 Miscellaneous Switched Access Service (Cont'd)

MAR 31 1993

(B) 800 Access Service (Cont'd)

MO. PUBLIC SERVICE COMM.

(1) Description (Cont'd)

The 800 Access Service Data Base Query Charge, and the 800 Data Base Optional Service Features charge associated with various options ordered by the customer, as specified in Sections 6.1.3(D) preceding and 6.2.5(B)(3) following also apply.

(2) Technical Specifications

800 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

Telephone Company switch and customer premises interfaces and design blocking criteria for Feature Group C apply to 800 Access Service.

CANCELLED

APR 29 1995  
BY 2nd R.S. # 202  
Public Service Commission  
MISSOURI

RECEIVED

MAY 01 1993  
MO. PUBLIC SERVICE COMM.

ISSUED:  
March 31, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
May 1, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

RECEIVED  
Original Page 202

SEP 17 1992

ACCESS SERVICE

MISSOURI  
Public Service Commission

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) 800 Access Service (Cont'd)

In addition, when required by technical limitations, or at the request of the customer, a separate Feature Group B, C or D trunk group may be established for originating 800 Access Service type calls.

The customer may use Feature Groups A, B, C, or D to terminate an 800 Access Service call. When Feature Group C or D is used to terminate 800 Access Service, the customer is required to deliver 800 Access Service calls to the Telephone Company in standard POTS number North American Numbering Plan format.

CANCELLED

MAY 1 1993

BY Let R.S. #202  
Public Service Commission  
MISSOURI

FILED

NOV 7 1992

MO. PUBLIC SERVICE COMMISSION  
EFFECTIVE:

~~October 7, 1992~~

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) Toll Free Code (TFC) Access Service (Cont'd)

(3) TFC Data Base Optional Service Features

In addition to the 1+TFC-NXX-XXXX call routing described in (1) preceding, at the customer's option, the Telephone Company will perform additional call routing service options as follows:

(a) TFC to Local Exchange Number Translation

This option allows a TFC Access Service customer to specify standard local exchange telephone numbers for TFC call completion at the terminating end. When a TFC call is to be routed to a local exchange telephone number, the TFC Access Service customer must provide to its Responsible Organization or to the TFC SMS, the full ten digit local exchange number (NPA-NXX-XXXX) to be associated with the TFC number and indicate to which carrier the local exchange telephone number is to be delivered. If the TFC to Local Exchange Number Translation optional feature is used, the customer will be unable to determine that such calls originated as 1+TFC-NXX-XXXX dialed calls unless the customer also orders the Flexible Automatic Number Identification (Flex ANI) optional feature.

(b) Customized TFC Call Routing

This option allows for routing to multiple carriers, except as specified in Section 6.2.5(B) (1), or variable terminating locations for TFC call completion based on the following criteria:

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

UNITED TELEPHONE COMPANY  
OF MISSOURI

RECEIVED

First Revised Page 202.1  
Cancels Original Page 202.1  
MAR 27 1996

ACCESS SERVICE

MISSOURI  
Public Service Commission

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) Toll Free Code (TFC) Access Service (Cont'd) (T)

(3) TFC Data Base Optional Service Features (T)

In addition to the 1+TFC-NXX-XXXX call routing described in (1) preceding, at the customer's option, the Telephone Company will perform additional call routing service options as follows: (T)

(a) TFC to Local Exchange Number Translation (T)

This option allows a TFC Access Service customer to specify standard local exchange telephone numbers for TFC call completion at the terminating end. When a TFC call is to be routed to a local exchange telephone number, the TFC Access Service customer must provide to its Responsible Organization or to the TFC SMS, the full ten digit local exchange number (NPA-NXX-XXXX) to be associated with the TFC number and indicate to which carrier the local exchange telephone number is to be delivered. If the TFC to Local Exchange Number Translation optional feature is used, the customer will be unable to determine that such calls originated as 1+TFC-NXX-XXXX dialed calls unless the customer also orders the Flexible Automatic Number Identification (Flex ANI) optional feature. (T)

(b) Customized TFC Call Routing (T)

This option allows for routing to multiple carriers, except as specified in Section 6.2.5(B) (1), or variable terminating locations for TFC call completion based on the following criteria: (T)

FILED

APR 29 1996

MISSOURI PUBLIC SERVICE COMMISSION

ISSUED:  
March 27, 1996

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 29, 1996

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature  
Groups (Cont'd) RECEIVED

6.2.5 Miscellaneous Switched Access Service (Cont'd) MAR 31 1993

(B) 800 Access Service (Cont'd) MO. PUBLIC SERVICE COMM.

(3) 800 Data Base Optional Service Features

In addition to the 1+800-NXX-XXXX call routing described in (1) preceding, at the customer's option, the Telephone Company will perform additional call routing service options as follows:

(a) 800 to Local Exchange Number Translation

This option allows an 800 Access Service customer to specify standard local exchange telephone numbers for 800 call completion at the terminating end. When an 800 call is to be routed to a local exchange telephone number, the 800 Access Service customer must provide to its Responsible Organization or to the 800 SMS, the full ten digit local exchange number (NPA-NXX-XXXX) to be associated with the 800 number and indicate to which carrier the local exchange telephone number is to be delivered. If the 800 to Local Exchange Number Translation optional feature is used, the customer will be unable to determine that such calls originated as 1+800-NXX-XXXX dialed calls unless the customer also orders the Flexible Automatic Number Identification (Flex ANI) optional feature.

(b) Customized 800 Call Routing

This option allows for routing to multiple carriers, except as specified in Section 6.2.5(B)(1), or variable terminating locations for 800 call completion based on the following criteria:

CANCELLED

APR 29 1995  
BY 1st R.S. #202.1  
Public Service Commission  
MISSOURI

FILED

MAY 0 1 1993

MO. PUBLIC SERVICE COMM.

ISSUED:  
March 31, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
May 1, 1993

## ACCESS SERVICE

### 6. Switched Access Service (Cont'd)

#### 6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

##### 6.2.5 Miscellaneous Switched Access Service (Cont'd)

##### (B) Toll Free Code (TFC) Access Service (Cont'd)

##### (3) TFC Data Base Optional Service Features (Cont'd)

##### (b) Customized TFC Call Routing (Cont'd)

- time of day
- time of week
- specific days of the year (e.g., December 25)
- percentage of traffic (in one percent increments)
- calling telephone number (unless technical limitations exist which do not provide for originating number identification)

With this option, TFC calls can be delivered to the carrier in either the direct dialed TFC number format or in the local exchange telephone number translated format. The customer must enter the desired format and the necessary ten digit local exchange telephone number, if any, into the TFC SMS or provide such information to its Responsible Organization for handling.

The rates for the TFC Data Base Optional Service Features described above are applied on a per query basis as set forth in Section 6.8.4(B) following. When a combination of one or more of the optional features is requested, only one such charge shall apply.

##### (C) Interim 500 Access Service

##### (1) Description

Interim 500 Access Service is an outgoing service providing the customer identification function (500 NXX screening) based on the first six digits of the dialed 500 number.

Originating Interim 500 Access Service is a trunk side switched service that is available to the customer via Interim 500 Access Service trunk groups, or can be provided to the customer in conjunction with FGC or FGD services. When combined with FGC or FGD, Interim 500 Access Service traffic can, at the option of the customer, be carried on the same group with non-500 Access traffic. When a 1+500+NXX+XXXX or 0+500+NXX+XXXX call is originated by an end user, the Telephone Company will perform the customer identification function based on the

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

RECEIVED

ACCESS SERVICE

MAR 27 1996

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MISSOURI  
PUBLIC SERVICE COMMISSION

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(B) Toll Free Code (TFC) Access Service (Cont'd) (T)

(3) TFC Data Base Optional Service Features (Cont'd) (T)

(b) Customized TFC Call Routing (Cont'd) (T)

- time of day
- time of week
- specific days of the year (e.g., December 25)
- percentage of traffic (in one percent increments)
- calling telephone number (unless technical limitations exist which do not provide for originating number identification)

With this option, TFC calls can be delivered to the carrier in either the direct dialed TFC number format or in the local exchange telephone number translated format. The customer must enter the desired format and the necessary ten digit local exchange telephone number, if any, into the TFC SMS or provide such information to its Responsible Organization for handling. (T)

The rates for the TFC Data Base Optional Service Features described above are applied on a per query basis as set forth in Section 6.8.4(B) following. When a combination of one or more of the optional features is requested, only one such charge shall apply. (T)

(C) Interim 500 Access Service

(1) Description

Interim 500 Access Service is an outgoing service providing the customer identification function (500 NXX screening) based on the first six digits of the dialed 500 number.

Originating Interim 500 Access Service is a trunk side switched service that is available to the customer via Interim 500 Access Service trunk groups, or can be provided to the customer in conjunction with FGC or FGD services. When combined with FGC or FGD, Interim 500 Access Service traffic can, at the option of the customer, be carried on the same group with non-500 Access traffic. When a 1+500+NXX+XXXX or 0+500+NXX+XXXX call is originated by an end user, the Telephone Company will perform the customer identification function based on the

ISSUED:  
March 27, 1996

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 29, 1996



RECEIVED

ACCESS SERVICE

6. Switched Access Service (Cont'd)

JAN 11 1995

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

NO. PUBLIC SERVICE COMM.

(B) 800 Access Service (Cont'd)

(3) 800 Data Base Optional Service Features (Cont'd)

(b) Customized 800 Call Routing (Cont'd)

- time of day
- time of week
- specific days of the year (e.g.,  
December 25)
- percentage of traffic (in one percent increments)
- calling telephone number (unless technical limitations exist which do not provide for originating number identification)

With this option, 800 calls can be delivered to the carrier in either the direct dialed 800 number format or in the local exchange telephone number translated format. The customer must enter the desired format and the necessary ten digit local exchange telephone number, if any, into the 800 SMS or provide such information to its Responsible Organization for handling.

The rates for the 800 Data Base Optional Service Features described above are applied on a per query basis as set forth in Section 6.8.4(B) following. When one or more of the optional features is requested, only one such charge shall apply.

(C) Interim 500 Access Service

(1) Description

Interim 500 Access Service is a service providing the customer identification function (500 NXX screening) based on the first six digits of the dialed 500 number.

Originating Interim 500 Access Service is a trunk side switched service that is available to the customer via Interim 500 Access Service trunk groups, or can be provided to the customer in conjunction with FGC or FGD services. When combined with FGC or FGD, Interim 500 Access Service traffic can, at the option of the customer, be carried on the same group with non-500 Access traffic. When a 1+500+NXX+XXXX or 0+500+NXX+XXXX call is originated by an end user, the Telephone Company will perform the customer identification function based on the

APR 29 1996  
BY *John R. S.* # *202.2* (N)  
Public Service Commission  
MISSOURI

FILED

ISSUED:  
January 11, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
February 11, 1995

MISSOURI  
Public Service Commission

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

RECEIVED

MAR 31 1993

6.2.5 Miscellaneous Switched Access Service (Cont'd)

MO. PUBLIC SERVICE COMM.

(B) 800 Access Service (Cont'd)

(3) 800 Data Base Optional Service Features

(b) Customized 800 Call Routing (Cont'd)

- time of day
- day of week
- specific days of the year (e.g., December 25)
- percentage of traffic (in one percent increments)
- calling telephone number (unless technical limitations exist which do not provide for originating number identification)

With this option, 800 calls can be delivered to the carrier in either the direct dialed 800 number format or in the local exchange telephone number translated format. The customer must enter the desired format and the necessary ten digit local exchange telephone number, if any, into the 800 SMS or provide such information to its Responsible Organization for handling.

The rates for the 800 Data Base Optional Service Features described above are applied on a per query basis as set forth in Section 6.8.4(B) following. When a combination of one or more of the optional features is requested, only one such charge shall apply.

CANCELLED

FEB 11 1995  
BY *let R.S. #202.2*  
Public Service Commission  
MISSOURI

FILED

MAY 01 1993

MO. PUBLIC SERVICE COMM.

ISSUED:  
March 31, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
May 1, 1993

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(C) Interim 500 Access Service (Cont'd)

(1) Description (Cont'd)

dialed digits to determine the customer to which the call is to be routed. If the call originates from an end office not equipped to provide the customer identification function, the call will be routed to an office where the function is available. Once customer identification has been established, the call will be routed to the customer.

The manner in which Interim 500 Access Service is provided depends on whether the end office/ tandem from which the call originates has equal access capability with the customer identification function. In equal access end offices/ tandems which have customer identification function capability, Interim 500 Access Service is provided in accordance with technical characteristics available with FGD, either direct to the end office or via an equal access tandem on existing trunk groups. In end offices not equipped with equal access capabilities, Interim 500 Access Service will be provisioned in accordance with the technical characteristics available with FGC. At the customer's option, Interim 500 Access Service, 900 Access Service and 800 Access Service may be combined on the same trunk group. For a customer of FGC, Interim 500 Access Service can be provided through an existing trunk group or separate FGC trunk group which handles Interim 500 Access Service. At the customer's option, Interim 500 Access Service can be provided from both equal access and non-equal access end office switches over an FGD trunk group from the access tandem to the customer's premises if the customer can accept, on that trunk group, both exchange access and conventional signaling.

At the carrier's option all 500 attempts will be passed to the identified IC, who subsequently can screen the appropriate ANI II digits for call disposition. The ANI II digits are described in Technical Reference Publication FR-64. This option is available in technically capable equal access offices.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

First Revised Page 202.3  
Cancels Original Page 202.3

ACCESS SERVICE

6. Switched Access Service (Cont'd)

Missouri Public

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

REC'D JAN 15 2002

6.2.5 Miscellaneous Switched Access Service (Cont'd)

Service Commission

(C) Interim 500 Access Service (Cont'd)

(1) Description (Cont'd)

dialed digits to determine the customer to which the call is to be routed. If the call originates from an end office not equipped to provide the customer identification function, the call will be routed to an office where the function is available. Once customer identification has been established, the call will be routed to the customer.

The manner in which Interim 500 Access Service is provided depends on whether the end office/ tandem from which the call originates has equal access capability with the customer identification function. In equal access end offices/ tandems which have customer identification function capability, Interim 500 Access Service is provided in accordance with technical characteristics available with FGD, either direct to the end office or via an equal access tandem on existing trunk groups. In end offices not equipped with equal access capabilities, Interim 500 Access Service will be provisioned in accordance with the technical characteristics available with FGC. At the customer's option, Interim 500 Access Service, 900 Access Service and 800 Access Service may be combined on the same trunk group. For a customer of FGC, Interim 500 Access Service can be provided through an existing trunk group or separate FGC trunk group which handles Interim 500 Access Service. At the customer's option, Interim 500 Access Service can be provided from both equal access and non-equal access end office switches over an FGD trunk group from the access tandem to the customer's premises if the customer can accept, on that trunk group, both exchange access and conventional signaling.

At the carrier's option all 500 attempts will be passed to the identified IC, who subsequently can screen the appropriate ANI II digits for call disposition. The ANI II digits are described in **Technical Reference Publication FR-64**. This option is available in technically capable equal access offices.

(T)  
(T)

Missouri Public

FILED FEB 15 2002

Service Commission

ISSUED:  
January 15, 2002

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
February 15, 2002

Cancelled  
April 30, 2007  
Missouri Public  
Service Commission

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd) FEB 11 1995

6.2.5 Miscellaneous Switched Access Service (Cont'd)

MO. PUBLIC SERVICE COMM.

(C) Interim 500 Access Service (Cont'd)

(1) Description (Cont'd)

dialed digits to determine the customer to which the call is to be routed. If the call originates from an end office not equipped to provide the customer identification function, the call will be routed to an office where the function is available. Once customer identification has been established, the call will be routed to the customer.

The manner in which Interim 500 Access Service is provided depends on whether the end office/tandem from which the call originates has equal access capability with the customer identification function. In equal access end offices/tandems which have customer identification function capability, Interim 500 Access Service is provided in accordance with technical characteristics available with FGD, either direct to the end office or via an equal access tandem on existing trunk groups. In end offices not equipped with equal access capabilities, Interim 500 Access Service will be provisioned in accordance with the technical characteristics available with FGC. At the customer's option, Interim 500 Access Service, 900 Access Service and 800 Access Service may be combined on the same trunk group. For a customer of FGC, Interim 500 Access Service can be provided through an existing trunk group or separate FGC trunk group which handles Interim 500 Access Service. At the customer's option, Interim 500 Access Service can be provided from both equal access and non-equal access end office switches over an FGD trunk group from the access tandem to the customer's premises if the customer can accept, on that trunk group, both exchange access and conventional signaling.

At the carrier's option all 500 attempts will be passed to the identified IC, who subsequently can screen the appropriate ANI II digits for call disposition. The ANI II digits are described in TR-TSY-00064 (LSSGR). This option is available in technically capable equal access offices.

CANCELLED

FEB 15 2002

1<sup>ST</sup> RP 202.3

Public Service Commission  
MISSOURI

FILED

FEB 11 1995

ISSUED:  
January 11, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

MISSOURI PUBLIC SERVICE COMMISSION  
FEBRUARY 11 1995

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(C) Interim 500 Access Service (Cont'd)

(1) Description (Cont'd)

Interim 500 Access Service originating from equal access end offices with the customer identification function will be provided using exchange access signaling with overlap out-pulsing and ten digit ANI. Interim 500 Access Service originating from equal access end offices/tandems without the customer identification function, from end offices not having equal access capability, or for calls routed through operator services, will be provided using conventional signaling. On traffic using conventional signaling, other than FGC, the customer's facilities shall provide off hook supervision upon receipt of the transmitted digits.

Additionally, nonrecurring charges as specified in 6.1.3(F) preceding and 6.8.7 following also apply.

Pass-through charges apply to query information provided to the Telephone Company by connecting local exchange companies in order to perform the translations required to complete Interim 500 Access Service calls. The pass-through charges will be provided to the Telephone Company by the connecting local exchange company. Pass-through rates set forth in Section 6.8.7 following, and are applied on a per query basis.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

UNITED TELEPHONE COMPANY  
OF MISSOURI

First Revised Page 202.4  
Cancels Original Page 202.4

RECEIVED

ACCESS SERVICE

6. Switched Access Service (Cont'd)

JUN 5 1995

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(C) Interim 500 Access Service (Cont'd)

(1) Description (Cont'd)

Interim 500 Access Service originating from equal access end offices with the customer identification function will be provided using exchange access signaling with overlap outpulsing and ten digit ANI. Interim 500 Access Service originating from equal access end offices/tandems without the customer identification function, from end offices not having equal access capability, or for calls routed through operator services, will be provided using conventional signaling. On traffic using conventional signaling, other than FGC, the customer's facilities shall provide off hook supervision upon receipt of the transmitted digits.

Additionally, nonrecurring charges as specified in 6.1.3(F) preceding and 6.8.7 following also apply.

Pass-through charges apply to query information provided to the Telephone Company by connecting local exchange companies in order to perform the translations required to complete Interim 500 Access Service calls. The pass-through charges will be provided to the Telephone Company by the connecting local exchange company. Pass-through rates set forth in Section 6.8.7 following, and are applied on a per query basis.

(N)  
|  
(N)

FILED

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~July 5, 1995~~  
JUL 15 1995

RECEIVED

ACCESS SERVICE

6. Switched Access Service (Cont'd)

JAN 11 1995

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(C) Interim 500 Access Service (Cont'd)

(1) Description (Cont'd)

Interim 500 Access Service originating from equal access end offices with the customer identification function will be provided using exchange access signaling with overlap outpulsing and ten digit ANI. Interim 500 Access Service originating from equal access end offices/tandems without the customer identification function, from end offices not having equal access capability, or for calls routed through operator services, will be provided using conventional signaling. On traffic using conventional signaling, other than FGC, the customer's facilities shall provide off hook supervision upon receipt of the transmitted digits.

Additionally, nonrecurring charges as specified in 6.1.3(F) preceding and 6.8.7 following also apply.

CANCELLED

JUL 15 1995

(2) Technical Specifications

Interim 500 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows: *BY: let R.S. #202.4*

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 9, whether routed directly to an end office or to an access tandem.

Telephone Company switch and customer premises interfaces apply to Interim 500 Access Service.

FILED

FEB 11 1995

ISSUED:  
January 11, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
February 11, 1995

MISSOURI  
Public Service Commission



ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(C) Interim 500 Access Service (Cont'd)

(2) Technical Specifications

Interim 500 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2, 6 and 9, whether routed directly to an end office or to an access tandem.

Telephone Company switch and customer premises interfaces apply to Interim 500 Access Service.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Second Revised Page 202.5  
Cancels First Revised Page 202.5

ACCESS SERVICE

Missouri Public

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd) REC'D JAN 07 2002

6.2.5 Miscellaneous Switched Access Service (Cont'd) Service Commission

(C) Interim 500 Access Service (Cont'd)

(2) Technical Specifications

Interim 500 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2, **6 and 9**, whether routed directly to an end office or to an access tandem. (T)

Telephone Company switch and customer premises interfaces apply to Interim 500 Access Service.

Missouri Public

FILED FEB 07 2002

Service Commission

ISSUED:  
January 7, 2002

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
February 7, 2002

UNITED TELEPHONE COMPANY  
OF MISSOURI

First Revised Page 202.5  
Cancels Original Page 202.5

**RECEIVED**

ACCESS SERVICE

JUN 5 1995

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(C) Interim 500 Access Service (Cont'd)

(2) Technical Specifications

Interim 500 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 9, whether routed directly to an end office or to an access tandem.

Telephone Company switch and customer premises interfaces apply to Interim 500 Access Service.

(M)

(M)

**CANCELLED**

FEB 07 2002  
by 2nd RP 202.5  
Public Service Commission  
MISSOURI

**FILED**

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~July 5, 1995~~  
JUL 15 1995

RECEIVED

ACCESS SERVICE

JAN 11 1995

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(D) 900 Access Service

(1) Description

Originating 900 Access Service is a switched service that is available to customer via 900 Access Service trunk groups, or can be provided to the customer in conjunction with FGB, FGC, or FGD services. When combined with FGB, FGC, or FGD, 900 Access Service traffic can, at the option of the customer, be carried on the same group with non-900 Access traffic. When a 1+900+XXX+XXXX call is originated by an end user, the Telephone Company will perform the customer identification function based on the dialed digits to determine the customer to which the call is to be routed. If the call originates from an end office not equipped to provide the customer identification function, the call will be routed to an office where the function is available. Once customer identification has been established, the call will be routed to the customer.

The manner in which 900 Access Service is provided depends on whether the end office from which the call originates has equal access capability and/or the customer identification function. In equal access end offices which have customer identification function capability, 900 Access Service is provided in accordance with technical characteristics available with FGD (however, ANI is required with 900 Access Service), either direct to the end office or via an equal access tandem on existing trunk groups. In end offices not equipped with equal access capabilities, 900 Access Service will be provisioned in accordance with the technical characteristics available with FGC. Customers other than customers of FGC, may only be served via an access tandem over 900 Access Service trunks when the end office lacks equal access capability or the customer identification function. At the customer's option, 900 Access Service and 800 Access Service may be combined on the same trunk group. For a customer of FGC, 900 Access Service can be provided through an existing trunk group or separate FGC trunk group handles 900 Access Service. 900 Access Service calls which are routed through operator services will be delivered at the equal access tandem over FGC or FGD. At the customer's option, 900 Access Service can be provided from both equal access

JUL 15 1995

BY John L. Roe # 202.5  
Public Service Commissioner  
MISSOURI

FILED

FEB 14 1995

ISSUED:  
January 11, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
February 1, 1995  
Public Service Commissioner

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(D) 900 Access Service

(1) Description

Originating 900 Access Service is a trunk side switched service that is available to the customer via 900 Access Service trunk groups, or can be provided to the customer in conjunction with FGB, FGC, or FGD services. When combined with FGB, FGC, or FGD, 900 Access Service traffic can, at the option of the customer, be carried on the same group with non-900 Access traffic. When a 1+900+NXX+XXXX call is originated by an end user, the Telephone Company will perform the customer identification function based on the dialed digits to determine the customer to which the call is to be routed. If the call originates from an end office not equipped to provide the customer identification function, the call will be routed to an office where the function is available. Once customer identification has been established, the call will be routed to the customer.

The manner in which 900 Access Service is provided depends on whether the end office from which the call originates has equal access capability and/or the customer identification function. In equal access end offices which have customer identification function capability, 900 Access Service is provided in accordance with technical characteristics available with FGD (however, ANI is required with 900 Access Service), either direct to the end office or via an equal access tandem on existing trunk groups. In end offices not equipped with equal access capabilities, 900 Access Service will be provisioned in accordance with the technical characteristics available with FGC. Customers other than customers of FGC, may only be served via an access tandem over 900 Access Service trunks when the end office lacks equal access capability or the customer identification function. At the customer's option, 900 Access Service and 800 Access Service may be combined on the same trunk group. For a customer of FGC, 900 Access Service can be provided through an existing trunk group or separate FGC trunk group handles 900 Access Service. 900 Access Service calls which are routed through operator services will be delivered at the equal access tandem over FGC

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

UNITED TELEPHONE COMPANY  
OF MISSOURI

First Revised Page 202.6  
Cancels Original Page 202.6

RECEIVED

ACCESS SERVICE

6. Switched Access Service (Cont'd)

JUN 5 1995

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(D) 900 Access Service

(1) Description

Originating 900 Access Service is a trunk side switched service that is available to the customer via 900 Access Service trunk groups, or can be provided to the customer in conjunction with FGB, FGC, or FGD services. When combined with FGB, FGC, or FGD, 900 Access Service traffic can, at the option of the customer, be carried on the same group with non-900 Access traffic. When a 1+900+NXX+XXXX call is originated by an end user, the Telephone Company will perform the customer identification function based on the dialed digits to determine the customer to which the call is to be routed. If the call originates from an end office not equipped to provide the customer identification function, the call will be routed to an office where the function is available. Once customer identification has been established, the call will be routed to the customer.

(M)

The manner in which 900 Access Service is provided depends on whether the end office from which the call originates has equal access capability and/or the customer identification function. In equal access end offices which have customer identification function capability, 900 Access Service is provided in accordance with technical characteristics available with FGD (however, ANI is required with 900 Access Service), either direct to the end office or via an equal access tandem on existing trunk groups. In end offices not equipped with equal access capabilities, 900 Access Service will be provisioned in accordance with the technical characteristics available with FGC. Customers other than customers of FGC, may only be served via an access tandem over 900 Access Service trunks when the end office lacks equal access capability or the customer identification function. At the customer's option, 900 Access Service and 800 Access Service may be combined on the same trunk group. For a customer of FGC, 900 Access Service can be provided through an existing trunk group or separate FGC trunk group handles 900 Access Service. 900 Access Service calls which are routed through operator services will be delivered at the equal access tandem over 800 Access Service trunks.

(M)

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

MISSOURI  
Public Service Commission  
JUL 5 1995

JUL 15 1995

Cancelled  
April 30, 2007  
Missouri Public  
Service Commission

RECEIVED

ACCESS SERVICE

JAN 11 1995

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM. CANCELLED

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(D) 900 Access Service (Cont'd)

(1) Description (Cont'd)

JUL 15 1995  
By *R.S. # 202.6*  
Missouri Public Service Commission

non-equal access end office switches over an ESB trunk group from the access tandem to the customer's premises if the customer can access on that trunk group, both exchange access and conventional signaling.

The Telephone Company will block calls to a 900 number dialed 1+ from coin telephones, 0+, 0-, 10XXX, third number service, detention centers, mental institutions, hotel/motel service and calling cards. The customer may request, via an ASR to the Telephone Company, unblocking of 0+ and 0- 900 calling on all classes of services except detention centers.

At the carrier's option all 900 attempts will be passed to the identified IC, who subsequently can screen the appropriate ANI II digits for call disposition. The ANI II digits are described in TR-TSY-00064 (LSSGR). This option is available in technically capable equal access offices.

900 Access Service originating from equal access end offices with the customer identification function will be provided using exchange access signaling with overlap outpulsing and ten digit ANI. 900 Access Service originating from equal access end offices without the customer identification function, from end offices not having equal access capability, or for calls routed through operator services, will be provided using conventional signaling. On traffic using conventional signaling, other than FGC, the customer's facilities shall provide off hook supervision upon receipt of the transmitted digits. Additionally, nonrecurring charges as specified in 6.1.3(E) preceding and 6.8.5 following also apply.

(2) Technical Specifications

FILED

900 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided

ISSUED:  
January 11, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
February 11, 1995

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(D) 900 Access Service (Cont'd)

(1) Description (Cont'd)

or FGD. At the customer's option, 900 Access Service can be provided from both equal access non-equal access end office switches over an FGD trunk group from the access tandem to the customer's premises if the customer can accept, on that trunk group, both exchange access and conventional signaling.

The Telephone Company will block calls to a 900 number dialed 1+ from pay telephones, 0+, O-, 101XXXX, third number service, detention centers, mental institutions, hotel/motel service and calling cards. The customer may request, via an ASR to the Telephone Company, unblocking of 0+ and 0- 900 calling on all classes of services except detention centers.

At the carrier's option all 900 attempts will be passed to the identified IC, who subsequently can screen the appropriate ANI II digits for call disposition. The ANI II digits are described in Technical Reference Publication FR-64. This option is available in technically capable equal access offices.

900 Access Service originating from equal access end offices with the customer identification function will be provided using exchange access signaling with overlap outputting and ten digit ANI. 900 Access Service originating from equal access end offices without the customer identification function, from end offices not having equal access capability, or for calls routed through operator services, will be provided using conventional signaling. On traffic using conventional signaling, other than FGC, the customer's facilities shall provide off hook supervision upon receipt of the transmitted digits. Additionally, nonrecurring charges as specified in 6.1.3(E) preceding and 6.8.5 following also apply.

(2) Technical Specifications

900 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007



SPRINT MISSOURI, INC.  
d/b/a SPRINT

Fifth Revised Page 202.7  
Cancels Fourth Revised Page 202.7

ACCESS SERVICE

Missouri Public

6. Switched Access Service (Cont'd)

REC'D JAN 15 2002

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

Service Commission

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(D) 900 Access Service (Cont'd)

(1) Description (Cont'd)

or FGD. At the customer's option, 900 Access Service can be provided from both equal access non-equal access end office switches over an FGD trunk group from the access tandem to the customer's premises if the customer can accept, on that trunk group, both exchange access and conventional signaling.

The Telephone Company will block calls to a 900 number dialed 1+ from pay telephones, 0+, 0-, 101XXXX, third number service, detention centers, mental institutions, hotel/motel service and calling cards. The customer may request, via an ASR to the Telephone Company, unblocking of 0+ and 0- 900 calling on all classes of services except detention centers.

At the carrier's option all 900 attempts will be passed to the identified IC, who subsequently can screen the appropriate ANI II digits for call disposition. The ANI II digits are described in **Technical Reference Publication FR-64**. This option is available in technically capable equal access offices.

(T)  
(T)

900 Access Service originating from equal access end offices with the customer identification function will be provided using exchange access signaling with overlap outpulsing and ten digit ANI. 900 Access Service originating from equal access end offices without the customer identification function, from end offices not having equal access capability, or for calls routed through operator services, will be provided using conventional signaling. On traffic using conventional signaling, other than FGC, the customer's facilities shall provide off hook supervision upon receipt of the transmitted digits. Additionally, nonrecurring charges as specified in 6.1.3(E) preceding and 6.8.5 following also apply.

(2) Technical Specifications

900 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.

Missouri Public

FILED FEB 15 2002

Service Commission

ISSUED:  
January 15, 2002

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
February 15, 2002

ACCESS SERVICE

6. Switched Access Service (Cont'd)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

JUL 02 1998

6.2.5 Miscellaneous Switched Access Service (Cont'd)

MO. PUBLIC SERVICE COMM

(D) 900 Access Service (Cont'd)

(1) Description (Cont'd)

or FGD. At the customer's option, 900 Access Service can be provided from both equal access non-equal access end office switches over an FGD trunk group from the access tandem to the customer's premises if the customer can accept, on that trunk group, both exchange access and conventional signaling.

The Telephone Company will block calls to a 900 number dialed 1+ from pay telephones, 0+, 0-, 101XXXX, third number service, detention centers, mental institutions, hotel/motel service and calling cards. The customer may request, via an ASR to the Telephone Company, unblocking of 0+ and 0- 900 calling on all classes of services except detention centers.

(CT)

At the carrier's option all 900 attempts will be passed to the identified IC, who subsequently can screen the appropriate ANI II digits for call disposition. The ANI II digits are described in TR-TSY-00064 (LSSGR). This option is available in technically capable equal access offices.

900 Access Service originating from equal access end offices with the customer identification function will be provided using exchange access signaling with overlap outputting and ten digit ANI. 900 Access Service originating from equal access end offices without the customer identification function, from end offices not having equal access capability, or for calls routed through operator services, will be provided using conventional signaling. On traffic using conventional signaling, other than FGC, the customer's facilities shall provide off hook supervision upon receipt of the transmitted digits. Additionally, nonrecurring charges as specified in 6.1.3(E) preceding and 6.8.5 following also apply.

(2) Technical Specifications

900 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.

CANCELLED

FILED

FEB 15 2002

AUG 03 1998

5th RP 202.7  
Public Service Commission  
MISSOURI

MISSOURI  
Public Service Commission

ISSUED:  
July 2, 1998

BY: Richard Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE :  
August 3, 1998

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd) AN 1 5 1997

6.2.5 Miscellaneous Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

(D) 900 Access Service (Cont'd)

(1) Description (Cont'd)

or FGD. At the customer's option, 900 Access Service can be provided from both equal access non-equal access end office switches over an FGD trunk group from the access tandem to the customer's premises if the customer can accept, on that trunk group, both exchange access and conventional signaling.

The Telephone Company will block calls to a 900 number dialed 1+ from pay telephones, 0+, 0-, 10XXX or 101XXXX, third number service, detention centers, mental institutions, hotel/motel service and calling cards. The customer may request, via an ASR to the Telephone Company, unblocking of 0+ and 0- 900 calling on all classes of services except detention centers.

(T)

At the carrier's option all 900 attempts will be passed to the identified IC, who subsequently can screen the appropriate ANI II digits for call disposition. The ANI II digits are described in TR-TSY-00064 (LSSGR). This option is available in technically capable equal access offices.

900 Access Service originating from equal access end offices with the customer identification function will be provided using exchange access signaling with overlap outputting and ten digit ANI. 900 Access Service originating from equal access end offices without the customer identification function, from end offices not having equal access capability, or for calls routed through operator services, will be provided using conventional signaling. On traffic using conventional signaling, other than FGC, the customer's facilities shall provide off hook supervision upon receipt of the transmitted digits. Additionally, nonrecurring charges as specified in 6.1.3(E) preceding and 6.8.5 following also apply.

(2) Technical Specifications

900 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.

FILED

APR 15 1997

MO. PUBLIC SERVICE COMM

EFFECTIVE:

APR 15 1997

ISSUED:  
January 15, 1997

BY: John L. Roe  
VP - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

CANCELLED

AUG 03 1998  
By 444RS #202.7  
Public Service Commission  
MISSOURI

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd) JUN 5 1995

6.2.5 Miscellaneous Switched Access Service MO. PUBLIC SERVICE COMM.

(D) 900 Access Service (Cont'd)

(1) Description (Cont'd)

or FGD. At the customer's option, 900 Access Service can be provided from both equal access non-equal access end office switches over an FGD trunk group from the access tandem to the customer's premises if the customer can accept, on that trunk group, both exchange access and conventional signaling.

The Telephone Company will block calls to a 900 number dialed 1+ from coin telephones, 0+, 0-, 10XXX or 101XXXX, third number service, detention centers, mental institutions, hotel/motel service and calling cards. The customer may request, via an ASR to the Telephone Company, unblocking of 0+ and 0- 900 calling on all classes of services except detention centers.

At the carrier's option all 900 attempts will be passed to the identified IC, who subsequently can screen the appropriate ANI II digits for call disposition. The ANI II digits are described in TR-TSY-00064 (LSSGR). This option is available in technically capable equal access offices.

900 Access Service originating from equal access end offices with the customer identification function will be provided using exchange access signaling with overlap outpulsing and ten digit ANI. 900 Access Service originating from equal access end offices without the customer identification function, from end offices not having equal access capability, or for calls routed through operator services, will be provided using conventional signaling. On traffic using conventional signaling, other than FGC, the customer's facilities shall provide off hook supervision upon receipt of the transmitted digits. Additionally, nonrecurring charges as specified in 6.1.3(E) preceding and 6.8.5 following also apply.

(2) Technical Specifications

900 Access Service trunk groups are provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.

CANCELLED  
APR 15 1997  
BY: 3rd R.S. #202.7  
Public Service Commission  
MISSOURI

FILED

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
JUL 15 1995

RECEIVED

ACCESS SERVICE

6. Switched Access Service (Cont'd)

JAN 11 1995

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(D) 900 Access Service (Cont'd)

(2) Technical Specifications (Cont'd)

- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 9, whether routed directly to an end office or to an access tandem.

Telephone Company switch and customer premises interfaces and design blocking criteria for Feature Group C apply to 900 Access Service.

CANCELLED

JUL 15 1995  
BY *lat R.S. # 202-7*  
Public Service Commission  
MISSOURI

FILED

ISSUED:  
January 11, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

FEB 11 1995  
February 11, 1995

MISSOURI  
Public Service Commission

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(D) 900 Access Service (Cont'd)

(2) Technical Specifications (Cont'd)

- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2, 6 and 9, whether routed directly to an end office or to an access tandem.

Telephone Company switch and customer premises interfaces and design blocking criteria for Feature Group C apply to 900 Access Service.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

First Revised Page 202.8  
Cancels Original Page 202.8

ACCESS SERVICE

Missouri Public

6. Switched Access Service (Cont'd)

REC'D JAN 07 2002

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

Service Commission

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(D) 900 Access Service (Cont'd)

(2) Technical Specifications (Cont'd)

- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2, **6 and 9**, whether routed directly to an end office or to an access tandem. (T)

Telephone Company switch and customer premises interfaces and design blocking criteria for Feature Group C apply to 900 Access Service.

Missouri Public

FILED FEB 07 2002

Service Commission

ISSUED:  
January 7, 2002

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
February 7, 2002

UNITED TELEPHONE COMPANY  
OF MISSOURI

RECEIVED

ACCESS SERVICE

JUN 5 1995

6. Switched Access Service (Cont'd)

6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)

MO. PUBLIC SERVICE COMM.

6.2.5 Miscellaneous Switched Access Service (Cont'd)

(D) 900 Access Service (Cont'd)

(2) Technical Specifications (Cont'd)

- When routed to an access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 9, whether routed directly to an end office or to an access tandem.

Telephone Company switch and customer premises interfaces and design blocking criteria for Feature Group C apply to 900 Access Service.

(M)

(M)

CANCELLED

FEB 07 2002  
By STRP 202.8  
Public Service Commission  
MISSOURI

FILED

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~July 15, 1995~~  
JUL 15 1995



ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available)

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the Feature Groups. They are provided as Local Transport Termination Options.

(A) Call Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the exchange, and for the completion only of calls to 411, 611, 911, TFC, 555-1212, and a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all electronic end offices. It is available with Feature Group A.

(B) Service Code Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the exchange, and for disallowing completion of calls to 0-, 555 and N11 (e.g., 411, 611, and 911). This feature is provided where available in all Telephone Company electronic end offices. It is available with Feature Group A.

(C) Hunt Group Arrangement

This option provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Telephone Company end offices. It is available with Feature Group A.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Third Revised Page 203  
Cancels Second Revised Page 203

**Missouri Public  
Service Commission**

ACCESS SERVICE

REC'D MAY 03 2000

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available)

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the Feature Groups. They are provided as Local Transport Termination Options.

(A) Call Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the exchange, and for the completion only of calls to 411, 611, 911, TFC, 555-1212, and a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all electronic end offices. It is available with Feature Group A. (C)

(B) Service Code Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the exchange, and for disallowing completion of calls to 0-, 555 and N11 (e.g., 411, 611, and 911). This feature is provided where available in all Telephone Company electronic end offices. It is available with Feature Group A. (C)

(C) Hunt Group Arrangement

This option provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Telephone Company end offices. It is available with Feature Group A.

**Missouri Public  
Service Commission**

FILED JUN 02 2000

ISSUED:  
May 3, 2000

Richard D. Lawson  
State Executive, External Affairs

EFFECTIVE:  
June 2, 2000

RECEIVED

ACCESS SERVICE

MAR 27 1996

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available)

MISSOURI  
Public Service Commission

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the Feature Groups. They are provided as Local Transport Termination Options.

(A) Call Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the exchange, and for the completion only of calls to 411, 611, 911, TFC, 555-1212, and a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all electronic end offices and, where available, in electromechanical end offices. It is available with Feature Group A.

(T)

(B) Service Code Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the exchange, and for disallowing completion of calls to 0-, 555 and N11 (e.g., 411, 611, and 911). This feature is provided where available in all Telephone Company electronic end offices and electromechanical end offices. It is available with Feature Group A.

(C) Hunt Group Arrangement

This option provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Telephone Company end offices. It is available with Feature Group A.

CANCELLED

JUN 02 2000

By *314 RP 203*  
Public Service Commission  
MISSOURI

FILED

APR 29 1996

MISSOURI PUBLIC SERVICE COMMISSION

ISSUED:  
March 27, 1996

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 29, 1996

ACCESS SERVICE

6. Switched Access Service (Cont'd)

NOV 2 1993

6.3 Local Switching Optional Features (where equipment is available)

MO. PUBLIC SERVICE COMM.

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the Feature Groups. They are provided as Local Switching Options.

(A) Call Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the exchange, and for the completion only of calls to 411, 611, 911, 800, 555-1212, and a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all electronic end offices and, where available, in electromechanical end offices. It is available with Feature Group A.

(B) Service Code Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the exchange, and for disallowing completion of calls to 0-, 555 and N11 (e.g., 411, 611, and 911). This feature is provided where available in all Telephone Company electronic end offices and electromechanical end offices. It is available with Feature Group A.

(C) Hunt Group Arrangement

This option provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Telephone Company end offices. It is available with Feature Group A.

CANCELLED

APR 29 1996  
BY 2nd R.S. # 203  
Public Service Commission  
MISSOURI

FILED

NOV 7 1993  
93 - 187  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

RECEIVED  
Original Page 203

SEP 17 1992

ACCESS SERVICE

MISSOURI  
Public Service Commission

6. Switched Access Service (Cont'd)

6.3 Common Switching and Transport Termination Optional Features  
(where equipment is available)

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the Feature Groups. They are provided as either Common Switching or Transport Termination Options.

6.3.1 Common Switching Optional Feature (where equipment is available)

(A) Call Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the exchange, and for the completion only of calls to 411, 611, 911, 800, 555-1212, and a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all electronic end offices and, where available, in electromechanical end offices. It is available with Feature Group A.

(B) Service Code Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the exchange, and for disallowing completion of calls to 0-, 555 and N11 (e.g., 411, 611, and 911). This feature is provided where available in all Telephone Company electronic end offices and electromechanical end offices. It is available with Feature Group A.

(C) Hunt Group Arrangement

This option provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Telephone Company end offices. It is available with Feature Group A.

**CANCELLED**

NOV 7 1993  
BY let R.S. #203  
Public Service Commission  
MISSOURI

FILED

NOV 7 1992

EFFECTIVE:

~~October 17, 1992~~

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(D) Uniform Call Distribution Arrangement

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(E) Nonhunting Number for Use with Hunt Group or Uniform Call Distribution Arrangement

This option provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(F) Automatic Number Identification (ANI)

This option provides the automatic transmission of a seven or ten digit number and information digits to the customer's premises for calls originating in the exchange, to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and a customer's premises or, where technically feasible, with (2) all individual transmission paths in a trunk group between an end office and an access tandem, and trunk group between an access tandem and a customer's premises.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

ACCESS SERVICE

FILED

6. Switched Access Service (Cont'd)

NOV 2 1993

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

(T)  
(D)  
(D)

MO. PUBLIC SERVICE COMM.

(D) Uniform Call Distribution Arrangement

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(E) Nonhunting Number for Use with Hunt Group or Uniform Call Distribution Arrangement

This option provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(F) Automatic Number Identification (ANI)

This option provides the automatic transmission of a seven or ten digit number and information digits to the customer's premises for calls originating in the exchange, to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and a customer's premises or, where technically feasible, with (2) all individual transmission paths in a trunk group between an end office and an access tandem, and trunk group between an access tandem and a customer's premises.

FILED

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 204  
**RECEIVED**

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.3 Common Switching and Transport Termination Optional Features  
(where equipment is available) (Cont'd)

6.3.1 Common Switching Optional Features  
(where equipment is available (Cont'd)

(D) Uniform Call Distribution Arrangement

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(E) Nonhunting Number for Use with Hunt Group or Uniform Call Distribution Arrangement

This option provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(F) Automatic Number Identification (ANI)

This option provides the automatic transmission of a seven or ten digit number and information digits to the customer's premises for calls originating in the exchange, to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and a customer's premises or, where technically feasible, with (2) all individual transmission paths in a trunk group between an end office and an access tandem, and trunk group between an access tandem and a customer's premises.

**CANCELLED**

NOV 7 1993  
BY *Let R.S. #204*  
Public Service Commission  
MISSOURI

**FILED**

NOV 7 1992

MO. PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roé  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992



ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(F) Automatic Number Identification (ANI) (Cont'd)

The seven digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, pay telephones using Feature Group B, or when an ANI failure has occurred.

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with TFC service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4- or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification, (5)

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

RECEIVED

ACCESS SERVICE

JAN 15 1997

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

MISSOURI  
Public Service Commission

(F) Automatic Number Identification (ANI) (Cont'd)

The seven digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, pay telephones using Feature Group B, or when an ANI failure has occurred.

(T)

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with TFC service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4- or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification, (5)

FILED

APR 15 1997

MO. PUBLIC SERVICE COMMISSION

EFFECTIVE:

APR 15 1997

ISSUED:  
January 15, 1997

BY: John L. Roe  
VP - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

Cancelled  
April 30, 2007  
Missouri Public  
Service Commission

RECEIVED

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MAR 27 1996

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

MISSOURI

(F) Automatic Number Identification (ANI) ~~Public Service Commission~~

The seven digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, coin stations and coinless pay telephones using Feature Group B, or when an ANI failure has occurred.

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with TFC service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment. (T)

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4- or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification, (5)

CANCELLED

APR 15 1997  
BY 3 M.R.S. #205  
Public Service Commission  
MISSOURI

FILED

APR 29 1996

MO. PUBLIC SERVICE COMM

ISSUED:  
March 27, 1996

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 29, 1996

ACCESS SERVICE

~~REVISED~~

6. Switched Access Service (Cont'd)

NOV 2 1993

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

(T)  
(D)  
(D)

MO. PUBLIC SERVICE COMM.

(F) Automatic Number Identification (ANI) (Cont'd)

The seven digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, coin stations and coinless pay telephones using Feature Group B, or when an ANI failure has occurred.

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with 800 service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4- or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification, (5)

**CANCELLED**

APR 29 1995  
BY 2nd R.S. # 205  
Public Service Commission  
MISSOURI

**FILED**

NOV 7 1 18 1993  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Filed  
**RECEIVED**

SEP 17 1992

ACCESS SERVICE

MISSOURI  
Public Service Commission

6. Switched Access Service (Cont'd)

6.3 Common Switching and Transport Termination Optional Features  
(where equipment is available) (Cont'd)

**CANCELLED**

6.3.1 Common Switching Optional Features  
(where equipment is available (Cont'd)

(F) Automatic Number Identification (ANI) (Cont'd)

NOV 7 1993

BY let R.S. # 205

The seven digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, coin stations and coinless pay telephones using Feature Group B, or when an ANI failure has occurred.

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with 800 service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4- or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification, (5)

**FILED**

NOV 7 1992

MO. PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3.1 Local Switching Optional Features (where equipment is available) (Cont'd)

(F) Automatic Number Identification (ANI) (Cont'd)

pay telephone, hospital, inmate, etc. call which requires special screening or handling by the customer and (6) call is an Automatic Identified Outward Dialed (AIOD) call from customer premises equipment. The ANI telephone number is the listed telephone number of the customer and is not the telephone number of the calling party. These ANI information digits are available with Feature Groups B, C, and D.

(G) Up to 7 Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-0XXX or 950-1XXX) to the customer's premises. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer's premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided. It is available with Feature Group B.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

RECEIVED

ACCESS SERVICE

JAN 15 1997

6. Switched Access Service (Cont'd)

6.3.1 Local Switching Optional Features (where equipment is available)  
(Cont'd)

MISSOURI  
Public Service Commission

(F) Automatic Number Identification (ANI) (Cont'd)

pay telephone, hospital, inmate, etc. call which requires special screening or handling by the customer and (6) call is an Automatic Identified Outward Dialed (AIOD) call from customer premises equipment. The ANI telephone number is the listed telephone number of the customer and is not the telephone number of the calling party. These ANI information digits are available with Feature Groups B, C, and D. (T)

(G) Up to 7 Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-0XXX or 950-1XXX) to the customer's premises. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer's premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided. It is available with Feature Group B.

FILED

APR 15 1997

MO. PUBLIC SERVICE COMMISSION

EFFECTIVE:

APR 15 1997

ISSUED:  
January 15, 1997

BY: John L. Roe  
VP - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

NOV 2 1993

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

(T)  
(D)  
(D)

MO. PUBLIC SERVICE COMM.

(F) Automatic Number Identification (ANI) (Cont'd)

coinless station, hospital, inmate, etc. call which requires special screening or handling by the customer and (6) call is an Automatic Identified Outward Dialed (AIOD) call from customer premises equipment. The ANI telephone number is the listed telephone number of the customer and is not the telephone number of the calling party. These ANI information digits are available with Feature Groups B, C, and D.

(G) Up to 7 Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-0XXX or 950-1XXX) to the customer's premises. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer's premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided. It is available with Feature Group B.

CANCELLED

APR 15 1997  
BY 2nd R.S. #206  
Public Service Commission  
MISSOURI

FILED

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993



UNITED TELEPHONE COMPANY  
OF MISSOURI

Original **RECEIVED**

SEP 17 1992

ACCESS SERVICE

MISSOURI  
Public Service Commission

6. Switched Access Service (Cont'd)

6.3 Common Switching and Transport Termination Optional Features  
(where equipment is available) (Cont'd)

6.3.1 Common Switching Optional Features  
(where equipment is available) (Cont'd)

(F) Automatic Number Identification (ANI) (Cont'd)

coinless station, hospital, inmate, etc. call which requires special screening or handling by the customer and (6) call is an Automatic Identified Outward Dialed (AIOD) call from customer premises equipment. The ANI telephone number is the listed telephone number of the customer and is not the telephone number of the calling party. These ANI information digits are available with Feature Groups B, C, and D.

(G) Up to 7 Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-0XXX or 950-1XXX) to the customer's premises. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer's premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided. It is available with Feature Group B.

**CANCELLED**

NOV 7 1993  
BY *Let R.S. #206*  
Public Service Commission  
MISSOURI

FILED

NOV 7 1992

MO. PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3.1 Local Switching Optional Features (where equipment is available) (Cont'd)

(H) Cut-Through

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 101XXXX code upon receipt of the end of dialing digit (#). The Telephone Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

(I) Revertive Pulse Address Signaling

This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- (1) The equipment at the originating location presets itself to represent the number of pulses required and to count the pulses received from the terminating location.
- (2) The equipment at the terminating location transmits a series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with Feature Group C.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3.1 Local Switching Optional Features (where equipment is available) (Cont'd)

RECEIVED

JUL 02 1998

(H) Cut-Through

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 101XXXX code upon receipt of the end of dialing digit (#). The Telephone Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

MO. PUBLIC SERVICE COMM

(CT)

(I) Revertive Pulse Address Signaling

This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- (1) The equipment at the originating location presets itself to represent the number of pulses required and to count the pulses received from the terminating location.
- (2) The equipment at the terminating location transmits a series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with Feature Group C.

FILED

AUG 03 1998

MISSOURI  
Public Service Commission

ISSUED:  
July 2, 1998

BY: Richard Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE :  
August 3, 1998

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

JUN 5 1995

6.3.1 Local Switching Optional Features  
(where equipment is available) (Cont'd)

MO. PUBLIC SERVICE COMM.

(H) Cut-Through

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 10XXX or 101XXXX code upon receipt of the end of dialing digit (#). The Telephone Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

(C)

(I) Revertive Pulse Address Signaling

This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- (1) The equipment at the originating location presets itself to represent the number of pulses required and to count the pulses received from the terminating location.
- (2) The equipment at the terminating location transmits a series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with Feature Group C.

CANCELLED

AUG 03 1998  
By 3rd RS #207  
Public Service Commission  
MISSOURI

FILED

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~July 8, 1995~~

JUL 15 1995

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (T)  
(Cont'd) (D)

NOV 2 1993

MO. PUBLIC SERVICE COMM. (D)

(H) Cut-Through

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 10XXX code upon receipt of the end of dialing digit (#). The Telephone Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

(I) Revertive Pulse Address Signaling

This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- (1) The equipment at the originating location presets itself to represent the number of pulses required and to count the pulses received from the terminating location.
- (2) The equipment at the terminating location transmits a series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with Feature Group C.

CANCELLED

JUL 15 1995  
BY 2nd R.S. # 207  
Public Service Commission  
MISSOURI

FILED

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 207

**RECEIVED**

SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Common Switching and Transport Termination Optional Features  
(where equipment is available) (Cont'd)

MISSOURI  
Public Service Commission

6.3.1 Common Switching Optional Features  
(where equipment is available) (Cont'd)

(H) Cut-Through

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 10XXX code upon receipt of the end of dialing digit (#). The Telephone Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

(I) Revertive Pulse Address Signaling

This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- (1) The equipment at the originating location presets itself to represent the number of pulses required and to count the pulses received from the terminating location.
- (2) The equipment at the terminating location transmits a series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with Feature Group C.

**CANCELLED**

NOV 7 10 3  
BY *let R.S. #207*  
Public Service Commission  
MISSOURI

**FILED**

NOV 7 1992

MO. PUBLIC SERVICE COM. REG.

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3.1 Local Switching Optional Features (where equipment is available) (Cont'd)

(J) Delay Dial Start-Pulsing Signaling

This option provides a method of indicating to the near end trunk circuit readiness to accept address signaling information by the far end trunk circuit. Delay dial is often referred to as an off-hook, on-hook signaling sequence. The delay dial signal is the off-hook interval and the start-pulsing signal is the on-hook interval. With integrity check, the calling office will not outpulse until a delay dial (off-hook) signal followed by a start-pulsing (on-hook) signal has been identified at the calling office. This option is available with Feature Group C.

(K) Immediate Dial Pulse Address Signaling

This option provides for the forwarding of dial pulses from the Telephone Company end office to the customer without the need of a start-pulsing signal from the customer. It is available with Feature Group C.

(L) Dial Pulse Address Signaling

This trunk size option provides for the transmission of number information, e.g., called number, between the end office switching system and the customer's premises (in either direction) by means of direct current pulses. It is available with Feature Group C.

(M) Panel Call Indicator Address Signaling

This option provides a dc pulsing arrangement in which each digit is transmitted as a series of four marginal and polarized impulses. It is available with Feature Group C.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

ACCESS SERVICE

6. Switched Access Service (Cont'd)

NOV 3 1993

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

MO. PUBLIC SERVICE COMM.

(T)  
(D)  
(D)

(J) Delay Dial Start-Pulsing Signaling

This option provides a method of indicating to the near end trunk circuit readiness to accept address signaling information by the far end trunk circuit. Delay dial is often referred to as an off-hook, on-hook signaling sequence. The delay dial signal is the off-hook interval and the start-pulsing signal is the on-hook interval. With integrity check, the calling office will not outpulse until a delay dial (off-hook) signal followed by a start-pulsing (on-hook) signal has been identified at the calling office. This option is available with Feature Group C.

(K) Immediate Dial Pulse Address Signaling

This option provides for the forwarding of dial pulses from the Telephone Company end office to the customer without the need of a start-pulsing signal from the customer. It is available with Feature Group C.

(L) Dial Pulse Address Signaling

This trunk size option provides for the transmission of number information, e.g., called number, between the end office switching system and the customer's premises (in either direction) by means of direct current pulses. It is available with Feature Group C.

(M) Panel Call Indicator Address Signaling

This option provides a dc pulsing arrangement in which each digit is transmitted as a series of four marginal and polarized impulses. It is available with Feature Group C.

FILED

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993



UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 208

RECEIVED

SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MISSOURI

Public Service Commission

6.3 Common Switching and Transport Termination Optional Features  
(where equipment is available) (Cont'd)

CANCELLED

6.3.1 Common Switching Optional Features  
(where equipment is available) (Cont'd)

(J) Delay Dial Start-Pulsing Signaling

This option provides a method of indicating to the trunk circuit readiness to accept address signaling information by the far end trunk circuit. Delay dial is often referred to as an off-hook, on-hook signaling sequence. The delay dial signal is the off-hook interval and the start-pulsing signal is the on-hook interval. With integrity check, the calling office will not outpulse until a delay dial (off-hook) signal followed by a start-pulsing (on-hook) signal has been identified at the calling office. This option is available with Feature Group C.

NOV 7 1993  
BY 1st R.S. #208  
Public Service Commission  
MISSOURI

(K) Immediate Dial Pulse Address Signaling

This option provides for the forwarding of dial pulses from the Telephone Company end office to the customer without the need of a start-pulsing signal from the customer. It is available with Feature Group C.

(L) Dial Pulse Address Signaling

This trunk size option provides for the transmission of number information, e.g., called number, between the end office switching system and the customer's premises (in either direction) by means of direct current pulses. It is available with Feature Group C.

(M) Panel Call Indicator Address Signaling

This option provides a dc pulsing arrangement in which each digit is transmitted as a series of four marginal and polarized impulses. It is available with Feature Group C.

FILED

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

CCO. PUBLIC SERVICE COMMISSION  
EFFECTIVE:

~~October 17, 1992~~

NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(N) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., pay telephone, multiparty or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., TFC or 900). It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups C and D.

(O) Alternate Traffic Routing

(1) Multiple Customer Premises Alternate Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B, C and D.

(2) End Office Alternative Routing When Ordered in Trunks

This option provides an alternate routing arrangement for customers who order in trunks and have access for a particular Feature Group to an end office via two routes: one route via an

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

RECEIVED

ACCESS SERVICE

6. Switched Access Service (Cont'd)

JAN 15 1997

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

MISSOURI  
Public Service Commission

(N) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., pay telephone, multiparty or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., TFC or 900). It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups C and D. (T)

(O) Alternate Traffic Routing

(1) Multiple Customer Premises Alternate Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B, C and D.

(2) End Office Alternative Routing When Ordered in Trunks

This option provides an alternate routing arrangement for customers who order in trunks and have access for a particular Feature Group to an end office via two routes: one route via an

FILED

APR 15 1997

MO. PUBLIC SERVICE COMM

ISSUED:  
January 15, 1997

BY: John L. Roe  
VP - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:

APR 15 1997

RECEIVED

ACCESS SERVICE

MAR 27 1996

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd) MISSOURI Public Service Commission

(N) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., coin, multiparty or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., TFC or 900). It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups C and D. (T)

(O) Alternate Traffic Routing

(1) Multiple Customer Premises Alternate Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B, C and D.

(2) End Office Alternative Routing When Ordered in Trunks

This option provides an alternate routing arrangement for customers who order in trunks and have access for a particular Feature Group to an end office via two routes: one route via an

CANCELLED

APR 15 1997  
BY 3rd R.S. #209  
Public Service Commission  
MISSOURI

FILED

APR 29 1996

MISSOURI PUBLIC SERVICE COMM

ISSUED:  
March 27, 1996

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 29, 1996

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

NOV 2 1993

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

(T)  
(D)  
(D)

MO. PUBLIC SERVICE COMM.

(N) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., coin, multiparty or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., 800 or 900). It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups C and D.

(O) Alternate Traffic Routing

(1) Multiple Customer Premises Alternate Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B, C and D.

(2) End Office Alternative Routing When Ordered in Trunks

This option provides an alternate routing arrangement for customers who order in trunks and have access for a particular Feature Group to an end office via two routes: one route via an

CANCELLED

APR 29 1996  
BY 2nd R.S. #209  
Public Service Commission  
MISSOURI

FILED

NOV 7 1993  
93 - 184  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 209

RECEIVED

SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Common Switching and Transport Termination Optional Features  
(where equipment is available) (Cont'd)

6.3.1 Common Switching Optional Features  
(where equipment is available) (Cont'd)

(N) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., coin, multiparty or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., 800 or 900). It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups C and D.

(O) Alternate Traffic Routing

(1) Multiple Customer Premises Alternate Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B, C and D.

(2) End Office Alternative Routing When Ordered in Trunks

This option provides an alternate routing arrangement for customers who order in trunks and have access for a particular Feature Group to an end office via two routes: one route via an

MISSOURI  
Public Service Commission  
CANCELLED

NOV 7 1993  
BY *let R-S # 209*  
Public Service Commission  
MISSOURI

FILED

NOV 7 1992

MO. PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~September 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(O) Alternate Traffic Routing (Cont'd)

(2) End Office Alternative Routing When Ordered in Trunks (Cont'd)

access tandem and one direct route. The feature allows the customer's originating traffic from the end office to be offered first to the direct trunk group and then overflow to the access tandem group. It is provided in suitably equipped end offices and is available with Feature Groups B and D.

(P) Trunk Access Limitation

This option provides for the routing of originating 900 service calls to a specified number of transmission paths in a trunk group, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone.

It is provided in all Telephone Company electronic end offices. It is available with Feature Groups C and D.

(Q) Call Gapping Arrangement

This option, provided in suitably equipped end office switches, provides for the routing of originating calls to 900 service to be switched in the end office to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which are denied access by

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Second Revised Page 210  
Cancels First Revised Page 210  
**Missouri Public  
Service Commission**

ACCESS SERVICE

REC'D MAY 03 2000

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

(O) Alternate Traffic Routing (Cont'd)

(2) End Office Alternative Routing When Ordered in Trunks  
(Cont'd)

access tandem and one direct route. The feature allows the customer's originating traffic from the end office to be offered first to the direct trunk group and then overflow to the access tandem group. It is provided in suitably equipped end offices and is available with Feature Groups B and D.

(P) Trunk Access Limitation

This option provides for the routing of originating 900 service calls to a specified number of transmission paths in a trunk group, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone.

It is provided in all Telephone Company electronic end offices. It is available with Feature Groups C and D.

(C)

(Q) Call Gapping Arrangement

This option, provided in suitably equipped end office switches, provides for the routing of originating calls to 900 service to be switched in the end office to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which are denied access by

**Missouri Public  
Service Commission**

FILED JUN 02 2000

ISSUED:  
May 3, 2000

Richard D. Lawson  
State Executive, External Affairs

EFFECTIVE:  
June 2, 2000



ACCESS SERVICE

~~RECEIVED~~

6. Switched Access Service (Cont'd)

NOV 2 1993

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

(T)  
(D)  
(D)

MO. PUBLIC SERVICE COMM.

(O) Alternate Traffic Routing (Cont'd)

(2) End Office Alternative Routing When Ordered in Trunks  
(Cont'd)

access tandem and one direct route. The feature allows the customer's originating traffic from the end office to be offered first to the direct trunk group and then overflow to the access tandem group. It is provided in suitably equipped end offices and is available with Feature Groups B and D.

(P) Trunk Access Limitation

This option provides for the routing of originating 900 service calls to a specified number of transmission paths in a trunk group, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone.

It is provided in all Telephone Company electronic end offices and where available in electromechanical end offices. It is available with Feature Groups C and D.

(Q) Call Gapping Arrangement

This option, provided in suitably equipped end office switches, provides for the routing of originating calls to 900 service to be switched in the end office to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which are denied access by

**CANCELLED**

JUN 02 2000

By <sup>2nd</sup> RP 210  
Public Service Commission  
MISSOURI

**FILED**

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 210

RECEIVED

SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.3 Common Switching and Transport Termination Optional Features  
(where equipment is available) (Cont'd)

CANCELLED

6.3.1 Common Switching Optional Features  
(where equipment is available) (Cont'd)

(O) Alternate Traffic Routing (Cont'd)

(2) End Office Alternative Routing When Ordered  
(Cont'd)

NOV 7 1993  
BY 1st R.S. #210  
Public Service Commission  
MISSOURI

access tandem and one direct route. The feature allows the customer's originating traffic from the end office to be offered first to the direct trunk group and then overflow to the access tandem group. It is provided in suitably equipped end offices and is available with Feature Groups B and D.

(P) Trunk Access Limitation

This option provides for the routing of originating 900 service calls to a specified number of transmission paths in a trunk group, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone.

It is provided in all Telephone Company electronic end offices and where available in electromechanical end offices. It is available with Feature Groups C and D.

(Q) Call Gapping Arrangement

This option, provided in suitably equipped end office switches, provides for the routing of originating calls to 900 service to be switched in the end office to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which are denied access by

FILED

NOV 7 1992

MO. PUBLIC SERVICE COMMISSION  
EFFECTIVE:

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

~~October 1, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(Q) Call Gapping Arrangement (Cont'd)

this feature, i.e., the choked calls, would be routed to a no-circuit announcement. It is provided in selected Feature Group D equipped end offices and is available only with Feature Group D.

(R) Feature Group D With 950 Access

This option may be ordered to route calls from a designated 950-XXXX access code to Feature Group D access service. The Telephone Company will direct designated 950-XXXX calls dialed by the customer's end users to the customer's FGD access service, using FGD signaling protocols and technical specifications. The customer must be prepared to differentiate between standard FGD calls and 950-dialed calls delivered over the same trunks. FGD with 950 Access will be provided from equal access conforming Telephone Company end offices and tandems, where technically feasible. Calls delivered to the customer's FGD access service when the customer's end user dials a 950-XXXX access code will be rated as FGD.

When a customer has FGD access service and does not have FGB access service from a particular end office, this option may be ordered to activate a customer's designated 950-XXXX access code in that end office. When a customer has both FGB and FGD access services and orders this option in a particular end office, the Telephone Company will direct designated 950-XXXX calls dialed by the customer's end users to the customer's FGD access service in that end office. The customer is prohibited from having 950-XXXX access to originating FGD and originating FGB in the same end office or tandem utilizing the same 950-XXXX access code.

In Telephone Company end offices and tandems that do not support four digit carrier identification codes (CIC) for FGD, the 950-XXXX access code is only available to customers using a three digit CIC in the form 950-OXXX or 950-1XXX. In Telephone Company end offices and tandems that do support four digit CIC for FGD, the 950-XXXX access code is available to customers using either a three digit or four digit CIC in the forms 950-OXXX, 950-1XXX, and 950-XXXX. In any event, the CIC specified by the customer, either 3 digit or 4 digit, must be a valid CIC assigned for use by that customer. This option is available only with Feature Group D.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

RECEIVED

ACCESS SERVICE

JUN 5 1995

6. Switched Access Service (Cont'd)

MO. PUBLIC SERVICE COMM.

6.3.1 Local Switching Optional Features  
(where equipment is available) (Cont'd)

(Q) Call Gapping Arrangement (Cont'd)

this feature, i.e., the choked calls, would be routed to a no-circuit announcement. It is provided in selected Feature Group D equipped end offices and is available only with Feature Group D.

(R) Feature Group D With 950 Access

This option may be ordered to route calls from a designated 950-XXXX access code to Feature Group D access service. The Telephone Company will direct designated 950-XXXX calls dialed by the customer's end users to the customer's FGD access service, using FGD signaling protocols and technical specifications. The customer must be prepared to differentiate between standard FGD calls and 950-dialed calls delivered over the same trunks. FGD with 950 Access will be provided from equal access conforming Telephone Company end offices and tandems, where technically feasible. Calls delivered to the customer's FGD access service when the customer's end user dials a 950-XXXX access code will be rated as FGD.

(N)

When a customer has FGD access service and does not have FGB access service from a particular end office, this option may be ordered to activate a customer's designated 950-XXXX access code in that end office. When a customer has both FGB and FGD access services and orders this option in a particular end office, the Telephone Company will direct designated 950-XXXX calls dialed by the customer's end users to the customer's FGD access service in that end office. The customer is prohibited from having 950-XXXX access to originating FGD and originating FGB in the same end office or tandem utilizing the same 950-XXXX access code.

In Telephone Company end offices and tandems that do not support four digit carrier identification codes (CIC) for FGD, the 950-XXXX access code is only available to customers using a three digit CIC in the form 950-OXXX or 950-1XXX. In Telephone Company end offices and tandems that do support four digit CIC for FGD, the 950-XXXX access code is available to customers using either a three digit or four digit CIC in the forms 950-OXXX, 950-1XXX, and 950-XXXX. In any event, the CIC specified by the customer, either 3 digit or 4 digit, must be a valid CIC assigned for use by that customer. This option is available only with Feature Group D.

(N)

JUL 15 1995

MISSOURI  
Public Service Commission

ISSUED:  
June 5, 1995

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~July 15, 1995~~

JUL 15 1995

UNITED TELEPHONE COMPANY  
OF MISSOURI

First Revised Page 211  
Cancels Original Page 211

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (T)  
(Cont'd) (D)

NOV 2 1993

MO. PUBLIC SERVICE COMM. (D)

(Q) Call Gapping Arrangement (Cont'd)

this feature, i.e., the choked calls, would be routed to a no-circuit announcement. It is provided in selected Feature Group D equipped end offices and is available only with Feature Group D.

(R) Reserved For Future Use

CANCELLED

JUL 15 1995  
BY 2nd R.S. #11  
Public Service Commission  
MISSOURI

FILED

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 211  
**RECEIVED**

SEP 17 1992

ACCESS SERVICE

**MISSOURI  
Public Service Commission**

6. Switched Access Service (Cont'd)

6.3 Common Switching and Transport Termination Optional Features  
(where equipment is available) (Cont'd)

6.3.1 Common Switching Optional Features  
(where equipment is available) (Cont'd)

(Q) Call Gapping Arrangement (Cont'd)

this feature, i.e., the choked calls, would be routed to a no-circuit announcement. It is provided in selected Feature Group D equipped end offices and is available only with Feature Group D.

(R) Reserved For Future Use

**CANCELLED**

NOV 7 1993  
BY *let R.S. #211*  
Public Service Commission  
MISSOURI

**FILED**

NOV 7 1992

MO. PUBLIC SERVICE COMM.  
EFFECTIVE:

~~October 17, 1992~~

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(S) Band Advance Arrangement for Use with WATS Access Line Service

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Feature Groups C and D.

(T) End Office End User Line Screening Options for Use with WATS Access Line Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer. This option is provided in all Telephone Company electronic end offices. It is available with Feature Groups C and D.

(U) Hunt Group Arrangement for Use with WATS Access Line Service

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., TFC Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This figure is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Third Revised Page 212  
Cancels Second Revised Page 212

**Missouri Public  
Service Commission**

ACCESS SERVICE

REC'D MAY 03 2000

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

(S) Band Advance Arrangement for Use with WATS Access Line Service

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Feature Groups C and D.

(T) End Office End User Line Screening Options for Use with WATS Access Line Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer. This option is provided in all Telephone Company electronic end offices. It is available with Feature Groups C and D. (C)

(U) Hunt Group Arrangement for Use with WATS Access Line Servi

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., TFC Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This figure is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

**Missouri Public  
Service Commission**

FILED JUN 02 2000

ISSUED:  
May 3, 2000

Richard D. Lawson  
State Executive, External Affairs

EFFECTIVE:  
June 2, 2000



RECEIVED

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MAR 27 1996

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

MISSOURI  
Public Service Commission

(S) Band Advance Arrangement for Use with WATS Access Line Service

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Feature Groups C and D.

(T) End Office End User Line Screening Options for Use with WATS Access Line Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer, e.g., WATS. This option is provided in all Telephone e.g., WATS. This option is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(U) Hunt Group Arrangement for Use with WATS Access Line Service

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., TFC Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This figure is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(T)

CANCELLED

FILED

JUN 02 2000

By *3rd RP 212*  
Public Service Commission  
MISSOURI

APR 29 1996

MO. PUBLIC SERVICE COMM.

ISSUED:  
March 27, 1996

BY: John L. Roe  
Vice President - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 29, 1996

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

NOV 2 1993

MO. PUBLIC SERVICE COMM.

(T)  
(D)  
(D)

(S) Band Advance Arrangement for Use with WATS Access Line Service

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Feature Groups C and D.

(T) End Office End User Line Screening Options for Use with WATS Access Line Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer, e.g., WATS. This option is provided in all Telephone e.g., WATS. This option is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(U) Hunt Group Arrangement for Use with WATS Access Line Service

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., 800 Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This figure is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

CANCELLED

APR 29 1996  
BY 2nd R.S. # 212  
Public Service Commission  
MISSOURI

FILED

NOV 7 1993  
93 - 187  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 212

CANCELLED

RECEIVED

NOV 7 1993

SEP 17 1992

ACCESS SERVICE

BY 104 RS. # 212  
Public Service Commission MISSOURI  
Public Service Commission MISSOURI

6. Switched Access Service (Cont'd)

6.3 Common Switching and Transport Termination Optional Features (where equipment is available) (Cont'd)

6.3.1 Common Switching Optional Features  
(where equipment is available) (Cont'd)

(S) Band Advance Arrangement for Use with WATS Access Line Service

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Feature Groups C and D.

(T) End Office End User Line Screening Options for Use with WATS Access Line Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer, e.g., WATS. This option is provided in all Telephone e.g., WATS. This option is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(U) Hunt Group Arrangement for Use with WATS Access Line Service

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., 800 Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This figure is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

FILED

NOV 7 1992

MO. PUBLIC SERVICE COMM.  
EFFECTIVE:

~~October 1, 1992~~

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(V) Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(X) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Fourth Revised Page 213  
Cancels Third Revised Page 213  
Missouri Public  
Service Commission

ACCESS SERVICE

REC'D NOV 29 2000

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(V) Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(X) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

(M)

(M)

(M) Text relocated to Page 214.

ISSUED:  
November 29, 2000

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
December 29, 2000  
Missouri Public  
Service Commission

FILED DEC 29 2000

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

JAN 15 1997

MISSOURI  
Public Service Commission

(V) Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(X) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

(Y) Operator Trunk - Pay Telephone (T)

This option may be ordered to provide pay telephone operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Local Switching option. (T)

FILED

APR 15 1997

MO. PUBLIC SERVICE COMM  
EFFECTIVE:

APR 15 1997

ISSUED:  
January 15, 1997

BY: John L. Roe  
VP - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

CANCELLED

DEC 29 2000

By 4th RP 213  
Public Service Commission  
MISSOURI

UNITED TELEPHONE COMPANY  
OF MISSOURI

Second Revised Page 213  
Cancels First Revised Page 213

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

NOV 2 1993

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

MO. PUBLIC SERVICE COMM.

(T)  
(D)  
(D)

(V) Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(X) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

(Y) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin

This option may be ordered to provide coin, non-coin, or combined coin and non-coin operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Local Switching option.

CANCELLED  
APR 15 1997  
BY 3rd R.S. 213  
Public Service Commission  
MISSOURI

FILED  
NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
November 7, 1993





UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 213  
**RECEIVED**

ACCESS SERVICE

SEP 17 1992

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.3 Common Switching and Transport Termination Optional Features (where equipment is available) (Cont'd)

6.3.1 Common Switching Optional Features (where equipment is available) (Cont'd)

(V) Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

6.3.2 Transport Termination Optional Features

(A) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

**CANCELLED**

MAY 1 1993

BY John R. S. # 213

Public Service Commission  
MISSOURI

**RECEIVED**

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roeb  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

**EFFECTIVE:**  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(Y) Operator Trunk - Pay Telephone

This option may be ordered to provide pay telephone operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Local Switching option.

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating pay telephone calls requiring operator assistance to the customer's premises. Because operator assisted pay telephone traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance pay telephone calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's premises equipment.

When so equipped, the ANI feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for pay telephone stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Fourth Revised Page 214  
Cancels Third Revised Page 214  
**Missouri Public  
Service Commission**

ACCESS SERVICE

REC'D NOV 29 2000

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(Y) Operator Trunk - Pay Telephone

This option may be ordered to provide pay telephone operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Local Switching option.

(M)

(M)

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating pay telephone calls requiring operator assistance to the customer's premises. Because operator assisted pay telephone traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance pay telephone calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's premises equipment.

When so equipped, the ANI feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for pay telephone stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

(M) Text relocated from Page 213.

ISSUED:  
November 29, 2000

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
December 29, 2000  
**Missouri Public  
Service Commission**

FILED DEC 29 2000



UNITED TELEPHONE COMPANY  
OF MISSOURI

Second Revised Page 214  
Cancels First Revised Page 214

RECEIVED

ACCESS SERVICE

NOV 2 1993

6. Switched Access Service (Cont'd)

MO. PUBLIC SERVICE COMM.

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

(1)  
(D)  
(1)  
(1)

(Y) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin  
(Cont'd)

Coin:

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating coin calls requiring operator assistance to the customer's premises. Because operator assisted coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

CANCELLED

The operator assistance coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's manual cord boards, rather than in the customer's manual cord boards.

APR 15 1997  
Missouri  
Public Service Commission

Non-Coin:

This arrangement provides for the routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating non-coin calls requiring operator assistance to the customer's premises. Because operator assisted non-coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

(M)

The operator assistance non-coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's manual cord boards. When so equipped, the ANI feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for coinless public stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

(M)

FILED  
93-181

ISSUED:  
November 3, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

NOV 7 1993 EFFECTIVE:  
November 7, 1993

MO. PUBLIC SERVICE COMM.

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Common Switching Transport Termination Optional Features (where equipment is available) (Cont'd)

RECEIVED  
MAR 31 1993

6.3.2 Transport Termination Optional Features (Cont'd)

MO. PUBLIC SERVICE COMMISSION

(A) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

(M)  
|  
(M)

(B) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin

This option may be ordered to provide coin, non-coin, or combined coin and non-coin operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Transport Termination.

Coin:

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating coin calls requiring operator assistance to the customer's premises. Because operator assisted coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's manual cord boards.

CANCELLED

NOV 7 1993  
BY 2nd R.S. # 214  
Public Service Commission  
MISSOURI

FILED  
MAY 0 1 1993  
MO. PUBLIC SERVICE COMMISSION

ISSUED:  
March 31, 1993

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
May 1, 1993

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 214  
**RECEIVED**  
SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MISSOURI  
Public Service Commission

6.3 Common Switching Transport Termination Optional Features (where equipment is available) (Cont'd)

6.3.2 Transport Termination Optional Features (Cont'd)

(B) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin

This option may be ordered to provide coin, non-coin, or combined coin and non-coin operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Transport Termination.

Coin:

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating coin calls requiring operator assistance to the customer's premises. Because operator assisted coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's manual cord boards.

**CANCELLED**

MAY 1 1993  
BY let R.S. # 214  
Public Service Commission  
MISSOURI

FILED

NOV 7 1992

REG. BUREAU OF TELEPHONE

EFFECTIVE:

~~October 17, 1992~~

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(Z) Operator Trunk - Full Feature

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type of Local Switching option.

(AA) Call Screening

This feature provides for the passing of call screening digits on all calls that originate from Feature Group A lines. With Call Screening, the FGA dial tone office switched translations associated with the FGA line generate the ANI information digits of 07 on each call passed. Call Screening is available with FGA in suitably equipped end offices.

(BB) Call Restriction

This option allows for the screening of terminating calls and for the completion only of calls to a Telephone Company specified set of service codes and NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. It is available with Feature Group A only in those offices where such capabilities exist.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007



SPRINT MISSOURI, INC.  
d/b/a SPRINT

Third Revised Page 215  
Cancels Second Revised Page 215

Missouri Public  
Service Commission

ACCESS SERVICE

REC'D NOV 29 2000

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(Z) Operator Trunk - Full Feature (M)

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type of Local Switching option. (M)

(AA) Call Screening (N)

*This feature provides for the passing of call screening digits on all calls that originate from Feature Group A lines. With Call Screening, the FGA dial tone office switched translations associated with the FGA line generate the ANI information digits of 07 on each call passed. Call Screening is available with FGA in suitably equipped end offices.*

(BB) Call Restriction (N)

*This option allows for the screening of terminating calls and for the completion only of calls to a Telephone Company specified set of service codes and NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. It is available with Feature Group A only in those offices where such capabilities exist.* (N)

(M) Text relocated from Page 216.

ISSUED:  
November 29, 2000

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
December 29, 2000

Missouri Public  
Service Commission

FILED DEC 29 2000





UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 215

RECEIVED

SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Common Switching Transport Termination Optional Features (where Commission equipment is available) (Cont'd)

6.3.2 Transport Termination Optional Features (Cont'd)

(B) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin (Cont'd)

Non-Coin:

This arrangement provides for the routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating non-coin calls requiring operator assistance to the customer's premises. Because operator assisted non-coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance non-coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's manual cord boards. When so equipped, the ANI feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for coinless public stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

Combined Coin and Non-Coin:

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating operator assisted coin and non-coin calls requiring operator assistance to the customer's premises. Because operator assisted coin and non-coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

CANCELLED

NOV 7 1993  
BY 1st P.S. # 215  
Public Service Commission  
MISSOURI

NOV 7 1992

MISSOURI PUBLIC SERVICE COMMISSION

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
~~October 17, 1992~~  
NOV 7 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(EE) Switched 64 Clear Channel Capability

This option provides for a connection capable of transmitting 64.0 kbps digital data with clear channel capability between the customer's designated premises and a suitably equipped end office. Switched 64 Clear Channel Capability allows a customer to transport an all zero octet over a DS1/1.544 Mbps high capacity channel providing an available combined maximum 1.536 Mbps data rate. This option requires all digital facilities, including the use of Interface Group 6 or 9, and is available only with Feature Group D from end offices capable of providing SS7 signaling. Bipolar with Eight Zero Substitution (B8ZS) line code format, and Integrated Services Digital Network (ISDN) or other switched data base services. Switched 64 Clear Channel Capability is available in suitably equipped end offices as specified in the National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4.

ISSUED:  
March 30, 2007

Mark D. Harper  
Director - State Regulatory  
5454 W. 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
April 30, 2007

REC'D MAY 28 2003

P.S.C. MO.-No. 26

SPRINT MISSOURI, INC.  
d/b/a SPRINTSixth Revised Page 216  
Cancels Fifth Revised Page 216

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.3 Local Switching Optional Features (where equipment is available) (Cont'd)(CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(EE) Switched 64 Clear Channel Capability

This option provides for a connection capable of transmitting 64.0 kbps digital data with clear channel capability between the customer's designated premises and a suitably equipped end office. Switched 64 Clear Channel Capability allows a customer to transport an all zero octet over a DS1/1.544 Mbps high capacity channel providing an available combined maximum 1.536 Mbps data rate. This option requires all digital facilities, including the use of Interface Group 6 or 9, and is available only with Feature Group D from end offices capable of providing SS7 signaling. Bipolar with Eight Zero Substitution (B8ZS) line code format, and Integrated Services Digital Network (ISDN) or other switched data base services. Switched 64 Clear Channel Capability is available in suitably equipped end offices as specified in the National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4.

(T)

ISSUED:  
May 28, 2003Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101EFFECTIVE:  
June 26, 2003Missouri Public  
Service Commission

FILED JUN 26 2003

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Fifth Revised Page 216  
Cancels Fourth Revised Page 216

Missouri Public

ACCESS SERVICE

REC'D JAN 15 2002

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd) Service Commission

(CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(EE) Switched 64 Clear Channel Capability

This option provides for a connection capable of transmitting 64.0 kbps digital data with clear channel capability between the customer's designated premises and a suitably equipped end office. Switched 64 Clear Channel Capability allows a customer to transport an all zero octet over a DS1/1.544 Mbps high capacity channel providing an available combined maximum 1.536 Mbps data rate. This option requires all digital facilities, including the use of Interface Group 6 or 9, and is available only with Feature Group D from end offices capable of providing SS7 signaling. Bipolar with Eight Zero Substitution (B8ZS) line code format, and Integrated Services Digital Network (ISDN) or other switched data base services. Switched 64 Clear Channel Capability is available in suitably equipped end offices as specified in National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4.

(T)

CANCELLED  
JUN 26 2003  
Public Service Commission  
MISSOURI

Missouri Public

FILED FEB 15 2002

Service Commission

ISSUED:  
January 15, 2002

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
February 15, 2002

SPRINT MISSOURI, INC.  
d/b/a SPRINT

Fourth Revised Page 216  
Cancels Third Revised Page 216  
Missouri Public  
Service Commission

ACCESS SERVICE

REC'D NOV 29 2000

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

CANCELLED

(M)

FEB 15 2002

(M)

By 5th RP 214  
Public Service Commission  
MISSOURI

(D)

(D)

(CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(EE) Switched 64 Clear Channel Capability

(N)

*This option provides for a connection capable of transmitting 64.0 kbps digital data with clear channel capability between the customer's designated premises and a suitably equipped end office. Switched 64 Clear Channel Capability allows a customer to transport an all zero octet over a DS1/1.544 Mbps high capacity channel providing an available combined maximum 1.536 Mbps data rate. This option requires all digital facilities, including the use of Interface Group 6 or 9, and is available only with Feature Group D from end offices capable of providing SS7 signaling. Bipolar with Eight Zero Substitution (B8ZS) line code format, and Integrated Services Digital Network (ISDN) or other switched data base services. Switched 64 Clear Channel Capability is available in suitably equipped end offices as specified in National Exchange Carrier Association Tariff F.C.C. No. 4.*

(N)

(M) Text relocated to Page 215.

ISSUED:  
November 29, 2000

Richard D. Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE:  
December 29, 2000  
Missouri Public  
Service Commission

FILED DEC 29 2000



ACCESS SERVICE

6. Switched Access Service (Cont'd)

RECEIVED

6.3 Local Switching Optional Features (where equipment is available) (Cont'd) JUL 02 1998

(Z) Operator Trunk - Full Feature

MO. PUBLIC SERVICE COMM

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type of Local Switching option.

(AA) Reserved for Future Use

(BB) Reserved for Future Use

(CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(C)

CANCELLED

DEC 29 2000

By 4th RP 216  
Public Service Commission  
MISSOURI

FILED

AUG 03 1998

MISSOURI  
Public Service Commission

ISSUED:  
July 2, 1998

BY: Richard Lawson  
State Executive, External Affairs  
319 Madison  
Jefferson City, MO 65101

EFFECTIVE :  
August 3, 1998

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

SEP - 4 1997

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

MO. PUBLIC SERVICE COMM

(Z) Operator Trunk - Full Feature

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type of Local Switching option.

(AA) Reserved for Future Use

(BB) Reserved for Future Use

(CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (10XXX or 101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(N)  
|  
(N)

CANCELLED

AUG 03 1998  
By *3rd RS #216*  
Public Service Commission  
MISSOURI

FILED

OCT - 6 1997

MISSOURI  
Public Service Commission

ISSUED:  
September 4, 1997

BY: John L. Roe  
VP - Carrier and Regulatory Services  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
October 6, 1997

UNITED TELEPHONE COMPANY  
OF MISSOURI

First Revised Page 216  
Cancels Original Page 216

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

6.3 Local Switching Optional Features (where equipment is available)  
(Cont'd)

NOV 2 1993

(T)  
(D)

MO. PUBLIC SERVICE COMM.

(2) Operator Trunk - Full Feature

(T)

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type of Local Switching option.

(T)

(AA) Reserved for Future Use

(M)

(BB) Reserved for Future Use

(CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(M)

CANCELLED

OCT -6 1997  
By 2nd R.S. #216  
Public Service Commission  
MISSOURI

FILED

NOV 7 1993  
93 - 181  
MO. PUBLIC SERVICE COMM.

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211

EFFECTIVE:  
October 17, 1992

UNITED TELEPHONE COMPANY  
OF MISSOURI

Original Page 216

RECEIVED

SEP 17 1992

ACCESS SERVICE

6. Switched Access Service (Cont'd)

MISSOURI

6.3 Common Switching Transport Termination Optional Features (where Commission equipment is available) (Cont'd)

6.3.2 Transport Termination Optional Features (Cont'd)

(B) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin (Cont'd)

Combined Coin and Non-Coin: (Cont'd)

This arrangement is normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's operator services systems, rather than in the customer's manual cord boards. When so equipped, the ANI optional feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for coinless public stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

(C) Operator Trunk - Full Feature

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type for Transport Termination.

CANCELLED

NOV 7 12 5  
BY let R.S. # 516  
Public Service Commission  
MISSOURI

RECEIVED

NOV 7 1992

REG. NUMBER 100-100000

EFFECTIVE:

~~October 7, 1992~~

NOV 7 1992

ISSUED:  
September 17, 1992

BY: John L. Roe  
Vice President - Administration  
5454 West 110th Street  
Overland Park, Kansas 66211