

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

Local Access Tariff
Adoption Notice
2nd Revised Sheet 1
Replacing 1st Revised Sheet 1

ADOPTION NOTICE

- (CT) Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri, hereby adopts, ratifies, and makes its own, in every respect as if the same had been originally filed by it, all schedules, rules, notices, concurrences, schedule agreements, divisions, authorities, or other instruments whatsoever filed with the Public Service Commission, State of Missouri, by Southwestern Bell Telephone Company prior to December 30, 2001, the beginning of Southwestern Bell Telephone, L.P.'s possession. By this notice, Southwestern Bell
- (CT) Telephone, L.P., d/b/a AT&T Missouri, also adopts and ratifies all supplements or amendments to any of the above schedules, etc., which Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone
- (AT) Company and d/b/a SBC Missouri, has heretofore filed with said Commission.

Issued: November 29, 2005

Effective: December 29, 2005

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri
St. Louis, Missouri

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

Local Access Tariff
Adoption Notice
1st Revised Sheet
Replacing Original Sheet

ADOPTION NOTICE

(CT)

Southwestern Bell Telephone, L.P., d/b/a SBC Missouri, hereby adopts, ratifies, and makes its own, in every respect as if the same had been originally filed by it, all schedules, rules, notices, concurrences, schedule agreements, divisions, authorities, or other instruments whatsoever filed with the Public Service Commission, State of Missouri, by Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company prior to December 30, 2001, the beginning of Southwestern Bell Telephone, L.P.'s possession. By this notice, Southwestern Bell Telephone, L.P., d/b/a SBC Missouri, also adopts and ratifies all supplements or amendments to any of the above schedules, etc., which Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company, has heretofore filed with said Commission.

(CT)

CANCELLED

December 29, 2005

**MISSOURI PUBLIC
SERVICE COMMISSION**

Issued: January 17, 2003

Effective: February 16, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a SBC Missouri
St. Louis, Missouri

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

Local Access Tariff
Adoption Notice
Original Sheet 1

**Missouri Public
Service Commission**

ADOPTION NOTICE

REC'D DEC 27 2001

Southwestern Bell Telephone, L.P. hereby adopts, ratifies, and makes its own, in every respect as if the same had been originally filed by it, all schedules, rules, notices, concurrences, schedule agreements, divisions, authorities or other instruments whatsoever filed with the Public Service Commission, State of Missouri, by Southwestern Bell Telephone Company prior to December 30, 2001, the beginning of Southwestern Bell Telephone, L.P.'s possession. By this notice, Southwestern Bell Telephone, L.P. also adopts and ratifies all supplements or amendments to any of the above schedules, etc., which Southwestern Bell Telephone Company has heretofore filed with said Commission.

CANCELLED

FEB 16 2003

LSR Adoption
Public Service Commission
MISSOURI

Issued: December 27, 2001

Effective: January 26, 2002

By: JAN NEWTON, President-Missouri Division
Southwestern Bell Telephone Company
St. Louis, Missouri

JAN 09 2002

Missouri Public

FILED JAN 09 2002

02-185

Service Commission

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

P.S.C. Mo.- No. 42

Local Access Tariff
Title Sheet
2nd Revised Sheet 1
Replacing 1st Revised Sheet 1

SOUTHWESTERN BELL TELEPHONE, L.P. d/b/a

(CT)

AT&T MISSOURI

SCHEDULE OF RATES

FOR

LOCAL ACCESS

(CT)

Southwestern Bell Telephone, L.P., d/b/a
AT&T Missouri hereby adopts this tariff.

Applying to its authorized territories within the State of Missouri.

Issued: November 29, 2005

Effective: December 29, 2005

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri
St. Louis, Missouri

P.S.C. Mo.- No. 42

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

Local Access Tariff
Title Sheet
1st Revised Sheet 1
Replacing Original Sheet 1

SOUTHWESTERN BELL TELEPHONE, L.P. d/b/a

(CT)

SBC MISSOURI

SCHEDULE OF RATES

FOR

LOCAL ACCESS

CANCELLED

December 29, 2005

**MISSOURI PUBLIC
SERVICE COMMISSION**

(CT)

Southwestern Bell Telephone, L.P., d/b/a
SBC Missouri hereby adopts this tariff.

Applying to its authorized territories within the State of Missouri.

Issued: January 17, 2003

Effective: February 16, 2003

By CINDY BRINKLEY, President-SBC Missouri
Southwestern Bell Telephone, L.P., d/b/a SBC Missouri
St. Louis, Missouri

No supplement to this tariff will be issued except for the purpose of canceling this tariff

Local Access Tariff
Title Sheet
Original Sheet 1
Missouri Public Service Commission

SOUTHWESTERN BELL TELEPHONE, L.P. d/b/a
SOUTHWESTERN BELL TELEPHONE COMPANY

REC'D DEC 27 2001

SCHEDULE OF RATES

FOR

LOCAL ACCESS

CANCELLED

FEB 16 2003
By ISRTHE S
Public Service Commission
MISSOURI

Southwestern Bell Telephone, L.P., d/b/a
Southwestern Bell Telephone Company hereby adopts this tariff.

Missouri Public

FILED JAN 09 2002

02-185

Applying to its authorized territories within the State of Missouri

Service Commission

Issued: December 27, 2001

Effective: January 26, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

JAN 09 2002

PHYSICAL COLLOCATION
(REGULATIONS)

APPLICATION OF TARIFF

This tariff sets forth the terms and conditions for physical collocation arrangements furnished or made available by Southwestern Bell Telephone Company (SWBT) in the state of Missouri, before the Missouri Public Service Commission.

The rates and services provided in this tariff are regulated and approved by the Commission in compliance with the Commission's rules and the Federal Telecommunications Act of 1996 ("FTA96").

EXPLANATION OF SYMBOLS

The following symbols will be used in the left-hand margin of each tariff page to indicate changes made on the sheets:

- (C) Indicates a Change in Regulation
- (D) Indicates Discontinued Rate or Regulation
- (E) Indicates Correction of an Error Made During a Revision
- (I) Indicates a Rate Increase
- (M) Indicates a Move of Text but no Change in Text, Rate or Regulation
- (N) Indicates a New Rate or Regulation
- (R) Indicates a Rate Reduction
- (T) Indicates a Change in Text but no Change in Rate or Regulation

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

1.0. Purpose and Scope of Tariff	1
2.0. Definitions	2
3.0. Limitation of Liability	5
3.1 Limitation	5
3.2 Third Parties	6
4.0 Responsibilities of SWBT	6
4.1 Right to Use; Multiple Dedicated Spaces	6
4.2 Contact Numbers	6
4.3 Trouble Status Reports	6
4.4 Service Coordination	6
4.5 Casualty Loss	7
4.5.1 Damage to Dedicated Space	7
4.5.2 Damage to Eligible Structure	7
4.6 Construction Notification	7
4.7 Construction Inspections	8
5.0 Obligations of the Collocator	8
5.1 Certification	8
5.2 Contact Numbers	8
5.3 Trouble Report	8
5.4 Removal	9
5.5 Hazardous Waste & Materials	9
5.6 Safety	9
5.7 Collocator's Equipment and Facilities	9
5.8 Insurance	11
5.8.1 Coverage Requirements	11
5.8.2 Self-Insured	12
6.0. Ordering and Provisioning	12
6.1 Dedicated Space	12
6.1.1 Types of Available Physical Collocation Arrangements	12
6.1.1.1 Active/Inactive Space Determination	15
6.1.2 Security	16
6.1.3 Interval	18
6.1.4 Revisions	24
6.2 Space Availability Determination and Resolution	25
6.3 Relocation	29
6.4 Occupancy	30
6.5 Cancellation Prior to Due Date	31
6.6 Billing	31

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

6.6.1	Billing Dispute Resolution	31
6.6.2	Third Party Escrow Agent	31
6.6.3	Disputed Amounts	32
6.6.4	Investigation Report	32
6.6.5	Informal Resolution of Billing Disputes	33
6.6.6	Formal Resolution of Billing Disputes	33
6.6.7	Arbitration	34
6.6.8	Cooperation Between Parties	34
6.6.9	Failure to Make Payment	35
6.6.10	Billing for Caged Shared Arrangements and Caged Common Collocation Arrangements	35
6.7	Late Payment Charge	36
6.8	Allowances for Interruptions	36
7.0	Use by Other Local Service Providers	36
8.0	Fiber Optic Cable and Demarcation Point	37
8.1	Fiber Optic Cable Entrances	37
8.2	Demarcation Point	38
9.0	Use of Dedicated Space	38
9.1	Nature of Use	38
9.2	Equipment List	39
9.2.1	Subsequent Requests to Place Equipment	39
9.2.2	Limitations	39
9.3	Dedicated Space Use and Access	40
9.4	Threat to Personnel, Network or Facilities	40
9.5	Interference or Impairment	41
9.6	Interconnection to Others	41
9.7	Personal Property and Its Removal	41
9.8	Alterations	42
10.0	Standards	42
10.1	Minimum Standards	42
10.2	Revisions	42
10.2.1	Dispute Resolution Process for Revisions or Implementation of Technical Publications	43
10.3	Compliance Certification	43
11.0	Re-Entry	43
12.0	Indemnification of SWBT	43

 Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

13.0	Services and Maintenance	43
13.1	Operating Services	43
13.2	Maintenance	43
13.3	Equipment Staging and Storage	44
13.4	Legal Requirements	44
14.0	SWBT's Right of Access	45
15.0	General	46
16.0	Preparation Charges	47
17.0	Charges	48
17.1	Monthly Charges	48
17.2	Nonrecurring Charges	48
17.3	Individual Case Basis (ICB)	48
17.4	Outstanding Balances	48
18.0	Regeneration	49
19.0	Reconciliation of Interim Collocation Agreements	49
20.0	Rate Elements	50
20.1	Determination of Charges Not Established in Tariff (Custom Work Charges)	50
20.2	Planning Fees	50
20.3	Caged Collocation	51
20.3.1	Caged Common Collocation	54
20.4	Cageless Collocation	57
20.5	DC Power Consumption	59
20.6	DC Power Panel (Maximum 50 AMP)	59
20.7	DC Power Panel (Maximum 200 AMP)	59
20.8	Eligible Structure Ground Cable Arrangement, Each	59
20.9	Security Cards	59
20.10	Timing Source Arrangement	60
20.11	Optional Standard Bay or Cabinet, Each	60
20.12	Interconnection Arrangement Options	60
20.12.1	DS1 Interconnection Arrangement (DSX or DCS), Each	60
20.12.2	DS3 Interconnection Arrangement (DSX or DCS), Each	61
20.12.3	Copper Cable Interconnection Arrangement, Each	61
20.12.4	Shielded Cable Arrangement, Each	61

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

20.13 Optical Circuit Arrangement	63
20.14 Timing Interconnection Arrangement (Optional)	63
20.15 Power Arrangement Provisioning	63
20.16 Entrance Facility Conduit , Per Foot	63
20.17 Entrance Fiber Charge, Per Cable Sheath	63
20.18 Miscellaneous Charges	63
20.19 Two Inch Vertical Mounting Space in CEVs, Huts, and Cabinets	63
20.20 Pre-Visits	63
20.21 Construction Inspections	64
20.22 Adjacent On-Site Structure Arrangements	64
20.23 Adjacent Off-Site Arrangement	64
20.23.1 Conduit Space	65
20.24 Collocation Availability Space Report Fee	65
20.25 Collocation to Collocation Connection	66
21.0 Rates and Charges	67
21.1 Planning Fees	67
21.2 Caged Collocation	68
21.3 Cageless Collocation	69
21.3.1 Caged Common Collocation	70
21.4 DC Power, Standard Power Consumption	70
21.5 DC Power Panel (Maximum 50 AMP)	71
21.6 DC Power Panel (Maximum 200 AMP)	71
21.7 Eligible Structure Ground Cable Arrangement	71
21.8 Security Cards/ID Cards	71
21.9 Timing Source Arrangement	71
21.10 Optional Standard Frame or Cabinet	71
21.11 Interconnection Arrangement Options	72
21.12 Optical Circuit Arrangement	75
21.13 Timing Interconnection Arrangement	75
21.14 Power Arrangement Provisioning	76
21.15 Entrance Facility Conduit	77
21.16 Entrance Fiber Charge, per cable sheath	77
21.17 Miscellaneous Collocation Charges	78
21.18 Rack Mounting Plate Space in cabinets	78
21.19 Pre-Visits	79
21.20 Construction Inspections	79
21.21 Adjacent On-Site Structure Arrangements	79

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

21.22	Adjacent Off Site Arrangement	80
21.23.1	Conduit Space	
21.23	Collocation Space Availability Report Charge	80
21.24	Collocation to Collocation Connection	80
22.0	CDOW – (CLECs Doing Own Work) – Collocator Responsibilities	82
22.1	Interconnection Cabling	
22.2	Power Cabling	
22.3	Intervals and Provisioning	83
22.4	Rate Elements for CDOW	88
23.0	Rates and Charges for CDOW	91

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

1.0. PURPOSE AND SCOPE OF TARIFF

- 1.1 This tariff provides for the placing of Collocator telecommunications equipment and facilities on SWBT property for the purposes set forth in paragraph 1.3, following.
- 1.2 Physical collocation provides actual space (hereinafter referred to as Dedicated Space) within a SWBT Eligible Structure as defined in paragraph 2.2, Definitions, following. The Collocator will lease the Dedicated Space from SWBT and install certain of its own telecommunications equipment within the Dedicated Space that is necessary for the purposes set forth in paragraph 1.3, following. SWBT will provide caged, shared caged, cageless, and other physical collocation arrangements within its Eligible Structures. When space is Legitimately Exhausted inside an Eligible Structure, SWBT will permit collocation in Adjacent Structures in accordance with this tariff so that collocators will have a variety of collocation options from which to choose.
- 1.3 Physical collocation is available for the placement of telecommunications equipment as provided for in this tariff for the purposes of (I) transmitting and routing telephone exchange service or exchange access pursuant to 47 U.S.C. 251©(2) of FTA96, or (ii) obtaining access to SWBT's unbundled network elements pursuant to 47 U.S.C. 251©(3) of FTA96. The terms "telephone exchange service", "exchange access" and "network element" are used as defined in 47 U.S.C. 153(47), 47 U.S.C. 153(16), and 47 U.S.C. 153(29) of FTA96, respectively.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**2.0 DEFINITIONS**

Active Collocation Space – Denotes the space within an Eligible Structure that can be designated for physical collocation which has sufficient telecommunications infrastructure systems, including power. Any dispute as to whether administrative space within an Eligible Structure should be available for physical collocation shall be resolved on a case-by-case basis by the use of the Third-Party Engineer process pursuant to paragraph 6.2.1 of this Tariff. Space within CEVs, huts and cabinets and similar Eligible Structures that can be designated for physical collocation is considered to be Active Collocation Space.

Adjacent Off-site Arrangement – Where Physical Collocation space within a SWBT Eligible Structure is Legitimately Exhausted, and the Collocator's Adjacent On-site space is not within 50 ft. of the Eligible Structure's outside perimeter wall, the Collocator has the option and SWBT shall permit an Adjacent Structure Off-site Arrangement, to the extent technically feasible. The Adjacent Off-site Arrangement is available if the Collocator's site is located on a property that is contiguous to or within one standard city block of SWBT's Central Office or Eligible Structure. Such arrangement shall be used for interconnection or access to unbundled network elements. When the Collocator elects to utilize an Adjacent Off-site Arrangement, the Collocator shall provide both the AC and DC power required to operate such facility. The Collocator may provide its own facilities to SWBT's premises or to a mutually agreeable meet point from its Adjacent Off-site location for interconnection purposes. The Collocator may subscribe to facilities available in the UNE rate schedule of the Collocator's interconnection agreement or, the Collocator may subscribe to the applicable rates established in this tariff for access to unbundled network elements. The interim rates, subject to true up, established in this tariff for adjacent off-site arrangement apply only if collocator's adjacent off-site is located on a property that is contiguous to or within one standard city block of SWBT's Central Office or Eligible Structure.

At the time the Collocator requests this arrangement, the Collocator must provide information as to the location of the Adjacent Off-site facility, the proposed method of interconnection, and the time frame needed to complete provisioning of the arrangement. SWBT shall provide a response to Collocator within ten (10) days of receipt of the application, including a price quote, provisioning interval, and confirmation of the manner in which the Adjacent Off-site Facility will be interconnected with SWBT's facilities. SWBT shall make best efforts to meet the time intervals requested by Collocator and, if it cannot meet the Collocator's proposed deadline, shall provide detailed reasons, as well as proposed provisioning intervals.

In the event that interior space in an Eligible Structure becomes available, SWBT will provide the option to the Collocator to relocate its equipment from an Adjacent or an Adjacent Off-site Facility into the interior space. In the event the Collocator chooses to relocate its equipment into the interior space, appropriate charges applicable for collocation within the Eligible Structure will apply.

Adjacent Structure – A Collocator-provided structure placed on SWBT property (Adjacent On-site) or non-SWBT property (Adjacent Off-site) adjacent to an Eligible Structure. This arrangement is only permitted when space is legitimately exhausted inside the Eligible Structure and to the extent technically feasible. SWBT will designate the space on SWBT premises where the adjacent structure will be placed.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**2.0 DEFINITIONS (Continued)**

Augment – A request from a collocator to add equipment and/or cable to an existing physical collocation arrangement.

Custom Work Charge – Denotes the charge(s) developed solely to meet the construction requirements of the Collocator, e.g., painting a cage. Custom work may not be charged to a Collocator for any work performed which will benefit or be used by SWBT or other Collocators. SWBT also may not impose a custom work charge without the Collocator's approval and agreement that the custom work is not included in the provision of collocation as provided for in the rate elements provided in this Tariff. SWBT shall follow the procedures established in paragraph 20.1 of this Tariff for imposition of Custom Work Charges. In the event an agreement between the Collocator and SWBT is not reached regarding the Custom Work Charge, SWBT shall complete construction of the Collocator's space pending resolution of the issue by the Commission and the Collocator may withhold payment for the disputed charges while the issue remains unresolved; however, any disputed Custom Work Charges paid by the Collocator or owed to SWBT shall accrue interest at the rate established by the Missouri Public Service Commission. All Custom Work Charges that are approved by the Missouri Public Service Commission will be the basis for calculating a refund to a Collocator that has overpaid or the amount due to SWBT that was not paid or underpaid. These overpaid or underpaid amounts will accrue at the above-stated interest rate on a monthly basis from the date of completion of the work or the date of payment of the disputed amount, as appropriate. In the event that the requested work will benefit all or most Collocators, such work shall not be considered custom work; instead, SWBT shall file the appropriate tariff amendment. However, SWBT shall not delay completion of such work during the tariff approval process. SWBT shall perform such work based upon interim rates, subject to true up. If the Collocator and SWBT cannot agree on interim rates, either party may seek informal dispute resolution at the Commission.

Dedicated Space – Denotes the space dedicated for the Collocator's physical collocation arrangement located in a SWBT Eligible Structure.

Eligible Structure – Eligible Structure refers to SWBT's central offices and serving wire centers, as well as all buildings or similar structures owned or leased by SWBT that house its network facilities, and all structures that house SWBT's facilities on public rights-of-way, including but not limited to vaults containing loop concentrators or similar structures.

Infrastructure Systems – The structural components, such as floors capable of supporting equipment loads, heating, ventilating and air conditioning (HVAC) systems, electrical systems (AC power), high efficiency filtration, humidity controls, remote alarms, compartmentation and smoke purge.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**2.0. DEFINITIONS (Continued)**

Legitimately Exhausted – Denotes when all space in a Central Office (CO) that can be used or is useful to locate telecommunications equipment in any of the methods of collocation available under this Tariff is exhausted or completely occupied. Before SWBT may make a determination that space in an Eligible Structure is legitimately exhausted, SWBT must have removed all unused obsolete equipment from the Eligible Structure and made such space available for collocation; however, removal of the equipment shall not cause a delay in SWBT's response to a Collocator's application or in provisioning collocation arrangements. Establishing and maintaining a 550-sq. ft. floor space minimum requirement for Caged Common Collocation, where applicable, will not be a basis for a claim that space is Legitimately Exhausted. The determination of exhaustion is subject to dispute resolution as provided in paragraph 6.2.1 of this Tariff. In making this determination, SWBT may reserve space for transport equipment for current year plus two years. Additionally, SWBT may not reserve space for equipment for itself, for/of advanced or interLATA services affiliates or other SWBT affiliates or for future use by SWBT or its affiliates under conditions that are more favorable than those that apply to other telecommunications carriers seeking to reserve collocation space for their own use. SWBT may reserve space for Switching, Power and Main Distribution Frame (MDF) up to a maximum of 8 years of anticipated growth. SWBT may reserve space for Digital Crossconnect System (DCS) for 5 years of anticipated growth.

At the time that SWBT denies a collocation request due to a lack of available space or determines that the space is Legitimately Exhausted, SWBT must provide to the CLEC, upon request, the following information: 1) a detailed explanation of SWBT's determination and all reasons in support thereof;

2) the access line forecast used in making the determination as defined above; and 3) a frame level diagram, which includes detailed floor plans for the Eligible Structure that is the subject of the determination, including the locations, size and current and projected use of all areas reserved for SWBT's future growth or reserved for use by SWBT's affiliates on a frame level basis and the planned date for use of that space. The frame level diagram will also include detail for each frame or area reserved for future use, including a delineation of the type of equipment to be used in the reserved space. In estimating the space requirement for growth, SWBT shall use the most recent access line growth rate and use the space requirement data applicable to any planned changes that reflect forwarding-looking technology as it relates to switching, power, MDF and DCS. In the dispute-resolution process, SWBT shall bear the burden of establishing that its reservation of active telecommunications equipment space is just, reasonable and nondiscriminatory. In addition, SWBT shall not exclusively and unilaterally reserve active space that is supported by existing telecommunications infrastructure space. SWBT shall disclose to CLECs the space it reserves for its own future growth and for that of its interLATA, advanced services and affiliates.

Other (Inactive) Collocation Space – Denotes the space within the central office that can be designated for physical collocation where infrastructure systems do not currently exist and must be constructed. The designation of Other (Inactive) Collocation Space is applicable to space within central offices only; other Eligible Structures such as CEVs, Huts, and Vaults are considered Active Collocation Space for purposes of this Tariff.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

2.0. DEFINITIONS (Continued)

Preparation Charges – Denotes those charges associated with the initial preparation of the Collocator's Dedicated Space.

Technically Feasible – A collocation arrangement is technically feasible if, in accordance with either national standards or industry practice, there is no significant technical impediment to its establishment. A collocation arrangement shall be presumed to be technically feasible if it has been deployed by any incumbent local exchange carrier in the country.

Telecommunications Infrastructure Space – Denotes the square footage or linear footage of space, including common areas, used to house telecommunications infrastructure equipment necessary to support collocation space necessary for interconnection with or access to unbundled network elements of SWBT's network and/or the network of another CLEC.

3.0 LIMITATION OF LIABILITY

3.1 Limitation

With respect to any claim or suit for damages arising in connection with the mistakes, omissions, interruptions, delays or errors, or defects in transmission occurring either in the course of furnishing service pursuant to this tariff, the liability of either SWBT or the Collocator, if any, shall not exceed an amount equivalent to the proportionate monthly charge to the Collocator for the period during which such mistake, omission, interruption, delay, error, or defect in transmission or service occurs and continues.

Neither SWBT nor the Collocator shall be responsible to the other for any indirect, special, consequential, lost profit or punitive damages, whether in contract or tort.

Both SWBT and the Collocator shall be indemnified and held harmless by the other against claims and damages by any third party arising from provision of the other ones' services or equipment except those claims and damages directly associated with the provision of services to each other which are governed by the provisioning party's applicable tariffs.

The liability of either SWBT or the Collocator for its willful misconduct or gross negligence is not limited by this tariff.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

3.0 LIMITATION OF LIABILITY (continued)

3.2 Third Parties

SWBT also may provide space in or access to the Eligible Structure to other persons or entities (“Others”), which may include competitors of the Collocator’s; that such space may be close to the Dedicated Space, possibly including space adjacent to the Dedicated Space and/or with access to the outside of the Dedicated Space within the collocation area; and that if caged, the cage around the Dedicated Space is a permeable boundary that will not prevent the Others from observing or even damaging the Collocator’s equipment and facilities.

In addition to any other applicable limitation, neither SWBT nor the Collocator shall have any liability with respect to any act or omission by any Other, regardless of the degree of culpability of any such Other, except in instances involving willful actions by either SWBT or the Collocator or their agents or employees.

4.0 RESPONSIBILITIES OF SWBT

4.1 Right to Use; Multiple Dedicated Spaces

In accordance with this tariff, SWBT grants to the Collocator the right to use a Dedicated Space. Each Dedicated Space within an Eligible Structure will be considered a single Dedicated Space for the application of rates according to this tariff.

4.2 Contact Numbers

SWBT is responsible for providing the Collocator personnel a contact number for SWBT technical personnel who are readily accessible 24 hours a day, 7 days a week. In addition, for all activities requiring verbal and written notification per this tariff, the parties will provide the contact numbers included in the application process. Notwithstanding the requirements for contact numbers, the Collocator will have access to its collocated equipment in the Eligible Structure 24 hours a day, 7 days a week and SWBT will not delay a Collocator’s entry into an Eligible Structure.

4.3 Trouble Status Reports

SWBT is responsible for making best efforts to provide prompt verbal notification to the collocator of significant outages or operations problems which could impact or degrade the collocator’s network, switches or services, with an estimated clearing time for restoral. In addition, SWBT will provide written notification within 24 hours. When trouble has been identified, SWBT is responsible for providing trouble status reports, consistent with paragraph 2.4.2, when requested by the collocator.

4.4 Service Coordination

SWBT is responsible for coordinating with the Collocator to ensure that services are installed in accordance with the service request.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

4.0. RESPONSIBILITIES OF SWBT (Continued)

4.5 Casualty Loss

4.5.1 Damage to Dedicated Space

If the Dedicated Space is damaged by fire or other casualty, and (1) the Dedicated Space is not rendered untenable in whole or in part, SWBT shall repair the same at its expense (as hereafter limited) and the monthly charge shall not be abated, or (2) the Dedicated Space is rendered untenable in whole or in part and such damage or destruction can be repaired within ninety (90) business days, SWBT has the option to repair the Dedicated Space at its expense (as hereafter limited) and the monthly charges shall be proportionately abated while the Collocator was deprived of the use. If the Dedicated Space cannot be repaired within ninety (90) business days, or SWBT opts not to rebuild, then SWBT shall notify the Collocator within thirty (30) business days following such occurrence that the Collocator's use of the Dedicated Space will terminate as of the date of such damage. Upon the Collocator's election, SWBT must provide to the Collocator, a comparable substitute collocation arrangement at another mutually agreeable location at the applicable nonrecurring charges for that arrangement and location.

Any obligation on the part of SWBT to repair the Dedicated Space shall be limited to repairing, restoring and rebuilding the Dedicated Space as prepared for the Collocator by SWBT.

4.5.2 Damage to Eligible Structure

In the event that the Eligible Structure in which the Dedicated Space is located shall be so damaged by fire or other casualty that closing, demolition or substantial alteration or reconstruction thereof shall, in SWBT's opinion be advisable, then, notwithstanding that the Dedicated Space may be unaffected thereby, SWBT, at its option, may terminate services provided via this tariff by giving the Collocator ten (10) business days prior written notice within thirty (30) business days following the date of such occurrence, if at all possible.

4.6 Construction Notification

SWBT will notify the collocator prior to the scheduled start dates of all construction activities (including power additions or modifications) in the general area of the Collocator's Dedicated Space with potential to disrupt the collocator's services. SWBT will provide such notification to the collocator at least twenty (20) business days before the scheduled start date of such construction activity. SWBT will inform the collocator as soon as practicable by telephone of all emergency-related activities that SWBT or its subcontractors are performing in the general area of the Collocator's Dedicated Space, or in the general area of the AC and DC power plants which support the collocator's equipment. If possible, notification of any emergency-related activity will be made immediately prior to the start of the activity so that the collocator may take reasonable actions necessary to protect the Collocator's Dedicated Space.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

4.0. RESPONSIBILITIES OF SWBT (Continued)

4.7 Construction Inspections

During the construction of all forms of physical collocation space required under this tariff, Collocators shall be permitted up to four (4) inspections during the construction in an Eligible Structure during normal business hours with a minimum of two (2) hours advance notification. If the construction interval is extended beyond the tariffed or agreed upon interval, collocators will be granted two (2) additional visits per thirty (30) day extension. Requests for construction inspections shall be given to the contact number as specified in paragraph 4.2. If any travel expenses are incurred, the collocator will be charged for the time SWBT employees spend traveling and will be based on fifteen (15) minute increments. Rates and charges are as found in paragraph 21.22.

5.0 OBLIGATIONS OF THE COLLOCATOR

5.1 Certification

The Collocator requesting physical collocation is responsible for obtaining any necessary certifications or approvals from the Commission prior to provisioning of telecommunications service by using the physical collocation space. SWBT shall not refuse to process an application for collocation space and shall not refuse to provision the collocation space submitted by a CLEC while that CLEC's state certification is pending or prior to a final approved interconnection agreement.

5.2 Contact Numbers

The Collocator is responsible for providing to SWBT personnel a contact number for Collocator technical personnel who are readily accessible 24 hours a day, 7 days a week. In addition, for all activities requiring verbal and written notification per this tariff, the parties will provide the contact numbers included in the application process.

5.3 Trouble Report

The Collocator is responsible for making best efforts to provide prompt verbal notification to SWBT of significant outages or operations problems which could impact or degrade SWBT's network, switches or services, with an estimated clearing time for restoral. In addition, Collocator will provide written notification within 24 hours. When trouble has been identified, Collocator is responsible for providing trouble status reports, consistent with paragraph 4.2, when requested by SWBT.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**5.0 OBLIGATIONS OF THE COLLOCATOR (Continued)**

5.4 Removal

The Collocator is responsible for removing any equipment, property or other items that it brings into the Dedicated Space or any other part of the Eligible Structure in which the Dedicated Space is located within thirty (30) business days after discontinuance or termination of the physical collocation arrangement. After such time, SWBT may remove the abandoned materials and charge the Collocator for any and all claims, expenses, fees or other costs associated with any such removal by SWBT, including any materials used in the removal and the time spent on such removal, at the hourly rate for custom work. The Collocator will hold SWBT harmless from the failure to return any such equipment, property or other items.

5.5 Hazardous Waste & Materials

The Installation Supplier shall adhere to all federal, state and local regulations regarding hazardous material/waste. In addition, the CLEC's Installation Supplier shall adhere to all SBC LEC requirements. The Installation Supplier shall coordinate with the SBC LEC Representative before any activity relating to hazardous material/waste is started. (Refer to Interconnector's Guide for Collocation for further details.)

5.6 Safety

The Installation Supplier shall be entirely responsible for the safety and instruction of its employees or representatives. The Installation Supplier shall take precautions to avoid harm to personnel, equipment, and building (e.g., cutting installed threaded rod) of SWBT or other CLECs. The Installation Supplier shall immediately report to the SBC LEC Representative any accident, outside agency inspection or hazardous condition, such as any accident or injury that occurs to employees or subcontractors of the Installation Supplier while on SBC LEC premises or any OSHA inspection or citations issued to the Installation Supplier while on SBC LEC premises. (Refer to Interconnector's Guide for Collocation for further details.)

5.7 Collocator's Equipment and Facilities

The Collocator is solely responsible for the design, engineering, testing, performance and maintenance of the telecommunications equipment and facilities used in the Dedicated Space. The Collocator will be responsible for servicing, supplying, repairing, installing and maintaining the following within the Dedicated Space or optional POT frame located in the Common Area:

- A. its fiber optic cable(s) or other permitted transmission media as specified in paragraph 8.1;
- B. its equipment;
- C. Required point of termination cross connects in the Dedicated Space or the optional POT Frame/Cabinet located in the Common Area;

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

5.0. OBLIGATIONS OF THE COLLOCATOR (Continued)

5.7 Collocator's Equipment and Facilities (Continued)

- D. POT frame maintenance, including replacement power fuses and circuit breaker restoration, to the extent that such fuses and circuit breakers are within the Dedicated Space or in the optional POT Frame/Cabinet located in the Common Area and accessible by the Collocator and only if and as required; and
- E. the connection cable and associated equipment which may be required within the Dedicated Space(s) or in the optional POT Frame/Cabinet located in the Common Area to the point(s) of termination.

SWBT neither accepts nor assumes any responsibility whatsoever in any of the areas so designated in this paragraph.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

5.0. OBLIGATIONS OF THE COLLOCATOR (Continued)

5.8 Insurance

5.8.1 Coverage Requirements

The collocator agrees to maintain, at all times, the following minimum insurance coverage's and limits and any additional insurance and/or bonds required by law:

- A. Workers' Compensation insurance with benefits afforded under the laws of the State of Missouri and Employers Liability insurance with minimum limits of \$100,000 for Bodily Injury-each accident, \$500,000 for Bodily Injury by disease-policy limits and \$100,000 for Bodily Injury by disease-each employee.
- B. Commercial General Liability insurance with minimum limits of: \$2,000,000 General Aggregate limit; \$1,000,000 each occurrence sub-limit for all bodily injury or property damage incurred in any one occurrence; \$1,000,000 each occurrence sub-limit for Personal Injury and Advertising; \$2,000,000 Products/Completed Operations Aggregate limit, with a \$1,000,000 each occurrence sub-limit for Products/Completed Operations. Fire Legal Liability sub-limits of \$300,000 are required for lease agreements. SWBT will be named as an Additional Insured on the Commercial General Liability policy.
- C. If use of an automobile is required, Automobile Liability insurance with minimum limits of \$1,000,000 combined single limits per occurrence for bodily injury and property damage, which coverage shall extend to all owned, hired and non-owned vehicles.

SWBT requires that companies affording insurance coverage have a B+ VII or better rating, as rated in the A.M. Best Key rating Guide for Property and Casualty Insurance Companies.

A certificate of insurance stating the types of insurance and policy limits provided the Collocator must be received prior to commencement of any work. The insurance provisions and requirements are reciprocal to SWBT as well. If a certificate is not received, SWBT will notify the Collocator and the Collocator will have 5 business days to cure the deficiency. If the Collocator does not cure the deficiency within 5 business days, Collocator hereby authorizes SWBT, and SWBT may, but is not required to, obtain insurance on behalf of the Collocator as specified herein. SWBT will invoice Collocator for the costs incurred to so acquire insurance.

The cancellation clause on the certificate of insurance will be amended to read as follows:

"SHOULD ANY OF THE ABOVE-DESCRIBED POLICIES BE CANCELLED OR MATERIALLY CHANGED, THE ISSUING COMPANY WILL MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER."

The collocator shall also require all contractors who may enter the Eligible Structure to maintain the same insurance requirements listed above.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

5.0. OBLIGATIONS OF THE COLLOCATOR (Continued)

5.8 Insurance (Continued)

5.8.2 Self-Insured

Self-insurance in lieu of the insurance requirements listed preceding shall be permitted if the Collocator 1) has a tangible net worth of Fifty (50) Million dollars or greater, and 2) files a financial statement annually with the Securities and Exchange Commission and/or having a financial strength rating of 4A or 5A assigned by Dun & Bradstreet. The ability to self-insure shall continue so long as the Collocator meets all of the requirements of this paragraph. If the Collocator subsequently no longer satisfies this paragraph, paragraph 5.8.1, Coverage Requirements, shall immediately apply.

6.0 ORDERING AND PROVISIONING

6.1 Dedicated Space

6.1.1 Types of Available Physical Collocation Arrangements

SWBT will make each of the arrangements outlined below available within its Eligible Structures in accordance with this tariff so that collocators will have a variety of collocation options from which to choose:

- A. Caged Physical Collocation – The caged collocation option provides the collocator with an individual enclosure (not including a top). This enclosure is an area designated by SWBT within an Eligible Structure to be used by the collocator for the sole purpose of installing, maintaining and operating the collocator-provided equipment.

SWBT will provide Floor Space, floor space site conditioning, Cage Common Systems Materials, Cage Preparation, and Safety and Security charges in increments of one (1) square foot. For this reason, collocators will be able to order space and a cage enclosure in amounts as small as that sufficient to house and maintain a single rack or bay of equipment, (i.e., 50 square feet of cage space for a single bay) and will ensure that the first collocator in a SWBT premises will not be responsible for the entire cost of site preparation and security. Rates and charges are as found in paragraph 21.2 following.

When a collocator constructs its own cage and related equipment, the collocator will not be subject to the Cage Preparation Charges as set forth in paragraph 21.2 following. The collocator may provide a cage enclosure (not including a top), cable rack and support structure inside the cage, lighting, receptacles, cage grounding, cage sign and door key set. In addition, terms and conditions for contractors performing cage construction activities as set forth in paragraph 16.3 following will apply.

If the collocator elects to install or requests that SWBT provide and install a point of termination (POT) frame in the dedicated collocation area rather than inside its cage, the floor space rate for cageless collocation found in paragraph 21.3 following applies.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.1 Dedicated Space (Continued)

6.1.1 Types of Available Physical Collocation Arrangements (Continued)

- B. Caged Shared Collocation – SWBT will provide Caged Shared Collocation as set forth in paragraph 7.0 entitled “Use By Other Local Service Providers.” Two or more collocators may initially apply at the same time to share a caged collocation space as set forth in paragraph 7.1. Charges to each collocator will be based upon the percentage of total space utilized by each collocator.
- C. Caged Common Collocation – SWBT will provide Caged Common Collocation as set forth in paragraph 7.1.1.
- D. Cageless Collocation – SWBT will provide in any collocation space that is supported by the existing telecommunications infrastructure (Active Collocation Space), or in the event that all such space is exhausted or completely occupied, will provide in any collocation space that requires additional telecommunications infrastructure (Other (Inactive) Collocation Space), as further defined in paragraph 2.2. Under this arrangement, SWBT will provide space in single bay increments, including available space adjacent to or next to SWBT’s equipment. Collocators will have direct access to their equipment 24 hours a day, 7 days a week without need for a security escort. SWBT will not require collocators to use an intermediate interconnection arrangement such as a POT frame. SWBT may take reasonable steps to protect its own equipment as provided in paragraph 6.1.2. Accordingly, SWBT will not provide a Collocator’s personnel or agents with direct access to SWBT’s main distribution frame.
- E. Adjacent Space Collocation – Where Physical Collocation space within a SWBT Eligible Structure is Legitimately Exhausted, as that term is defined in section 2 of this Tariff, SWBT will permit Collocators to physically collocate in adjacent controlled environmental vaults or similar structures that SWBT uses to house equipment, to the extent technically feasible. SWBT will designate the space on SWBT premises where the adjacent structure will be placed. SWBT shall permit CLEC to construct or otherwise procure such an adjacent structure, subject only to reasonable safety and maintenance requirements. SWBT will offer the following increments of power to the adjacent On-site structure: SWBT will provide a standard offering of 100 AMPS of AC power to the adjacent structure when Central Office Switchboard AC capacity exists. SWBT will provide DC power with two cable options that allow increments of 2-100 Amp Power Feeds, 2-200 Amp Power Feeds, 2-300 Amp Power Feeds, and 2-400 Amp Power Feeds to the adjacent structure from the Central Office Power source. At its option, the Collocator may choose to provide its own AC and DC power to the adjacent structure. SWBT will provide physical collocation services to such adjacent structures, subject to the same requirements as other collocation arrangements in this tariff. SWBT shall permit Collocators to place their own equipment, including, but not limited to, copper cables, coaxial cables, fiber cables and telecommunications equipment, in adjacent facilities constructed by either SWBT or the Collocator.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.1 Dedicated Space (Continued)

6.1.1 Types of Available Physical Collocation Arrangements (Continued)

E. Adjacent Space Collocation (Continued)

Where Physical Collocation space within a SWBT Eligible Structure is Legitimately Exhausted, and Collocator's Adjacent On-site space is not within 50 ft. of the Eligible Structure's outside perimeter wall, the Collocator has the option and SWBT shall permit an Adjacent Structure Off-site Arrangement, to the extent technically feasible. The Adjacent Off-site Arrangement is available if the Collocator's site is located on a property that is contiguous to or within one standard city block of SWBT's Central Office or Eligible Structure. Such arrangement shall be used for interconnection and access to unbundled network elements. When the Collocator elects to utilize an Adjacent Off-site Arrangement, the Collocator shall provide both the AC and DC power required to operate such facility. The Collocator may provide its own facilities to SWBT's premises or to a mutually agreeable meet point from its Adjacent Off-site location for interconnection purposes. The Collocator may subscribe to facilities available in the UNE rate schedule of the Collocator's interconnection agreement or, the Collocator may subscribe to the applicable rates established in this tariff for access to unbundled network elements. The interim rates, subject to true up, established in this tariff for adjacent off-site arrangement apply only if collocator's adjacent off-site is located on a property that is contiguous to or within one standard city block of SWBT's Central Office or Eligible Structure.

At the time the Collocator requests this arrangement, the Collocator must provide information as to the location of the Adjacent Off-site facility, the proposed method of interconnection, and the time frame needed to complete provisioning of the arrangement. SWBT shall provide a response to Collocator within ten (10) days of receipt of the application, including a price quote, provisioning interval, and confirmation of the manner in which the Adjacent Off-site Facility will be interconnected with SWBT's facilities. SWBT shall make best efforts to meet the time intervals requested by Collocator and, if it cannot meet the Collocator's proposed deadline, shall provide detailed reasons, as well as proposed provisioning intervals.

In the event that interior space in an Eligible Structure becomes available, SWBT will provide the option to the Collocator to relocate its equipment from an Adjacent On-site or an Adjacent Off-site Facility into the interior space. In the event the Collocator chooses to relocate its equipment into the interior space, appropriate charges applicable for collocation within the Eligible Structure will apply.

- F. Other Physical Collocation Arrangements – SWBT will provide other collocation arrangements that have been demonstrated to be technically feasible. Deployment by any incumbent LEC of a collocation arrangement gives rise to a rebuttable presumption in favor of a CLEC seeking collocation in SWBT's Eligible Structures that such an arrangement is technically feasible.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.1 Dedicated Space (Continued)

6.1.1 Types of Available Physical Collocation Arrangements (Continued)

6.1.1.1 Active/Inactive Space Determination

As provided in paragraph 6.2.1 of this Tariff, SWBT shall notify the Collocator in writing as to whether its request for collocation has been granted or denied within 10 days of submission of the completed application. In its notification, SWBT shall also inform the Collocator if the space available for the requested collocation space will be Active or Other (Inactive) Collocation Space, as those terms are defined in paragraph 2.0. of this Tariff. If the Collocator's space is placed in Inactive Space, then the notification shall also include rationale for placing the requested space in such category, including all power, switching, and other factors used in making the determination.

In the event that the Collocator disputes SWBT's placement of the space into Inactive Space, then the Collocator may request a tour of the Eligible Structure to verify the Active/Inactive space availability. The request shall be submitted to SWBT's designated representative in writing. The inspection tour will be scheduled within three (3) business days of receipt of the request for a tour and shall be conducted no later than seven (7) days following the request for the inspection tour. At the Collocator's request, the request for inspection tour for determination of Active/Inactive space may be conducted concurrently with a tour involving space availability disputes, as provided in paragraph 6.2.1.1 of this Tariff, thereby modifying the time frame requirements in this paragraph.

Prior to the inspection tour, a Commission-approved "Reciprocal Non-Disclosure Agreement," shall be signed by the designated SWBT representative and the designated agent for the Collocator, who will participate in the tour.

SWBT will provide all relevant documentation to the Collocator agent supporting its placement of Collocator's requested collocation arrangement in Inactive Space, subject to executing a non-disclosure agreement at the time of the inspection tour. The SWBT representative will accompany and supervise the Collocator agent on the inspection tour. If the Collocator agent believes, based on the inspection tour of the Eligible Structure, that the placement of the collocation space in Inactive Space is unsupportable, the Collocator agent shall promptly advise SWBT orally and in writing. The Collocator and SWBT shall then concurrently prepare a report detailing their findings. The report, along with a request by the Collocator for dispute resolution and requested relief, shall be filed with Central Records at the Public Utility Commission within five (5) business days from the date of the inspection tour. The burden of proof shall be on SWBT to justify the basis for placement of the Collocator's space in Inactive Space. The Commission will use its (expedited) Dispute Resolution Process for resolution of the dispute. If the matter is appealed to the Commission through dispute resolution, the losing party shall reimburse all costs associated with this process.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0 ORDERING AND PROVISIONING (Continued)**

6.1 Dedicated Space (Continued)

6.1.2 Security

Protection of SWBT's equipment is crucial to its ability to offer service to its customers. Therefore, SWBT may impose the following reasonable security measures on collocators to assist in protecting its network and equipment from harm. SWBT may impose security arrangements as stringent as the security arrangements SWBT maintains at its own Eligible Structures either for its own employees or for authorized contractors. To the extent existing security arrangements are more stringent for one group than the other, SWBT may impose the more stringent requirements. Except as provided by the FCC's Order released March 31, 1999, in CC Docket No. 98-147 (FCC 99-48), SWBT will not impose more stringent security requirements than these. SWBT will not impose discriminatory security requirements that result in increased collocation costs without the concomitant benefit of providing necessary protection of SWBT's equipment. SWBT will not use any information collected in the course of implementing or operating security arrangements for any marketing or other purpose in aid of competing with collocators.

- A. Collocators will conduct background checks of their personnel and technicians who will have access to the collocation space. Collocator technicians will be security-qualified by the Collocator and will be required to be knowledgeable of SWBT security standards. Collocator personnel and technicians will undergo the same level of security training or its equivalent that SWBT's own employees and authorized contractors must undergo. SWBT will not, however, require collocators to receive security training from SWBT, but will provide information to collocators on the specific type of training required. Collocators can then provide their employees with their own security training. Qualification program and security training details shall be included in SWBT's Technical Publications.
- B. Collocators and SWBT will each establish disciplinary procedures up to and including dismissal or denial of access to the Eligible Structure and other SWBT property for certain specified actions that damage, or place the equipment, facilities, or the network or personnel of the collocators or SWBT in jeopardy. The following are actions that could damage or place the Eligible Structure, or the network or the personnel of the collocators or SWBT in jeopardy and may justify disciplinary action up to and including dismissal or the denial of access to the Eligible Structure and other SWBT property:
- (1) Theft or destruction of SWBT's or collocator's property;
 - (2) Use/sale or attempted use/sale of alcohol or illegal drugs on SWBT property;
 - (3) Threats or violent acts against other persons on SWBT property;
 - (4) Knowing violations of any local, state or federal law on SWBT property;
 - (5) Permitting unauthorized persons access to SWBT or collocator's equipment on SWBT property; and
 - (6) Carrying a weapon on SWBT property.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.1 Dedicated Space (Continued)

6.1.2 Security (Continued)

B. (Continued)

In addition, Collocator and SWBT will take appropriate disciplinary steps as determined by each party to address any violations reported by SWBT or the collocator of SWBT's policies and practices on security, safety, network reliability, and business conduct as defined in SWBT's Interconnector's Collocation Services Handbook for Physical Collocation in Missouri, provided the Handbook and any and all updates to it are timely provided to Collocator at no charge.

- C. Collocators will provide indemnification as set forth in paragraph 12.0 of this tariff and insurance as set forth in paragraph 5.8 of this tariff to cover any damages caused by the collocator's technicians at a level commensurate with the indemnification and insurance provided by SWBT-authorized contractors with equivalent access. The indemnification provisions and requirements are reciprocal to SWBT as well.

- D. SWBT may use reasonable security measures to protect its equipment. In the event SWBT elects to erect an interior security partition in a given Eligible Structure to separate its equipment, SWBT may recover the costs of the partition in lieu of the costs of other reasonable security measures if the partition costs are lower than the costs of any other reasonable security measure for such Eligible Structure. In no event shall a CLEC be required to pay for both an interior security partition to separate SWBT's equipment in an Eligible Structure and any other reasonable security measure for such Eligible Structure.

SWBT's construction of an interior security partition around its own equipment shall not interfere with a CLEC's access to its equipment, including equipment collocated directly adjacent to SWBT's equipment. SWBT's construction of an interior security partition around its own equipment shall not impede a CLEC's ability to collocate within SWBT's space. To the extent that SWBT is required to install additional security measures within its interior security partition because a CLEC has access to its own equipment within the area, such security measures shall be constructed and maintained at SWBT's expense.

SWBT's enclosure of its own equipment will not be a basis for a claim that space is Legitimately Exhausted, nor will it be a basis for a claim that Active Collocation Space is exhausted.

SWBT's enclosure of its own equipment will not unreasonably increase a CLEC's cost nor shall it result in duplicative security costs. The cost of an interior security partition around SWBT's equipment cannot include any embedded costs of any other security measures for the Eligible Structure. If SWBT chooses to enclose its own equipment, SWBT will be entitled to recover the cost of the cage ONLY to the extent that the price of such construction is lower than that of other reasonable security measures.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.1 Dedicated Space (Continued)

6.1.2 Security (Continued)

D. (Continued)

SWBT has the burden to demonstrate that the cost of security measures alternative to its partitioning of its own equipment is higher than the cost of enclosing its own equipment. If SWBT cannot prove that other reasonable security methods cost more than an interior security partition around SWBT's equipment, SWBT cannot elect to erect an interior security partition in a given Eligible Structure to separate its equipment and then recover the cost from collocators.

If SWBT elects to erect an interior security partition and recover the cost, it must demonstrate to the collocator that other reasonable security methods cost more than an interior security partition around SWBT's equipment at the time the price quote is given. Any disputes can be brought before the Commission for resolution through its expedited dispute resolution process.

- E. Collocators will have access to their collocated equipment twenty-four (24) hours a day, seven (7) days a week, without a security escort. SWBT will not delay a collocator's entry into an Eligible Structure or access to its collocated equipment. The collocator will provide SWBT with notice at the time of dispatch of the collocator's own employee or contractor to an Eligible Structure and, if possible, no less than thirty (30) minutes notice for a manned structure and sixty (60) minutes notice for an unmanned structure. SWBT will provide collocators with reasonable access to restroom facilities and parking.

6.1.3 Interval

- A. SWBT will provide physical collocation arrangements in eligible structures on a "first-come, first-served" basis. To apply for a dedicated space in a particular eligible structure, the collocator will provide a completed physical collocation application form found in SWBT's Interconnector's Collocation Services Handbook for Physical Collocation in Missouri and will pay an initial Planning Fee. A collocator wishing SWBT to consider multiple methods for collocation in an Eligible Structure on a single application will need to include in each application a prioritized list of its preferred methods of collocating, e.g., caged, shared, common, cageless, or other, as well as adequate information, (e.g., specific layout requirements, cage size, number of bays, requirements relative to adjacent bays, etc.) for SWBT to process the application for each of the preferred methods. If a collocator provides adequate information and its preferences with its application, SWBT would not require an additional application, nor would the collocator be required to restart the quotation interval should its first choice not be available in an Eligible Structure. Collocators who only wish SWBT to consider one collocation method need not provide preferences and associated specific information for multiple methods.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0 ORDERING AND PROVISIONING (Continued)**

6.1 Dedicated Space (Continued)

6.1.3 Interval (Continued)

A. (Continued)

However, if SWBT is unable to provide the collocator's requested collocation method due to space constraints and the collocator determines that it wishes SWBT to consider an alternative method of collocation, the collocator would be required to submit an additional application. This would not result in incremental application costs to the collocator as its initial Planning Fee would be returned due to the denial. However, it would restart the collocation intervals. Upon receipt of the collocator's application and initial application fee payment, SWBT will begin development of the quotation. SWBT will notify the collocator as to whether its request for collocation space has been granted or denied due to a lack of space within ten (10) days of submission of the completed application.

B. In responding to an application request, SWBT shall advise the collocator which of the requested types of physical collocation is available, provide the quotation of the applicable nonrecurring and recurring tariff rates, and the estimated construction interval no later than as specified in 6.1.3 E. following. SWBT will not select for the collocator the type of physical collocation to be ordered. The collocator has sixty-five (65) business days from receipt of the quotation to accept the quotation. The quotation expires after sixty-five (65) business days. After sixty-five (65) business days, a new application and Planning Fee are required.

C. Dedicated space is not reserved until the quotation is accepted. When the quotation is accepted, unless otherwise mutually agreed to by the Parties in writing, SWBT will complete construction of all Active Collocation Space requests for caged collocation in 90 days from the receipt of the collocator's acceptance of the quotation. SWBT will complete construction of Active Collocation Space requests for cageless collocation in 55 days from the receipt of the Collocator's acceptance of the quotation where the Collocator is installing all of its own bays. The cageless collocation construction interval ends when roughed in, unterminated DC power and interconnection cabling is provided to the collocation area. SWBT will complete construction of Active Collocation Space requests for cageless collocation in 70 days from the receipt of the Collocator's acceptance of the quotation where SWBT will be installing all or some of the bays. SWBT will complete construction of cageless collocation in Eligible Structures such as CEVs, Huts and Vaults in 55 days from the receipt of the Collocator's acceptance of the quotation where the Collocator is installing all of its own bays. The cageless collocation construction interval ends when roughed in, unterminated DC power and interconnection cabling is provided to the collocation area.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0 ORDERING AND PROVISIONING (Continued)**

6.1 Dedicated Space (Continued)

6.1.3 Interval (Continued)

C. (Continued)

SWBT will complete construction of cageless collocation in Eligible Structures such as CEVs, Huts and Vaults in 70 days from the receipt of the Collocator's acceptance of the quotation where SWBT will be installing all or some of the bays. These construction intervals for cageless collocation in Active Collocation Space in all Eligible Structures apply where the Collocator is requesting maximum DC power of 50 AMPs, either in a single or in multiple feeds of 50 AMPs (maximum 50 AMPs per feed). For Cageless Collocation in Active Collocation Space in all Eligible Structures where a Collocator is requesting DC power greater than 50 AMPs (e.g., 100 AMPs) per feed, SWBT will complete construction in 90 days.

Unless otherwise mutually agreed to by the parties in writing, in Other (Inactive) Collocation Space, SWBT will complete construction of requests for caged or cageless collocation for any central office in 140 days from receipt of the collocator's acceptance of the quotation. In addition, SWBT will provide a DS1/DS3 Interconnection Arrangement within five (5) days after installation of the Collocator's equipment and termination of DC power and completion of interconnection cabling if the Collocator submitted an order with all requisite assignment information with its application for collocation. A collocator may obtain a shorter construction interval than that set forth above by scheduling a meeting with SWBT at least twenty (20) business days prior to submission of the first application to discuss, coordinate and prioritize the collocator applications. If a completion date outside the time period required herein is not agreed to by the parties, the issue may be presented by either party to the Missouri Public Service Commission for determination.

- D. SWBT will provide reduced intervals for collocators with existing physical collocation space that request the following interconnection augments. The collocator must submit to SWBT's Collocation Service Center (CSC) a completed application for a Subsequent Job. For the reduced build-out interval to apply, this application must include an up-front payment of the nonrecurring Planning Fee from paragraph 21.1 of this tariff and 50% of all applicable tariffed nonrecurring charges. In addition, the application must include an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for the collocator's point of termination. Applications received with the up-front payment and meeting the criteria below will not require a quote.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

6.1. ORDERING AND PROVISIONING (Continued)

6.1 Dedicated Space (Continued)

6.1.3 Interval (Continued)

D. (Continued)

Augments consisting of interconnection cabling arrangements, AC and DC power, lighting, and interconnection conduit: 15 calendar days.

- 28 DS1s (cabling only; panels, relay racks and overhead racking exist)
- 3 DS3s (cabling only; panels, relay racks and overhead racking exist)
- 100 Copper (shielded or nonshielded) cable pairs (blocks and cabling only; panels relay racks and overhead racking exist)
- Duplex AC convenience outlets and/or
- Additional overhead lighting and/or
- Cage-to-cage interconnection conduit within the same collocation area
- Cable pull within same collocation area
- DC power requirements where only a fuse change is require

The above fifteen (15) calendar day interval will apply only when the collocator provides a complete application. The job must be an augment to an existing collocator cage or area and limited up to and not more than the above quantities.

Augments consisting of additional interconnect panels/blocks, cabling, and DC power arrangements (racks are existing): 30 calendar days.

- 84 DS1s (one interconnect panel) and/or
- 48 DS3s (interconnect panel) and/or
- 200 copper (shielded or nonshielded) cable pairs (2 blocks) up to 400 feet
- Ground cable changes within the DC Power arrangement
- Arrange/install fiber cable up to 400 feet
- Arrange/install timing leads up to 400 feet
- Arrange and install fiber interconnections up to 12 fiber pairs up to 400 feet

The above thirty (30) calendar day interval will apply only when the collocator provides a complete application. The job must be an augment to an existing collocator cage/area and consisting only of ground cable changes, timing changes, cable pulls or Copper (shielded or nonshielded) cable, DS1, DS3 and/or fiber interconnection arrangements limited up to and not more than the above quantities.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.1 Dedicated Space (Continued)

6.1.3 Interval (Continued)

D. (Continued)

Augments consisting of additional interconnect panels/blocks, cabling, power cables, (racks are existing): 60 calendar days.

- 168 DS1s (one interconnect panel) and/or
- 48 DS3s (interconnection panel) and/or
- 400 Copper (shielded or nonshielded) cable pairs (2 blocks) up to 400 feet
- Power cables added to accommodate greater DC amperage requests within existing power panels.
- SWBT will perform a cage expansion of 300 square feet or less immediately adjacent to a collocator's existing cage within the collocation area as long as the collocation area does not have to be reconfigured and does not involve HVAC work
- Arrange/install bay lighting front and back up to three (3) bays
- Arrange and install fiber interconnection up to 12 fiber pairs up to 400 feet

The above sixty (60) calendar day interval will apply only when the collocator provides a complete application. The job must be an augment to an existing collocator cage or area and consisting only of cage expansions as detailed immediately above, power cable additions, bay lighting or copper (shielded or nonshielded) cable, DS1, DS3 and/or fiber interconnection arrangements limited up to and not more than the above quantities.

Other augments such as power requests that exceed current capacity ratings, additional bay spaces, SWBT bays, SWBT cable racks and/or cage expansions within Active Central Office space different than described above will require the collocator to submit an inquiry for quote. The price quote will contain the charges and the construction interval for that application. The construction interval for these other augments will not exceed 90 days. SWBT will work cooperatively with collocators to negotiate mutually agreeable construction intervals for other augments not specifically provided for above.

The parties may negotiate intervals for additional standard augments that, after appropriate notice and comment, will be incorporated into the tariff. In the event the parties are unable to agree on a standard interval, after appropriate notice and comment, the Commission decision on the interval shall be incorporated into the Tariff.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

6.0 ORDERING AND PROVISIONING (Continued)

6.1 Dedicated Space (Continued)

6.1.3 Interval (Continued)

E. (Continued)

Price quote intervals are as follows and will run concurrent with the ten (10) day notification interval for availability of space:

<u>Number of Applications by One Collocator</u>	<u>Quotation Interval</u>
1 – 5	10 Business Days
6 – 20	25 Business Days

Should the collocator submit twenty-one (21) or more applications within five (5) business days, the quotation interval will be increased by five (5) business days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and will be subject to the time intervals set forth above.

A collocator may obtain a shorter interval for the return of price quotes than that set forth above by scheduling a meeting with SWBT at least twenty (20) business days prior to submission of the first application to discuss, coordinate and prioritize the collocator applications.

A collocator may obtain a shorter interval for the return of price quotes for cageless collocation arrangements when submitting 6 or more applications if the collocator files complete applications, including identification of specific rate elements and the applicable rates contained in the tariff, the exact quantity of the rate elements, and an up-front payment of the nonrecurring Planning Fee from paragraph 21.1.1 of this Tariff and schedules a meeting with SWBT at least twenty (20) business days prior to submission of the first application to discuss, coordinate and prioritize the collocation applications. In addition, the applications must include an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for the collocator's point of termination. The shortened intervals are:

<u>Number of Applications by One Collocator</u>	<u>Quotation Interval</u>
6-20	20 Business Days

Should the collocator submit twenty-one (21) or more applications within five (5) business days, the quotation interval will be increased by five (5) business days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and will be subject to the time intervals set forth above.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0 ORDERING AND PROVISIONING (Continued)**

6.1 Dedicated Space (Continued)

6.1.4 Revisions

All revisions to an initial request for a physical collocation arrangement submitted by the Collocator must be in writing via a new application form. A new interval for the physical collocation arrangement will be established which shall not exceed two months, if the revision is major. A major revision will include: adding telecommunications equipment that requires additional electrical power; changes in the configuration of the cage; an increase of 10% or more of the square footage of the cage area requested; adding design and engineering requirements above those which SWBT normally deploys and practices (i.e., redundancy of certain mechanical and electrical systems); and accelerating the project schedule. However, minor revisions will not require that a new interval be established. Examples of minor revisions include: adding bays of equipment that do not significantly impact the existing/proposed electrical systems; adding light fixtures and outlets which do not exceed the capacity of the existing/proposed electrical system; changes in the configuration of the cage which do not significantly impact the overall design of the space; and adjustments to the heat release projection which do not cause a change in the proposed/existing mechanical system. The Collocator will be required to pay any applicable Planning Fees as found in paragraph 21.1, if the revision is major. No additional Planning Fees shall be applicable if the revision is minor. All engineering design work that is determined not to be major is deemed to be minor.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

6.0. ORDERING AND PROVISIONING (Continued)

6.2 Space Availability Determination and Resolution

- 6.2.1 There shall be a rebuttable presumption that space is available for physical collocation in an Eligible Structure.

SWBT shall notify the Collocator in writing as to whether its request for collocation space has been granted or denied due to lack of space within 10 days of submission of the completed application. The notification will also include a possible future space relief date, if applicable. At that time, any charges collected with the application will be returned to the Collocation Applicant.

SWBT will, at the same time, file a copy of the letter at the Central Records of the Missouri Public Service Commission. In the event of a denial of a Collocator request for collocating, SWBT shall also concurrently submit the following information both to the Collocator and to the Commission in support of its denial provided under seal and subject to proprietary protections:

- A. Central Office Common Language Identifier, where applicable;
- B. The identity of the requesting Collocator, including amount of space sought by the Collocator;
- C. Total amount of space at the premises;
- D. Detailed Floor plans, accompanied with proper legend and scale to assist in the interpretation of the floor plan and sufficient measurements to interpret size and spacing, including measurements of SWBT's premises, showing:
 - (1) Space housing SWBT network equipment, non-regulated services space and administrative offices;
 - (2) Space housing obsolete unused equipment;
 - (3) Space occupied by SWBT affiliates;

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

6.0. ORDERING AND PROVISIONING (Continued)

6.2 Availability Determination and Resolution

6.2.1 (Continued)

D. (Continued)

- (4) Space which does not currently house SWBT equipment or administrative offices but is reserved by SWBT for future use by SWBT or its affiliates;
- (5) Space occupied by and/or reserved for Collocators for the purpose of network interconnection or access to unbundled network elements (including identification of each Collocator);
- (6) Space, if any, occupied by third parties for other purposes, including identification of the uses of such space;
- (7) Identification of turnaround space for switch or other equipment; removal plans and timelines, if any;
- (8) Planned Central Office rearrangement/expansion plans, if any; and
- (9) Remaining space, if any, and

E. Description of other plans, if any, that may relieve space exhaustion including plans showing any adjacent space not technically considered as part of Eligible Structure. Other relevant information requested by the Third Party Reviewer.

6.2.1.1 In the event that SWBT denies a collocation request and the Collocator disputes the denial, the Collocator may request a tour of the Eligible Structure to verify space availability or lack thereof. The request shall be submitted to SWBT's designated representative in writing. The inspection tour shall be scheduled within 5 business days of receipt of the request for a tour.

Prior to the inspection tour, a Commission-approved "Reciprocal Non-disclosure Agreement" shall be signed by the designated SWBT representative and the designated agent for the Collocator who will participate in the tour.

SWBT will provide all relevant documentation to the Collocator agent including blueprints and plans for future facility expansions or enhancements subject to executing a nondisclosure agreement. A SWBT representative will accompany and supervise the Collocator agent on the inspection tour. The inspection tour shall be conducted no later than 10 days following the filing of the request for the tour. If the Collocator agent believes, based on the inspection tour of the Eligible Structure, that the denial of collocation space is unsupportable, the Collocator agent shall promptly so advise SWBT. The Collocator and SWBT shall then each concurrently prepare a report detailing its own findings of the inspection tour. The Collocator and SWBT reports shall be concurrently served on each other and submitted to the Commission Central Records and to a Third Party Engineer.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0 ORDERING AND PROVISIONING (Continued)**

6.2 Space Availability Determination and Resolution (Continued)

6.2.1 (Continued)

6.2.1.1 (Continued)

The burden of proof shall be on SWBT to justify the basis for any denial of collocation requests. A Collocator that contests SWBT's position concerning the denial of a collocation request shall pay 50% of the fee associated with the Third Party Engineer review and SWBT shall pay the remaining 50%. A Third Party Engineer shall be assigned on a rotating basis from a list maintained by a neutral third party. The neutral third party shall be selected and the process for Third Party Engineer selection shall be designed by the Commission with input from SWBT and CLECs. However, until the neutral third party process is in place, the list shall be maintained and the Third Party Engineer shall be assigned by the Commission. The Collocator does not have to obtain agreement from SWBT on the selection of the Third Party Engineer from the list maintained by a neutral third party or the Commission. The Third Party Engineer shall review not only the reports by SWBT and the Collocator, but shall also undertake an independent evaluation to determine whether collocation space is available in the Eligible Structure. The scoped work will request that the Third Party Engineer provide an independent evaluation of the use and reservation of Collocator space as well as SWBT space. The Third Party Engineer shall examine the factors listed in paragraph 6.2.1 above, as well as any other factors that are specified elsewhere in this Tariff (e.g., paragraph 2.0. definition of ("Legitimately Exhausted") and any other information the Third Party Engineer deems to be relevant to his determination. The Third Party Engineer shall also conduct its review under the presumption that the burden of proof shall be on SWBT to justify the basis for any denial of collocation requests. After determination by the Third Party Engineer and, if appealed, determination by the Commission, the losing party shall reimburse all costs associated with the Third Party Engineer process.

In the event a third party engineer or the Missouri Public Service Commission determines that space is not available, SWBT will not be required to conduct a review of floor space availability in the same central office more frequently than once every six months.

- 6.2.2 At SWBT's option in central offices and at SWBT's option in other Eligible Structures where physical (including cageless) collocation space is available or at the collocator's option in CEVs, huts and cabinets where physical collocation space is not available, SWBT will provide one or more of the alternate types of virtual collocation consistent with the terms of SWBT's virtual collocation tariffs for interconnection to SWBT under 47 U.S.C. 251 (c) (2) or access to SWBT's unbundled network elements under 47 U.S.C. 251 (c) (3) of the FTA 96.

SWBT will make every attempt to provide the Collocator with contiguous space for any subsequent request for physical collocation space, but makes no assurances that contiguous space will be available.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
 (REGULATIONS)

6.0. ORDERING AND PROVISIONING (Continued)

6.2 Space Availability Determination and Resolution (Continued)

SWBT will submit to a requesting carrier a report indicating SWBT's available collocation space in a particular SWBT Eligible Structure upon request. This report will specify the amount of collocation space available at each requested Eligible Structure, the number of collocators, and any modifications in the use of the space since the last report. The report will also include measures that SWBT is taking to make additional space available for collocation. The intervals for delivering the reports are as follows:

Number of Report Requests By One Collocator	Report Delivery Interval
1 - 5	10 Business Days
6 - 20	25 Business Days

Should the collocator submit twenty-one (21) or more report requests within five (5) business days, the report delivery interval will be increased by five (5) business days for every five (5) additional report requests or fraction thereof.

SWBT will maintain a publicly available document, posted for viewing on its website indicating all premises that are full, and will update such a document within ten days of the date at which a premises runs out of physical collocation space. In addition, for central offices where collocators are currently located or applications for collocation are pending, if space availability information is readily available to SWBT, such information will be placed on the website. SWBT will update the public document on the first day of each month to include all newly available information. To the extent SWBT has the information readily available, the public document should specify the amount of active and other (inactive) collocation space available at each Eligible Structure, the number of collocators, any modifications in the use of the space since the last update, and should also include measures that SWBT is taking to make additional space available for collocation.

SWBT will apply the same space reservation policies to Collocators as it applies to itself. In order to increase the amount of space available for collocation, SWBT will remove obsolete unused equipment from its Eligible Structures that have no space available for Physical Collocation upon reasonable request by a Collocator or upon Order of the Commission. In those offices where SWBT does not have adequate space to meet forecasted collocation demand, SWBT agrees to remove obsolete unused equipment located in that office necessary to meet forecasted demand in advance of a reasonable request from a CLEC or Order from the Commission. SWBT shall reserve space for switching, MDF and DCS to accommodate access line growth as outlined in paragraph 2.0. under the definition of the term "Legitimately Exhausted Space".

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.3 Relocation

When SWBT determines because of zoning changes, condemnation, or government order or regulation that it is necessary for the dedicated space to be moved within an eligible structure to another eligible structure, from an adjacent space collocation structure to a different adjacent space collocation structure, or from an adjacent space collocation structure to an Eligible Structure, the collocator is required to move its dedicated space or adjacent space collocation structure. SWBT will notify the resident collocator(s) in writing within five days of the determination to move the location. If the relocation occurs for reasons other than an emergency, SWBT will provide the resident collocator(s) with at least 180 days advance written notice prior to the relocation. If the Collocator is required to relocate under this paragraph, the Collocator will not be required to pay any Planning Fees associated with arranging for new space. The Collocator shall be responsible for the preparation of the new Telecommunications Equipment Space and Dedicated Space at the new location or an adjacent space collocation structure if such relocation arises from circumstances beyond the reasonable control of SWBT, including zoning changes, condemnation or government order or regulation that makes the continued occupancy or use of the Dedicated Space or the Eligible Structure in which the Dedicated Space is located or the adjacent space collocation structure for the purpose then used, uneconomical in SWBT's reasonable discretion. In addition, a collocator's presence in SWBT central offices or adjacent space collocation structures should not prevent SWBT from making a reasonable business decision regarding building expansions or additions the number of central offices required to conduct its business or their locations. If SWBT determines that a collocator must relocate due to any of the above reasons, SWBT will make all reasonable efforts to minimize disruption of the collocator's services. In addition, the costs of the move will be shared equally by SWBT and the collocator, unless the parties agree to a different financial arrangement.

If the Collocator requests that the Dedicated Space be moved within the Eligible Structure in which the Dedicated Space is located, to another Eligible Structure, from an adjacent space collocation structure to a different adjacent space collocation structure or to an Eligible Structure, SWBT shall permit the Collocator to relocate the Dedicated Space or adjacent space collocation structure, subject to availability of space and technical feasibility. The Collocator shall be responsible for all applicable charges associated with the move, including the reinstallation of its equipment and facilities and the preparation of the new Telecommunications Equipment Space, and Dedicated Space, or adjacent space collocation structure as applicable. In any such event, the new Dedicated Space shall be deemed the Dedicated Space and the new Eligible Structure (where applicable) shall be deemed the Eligible Structure in which the Dedicated Space is located and the new adjacent space collocation structure shall be deemed the adjacent space collocation structure.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.4 Occupancy

Unless there are unusual circumstances, SWBT will notify the Collocator that the Dedicated Space is ready for occupancy within five (5) business days after SWBT completes preparation of the Dedicated Space. SWBT will provide TIRKS and/or SWITCH printouts of actual point of termination/connection facility assignments (APOT/CFA) to CLECs at collocation space turnover. This information is used to request access and line sharing services. The CLEC is responsible for payment of all non-recurring charges, where applicable, prior to receiving APOT/CFA information. Operational telecommunications equipment must be placed in the Dedicated Space and interconnect to SWBT's network or obtain access to SWBT unbundled network elements within one hundred eighty (180) days after receipt of such notice. In the event that SWBT has refused to interconnect with the Collocator, the 180 day deadline shall be extended until SWBT allows the Collocator to interconnect. SWBT, however, may extend beyond the one hundred eighty (180) days provided the Collocator demonstrates a best effort to meet that deadline and shows that circumstances beyond its reasonable control prevented the Collocator from meeting that deadline. If the Collocator fails to do so and the unused collocation space is needed to meet customer demand (filed application for space, accompanied by all fees) for another collocator or to avoid construction of a building addition, collocation in the prepared Dedicated Space is terminated on the tenth (10) business day after SWBT provides the Collocator with written notice of such failure and the Collocator does not place operational telecommunications equipment in the Dedicated Space and interconnect with SWBT or obtain access to SWBT unbundled network elements by that tenth (10) business day. In any event, the Collocator shall be liable in an amount equal to the unpaid balance of the applicable charges.

For purposes of this paragraph, the Collocator's telecommunications equipment is considered to be operational and interconnected when connected to either SWBT's network or interconnected to another collocator's equipment that resides within the same structure, provided the Collocator's equipment is necessary for interconnection with SWBT's network or obtain access to SWBT's unbundled network elements, for the purpose of providing this service.

If the Collocator causes SWBT to prepare the Dedicated Space and then the Collocator does not use the Dedicated Space (or all the Dedicated Space), the Collocator will pay SWBT the monthly recurring and other applicable charges as if the Collocator were using the Dedicated Space.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.5 Cancellation Prior to Due Date

In the event that the Collocator cancels its order after SWBT has begun preparation of the Telecommunications Infrastructure Space and Dedicated Space, but before SWBT has been paid the entire amounts due under this tariff, then in addition to other remedies that SWBT might have, the Collocator shall be liable in the amount equal to the nonrecoverable costs less estimated net salvage, the total of which is not to exceed the Preparation Charges. Nonrecoverable costs include the nonrecoverable cost of equipment and material ordered, provided or used; the nonrecoverable cost of installation and removal, including the costs of equipment and material ordered, provided or used; labor; transportation and any other associated costs. SWBT shall provide the Collocator with a detailed invoice showing the costs it incurred associated with preparation.

6.6 Billing

Billing shall occur on or about the 25th day of each month, with payment due thirty (30) days from the bill date. SWBT may change its billing date practices upon thirty (30) day's notice to the Collocator.

6.6.1 Billing Dispute Resolution

In the event of a bona fide dispute between a Collocator and SWBT regarding any bill for anything ordered from this tariff, Collocator shall, prior to the Bill Due Date, give written notice to SWBT of the amounts it disputes ("Disputed Amounts") and include in such written notice the following information: (a) the date of the bill in question, (b) the Billing Account Number (BAN) number of the bill in question, (c) any USOC information questioned, (d) the amount billed, (e) the amount in question and (f) the reason that Collocator disputes the billed amount. To be deemed a "dispute" under this paragraph 6.6.1, Collocator must either (a) make payment in full to SWBT of the amount billed, or (b) provide proof (in the form of a copy of the executed written agreement with the financial institution) that it has established an interest bearing escrow account that complies with all of the requirements set forth in paragraph 6.6.2 of this tariff and proof (in the form of deposit slip(s)) that Collocator has deposited all unpaid charges into that escrow account. Failure to provide payment in full or the information and proof of compliance and deposit required by this paragraph 6.6.1 not later than twenty-nine (29) days following the Bill Due Date shall constitute Collocator's irrevocable and full waiver of its right to dispute the subject charges.

6.6.2 Collocator shall pay all undisputed amounts to SWBT when due and shall pay all Disputed Amounts when due into an interest bearing escrow account with a Third Party escrow agent mutually agreed upon by the Parties. To be acceptable, the Third Party escrow agent must meet all of the following criteria:

A. The financial institution proposed as the Third Party escrow agent must be located within the continental United States;

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

6.0. ORDERING AND PROVISIONING (Continued)

6.6. Billing (Continued)

6.6.2 (Continued)

- B. The financial institution proposed as the Third Party escrow agent may not be an affiliate of Collocator; and
 - C. The financial institution proposed as the Third Party escrow agent must be authorized to handle Automatic Clearing House (ACH) (credit transactions) (electronic funds) transfers.
 - D. In addition to the foregoing requirements for the Third Party escrow agent, the Collocator and the financial institution proposed as the Third Party escrow agent must enter into a written agreement that the escrow account meets all of the following criteria:
 - (1) The escrow account is an interest bearing account;
 - (2) All charges associated with opening and maintaining the escrow account will be borne by the Collocator;
 - (3) That none of the funds deposited into the escrow account or the interest earned thereon may be subjected to the financial institution's charges for serving as the Third Party escrow agent;
 - (4) All interest earned on deposits to the escrow account shall be disbursed to Collocator and SWBT in the same proportion as the principal; and
 - (5) Disbursements from the escrow account shall be limited to those: authorized in writing by both Collocator and SWBT (that is, signature(s) from representative(s) of Collocator only are not sufficient to properly authorize any disbursement); or made in accordance with the final, non-appealable order of the arbitrator appointed pursuant to the provisions of paragraph 6.6.7 of this tariff; or made in accordance with the final, non-appealable order of the court that had jurisdiction to enter the arbitrator's award pursuant to paragraph 6.6.7 of this tariff.
- 6.6.3 Disputed Amounts in escrow shall be subject to Late Payment Charges as set forth in paragraph 6.7 of this tariff.
- 6.6.4 Upon receipt of the notice and both forms of proof required by paragraph 6.6.1 of this tariff, SWBT shall make an investigation as shall be required by the particular case, and report the results to the Collocator. Provided that Collocator has furnished all of the information and proof required by paragraph 6.6.1 on or before the Bill Due Date, SWBT will report the results of its investigation within 60 calendar days following the Bill Due Date. If the Collocator is not satisfied by the resolution of the billing dispute under this paragraph 6.6.4, the Collocator must notify SWBT in writing within thirty days following receipt of the results of SWBT's investigation that it wishes to invoke the informal resolution of billing disputes afforded under paragraph 6.6.5 of this tariff.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.6 Billing (Continued)

6.6.5 Informal Resolution of Billing Disputes

Upon receipt by SWBT of written notice of a billing dispute from Collocator made in accordance with the requirements of paragraph 6.6.1 of this tariff, each party will appoint a knowledgeable, responsible representative to meet and negotiate in good faith to resolve any billing dispute arising under this tariff. The location, form, frequency, duration and conclusion of these discussions will be left to the discretion of the representatives. Upon agreement, the representatives may utilize other alternative dispute resolution procedures such as mediation to assist in the negotiations. Discussions and the correspondence among the representatives for purposes of resolution are exempt from discovery and production and will not be admissible in the arbitration described below or in any lawsuit without the concurrence of both parties. Documents identified in or provided with such communications that were not prepared for purposes of the negotiations are not so exempted, and, if otherwise admissible, may be admitted in evidence in the arbitration or any lawsuit.

6.6.6 Formal Resolution of Billing Disputes

If the parties are unable to resolve the billing dispute through the informal procedure described in paragraph 6.6.5, then either party may invoke the formal dispute resolution procedures described in this paragraph 6.6.6. Unless agreed by both parties, formal dispute resolution procedures, including arbitration or other procedures as appropriate, may be invoked not earlier than sixty (60) calendar days after receipt of the notice initiating dispute resolution required by paragraph 6.6.4 of this tariff and not later than one hundred eighty (180) calendar days after receipt of the notice initiating dispute resolution required by paragraph 6.6.4 of this tariff.

Billing Disputes Subject to Mandatory Arbitration – If not settled through informal dispute resolution, each unresolved billing dispute involving one percent (1%) or less of the amounts charged to Collocator under this tariff during the twelve (12) months immediately preceding receipt of the notice initiating Dispute Resolution required by paragraph 6.6.4 of this tariff will be subject to mandatory arbitration in accordance with paragraph 6.6.7, below. If the Collocator has not been billed for a minimum of twelve (12) months immediately preceding receipt of the notice initiating Dispute Resolution required by paragraph 6.6.4 of this tariff, the parties will annualize the actual number of months billed.

Billing Disputes Subject to Elective Arbitration – If not settled through informal dispute resolution, each unresolved billing dispute involving more than one percent (1%) of the amounts charged to Collocator under this tariff during the twelve (12) months immediately preceding receipt of the notice initiating Dispute Resolution required by paragraph 6.6.4 of this tariff will be subject to elective arbitration pursuant to paragraph 6.6.7 if, and only if, both parties agree to arbitration. If the Collocator has not been billed for a minimum of twelve (12) months immediately preceding receipt of the notice initiating Dispute Resolution required by paragraph 6.6.4 of this tariff, the parties will annualize the actual number of months billed. If both parties do not agree to arbitration, then either party may proceed with any remedy available to it pursuant to law, equity or agency mechanism.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.6 Billing (Continued)

6.6.7 Arbitration

Disputes subject to mandatory or elective arbitration under the provisions of this tariff will be submitted to a single arbitrator pursuant to the Commercial Arbitration Rules of the American Arbitration Association or pursuant to such other provider of arbitration services or rules as the parties may agree. The arbitrator shall be knowledgeable of telecommunications issues. Each arbitration will be held in St. Louis, Missouri, unless the parties agree otherwise. The arbitration hearing will be requested to commence within sixty (60) calendar days of the demand for arbitration. The arbitrator will control the scheduling so as to process the matter expeditiously. The parties may submit written briefs upon a schedule determined by the arbitrator. The parties will request that the arbitrator rule on the dispute by issuing a written opinion within thirty (30) calendar days after the close of hearings. The Federal Arbitration Act, 9 U.S.C. Secs. 1-16, not state law, shall govern the arbitrability of all disputes. The arbitrator will have no authority to award punitive damages, exemplary damages, consequential damages, multiple damages, or any other damages not measured by the prevailing party's actual damages, and may not, in any event, make any ruling, finding or award that does not conform to the terms and conditions of this tariff. The times specified in this paragraph 6.6.7 may be extended or shortened upon mutual agreement of the parties or by the arbitrator upon a showing of good cause. Each party will bear its own costs of these procedures, including attorneys' fees. The parties will equally split the fees of the arbitration and the arbitrator. The arbitrator's award shall be final and binding and may be entered in any court having jurisdiction thereof. Judgment upon the award rendered by the arbitrator may be entered in any court having jurisdiction.

- 6.6.8 Immediately upon resolution of any billing dispute, SWBT and the Collocator shall cooperate to ensure that all of the following actions are taken within the time(s) specified:
- A. SWBT shall credit Collocator's bill for any portion of the Disputed Amount(s) resolved in favor of Collocator, together with any portion of any Late Payment Charges assessed with respect thereto no later than the second Bill Due Date after the resolution of the dispute;
 - B. within fifteen (15) calendar days after resolution of the dispute, any portion of the escrowed Disputed Amounts resolved in favor of the Collocator shall be disbursed to Collocator by the Third Party escrow agent, together with any interest accrued thereon;
 - C. within fifteen (15) calendar days after resolution of the dispute, any portion of the Disputed Amounts resolved in favor of SWBT shall be disbursed to SWBT by the Third Party escrow agent, together with any interest accrued thereon; and
 - D. no later than the third Bill Due Date after the resolution of the dispute regarding the Disputed Amount(s), the Collocator shall pay SWBT any difference between the amount of accrued interest SWBT received from the escrow disbursement and the amount of Late Payment Charges SWBT billed and is entitled to receive pursuant to paragraph 6.7 of this tariff.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.6 Billing (Continued)

6.6.9 Failure by the Collocator to pay any charges determined to be owed to SWBT within the time specified in paragraph 6.6.7 shall be grounds for immediate re-entry and termination of services provided under this tariff.

6.6.10 Billing for Caged Shared and Caged Common Collocation Arrangements

Except for certain charges identified as related to Caged Shared Collocation, each collocator shall be billed separately and shall be able to order and provision separately. In the case of Caged Shared Collocation, SWBT shall bill the original collocator for space. However, SWBT shall bill the other Collocators in the shared cage for use of network elements and interconnection separately as required. Collocators located in a Caged Common Collocation area shall have direct billing arrangements with SWBT for floor space and all other applicable interconnection arrangements.

6.7 Late Payment Charge

If the Collocator fails to remit payment for any tariff charges by the Bill Due Date, or if a payment or any portion of a payment is received from Collocator after the Bill Due Date, or if a payment or any portion of a payment is received in funds which are not immediately available to SWBT as of the Bill Due Date, then a late payment charge shall be assessed as follows: the unpaid amounts shall bear interest from the Bill Due Date until paid at the lesser of (a) the rate used to compute the Late Payment Charge in SWBT's Missouri intrastate access services tariff and (b) the highest rate of interest that may be charged under Missouri law, compounded daily from the Bill Due Date to and including the date that the payment is actually made and available.

6.8 Allowances for Interruptions

An interruption period begins when an inoperative condition of a physical collocation arrangement is reported to SWBT's designated contact point and ends when the physical collocation arrangement is operative and reported to the collocator's designated contact. No allowance for an interruption period will be provided for physical collocation where the interruption is due to the actions or negligence of the Collocator. A credit allowance will be made to the collocator where the interruption is due to the actions or negligence of SWBT.

When a credit allowance does apply, such credit will be determined based on the monthly recurring rates applicable to the specific item(s) causing the interruption; however, the credit allowance for an interruption or for a series of interruptions shall not exceed the applicable monthly recurring rate for the item(s) involved.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**6.0. ORDERING AND PROVISIONING (Continued)**

6.8 Allowances for Interruptions (Continued)

For calculating credit allowances, every month is considered to have thirty (30) days. No credit shall be allowed for an interruption of less than thirty (30) minutes. The Collocator shall be credited for an interruption of thirty (30) minutes or more at the rate of 1/1440 of the monthly recurring rate.

When a third party vendor maintains and repairs a Collocator's designated termination equipment, a credit allowance will not apply to any interruption of the items maintained and repaired by the third party vendor.

7.0. USE BY OTHER LOCAL SERVICE PROVIDERS

7.1 SWBT will make shared collocation cages available to all collocators. A shared collocation cage is a caged collocation space shared by two (2) or more Collocators pursuant to the terms and conditions agreed to and between the Collocators. In making shared cage arrangements available, SWBT may not increase the cost of site preparation or nonrecurring charges above the cost of provisioning such a cage of similar dimensions and material to a single collocating party. In those instances where SWBT receives applications simultaneously from multiple collocators who desire construction of a cage to be shared, SWBT will prorate the charge for site conditioning and preparation undertaken to construct the shared collocation cage or condition the space, and allocate that charge to each collocator based upon the percentage of total space utilized by each Collocator.

7.1.1 SWBT will make Caged Common Collocation available to all collocators. The Caged Common Collocation option provides the collocators with an enclosure (not including a top). This enclosure is an area designated by SWBT within an Eligible Structure to be used by the collocators for the sole purpose of installing, maintaining and operating the collocator-provided equipment. Caged Common Collocation space will be provided where space permits when five (5) or more Collocators have provided SWBT with their forecasted space requirements accompanied with a firm order and 25% of non-recurring charges for the forecasted space as deposit. When these criteria have been met, SWBT will construct a common cage minimum of 550 sq. ft. of space unless Collocators' combined forecasted space needs for the initial year exceed 550 sq. ft., in which case, SWBT will construct the cage to the Collocators' combined forecasts for the initial year. Charges to each collocator will be based on its forecasted linear footage of floor space and adjusted by the occupancy factor as approved by the Commission. Subsequent additions to the Caged Common Collocation area will be based on firm orders with the Collocator(s) requesting additional space bearing the costs for such expansion. Billing for Caged Common Collocation is addressed in paragraph 6.6.10.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

**PHYSICAL COLLOCATION
(REGULATIONS)****7.0. USE BY OTHER LOCAL SERVICE PROVIDERS (Continued)**

- 7.2 SWBT will not place unreasonable restrictions on a collocator's use of a cage, and as such will allow a collocator to contract with other collocators to share the cage in a sublease-type arrangement. In a sublease-type arrangement, the initial collocator(s) shall charge any such co-collocator no more than the prorated share (based upon square footage used exclusively or in common) of SWBT's charges to the initial collocator(s). If two (2) or more collocators who have interconnection agreements with SWBT utilize a shared collocation cage, SWBT will permit each collocator to order UNEs to and provision service from that shared collocation space, regardless of which collocator was the original collocator.

All collocators, including those who are subleasing the caged space, are bound by the terms and conditions of this tariff. The terms contained in paragraph 6.4, Occupancy, preceding shall continue to apply.

- 7.3 The Collocator shall not assign or otherwise transfer, either in whole or in part, or permit the use of any part of the Dedicated Space by any other person or entity, without the prior written consent of SWBT, which consent shall not be unreasonably withheld. Any purported assignment or transfer made without such consent shall be voidable at the sole discretion of SWBT.

8.0. FIBER OPTIC CABLE AND DEMARCATION POINT**8.1 Fiber Optic Cable Entrances**

- 8.1.1 The collocator shall use a dielectric fire retardant fiber cable as the transmission medium to the Dedicated Space or, where technically and structurally feasible, may use microwave. Collocation requests utilizing facilities other than fiber will be provided as an ICB. SWBT will only permit copper or coaxial cable as the transmission medium where the Collocator can demonstrate to SWBT that use of such cable will not impair SWBT's ability to service its own customers or subsequent collocators.
- 8.1.2 SWBT shall provide a minimum of two separate points of entry into the Eligible Structure in which the Dedicated Space is located wherever there are at least two entry points for SWBT cable. SWBT will also provide nondiscriminatory access to any entry point into Eligible Structures in excess of two points in those locations where SWBT also has access to more than two such entry points. Where such dual points of entry are not immediately available, SWBT shall perform work as is necessary to make available such separate points of entry for the Collocator at the same time that it makes such separate points of entry available for itself. In each instance where SWBT performs such work in order to accommodate its own needs and those specified by the Collocator in the Collocator's written request, the Collocator and SWBT shall share the costs incurred by prorating those costs using the number of cables to be placed in the entry point by both SWBT and the Collocator(s) in the first twelve (12) months.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

**PHYSICAL COLLOCATION
(REGULATIONS)****8.0. FIBER OPTIC CABLE AND DEMARCATION POINT (Continued)****8.1 Fiber Optic Cable Entrances (Continued)**

- 8.1.3 The Collocator is responsible for bringing its facilities to the entrance manhole(s) designated by SWBT, and leaving sufficient length in the cable in order for SWBT to fully extend the collocator-provided facilities through the cable vault to the Dedicated Space.

8.2 Demarcation Point

A Point of Termination (POT) Frame is not required as the demarcation point. However, the collocator may, at its election, provide its own Point of Termination (POT) frame either in its dedicated cage space or in the SWBT-designated area within the Eligible Structure. If the collocator elects not to provide a POT frame, SWBT will hand off the Interconnection Arrangement(s) cables to the collocator at their equipment.

9.0. USE OF DEDICATED SPACE**9.1 Nature of Use**

The Collocator may locate all equipment necessary for interconnection to SWBT under 47.U.S.C. 251 (C) (2) or accessing SWBT's unbundled network elements under 47.U.S.C. 251 (C) (3) of the FTA 96. In addition, SWBT currently will permit the collocation of DSLAMs, routers, ATM multiplexers, remote switching modules, and certain other equipment, the types of which and conditions upon which such will be permitted must be mutually agreed upon by SWBT and Collocator, in SWBT Eligible Structures. This tariff does not constitute, and shall not be asserted to constitute, an admission or waiver by any party of any rights, remedies or arguments with respect to the issue of what types of equipment Collocator's may place in SWBT's premises, or any other issue whatsoever before the Missouri Public Service Commission, the Federal Communications Commission, or any other regulatory bodies or state or federal court. The Collocator will certify in writing to SWBT that the equipment is necessary for interconnection or access to unbundled network elements. In the event that SWBT believes that the collocated equipment is not of a type that is necessary for interconnection or access to unbundled network elements, is not of a type that SWBT permits, as referenced above, or will not be or is not being used for interconnection or access to unbundled network elements, SWBT shall notify the Collocator and provide Collocator with ten (10) days to respond. In the event that the parties do not resolve the dispute, SWBT may file a complaint at the Commission seeking a formal determination that the equipment cannot be collocated in a SWBT Eligible Structure. While the dispute is pending, SWBT will not prevent or otherwise delay installation of the disputed equipment in the Collocation space.

When the collocator's physical collocation arrangement is within the Eligible Structure, the collocator may not provide its own DC power plant equipment (with rectifiers or chargers and batteries) or AC power backup equipment (e.g., Uninterruptable Power System with batteries, or standby engine). SWBT will provide the necessary backup power to ensure against power outages.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**9.0 USE OF DEDICATED SPACE (Continued)**

9.1 Nature of Use (Continued)

When the collocator's physical collocation arrangement is within the Eligible Structure, the collocator may not provide its own DC power plant equipment (with rectifiers or chargers and batteries) or AC power backup equipment (e.g., Uninterruptable Power System with batteries, or standby engine). SWBT will provide the necessary backup power to ensure against power outages.

Consistent with the environment of the Dedicated Space, the Collocator shall not use the Dedicated Space for office, retail, or sales purposes. No signage or marking of any kind by the collocator shall be permitted on the Eligible Structure in which the Dedicated Space is located or on the SWBT grounds surrounding the Eligible Structure in which the Dedicated Space is located. The collocator may place signage and markings on the inside of its dedicated space.

9.2 Equipment List

A list of all the equipment and facilities that the Collocator will place within its Dedicated Space must be included on the application for which the Dedicated Space is prepared including the associated power requirements, floor loading, and heat release of each piece. The Collocator's equipment and facilities shall be compliant with the standards set out in paragraph 10.1 Minimum Standards, following. The Collocator warrants and represents that the List is complete and accurate, and acknowledges that any incompleteness or inaccuracy would be a violation of the rules and regulations governing this tariff. The Collocator shall not place or leave any equipment or facilities within the Dedicated Space not included on the List without the express written consent of SWBT, which consent shall not be unreasonably withheld.

9.2.1 Subsequent Requests to Place Equipment

The Collocator shall furnish SWBT a written list in the form of an attachment to the original equipment list for the subsequent placement of equipment in its Dedicated Space.

9.2.2 Limitations

SWBT's obligation to purchase additional plant or equipment, relinquish occupied space or facilities, or to undertake the construction of new building quarters or to construct building additions to existing quarters in order to satisfy a subsequent request for additional space or the placement of additional equipment or facilities by a Collocator, is limited only to the extent that SWBT would undertake such additions, modifications or construction on its own behalf, on behalf of any subsidiary or affiliate, or any other party to which it provides interconnection. SWBT will ensure that the Collocator is provided collocation space at least equal in quality to that provided to SWBT, its affiliates or other parties to which it provides interconnection.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**9.0. USE OF DEDICATED SPACE (Continued)**

9.3 Dedicated Space Use and Access

- 9.3.1 The Collocator may use the Dedicated Space for placement of telecommunications equipment necessary for interconnection to SWBT or for accessing SWBT's unbundled network elements. The Collocator's employees, agents and contractors shall be permitted access to their collocated equipment 7 days a week, 24 hours a day without a security escort. Collocators shall provide SWBT with notice at the time of dispatch of its own employee or contractor, to an Eligible Structure and, if possible, no less than thirty (30) minutes notice for a manned structure and sixty (60) minutes notice for an unmanned structure. SWBT will not delay a Collocator employee's entry into an Eligible Structure containing its collocated equipment or its access to its collocated equipment. SWBT will provide Collocators with reasonable access to restroom facilities and parking. All access is provided subject to compliance by the Collocator's employees, agents and contractors with SWBT's policies and practices pertaining to fire, safety and security (i.e., the Collocator must comply with paragraph 6.1.2 B. of this Tariff).
- 9.3.2 The Collocator agrees to comply promptly with all laws, ordinances and regulations affecting the use of the Dedicated Space. Upon the discontinuance of service, the Collocator shall surrender the Dedicated Space or land for an adjacent structure to SWBT, in the same condition as when first occupied by the Collocator, except for ordinary wear and tear.
- 9.3.3 SWBT will not accept delivery of or responsibility for any correspondence and/or equipment delivered to the Collocator at the Eligible Structure. However, through agreement between SWBT and the Collocator, a Collocator may make arrangements for receipt and/or securing of its equipment at the Eligible Structure by Collocator's or SWBT's personnel.

9.4 Threat to Personnel, Network or Facilities

Regarding safety, Collocator equipment or operating practices representing a significant demonstrable technical or physical threat to SWBT's personnel, network or facilities, including the Eligible Structure, or those of others are strictly prohibited.

9.5 Interference or Impairment

Regarding safety and notwithstanding any other provision hereof, the characteristics and methods of operation of any equipment or facilities placed in the Dedicated Space shall not create hazards for or cause damage to those facilities, the Dedicated Space, or the Eligible Structure in which the Dedicated Space is located; impair the privacy of any communications carried in, from, or through the Eligible Structure in which the Dedicated Space is located; or create hazards or cause physical harm to any individual or the public. Any of the foregoing would be in violation of this tariff.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**9.0. USE OF DEDICATED SPACE (Continued)**

9.6 Interconnection to Others

Within a contiguous area within the eligible structure, SWBT will permit Collocators to construct their own cross-connect facilities to other physical collocators using copper or optical facilities between collocated equipment located within the same Eligible Structure, subject only to the same reasonable safety requirements that SWBT imposes on its own equipment. SWBT shall not require physical-to-physical collocators to purchase any equipment or cross-connect capabilities solely from SWBT itself at tariffed rates. If requested by the collocator, SWBT will provide only the installation of physical structure(s) and the associated labor necessary for the Collocator(s) to pull its facilities from its equipment space to the equipment space of another Collocator. However, if the Collocators cannot physically pull the cable themselves (i.e., located on different floors), SWBT will perform the necessary construction on a standard Custom Work Order basis and perform the cable pull. SWBT (1) will not make any physical connection within the Collocator's dedicated space; (2) will not have any liability for the cable or the connections, or the traffic carried thereon; and (3) will not maintain any records concerning these connections.

9.6.1 If a physical Collocator and a virtual Collocator both have purchased dedicated appearances not then in use on a DSX-1 panel, DSX-3 panel, or FDF located within contiguous areas within the eligible structure, then SWBT will permit the interconnection of physically and virtually collocated equipment by connection of copper or optical facilities to the Collocators' dedicated appearances on the DSX-1 panel, DSX-3 panel, or FDF, subject only to the same reasonable safety requirements that SWBT imposes on its own equipment. The connections shall be made within ten (10) days of a joint request by the Collocators. At SWBT's option, the connection may be made either by SWBT or by the Collocators' installers, who shall be on SWBT's list of approved installation vendors.

9.7 Personal Property and Its Removal

In accordance with and subject to the conditions of this tariff, the Collocator may place or install in or on the Dedicated Space such personal property or fixtures (Property) as it shall deem desirable for the conduct of business. Property placed by the Collocator in the Dedicated Space shall not become a part of the Dedicated Space even if nailed, screwed or otherwise fastened to the Dedicated Space. Such Property must meet SWBT standards for flame and smoke ratings, e.g., no combustibles. Such Property shall retain its status as personality and may be removed by the Collocator at any time. Any damage caused to the Dedicated Space or land occupied by an adjacent structure by the removal of such Property shall be promptly repaired by the Collocator at its expense pursuant to paragraph 9.8 following.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)**9.0 USE OF DEDICATED SPACE (Continued)**

9.8 Alterations

In no case shall the Collocator or any person acting through or on behalf of the Collocator make any rearrangement, modification, improvement, addition, repair, or other alteration to the Dedicated Space or the Eligible Structure in which the Dedicated Space is located without the advance written permission and direction of SWBT. SWBT shall consider a modification, improvement, addition, repair or other alteration requested by the Collocator, provided that SWBT has the right to reject or modify any such request except as required by state or federal regulators. The cost of any SWBT provided construction shall be paid by the Collocator in accordance with SWBT's custom work order process.

10.0 STANDARDS

10.1 Minimum Standards

SWBT requires that all equipment to be collocated in SWBT's Eligible Structures meet Level 1 safety requirements as set forth in Bellcore Network Equipment and Building Specifications (NEBS) but SWBT may not impose safety requirements on the Collocators that are more stringent than the safety requirements it imposes on its own equipment. SWBT may not deny collocation of Collocator's equipment because the equipment fails to meet NEBS reliability standards. SWBT will publish, at least quarterly, a list of all network equipment installed within the network areas of its facilities with the previous twelve (12) months that fails to meet the Level 1 safety requirements of Bellcore NEBS and update the list as needed to keep it current. In the event that SWBT believes that the collocated equipment will not be or is not necessary for interconnection or access to unbundled network elements or determines that the Collocator's equipment does not meet NEBS Level 1 safety requirements, the Collocator will be given ten (10) business days to comply with the requirements or remove the equipment from the collocation space. If the parties do not resolve the dispute, SWBT or Collocator may file a complaint at the Commission seeking a formal resolution of the dispute.

10.2 Revisions

Within 45 days of approval of this revised tariff by the Missouri Public Service Commission, SWBT shall revise its Interconnector's Collocation Services Handbook for Physical Collocation in Missouri and its Technical Publication(s) for Physical Collocation. Any revision to SWBT's Interconnector's Collocation Services Handbook for Physical Collocation in Missouri or its Technical Publication(s) for Physical Collocation shall become effective and thereafter applicable under this tariff. The Handbook and Technical Publication(s) may then subsequently be revised from time to time by joint agreement of SWBT and all affected Collocators. Where agreement cannot be obtained, SWBT and the Collocator(s) shall attempt to negotiate a resolution to any disagreements. In the event that SWBT and the Collocator(s) cannot negotiate a resolution, a change must be approved by the Commission. Such publications will be shared with Collocators.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

**PHYSICAL COLLOCATION
(REGULATIONS)****10.0 STANDARDS (Continued)****10.2.1 Dispute Resolution Process for Revisions or Implementation of Technical Publications**

Disputes that cannot be resolved by the parties regarding revisions to or implementation of SWBT technical publications that apply to physical collocation arrangements will be resolved by use of (1) mediation, (2) any dispute resolution process promulgated by the Commission, or (3) any other method mutually agreed to by the parties. Either party may use any of these options to obtain a resolution of the dispute.

10.3 Compliance Certification

The Collocator also warrants and represents that any equipment or facilities that may be placed in the Dedicated Space pursuant to paragraph 9.2 Equipment List; paragraph 9.2.1 Subsequent Requests to Place Equipment; or otherwise, shall be compliant with Bellcore NEBS Level 1 safety requirements, except to the extent that SWBT has deployed the same noncompliant network equipment in the network area(s) of its central offices. The collocator may place Digital Loop Carrier Equipment, and/or, Digital Subscriber Line Carrier Equipment of its choosing in its space.

11.0. RE-ENTRY

If the Collocator shall default in performance of any tariff provision herein, and the default shall continue for sixty (60) calendar days after receipt of written notice, or if the Collocator is declared bankrupt or insolvent or makes an assignment for the benefit of creditors, SWBT may, immediately or at any time thereafter, without notice or demand, enter and repossess the Dedicated Space, expel the Collocator and any claiming under the Collocator, remove the Collocator's property, forcibly if necessary, and services provided pursuant to this tariff will be terminated without prejudice to any other remedies SWBT might have.

SWBT may also refuse additional applications for service and/or refuse to complete any pending orders for additional space or service for the Collocator at any time after sending the notice required by the preceding paragraph.

In the case of any dispute and at the written request of a Party, each Party will appoint a knowledgeable, responsible representative to meet and negotiate in good faith to resolve any dispute arising under this Agreement. The location, form, frequency, duration, and conclusion of these discussions will be left to the discretion of the representatives. Upon agreement, the representatives may utilize other alternative informal dispute resolution procedures such as mediation to assist in the negotiations. Discussions and the correspondence among the representatives for purposes of settlement are exempt from discovery and production and will not be admissible in the arbitration described below or in any lawsuit without the concurrence of both parties. Documents identified in or provided with such communications, which are not prepared for purposes of the negotiations, are not so exempted and, if otherwise admissible, may be admitted in evidence in the arbitration or lawsuit. To the extent negotiations do not resolve the dispute, and 30 days have passed since the date of the request for resolution under this paragraph, parties may seek more formal dispute resolution procedures as described in their respective interconnection agreement, where applicable.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

**PHYSICAL COLLOCATION
(REGULATIONS)****12.0 INDEMNIFICATION OF SWBT**

Except as otherwise provided and to the extent not contradicted herein, the indemnity provisions of the Interconnection Agreement between SWBT and the Collocator shall apply and are incorporated herein by this reference. However, in no event will the provisions in this paragraph supersede or override the indemnification provisions contained in the interconnection agreement between SWBT and Collocator. Additionally, in the event of a conflict between indemnification provisions in the interconnection agreement and the Tariff, the provisions in the interconnection agreement will control.

Collocators shall indemnify and hold harmless SWBT the agents, employees, officers, directors and shareholders of any of them ("Indemnities"), from and against any and all liabilities, obligations, claims, causes of action, fines, penalties, losses, costs, expenses (including court costs and reasonable attorneys' fees), damages, injuries, of any kind, (individually and collectively "Liabilities"), including but not limited to, Liabilities as a result of (a) injury to or death of any person; (b) damage to or loss or destruction of any property; or (c) Liabilities related in any manner to employee benefits, workers compensation, payroll tax, and other employer obligations which may be asserted against SWBT where such liabilities arise in connection with Collocator's use of persons that it classifies as an independent contractor or subcontractor to perform obligations under this Tariff; (d) attachments, liens or claims of material persons or laborers arising out of or resulting from or in connection with this Tariff or the performance of or failure to perform and directly or indirectly caused, in whole or part, by acts of omissions, negligent or otherwise, of Collocator or a contractor or a representative of Collocator or an employee of any one of them, except to the extent such Liabilities arise from the negligence or willful or intentional misconduct of SWBT or its employees. The provisions in this paragraph are reciprocal and applicable also to SWBT.

SWBT shall, make best efforts to promptly notify Collocator of any suit or other legal proceeding asserting a claim for Liabilities. Upon request, Collocator shall, at no cost or expense to any Indemnitee, defend any such suit or legal proceeding asserting a claim for Liabilities, and Collocator shall pay any costs and attorneys' fees that may be incurred by any Indemnitee in connection with any such claim, proceeding or suit. Collocator shall also (a) keep SWBT and any other Indemnitee subject to any such claim fully informed as to the progress of such defense, and (b) afford SWBT and such Indemnitee, each at its own expense, an opportunity to participate on an equal basis with Collocator in the defense or settlement of any such claim.

13.0 SERVICES AND MAINTENANCE**13.1 Operating Services**

SWBT shall maintain for the Eligible Structure customary building services, utilities (excluding telephone facilities), including janitorial and elevator services, 24 hours a day, 7 days a week. Any business telephone services ordered by the Collocator for its administrative use within its Dedicated Space will be provided in accordance with applicable SWBT tariffs.

13.2 Maintenance

SWBT shall maintain the exterior of the Eligible Structure and grounds, and all entrances, stairways, passageways, and exits used by the Collocator to access the Dedicated Space.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

13.0 SERVICES AND MAINTENANCE (Continued)

13.3 Equipment Staging and Storage

No storage or staging area will be provided outside of the licensed space. Collocation areas may not be used for office administrative space (i.e. filing cabinet, desk, etc.). Fire standards and regulations prohibit the storage of flammable material, e.g. cardboard boxes, paper, packing material, etc. Safety standards prohibit the storage of chemicals of any kind. (Refer to Interconnector's Guide for Collocation for further details.

13.4 Legal Requirements

Except for paragraph 15.3, SWBT agrees to make, at its expense, all changes and additions to the Dedicated Space required by laws, ordinances, orders or regulations of any municipality, county, state or other public authority including the furnishing of required sanitary facilities and fire protection facilities, except fire protection facilities specially required because of the installation of telephone or electronic equipment and fixtures in the Dedicated Space.

14.0 SWBT's RIGHT OF ACCESS

SWBT, its agents, employees, and other SWBT-authorized persons shall have the right to enter collocated space at any reasonable time on three days advance notice of the time and purpose of the entry to examine its condition, make repairs required to be made by SWBT hereunder, and for any other purpose deemed reasonable by SWBT. SWBT may access the collocated space for purpose of averting any threat of harm imposed by the collocater or its equipment or facilities upon the operation of SWBT equipment, facilities and/or personnel located outside of the collocated space; in such case, SWBT will notify the collocater by telephone of that entry and will leave written notice of entry in the collocated space. If routine inspections are required, they shall be conducted at a mutually agreeable time.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**15.0 GENERAL**

- 15.1 The rates and charges in this tariff are applicable only for physical collocation arrangements in Eligible Structures as defined in paragraph 2 of this tariff. SWBT allocates the charges for space preparation and security charges on a prorated basis so the first collocator in a premises will not be responsible for the entire cost of site preparation. However, ancillary charges for unique collocator requests for collocation options directly attributable to the requesting collocator will not be prorated. Examples include power arrangements, remote switch module related options and POT bay-related options.
- 15.2 Parking at Eligible Structures will be provided on a first-come, first-served basis if there is no commercial parking or curbside parking available within a reasonable radius of the eligible structure. SWBT will rent parking spaces to Collocators on a first-come, first-served basis if such space is available. Collocators may not park in spaces that are reserved for SWBT vehicles and which are designated as reserved. SWBT shall not unreasonably reserve for its own use all parking at the Eligible Structure. Collocators shall be allowed to have reasonable use of and access to loading docks. Collocators and SWBT are required to follow all posted traffic and SWBT signs and follow all applicable parking and traffic laws and ordinances.
- 15.3 The rates and charges in this tariff do not include costs for any Americans with Disability Act (ADA) construction generated or caused by the physical collocation space request. If required, ADA construction will be provided on an ICB.
- 15.3.1 If SWBT is required to upgrade an Eligible Structure, or portion of the structure to comply with the Americans with Disability Act (ADA) which arises as a direct result of Collocator's collocation arrangement, SWBT will prorate the total forward-looking economic cost of the upgrade, and allocate the charge to each Collocator located within the Structure, based on the total space utilized by each Collocator.
- 15.3.2 Should SWBT benefit in any way whatsoever from the ADA upgrades, it shall absorb half of the cost when there is one benefiting collocator, one-third when there are two, and so on.
- 15.3.3 Should SWBT be the sole beneficiary of an upgrade (e.g., an upgrade would have had to be made regardless of whether or not a collocator was collocated in the CO), SWBT shall absorb all of the costs related to such an upgrade.
- 15.4 The rates and charges set forth herein are for physical collocation arrangements, while charges for interconnection and access to unbundled network elements are as set forth in a negotiated interconnection agreement and any applicable SWBT tariffs.
- 15.5 The term of the Collocation agreement shall be concurrent with the terms of the interconnection agreement unless the collocator chooses a month-to-month term.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**16.0 PREPARATION CHARGES**

- 16.1 Preparation charges apply for preparing the Dedicated Space for use by the Collocator as outlined in this section. These rates and charges are found in paragraph 21 Rates and Charges, following.
- 16.2 SWBT will contract for and perform the construction and other activities underlying the preparation of the Telecommunications Infrastructure Area and Dedicated Space, and any Custom Work Charges (as defined in paragraph 17.2.2 following), using the same or consistent practices that are used by SWBT for other construction and preparation work performed in the Eligible Structure in which the Dedicated Space is located. SWBT will permit Collocators to review the contractor invoices. To insure efficient use of space, SWBT will provide a physical collocation area supporting as many square foot units of collocation space as is reasonably available in each specific Eligible Structure where space is available. SWBT will provide collocation space within Active Collocation Space, if available. If Active Collocation Space is not available, Other (Inactive) Collocation Space may be provided. SWBT will not require Collocators to use separate rooms or floors which only serves to increase the cost of collocation and decrease the amount of available collocation space. SWBT will not utilize unreasonable segregation requirements to impose unnecessary additional cost on Collocators.
- 16.3 The Collocator will be permitted to contract its own work for the preparation activities within the Collocator's cage including the construction of physical security arrangements. However, any such contractor shall be subject to the approval of SWBT, such Dedicated Space preparation activities shall be in accordance with all approved plans and specifications and coordinated with SWBT, and the Collocator shall be solely responsible for all charges of any such contractor. Use of any such contractor shall not nullify the construction interval set forth in paragraph 6.1.3 Interval, preceding with respect to the preparation of the Telecommunications Infrastructure Area and Custom Work.
- 16.4 The collocator may elect to install its own Point of Termination (POT) Frame, or request that SWBT provide and install a POT Frame, to be placed in the collocator's cage or in the collocation area. When the Collocator elects to install its own POT frame/cabinet, SWBT may still provide and install the required DC power panel as set forth in 20.7, DC Power Panel, following. In this case, the construction interval set forth in paragraph 6.1.3 Interval, may be exceeded.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**17.0 CHARGES**

17.1 Monthly Charges

The flat-rate monthly recurring charges shall begin the earlier of when the first circuit is turned up or 5 days after the Collocator has been notified that the preparation of the Dedicated Space is complete, and shall apply each month or fraction thereof that physical collocation is provided. For billing purposes, each month is considered to have 30 days. The applicable recurring charges are set forth in paragraph 21 Rates and Charges, following, for use of the Dedicated Space.

17.2 Nonrecurring Charges

17.2.1 Nonrecurring charges are one-time charges that apply for specific work activity associated with providing physical collocation, per request, per Eligible Structure.

17.2.2 With respect to any preparation of the Dedicated Space, the Collocator shall pay SWBT fifty percent (50%) of the estimated nonrecurring Preparation Charges as specified for in paragraph 16. Preparation Charges, preceding the commencement of work and fifty percent (50%) of any Custom Work Charges at the time that 50% of the work is completed.

The remaining portion of any Custom Work Charge is due upon completion. The remaining portion of the Preparation Charge shall be paid by the Collocator either (1) when the Dedicated Space is complete and prior to occupancy, or (2) in six (6) equal monthly installments, with a "carrying charge" based on the average prime commercial paper rate then in effect and applicable to under/overcharges as set forth in SUBST. R. 23.45(g). In the event the Collocator vacates the Dedicated Space during the six (6) month period, all outstanding nonrecurring charges will become due immediately and payable by the Collocator.

17.3 Individual Case Basis (ICB)

SWBT may seek to impose Individual Case Basis (ICB) charges for requirements based on requests from a Collocator that are beyond the terms, conditions, and rates established in this Tariff. ICB charges may only be imposed subject to the requirements defined in paragraph 2.0. (Definition of Custom Work Charges) and to the process established in paragraph 20.1 of this Tariff.

17.4 Outstanding Balances

All outstanding balances, including monthly recurring charges and electrical power consumption, will be included in the final bill to the Collocator.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

18.0 REGENERATION

- 18.1 Regeneration is required for collocation in an Adjacent Structure if the cabling distance between the collocator's POT bay or termination point located in an adjacent structure and SWBT's cross-connect bay exceeds ANSI limitations. Regeneration is not required in any other circumstances except where the collocator specifically requests regeneration. Required regeneration and collocator-requested regeneration will be provided at the collocator's expense.

19.0 RECONCILIATION OF INTERIM COLLOCATION AGREEMENTS

For interim collocation agreements that were entered into between SWBT and the Collocator prior to the approval of this tariff, SWBT and the Collocator shall perform a true-up, without calculation of any interest amounts based upon the tariff charges approved by the Commission. This true-up and any associated payments from either SWBT or the Collocator to the other shall occur within a reasonable amount of time after the tariff charges become effective, and shall not effect the right of either SWBT or the Collocator to appeal any Commission order with respect to such tariff proceeding.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**20.0 RATE ELEMENTS**

20.1 Determination of Charges Not Established in Tariff (Custom Work Charges)

- A. Rate Elements - In the event that SWBT seeks to impose a rate element or charge to a Collocator that is not specifically provided for in this Tariff, SWBT shall be required to provide the quote for the rate element within the same time frames provided for in paragraph 6.1.3 of this Tariff. When SWBT provides the price quote containing rate elements or charges that are not established in this Tariff, SWBT shall also provide all cost support for the proposed rate element or charge, and shall rely on the total long-run incremental cost methodology as used by the Commission in setting rates for this Tariff.
- B. In the event the collocator disputes the rate element or charge proposed by SWBT that is not specifically provided for in this Tariff, the collocator shall notify SWBT of its dispute with the proposed charge in writing. In the event the dispute is not resolved within fifteen (15) days from the date of the Collocator's notification, then the Collocator may file a request for dispute resolution with Central Records of the Commission. In its request, the Collocator should provide a copy of SWBT's price quote, a detailed explanation of the charges in dispute, and the Collocator's proposed charges and requested relief. The Commission shall use its Dispute Resolution Rules to resolve the complaint. Any Commission resolution or agreement reached by the Collocator and SWBT after the dispute has been filed with the Commission shall be made public. In the event that the Collocator files a request for dispute resolution with the Commission, the Collocator may seek interim relief pending final resolution of the dispute, subject to true-up of the final rates or charges set by the Commission. The Collocator may use, as a basis for interim relief, any rate approved by another state commission, agreed to by SWBT with another Collocator, or agreed to by any other incumbent LEC for provision of the same arrangement or work.

20.2 Planning Fees

The Planning Fee, as specified in the SWBT Interconnector's Collocation Services Handbook for Physical Collocation in Missouri, recovers SWBT costs incurred to estimate the quotation of charges, project management costs, engineering costs, and other related planning activities for the Collocator's request for the physical collocation arrangements. The initial Planning Fee will apply to the Collocator's physical collocation request. In addition, a nonstandard Planning Fee will apply when a request includes DC power requirements other than 2-20, 2-50, or 2-100 AMP power feeds for Caged, Cageless, or Caged Common Collocation, or 2-100, 2-200, 2-300, or 2-400 AMP power feeds for Adjacent On-Site Collocation, or other than integrated ground plane, or when floor space requirements are greater than four hundred (400) square feet. Requests for additions to the initial request, such as the addition of Collocator provided equipment that requires SWBT to engineer and purchase additional equipment will result in a Subsequent Planning Fee. A major revision to the initial request for physical collocation that changes floor space requirements, cable entrance facilities requirements, or changes DC Power Distribution will be considered a total revision and result in the reapplication of an initial Planning Fee. Rates and charges are as found in paragraph 21.1 following.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

20.0 RATE ELEMENTS (Continued)

20.3 Caged Collocation

The caged collocation option provides the collocator with an individual enclosure (not including a top). This enclosure is an area designated by SWBT within an Eligible Structure to be used by the collocator for the sole purpose of installing, maintaining and operating the collocator-provided equipment.

SWBT will provide Floor Space, floor space site conditioning, Cage Common Systems Materials, Cage Preparation, and Safety and Security charges in increments of one (1) square foot. For this reason, collocators will be able to order space and a cage enclosure in amounts as small as that sufficient to house and maintain a single rack or bay of equipment, (i.e., 50 square feet of cage space for a single bay) and will ensure that the first collocator in a SWBT premises will not be responsible for the entire cost of site preparation and security. Rates and charges are as found in paragraph 21.2 following.

When a collocator constructs its own cage and related equipment, the collocator will not be subject to the Cage Preparation Charge as set forth in paragraph 21.2 following. The Collocator may provide a cage enclosure (not including a top), cable rack and support structure inside the cage, lighting, receptacles, cage grounding, cage sign and door key set. In addition, terms and conditions for contractors performing cage construction activities as set forth in paragraph 16.3 preceding will apply.

If the collocator elects to install, or requests that SWBT provide and install a point of termination (POT) frame in the dedicated collocation area rather than inside its cage, the floor space rate for cageless collocation found in paragraph 21.3 following applies.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

20.0 RATE ELEMENTS (Continued)

20.3 Caged Collocation (Continued)

A. Eligible Structure Floor Space Charges

Consists of the following elements which are based on the average cost for SWBT within Missouri.

- Construction costs
- Operating costs

B. Site Conditioning Charge

Consists of the following and represents costs per square foot necessary to condition basic floor space to accommodate telecommunications equipment:

- New floor tile
- General lighting
- House service receptacles
- Exit lights
- Emergency lighting
- Pullbox for fiber optic cable
- Electrical panel for lights and receptacles
- 4" conduit (initial placement) for fiber optic cable from vault to the common pullbox
- Cable slots for routing of power and transmission cables
- Fire-rated partitions where required
- HVAC where not existing
- Demolition work where required

C. Common Systems Materials Charge

Consists of the following elements per square foot and represents the following charges:

- Installation and maintenance of iron work, racking, and lighting above the cage

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**20.0 RATE ELEMENTS (Continued)**

20.3 Caged Collocation (Continued)

D. Safety and Security

This charge represents reasonable costs incurred by SWBT to secure its equipment contained within Eligible Structure. This charge is expressed as a recurring rate on a per square foot basis and was developed based on implementation of varying combinations of the following security measures and devices. This rate may include only the costs associated with the most cost-effective method of security systems, which may consist of a sub set of the following:

- Interior Security Partition separating SWBT equipment
- Provisioning of door locks and keying of existing doors
- Door access controller and network controller necessary for a card reader system
- Security camera systems
- Locking cabinets for network equipment
- Combination door locks
- Cable locks for computer terminals and test equipment
- Secure ID/password protection for computer systems
- Emergency exit door alarms

In the event SWBT elects to erect an interior security partition in a given Eligible Structure to separate its equipment, the lesser of the costs of the partition or a security camera system for such eligible structure shall be applicable. In no event shall a CLEC be required to pay for both an interior security partition to separate SWBT's equipment in an Eligible Structure and a security camera system for such Eligible Structure. Construction of interior security partition shall not impair access to CLEC's equipment that is collocated under the cageless option.

E. Cage Preparation

Consists of the following elements and represents charges unique to the Collocator making the request. Rates and charges are as found in paragraph 21.2 following.

- Grounded wire partition
- Door key Set
- Lights
- Outlets
- Cable rack and support structure inside the cage
- Cage sign
-

F. RSM Option

The additional Dedicated Heating Ventilating and Air Conditioning (HVAC) Charge consists of the necessary dedicated ductwork extensions from the branch duct to the caged common collocation area including downturns and diffusers required to handle the additional heat load created by the RSM option. The Dedicated Power Plant Space Charge is a floor space rental charge based on the square footage required for a power plant layout with batteries.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**20.0 RATE ELEMENTS (Continued)**

20.3 Caged Collocation (Continued)

20.3.1 Caged Common Collocation

The Caged Common Collocation option provides the collocators with an enclosure (not including a top). This enclosure is an area designated by SWBT within an Eligible Structure to be used by the collocators for the sole purpose of installing, maintaining and operating the collocator-provided equipment.

Caged Common Collocation space will be provided where space permits when five (5), or more Collocators have provided SWBT with their forecasted space requirements accompanied with a firm order and 25% of non-recurring charges for the forecasted space as deposit. When these criteria have been met, SWBT will construct a common cage minimum of 550 sq. ft. of space unless Collocators' combined forecasted space needs for the initial year exceed 550 sq. ft., in which case, SWBT will construct the cage to the Collocators' combined forecasts for the initial year. Charges to each collocator will be based on its forecasted linear footage of floor space and adjusted by the occupancy factor. Subsequent additions to the Caged Common Collocation area will be based on firm orders with the Collocator(s) requesting additional space bearing the costs for such expansion.

SWBT will provide a caged enclosure (without a top), cable rack and support structure inside the cage, lighting, receptacles, cage grounding, cage sign and door key set. Terms and conditions for contractors performing cage construction activities are set forth in paragraph 16.3 and Rates and charges are as specified in 21.3.1.

SWBT will provide floor space site conditioning and Safety and Security charges per rack, bay, or frame and Floor Space, Caged Common Systems Materials, and Cage Preparation in increments of one linear foot. The first collocator in SWBT premises will be responsible only for its pro rata share of the cost of site preparation and security. Charges to each collocator will be based per rack, bay, or frame and linear foot of rack space used by each collocator. Rates and charges are contained in paragraphs 21.3.1.

Establishing and maintaining a 550 sq. ft. floor space minimum requirement for Caged Common Collocation, where applicable, will not be a basis for a claim that space is Legitimately Exhausted.

(A) Eligible Structure Floor Space Charges

Consists of the following elements which are based on the average cost for SWBT within Missouri.

- Construction costs
- Operating costs

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

20.0 RATE ELEMENTS (Continued)

20.3 Caged Collocation (Continued)

20.3.1 Caged Common Collocation Missouri (Continued)

(B) Site Conditioning Charge

Consists of the following and represents costs necessary to condition basic floor space to accommodate telecommunications equipment per rack, bay, or frame:

- New floor tile
- General lighting
- House service receptacles
- Exit lights
- Emergency lighting
- Pullbox for fiber optic cable
- Electrical panel for lights and receptacles
- 4" conduit (initial placement) for fiber optic cable from vault to the common pullbox
- Cable slots for routing of power and transmission cables
- Fire-rated partitions where required
- HVAC where not existing
- Demolition work where required

(C) Common Systems Materials Charge

Consists of the following elements per linear foot and represents the following charges:

- Installation and maintenance of iron work, racking, and lighting above the Common Cage.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**20.0 RATE ELEMENTS (Continued)**

20.3 Caged Collocation (Continued)

20.3.1 Caged Common Collocation Missouri (Continued)

(D) Safety and Security

This charge represents reasonable costs incurred by SWBT to secure its equipment contained within the Eligible Structure. This charge is expressed as a recurring rate on a per rack, bay, or frame and was developed based on implementation of varying combinations of the following security measures and devices:

- Interior Security Partition separating SWBT equipment
- Provisioning of door locks and keying of existing doors
- Door access controller and network controller necessary for a card reader system
- Security camera systems
- Locking cabinets for network equipment
- Combination door locks
- Cable locks for computer terminals and test equipment
- Secure ID/password protection for computer systems
- Emergency exit door alarms

In the event SWBT elects to erect an interior security partition in a given Eligible Structure to separate its equipment, the lesser of the costs of the partition or a security camera system for such Eligible Structure shall be applicable. In no event shall a CLEC be required to pay for both an interior security partition to separate SWBT's equipment in an Eligible Structure and a security camera system for such Eligible Structure. Construction of interior security partition shall not impair access to CLECs equipment that is collocated under cageless option.

(E) Cage Preparation

Consists of the following elements and represents charges unique to the Collocator making the request. Rates and charges are as found in paragraph 21.3.1 following.

- Grounded wire partition
- Door key set
- Lights
- Outlets
- Cable rack and support structure inside the cage
- Cage sign

(F) RSM Option

The additional Dedicated Heating Ventilating and Air Conditioning (HVAC) Charge consists of the necessary dedicated ductwork extensions from the branch duct to the caged common collocation area including downturns and diffusers required to handle the additional heat load created by the RSM option. The Dedicated Power Plant Space Charge is a floor space rental charge based on the square footage required for a power plant layout with batteries.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**20.0 RATE ELEMENTS (Continued)**

20.4 Cageless Collocation

The Cageless Collocation charges consists of floor space, bay and aisle lighting and the design and placement of common systems materials in an area designated by SWBT within an eligible structure to be used by the collocater for the sole purpose of installing, maintaining and operating the collocater-provided equipment.

SWBT will provide Floor Space, floor space site conditioning, safety and security, and building and common systems materials charges per relay rack, bay, or frame. Collocaters shall be able to order space in amounts as small as that sufficient to house and maintain a single rack or bay of equipment, (i.e., ten (10) square feet). The first collocater in SWBT premises will be responsible only for its pro rata share of the common systems materials, cost of site preparation and security charges. Charges to each collocater will be based upon the number of frames used by each collocater. Rates and charges are found in paragraph 21.3.

A. Eligible Structure Floor Space Charges

Consists of the following elements which are based on the average cost for SWBT within Missouri.

- Construction costs
- Operating costs

B. Site Conditioning Charge

Consists of the following and represents costs necessary to condition basic floor space to accommodate telecommunications equipment per rack, bay, or frame:

- New floor tile
- General lighting
- House service receptacles
- Exit lights
- Emergency lighting
- Pullbox for fiber optic cable
- Electrical panel for lights and receptacles
- 4" conduit (initial placement) for fiber optic cable from vault to the common pullbox
- Cable slots for routing of power and transmission cables
- Fire-rated partitions where required
- HVAC where not existing
- Demolition work where required

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**20.0 RATE ELEMENTS (Continued)**

20.4 Cageless Collocation (Continued)

C. Cageless Common Systems Materials Charge

Consists of the following elements per rack, bay, or frame and represents the following charges:

- Support materials for overhead lighting
- Bay and aisle lights
- AC electrical access for bay framework
- Central Office ground bar assembly and termination materials
- Extension of Central Office ground cables
- Auxiliary framing for support of cable racking materials
- Horizontal fiber protection duct system
- All associated mounting hardware and fabrication materials

D. Safety and Security

This charge represents reasonable costs incurred by SWBT to secure its equipment contained within the used space of the Eligible Structure. This charge is expressed as a recurring rate on a per rack, bay, or frame and was developed based on implementation of varying combinations of the following security measures and devices:

- Interior Security Partition separating SWBT equipment
- Provisioning of door locks and keying of existing doors
- Door access controller and network controller necessary for a card reader system
- Security camera systems
- Locking cabinets for network equipment
- Combination door locks
- Cable locks for computer terminals and test equipment
- Secure ID/password protection for computer systems
- Emergency exit door alarm

In the event SWBT elects to erect an interior security partition in a given Eligible Structure to separate its equipment, the lesser of the costs of the partition or a security camera system for such Eligible Structure shall be applicable. In no event shall a CLEC be required to pay for both an interior security partition to separate SWBT's equipment in an Eligible Structure and a security camera system for such Eligible Structure. Construction of interior security partition shall not impair access to CLEC's equipment that is collocated under cageless option.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**20.0 RATE ELEMENTS (Continued)**

20.5 DC Power Consumption

The DC Power Charge consists of use of the DC power system, with AC input and AC backup for redundant DC power expressed on a per amp basis. The cost for HVAC to support DC Power Consumption is recovered as a separate but related rate element on a per 10-amp basis. DC Transmission Energy Charge provided per 2" mounting space consists of the AC energy to provide redundant DC power to an CEV/HUT/Cabinet arrangement expressed in a monthly rate. Rates and charges are as found in paragraph 21.4.

20.6 DC Power Panel (Maximum 50 AMP) (Optional)

This DC power panel is optional with each application requiring DC power designed to provide up to 50 (maximum) AMPS per feed of DC current. This rate element may be provided by SWBT. Rates and charges are as found in paragraph 21.5 following.

20.7 DC Power Panel (Maximum 200 AMP) (Optional)

At least one (1) DC power panel is required with each application requiring DC Power when designed to provide between 50 and 200 AMPS per feed of DC current, however the Collocator may substitute the required power panel with an equivalent power panel subject to meeting NEBS Level 1 Safety and review by SWBT technical support. This rate element may be provided by SWBT. Rates and charges are as found in paragraph 21.6 following.

20.8 Eligible Structure Ground Cable Arrangement, Each

The ground cable arrangement is the cabling arrangement designed to provide grounding for equipment within the Collocator's Dedicated Space. Separate Ground Cable Arrangements are required for Integrated and Isolated Ground Planes. Isolated Ground Planes require a Ground Cable Arrangement in the Collocator's Dedicated Space. Adjacent structure ground cable arrangement is found in paragraph 20.24. Rates and charges are as found in paragraph 21.7 following.

20.9 Security Cards

The Security Cards Charge consists of a charge per five (5) new cards or replacement cards, for access cards, and ID cards. Rates and charges are as found in paragraph 21.8 following. SWBT will issue access cards and/or ID cards within twenty-one (21) days of receipt of a complete and accurate SBC Photo ID Card and Electronic Access For Collocators and Associated Contractors form, which is located on the CLEC ONLINE website. In emergency or other extenuating circumstances (but not in the normal course of business), collocators may request that the twenty-one (21) day interval be expedited, and SWBT will issue the access and/or ID cards as soon as reasonably practical. Rates and charges for such expedited requests are as found in paragraph 21.8 following.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

20.0 RATE ELEMENTS (Continued)

20.10 Bits Timing (Per two circuits) (Optional)

A SWBT provided single signal from the SWBT timing source to provide synchronization between a Collocator's single network element and SWBT's equipment. Rates and charges are as found in paragraph 21.9.

20.11 Standard Bay or Cabinet, Each (Optional)

The collocator may elect to provide its own bay or cabinet in either its cage space or in a cageless space designated by SWBT or may request that SWBT provide and install the bay or cabinet in the cageless space only. If the collocator elects for SWBT to provide a bay or cabinet, the rates and charges are as found in paragraph 21.10. When, at the collocator's option, a bay or cabinet is placed in space designated by SWBT, appropriate floor space charges will apply. The bay or cabinet may be designated as the physical point of termination for interconnection between the Collocator's facilities and SWBT facilities, previously referred to as "Point of Termination (POT) bay."

20.12 Interconnection Arrangement Options

Collocators will select one or more of the interconnection arrangements listed below:

20.12.1 DS1 Interconnection Arrangement (DSX or DCS), Each

A SWBT provided arrangement of twenty-eight (28) DS1 connections per arrangement between the collocator's optional POT Frame or equipment bay and the SWBT network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to the SWBT Main Distribution Frame. If regeneration is required because the cabling distance between the collocator's POT bay or termination point located in an Adjacent Structure and SWBT's cross-connect bay exceeds ANSI limitations or where the collocator specifically requests regeneration, it will be at the collocator's expense. Regeneration is not required in any other circumstance. Rates and charges are as found in paragraph 21.11 following.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**20.0 RATE ELEMENTS (Continued)**

20.12.2 DS3 Interconnection Arrangement (DSX or DCS), Each

A SWBT provided arrangement for one (1) DS3 connection per arrangement between the collocator's optional POT Frame or equipment bay and the SWBT network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to the SWBT Main Distribution Frame. If regeneration is required because the cabling distance between the collocator's POT bay or termination point located in an adjacent structure and SWBT's cross connect bay exceeds ANSI limitations or where the collocator specifically requests regeneration, it will be at the collocator's expense. Rates and charges are as found in paragraph 21.11 following.

20.12.3 Copper Cable Interconnection Arrangement, Each

A SWBT provided arrangement that provides one hundred (100) copper (non-shielded) connections between the collocator's optional POT frame or equipment bay and the SWBT network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to the SWBT Main Distribution Frame. Rates and charges are as found in paragraph 21.11 following.

20.12.4 Shielded Cable Arrangement, Each

A SWBT provided arrangement that provides one hundred (100) (shielded) connections between the collocator's optional POT frame or equipment bay and the SWBT network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to the SWBT Main Distribution Frame. Rates and charges are as found in paragraph 21.11 following.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

20.0 RATE ELEMENTS (Continued)

20.13 Optical Circuit Arrangement

This sub-element provides for the cost associated with providing twelve (12) fiber connection arrangements to the SWBT network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to the SWBT Main Distribution Frame. Rates and charges are as found in paragraph 21.12 following.

20.14 Timing Interconnection Arrangement (Optional)

Timing lead (1 pair) of wires provided by SWBT to the Collocator's dedicated Collocator's physical collocation space or optional POT frame or equipment bay. Rates and charges are as found in paragraph 21.13 following.

20.15 Power Arrangement Provisioning

The Power Arrangement is the cable and the cable rack including support and fabrication material expressed as a combination of a non-recurring and monthly rate for either 2-20 AMP, 2-50 AMP, or 2-100 AMP feeds. Rates and charges are as found in paragraph 21.14 following.

20.16 Entrance Facility Conduit, Per Fiber Cable Sheath

Any reinforced passage or opening placed for the Collocator provided facility in, on, under/over or through the ground between the SWBT designated manhole and the cable vault of the eligible structure. Rates and charges are as found in paragraph 21.15 following.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

20.0 RATE ELEMENTS (Continued)

20.17 Entrance Fiber Charge, Per Cable Sheath

The Entrance Fiber Charge reflects the time interval spent by SWBT in pulling the Collocator's cable facilities from the SWBT designated manhole, through the SWBT cable vault and through the SWBT cable support structure to the collocator's equipment. Rates and charges are as found in paragraph 21.16 following.

20.18 Miscellaneous Charges (Optional)

Consists of charges for miscellaneous construction-related items associated with Cageless Pot Bay or Cabinet. Rates and charges per are as found in paragraph 21.17 following.

20.19 Two Inch Vertical Mounting space in CEVs, Huts and Cabinets

A two-inch vertical mounting space in a standard equipment mounting in a CEV, Hut or cabinet for the placement of equipment. The number of two-inch vertical mounting spaces required is determined by the size of the equipment to be placed plus additional space required for heat dissipation and ventilation of the equipment to be placed in adjacent equipment. Rates and charges are as found in paragraph 21.18.

20.20 Pre-visits

General Applications

Prior to submitting an application, the prospective collocator may elect to arrange with SWBT to visit an Eligible Structure for the purpose of permitting the collocator to determine if the structure meets the potential collocator's business needs and if space is available in the structure for the potential collocator's physical collocation arrangement. Prospective collocators electing to pre-visit SWBT Eligible Structures must submit their request in writing ten (10) business days in advance. Pre-visits will be scheduled for a date that is mutually agreeable to both parties. Prospective collocators will not be allowed to take photographs, make copies of SWBT site-specific drawings or make any notations. For pre-visits, SWBT will limit the number of SWBT employees attending the pre-visit to one SWBT employee, unless a different number of SWBT employees is mutually agreed upon. The Collocator will only be billed for the times of the employee approved by the collocator and not for additional employees not mutually agreed upon to attend the pre-visit. If any travel expenses are incurred, the collocator will be charged for the time SWBT employees spend traveling and will be based on fifteen-minute increments. Rates and Charges are as found in paragraph 21.19.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**20.0 RATE ELEMENTS (Continued)**

20.21 Construction Inspections

During the construction of all forms of physical collocation space required under this tariff, Collocators shall be permitted up to four (4) inspections during the construction in an Eligible Structure during normal business hours with a minimum of two (2) hours advance notification. If the construction interval is extended beyond the tariffed or agreed upon interval, collocators will be granted two (2) additional visits per thirty (30)-day extension. Requests for construction inspections shall be given to the contact number as specified in paragraph 4.2. If any travel expenses are incurred, the collocator will be charged for the time SWBT employees spend traveling and will be based on fifteen (15)-minute increments. Rates and charges are as found in paragraph 21.20.

20.22 Adjacent On-Site Structure Arrangements

If a collocator elects to provide an adjacent On-site structure as described in paragraph 6.1.1 E. preceding, when all available space is Legitimately Exhausted inside a SWBT Eligible Structure, SWBT will charge Planning Fees to recover the costs incurred to estimate the quotation of charges for the Collocator's Adjacent On-Site Structure Arrangement request. Rates and charges are found in paragraph 21.21 following. In addition, should the collocator elect to have SWBT provision an extension of DC Power Service from the Eligible Structure to the Adjacent Structure, a DC Power Panel will be required. Rates and charges for the DC Power Panel are found in paragraphs 21.5 and 21.6 following.

Planning Fee

An initial Planning Fee will apply when a Collocator is requesting any Interconnection Terminations between the Collocator's Adjacent on-site structure and the ILEC on an Adjacent On-site initial or subsequent collocation application. This fee recovers the design route of the Interconnection Terminations as well as the design route of the power arrangement to the Collocator's Adjacent on-site structure. Rates and charges are found in paragraph 21.21 following.

20.23. Adjacent Off-Site Arrangement

If the collocator elects to provide an adjacent off-site structure as defined in paragraph 2.0. of this tariff and as described in paragraph 6.1.1 (E) preceding, when all available space is Legitimately Exhausted inside a SWBT Eligible Structure and Collocator's Adjacent On-Site Space is not within 50 feet of the Eligible Structure's outside perimeter wall, SWBT will provide the following sub-elements to the extent technically feasible. The Adjacent Off-Site Arrangement is available if the Collocator's site is located on a property that is contiguous to or within one standard city block of SWBT's Central Office or Eligible Structure. When the Collocator elects to collocate by Adjacent Off-Site Arrangement, the Collocator shall provide both AC and DC Power required to operate such facility. Rates and charges for these sub-elements are as found in paragraph 21.22 and 21.22.1.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

20.0 RATE ELEMENTS (Continued)

20.23. Adjacent Off-Site Arrangement (continued)

Planning Fee Adjacent Off-site Arrangement

An initial Planning Fee will apply when a Collocator is requesting any Interconnection Terminations between the Collocator's Adjacent off-site structure and the ILEC on Adjacent Off-site initial or subsequent collocation application. This fee recovers the design route of the Interconnection Terminations to the Collocator's Adjacent off-site structure. Rates and charges are found in paragraph 21.22.following.

20.23.1 Conduit Space for Adjacent Off-site Arrangement

Any reinforced passage or opening placed for the Collocator provided facility in, on, under/over or through the ground between the SWBT designated manhole and the cable vault of the eligible structure. Rates and charges are as found in paragraph 21.22.1 following.

20.24 Collocation Availability Space Report Fee

This rate element provides for costs associated with providing a reporting system and associated reports indicating the amount of collocation space available, the number of collocators, any modifications in the use of space since the generation of the last available report, and measures that SWBT is undertaking to make additional space available for collocation. Rates and charges are per report and per Eligible Structure requested and are as found in paragraph 21.23 following.

20.25 Collocation to Collocation Connection

This rate element includes physical-to-physical and cageless-to-cageless, and physical to virtual connection options.

A. Fiber Cable (12 Fibers)

This rate element provides for direct cabling using fiber cable (12 fibers) between two (2) collocation arrangements at an Eligible Structure expressed as a combination of a nonrecurring charge and a monthly rate. Rates and charges are as specified in paragraph 21.24.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

20. RATE ELEMENTS (Continued)

20.25 Collocation to Collocation Connection (Continued)

B. Copper Cable (28 DS1s)

This rate element provides for direct cabling using copper cable (28 DS1s) between two (2) collocation arrangements at an Eligible Structure expressed as a combination of a non-recurring charge and a monthly rate. Rates and charges are as specified in paragraph 21.24.

C. Coax Cable (1 DS3)

This rate element provides for direct cabling using coaxial cable (1 DS3) between two (2) collocation arrangements at an Eligible Structure expressed as a combination of a non-recurring charge and a monthly rate. Rates and charges are specified in paragraph 21.24.

D. Cable Racking and Hole

This sub-element provides for cable rack space for copper, coax and optical cabling between two collocation arrangements and the required terminations at each physical collocation arrangement(s) at an Eligible Structure. This sub-element is expressed as a monthly rate and these charges are specific in paragraph 21.24.

E. Route Design

This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a nonrecurring charge and this charge is specific in paragraph 21.24.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

Missouri Public

REC'D FEB 01 2002

21.0 RATES AND CHARGES

The following rates and charges apply for physical collocation requests. **Service Commission**

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.1 Planning Fees				
Caged Collocation				
(CT)	- Planning - Central Office (per SF used by CLEC)	C1FHC	\$0.09	\$7.55
	- Initial	NRBCE	None	5,244.43
(CT)	- Subsequent (Inter. Cabling)	NRMZA	None	2,267.04
(CT)	- Subsequent (Power Cabling)	NRMZB	None	2,306.10
(CT)	- Subsequent (Inter./Power Cabling)	NRMZC	None	2,884.60
Cageless Collocation				
(AT)	- Planning - Central Office (per frame used by CLEC)	C1FWJ	\$1.13	\$75.54
	- Initial	NRB5J	None	4,601.93
	- Subsequent (Inter. Cabling)	NRMZA	None	2,267.04
	- Subsequent (Power Cabling)	NRMZB	None	2,306.10
(AT)	- Subsequent (Inter./Power Cabling)	NRMZC	None	2,884.60
Cage Common Collocation				
(AT)	Planning - Central Office			
	- Per Linear Foot	C1FWM	\$0.44	\$29.24
	Planning - Initial			
	- Per Request	NRB5J	None	\$4,601.93
	Planning - Subsequent Inter. Cabling Only			
	- Per Request	NRMZA	None	\$2,267.04
(AT)	Planning - Subsequent Power Cabling Only			
	- Per Request	NRMZB	None	\$2,306.10

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(SERVICES AND RATES)

Missouri Public
Service Commission

REC'D SEP 12 2001

21.0 RATES AND CHARGES

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.1 Planning Fees			
Caged Collocation			
- Planning - Central Office (per SF used by CLEC)	XXXX	\$0.09	\$7.55
- Initial	NRBCE	None	5,244.43
- Subsequent (Inter. Cabling)	NRBZD	None	2,267.04
- Subsequent (Power Cabling)	XXXX	None	2,306.10
- Subsequent (Inter./Power Cabling)	XXXX	None	2,884.60
Cageless Collocation			
- Planning - Central Office (per frame used by CLEC)		\$1.13	\$75.54
- Initial		None	4,601.93
- Subsequent (Inter. Cabling)		None	2,267.04
- Subsequent (Power Cabling)		None	2,306.10
- Subsequent (Inter./Power Cabling)		None	2,884.60
Cage Common Collocation			
Planning - Central Office			
- Per Linear Foot		\$0.44	\$29.24
Planning - Initial			
- Per Request		None	\$4,601.93
Planning - Subsequent Inter. Cabling Only			
- Per Request		None	\$2,267.04
Planning - Subsequent Power Cabling Only			
- Per Request		None	\$2,306.10

CANCELLED

MAR 04 2002

Missouri Public
Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01 - 298
FILED OCT 12 2001

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests: Service Commission

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.1 Planning Fee (continued)			
(AT) Planning - Subsequent Inter./Power Cabling - Per Request	NRMZC	None	\$2,884.60
(AT) Non-standard Planning Fee (Caged, Cageless, and Caged Common) (Per Request)	NRBZE	None	1,436.00
CEVs, Huts, Cabinets - Planning - Standard	NRB1G	None	\$631.17
21.2 Caged Collocation			
(CT) (A) Floor Space Charges Per square foot	SP14L	\$5.97	None
- Augment rates are same as above per square foot			
(AT) (B) Site Conditioning Space Charge, (per square foot)	SP1WB	None	\$9.28
(AT) (C) Cage Common Systems Materials Charge, (per square foot)	SP14A	\$0.44	\$59.86
(AT) (D) Safety & Security, (per square foot)	SP14N	None	\$19.56
(AT) (E) Cage Preparation (SWBT installs Cage) (per square foot)	C1FHE	\$0.27	\$19.70

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION (REGULATIONS) Missouri Public Service Commission

REC'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.1 Planning Fee (continued)			
Planning - Subsequent Inter./Power Cabling			
- Per Request		None	\$2,884.60
Non-standard Planning Fee			
(Caged, Cageless, and Caged Common) (Per Request)		None	1,436.00
CEVs, Huts, Cabinets			
- Planning - Standard	NRBIG	None	\$631.17
21.2 Caged Collocation			
(A) Floor Space Charges			
Per square foot	XXXX	\$5.97	None
- Augment rates are same as above per square foot			
(B) Site Conditioning			
Space Charge, (per square foot)	CANCELLED	None	\$9.28
(C) Cage Common Systems			
Materials Charge, (per square foot)	MAR 04 2002 <i>By LRS 68</i> Public Service Commission MISSOURI	\$1.44	\$59.86
(D) Safety & Security, (per square foot)		None	\$19.56
(E) Cage Preparation (SWBT installs Cage) (per square foot)		\$0.27	\$19.70

Issued: September 12, 2001

By JAN NEWTON, President Missouri Southwestern Bell Telephone Company St. Louis, Missouri

Effective: October 12, 2001
Missouri Public Service Commission
01 - 298
FILED OCT 12 2001

PHYSICAL COLLOCATION
 (REGULATIONS)

Missouri Public

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests

	USOC	Rate Per Month	Nonrecurring Charge
21.2 Caged Collocation (continued)			
(F) RSM Option			
(AT)			
	NRB1H	None	\$3,100.00
(AT)	SP1SY	\$394.00	None

Augment rates are same as above per unit

21.3 Cageless Collocation			
(A) Floor Space Charges			
(AT)			
	SP19C	\$64.21	None
(B) Site Conditioning			
(AT)			
	SP1WC	None	\$92.81
(C) Cageless Common Systems			
(AT)			
	SP1WE	\$9.35	\$760.45
(D) Safety & Security,			
(AT)			
	SP1WG	None	\$195.57

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public
Service Commission

REC'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.2 Caged Collocation (continued)			
(F) RSM Option			
Additional Dedicated HVAC Charge		None	\$3,100.00
Dedicated Power Plant Floor Space Charge		\$394.00	None

Augment rates are same as above per unit

21.3 Cageless Collocation

(A) Floor Space Charges Per Frame	<p>CANCELLED</p> <p>MAR 04 2002</p> <p>By <i>KRS/6A</i></p> <p>Public Service Commission MISSOURI</p>	\$64.21	None
(B) Site Conditioning Space Charges, per Frame		None	\$92.81
(C) Cageless Common Systems Materials Charge, Per Frame		\$9.35	\$760.45
(D) Safety & Security, Per Frame		None	\$195.57

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission

01-298
FILED OCT 12 2001

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

		USOC	Rate Per Month	Service Commission Nonrecurring Charge
21.3.1 Caged Common Collocation				
(AT)	(A) Floor Space Charges Caged Common Per linear foot of rack space	C1FWK	\$24.87	None
(AT)	(B) Site Conditioning Per Bay	SP1WC	None	\$92.81
(AT)	(C) Common Systems Materials Charge, Per Linear Foot of Rack Space	C1FWL	\$3.62	\$294.37
(AT)	(D) Safety & Security, Cages Common Per Frame	SP1WG	None	\$195.57
(AT)	(E) Cage Preparation Charge Per Linear Foot of Rack Space	C1FWO	\$1.00	\$157.04
(AT)	(F) RSM Option Additional Dedicated HVAC Charge	NRB1H	None	\$3,100.00
(AT)	Dedicated Power Plant Floor Space Charge	SP1SY	\$394.00	None
21.4 DC Power Consumption (Caged, Cageless, and Caged Common Arrangements)				
(CT)	- Per AMP	C1FWA	\$10.61	None
(CT)	- HVAC (Per 10 Amps)	SP11T	\$14.62	None
(CT)	Adjacent On-Site Arrangements - DC Power Consumption (CEV, Hut, and Cabinet)	C1FWA	\$10.61	None

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public
Service Commission

REG'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.3.1 Caged Common Collocation			
(A) Floor Space Charges Caged Common Per linear foot of rack space		\$24.87	None
(B) Site Conditioning Per Bay		None	\$92.81
(C) Common Systems Materials Charge, Per Linear Foot of Rack Space		\$3.62	\$294.37
(D) Safety & Security, Cages Common Per Frame		None	195.57
(E) Cage Preparation Charge Per Linear Foot of Rack Space		\$1.00	\$157.04
(F) RSM Option Additional Dedicated HVAC Charge Dedicated Power Plant Floor Space Charge		None \$394.00	\$3,100.00 None
21.4 DC Power Consumption (Caged, Cageless, and Caged Common Arrangements)			
- Per AMP	SPIPT	\$10.61	None
- HVAC (Per 10 Amps) Adjacent On-Site Arrangements	XXXX	\$14.62	None
- DC Power Consumption Per Amp (CEV, Hut, and Cabinet)	SPIPT	\$10.61	None

CANCELLED

MAR 04 2002

By *SPRS 70*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01-298

FILED OCT 12 2001

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

		Service Commission	
	USOC	Rate Per Month	Nonrecurring Charge
21.4 DC Power Consumption (continued) - Per 2" Mounting Space	SP1QK	\$1.27	None
21.5 DC Power Panel (Maximum 50 AMP) (Optional)	SP1QP	\$15.77	\$3,079.47
21.6 DC Power Panel (Maximum 200 AMP) (Optional)	SP14R	\$18.75	\$3,659.46
21.7 Eligible Structure Ground Cable Arrangement			
- per square foot (For Caged)	SP1CR	\$0.03	\$0.92
(CT) - per frame (For Cageless)	C1FX4	\$0.33	\$15.32
(CT) - per linear foot (For Caged Common)	C1FWN	\$0.13	\$5.93
21.8 Security Cards/ID Cards			
- Access Cards, per 5 cards, new and replacement	NRBZW	None	\$123.35
(CT) - Expedite Request, per 5 cards, new and replacement	C1FWB	None	\$203.35
21.9 Bits Timing (Optional) - per two circuits	SP1QT	\$3.58	\$698.82
21.10 Optional Standard Frame or Cabinet, each			
(AT) - Standard Bay	NRB5M	\$8.89	\$721.28
(AT) - Cabinet/Large Bay	NRB5N	\$17.78	\$3,470.81

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

CANCELLED

P.S.C. Mo. - No: 42

Local Access Tariff
Section 2
Original Sheet 71

MAR 04 2002
By *ISRS 71*
Public Service Commission
MISSOURI

PHYSICAL COLLOCATION
(REGULATIONS)
Missouri Public
Service Commission

REC'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.4 DC Power Consumption (continued) - Per 2" Mounting Space	SPIQK	\$1.27	None
21.5 DC Power Panel (Maximum 50 AMP) (Optional)	SPIQP	\$15.77	\$3,079.47
21.6 DC Power Panel (Maximum 200 AMP) (Optional)	SP14R	\$18.75	\$3,659.46
21.7 Eligible Structure Ground Cable Arrangement			
- per square foot (For Caged)	SP1CR	\$0.03	\$0.92
- per frame (For Cageless)	XXXX	\$0.33	\$15.32
- per linear foot (For Caged Common)	XXXX	\$0.13	\$5.93
21.8 Security Cards/ID Cards			
- Access Cards, per 5 cards, new and replacement	NRBZW	None	\$123.35
- Expedite Request, per 5 cards, new and replacement	XXXXX	None	\$203.35
21.9 Bits Timing (Optional) - per two circuits	SPIQT	\$3.58	\$698.82
21.10 Optional Standard Frame or Cabinet, each			
- Standard Bay		\$8.89	\$721.28
- Cabinet/Large Bay		\$17.78	\$3,470.81

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission

01-298
FILED OCT 12 2001

**PHYSICAL COLLOCATION
 (REGULATIONS)**

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

Service Commission

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.11	Interconnection Arrangement Options			
(AT)	Caged	SP1QM		
	Cageless	C1FHJ		
(AT)	Caged Common	C1FHK		
	- DS1 Arrangement (28 DS1s) - DCS			
(RT)	- SWBT provides cabling and terminations		\$297.44	\$3,613.06
	(Adjacent On-site Collocation)			
	- DS1 Arrangement (28 DS1s) - DCS			
(CT)	- SWBT provides cabling and terminations	SP12L	\$439.98	\$2,341.45
	(Adjacent Off-site Collocation)			
	- DS1 Arrangement (28 DS1s) - DCS			
(CT)	- SWBT provides cabling and terminations	SP12N	\$439.96	\$1,830.99
(AT)	Caged	SP1T3		
	Cageless	C1FJV		
(AT)	Caged Common	C1FJW		
	- DS1 Arrangement (28 DS1s) - DSX			
(RT)	- SWBT provides cabling and terminations		\$9.79	\$1,346.48

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public
Service Commission

REC'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.11 Interconnection Arrangement Options			
(Caged, Cageless, Caged Common)			
- DS1 Arrangement (28 DS1s) - DCS			
- SWBT provides cabling and terminations	SP1QM	\$297.44	\$3,613.06
(Adjacent On-site Collocation)			
- DS1 Arrangement (28 DS1s) - DCS			
- SWBT provides cabling and terminations	XXXX	\$439.98	\$2,341.45
(Adjacent Off-site Collocation)			
- DS1 Arrangement (28 DS1s) - DCS			
- SWBT provides cabling and terminations	XXXX	\$439.96	\$1,830.99
(Caged, Cageless, Caged Common)			
- DS1 Arrangement (28 DS1s) - DSX			
- SWBT provides cabling and terminations	SP1T3	\$9.79	\$1,346.48

CANCELLED

MAR 04 2002
By *LSR 72*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01 - 298
FILED OCT 12 2001

**PHYSICAL COLLOCATION
 (REGULATIONS)**

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.11 Interconnection Arrangement Options (Continued)				
(Adjacent On-site Collocation)				
(CT)	- DS1 Arrangement (28 DS1s) - DSX - SWBT provides cabling and terminations	SP12R	\$35.04	\$2,341.45
(Adjacent Off-site Collocation)				
(CT)	- DS1 Arrangement (28 DS1s) - DSX - SWBT provides cabling and terminations	SP12T	\$35.03	\$1,830.99
(Adjacent Off-site Collocation)				
(CT)	- DS1 Arrangement (450 DS1s) - MDF - Connection to MDF - SWBT places and terminates cables	SP12W	\$311.43	\$485.31
(AT)	Caged	SP1T5		
(AT)	Cageless	C1FJX		
(AT)	Caged Common	C1FJY		
(RT)	- DS3 Arrangement (1 DS3) - DCS - SWBT provides cabling and terminations		\$115.59	\$2,181.58

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public
Service Commission

REC'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.11 Interconnection Arrangement Options (Continued)			
(Adjacent On-site Collocation)			
- DS1 Arrangement (28 DS1s) - DSX			
- SWBT provides cabling and terminations	XXXX	\$35.04	\$2,341.45
(Adjacent Off-site Collocation)			
- DS1 Arrangement (28 DS1s) - DSX			
- SWBT provides cabling and terminations	XXXX	\$35.03	\$1,830.99
(Adjacent Off-site Collocation)			
- DS1 Arrangement (450 DS1s) - MDF			
- Connection to MDF			
- SWBT places and terminates cables	XXXX	\$311.43	\$485.31
(Caged, Cageless, Caged Common)			
- DS3 Arrangement (1 DS3) - DCS			
- SWBT provides cabling and terminations	SP1T5	\$115.59	\$2,181.58

CANCELLED

MAR 04 2002
By *LSRS-73*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01-298

FILED OCT 12 2001

PHYSICAL COLLOCATION
 (REGULATIONS)

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

Service Commission

The following rates and charges apply for physical collocation requests:

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
	21.11 Interconnection Arrangement Options (Continued) (Adjacent On-site Collocation)			
	- DS3 Arrangement (1 DS3) - DCS			
(CT)	- SWBT provides cabling and terminations	SP123	\$242.36	\$598.33
(AT)	Caged	SP1QN		
	Cageless	C1FJZ		
(AT)	Caged Common	C1FJ1		
	- DS3 Arrangement (1 DS3) - DSX			
(RT)	- SWBT provides cabling and terminations		\$7.14	\$603.89
	(Adjacent On-site Collocation)			
	- DS3 Arrangement (1 DS3) - DSX			
(CT)	- SWBT provides cabling and terminations	SP127	\$12.36	\$598.33
	Copper Cable Interconnection			
	- Non-Shielded and Shielded Cable Arrangement (100 pairs)			
(AT)	- Caged (Non-Shield)	SP1QQ		
	- Caged (Shielded)	SP1WU		
	Cageless (Non-Shield)	SP13E		
	Cageless (Shielded)	SP1WV		
	Caged Common (Non-Shield)	C1FWP		
(AT)	Caged Common (Shielded)	C1FWQ		
(RT)	- SWBT provides cabling and terminations		\$4.92	\$1,027.16

Issued: February 1, 2002

Effective: March 4, 2002
Missouri Public

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION (REGULATIONS) **Missouri Public Service Commission**

REC'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.11 Interconnection Arrangement Options (Continued)			
(Adjacent On-site Collocation)			
- DS3 Arrangement (1 DS3) - DCS			
- SWBT provides cabling and terminations	XXXX	\$242.36	\$598.33
(Caged, Cageless, Caged Common)			
- DS3 Arrangement (1 DS3) - DSX			
- SWBT provides cabling and terminations	SPIQN	\$7.14	\$603.89
(Adjacent On-site Collocation)			
- DS3 Arrangement (1 DS3) - DSX			
- SWBT provides cabling and terminations	XXXX	\$12.36	\$598.33
Copper Cable Interconnection			
- Non-Shielded and Shielded Cable Arrangement (100 pairs)			
- (Caged, Cageless, Caged Common)			
- SWBT provides cabling and terminations	SPIQQ	\$4.92	\$1,027.16

CANCELLED

MAR 04 2002

By *LSRS 74*
**Public Service Commission
MISSOURI**

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public Service Commission
01-298
FILED OCT 12 2001

PHYSICAL COLLOCATION
 (REGULATIONS)

Missouri Public

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Service Commission Nonrecurring Charge</u>
21.11 Interconnection Arrangement Options (Continued) (Adjacent On-site Collocation)			
(RT) - SWBT provides cabling and terminations		\$6.19	\$1,371.93
(AT) Non-Shielded	SP13G		
(AT) Shielded	SP14S		
(Adjacent Off-site Collocation) (900 Pairs)			
(CT) - SWBT places and terminates cable	SP13J	311.43	485.31
21.12 Optical Circuit Arrangement (12 fibers)			
(AT) Caged	SP1QR		
(AT) Cageless	SP13L		
(AT) Caged Common	SP13M		
(RT) - SWBT provides cables and terminates		\$6.55	\$1,779.78
(Adjacent On-site)			
(CT) - SWBT provides cables and terminates	SP13N	8.25	3,751.22
(Adjacent Off-site Collocation)			
(CT) - SWBT places and terminates cable	SP13P	9.02	3,370.20
21.13 Timing Interconnection Arrangement (2 Timing Leads per Linear ft.)	SP1QS	0.08	14.81

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION (REGULATIONS) **Missouri Public Service Commission**

REC'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.11 Interconnection Arrangement Options (Continued)			
(Adjacent On-site Collocation)			
- SWBT provides cabling and terminations	XXXX	\$6.19	\$1,371.93
(Adjacent Off-site Collocation) (900 Pairs)			
- SWBT places and terminates cable	XXXX	311.43	485.31
21.12 Optical Circuit Arrangement (12 fibers)			
(Caged, Cageless, Caged Common)			
- SWBT provides cables and terminates	SPIQR	\$6.55	\$1,779.78
(Adjacent On-site)			
- SWBT provides cables and terminates	XXXX	8.25	3,751.22
(Adjacent Off-site Collocation)			
- SWBT places and terminates cable	XXXX	9.02	3,370.20
21.13 Timing Interconnection Arrangement (2 Timing Leads per Linear ft.)			
	SPIQS	0.08	14.81

CANCELLED

MAR 04 2002
By *[Signature]*
Public Service Commission
MISSOURI

Missouri Public Service Commission
01-298
FILED OCT 12 2001

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
 (REGULATIONS)

Missouri Public

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Service Commission Nonrecurring Charge</u>
21.14 Power Arrangement Provisioning (Caged, Cageless, and Caged Common) Collocation			
(RT) - 2-20 Amp Power Feeds		\$7.74	\$1,570.84
(AT) (Caged and Cageless)	C1FHO		
(AT) (Caged Common)	C1FHR		
(RT) - 2-50 Amp Power Feeds		9.57	1,954.85
(AT) (Caged and Cageless)	C1FHP		
(AT) (Caged Common)	C1FHS		
(RT) - 2-100 Amp Power Feeds		11.39	2,344.44
(AT) (Caged and Cageless)	C1FHQ		
(AT) (Caged Common)	C1FHT		
(Adjacent On-site Collocation) Power Delivery Provisioning Charge			
(CT) - 2-100 Amp Power Feeds	C1FHU	13.84	7,853.86
- 2-200 Amp Power Feeds	C1FHV	13.84	14,584.00
- 2-300 Amp Power Feeds	C1FHW	13.84	20,338.00
(CT) - 2-400 Amp Power Feeds	C1FHX	13.84	28,143.00

For Augments the Power Delivery Charge Same As Above

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public
Service Commission

REC'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.14 Power Arrangement Provisioning (Caged, Cageless, and Caged Common) Collocation			
- 2-20 Amp Power Feeds	SPIQU	\$7.74	\$1,570.84
- 2-50 Amp Power Feeds	SP1QW	9.57	1,954.85
- 2-100 Amp Power Feeds	SP1QX	11.39	2,344.44
(Adjacent On-site Collocation) Power Delivery Provisioning Charge			
- 2-100 Amp Power Feeds	XXXX	13.84	7,853.86
- 2-200 Amp Power Feeds	XXXX	13.84	14,584.00
- 2-300 Amp Power Feeds	XXXX	13.84	20,338.00
- 2-400 Amp Power Feeds	XXXX	13.84	28,143.00

For Augments the Power Delivery Charge Same As
Above

CANCELLED

MAR 04 2002
By *KRS-76*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01 - 298
FILED OCT 12 2001

PHYSICAL COLLOCATION
 (REGULATIONS)

Missouri Public

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

Service Commission

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.15 Entrance Facility Conduit Conduit to vault, per cable sheath	SP1CA	\$8.76	None
21.16 Entrance Fiber Charge, per cable sheath - (Caged, Cageless, and Caged Common) Collocation			
- SWBT places Entrance Fiber	SP1Q9	\$4.85	\$1,619.88
- (Adjacent On-site)			
(CT) - Fiber Cable Placement, per fiber cable sheath	SP136	2.13	976.96
(CT) - Entrance Fiber Racking, per fiber cable sheath	SP137	1.55	None
- CEV, HUT, Cabinet			
(CT) - Fiber Cable Placement, per sheath	SP18F	None	53.58
(CT) - Entrance Conduit, per sheath	SP18G	2.61	None

Issued: February 1, 2002

Effective: March 4, 2002
 Missouri Public

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION (REGULATIONS)
Missouri Public Service Commission

REG'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.15 Entrance Facility Conduit			
Conduit to vault, per cable sheath	SPICA	\$8.76	None
21.16 Entrance Fiber Charge, per cable sheath			
- (Caged, Cageless, and Caged Common) Collocation			
- SWBT places Entrance Fiber	SP1Q9	\$4.85	\$1,619.88
- (Adjacent On-site)			
- Fiber Cable Placement, per fiber cable sheath	XXXX	2.13	976.96
- Entrance Fiber Racking, per fiber cable sheath	XXXX	1.55	None
- CEV, HUT, Cabinet			
- Fiber Cable Placement, per sheath	XXXX	None	53.58
- Entrance Conduit, per sheath	XXXX	2.61	None

CANCELLED

MAR 04 2002
By *LSRS*
Public Service Commission
MISSOURI

Missouri Public Service Commission
01-298
FILED OCT 12 2001

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests: **Service Commission**

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.17 Miscellaneous Collocation Charges (Optional)			
(CT) Standard Equipment Bay	NRB5M	8.89	721.28
Non-Standard Cabinet Bay	NRB5N	17.78	3,470.81
VF/DSO Termination Panel/module	SP1CV	3.10	605.64
DDP-1 Panel/Jack Access Card	SP1WO	8.08	1,576.65
DS3/STS-1 Interconnect Panel	SP1WR	2.38	465.47
DS3 Interconnect Module	SP1WS	.45	87.35
Fiber Optic Splitter Panel	SP1XA	1.52	297.00
(CT) Fiber Termination Dual Module	SP1XB	1.37	267.88
21.18 Rack Mounting Place (CEV, Hut, or Cabinet)			
Space in cabinets (2" Mounting Space)			
- Large cabinet size	SP1QZ	\$1.63	None
- Medium cabinet size	SP1Q1	2.19	None
- Small cabinet size	SP1Q2	3.29	None
In Huts			
- Maxihut	SP1Q3	0.77	None
- Minihuts	SP1Q4	1.33	None
In CEVs			
- 24 foot	SP1Q5	1.64	None
- 16 foot	SP1Q6	1.77	None

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION (REGULATIONS) Missouri Public Service Commission

REG'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.17 Miscellaneous Collocation Charges (Optional)			
Standard Equipment Bay	XXXX	8.89	721.28
Non-Standard Cabinet Bay	XXXX	17.78	3,470.81
VF/DSO Termination Panel/module	XXXX	3.10	605.64
DDP-1 Panel/Jack Access Card	XXXX	8.08	1,576.65
DS3/STS-1 Interconnect Panel	XXXX	2.38	465.47
DS3 Interconnect Module	XXXX	.45	87.35
Fiber Optic Splitter Panel	XXXX	1.52	297.00
Fiber Termination Dual Module	XXXX	1.37	267.88
21.18 Rack Mounting Place (CEV, Hut, or Cabinet)			
Space in cabinets (2" Mounting Space)			
- Large cabinet size	SP1QZ	\$1.63	None
- Medium cabinet size	SP1Q1	2.19	None
- Small cabinet size	SP1Q2	3.29	None
In Huts			
- Maxihut	SP1Q3	0.77	None
- Minihuts	SP1Q4	1.33	None
In CEVs			
- 24 foot	SP1Q5	1.64	None
- 16 foot	SP1Q6	1.77	None

CANCELLED

MAR 04 2002
By *STRS 18*
Public Service Commission
MISSOURI

Missouri Public Service Commission
FILED OCT 29 2001

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

**PHYSICAL COLLOCATION
 (REGULATIONS)**

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

Service Commission

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.19 Pre-Visits			
(CT) - Collocation Ser. Mgr. - 2nd Level per 15 minutes	NRB11	None	\$23.23
(CT) - Comm. Tech - Craft, per 15 minutes	NRB14	None	19.60
(CT) - CO Manager - 1st Level, per 15 minutes	NRB12	None	19.72
(CT) - Floor Space Planning - 1st Level, per 15 minutes	NRB13	None	19.24
21.20 Construction Inspections			
(CT) - Project Manager - 1st Level per 15 minutes	NRMZG	None	\$19.24
(CT) - Collocation Ser. Mgr. - 2nd Level per 15 minutes	NRB11	None	\$23.23
21.21 Adjacent On-Site Structure Arrangements			
- Planning Fees			
(CT) - Initial (per request)	SP139	None	9,268.73
(CT) - Subsequent	SP14V	None	1,606.77
(CT) - Land Rental, per square foot	SP14T	\$0.44	None
(CT) - Extension of 100 AMP AC Service from C.O. Switchboard (Optional)	SP14D	None	6,447.00
(CT) - AC Usage, per KWh	SP14E	0.05	None
- Cable Rack			
(CT) - DC Power Cable Rack	C1FHZ	13.64	2,667.22
(CT) - Fiber Cable Rack	C1FH1	20.63	None
(CT) - Interconnection Arrangements (Copper) Racking	C1FH2	30.63	None

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

CANCELLED

P.S.C. Mo. - No. 42

Local Access Tariff
Section 2
Original Sheet 79

MAR 04 2002
By *JSR* 79
Public Service Commission
MISSOURI

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public
Service Commission

21.0 RATES AND CHARGES (Continued)

REC'D SEP 12 2001

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.19 Pre-Visits			
- Collocation Ser. Mgr. - 2nd Level per 15 minutes	NRB11	None	\$23.23
- Comm. Tech - Craft, per 15 minutes	NRB12	None	19.60
- CO Manager - 1st Level, per 15 minutes	NRB13	None	19.72
- Floor Space Planning - 1st Level, per 15 minutes	NRB14	None	19.24
21.20 Construction Inspections			
- Project Manager - 1st Level per 15 minutes	NRB15	None	\$19.24
- Collocation Ser. Mgr. - 2nd Level per 15 minutes	NRB16	None	\$23.23
21.21 Adjacent On-Site Structure Arrangements			
- Planning Fees			
- Initial (per request)	XXXX	None	9,268.73
- Subsequent	XXXX	None	1,606.77
- Land Rental, per square foot	XXXX	\$0.44	None
- Extension of 100 AMP AC Service from C.O. Switchboard (Optional)	XXXX	None	6,447.00
- AC Usage, per KWh	XXXX	0.05	None
- Cable Rack			
- DC Power Cable Rack	XXXX	13.64	2,667.22
- Fiber Cable Rack	XXXX	20.63	None
- Interconnection Arrangements (Copper) Racking	XXXX	30.63	None

Missouri Public
Service Commission
01-298
FILED OCT 12 2001

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
 (REGULATIONS)

Missouri Public

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Service Rate Per Month</u>	<u>Commission Nonrecurring Charge</u>
21.21 Adjacent On-Site Structure (continued)			
- Conduit Placement			
(CT) - DC Power Conduit (Per 2- Ducts)	C1FH3	None	\$7,386.71
- Fiber Conduit (Per 1-Duct)	C1FH4	None	\$4,711.89
(CT) - Interconnection Arrangements Conduit (Per 2-Duct)	C1FH5	None	\$5,595.50
21.22 Adjacent Off-Site Arrangement			
(CT) - Planning Fee	SP14W	None	\$1,254.32
21.22.1 Conduit Space			
(CT) - Per Innerduct	C1FWR	\$1.17	None
21.23 Collocation Space Availability Report Charge			
(CT) - Report Fee, per Report and per Eligible Structure Requested	NRBYX	None	\$168.04
21.24 Collocation to Collocation Connection Physical to Physical			
(CT) - Fiber Cable (12 Fibers)			
- SWBT Provides Cable and Installs	C1FWH	\$1.38	\$1,404.07

Issued: February 1, 2002

Effective: March 4, 2002
 Missouri Public

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public
Service Commission

REC'D SEP 12 2001

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.21 Adjacent On-Site Structure (continued)			
- Conduit Placement			
- DC Power Conduit (Per 2- Ducts)	XXXX	None	7,386.71
- Fiber Conduit (Per 1-Duct)	XXXX	None	4,711.89
- Interconnection Arrangements Conduit (Per 2-Duct)	XXXX	None	5,595.50
21.22 Adjacent Off-Site Arrangement			
- Planning Fee	XXXX	None	1,254.32
21.22.1 Conduit Space			
- Per Innerduct	XXXX	\$1.17	None
21.23 Collocation Space Availability Report Charge			
- Report Fee, per Report and per Eligible Structure Requested	XXXX	None	\$168.04
21.24 Collocation to Collocation Connection			
Physical to Physical			
- Fiber Cable (12 Fibers)			
- SWBT Provides Cable and Installs	XXXX	\$1.38	\$1,404.07

CANCELLED

MAR 04 2002
By *[Signature]*
Public Service Commission
MISSOURI

Missouri Public
Service Commission
01 - 298
FILED OCT 12 2001

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
 (REGULATIONS)

REC'D FEB 01 2002

21.0 RATES AND CHARGES (Continued)

The following rates and charges apply for physical collocation requests: Service Commission

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.24 Collocation to Collocation Connection (continued)			
Physical to Physical			
(CT) - Copper Cable (28 DS1s)			
- SWBT Provides Cable and Installs	C1FWF	1.41	982.35
(CT) - Coax Cable (1 DS3)			
- SWBT Provides Cable and Installs	C1FWG	1.30	433.86
(CT) - Cable Racking and Hole			
- For Optical (Per Cable)	C1FWC	\$0.82	\$0.00
- DS1 (Per Cable)	C1FWD	\$0.57	0.00
(CT) - DS3 (Per Cable)	C1FWE	\$0.50	0.00
(CT) - Route Design			
- Per Request	NRMZF	None	424.88

Physical to Virtual Same as Cageless to Cageless

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(REGULATIONS)

Missouri Public
Service Commission

21.0 RATES AND CHARGES (Continued)

REC'D SEP 12 2001

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
21.24 Collocation to Collocation Connection (continued)			
Physical to Physical			
- Copper Cable (28 DS1s)			
- SWBT Provides Cable and Installs	XXXX	1.41	982.35
- Coax Cable (1 DS3)			
- SWBT Provides Cable and Installs	XXXX	1.30	433.86
- Cable Racking and Hole			
- For Optical (Per Cable)	XXXX	\$0.82	\$0.00
- DS1 (Per Cable)	XXXX	\$0.57	0.00
- DS3 (Per Cable)	XXXX	\$0.50	0.00
- Route Design			
- Per Request	XXXX	None	424.88

Physical to Virtual Same as Cageless to Cageless

CANCELLED

MAR 04 2002
By *LSRS 81*
Public Service Commission
MISSOURI

Missouri Public
Service Commission
01-298
FILED OCT 12 2001

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**22.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities**

When the Collocator selects the options to provide, install, and terminate their interconnection and power cabling with an SWBT Approved Vendor, the following paragraphs will apply. However, the terms and conditions within CDOW are not comprehensive. There are terms and conditions from the preceding sections of this same tariff that still apply for CDOW for rate elements that are not specifically addressed within Sections 22 and 23 following.

- 22.1 The Collocator has the option to provide, install and terminate their interconnection cabling between the Collocator's Dedicated Space and the SWBT Main Distribution Frame or its equivalent by an SWBT Approved Vendor. This option is only available if Collocator does all three (3) activities associated with interconnection cabling: provide, install and terminate. The Collocator may not elect to do some but not all the activities. Collocator must indicate on its Physical Collocation application that it has selected this option to apply to all interconnection cabling requested on the application. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its power cable leads described in Section 22.2 below. If Collocator selects this option, SWBT will install and stencil termination blocks or panels at SWBT Main Distribution Frame or its equivalent for the handoff of the Actual Point of Termination (APOT) Connection(s) to the Collocator. Intervals and provisioning for this option are found in Section 22.3 (A-G). The Collocator's SWBT Approved Vendor must obtain an approved Method Procedures (MOP) from SWBT and follow SWBT's Technical Publication TP 76300MP for installation of equipment and facilities;
- 22.2 The Collocator has the option to provide, install, and terminate their power cable leads between Collocator's Dedicated Space and SWBT's Battery Distribution Fuse Bay (BDFB) by an SWBT Approved Power Installation Vendor. When the SWBT designated power termination point is at the Power Plant Primary Distribution, the Collocator's SWBT Approved Power Installation Vendor will provide and install the power cable leads, but not terminate. The Collocator must contact the SWBT Project manager five (5) business days prior to scheduling a request for the termination of the Collocator's power cable leads to the SWBT Power Plant Primary Distribution, which will be performed by SWBT. This option is only available if the Collocator does all three (3) activities associated with the power cable lead unless described otherwise within this Section. The Collocator may not elect to do some but not all the activities unless otherwise permitted in this section. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its interconnection cabling described in Section 22.1 above. Intervals and provisioning for this option are found in Section 22.3 (A-G). The Collocator's SWBT Approved Power Installation Vendor must obtain an approved Method of Procedures (MOP) from SWBT and follow SWBT's Technical Publication TP 76300MP for installation of equipment and facilities.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**22.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (continued)**

22.3 Interval (Collocator Installs Interconnection and Power Cabling)

- A. The intervals set forth in this section 22.3 apply only when Collocator installs interconnection and power cabling. SWBT will notify Collocator as to whether its request for space is been granted or denied due to a lack of space within ten (10) calendar days from receipt of a Collocator's accurate and complete Physical Collocation Application. If SWBT determines that Collocator's Physical Collocation Application is unacceptable, SWBT shall advise Collocator of any deficiencies within this ten (10) calendar day period. SWBT shall provide Collocator with sufficient detail so that Collocator has a reasonable opportunity to cure each deficiency. To retain its place in the queue to obtain the Physical Collocation arrangement, Collocator must cure any deficiencies in its Application and resubmit such Application within ten (10) calendar days after being advised of deficiencies. Any changes to the amount or type of floor space, interconnection terminations, and power requested from the originally submitted Physical Collocation Application will not be considered a deficiency, but rather as a new Physical Collocation Application with a new ten (10) calendar day space notification and delivery interval.
- B. The delivery interval relates to the period in which SWBT shall construct and turnover to the Collocator's the requested Physical Collocation Space. The delivery interval begins on the date SWBT receives an accurate and complete Physical Collocation Application from the Collocator. The Collocator must provide the SWBT, within seven (7) calendar days from the date of notification granting the application request, a confirmatory response in writing to continue construction along with the 50% payment of non-recurring charges (unless payment was received with application) or the delivery interval provided will not commence until such time as SWBT has received such response and payment. If the Collocator has not provided SWBT such response and payment by the twelfth (12) calendar day after the date SWBT notified Collocator its request has been granted, the application will be canceled. Dedicated Space is not reserved until SWBT's receipt of the confirmatory response in writing from the Collocator with applicable fees.
- C. The delivery interval for Caged or Cageless Physical Collocation is determined by SWBT taking into consideration the various factors set forth in Table (1) below including, without limitation, the number of all Physical Collocation Applications submitted by Collocator, the type of Dedicated Space available for collocation, and the need for additional preparation of the space such as overhead racking, additional power or HVAC.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

22.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (continued)

22.3 Interval (Collocator Installs Interconnection and Power Cabling) (continued)

C. (Continued)

The delivery interval assigned will be provided to the Collocator by SWBT with the ten (10) calendar day space notification. Each complete and accurate Physical Collocation Application received by SWBT from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

Table (1)

Number of All Applications submitted by One Collocator per state or metering region	Overhead Iron/Racking Exists for Active Collocation Space Use	Overhead Iron/Racking Does Not Exist for Active Collocation Space Use	Additional Power or HVAC is not Required for the assigned Inactive Collocation Space Use	Additional Power or HVAC is Required for the assigned Inactive Collocation Space Use
1 – 10	60 calendar days	80 calendar days	140 calendar days	180 calendar days
11-20	65 calendar days	85 calendar days	145 calendar days	185 calendar days

Should the Collocator submit twenty-one (21) or more applications within ten (10) business days, the above delivery intervals will be increased by five (5) days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and will be subject to the time intervals set forth above. All Physical Collocation Applications (except requests for Adjacent Structure Collocation) received by SWBT from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals. The Caged and Cageless collocation delivery interval ends when roughed in and the assigned space have been distinctly marked by SWBT.

For example, but not by way of limitation, if a Collocator submits twelve (12) Caged/Cageless Physical Collocation Applications in a state, the delivery intervals assigned by SWBT will depend on which variables apply within each Eligible Structure Physical Collocation is requested:

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**22.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (continued)**

22.3 Interval (Collocator Installs Interconnection and Power Cabling) (continued)

C. (Continued)

If Applications (1-4) are for Physical Collocation Space where Active Collocation Space is available and overhead iron/racking exists, the delivery intervals assigned will be sixty (60) days. If Applications (5-6) are for Physical Collocation Space and only Inactive Collocation Space exists and additional power or HVAC is not required, the delivery interval assigned will be one hundred forty (140) calendar days. If Applications (7-12) are for Physical Collocation Space where Active Collocation Space is available and overhead iron/racking does not exist, the delivery intervals assigned to Applications (7-10) will be eighty (80) calendar days and for Applications (11-12) will be assigned eighty five (85) calendar days.

D. The second fifty percent (50%) payment must be received by SWBT prior to the space being turned over to the Collocator. At space turnover, the Actual Point of Termination (APOT) Connection(s) will be provided to the Collocator by SWBT.

E. For the following interconnection cabling Augments, the Collocator must submit a complete and accurate Physical Collocation Application:

- 168 DS1 connections and/or
- 48 DS3 connections and/or
- 400 Copper (shielded or nonshielded) cable pair connections
- 12 fiber pair connections

This application must include an up-front payment of the Planning Fee and fifty percent (50%) of all applicable non-recurring charges.

The delivery interval for the above Augments is determined by SWBT taking into consideration the various factors set forth in Table (2) below including, without limitation, the number of all Physical Collocation Applications for the above Augments submitted by Collocator, the type of infrastructure available for collocation, and the need for additional preparation of the infrastructure such as overhead iron/racking and additional power. The delivery interval assigned will be provided to the Collocator by SWBT with the ten (10) calendar day Augment notification. Each complete and accurate Physical Collocation Application received by SWBT from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

22.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (continued)

22.3 Interval (Collocator Installs Interconnection and Power Cabling) (continued)

E. (Continued)

Table (2)

Number of All Applications submitted by One Collocator per state or metering region	Necessary Elements such as Iron/Racking and Power exist for Physical Collocation Use	Necessary Elements such as Iron/Racking and Power does not exist for Physical Collocation Use
1 – 10	30 calendar days	60 calendar days
11-20	35calendar days	65 calendar days

Should the Collocator submit twenty-one (21) or more Physical Collocation Applications for cabling Augments within ten (10) business days, the above delivery intervals will be increased by five (5) days for every five (5) additional application or fraction thereof. Any material revision to a Physical Collocation Application for cabling Augments will be treated as a new application and will be subject to the delivery intervals set forth in Table (2) above. All applications received by SWBT from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals.

For example, but not by way of limitation, if a Collocator submits twelve (12) Physical Collocation Applications for cabling Augments in a state, the delivery intervals assigned will depend on which variables apply within each Eligible Structure requested:

If Applications (1-4) are for Physical Collocation cabling Augments where necessary elements such as overhead iron/racking and power exists, the delivery interval assigned will be thirty (30) days. If Applications (5-12) are for Physical Collocation where necessary elements such as overhead iron/racking and power does not exists, the delivery interval assigned to Applications (5-10) will be sixty (60) calendar days and for Applications (11-12) sixty five (65) calendar days.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

22.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (continued)

22.3 Interval (Collocator Installs Interconnection and Power Cabling) (continued)

- F. For all Augments other than provided above, SWBT will work cooperatively with Collocator to negotiate a mutually agreeable delivery interval.
- G. Within twenty (20) calendar days or mutually agreed upon time, from SWBT's receipt of the confirmatory response in writing to continue construction on the Physical Collocation job requested along with the 50% payment of non-recurring charges (unless payment was received with application), Network Support and/or appropriate departments will schedule a walk through visit with the CLEC and/or vendor to provide floor plans of space and the preliminary route design for the interconnection and power cabling.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**22.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (continued)**

22.4 Rates Elements for SWBT Central Offices

A. Caged Collocation

When a collocator constructs its own cage and related equipment, the collocator will be subject to the AC Circuit Placement charge, which includes 4" conduit and wiring from the electrical panel to cage as set forth in paragraph 23.1 (A) following. This is expressed as a non-recurring charge per sq. ft. of floor space requested.

B. Power Arrangement

When the Collocator selects the option to provide and install their power cable by an SWBT Approved Power Installation vendor, only the rack occupancy and on-going maintenance of the rack charge will apply. The Collocator will not be permitted access to the SWBT Battery Distribution Fuse Bay or Power Plant Primary Distribution, but the SWBT approved power installation vendor will have access. Rates for extension of power cables to the Adjacent On-Site structure will not apply when provided and installed by CLECs SWBT Approved Vendor. This is expressed as a monthly rate as specified in 23.1 (B).

C. When the Collocator options to pull the Collocator's provided fire retardant entrance fiber optic cable under SWBT observation, through the SWBT cable vault to the Collocator's equipment with an SWBT approved vendor, only the construction and route design charge will apply. The Collocator will not be permitted access to the cable vault, but the SWBT approved vendor will have access. Rates and charges are as found in paragraph 23.1 (C) following.

D. Voice Grade Interconnection

When the Collocator selects the option to provide and install their interconnection cabling by an SWBT approved vendor, the Voice Grade Terminal blocks at the MDF, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but the SWBT approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 23.1 (D).

E. DS-1 Interconnection Arrangement to DCS

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the DS-1 Port, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but the SWBT approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 23.1 (E).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)**22.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (continued)**

22.4 Rates Elements for SWBT Central Offices (continued)

F. DS-1 Interconnection Arrangement to DSX

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the DSX at the MDF, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but the SWBT approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 23.1 (F).

G. DS-3 Interconnection Arrangement to DCS

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the DS-3 Port, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but the SWBT approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 23.1 (G).

H. DS-3 Interconnection Arrangement to DSX

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the DSX at the MDF, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but the SWBT approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 23.1 (H).

I. Fiber Interconnection Arrangement

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the Fiber terminating panel at the FDF-1 Port, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but the SWBT approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 23.1 (I).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
(SERVICES AND RATES)

22.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (continued)

22.4 Rates Elements for SWBT Central Offices (continued)

J. Collocation to Collocation Connection

This rate element includes virtual to virtual and virtual to physical connection options.

1. Fiber Cable

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 23.1 (J) (1).

2. Copper Cable

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 23.1 (J) (2).

3. Coax Cable

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the charge for on-going maintenance will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 23.1 (J) (3).

4. Cable Racking and Hole

This sub-element provides for cable rack space and hole for copper, coax and optical cabling between two collocation arrangements and the required terminations at each virtual collocation arrangement(s) at an Eligible Structure. This sub-element is expressed as a monthly rate specified in 23.1 (J)(4).

5. Route Design

This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a non-recurring charge and this charge is specific in 23.1 (J) (5)

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

PHYSICAL COLLOCATION
 (SERVICES AND RATES)

REC'D FEB 01 2002

23.0 Rates and Charges for CDOW

Service Commission

23.1 Rates and Charges for CLECs Doing Own Work

The rate elements below represent the charges associated with CLEC's providing, installing, and terminating their interconnection and power cabling, as well as placing entrance fiber by an SWBT Approved Vendor. When the Collocator selects the option to build their own cage by an SWBT Approved Vendor, the AC Circuit Placement Charge below will apply. However, the rates and charges within CDOW are not comprehensive. There are rates and charges from the preceding sections of this same tariff that still apply for CDOW for rate elements that are not specifically addressed within Section 23 following.

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
A. Caged Collocation - AC Circuit Placement (CLEC Approved Vendor installs Cage) (AT) (Per square foot of floor space requested)	C1FXA	\$0.00	\$5.29
B. Power Arrangement Provisioning Caged, Cageless, and Caged Common (CLEC Approved Vendor provides and installs)			
(AT) 2-20 AMP Power Feeds	C1FW8	.25	48.23
(AT) 2-50 AMP Power Feeds	C1FW8	.25	48.23
(AT) 2-100 AMP Power Feeds	C1FW8	.25	48.23
(Adjacent On-site Collocation) Extension of Power Cables Power Delivery Provisioning Charge (CLEC Approved Vendor provides and installs)			
- 2-100 Amp Power Feeds		0.00	0.00
- 2-200 Amp Power Feeds		0.00	0.00
- 2-300 Amp Power Feeds		0.00	0.00
- 2-400 Amp Power Feeds		0.00	0.00

C. Entrance Fiber Charge, per cable sheath

Caged, Cageless, and Caged Common (CLEC Approved Vendor places)

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(SERVICES AND RATES)

Missouri Public
Service Commission

23.0 Rates and Charges for CDOW

REC'D SEP 12 2001

23.1 Rates and Charges for CLECs Doing Own Work

The rate elements below represent the charges associated with CLEC's providing, installing, and terminating their interconnection and power cabling, as well as placing entrance fiber by an SWBT Approved Vendor. When the Collocator selects the option to build their own cage by an SWBT Approved Vendor, the AC Circuit Placement Charge below will apply. However, the rates and charges within CDOW are not comprehensive. There are rates and charges from the preceding sections of this same tariff that still apply for CDOW for rate elements that are not specifically addressed within Section 23 following.

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
A. Caged Collocation - AC Circuit Placement (CLEC Approved Vendor installs Cage) (Per square foot of floor space requested)		\$0.00	\$5.29
B. Power Arrangement Provisioning Caged, Cageless, and Caged Common (CLEC Approved Vendor provides and installs)			
2-20 AMP Power Feeds		.25	48.23
2-50 AMP Power Feeds		.25	48.23
2-100 AMP Power Feeds		.25	48.23
(Adjacent On-site Collocation) Extension of Power Cables Power Delivery Provisioning Charge (CLEC Approved Vendor provides and installs)			
- 2-100 Amp Power Feeds		0.00	0.00
- 2-200 Amp Power Feeds	CANCELLED	0.00	0.00
- 2-300 Amp Power Feeds		0.00	0.00
- 2-400 Amp Power Feeds		0.00	0.00
C. Entrance Fiber Charge, per cable sheath			
Caged, Cageless, and Caged Common (CLEC Approved Vendor places)			

MAR 04 2002
By *LSA*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01-298
FILED OCT 12 2001

PHYSICAL COLLOCATION
 (SERVICES AND RATES)

Missouri Public

REC'D FEB 01 2002

23.0 Rates and Charges for CDOW (continued)

Service Commission

23.1 Rates and Charges for CLECs Doing Own Work (continued)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(AT) C. Entrance Fiber Charge, per cable sheath (continued) - CLEC places Entrance Fiber	C1FW9	4.85	809.13
(AT) Adjacent On-site(CLEC Approved Vendor places) - Fiber Cable Placement per fiber cable sheath	C1FXX	2.13	488.48
D. Voice Grade Interconnection (Collocator provides and installs)			
(AT) Caged, Cageless, and Caged Common Arrangement and (Non-Shielded)	C1FXB		
(AT) (Shielded) (Per 100 Pairs)	C1FXC	3.86	156.02
(AT) Adjacent On-site Collocation (AT) Arrangement (Non-Shielded)	C1FXB		
(AT) (Shielded) (Per 100 Pairs)	C1FXC	3.86	156.02
(AT) Adjacent Off-site (Per 900 Pairs)	C1FXY	311.43	None

Issued: February 1, 2002

Effective: March 4, 2002

Missouri Public

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(SERVICES AND RATES)

Missouri Public
Service Commission

23.0 Rates and Charges for CDOW (continued)

REC'D SEP 12 2001

23.1 Rates and Charges for CLECs Doing Own Work (continued)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
C. Entrance Fiber Charge, per cable sheath (continued)			
- CLEC places Entrance Fiber		4.85	809.13
Adjacent On-site(CLEC Approved Vendor places)			
- Fiber Cable Placement per fiber cable sheath		2.13	488.48
D. Voice Grade Interconnection (Collocator provides and installs)			
Caged, Cageless, and Caged Common Arrangement (Non-Shielded and Shielded) (Per 100 Pairs)		3.86	156.02
Adjacent On-site Collocation Arrangement (Non-Shielded and Shielded) (Per 100 Pairs)		3.86	156.02
Adjacent Off-site (Per 900 Pairs)		311.43	None

CANCELLED

MAR 04 2002
By *LR392*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01-298
FILED OCT 12 2001

PHYSICAL COLLOCATION
 (SERVICES AND RATES)

Missouri Public

23.0 Rates and Charges for CDOW (continued)

REC'D FEB 01 2002

23.1 Rates and Charges for CLECs Doing Own Work (continued)

Service Commission

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
	E. DS1 Interconnection (Collocator provides and installs cabling)			
(AT)	Caged, Cageless, and Caged Common Arrangement to DCS (Per 28 DS1s)	C1FXD	\$295.42	\$3,105.79
(AT)	Adjacent On-site Collocation Arrangement to DCS (Per 28 DS1s)	C1FXD	295.42	3,105.79
(AT)	Adjacent Off-site Collocation Arrangement to DCS (Per 28 DS1s)	C1FXZ	439.96	None
	F. DS1 Interconnection (Collocator provides and installs cabling)			
(AT)	Caged, Cageless, and Caged Common Arrangement to DSX (Per 28 DS1s)	C1FXE	\$6.07	\$486.89

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(SERVICES AND RATES)

Missouri Public
Service Commission

23.0 Rates and Charges for CDOW (continued)

REC'D SEP 12 2001

23.1 Rates and Charges for CLECs Doing Own Work (continued)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
E. DS1 Interconnection (Collocator provides and installs cabling)			
Caged, Cageless, and Caged Common Arrangement to DCS (Per 28 DS1s)		\$295.42	\$3,105.79
Adjacent On-site Collocation Arrangement to DCS (Per 28 DS1s)		295.42	3,105.79
Adjacent Off-site Collocation Arrangement to DCS (Per 28 DS1s)		439.96	None
F. DS1 Interconnection (Collocator provides and installs cabling)			
Caged, Cageless, and Caged Common Arrangement to DSX (Per 28 DS1s)		\$6.07	\$486.89

CANCELLED

MAR 04 2002
By *LSRS 93*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
07-298

FILED OCT 12 2001

PHYSICAL COLLOCATION
(SERVICES AND RATES)

Missouri Public

REC'D FEB 01 2002

23.0 Rates and Charges for CDOW (continued)

23.1 Rates and Charges for CLECs Doing Own Work (continued)

Service Commission

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
F. DS1 Interconnection (continued)			
Adjacent On-site Collocation Arrangement to DSX			
(AT)	C1FXE	\$6.07	\$487.89
Adjacent Off-site Collocation Arrangement to DSX			
(AT)	C1FX1	35.03	None
DS1 Arrangement (450 DS1s) - MDF			
(AT)	C1FX2	311.43	None
G. DS3 Interconnection (Collocator provides and installs cabling)			
Caged, Cageless, and Caged Common Arrangement to DCS			
(AT)	C1FXF	\$115.30	\$1,809.40
Adjacent On-site Collocation Arrangement to DCS			
(AT)	C1FXF	115.30	1,809.40

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(SERVICES AND RATES)

Missouri Public
Service Commission

23.0 Rates and Charges for CDOW (continued)

REC'D SEP 12 2001

23.1 Rates and Charges for CLECs Doing Own Work (continued)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
F. DS1 Interconnection (continued)			
Adjacent On-site Collocation			
Arrangement to DSX (Per 28 DS1s)		\$6.07	\$486.89
Adjacent Off-site Collocation			
Arrangement to DSX (Per 28 DS1s)		35.03	None
DS1 Arrangement (450 DS1s) - MDF - Connection to MDF		311.43	None
G. DS3 Interconnection (Collocator provides and installs cabling)			
Caged, Cageless, and Caged Common			
Arrangement to DCS (Per DS3)		\$115.30	\$1,809.40
Adjacent On-site Collocation			
Arrangement to DCS (Per DS3)		115.30	1,809.40

CANCELLED

MAR 04 2002
By *LSRS 94*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01 - 298
FILED OCT 12 2001

**PHYSICAL COLLOCATION
 (SERVICES AND RATES)**

REC'D FEB 01 2002

23.0 Rates and Charges for CDOW (continued)

Service Commission

23.1 Rates and Charges for CLECs Doing Own Work (continued)

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
	H. DS3 Interconnection (Collocator provides and installs cabling) Caged, Cageless, and Caged Common Arrangement to DSX (Per DS3)			
(AT)		C1FXG	\$5.69	\$116.67
	Adjacent On-site Collocation Arrangement to DSX (Per DS3)			
(AT)		C1FXG	5.69	116.67
	I. Fiber Interconnection (Collocator provides and installs cabling) Caged, Cageless, and Caged Common Arrangement (12 Fibers)			
(AT)		C1FXH	3.76	495.49
	Adjacent On-site Collocation Arrangement (Per 12 Fiber)			
(AT)		C1FXH	3.76	495.49

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(SERVICES AND RATES)

Missouri Public
Service Commission

REC'D SEP 12 2001

23.0 Rates and Charges for CDOW (continued)

23.1 Rates and Charges for CLECs Doing Own Work (continued)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
H. DS3 Interconnection (Collocator provides and installs cabling) Caged, Cageless, and Caged Common Arrangement to DSX (Per DS3)		\$5.69	\$116.67
Adjacent On-site Collocation Arrangement to DSX (Per DS3)		5.69	116.67
I. Fiber Interconnection (Collocator provides and installs cabling) Caged, Cageless, and Caged Common Arrangement (12 Fibers)		3.76	495.49
Adjacent On-site Collocation Arrangement (Per 12 Fiber)		3.76	495.49

CANCELLED

MAR 04 2002
By *LSR 95*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01-298

FILED OCT 12 2001

PHYSICAL COLLOCATION
 (SERVICES AND RATES)

Missouri Public

REC'D FEB 01 2002

23.0 Rates and Charges for CDOW (continued)

23.1 Rates and Charges for CLECs Doing Own Work (continued)

Service Commission

(AT)		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(AT)	I. Fiber Interconnection (continued) Adjacent Off-site Collocation Arrangement (Per 12 Fiber)	C1FX3	9.02	None
	J. Collocation to Collocation Connection			
(AT)	1. Fiber Cable (12 Fibers) - CLEC Provides Cable and Installs	C1FYU	.31	None
(AT)	2. Copper Cable (28 DS1s) - CLEC Provides Cable and Installs	C1FYV	.18	None
(AT)	3. Coax Cable (1 DS3) - CLEC Provides Cable and Installs	C1FYW	.12	None
(AT)	4. Cable Racking and Hole For Optical (Per Cable)	C1FWC	.82	None
(AT)	DS1 (Per Cable)	C1FWD	.57	None
(AT)	DS3 (Per Cable)	C1FWE	.50	None
(AT)	5. Route Design	NRMZF	None	424.88

Physical to Virtual Same as Cageless to Cageless

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

PHYSICAL COLLOCATION
(SERVICES AND RATES)

23.0 Rates and Charges for CDOW (continued)

23.1 Rates and Charges for CLECs Doing Own Work (continued)

Missouri Public
Service Commission

REC'D SEP 12 2001

I. Fiber Interconnection (continued)			
Adjacent Off-site Collocation Arrangement (Per 12 Fiber)		9.02	None
J. Collocation to Collocation Connection			
1. Fiber Cable (12 Fibers)			
- CLEC Provides Cable and Installs		.31	None
2. Copper Cable (28 DS1s)			
- CLEC Provides Cable and Installs		.18	None
3. Coax Cable (1 DS3)			
- CLEC Provides Cable and Installs		.12	None
4. Cable Racking and Hole			
For Optical (Per Cable)		.82	None
DS1 (Per Cable)		.57	None
DS3 (Per Cable)		.50	None
5. Route Design		None	424.88
Physical to Virtual Same as Cageless to Cageless			

CANCELLED

MAR 04 2002

By *LSR/S96*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission

01-298
FILED OCT 12 2001

INDEX

	<u>Sheet</u>
Virtual Collocation	2
1.0 General Description.....	2
1.1 Virtual Collocation for Interconnection to SWBT for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with SWBT-Provided UNEs when the Equipment is Provided by the Collocator	3
1.2 Federal Telecommunications Act of 1996	6
2.0 Provisioning.....	6
3.0 Collocator Responsibilities.....	7
4.0 Cooperative Responsibilities	8
5.0 Intervals and Provisioning.....	8
5.1 Quote Intervals	8
5.2 Implementation Intervals.....	10
5.3 Installation of Virtual Collocation Equipment	11
5.4 Revisions	12
5.5 Augments	13
6.0 Equipment Provisioning	13
7.0 Repair of Equipment.....	14
8.0 Maintenance of Equipment.....	14
9.0 Alarm Collection	14
10.0 Termination of Virtual Collocation	15
11.0 Revisions	15
12.0 Dispute Resolution Process for Revisions or Implementation of Technical Publications	16
13.0 Rate Regulations.....	16
13.1 Rate Elements for SWBT Central Offices	17
13.2 Rate Elements for SWBT CEVs, Huts and Cabinets	26
13.3 Rates and Charges for Central Offices	28
13.4 Rates and Charges for CEVs, Huts and Cabinets.....	32
14.0 Alternative Virtual Collocation Arrangement Description.....	34
15.0 Obligations of the Collocator	36
15.1 Indemnification of SWBT	36
15.2 Insurance	37
15.3 Conduct While in SWBT Eligible Structures.....	38
16.0 Cooperative Responsibilities	39
16.1 Qualification of Collocators	39
17.0 Rate Regulations.....	39
17.1 Rate Elements for SWBT Central Offices	40
17.2 Rate Elements for SWBT CEVs, Huts and Cabinets	40
17.3 Rate and Charges Central Offices	41
17.4 Rate and Charges CEVs, Huts and Cabinets.....	41
18.0 CDOW (CLECs Doing Own Work) – Collocators Responsibilities	42
18.1 Interconnection Cabling	42
18.2 Power Cabling.....	42
18.3 Intervals and Provisioning.....	43
18.4 Rate Elements for CDOW	48
19.0 Rates and Charges CDOW	51

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION

1.0 GENERAL DESCRIPTION

This Section of the Access Service Tariff provides for Virtual Collocation for the purpose of interconnecting to SWBT for the transmission and routing of telephone exchange service and exchange access pursuant to 47 U.S.C. §251 (c)(2), and for access to SWBT's Unbundled Network Elements ("UNEs") pursuant to 47 U.S.C. §251 (c)(3) of the FTA 96 when the virtually collocated telecommunications equipment (hereafter referred to as equipment) is provided by the Collocator. In a Virtual Collocation arrangement, the Collocator designates the equipment to be placed at SWBT's premises. The Collocator, however, does not have physical access to such premises. Instead, the equipment is under the physical control of SWBT, and SWBT is responsible for installing, maintaining and repairing such equipment, except where collocation is provided pursuant to the alternative virtual collocation arrangement set forth in section 14.0. SWBT will offer Virtual Collocation even when physical collocation space is available.

Upon request from a collocator, SWBT will provide one of the following maintenance alternates for its virtual collocation offering:

- (1) In all of SWBT's premises SWBT will offer virtual collocation wherein SWBT maintains and repairs the virtually collocated equipment consistent with the rates, terms and conditions as provided for in Paragraphs 1.1 through 13.4 of this tariff section.
- (2) In CEVs, huts and cabinets where physical collocation space is not available, a Collocator may opt for virtual collocation wherein the Collocator maintains and repairs the virtually collocated equipment as described in Paragraph 14.0 following and consistent with the rates, terms and conditions as provided for throughout this entire tariff section. SWBT may at its option, elect to offer this maintenance alternative in one or more of its central offices, and in one or more of its CEVs, huts and cabinets where physical collocation space is available. As described in Paragraph 14.0, this maintenance alternative is contingent on the provision of a security escort paid for by the Collocator. In the event the FCC determines that SWBT may not require a security escort paid for by the Collocator, then this virtual collocation maintenance alternative as described in this Paragraph 1.0 (2) and in Paragraph 14.0 is null and void and all virtual collocation will be maintained as described in Paragraph 1.0 (1) above.

Virtual Collocation in the Central Office is available for interconnection with SWBT for the transmission and routing of telephone exchange service and exchange access as well as SWBT-provided UNEs. Virtual Collocation in CEVs, Huts and Cabinets is available for interconnection with SWBT-provided UNEs.

Rates for the individual UNEs the Collocator wants to gain access to for virtual collocation purposes can be found in the individual Collocator's Interconnection Agreement with SWBT.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

1.0 GENERAL DESCRIPTION (Continued)

SWBT will exercise physical control over any equipment deployed for the purpose of Virtual Collocation.

A description of the rate categories applicable to Virtual Collocation for the purpose of interconnecting to SWBT within SWBT's Central Offices is contained in 13.1 and 18.4, Rate Elements for SWBT Central Offices. A description of the rate categories applicable to Virtual Collocation for the purpose of interconnecting to SWBT within SWBT's CEVs, Huts and Cabinets is contained in 13.2, Rate Elements for SWBT CEVs, Huts and Cabinets.

- 1.1 Virtual Collocation for Interconnection to SWBT for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with SWBT-Provided UNEs when the Equipment is Provided by the Collocator.

Virtual Collocation provides for interconnection between SWBT and the facilities of a virtual Collocator and is available for the transmission and routing of telephone exchange service and exchange access in SWBT Central Offices and for interconnection with SWBT-provided UNEs in SWBT Central Offices and CEVs, Huts and Cabinets.

Virtual Collocation is available at SWBT wire centers as specified in the National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4 and in SWBT CEVs, Huts and Cabinets. Upon request, SWBT will provide a listing of locations of SWBT CEVs, Huts or Cabinets.

The rate elements provided in this tariff section are required when Collocators use virtual collocation equipment to access UNEs. Such access is provided through cross connects purchased from the Collocator/SWBT Interconnection Agreement. Unbundled network elements including associated cross connects are obtained from the Interconnection Agreement between the Collocator and SWBT. Cross connects associated with UNEs establish the circuit between the virtually collocated equipment and these cross connects are the point at which services provided and purchased from the SWBT/Collocator Interconnection Agreement begin. Virtually collocated equipment is available as follows:

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

1.0 GENERAL DESCRIPTION (Continued)

Virtual Collocation for Interconnection to SWBT for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with SWBT-Provided UNEs when the Equipment is Provided by the Collocator. (Continued)

- (A) A Collocator shall purchase from the vendor the equipment to be virtually collocated subject to the provisions as set forth in 1.1 (B) below and the equipment conforming to industry safety standards as described in SWBT's Technical Publication.

The Collocator may locate all equipment necessary for interconnection to SWBT under 47.U.S.C. 251 (C) (2) or accessing SWBT's unbundled network elements under 47.U.S.C. 251 (C) (3) of the FTA 96. In addition, SWBT currently will permit the collocation of DSLAMs, routers, ATM multiplexers, remote switching modules, and certain other equipment, the types of which and conditions upon which such will be permitted must be mutually agreed upon by SWBT and Collocator, in SWBT Eligible Structures. This tariff does not constitute, and shall not be asserted to constitute, an admission or waiver by any party of any rights, remedies or arguments with respect to the issue of what types of equipment Collocators may place in SWBT's premises or any other issue whatsoever before the Missouri Public Service Commission, the Federal Communications Commission, or any other regulatory body or state or federal court. The collocator will certify in writing to SWBT that the equipment is necessary for interconnection or access to unbundled network elements. In the event that SWBT believes that the collocated equipment is not of a type that is necessary for interconnection or access to unbundled network elements, is not of a type that SWBT permits as referenced above, or will not be or is not being used for interconnection or access to unbundled network elements, SWBT shall notify the Collocator and provide Collocator with ten (10) days to respond. In the event SWBT believes that the collocated equipment is not necessary for interconnection or access to unbundled network elements or determines that the Collocator's equipment does not meet Bellcore NEBS Level 1 Safety requirements, the Collocator will be given ten (10) business days to comply with the requirements or remove the equipment from the collocation space. If the parties do not resolve the dispute, SWBT or Collocator may file a complaint at the Commission seeking a formal resolution of the dispute. If it is determined that the Collocator's equipment is not Bellcore NEBS Level 1 Safety compliant, the Collocator will be responsible for removal of the equipment and all resulting damages.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

1.0 GENERAL DESCRIPTION (Continued)

1.1 Virtual Collocation for Interconnection to SWBT for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with SWBT-Provided UNEs when the Equipment is Provided by the Collocator. (Continued)

(B) Regarding safety, Collocator equipment or operating practices representing a significant demonstrable technical or physical threat to SWBT's personnel, network or facilities, including the Eligible Structure, or those of others are strictly prohibited. Regarding safety, and notwithstanding any other provision hereof, the characteristics and methods of operation of any equipment or facilities placed in the virtual collocation space shall not create hazards for or cause damage to those facilities, the virtual collocation space, or the Eligible Structure in which the virtual collocation space is located; impair the privacy of any communications carried in, from, or through the Eligible Structure in which the virtual collocation space is located; or create hazards or cause physical harm to any individual or the public. Any of the foregoing would be in violation of this tariff.

SWBT requires that all equipment to be collocated in SWBT's Eligible Structures meet Level 1 safety requirements as set forth in Bellcore Network Equipment - Building Systems (NEBS), but SWBT may not impose safety requirements on the Collocators that are more stringent than the safety requirements it imposes on its own equipment. SWBT may not deny collocation of Collocator's equipment because the equipment fails to meet Bellcore NEBS reliability standards. SWBT will publish, at least quarterly, a list of all network equipment installed within the network areas of its facilities within the previous twelve (12) months that fails to meet the Level 1 Safety requirements of Bellcore NEBS, and update the list as needed to keep it current. In the event that SWBT believes that the collocated equipment is not necessary for interconnection or access to unbundled network elements or determines that the Collocator's equipment does not meet Bellcore NEBS Level 1 Safety requirements, the Collocator will be given ten (10) business days to comply with the requirements or remove the equipment from the collocation space. If the parties do not resolve the dispute, SWBT or Collocator may file a complaint at the Commission seeking a formal resolution of the dispute. If it is determined that the Collocator's equipment is not Bellcore NEBS Level 1 Safety compliant, the Collocator will be responsible for removal of the equipment and all resulting damages.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

1.0 GENERAL DESCRIPTION (Continued)

- 1.1 Virtual Collocation for Interconnection to SWBT for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with SWBT-Provided UNEs when the Equipment is Provided by the Collocator. (Continued)
- (C) A Collocator may arrange for a mutually agreed upon vendor/contractor to engineer and install the virtually collocated equipment the Collocator purchases and the Collocator may pay the vendor/contractor directly. The installation contractor and their activity will be under the direction and control of Collocator who will ensure that the installation contractor meets all standards and requirements for installation of equipment, as required under this Tariff. If SWBT chooses to have its personnel present when the CLEC equipment is installed, then SWBT's presence will be at its own expense. However, if SWBT demonstrates that the CLEC contractor has or would have violated any standard or requirement for installation of equipment, as required under this tariff, the CLEC is responsible for the quantifiable expense incurred by SWBT.

1.2 Federal Telecommunications Act of 1996

SWBT provides virtual collocation for interconnection to SWBT for the transmission and routing of telephone exchange service and exchange access pursuant to 47 U.S.C. §251(c)(2), and for access to SWBT's unbundled network elements pursuant to 47 U.S.C. §251(c)(3).

The use of virtual collocation for (1) interconnection to SWBT or (2) access to SWBT's unbundled network elements, in either case pursuant to 47 U.S.C. §251(c), is available at SWBT wire centers as specified in the National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4, and in SWBT CEVs, Huts and Cabinets.

2.0 PROVISIONING

Virtual collocation for Interconnection to SWBT or access to SWBT-provided UNEs is ordered as set forth in SWBT's Interconnector's Collocation Services Handbook for Virtual Collocation in Missouri. SWBT will designate the location or locations within its wire centers, CEVs, Huts and Cabinets for the placement of all equipment and facilities associated with virtual collocation. Virtual collocation does not involve the reservation of segregated central office or CEV, Hut and Cabinet space for the use of Collocators.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

2.0 PROVISIONING (continued)

Virtual Collocation is available for the direct connection of one Collocator-provided facility to a different interconnected provided facility within the same SWBT wire center, CEV, Hut or Cabinet provided the Collocator is interconnected with SWBT's network.

SWBT will provide Virtual Collocation for comparable equipment as it provides to itself in the central office, wire center, CEV, Hut or Cabinet, as the case may be.

3.0 COLLOCATOR RESPONSIBILITIES

The customer will provide, under this section of the tariff, at its expense, all facilities and equipment required to facilitate interconnection and access to SWBT UNEs. The customer will, at its expense, provide the following:

- All plug-ins and/or circuit packs (working, spare, and replacements),
- All unique tools and test equipment,
- Any ancillary equipment and cabling used for remote monitoring and control,
- Any technical publications and updates associated with all Collocator-owned and provided equipment,
- All training as described in Section 13.1(Q),

The Collocator will provide, at its expense, replacements for any recalled, obsolete, defective or damaged facilities, equipment, plug-ins, circuit packs, unique tools, test equipment, or any other item or material provided by the Collocator for placement in/on SWBT property. Suitable replacements are to be immediately provided to SWBT to restore equipment.

The Collocator will provide at least the minimum number of usable equipment spares specified by the manufacturer. Replacements must be delivered to the SWBT central office using the equipment spare within five (5) days of notification that a spare was used or tested defective.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

4.0 COOPERATIVE RESPONSIBILITIES

SWBT will work cooperatively with the Collocator to develop implementation plans including timelines associated with:

- Placement of Collocator's fiber into the central office vault,
- Location and completion of all splicing,
- Completion of installation of equipment and facilities,
- Removal of above facilities and equipment,
- To the extent known, the Collocator can provide forecasted information to SWBT on anticipated additional Virtual Collocation requirements,
- To the extent known, the Collocator is encouraged to provide SWBT with a listing of the equipment types that they plan to virtually collocate in SWBT central offices or CEVs, Huts and Cabinets. This cooperative effort will insure that SWBT personnel are properly trained on Collocator equipment.

5.0 INTERVALS AND PROVISIONING

5.1 Quote Intervals

In responding to an application request, SWBT shall provide the quotation of the applicable nonrecurring and recurring tariff rates, and the estimated construction interval no later than as specified below. The Collocator has forty-five (45) business days from receipt of the quotation to accept the quotation. The quotation expires after forty-five (45) business days. After forty-five (45) business days, a new application and application fee are required.

Price quote intervals are as follows and will run concurrent with the ten (10) day notification interval for availability of virtual collocation interconnection:

Number of Applications by One Collocator	<u>Quotation Interval</u>
1- 5	10 Business Days
6-20	25 Business Days

Should the Collocator submit twenty-one (21) or more applications within five (5) business days, the quotation interval will be increased by five (5) business days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and will be subject to the time intervals set forth above.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

5.0 INTERVALS AND PROVISIONING (Continued)

5.1 Quote Intervals (Continued)

A Collocator may obtain a shorter interval for the return of price quotes for virtual collocation arrangements when submitting 6 or more applications if the Collocator files complete applications, including identification of specific rate elements and the applicable rates contained in this tariff, the exact quantity of the rate elements, and an up-front payment of the nonrecurring application fee from, paragraph 13.1 of this Tariff and schedules a meeting with SWBT at least twenty (20) business days prior to submission of the first application to discuss, coordinate and prioritize the Collocator applications. In addition, the applications must include an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for the Collocator's point of termination. The shortened intervals are:

Number of Applications by One Collocator	<u>Quotation Interval</u>
1-5	10 Business Days
6-20	20 Business Days

Should the Collocator submit twenty-one (21) or more applications within five (5) business days, the quotation interval will be increased by five (5) business days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and will be subject to the time intervals set forth above.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

5.0 INTERVALS AND PROVISIONING (Continued)

5.1 Quote Intervals (Continued)

Once SWBT has completed its review of the virtual collocation application form inquiry, the entire completed quote package will be forwarded to the potential interconnector in writing with a cover letter. The interconnector has 45 days to remit a signed confirmation form along with a check for 50% of all the applicable nonrecurring charges.

If the interconnector fails to respond within the 45-day interval, should the interconnector decide at a later time to proceed with virtual collocation, a new application and Planning Fee will be required.

5.2 Implementation Intervals

A virtual collocation arrangement is not reserved until the quotation is accepted. When the quotation is accepted, unless otherwise mutually agreed to by the Parties in writing, SWBT will allow the Collocator's vendor to begin equipment installation no later than 90 days from acceptance of the quotation. The virtual collocation interval ends when roughed in, unterminated DC power and interconnection cabling is provided to the virtual collocation area.

The construction intervals for virtual collocation arrangements are noted in Table 2-1. For Virtual Collocation in Active Collocation Space where the Collocator is requesting maximum DC Power of 50 amps, either in a single or in multiple feeds of 50 amps (maximum 50 amps per feed), the Virtual Collocation construction intervals remain as stated below. For Virtual Collocation in Active Collocation Space where a Collocator is requesting DC Power that exceeds 50 amps from a single source (e.g., 100 amps) per feed, the construction interval is 90 days. These same construction intervals apply for virtual collocation in Eligible Structures such as CEVs (Vaults), Huts and Cabinets.

When the quotation is accepted, unless otherwise mutually agreed to by the Parties in writing, the construction intervals for virtual are as follows:

<u>Type</u>	<u>Description</u>	<u>Interval</u>	<u>Exception</u>
Virtual	Active collocation space	70 days	With SWBT installation of bays/racks/frames
Virtual	Active collocation space	55 days	With CLEC installation of bays/racks/frames

Table 2-1

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

5.0 INTERVALS AND PROVISIONING (Continued)

5.2 Implementation Intervals (continued)

Virtual collocation space is not reserved until the quotation is accepted. When the quotation is accepted unless otherwise mutually agreed to by the Parties in writing, SWBT will complete construction of Active Collocation Space requests for virtual collocation in 55 days from the receipt of the Collocator's acceptance of the quotation where power is available and the Collocator is installing all of its own bays. The virtual collocation construction interval ends when roughed in, unterminated DC power and interconnection cabling is provided to the collocation area. SWBT will complete construction of Active Collocation Space requests for virtual collocation in 70 days from the receipt of the Collocator's acceptance of the quotation where SWBT will be installing all or some of the bays. SWBT considers power to be available if sufficient power plant capacity exists, the BDFB (if used) is within 100 feet of the Collocator's space and sufficient termination capacity on the power plant and/or BDFB exists.

If a completion date outside the time period required herein is not agreed to by the parties, the issue may be presented by either party to the Missouri Public Service Commission for determination

5.3 Installation of Virtual Collocation Equipment

SWBT does not assume any responsibility for the design, engineering, testing, or performance of the end-to-end connection of the Collocator's equipment, arrangement, or facilities.

SWBT will be responsible for using the same engineering practices as it does for its own similar equipment in determining the placement of equipment and engineering routes for all connecting cabling between collocation equipment.

In this arrangement, telecommunications equipment (hereafter referred to as equipment) is furnished by the CLEC and engineered and installed by a mutually agreed upon vendor for the Collocator. The Collocator will have the authority to select installation vendors. All installations of equipment will be in accordance with the Collocator-provided installation design and must comply with manufacturer's specifications and applicable published national standards approved by the FCC, and other governmental authorities that have jurisdiction.

The Collocator and SWBT must jointly accept the installation of the equipment and facilities prior to the installation of any services using the equipment. As part of this acceptance, SWBT will cooperatively test the collocated equipment and facilities with the Collocator.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

5.0 INTERVALS AND PROVISIONING (Continued)

5.3 Installation of Virtual Collocation Equipment (continued)

SWBT will provide TIRKS and/or SWITCH print out of actual point of termination/connection facilities assignment (APOT/CFA) to CLEC's at collocation space turnover. This information is used to request access and line sharing services. The CLEC is responsible for payment of all non-recurring charges, where applicable, prior to receiving APOT/CFA information.

5.4 Revisions

All Revisions to an initial request for a virtual collocation arrangement submitted by the Collocator must be in writing via a new application form.

Major Revisions:

Major revisions include:

- adding telecommunications equipment that requires additional electrical power
- accelerating the project schedule
- adding additional Collocator bays or equipment that impact the existing/proposed floor-space area provided to the Collocator in their quote package.

If the revision is major, a new interval for the virtual collocation arrangement will be established which shall not exceed two months.

Minor Revisions

Minor revisions include:

- adding bays of equipment that do not significantly impact the existing/proposed electrical systems
- adding light fixtures and outlets which do not exceed the capacity of the existing/proposed electrical system
- adjustments to the heat release projection which do not cause a change in the proposed/existing mechanical system

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

5.0 INTERVALS AND PROVISIONING (Continued)

5.4 Revisions (Continued)

However, minor revisions will not require that a new interval be established. No additional application fees shall be applicable if the revision is minor.

This list is not all-inclusive. Any revisions to the Collocators application not specified above must be reviewed by SWBT to determine whether the revision is major or minor.

5.5 Augments

In order to request an augment, the Collocator must submit a Virtual Collocation Application Form to SWBT Collocation Service Center (CSC) indicating in Section 3 of the application that this is an "Augmentation to an Existing Arrangement." The price quote will contain the charges and the construction interval for that application.

SWBT will work cooperatively with Collocators to negotiate mutually agreeable implementation intervals for augments.

6.0 EQUIPMENT PROVISIONING

The Collocator will arrange to deliver to the SWBT central office where the equipment is located a reasonable number, as recommended by the manufacturer, of all appropriate plug-ins, circuit packs and cards and any other equipment, plus all necessary circuit design and provisioning information on an agreed-upon date which is no later than two (2) business days prior to the scheduled turn-up of the Collocator's equipment.

For the disconnection of circuits, the Collocator will provide all circuit information no later than two (2) business days prior to the scheduled disconnection of the Collocator's circuit.

SWBT does not assume any responsibility for the design, engineering, testing, or performance of the end-to-end connection of the Collocator's circuits.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

7.0 REPAIR OF EQUIPMENT

Except in emergency situations, the Collocator-owned fiber optic facilities and central office terminating equipment will be repaired only upon the request of the customer. In an emergency, SWBT may perform necessary repairs without prior notification. The labor rates specified in Section 13.3(R) apply to SWBT central offices and SWBT CEVs, Huts and Cabinets and are applicable for all repairs performed by SWBT on the Collocator's facilities and equipment.

When initiating repair requests on Collocator owned equipment, the Collocator must provide SWBT with the location and identification of the equipment and a detailed description of the trouble.

Upon notification by the Collocator and availability of spare parts as provided by the Collocator, SWBT will be responsible for repairing the Virtually Collocated equipment at the same standards that it repairs its own equipment.

8.0 MAINTENANCE OF EQUIPMENT

The Collocator will request any and all maintenance by SWBT on its Virtually Collocated facilities or equipment. When initiating requests for maintenance on collocated equipment, the Collocator must provide SWBT with the location and identification of the equipment and a detailed description of the maintenance requested.

Upon notification by the Collocator and availability of spare parts as provided by the Collocator, SWBT will be responsible for maintaining the Virtually Collocated equipment at the same standards that it maintains its own equipment.

9.0 ALARM COLLECTION

The Collocator has the ability to purchase its own remote monitoring and alarming equipment. If the Collocator prefers SWBT to perform this function, it may elect to provision this arrangement under Section 25.5.1(A) of the FCC 73 Access Service Tariff. If the Collocator purchases this equipment, it must be identical to equipment specified in Section 25.5.1 of the FCC 73 Access Service Tariff.

Since the maintenance of the Collocator's equipment is at the direction and control of the Collocator, SWBT will not be responsible for responding to alarms and will only conduct maintenance and repair activities at the direction of the Collocator.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

10.0 TERMINATION OF VIRTUAL COLLOCATION

Upon termination of the Virtual Collocation arrangement, the Collocator will work cooperatively with SWBT to remove the Collocator's equipment and facilities from SWBT property subject to the condition that the removal of such equipment can be accomplished without damaging or endangering other equipment located in the central office. SWBT is not responsible for and will not guarantee the condition of such equipment. The Collocator is responsible for arranging for and paying for the removal of virtually collocated equipment including all costs associated with equipment removal, packing and shipping. Arrangements for and the removal of the Collocator virtually collocated equipment must be made within 30 business days after termination of the virtual collocation arrangement, unless a different time period is mutually agreed upon. SWBT shall be responsible for exercising reasonable caution when removing virtually collocated equipment. SWBT will only be responsible for damage done to such equipment caused by gross negligence on the part of SWBT or its contractors during the removal process. However, Collocators will indemnify and hold SWBT harmless for any damage done to virtually collocated equipment if SWBT permits the Collocator to hire a SWBT approved contractor to remove virtually collocated equipment. Any equipment not removed in this time frame may be removed by SWBT and stored in a non-SWBT location, at the expense of the Collocator.

Upon termination of the Virtual Collocation, the Collocator must remove the fiber entrance cable used for the Virtual Collocation. If the entrance cable is not scheduled for removal within seven (7) days, SWBT may arrange for the removal, and the Collocator will be responsible for any charges incurred to remove the cable. SWBT and the Collocator will cooperatively manage the removal process. The Collocator is only responsible for physically removing entrance cables housed in conduits or inner-ducts and will only be required to do so when SWBT instructs the Collocator that such removal can be accomplished without damaging or endangering other cables contained in a common duct or other equipment residing in the central office.

11.0 REVISIONS

Any revision to SWBT's Interconnector's Collocation Services Handbook for Virtual Collocation in Missouri, or its Technical Publication TP 76300MP, shall become effective and thereafter applicable under this tariff forty five (45) business days after such revision is released by SWBT except for those particular revisions to which the Collocator specifically objects within thirty (30) business days of receipt, providing an explanation for each objection. Upon each such objections, SWBT and the Collocator shall attempt to negotiate a resolution, either party may request resolution by the Missouri Public Service Commission. Any revision made to address potentially harmful situations shall become effective and applicable immediately, pending resolution of the objections by the Missouri Public Service Commission.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

12.0 DISPUTE RESOLUTION PROCESS FOR REVISIONS OR IMPLEMENTATION OF TECHNICAL PUBLICATIONS

Disputes that cannot be resolved by the parties regarding revisions to or implementation of SWBT technical publications that apply to virtual collocation arrangements will be resolved by use of (1) mediation, (2) any dispute resolution process promulgated by the Commission, or (3) any other method mutually agreed to by the parties. Either party may use any of these options to obtain a resolution of the dispute.

13.0 RATE REGULATIONS

This section contains specific regulations governing the rates and charges that apply to Virtual Collocation for the purpose of interconnecting to SWBT and for Access to SWBT provided UNEs when the Collocator provides the equipment.

There are two types of rates and charges that apply to the various rate elements for Virtual Collocation for interconnecting to SWBT and for Access to SWBT provided UNEs. These are non-recurring charges and monthly recurring rates.

Rates and charges specific to Virtual Collocation for interconnection with SWBT for the transmission and routing of telephone exchange service and exchange access, and for access to SWBT provided UNEs in SWBT Central Offices are set forth in 13.3. Rates and charges specific to Virtual Collocation for access to SWBT provided UNEs in SWBT CEVs, Huts and Cabinets are set forth in 13.4.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.1 Rate Elements for SWBT Central Offices

Consistent with provisions in Section 1.1, the following provides a list of the specific rate elements for virtual collocation for interconnection with SWBT for the transmission and routing of telephone exchange service and exchange access, and for access to SWBT provided UNEs to be used in conjunction with virtual collocation in SWBT Central Offices. Charges applicable to virtual collocation other than those listed below are listed in Section 25 of the FCC 73 Access Service Tariff (Expanded Interconnection).

(A) Planning

(1) Planning Fee

The planning fee recovers SWBT costs incurred to estimate the quotation of charges, project management costs, engineering costs, and other related planning activities for the Collocator's request for a virtual collocation arrangement. The planning fee also provides for SWBT personnel to survey each requested location for availability of space for the placement of entrance cables as well as to determine floor space to physically place Collocator-designated equipment expressed as a non-recurring charge. The planning fee is applied on an initial and subsequent basis. The initial charge will apply to the Collocator's request for a virtual collocation arrangement or the addition of cable. The subsequent planning charge will apply to any additional interconnection or power arrangements, connected to existing virtual collocated equipment. Charges for this sub-element are specified in 13.3(A)(1).

(B) Floor Space

This sub-element provides for the "occupancy" cost per bay framework associated with using the floor space in SWBT central offices expressed as a monthly rate. Charges for this sub-element are specified in 13.3(B). In those cases where an individual relay rack and its associated floor space are shared by SWBT and the Collocator or among Collocators, the floor space and relay rack associated will be apportioned on a quarter rack basis.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.1 Rate Elements for SWBT Central Offices (Continued)

(C) Relay Rack (Optional)

This sub-element provides the cost per Standard Bay relay rack when provided by SWBT expressed as a monthly rate. SWBT's Standard Bay dimensions are 7'-0" high, and have a 23" interior width, 26" exterior width, and up to 15" deep. Charges for this sub-element are specified in 13.3(C). In those cases where an individual relay rack and associated floor space are shared by SWBT and the Collocator or among Collocators, the floor space and relay rack associated will be apportioned on a quarter rack basis. When the standard bay relay rack is provided by the Collocator this rate element will not apply.

(D) Common Systems Materials

This sub-element provides the infrastructure installation and maintenance of ironwork, racking, and lighting above the equipment bays. Charges for this sub-element are specified in 13.3(D). The common systems sub-element is distinct for standard and non-standard frames. In those cases where common systems materials for an individual relay rack and associated floor space are shared with the Collocator or among Collocators, the common systems materials for the floor space and relay rack associated will be apportioned on a quarter rack basis.

(E) Real Estate

These rate elements provide for SWBT to recover the costs associated with preparing the Eligible Structure for telecommunications equipment (Site Conditioning) and securing this space (Safety & Security). Charges for these sub-elements are specified in 13.3(E).

(1) Site Conditioning

Permits SWBT to recover cost associated with preparing space within the Eligible Structure for telecommunications equipment. The nonrecurring charge for this sub-element is specified in 13.3(E)(1).

(2) Safety & Security

Permits SWBT to recover costs associated with securing the telecommunications area used for Virtual Collocation. The nonrecurring charge for this sub-element is specified in 13.3(E).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.1 Rate Elements for SWBT Central Offices (Continued)

(F) Entrance Fiber

This sub-element provides for SWBT pulling and splicing fiber cable between the manhole and cable vault, and the subsequent routing of fiber riser cable between the cable vault and FDF. (Note: Virtually Collocated Equipment may also be connected to dedicated transport facilities provided as Unbundled Network Elements in lieu the entrance fiber. When Virtually Collocated Equipment is connected to dedicated transport facilities in lieu of the entrance fiber, the terms, conditions and charges for such dedicated transport facilities are pursuant to the Collocator/SWBT Interconnection Agreement. No recurring or non-recurring charges for dedicated transport facilities provided as used are applicable pursuant to this Tariff). Charges for this rate element are in 13.3(F)(1).

(1) Entrance Conduit

This sub-element represents any reinforced passage or opening in, on, under, over or through the ground between the first manhole and the cable vault through which the fiber optic cable is placed. Charges for this sub-element are specified in 13.3(F)(2).

(G) Power Arrangement

This sub-element is the cable and cable rack including support and fabrication material necessary to support the virtually collocated equipment expressed as a monthly rate for either 2-20 AMP feeds or 2-50 AMP feeds. Fuse panels necessary for terminating power feeds are provided by the Collocator. In the event that a Collocator requires a power arrangement that exceeds 50 AMPS from a single source, SWBT will cooperatively work with the Collocator using comparable rate elements as the basis for such arrangements. Cable sizing is based on list 2 design loads. Charges for this sub-element are specified in 13.3(G)(1-2).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.1 Rate Elements for SWBT Central Offices (Continued)

(H) Power Consumption

(1) D.C. Power Per AMP

The DC power charge consists of use of the DC power system, with AC input and AC backup for redundant power expressed as a monthly rate. This rate element also includes the AC Power Usage to provide DC power to the virtually collocated equipment. DC Power Charge is on a per amp basis. Charges for this sub-element are specified in 13.3(H)(1).

(2) Heating, Ventilating, and Air Conditioning (HVAC)

This sub-element consists of the elements necessary to provide HVAC within the Eligible Structure to the collocation arrangement and is based on the heat dissipation required for each 10 amps of DC power. Charges for this sub-element are specified in 13.3(H)(2).

(3) Ground Cable Arrangement

The Ground Cable is the cabling arrangement designed to provide grounding for equipment per frame expressed as a monthly rate. Separate Ground Cable Arrangements are required for Integrated and Isolated Ground Planes. Charges for this sub-element are specified in 13.3(H)(3).

(I) Voice Grade Interconnection Arrangement

This sub-element provides for the cost associated with providing 100 voice grade pairs Non-shielded or Shielded between the SWBT Distributing Frame and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified in 13.3(I).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.1 Rate Elements for SWBT Central Offices (Continued)

(J) DS-1 Interconnection Arrangement to DCS

This sub-element provides for the cost associated with providing 28 DS-1 circuits between SWBT DCS functionality purchased from the Collocators interconnection agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified in 13.3(J). This includes the DS1-Port connecting to the virtual collocation arrangement.

(K) DS-1 Interconnection Arrangement to DSX

This sub-element provides for the cost associated with providing 28 DS-1 circuits between SWBT's DSX functionality purchased from the Collocators interconnection agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified in 13.3(K).

(L) DS-3 Interconnection Arrangement to DCS

This sub-element provides for the cost associated with providing one DS-3 circuit between SWBT's DCS functionality purchased from the Collocators interconnection agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified in 13.3(L).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.1 Rate Elements for SWBT Central Offices (Continued)

(M) DS-3 Interconnection Arrangement to DSX

This sub-element provides for the cost associated with providing one DS-3 circuit between SWBT's DSX functionality purchased from the Collocators interconnection agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified in 13.3(M).

(N) Fiber Interconnection Arrangement

This sub-element provides for the cost associated with providing 12 fibers between SWBT's FDF and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified in 13.3(N).

(O) Collocation to Collocation Connection

This rate element includes virtual to virtual and virtual to physical connection options.

(1) Fiber Cable (12 Fibers)

This sub-element provides for direct cabling using fiber cable (12 fibers) between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a combination of a non-recurring charge and a monthly rate and these charges are specified in 13.3(O)(1).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.1 Rate Elements for SWBT Central Offices (Continued)

(O) Collocation to Collocation Connection (continued)

(2) Copper Cable (28 DS1s)

This sub-element provides for direct cabling using copper cable (28 DS1s) between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a combination of a non-recurring charge and a monthly rate and these charges are specified in 13.3.(O)(2).

(3) Coax Cable (1 DS3)

This sub-element provides for direct cabling using coaxial cable (1 DS3) between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a combination of a non-recurring charge and a monthly rate and these charges are specified in 13.3(O)(3).

(4) Cable Racking and Hole

This sub-element provides for cable rack space and hole for copper, coax and optical cabling between two virtual collocation arrangements at an Eligible Structure. This sub-element is expressed as a monthly rate and in 13.3(O)(4).

(5) Route Design

This sub-element provides the route design for collocation connections. This sub-element is expressed as a non-recurring charge and this charge is specific in 13.3(O)(5).

(P) Timing Source Arrangement (Optional)

An SWBT provided single signal from the SWBT timing source to provide synchronization between a Collocator's single network element and SWBT's equipment expressed as a recurring and non-recurring rate. Charges for this sub-element, if requested by the Collocator, are specified in 13.3(P).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.1 Rate Elements for SWBT Central Offices (Continued)

(Q) Training

SWBT is responsible for determining when training is necessary and how many SWBT employees require training to provide 24 hour a day, seven day a week coverage for the installation, maintenance and repair of Collocator's designated equipment not currently used in a wire center selected by the Collocator for virtual collocation. SWBT will be limited to request training for four (4) SWBT personnel per location, unless a different number is mutually agreed upon by SWBT and Collocator.

If the Collocator does not have SWBT coordinate the required training, the Collocator may assume the responsibility for providing the training. It is then the responsibility of the Collocator to:

- (1) arrange and pay to the supplier all costs for training sessions, including, the cost of the trainer(s), transportation and lodging of such trainer(s), and required course material, and
- (2) arrange and pay to each individual supplier all costs associated with lodging and other than local transportation, such as airfare, required for SWBT employee training.
- (3) arrange and pay all costs associated with SWBT's employee(s) attendance at the training, including, lodging and other than local transportation, such as airfare, and employee(s) labor rate for time away from the job, required for SWBT employee training.

SWBT will work cooperatively with the Collocator to schedule SWBT personnel training time required for the installation, maintenance and repair of the Collocator's designated equipment. The Collocator will be assessed two hours of the technician additional labor charge for SWBT personnel time required to coordinate training activities with the Collocator. The Collocator will be responsible for reimbursement of applicable SWBT contractual compensation obligations for time spent as a result of the necessary training. All other charges, if applicable, specified in 13.3(Q)(Training) will be assessed to the Collocator.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.1 Rate Elements for SWBT Central Offices (Continued)

(R) Maintenance and Repair Labor Rates

(1) Maintenance of Equipment

This rate element is a labor rate charged by SWBT to the Collocator for ongoing maintenance of the Collocator's equipment. Any maintenance requirements will be initiated by the Collocator. Labor rates are based upon a ¼ hour basis and are dependent upon day of week and time of day. For purposes of this Tariff, normal week day is defined as 8:00 a.m. through 5:00 p.m., Monday through Friday, excluding holidays. Non-recurring charges for this sub-element are specified in 13.3(R).

(2) Repair of Equipment

This rate element is a labor rate charged by SWBT to the Collocator for repair of the Collocator's equipment. All repair will be at the direction of the Collocator.

Labor rates are based upon a charge for Network Operations Center (NOC) personnel to take the trouble report, create a trouble ticket, and dispatch a technician. Labor rates for actual repair of the trouble are based upon a 1/4 hour basis and are dependent upon day of week and time of day. For purposes of this Tariff, normal week-day is defined as 8:00 a.m. through 5:00 p.m., Monday through Friday excluding holidays. Non-recurring charges for this sub-element are specified in 13.3(R).

(S) Equipment Evaluation Cost

This rate element is a labor rate charged by SWBT to the Collocator for evaluating the Collocator's equipment when not meeting Level 1 Safety requirements as set forth in Bellcore Network Equipment - Building System (NEBS). Charges for this element is specified in 13.3(S).

(T) Test and Acceptance

This rate element is a labor rate charged by SWBT to the Collocator for cooperative assisting the Collocator's approved vendor in testing and accepting the installed virtually collocated equipment. Charges for this element are specified in 13.3(T).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.2 Rate Elements for SWBT CEVs, Huts and Cabinets

The following provides a list of the specific rate elements for virtual collocation for access to SWBT provided UNEs in SWBT CEVs, Huts and Cabinets. Charges applicable to virtual collocation in these structures other than those specified below are listed in Section 25 of the FCC 73 Access Service Tariff.

(A) Entrance Cable Fiber

This sub-element provides for the engineering of a point of appearance cable termination, preparation of work order drawings, postings of the work order and cable data in the appropriate databases for inventory and provisioning purposes, excavation to expose existing subsurface facilities, pulling the Collocator-provided cable into the eligible structure, routing, securing and preparing the end for splicing or termination. Charges for this sub-element are expressed as a non-recurring charge and can be found in 13.4(A).

(B) Entrance Conduit

Any reinforced passage or opening placed for the Collocator provided facility in, on, under/over or through the ground between the SWBT CEV, Hut, or Cabinet and the Collocator structure. Rates and charges are as found in Paragraph 13.4(B) following.

(C) Power Consumption

This sub-element provides for the use of power in the Hut, CEV, or Cabinet based on the amount of mounting space that is used by the Collocator as measured in 2-inch increments. Charges for this sub-element are expressed as a recurring charge and can be found in 13.4(C).

(D) 24-Foot CEV

This sub-element provides the use of mounting space within a 24-Foot CEV. This element is expressed as a monthly rate. The charges for this sub-element is specified in 13.4(D).

(E) 16-Foot CEV

This sub-element provides the use of mounting space within a 16-Foot CEV. This element is expressed as a monthly rate. The charge for this sub-element is specified in 13.4(E).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.2 Rate Elements for SWBT CEVs, Huts and Cabinets (Continued)

(F) Maxi-Hut

This sub-element provides the use of mounting space within a Maxi-Hut. This element is expressed as a monthly rate. The charge for this sub-element is specified in 13.4(F).

(G) Mini-Hut

This sub-element provides the use of mounting space within a Mini-Hut. This element is expressed as a monthly rate. The charge for this sub-element is specified in 13.4(G).

(H) Large Cabinet

This sub-element provides the use of mounting space within a Large Cabinet. This element is expressed as a monthly rate. The charge for this sub-element is specified in 13.4(H).

(I) Medium Cabinet

This sub-element provides the use of mounting space within a Medium Cabinet. This element is expressed as a monthly rate. The charge for this sub-element is specified in 13.4(I).

(J) Small Cabinet

This sub-element provides the use of mounting space within a Small Cabinet. This element is expressed as a monthly rate. The charge for this sub-element is specified in 13.4(J).

(K) Project Coordination Fee

The project coordination fee provides for SWBT personnel to survey each requested CEV, Hut and Cabinet for availability of space for placement of copper or fiber cables as well as to determine space for any Collocator-designated equipment. This sub-element is expressed as a non-recurring charge and is specified in 13.4(K).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public

LOCAL ACCESS SERVICE

REC'D FEB 01 2002

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

Service Commission

13.3 Rates and Charges Central Offices

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(A)	Planning Fee			
(AT)	(1) Planning Fee			
	- Initial	NRB50	0.00	\$5,555.76
	- Subsequent (Interconnection Cabling)	NRMZV	0.00	2,224.49
	- Subsequent (Power Cabling)	NRMZW	0.00	2,303.84
(AT)	- Subsequent (Interconnection and Power Cabling)	NRMZX	0.00	2,882.61
(AT)	(B) Floor Space (Per Bay Framework)	SP1GK	\$28.91	\$0.00
(AT)	(C) Relay Rack (Per Rack)	SP1GL	\$22.19	\$0.00
(AT)	(D) Common Systems Material (Per Standard Bay)	C1FWU	\$10.75	\$0.00
(AT)	(Per Non-Standard Bay)	C1FWV	19.36	0.00
(AT)	(E) Real Estate			
(AT)	(1) Site Conditioning (Per Frame)	C1FWS	\$92.81	\$0.00
(AT)	(2) Safety & Security (Per Frame)	C1FWT	195.57	0.00
(AT)	(F) Entrance Fiber Placement			
	(1) Entrance Fiber Cable Placement (Per Fiber Cable Sheath)	SP1GN	\$11.01	\$1,971.42
(AT)	(2) Entrance Conduit	C1FWY	8.17	0.00
(AT)	(G) Power Arrangement			
(AT)	(1) 2-20 AMP Feeds (Per 2-20 Amp Power Feeds)	C1FWW	\$7.74	\$1,570.84
(AT)	(2) 2-50 AMP Feeds (Per 2-50 Amp Power Feeds)	C1FWX	9.57	1,954.85

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

LOCAL ACCESS SERVICE

Missouri Public
Service Commission

REC'D SEP 12 2001

I. VIRTUAL COLLOCATION (Continued)
13.0 RATE REGULATIONS (Continued)

13.3 Rates and Charges Central Offices

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(A) Planning Fee			
(1) Planning Fee			
- Initial		\$0.00	\$5,555.76
- Subsequent (Interconnection Cabling)		0.00	2,224.49
- Subsequent (Power Cabling)		0.00	2,303.84
- Subsequent (Interconnection and Power Cabling)		0.00	2,882.61
(B) Floor Space (Per Bay Framework)	CANCELLED	\$28.91	\$0.00
(C) Relay Rack (Optional) (Per Rack)	MAR 04 2002	\$22.19	\$0.00
(D) Common Systems Material	By [Signature]		
(Per Standard Bay)	Public Service Commission	\$10.75	\$0.00
(Per Non-Standard Bay)	MISSOURI	19.36	0.00
(E) Real Estate			
(1) Site Conditioning (Per Frame)		\$92.81	\$0.00
(2) Safety & Security (Per Frame)		195.57	0.00
(F) Entrance Fiber Placement			
(1) Entrance Fiber Cable Placement (Per Fiber Cable Sheath)		\$11.01	\$1,971.42
(2) Entrance Conduit		8.17	0.00
(G) Power Arrangement			
(1) 2-20 AMP Feeds (Per 2-20 Amp Power Feeds)		\$7.74	\$1,570.84
(2) 2-50 AMP Feeds (Per 2-50 Amp Power Feeds)		9.57	1,954.85

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01 - 298
FILED OCT 12 2001

Missouri Public

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

REC'D FEB 01 2002

13.0 RATE REGULATIONS (Continued)

Service Commission

13.3 Rates and Charges Central Offices

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(AT)	(H) Power Consumption			
	(1) DC Power Per AMP	C1FWA	\$10.61	\$0.00
(AT)	(2) Heating Ventilating, and Air Conditioning (Per 10 Amps)	SP11T	14.62	0.00
(AT)	(3) Ground Cable Arrangement (Per Frame)	SP1GT	0.36	0.00
(AT)	(I) Voice Grade Interconnection			
(AT)	Arrangement (Non-Shielded)	C1FWZ		
	(Shielded)	C1FW1		
	(Per 100 Pairs)		\$4.94	\$1,481.37
(AT)	(J) DS1 Interconnection Arrangements to DCS (Per 28 DS1s)	SP1GV	\$297.44	\$4,067.27
(AT)	(K) DS1 Interconnection Arrangement to DSX (Per 28 DS1s)	SP1GW	\$9.79	\$1,800.69
(AT)	(L) DS3 Interconnection Arrangement to DCS (Per DS3)	SP1GX	\$115.59	\$2,635.79

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri**Missouri Public**

FILED MAR 04 2002

Service Commission

LOCAL ACCESS SERVICE

Missouri Public
Service Commission

REC'D SEP 12 2001

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.3 Rates and Charges Central Offices

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(H) Power Consumption			
(1) DC Power Per AMP		\$10.61	\$0.00
(2) Heating Ventilating, and Air Conditioning (Per 10 Amps)		14.62	0.00
(3) Ground Cable Arrangement (Per Frame)		0.36	0.00
(I) Voice Grade Interconnection Arrangement (Non-Shielded or Shielded) (Per 100 Pairs)		\$4.94	\$1,481.37
(J) DS1 Interconnection Arrangements to DCS (Per 28 DS1s)		\$297.44	\$4,067.27
(K) DS1 Interconnection Arrangement to DSX (Per 28 DS1s)		\$9.79	\$1,800.69
(L) DS3 Interconnection Arrangement to DCS (Per DS3)		\$115.59	\$2,635.79

CANCELLED

MAR 04 2002

By *GR809*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01-298
FILED OCT 12 2001

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

REC'D FEB 01 2002

13.0 RATE REGULATIONS (Continued)

Service Commission

13.3 Rates and Charges Central Offices (Continued)

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(M)	DS3 Inteconnection			
(AT)	Arrangement to DSX (Per DS3)	SP1GY	\$7.14	\$1,058.10
(N)	Fiber Interconnection			
(AT)	Arrangement (12 Fibers)	SP1GZ	\$6.55	\$1,996.19
(O)	Collocation-to-Collocation Connection			
(AT)	(1) Fiber Cable (12 Fibers) - SWBT Provides Cable and Installs	C1FXW	\$3.32	\$1,095.09
(AT)	(2) Copper Cable (28 DS1s) - SWBT Provides Cable and Installs	C1FXU	\$3.34	\$930.53
(AT)	(3) Coax Cable (1 DS3) - SWBT Provides Cable and Installs	C1FXZ	\$3.26	\$706.77
(AT)	(4) Cable Racking and Hole - For Optical (Per Cable)	C1FW2	\$0.90	\$0.00
	- DS1 (Per Cable)	C1FW3	0.49	0.00
(AT)	- DS3 (Per Cable)	C1FW4	0.35	0.00

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

LOCAL ACCESS SERVICE

Missouri Public
Service Commission

REC'D SEP 12 2001

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.3 Rates and Charges Central Offices (Continued)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(M) DS3 Inteconnection			
Arrangement to DSX (Per DS3)		\$7.14	\$1,058.10
(N) Fiber Interconnection			
Arrangement (12 Fibers)		\$6.55	\$1,996.19
(O) Collocation-to-Collocation Connection			
(1) Fiber Cable (12 Fibers)			
- SWBT Provides Cable and Installs		\$3.32	\$1,095.09
(2) Copper Cable (28 DS1s)			
- SWBT Provides Cable and Installs		\$3.34	\$930.53
(3) Coax Cable (1 DS3)			
- SWBT Provides Cable and Installs		\$3.26	\$706.77
(4) Cable Racking and Hole			
- For Optical (Per Cable)		\$0.90	\$0.00
- DS1 (Per Cable)		0.49	0.00
- DS3 (Per Cable)		0.35	0.00

CANCELLED

MAR 04 2002
By *LSRS 30*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission

01 - 298
FILED OCT 12 2001

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

REC'D FEB 01 2002

13.0 RATE REGULATIONS (Continued)

Service Commission

13.3 Rates and Charges Central Offices (Continued)

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(O)	Virtual Collocation-to-Virtual Collocation Connection (Continued)			
(AT)	(5) Route Design	NRMZH	0.00	463.36
(P)	Timing Source Arrangement			
(AT)	- Timing Lead (1 pair per circuit)	SPIQS	\$0.08	\$14.81
(AT)	(per linear foot per pair)			
(AT)	- Bits Timing (Per two circuits)	SPIQT	3.58	698.82
(Q)	Training			
(AT)	(1) Communications Technician, per ½ hour	NRMZP	\$0.00	\$39.21
(AT)	(2) C.O. Manager, per ½ hour	NRMZQ	0.00	39.45
(AT)	(3) Power Engineer, per ½ hour	NRMZR	0.00	38.47
(AT)	(4) Equipment Engineer, per ½ hour	NRMZS	0.00	38.47
(R)	Maintenance and Repair Rates			
(AT)	(1) Staffed CO During Attended Hours			
(AT)	- Each ¼ hour	NRMZJ	\$0.00	\$15.15
(AT)	(2) Staffed CO During Unattended Hours			
(AT)	- Initial 4 Hours	NRMZK	0.00	242.35
(AT)	- Each Additional ¼ hour	NRMZL	0.00	15.15
(AT)	(3) Not Staffed CO/RT During Normal Business Day			
(AT)	- Each ¼ hour	NRMZM	0.00	15.15

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri**Missouri Public**

FILED MAR 04 2002

Service Commission

LOCAL ACCESS SERVICE

Missouri Public
Service Commission

VIRTUAL COLLOCATION (Continued)

REC'D SEP 12 2001

13.0 RATE REGULATIONS (Continued)

13.3 Rates and Charges Central Offices (Continued)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(O) Virtual Collocation-to-Virtual Collocation Connection (Continued)			
(5) Route Design		0.00	463.36
(P) Timing Source Arrangement			
- Timing Lead (1 pair per circuit) (per linear foot per pair)		\$0.08	\$14.81
- Bits Timing (Per two circuits)		3.58	698.82
(Q) Training			
(1) Communications Technician, per 1/2 hour		\$0.00	\$39.21
(2) C.O. Manager, per 1/2 hour		0.00	39.45
(3) Power Engineer, per 1/2 hour		0.00	38.47
(4) Equipment Engineer, per 1/2 hour		0.00	38.47
(R) Maintenance and Repair Rates			
(1) Staffed CO During Attended Hours			
- Each 1/4 hour		\$0.00	\$15.15
(2) Staffed CO During Unattended Hours			
- Initial 4 Hours		0.00	242.35
- Each Additional 1/4 hour		0.00	15.15
(3) Not Staffed CO/RT During Normal Business Day			
- Each 1/4 hour		0.00	15.15

CANCELLED

MAR 04 2002
By *LSRS 31*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01-298
FILED OCT 12 2001

LOCAL ACCESS SERVICE

Missouri Public

VIRTUAL COLLOCATION (Continued)

REC'D FEB 01 2002

13.0 RATE REGULATIONS (Continued)

Service Commission

13.3 Rates and Charges (Continued)

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(R)	Maintenance and Repair Rates (continued)			
	(4) Not-Staffed CO/RT During Non-Normal Business Day			
(AT)	- Initial 4 Hours	NRMZN	0.00	242.35
(AT)	- Each Additional ¼ hour	NRMZO	0.00	15.15
(S)	Equipment Evaluation Cost			
(AT)	- Each ½ hour	NRMZT	0.00	38.47
(T)	Test and Acceptance			
(AT)	- Each ½ hour	NRMZU	0.00	39.21
	13.4 Rates and Charges CEVs, Huts and Cabinets			
(A)	Entrance Fiber Cable Placement			
(AT)	Fiber (per cable)	SP18F	\$0.00	\$53.58
(B)	Entrance Conduit			
(AT)	(Per Fiber Cable Sheath)	SP18G	2.61	0.00
(C)	Power Consumption			
(AT)	(Per 2-inch mounting space)	SPIQK	1.27	0.00

Issued: February 1, 2002.

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

LOCAL ACCESS SERVICE

Missouri Public
Service Commission

REC'D SEP 12 2001

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.3 Rates and Charges (Continued)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(R) Maintenance and Repair Rates (continued)			
(4) Not-Staffed CO/RT During Non-Normal Business			
Day			
- Initial 4 Hours		0.00	242.35
- Each Additional ¼ hour		0.00	15.15
CANCELLED			
(S) Equipment Evaluation Cost			
- Each ½ hour		0.00	38.47
(T) Test and Acceptance			
- Each ½ hour		0.00	39.21
MAR 04 2002 By <i>LSRS32</i> Public Service Commission MISSOURI			
13.4 Rates and Charges CEVs, Huts and Cabinets			
(A) Entrance Fiber Cable Placement			
Fiber (per cable)		\$0.00	\$53.58
(B) Entrance Conduit			
(Per Fiber Cable Sheath)		2.61	0.00
(C) Power Consumption			
(Per 2-inch mounting space)		1.27	0.00

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission

01-298
FILED OCT 12 2001

LOCAL ACCESS SERVICE

Missouri Public

VIRTUAL COLLOCATION (Continued)

REC'D FEB 01 2002

13.0 RATE REGULATIONS (Continued)

Service Commission

13.4 Rates and Charges CEVs, Huts and Cabinets (continued)

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(AT)	(D) 24-Foot CEV (Per 2-inch mounting space)	SP1Q5	1.64	0.00
(AT)	(E) 16-Foot CEV (Per 2-inch mounting space)	SP1Q6	1.77	0.00
(AT)	(F) Maxi-Hut (Per 2-inch mounting space)	SP1Q3	0.77	0.00
(AT)	(G) Mini-Hut (Per 2-inch mounting space)	SP1Q4	1.33	0.00
(AT)	(H) Large Cabinet (Per 2-inch mounting space)	SP1QZ	1.63	0.00
(AT)	(I) Medium Cabinet (Per 2-inch mounting space)	SP1Q1	2.19	0.00
(AT)	(J) Small Cabinet (Per 2-inch mounting space)	SP1Q2	3.29	0.00
(AT)	(K) Project Coordination Fee (Per CLEC Application/Augment)	NRB1G	0.00	631.17

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

13.0 RATE REGULATIONS (Continued)

13.4 Rates and Charges CEVs, Huts and Cabinets (continued)

(D) 24-Foot CEV (Per 2-inch mounting space)	1.64	0.00
(E) 16-Foot CEV (Per 2-inch mounting space)	1.77	0.00
(F) Maxi-Hut (Per 2-inch mounting space)	0.77	0.00
(G) Mini-Hut (Per 2-inch mounting space)	1.33	0.00
(H) Large Cabinet (Per 2-inch mounting space)	1.63	0.00
(I) Medium Cabinet (Per 2-inch mounting space)	2.19	0.00
(J) Small Cabinet (Per 2-inch mounting space)	3.29	0.00
(K) Project Coordination Fee (Per CLEC Application/Augment)	0.00	631.17

CANCELLED
MAR 04 2002
By *SKR 33*
Public Service Commission
MISSOURI

Missouri Public
Service Commission

REC'D SEP 12 2001

Issued: September 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Effective: October 12, 2001

Missouri Public
Service Commission
01-298

REC'D OCT 12 2001

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

14.0 ALTERNATIVE VIRTUAL COLLOCATION ARRANGEMENT DESCRIPTION

Virtual collocation wherein the Collocator maintains and repairs the virtually collocated equipment.

For purposes of virtually collocating equipment, SWBT shall determine which Eligible Structures require access to CEVs, Huts, or manholes containing concentrated cabling and other forms of equipment that requires drawings, schematics, or other engineering documents that aide in the prevention of accidental network outages. The drawings, schematics, or other engineering documents shall denote the location of the requesting Collocator's equipment and cabling without disclosing identity of equipment and cabling belonging to SWBT and other Collocators. Provided that SWBT is not required to make this determination prior to an executed agreement to virtually collocate in an Eligible Structure.

After Collocator has been provided with written notification by SWBT that access to CEVs, Huts, or manholes containing concentrated cabling and other forms of equipment requires drawings, schematics, or other engineering documents that aide in the prevention of accidental network outages, Collocators may not enter an Eligible Structures without obtaining undated copies of drawings, schematics, or other engineering documents. Upon request, SWBT shall immediately make available to Collocators those drawings, schematics, or other engineering documents that identify the location of the requesting Collocator's equipment and cabling. In the event the requested documents are not immediately available, SWBT shall not prevent the Collocator from entering the Eligible Structure. If SWBT does not immediately make the requested documents available to a Collocator and the Collocator enters the eligible structure, SWBT shall deliver the requested documents to Collocator immediately upon locating same.

SWBT will provide a security escort with the Collocator paying the expense for the escort. In areas defined in SWBT's local exchange tariff as rate groups C and D, SWBT will provide the security escort within one (1) hour of notification by the Collocator. In areas defined in SWBT's local exchange tariff as rate A and B, SWBT will provide the security escort as soon as reasonably possible, or within the time frame agreed to by the parties, at the time of notice. In the event the FCC determines that SWBT may not require a security escort paid for by the Collocator, then this virtual collocation maintenance alternative as described in this Paragraph 14.0 and in Paragraph 1.0(2) is null and void, and all virtual collocation will be maintained by SWBT as described in Paragraph 1.0(1).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

**14.0 ALTERNATIVE VIRTUAL COLLOCATION ARRANGEMENT DESCRIPTION
(continued)**

Prior to entering an Eligible Structure that requires drawings, schematics, or other engineering documents, Collocators must provide SWBT with reasonable notice of the entry. Notice will be provided to SWBT's Local Operations Center, which will be available to receive notice 24 hours a day, 7 days a week. Collocators providing notice to SWBT's Local Operations Center must specify the title and date of all drawings, schematics, or other engineering documents that will be used while in the Eligible Structure.

The Collocator shall conduct background checks of the technicians who have access to the collocation space. Collocator technicians will be security qualified by the Collocator and will be required to be knowledgeable of SWBT security standards. Disciplinary procedures shall be established in accordance with Section 15.3 to ensure the safety and integrity of the Eligible Structure, including, e.g., procedures that require the responsible employee to be terminated for certain specified actions that damage or place the equipment of SWBT or other Collocators in jeopardy.

SWBT may use security devices, e.g., identification swipe cards, keyed access, and/or logs, as appropriate for the Eligible Structure where collocation will take place.

The Commission will permit SWBT to recover the cost of such security devices from the Collocators in a reasonable manner. The Collocator shall provide indemnification and insurance to cover any damages caused by the Collocator's technicians at a level commensurate with the indemnification and insurance provided by SWBT equipment suppliers with equivalent access.

Provisioning of equipment required for virtual collocation, e.g., power arrangements and interconnection arrangements will be provided in accordance with this tariff and interconnection agreements.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

15.0 OBLIGATIONS OF THE COLLOCATOR

15.1 Indemnification of SWBT

Except as otherwise provided and to the extent not contradicted herein, the indemnity provisions of the Interconnection Agreement between SWBT and the Collocator shall apply and are incorporated herein by this reference. However, in no event will the provisions in this section supersede or override the indemnification provisions contained in the interconnection agreement between SWBT and Collocator. Additionally, in the event of a conflict between indemnification provisions in the interconnection agreement and the Tariff, the provisions in the interconnection agreement will control.

Collocators shall indemnify and hold harmless SWBT the agents, employees, officers, directors and shareholders of any of them ("Indemnities"), from and against any and all liabilities, obligations, claims, causes of action, fines, penalties, losses, costs, expenses (including court costs and reasonable attorney's fees), damages, injuries, of any kind, (individually and collectively "Liabilities"), including but not limited to, Liabilities as a result of (a) injury to or death of any person; (b) damage to or loss or destruction of any property; or (c) Liabilities related in any manner to employee benefits, workers compensation, payroll tax, and any other employer obligations which may be asserted against SWBT where such liabilities arise in connection with Collocator's use of persons that it classifies as an independent contractor or subcontractor to perform obligations under this Tariff; (d) attachments, liens or claims of material persons or laborers arising out of or resulting from or in connection with this Tariff or the performance of or failure to perform and directly or indirectly caused, in whole or part, by acts of omissions, negligent or otherwise, of Collocator or a contractor or a representative of Collocator or an employee of any one of them, except to the extent such Liabilities arise from the negligence or willful or intentional misconduct of SWBT or its employees. The provisions in this section are reciprocal and applicable also to SWBT.

SWBT shall make best efforts to promptly notify Collocator of any suit or other legal proceeding asserting a claim for Liabilities. Upon request, Collocator shall, at no cost or expense to the Indemnitee, defend any such suit or legal proceeding asserting a claim for Liabilities, and Collocator shall pay any costs and attorneys' fees that may be incurred by any Indemnitee in connection with any such claim, proceeding or suit. Collocator shall also (a) keep SWBT and any other Indemnitee subject to any such claim fully informed as to the progress of such defense, and (b) afford SWBT and such Indemnitee, each at its own expense, an opportunity to participate on an equal basis with Collocator in the defense or settlement of any such claim.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

15.0 OBLIGATIONS OF THE COLLOCATOR (Continued)

15.2 Insurance

The Collocator agrees to maintain, at all times, the following minimum insurance coverages and limits and any additional insurance and/or bonds required by law:

- (A) Workers' Compensation insurance with benefits afforded under the laws of the State of Missouri and Employers Liability insurance with minimum limits of \$100,000 for Bodily Injury-each accident, \$500,000 for Bodily Injury by disease-policy limits and \$100,000 for Bodily Injury by disease-each employee.
- (B) Commercial General Liability insurance with minimum limits of: \$2,000,000 General Aggregate limit; \$1,000,000 each occurrence sub-limit for all bodily injury or property damage incurred in any one occurrence; \$1,000,000 each occurrence sub-limit for Personal Injury and Advertising; \$2,000,000 Products/Completed Operations Aggregate limit, with a \$1,000,000 each occurrence sub-limit for Products/Completed Operations. Fire Legal Liability sub-limits of \$300,000 are required for lease agreements. SWBT will be named as an Additional Insured on the Commercial General Liability policy.
- (C) If use of an automobile is required, Automobile Liability insurance with minimum limits of \$1,000,000 combined single limits per occurrence for bodily injury and property damage, which coverage shall extend to all owned, hired and non-owned vehicles.

SWBT requires that companies affording insurance coverage have a B+ VII or better rating, as rated in the A.M. Best Key rating Guide for Property and Casualty Insurance Companies.

A certificate of insurance stating the types of insurance and policy limits provided the Collocator must be received prior to commencement of any work. The insurance provisions and requirements are reciprocal to SWBT as well. If a certificate is not received, SWBT will notify the Collocator and the Collocator will have 5 business days to cure the deficiency. If the Collocator does not cure the deficiency within 5 business days, Collocator hereby authorizes SWBT, and SWBT may, but is not required to, obtain insurance on behalf of the Collocator as specified herein. SWBT will invoice Collocator for the costs incurred to so acquire insurance.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

15.0 OBLIGATIONS OF THE COLLOCATOR (Continued)

15.2 Insurance (Continued)

The cancellation clause on the certificate of insurance will be amended to read as follows:

"SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED OR MATERIALLY CHANGED, THE ISSUING COMPANY WILL MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER."

The Collocator shall also require all contractors who may enter the Eligible Structure to maintain the same insurance requirements listed above.

Self-insurance in lieu of the insurance requirements listed preceding shall be permitted if the Collocator 1) has a tangible net worth of Fifty (50) Million dollars or greater, and 2) files a financial statement annually with the Securities and Exchange Commission and/or having a financial strength rating of 4A or 5A assigned by Dun & Bradstreet. The ability to self-insure shall continue so long as the Collocator meets all of the requirements of this Paragraph. If the Collocator subsequently no longer satisfies this Paragraph, the coverage requirements described above shall immediately apply.

15.3 Conduct While in SWBT Eligible Structures

Collocators and SWBT will each establish disciplinary procedures up to and including dismissal or denial of access to the Eligible Structure and other SWBT property for certain specified actions that damage, or place the equipment, facilities, or the network or the personnel of the Collocators or SWBT in jeopardy. The following are actions that could damage or place the Eligible Structure, or the network or the personnel of the Collocators or SWBT in jeopardy and may justify disciplinary action up to and including dismissal or the denial of access to the Eligible Structure and other SWBT property:

- (a) Theft or destruction of SWBT's or Collocator's property;
- (b) Use/sale or attempted use/sale of alcohol or illegal drugs on SWBT property;
- (c) Threats or violent acts against other persons on SWBT property;
- (d) Knowing violations of any local, state or federal law on SWBT property;

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

15.0 OBLIGATIONS OF THE COLLOCATOR (Continued)

15.3 Conduct While in SWBT Eligible Structures (Continued)

- (e) Permitting unauthorized persons access to SWBT or Collocator's equipment on SWBT property; and

Carrying a weapon on SWBT property.

In addition, Collocator and SWBT will take appropriate disciplinary steps as determined by each party to address any violations reported by SWBT or the Collocator of SWBT's policies and practices on security, safety, network reliability, and business conduct as defined in SWBT's Interconnector's Collocation Services Handbook for Virtual Collocation in Missouri, provided the Handbook and any and all updates to it are timely provided to Collocator at no charge.

16.0 COOPERATIVE RESPONSIBILITIES

16.1 Qualification of Collocators

Collocator technicians will be security qualified by the Collocator and will be required to be knowledgeable of SWBT security standards. Collocator personnel and technicians will undergo the same level of security training, or its equivalent that SWBT's own employees and authorized contractors must undergo. SWBT will not, however, require Collocators to receive security training from SWBT, but will provide information to Collocators on the specific type of training required. Collocators can then provide their employees with their own security training. Qualification program and security training details shall be included in SWBT's Interconnector's Collocation Services Handbook for Virtual Collocation in Missouri.

17.0 RATE REGULATIONS

The rate regulations, rate element descriptions and rates and charges included in 13.0 preceding apply to this virtual collocation alternative wherein the Collocator maintains and repairs the virtually collocated equipment. Additional rate elements and rates apply to this alternative as provided for below.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

17.0 RATE REGULATIONS (Continued)

17.1 Rate Elements for SWBT Offices

(A) This security escort charge consists of the charges for SWBT-provided security escorts for Collocator Vendor's access to their virtual collocation space in Staffed and Unstaffed Central Offices. Any escort requirements will be initiated by the Collocator. Labor rates are based upon a ¼ hour basis and are dependent upon day of week and time of day. For purposes of this tariff, normal week day is defined as 8:00 a.m. through 5:00 p.m., Monday through Friday, excluding holidays. The billing period will start at the time the technician is contacted. This will allow for travel time to reach the agreed meet point. Access requests outside of normal business hours or for unstaffed Central Offices which are cancelled will be subject to the minimum four (4) hour call out charge. Non-recurring charges for this sub-element are specified in 17.3(A) following.

17.2 Rate Elements for SWBT CEVs, Huts and Cabinets

(A) Security Escorts

The security escort charge consists of the charges for SWBT-provided security escorts for Collocator Vendor's access to their virtual collocation space in CEVs, Huts and Cabinets. Any escort requirements will be initiated by the Collocator. Labor rates are based upon a ¼ hour basis. The billing period will start at the time the technician is contacted. This will allow for travel time to reach the agreed meet point. Access requests which are cancelled will be subject to the minimum four (4) hour call out charge. Rates and charges are as found in 17.4(A).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

Missouri Public

VIRTUAL COLLOCATION (Continued)

REC'D FEB 01 2002

17.0 RATE REGULATIONS (Continued)

Service Commission

17.3 Rates and Charges Central Offices

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(A)	Security Escorts Per visit			
	(1) Staffed Building			
	- Access during normal business hours			
(AT)	- Each ¼ hour	NRMZJ	\$0.00	\$15.15
(AT)	- Each additional ¼ hour	NRMZJ	0.00	15.15
	- Access outside normal business hours			
(AT)	- 4 hour minimum	NRMZK	0.00	242.35
(AT)	- Each additional ¼ hour	NRMZL	0.00	15.15
	(2) Unstaffed Building			
	- Access during normal business hours			
(AT)	- Each ¼ hour	NRMZM	0.00	15.15
(AT)	- Each additional ¼ hour	NRMZM	0.00	15.15
	- Access outside normal business hours			
(AT)	- 4 hour minimum	NRMZN	0.00	242.35
(AT)	- Each additional ¼ hour	NRMZO	0.00	15.15

17.4 Rates and Charges

CEVs, Huts and Cabinets

(A)	Security Escorts, per visit			
(AT)	4 hours minimum	NRMZK	00.00	242.35
(AT)	Each additional ¼ hour	NRMZL	00.00	15.15

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

17.0 RATE REGULATIONS (Continued)

17.3 Rates and Charges Central Offices

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(A) Security Escorts Per visit			
(1) Staffed Building			
- Access during normal business hours			
- Each ¼ hour		\$0.00	\$15.15
- Each additional ¼ hour		0.00	15.15
- Access outside normal business hours			
- 4 hour minimum		0.00	242.35
- Each additional ¼ hour		0.00	15.15
(2) Unstaffed Building			
- Access during normal business hours			
- Each ¼ hour		0.00	15.15
- Each additional ¼ hour		0.00	15.15
- Access outside normal business hours			
- 4 hour minimum		0.00	242.35
- Each additional ¼ hour		0.00	15.15

17.4 Rates and Charges

CEVs, Huts and Cabinets

(A) Security Escorts, per visit			
4 hours minimum		00.00	242.35
Each additional ¼ hour		00.00	15.15

CANCELLED

MAR 04 2002
By *[Signature]*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01-298
FILED OCT 12 2001

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

18.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities

When the Collocator selects the option to provide, install, and terminate their interconnection and power cabling with an SWBT Approved Vendor, the following paragraphs will apply. However, the terms and conditions within CDOW are not comprehensive. There are terms and conditions from the preceding sections of this same tariff that still apply for CDOW for rate elements that are not specifically addressed within Sections 18 and 19 following.

- 18.1 The Collocator has the option to provide, install and terminate its interconnection cabling between the Collocator's Dedicated Space and the SWBT Main Distribution Frame or its equivalent by an SWBT Approved Vendor. This option is only available if Collocator does all three (3) activities associated with interconnection cabling: provide, install and terminate. The Collocator may not elect to do some but not all the activities. Collocator must indicate on its virtual collocation application that it has selected this option to apply to all interconnection cabling requested on the application. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its power cable leads described in Section 18.2. If Collocator selects this option, SWBT will install and stencil termination blocks or panels at SWBT Main Distribution Frame or its equivalent for the handoff of the Actual Point of Termination (APOT) Connection(s) to the Collocator's SWBT Approved Vendor. Intervals and provisioning for this offering is found in Section 18.3.1 through 18.3.5. The Collocator's SWBT Approved Vendor must obtain an approved Method Procedures (MOP) from SWBT and follow SWBT's Technical Publication TP 76300MP for installation of equipment and facilities;
- 18.2 The Collocator has the option to provide, install and terminate its power cable leads between the Collocator's Dedicated Space and SWBT's Battery Distribution Fuse Bay (BDFB) by an SWBT Approved Power Installation Vendor. When the SWBT designated power termination point is at the Power Plant Primary Distribution, the Collocator's SWBT Approved Power Installation Vendor will provide and install the power cable leads, but not terminate. The Collocator must contact the SWBT Project manager five (5) business days prior to scheduling a request for the termination of the Collocator's power cable leads to the SWBT Power Plant Primary Distribution, which will be performed by SWBT. This option is only available if the Collocator does all three (3) activities associated with the power cable lead unless described otherwise within this Section. The Collocator may not elect to do some but not all the activities unless otherwise permitted in this section. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its interconnection cabling described in Section 18.1. Intervals and provisioning for this offering is found in Section 18.3.1 through 18.3.5. The Collocator's SWBT Approved Power Installation Vendor must obtain an approved Method of Procedures (MOP) from SWBT and follow SWBT's Technical Publication TP 76300MP for installation of equipment and facilities.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

18.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)

18.3 Intervals and Provisioning

18.3.1 Implementation Intervals (Collocator Installs Interconnection and Power Cabling)

SWBT will provide Virtual Collocation arrangements in Eligible Structures on a “first-come, first-served” basis. The determination whether there is sufficient space to accommodate Virtual Collocation at a particular Eligible Structure will be made initially by SWBT. SWBT will notify Collocator as to whether its request for space has been granted or denied due to a lack of space within ten (10) calendar days from receipt of a Collocator's accurate and complete Virtual Collocation Application. If SWBT determines that Collocator's Virtual Collocation Application is unacceptable, SWBT shall advise Collocator of any deficiencies within this ten (10) calendar day period. SWBT shall provide Collocator with sufficient detail so that Collocator has a reasonable opportunity to cure each deficiency. To retain its place in the queue to obtain the Virtual Collocation arrangement, Collocator must cure any deficiencies in its Application and resubmit such Application within ten (10) calendar days after being advised of the deficiencies. Any changes to the amount or type of floor space, interconnection terminations, and power requested from the originally submitted Virtual Collocation Application will not be considered a deficiency, but rather as a new Virtual Collocation Application with a new ten (10) calendar day space notification and a new delivery interval. The delivery intervals set forth in this Section 18.3 is for new and augment Virtual Collocation Applications and apply only when the Collocator installs interconnection and power cabling.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

18.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)

18.3 Intervals and Provisioning (cont'd)

18.3.1 The delivery interval relates to the period in which SWBT shall construct and turnover to the Collocator's SWBT Approved Vendor the requested Virtual Collocation Space. The delivery interval begins on the date SWBT receives a complete and accurate Virtual Collocation Application from the Collocator. The Collocator must provide the SWBT, within seven (7) calendar days from the date of notification granting the application request, a confirmatory response in writing to continue construction along with the fifty percent (50%) payment of non-recurring charges (unless payment was received with application) or the delivery interval provided in table below will not commence until such time as SWBT has received such response and payment. If the Collocator has not provided SWBT such response and payment by the twelfth (12th) calendar day after the date SWBT notified Collocator its request has been granted, the application will be canceled. Dedicated space is not reserved until SWBT's receipt of the confirmatory response in writing from the Collocator with applicable fees. The delivery in from the Collocator with applicable fees. The delivery interval for Virtual Collocation is determined by SWBT taking into consideration the various factors set forth in Table (1) below including, without limitation, the number of all Virtual Collocation Applications submitted by Collocator and the need for additional preparation of the space such as overhead racking, additional power or HVAC. The delivery interval assigned will be provided to the Collocator by SWBT with the ten (10) calendar day space notification. Each complete and accurate Virtual Collocation Application received by SWBT from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

Table (1)

Number of All Applications submitted by One Collocator per state or metering region	Overhead Iron/Racking Exists for Virtual Collocation Space Use	Overhead Iron/Racking Does Not Exist for Virtual Collocation Space Use	Additional Power or HVAC is Required for Virtual Collocation Space Use
1 – 10	60 calendar days	80 calendar days	180 calendar days
11-20	65 calendar days	85 calendar days	185 calendar days

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

18.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)

18.3 Intervals and Provisioning (cont'd)

18.3.1 (Continued)

Should the Collocator submit twenty-one (21) or more applications within ten (10) business days, the above delivery intervals will be increased by five (5) days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and the delivery intervals set forth in Table (1) above will be re-started. All Virtual Collocation Applications received by SWBT from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals. The Virtual Collocation delivery interval ends when roughed in and the assigned space has been distinctly marked by SWBT.

For example, but not by way of limitation, if a Collocator submits twelve (12) complete and accurate Virtual Collocation Applications in a state, the delivery intervals assigned by SWBT will depend on which variables apply within each Eligible Structure Virtual Collocation is requested:

If Applications (1-4) are for Virtual Collocation Space where overhead racking exists, the delivery intervals assigned will be sixty (60) days. If Applications (5-11) are for Virtual Collocation Space where overhead racking does not exist, the delivery intervals assigned to Applications (5-10) will be eighty (80) calendar days and Application (11) will be assigned eighty five (85) calendar days. The Virtual Collocation Application (12) was requested in an Eligible Structure that needs additional HVAC added and would be assigned one hundred and eight five (185) calendar days.

18.3.2 The second fifty percent (50%) payment must be received by SWBT prior to the space being turned over to the Collocator's SWBT_Approved Vendor. At space turnover, the Actual Point of Termination (APOT) Connection(s) will be provided to the Collocator's SWBT Approved Vendor by SWBT.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

18.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)

18.3 Intervals and Provisioning (cont'd)

18.3.3 For the following interconnection cabling Augments, the Collocator must submit a complete and accurate Virtual Collocation Application:

- 168 DS1 connections and/or
- 48 DS3 connections and/or
- 400 Copper (shielded or nonshielded) cable pair connections and/or
- 12 fiber pair connections

This application must include an up-front payment of the Application Fee and fifty percent (50%) of all applicable non-recurring charges.

The cabling Augment interval is determined by SWBT taking into consideration the various factors set forth in Table (2) below including, without limitation, the number of all Virtual Collocation Applications for the above Augments submitted by Collocator, the type of infrastructure available for collocation, and the need for additional preparation of the infrastructure such as overhead racking and additional power. The cabling Augment interval assigned will be provided to the Collocator by SWBT with the ten (10) calendar day Augment notification. Each complete and accurate Virtual Collocation Application received by SWBT from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

Table (2)

Number of All Applications submitted by One Collocator per state or metering region	Necessary Elements such as Iron/Racking and Power exist for Virtual Collocation Use	Necessary Elements such as Iron/Racking and Power does not exist for Virtual Collocation Use
1 – 10	30 calendar days	60 calendar days
11-20	35calendar days	65 calendar days

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

18.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)

18.3 Intervals and Provisioning (cont'd)

18.3.3 Should the Collocator submit twenty-one (21) or more Virtual Collocation Applications for cabling Augments within ten (10) business days, the above cabling Augment intervals will be increased by five (5) days for every five (5) additional application or fraction thereof. Any material revision to a Virtual Collocation Application for cabling Augments will be treated as a new application and the cabling Augment delivery intervals set forth in Table (2) above. All cabling Augment applications received by SWBT from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals.

For example, but not by way of limitation, if a Collocator submits twelve (12) Virtual Collocation Applications for cabling Augments in a state, the delivery intervals assigned will depend on which variables apply within each Eligible Structure requested:

If Applications (1-4) are for Virtual Collocation cabling Augments where necessary elements such as overhead racking and power exists, the delivery interval assigned will be thirty (30) calendar days. If Applications (5-12) are for Physical Collocation where necessary elements such as overhead racking and power does not exist, the delivery interval assigned to Applications (5-10) will be sixty (60) calendar days and for Applications (11-12) sixty five (65) calendar days.

18.3.4 For all Augments other than provided above, SWBT will work cooperatively with Collocator to negotiate a mutually agreeable delivery intervals.

18.3.5 Within twenty (20) calendar days or mutually agreed upon time, from SWBT's receipt of the confirmatory response in writing to continue construction on the Virtual Collocation job requested along with the 50% payment of non-recurring charges (unless payment was received with application), Network Support and/or appropriate departments will schedule a walk through visit with the CLEC and/or vendor to provide floor plans of space and the preliminary route design for the interconnection and power cabling.

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

18.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)

18.4 Rates Elements for SWBT Central Offices

A. Power Arrangement

When the Collocator selects the option to install the power cable by an SWBT Approved Power Installation vendor, only the rack occupancy and on-going maintenance of the rack charge will apply. This is expressed as a monthly rate as specified in 19.1 (A).

B. Voice Grade Interconnection

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the Voice Grade Terminal blocks at the MDF, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.1 (B).

C. DS-1 Interconnection Arrangement to DCS

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the DS-1 Port, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.1 (C).

D. DS-1 Interconnection Arrangement to DSX

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the DSX at the MDF, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.1 (D).

E. DS-3 Interconnection Arrangement to DCS

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the DS-3 Port, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.1 (E).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

18.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)

18.4 Rates Elements for SWBT Central Offices (cont'd)

F. DS-3 Interconnection Arrangement to DSX

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the DSX at the MDF, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.1 (F).

G. Fiber Interconnection Arrangement

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the Fiber terminating panel at the FDF-1 Port, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.1 (G).

H. Collocation to Collocation Connection

This rate element include virtual to virtual and virtual to physical connection options.

1. Fiber Cable

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.1 (H) (1).

2. Copper Cable

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.1 (H) (2).

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

18.0 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)

18.4 Rates Elements for SWBT Central Offices (cont'd)

3. Coax Cable

When the Collocator selects the option to provide and install the interconnection cabling by an SWBT approved vendor, the charge for on-going maintenance will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.1 (H) (3).

4. Cable Racking and Hole

This sub-element provides for cable rack space and hole for copper, coax and optical cabling between two collocation arrangements and the required terminations at each virtual collocation arrangement(s) at an Eligible Structure. This sub-element is expressed as a monthly rate specified in 19.1 (H)(4).

5. Route Design

This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a non-recurring charge and this charge is specific in 19.1 (H) (5)

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

LOCAL ACCESS SERVICE

Missouri Public

VIRTUAL COLLOCATION (Continued)

REC'D FEB 01 2002

19.0 Rates and Charges for CDOW

Service Commission

19.1 Rates and Charges for CLECs Doing own Work

The rate elements below represent the charges associated with CLEC's providing, installing, and terminating their interconnection and power cabling. However, the rates and charges within CDOW are not comprehensive. There are rates and charges from the preceding sections of this same tariff that still apply for CDOW for rate elements that are not specifically addressed within Section 19 following.

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
	A. Power Arrangements			
	(Collocator provides and installs Power Cables			
(AT)	2-20 AMP Feeds (Per 2-20 AMP power Feeds)	C1FXM	\$0.52	\$0.00
(AT)	2-50 AMP Feeds (Per 2-50 AMP power Feeds)	C1FXM	\$0.52	\$0.00
	B. Voice Grade Interconnection			
	(Collocator provides and installs Power Cabling)			
	Arrangement			
(AT)	(Non-Shielded)	C1FXN		
(AT)	(Shielded)	C1FXO		
	(Per 100 Pairs)		\$3.86	\$225.02
	C. DS1 Interconnection			
	(Collocator provides and installs cabling)			
	Arrangement to DCS			
(AT)	(Per 28 DS1s)	C1FX5	\$295.42	\$3,496.22
	D. DS1 Interconnection			
	(Collocator provides and installs cabling)			
	Arrangement to DSX			
(AT)	(Per 28 DS1s)	C1FX6	\$6.07	\$651.13

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

19.0 Rates and Charges for CDOW

19.1 Rates and Charges for CLECs Doing own Work

The rate elements below represent the charges associated with CLEC's providing, installing, and terminating their interconnection and power cabling. However, the rates and charges within CDOW are not comprehensive. There are rates and charges from the preceding sections of this same tariff that still apply for CDOW for rate elements that are not specifically addressed within Section 19 following.

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
A. Power Arrangements			
(Collocator provides and installs Power Cables			
2-20 AMP Feeds (Per 2-20 AMP power Feeds)		\$0.52	\$0.00
2-50 AMP Feeds (Per 2-50 AMP power Feeds)		\$0.52	\$0.00
B. Voice Grade Interconnection			
(Collocator provides and installs Power Cabling)			
Arrangement (Non-Shielded and Shielded)			
(Per 100 Pairs)		\$3.86	\$225.02
C. DS1 Interconnection			
(Collocator provides and installs cabling)			
Arrangement to DCS			
(Per 28 DS1s)		\$295.42	\$3,496.22
D. DS1 Interconnection			
(Collocator provides and installs cabling)			
Arrangement to DSX			
(Per 28 DS1s)		\$6.07	\$651.13

Missouri Public Service Commission

REC'D SEP 12 2001

CANCELLED

MAR 04 2002
by [Signature] SRS
Missouri Public Service Commission
MISSOURI

Issued: September 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Effective: October 12, 2001
Missouri Public Service Commission
01 - 298
FILED OCT 12 2001

LOCAL ACCESS SERVICE

Missouri Public

VIRTUAL COLLOCATION (Continued)

REC'D FEB 01 2002

19.0 Rates and Charges for CDOW (cont'd)

Service Commission

19.1 Rates and Charges (cont'd)

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
	E. DS3 Interconnection (Collocator provides and installs cabling)			
(AT)	Arrangement to DCS (Per DS3)	C1FXR	\$115.30	\$2,186.12
	F. DS3 Interconnection (Collocator provides and installs cabling)			
(AT)	Arrangement to DSX (Per DS3)	C1FXS	\$5.69	\$204.42
	G. Fiber Interconnection (Collocator provides and installs cabling)			
(AT)	Arrangement (12 Fibers)	C1FXT	\$10.47	\$152.71

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

LOCAL ACCESS SERVICE

VIRTUAL COLLOCATION (Continued)

19.0 Rates and Charges for CDOW (cont'd)

19.1 Rates and Charges (cont'd)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
E. DS3 Interconnection (Collocator provides and installs cabling)			
Arrangement to DCS (Per DS3)		\$115.30	\$2,186.12
F. DS3 Interconnection (Collocator provides and installs cabling)			
Arrangement to DSX (Per DS3)		\$5.69	\$204.42
G. Fiber Interconnection (Collocator provides and installs cabling)			
Arrangement (12 Fibers)		\$10.47	\$152.71

Missouri Public
Service Commission

REC'D SEP 12 2001

CANCELLED

MAR 04 2002

by *LSR 852*
Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission

01 - 298
FILED OCT 12 2001

LOCAL ACCESS SERVICE

Missouri Public

VIRTUAL COLLOCATION (Continued)

REC'D FEB 01 2002

19.0 Rates and Charges for CDOW (cont'd)

Service Commission

19.1 Rates and Charges (cont'd)

		<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
	H. Collocation to Collocation Connection			
(AT)	1. Fiber Cable (12 Fibers) Collocator Provides Cable and Installs	C1FW7	\$0.81	\$0.00
(AT)	2. Copper Cable (28 DS1s) Collocator Provides Cable and Installs	C1FW5	\$0.41	\$0.00
(AT)	3. Coax Cable (1 DS3) Collocator Provides Cable and Installs	C1FW6	\$0.27	\$0.00
(AT)	4. Cable Racking and Hole			
	- For Optical, per cable	C1FW2	\$0.90	\$0.00
(AT)	- DS1, per cable	C1FW3	\$0.49	\$0.00
(AT)	- DS3, per cable	C1FW4	\$0.35	\$0.00
(AT)	5. Route Design	NRMZH	\$0.00	\$463.36

Issued: February 1, 2002

Effective: March 4, 2002

By JAN NEWTON, President-Missouri
 Southwestern Bell Telephone Company
 St. Louis, Missouri

Missouri Public

FILED MAR 04 2002

Service Commission

LOCAL ACCESS SERVICE

Missouri Public
Service Commission

REC'D SEP 12 2001

VIRTUAL COLLOCATION (Continued)

19.0 Rates and Charges for CDOW (cont'd)

19.1 Rates and Charges (cont'd)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
H. Collocation to Collocation Connection			
1. Fiber Cable (12 Fibers) Collocator Provides Cable and Installs		\$0.81	\$0.00
2. Copper Cable (28 DS1s) Collocator Provides Cable and Installs		\$0.41	\$0.00
3. Coax Cable (1 DS3) Collocator Provides Cable and Installs		\$0.27	\$0.00
4. Cable Racking and Hole			
- For Optical, per cable		\$0.90	\$0.00
- DS1, per cable		\$0.49	\$0.00
- DS3, per cable		\$0.35	\$0.00
5. Route Design		\$0.00	\$463.36

CANCELLED

MAR 04 2002

154853
Missouri Public Service Commission
MISSOURI

Issued: September 12, 2001

Effective: October 12, 2001

By JAN NEWTON, President-Missouri
Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public
Service Commission
01-298
FILED OCT 12 2001