ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
 - 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (D) Uniform Call Distribution Arrangement

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(E) Nonhunting Number for Use with Hunt Group or Uniform Call Distribution

Arrangement

This option provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(F) <u>Automatic Number Identification (ANI)</u>

This option provides the automatic transmission of a seven or ten digit number and information digits to the customer's premises for calls originating in the exchange, to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and a customer's premises or, where technically feasible, with (2) all individual transmission paths in a trunk group between an end office and an access tandem, and trunk group between an access tandem and a customer's premises.

ISSUED: March 30, 2007 Mark D. Harper Director - State Regulatory 5454 W. 110th Street Overland Park, Kansas 66211



ACCESS SERVICE

First Revised Page 204
Cancels Original Page 204

6. Switched Access Service (Cont'd)

NOV 2 CES

6.3 <u>Local Switching Optional Features</u> (where equipment is available)

(Cont'd)

MO. FUULIS DAMAGE MATTE

(T)

(D)

(D)

(D) <u>Uniform Call Distribution Arrangement</u>

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(E) Nonhunting Number for Use with Hunt Group or Uniform Call
Distribution Arrangement

This option provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(F) <u>Automatic Number Identification (ANI)</u>

This option provides the automatic transmission of a seven or ten digit number and information digits to the customer's premises for calls originating in the exchange, to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and a customer's premises or, where technically feasible, with (2) all individual transmission paths in a trunk group between an end office and an access tandem, and trunk group between an access tandem and a customer's premises.

FILED

NOV 7 1393 93 - 181 Mo. Public Service Comm.

ISSUED: November 3, 1993 BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211 EFFECTIVE: November 7, 1993

Ori MECENED

ACCESS SERVICE

SEP 17 1992

6. <u>Switched Access Service</u> (Cont'd)

MISSOURI
Fublic Service Commission

- 6.3 <u>Common Switching and Transport Termination Optional Features</u> (where equipment is available) (Cont'd)
 - 6.3.1 Common Switching Optional Features
 (where equipment is available (Cont'd)
 - (D) <u>Uniform Call Distribution Arrangement</u>

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(E) Nonhunting Number for Use with Hunt Group or Uniform Call Distribution Arrangement

This option provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(F) Automatic Number Identification (ANI)

This option provides the automatic transmission of a seven or ten digit number and information digits to the customer's premises for calls originating in the exchange, to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and a customer's premises or, where technically feasible, with (2) all individual transmission paths in a trunk group between an end office and an access tandem, and trunk group between an access tandem and a customer's premises.

CANCELLED

NOV 7 1943 # 204

FLED

Public Service Commission

NOV 7 1992

MO. PULLE SELVER COLLING.

ISSUED: September 17, 1992 BY: John L. Roé Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE:

OBJUSTICATION 1997

(C)

(C)

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
 - 6.3 Local Switching Optional Features (where equipment is available) (Cont'd)
 - (F) Automatic Number Identification (ANI) (Cont'd)

The seven-digit ANI telephone number is available with Feature Group B provided using Direct-Trunked Transport and with Feature Group C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities that require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, pay telephones using Feature Group B, or when an ANI failure has occurred.

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with TFC service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4- or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification, (5)

Embarq Missouri, Inc. d/b/a Embarq

Fourth Revised Page 205 Cancels Third Revised Page 205

ACCESS SERVICE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (F) <u>Automatic Number Identification</u> (ANI) (Cont'd)

The seven digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, pay telephones using Feature Group B, or when an ANI failure has occurred.

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with TFC service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4- or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification, (5)

ISSUED: March 30, 2007

CANCELED
July 1, 2012
Missouri Public
Service Commission
TT-2012-0317, YI-2012-0635

Mark D. Harper Director - State Regulatory 5454 W. 110th Street Overland Park, Kansas 66211



RECEIVED

ACCESS SERVICE

Switched Access Service (Cont'd)

JAN 1 5 1997

- Local Switching Optional Features (where equipment is available) 6.3 (Cont'd) MISSOURI
 - Automatic Number Identification (ANI) (Cont'd) Ublic Service Commissio? (F)

The seven digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, pay telephones using Feature Group B, or when an ANI failure has occurred.

(T)

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with TFC service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification, (5)

FILEO

APR 15 1997

ISSUED: January 15, 1997

Cancelled

April 30, 2007 Missouri Public Service Commission

BY: John L. Roe VP - Carrier and Regulatory Services 5454 West 110th Street Overland Park, Kansas 66211

APR 1 5 1997

Second Revised Page 205 Cancels First Revised Page 205

RECEIVED

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
 - 6.3 Local Switching Optional Features (where equipment is available)
 (Cont'd)
 - (F) Automatic Number Identification (ANI) Public Garyice Commission

The seven digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, coin stations and coinless pay telephones using Feature Group B, or when an ANI failure has occurred.

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with TFC service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4- or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification, (5)

CANCELLED

APR 15 1997

BY 3 M.R.S. 205

Public Service Commission

MISSOURI

FILED

APR 29 1996

MC. PUBLIC SERVICE COMM

ISSUED: March 27, 1996

96 BY: John L. Roe Vice President - Carrier and Regulatory Services EFFECTIVE: April 29, 1996

5454 West 110th Street Overland Park, Kansas 66211 (T)

ACCESS SERVICE

First Revised Page 205
Cancels Original Page 205

(T)

Switched Access Service (Cont'd)

NOV 2 1993

6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)

MO. PUBLIC SERVICE CORTA.

(F) <u>Automatic Number Identification</u> (ANI) (Cont'd)

The seven digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, coin stations and coinless pay telephones using Feature Group B, or when an ANI failure has occurred.

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with 800 service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4- or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification, (5)

CANCELLED

APR 29 1957 BY ARR R.S. DOS Public Service Commission MISSOURI

FILED

NGV 7 1 1393 MO. PUBLIC SERVICE COMM.

ISSUED: November 3, 1993 BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE: November 7, 1993

OrigHECENED

ACCESS SERVICE

SEP 171992

6. Switched Access Service (Cont'd)

MISSOURI Qualic Service Commission

6.3 Common Switching and Transport Termination Optional Features (where equipment is available) (Cont'd)

CANCELLED

6.3.1 Common Switching Optional Features (where equipment is available (Cont'd)

(F) Automatic Number Identification (ANI) (Cont'd) NOV 7 1993

BY lot R.S. # The seven digit ANI telephone number is avail pigge Service Commission Feature Groups B and C. With these Feature Groups, MISSOURI technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, coin stations and coinless pay telephones using Feature Group B. or when an ANI failure has occurred.

The ten digit ANI telephone number is only available with Feature Group D. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with 800 service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required. (2) multiparty line - telephone number is a 4- or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) NOV hotel/motel originated call which requires room number 7 1992 identification, (5) MO. PUTHO SURVICE COMM.

ISSUED: September 17, 1992

BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE: 1992 NOV 7

Embarq Missouri, Inc. d/b/a Embarq

Third Revised Page 206 Cancels Second Revised Page 206

ACCESS SERVICE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3.1 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (F) <u>Automatic Number Identification (ANI)</u> (Cont'd)

pay telephone, hospital, inmate, etc. call which requires special screening or handling by the customer and (6) call is an Automatic Identified Outward Dialed (AIOD) call from customer premises equipment. The ANI telephone number is the listed telephone number of the customer and is not the telephone number of the calling party. These ANI information digits are available with Feature Groups B, C, and D.

(G) Up to 7 Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-0XXX or 950-1XXX) to the customer's premises. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer's premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided. It is available with Feature Group B.

ISSUED: March 30, 2007 Mark D. Harper Director - State Regulatory 5454 W. 110th Street Overland Park, Kansas 66211



Second Revised Page 206
Cancels First Page 206

ACCESS SERVICE

6. <u>Switched Access Service</u> (Cont'd)

บลศ 1 ธ์ 1997

(T)

6.3.1 Local Switching Optional Features (where equipment is available)
(Cont'd)

Wi5SURI

Public Service Commission

(F) <u>Automatic Number Identification (ANI)</u> (Cont'd)

pay telephone, hospital, inmate, etc. call which requires special screening or handling by the customer and (6) call is an Automatic Identified Outward Dialed (AIOD) call from customer premises equipment. The ANI telephone number is the listed telephone number of the customer and is not the telephone number of the calling party. These ANI information digits are available with Feature Groups B, C, and D.

(G) Up to 7 Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-0XXX or 950-1XXX) to the customer's premises. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer's premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided. It is available with Feature Group B.

FILED

APR 15 1997

MO.PUBLICSET MECONIM

EFFECTIVE:

APR 1 5 1997

ISSUED: January 15, 1997

Cancelled

April 30, 2007 Missouri Public Service Commission BY: John L. Roe VP - Carrier and Regulatory Services 5454 West 110th Street Overland Park, Kansas 66211

ACCESS SERVICE

First Revised Page 206
Cancels Original Page 206

6. <u>Switched Access Service</u> (Cont'd)

NOV 2 1393

6.3 <u>Local Switching Optional Features</u> (where equipment is available)
(Cont'd)

MO. PUBLIC SERVICE CORMA. (D)

(T)

(F) Automatic Number Identification (ANI) (Cont'd)

coinless station, hospital, inmate, etc. call which requires special screening or handling by the customer and (6) call is an Automatic Identified Outward Dialed (AIOD) call from customer premises equipment. The ANI telephone number is the listed telephone number of the customer and is not the telephone number of the calling party. These ANI information digits are available with Feature Groups B, C, and D.

(G) Up to 7 Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-0XXX or 950-1XXX) to the customer's premises. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer's premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided. It is available with Feature Group B.

CANCELLED

APR 15 1997 # 30 6

Public Service Commission

MISSOLIFI

FILED

NOV 7 1993 93 - 181 MO. PUBLIC SERVICE COMM.

ISSUED: November 3, 1993 BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE: November 7, 1993

Orighe CEMED

SEP 171992

ACCESS SERVICE

Switched Access Service (Cont'd)

MISSOURI Public Service Commission

- 6.3 <u>Common Switching and Transport Termination Optional Features</u> (where equipment is available) (Cont'd)
 - 6.3.1 <u>Common Switching Optional Features</u>
 (where equipment is available) (Cont'd)
 - (F) Automatic Number Identification (ANI) (Cont'd)

coinless station, hospital, inmate, etc. call which requires special screening or handling by the customer and (6) call is an Automatic Identified Outward Dialed (AIOD) call from customer premises equipment. The ANI telephone number is the listed telephone number of the customer and is not the telephone number of the calling party. These ANI information digits are available with Feature Groups B, C, and D.

(G) Up to 7 Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-0XXX or 950-1XXX) to the customer's premises. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer's premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided. It is available with Feature Group B.

CANCELLED

Public Service Commission

Fiftip

NOV 7 1992

MG. FUTUR DELIGHBORIA.

ISSUED: September 17, 1992 BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211 NOV 7 1992

CANCELLED - Missouri Public Service Commission - 07/14/2023 - IN-2023-0447 - YI-2024-0001

ACCESS SERVICE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3.1 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (H) <u>Cut-Through</u>

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 101XXXX code upon receipt of the end of dialing digit (#). The Telephone Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

(I) Revertive Pulse Address Signaling

This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- (1) The equipment at the originating location presets itself to represent the number of pulses required and to count the pulses received from the terminating location.
- (2) The equipment at the terminating location transmits a series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with Feature Group C.

ISSUED: March 30, 2007 Mark D. Harper
Director - State Regulatory
5454 W. 110th Street
Overland Park, Kansas 66211



ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3.1 Local Switching Optional Features (where equipment is available) (Cont'd)

JUL 0 & 1998

(H) Cut-Through

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 101XXXX code upon receipt of the end of dialing digit (#). (CT) The Telephone Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

(I) Revertive Pulse Address Signaling

This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- (1) The equipment at the originating location presets itself to represent the number of pulses required and to count the pulses received from the terminating location.
- (2) The equipment at the terminating location transmits a series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with Feature Group C.

FILED

AUG 03 1998

MISSOUPI Public Service Commissio

EFFECTIVE: August 3, 1998

ISSUED: July 2, 1998

Cancelled
April 30, 2007
Missouri Public
Service Commission

BY: Richard Lawson
State Executive, External Affairs
319 Madison
Jefferson City, MO 65101

Second Revised Page 207 Cancels First Revised Page 207

ACCESS SERVICE

RECEIVED

6. Switched Access Service (Cont'd)

JUN 5 1995

6.3.1 Local Switching Optional Features (where equipment is available) (Cont'd)

(H) Cut-Through MO. PUBLIC SERVICE COMM.

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 10XXXX or 101XXXX code upon receipt of the end of dialing digit (#). Telephone Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

(C)

(I) Revertive Pulse Address Signaling

This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- The equipment at the originating location presets itself to represent the number of pulses required and to count the pulses received from the terminating location.
- The equipment at the terminating location transmits a (2) series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with Feature Group C.

CANCELLED

AUG 03 1998

ice Commission

JUL 151995

MISSOURI Public Service Commission

ISSUED:

June 5, 1995

BY: John L. Roe Vice President - Carrier and Regulatory Services 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE:

JUL 1 5 1995

First Revised Page 207 Cancels Original Page 207

ACCESS SERVICE

6. Switched Access Service (Cont'd)

> Local Switching Optional Features (where equipment is available) 6.3 (Cont'd)

(T)

MO. PUBLIC SERVICE CORRUL

(H) Cut-Through

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 10XXX code upon receipt of the end of disling digit (#). The Telephone Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

(I) Revertive Pulse Address Signaling

This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- (1) The equipment at the originating location presets itself to represent the number of pulses required and to count the pulses received from the terminating location.
- (2) The equipment at the terminating location transmits a series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with Feature Group C.

CANCELLED

JUL 151995 Public Service Commission MISSOURI

FILED

- 181 MO. PÜBLIC SERVICE COMM.

ISSUED: November 3, 1993

BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE: November 7, 1993

Original Page 207

RECEIVED

ACCESS SERVICE

SEP 171992

б. Switched Access Service (Cont'd)

- MISSOURI
- Common Switching and Transport Termination Office Seature Ommission 6.3 (where equipment is available) (Cont'd)
 - 6.3.1 Common Switching Optional Features (where equipment is available) (Cont'd)
 - (H) Cut-Through

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 10XXX code upon receipt of the end of disling digit (#). The Telephone Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

(I) Revertive Pulse Address Signaling

> This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- The equipment at the originating location presets (1)itself to represent the number of pulses required and to count the pulses received from the terminating location.
- The equipment at the terminating location transmits a (2) series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with Feature Group C.

CANCELLED

Public Service

ROV 7 1992

MO. PUTLIG CITTEDS GALLA.

ISSUED: September 17, 1992

BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE: 7.12 NOV 7 1992

ACCESS SERVICE

6. <u>Switched Access Service</u> (Cont'd)

6.3.1 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)

(J) <u>Delay Dial Start-Pulsing Signaling</u>

This option provides a method of indicating to the near end trunk circuit readiness to accept address signaling information by the far end trunk circuit. Delay dial is often referred to as an off-hook, on-hook signaling sequence. The delay dial signal is the off-hook interval and the start-pulsing signal is the on-hook interval. With integrity check, the calling office will not outpulse until a delay dial (off-hook) signal followed by a start-pulsing (on-hook) signal has been identified at the calling office. This option is available with Feature Group C.

(K) Immediate Dial Pulse Address Signaling

This option provides for the forwarding of dial pulses from the Telephone Company end office to the customer without the need of a start-pulsing signal from the customer. It is available with Feature Group C.

(L) <u>Dial Pulse Address Signaling</u>

This trunk size option provides for the transmission of number information, e.g., called number, between the end office switching system and the customer's premises (in either direction) by means of direct current pulses. It is available with Feature Group C.

(M) Panel Call Indicator Address Signaling

This option provides a dc pulsing arrangement in which each digit is transmitted as a series of four marginal and polarized impulses. It is available with Feature Group C.

ISSUED: March 30, 2007 Mark D. Harper Director - State Regulatory 5454 W. 110th Street Overland Park, Kansas 66211



ACCESS SERVICE

First Revised Page 208
Cancels Original Page 208

6. <u>Switched Access Service</u> (Cont'd)

NOV D 1883

6.3 <u>Local Switching Optional Features</u> (where equipment is available)
(Cont'd)

I'O. PUDLO SETUL, CHATA

(T)

(J) Delay Dial Start-Pulsing Signaling

This option provides a method of indicating to the near end trunk circuit readiness to accept address signaling information by the far end trunk circuit. Delay dial is often referred to as an off-hook, on-hook signaling sequence. The delay dial signal is the off-hook interval and the start-pulsing signal is the on-hook interval. With integrity check, the calling office will not outpulse until a delay dial (off-hook) signal followed by a start-pulsing (on-hook) signal has been identified at the calling office. This option is available with Feature Group C.

(K) Immediate Dial Pulse Address Signaling

This option provides for the forwarding of dial pulses from the Telephone Company end office to the customer without the need of a start-pulsing signal from the customer. It is available with Feature Group C.

(L) <u>Dial Pulse Address Signaling</u>

This trunk size option provides for the transmission of number information, e.g., called number, between the end office switching system and the customer's premises (in either direction) by means of direct current pulses. It is available with Feature Group C.

(M) Panel Call Indicator Address Signaling

This option provides a dc pulsing arrangement in which each digit is transmitted as a series of four marginal and polarized impulses. It is available with Feature Group C.

FILED

MOV 7 113931 MO. PUBLIC SERVICE COMM

ISSUED: November 3, 1993 BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211 EFFECTIVE: November 7, 1993

ACCESS SERVICE

SEP 171992

6. Switched Access Service (Cont'd) MISSOURI

- Common Switching and Transport Termination Optional Features 6.3 CANCELLED (where equipment is available) (Cont'd)
 - 6.3.1 Common Switching Optional Features (where equipment is available) (Cont'd)

NOV 7 1993

(J) Delay Dial Start-Pulsing Signaling

This option provides a method of indicating to Public Service Commiscional trunk circuit readiness to accept address starting to the hearmiscourt information by the far end trunk circuit. Delay dial is often referred to as an off-hook, on-hook signaling sequence. The delay dial signal is the off-hook interval and the start-pulsing signal is the on-hook interval. With integrity check, the calling office will not outpulse until a delay dial (off-hook) signal followed by a start-pulsing (on-hook) signal has been identified at the calling office. This option is available with Feature Group C.

(K) Immediate Dial Pulse Address Signaling

> This option provides for the forwarding of dial pulses from the Telephone Company end office to the customer without the need of a start-pulsing signal from the customer. It is available with Feature Group C.

Dial Pulse Address Signaling (L)

> This trunk size option provides for the transmission of number information, e.g., called number, between the end office switching system and the customer's premises (in either direction) by means of direct current pulses. It is available with Feature Group C.

(M) Panel Call Indicator Address Signaling

> This option provides a dc pulsing arrangement in which each digit is transmitted as a series of four marginal and polarized impulses. It is available with Feature Group C.

7 1992 KOV.

ISSUED: September 17, 1992

BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

MO. PUEFFECTIVE: William Cobabernty; 1990 NOV 7 1992

ACCESS SERVICE

6. <u>Switched Access Service</u> (Cont'd)

6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)

(N) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., pay telephone, multiparty or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., TFC or 900). It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups C and D.

(O) Alternate Traffic Routing

(1) Multiple Customer Premises Alternate Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B, C and D.

(2) End Office Alternative Routing When Ordered in Trunks

This option provides an alternate routing arrangement for customers who order in trunks and have access for a particular Feature Group to an end office via two routes: one route via an

ISSUED: March 30, 2007 Mark D. Harper Director - State Regulatory 5454 W. 110th Street Overland Park, Kansas 66211



RECEIVED

ACCESS SERVICE

Б. Switched Access Service (Cont'd)

JAN 1 0 1997

Local Switching Optional Features (where equipment is available) 6.3 (Cont'd) MISSUURI Public Service Commission

(N) Service Class Routing

> This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., pay telephone, multiparty or (T) hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., TFC or 900). It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups C

(0) Alternate Traffic Routing

and D.

(1) Multiple Customer Premises Alternate Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B, C and D.

(2) End Office Alternative Routing When Ordered in Trunks

This option provides an alternate routing arrangement for customers-who order in trunks and have access for a particular Feature Group to an end office via two routes: one route via an

FILED

APR 15 1997

MO.PUBLICS FILL ECOMM

EFFECTIVE:

to be to the best to be to be a series APR 1 5 1997

ISSUED: January 15, 1997

Cancelled

April 30, 2007 Missouri Public Service Commission

BY: John L. Roe VP - Carrier and Regulatory Services 5454 West 110th Street Overland Park, Kansas 66211

ISSUED:

March 27, 1996

Second Revised Page 209 Cancels First Revised Page 209

ACCESS SERVICE

MAR 27 1998

- 6. Switched Access Service (Cont'd)
 - Local Switching Optional Features (where equipment is WEVELVEDIE)
 UDIC Service Commission 6.3
 - (N) Service Class Routing

...

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., coin, multiparty or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., TFC or 900). It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups C and D.

(0) Alternate Traffic Routing

> Multiple Customer Premises Alternate Routing (1)

> > This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B, C and D.

(2) End Office Alternative Routing When Ordered in Trunks

This option provides an alternate routing arrangement for customers who order in trunks and have access for a particular Feature Group to an end office via two routes: one route via an

> CANCELLED Public Service Commission APR 29 1996

EFFECTIVE: BY: John L. Roe April 29, 1996 Vice President - Carrier and Regulatory Services 5454 West 110th Street Overland Park, Kansas 66211

(T)

MULTUSUESERVICE COMM

First Revised Page 209 Cancels Original Page 209

ACCESS SERVICE

Switched Access Service (Cont'd)

NOV 2 1993

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(T)(D)

(D)

MO. PUBLIC SERVICE CONTAIL

(N) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., coin, multiparty or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., 800 or 900). It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups C and D.

(0) Alternate Traffic Routing

Multiple Customer Premises Alternate Routing (1)

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B, C and D.

(2) End Office Alternative Routing When Ordered in Trunks

This option provides an alternate routing arrangement for customers who order in trunks and have access for a particular Feature Group to an end office via two routes: one route via an

CANCELLED

Public Service Commission MISSOURI

FILED

MO. PUBLIC SERVICE COMM.

ISSUED: November 3, 1993

BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE: November 7, 1993

ACCESS SERVICE

SEP 171992

6. Switched Access Service (Cont'd) MISSOURI

- Common Switching and Transport Termination Optional Feature Common 6.3 (where equipment is available) (Cont'd)
 - 6.3.1 Common Switching Optional Features (where equipment is available) (Cont'd)
 - (N) Service Class Routing

Public Service Commission MISSOURI This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., coin, multiparty or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., 800 or 900). It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups C and D.

- (0) Alternate Traffic Routing
 - (1) Multiple Customer Premises Alternate Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B, C and D.

End Office Alternative Routing When Ordered in Trunks (2)

This option provides an alternate routing arrangement for customers who order in trunks and have access for a particular Feature Group to an end office via two routes: one route via an

NOV 7 1992

MO. PUTILITA LA LA CONTRA

ISSUED: September 17, 1992

BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE:

NOV 7

ACCESS SERVICE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (O) Alternate Traffic Routing (Cont'd)
 - (2) End Office Alternative Routing When Ordered in Trunks (Cont'd)

access tandem and one direct route. The feature allows the customer's originating traffic from the end office to be offered first to the direct trunk group and then overflow to the access tandem group. It is provided in suitably equipped end offices and is available with Feature Groups B and D.

(P) Trunk Access Limitation

This option provides for the routing of originating 900 service calls to a specified number of transmission paths in a trunk group, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone.

It is provided in all Telephone Company electronic end offices. It is available with Feature Groups C and D.

(Q) Call Gapping Arrangement

This option, provided in suitably equipped end office switches, provides for the routing of originating calls to 900 service to be switched in the end office to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which are denied access by

ISSUED: March 30, 2007 Mark D. Harper Director - State Regulatory 5454 W. 110th Street Overland Park, Kansas 66211



SPRINT MISSOUIRI, INC. d/b/a SPRINT

Second Revised Page 210 Cancels First Revised Page 210

Missouri Public Service Commission

ACCESS SERVICE

Switched Access Service (Cont'd)

- REC'D MAY 03 2000
- Local Switching Optional Features (where equipment is available) 6.3
 - (0) Alternate Traffic Routing (Cont'd)
 - (2) End Office Alternative Routing When Ordered in Trunks (Cont'd)

access tandem and one direct route. The feature allows the customer's originating traffic from the end office to be offered first to the direct trunk group and then overflow to the access tandem group. It is provided in suitably equipped end offices and is available with Feature Groups B and D.

(P) Trunk Access Limitation

> This option provides for the routing of originating 900 service calls to a specified number of transmission paths in a trunk group, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone.

It is provided in all Telephone Company electronic end offices. It is available with Feature Groups C and D.

(Q) Call Gapping Arrangement

> This option, provided in suitably equipped end office switches, provides for the routing of originating calls to 900 service to be switched in the end office to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which are denied access by

> > Missouri Public Sovice Commission

(C)

FILED JUN 02 2000

ISSUED: May 3, 2000

Richard D. Lawson State Executive, External Affairs

EFFECTIVE: June 2, 2000

First Revised Page 210 Cancels Original Page 210

ACCESS SERVICE

Switched Access Service (Cont'd)

NOV 2 1993

6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

(T)(D)

(D)

MO. PUBLIC SERVICE COMM.

(0) Alternate Traffic Routing (Cont'd)

> (2) End Office Alternative Routing When Ordered in Trunks (Cont'd)

access tandem and one direct route. The feature allows the customer's originating traffic from the end office to be offered first to the direct trunk group and then overflow to the access tandem group. It is provided in suitably equipped end offices and is available with Feature Groups B and D.

(P) Trunk Access Limitation

This option provides for the routing of originating 900 service calls to a specified number of transmission paths in a trunk group, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone.

It is provided in all Telephone Company electronic end offices and where available in electromechanical end offices. It is available with Feature Groups C and D.

(Q) Call Gapping Arrangement

> This option, provided in suitably equipped end office switches, provides for the routing of originating calls to 900 service to be switched in the end office to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which are denied access by

> > CANCELLED

JUN 0 2 2000 Br 310 89 210 Public Service Communication MISSOURI

FILED

ISSUED: November 3, 1993

BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE: November 7, 1993

ACCESS SERVICE

SEP 171992

6. Switched Access Service (Cont'd)

MISSOURI

Public Service Commission 6.3 Common Switching and Transport Termination Optional (where equipment is available) (Cont'd)

CANCELLED

Sarvice Commission

6.3.1 Common Switching Optional Features (where equipment is available) (Cont'd)

(0) Alternate Traffic Routing (Cont'd)

> (2) End Office Alternative Routing When (Cont'd)

> > access tandem and one direct route. The feature allows the customer's originating traffic from the end office to be offered first to the direct trunk group and then overflow to the access tandem group. It is provided in suitably equipped end offices and is available with Feature Groups B and D.

(P) Trunk Access Limitation

> This option provides for the routing of originating 900 service calls to a specified number of transmission paths in a trunk group, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone.

It is provided in all Telephone Company electronic end offices and where available in electromechanical end offices. It is available with Feature Groups C and D.

(Q) Call Gapping Arrangement

> This option, provided in suitably equipped end office switches, provides for the routing of originating calls to 900 service to be switched in the end office to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which are denied access by

> > FILED

NOA 7 1992

MO. Public Stleich Comm.

EFFECTIVE:

NOV 7 1992

ISSUED: September 17, 1992

BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

ACCESS SERVICE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (Q) <u>Call Gapping Arrangement</u> (Cont'd)

this feature, i.e., the choked calls, would be routed to a no-circuit announcement. It is provided in selected Feature Group D equipped end offices and is available only with Feature Group D.

(R) Feature Group D With 950 Access

This option may be ordered to route calls from a designated 950-XXXX access code to Feature Group D access service. The Telephone Company will direct designated 950-XXXX calls dialed by the customer's end users to the customer's FGD access service, using FGD signaling protocols and technical specifications. The customer must be prepared to differentiate between standard FGD calls and 950-dialed calls delivered over the same trunks. FGD with 950 Access will be provided from equal access conforming Telephone Company end offices and tandems, where technically feasible. Calls delivered to the customer's FGD access service when the customer's end user dials a 950-XXXX access code will be rated as FGD.

When a customer has FGD access service and does not have FGB access service from a particular end office, this option may be ordered to activate a customer's designated 950-XXXX access code in that end office. When a customer has both FGB and FGD access services and orders this option in a particular end office, the Telephone Company will direct designated 950-XXXX calls dialed by the customer's end users to the customer's FGD access service in that end office. The customer is prohibited from having 950-XXXX access to originating FGD and originating FGB in the same end office or tandem utilizing the same 950-XXXX access code.

In Telephone Company end offices and tandems that do not support four digit carrier identification codes (CIC) for FGD, the 950-XXXX access code is only available to customers using a three digit CIC in the form 950-OXXX or 950-1XXX. In Telephone Company end offices and tandems that do support four digit CIC for FGD, the 950-XXXX access code is available to customers using either a three digit or four digit CIC in the forms 950-OXXX, 950-1XXX, and 950-XXXX. In any event, the CIC specified by the customer, either 3 digit or 4 digit, must be a valid CIC assigned for use by that customer. This option is available only with Feature Group D.

ISSUED: March 30, 2007 Mark D. Harper
Director - State Regulatory
5454 W. 110th Street
Overland Park, Kansas 66211



Second Revised Page 211 Cancels First Revised Page 211

RECEIVED

ACCESS SERVICE

6. <u>Switched Access Service</u> (Cont'd)

JUN 5 1995

(N)

- 6.3.1 Local Switching Optional Features (where equipment is available) (Cont'd) MO. PUBLIC SERVICE COMM.
- (Q) <u>Call Gapping Arrangement</u> (Cont'd)

this feature, i.e., the choked calls, would be routed to a no-circuit announcement. It is provided in selected Feature Group D equipped end offices and is available only with Feature Group D.

(R) Feature Group D With 950 Access

This option may be ordered to route calls from a designated 950-XXXX access code to Feature Group D access service. The Telephone Company will direct designated 950-XXXX calls dialed by the customer's end users to the customer's FGD access service, using FGD signaling protocols and technical specifications. The customer must be prepared to differentiate between standard FGD calls and 950-dialed calls delivered over the same trunks. FGD with 950 Access will be provided from equal access conforming Telephone Company end offices and tandems, where technically feasible. Calls delivered to the customer's FGD access service when the customer's end user dials a 950-XXXXX access code will be rated as FGD.

When a customer has FGD access service and does not have FGB access service from a particular end office, this option may be ordered to activate a customer's designated 950-XXXX access code in that end office. When a customer has both FGB and FGD access services and orders this option in a particular end office, the Telephone Company will direct designated 950-XXXX calls dialed by the customer's end users to the customer's FGD access service in that end office. The customer is prohibited from having 950-XXXX access to originating FGD and originating FGB in the same end office or tandem utilizing the same 950-XXXX access code.

In Telephone Company end offices and tandems that do not support four digit carrier identification codes (CIC) for FGD, the 950-XXXX access code is only available to customers using a three digit CIC in the form 950-OXXX or 950-1XXX. In Telephone Company end offices and tandems that do support four digit CIC for FGD, the 950-XXXX access code is available to customers using either a three digit or four digit CIC in the forms 950-OXXX, 950-1XXX, and 950-XXXX. In any event, the CIC specified by the customer, either 3 digit or 4 digit, must be a valid CIC assigned for use by that customer. This option is available only with Feature Group D.

JUL 1 5 1995

MISSOURI Public Service Commission

ISSUED: June 5, 1995

BY: John L. Roe Vice President - Carrier and Regulatory Services 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE:

JUL 15 1995

(N)

Cancelled

April 30, 2007
Missouri Public
Service Commission

First Revised Page 211 Cancels Original Page 211

いこい。こ

ACCESS SERVICE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 Local Switching Optional Features (where equipment is available)
 (Cont'd)

(T) (D)

MO. PUBLIC SERVICE COMM.

(Q) <u>Call Gapping Arrangement</u> (Cont'd)

this feature, i.e., the choked calls, would be routed to a no-circuit announcement. It is provided in selected Feature Group D equipped end offices and is available only with Feature Group D.

(R) Reserved For Future Use

CANCELLED

JUL 151995

BY 2 TR S *3/1

Public Service Commission
MISSOURI

FILED

NOV 7 1993 93 1 8 1 Mo. Public Service Comm.

Ori RECEIVED

ACCESS SERVICE

SEP 17 1992

6. <u>Switched Access Service</u> (Cont'd)

MISSOURI Public Service Commission

- 6.3 <u>Common Switching and Transport Termination Optional Features</u> (where equipment is available) (Cont'd)
 - 6.3.1 <u>Common Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (Q) Call Gapping Arrangement (Cont'd)

this feature, i.e., the choked calls, would be routed to a no-circuit announcement. It is provided in selected Feature Group D equipped end offices and is available only with Feature Group D.

(R) Reserved For Future Use

CANCELLED

BY LAR.S. #241
Public Service Commission
MISSOURI

FILED

KOV 7 1992

MO. PUBLIC SEATISE COMM. Effective:

NOV 7 1992

ISSUED: September 17, 1992 BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
 - 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (S) Band Advance Arrangement for Use with WATS Access Line Service

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Feature Groups C and D.

(T) <u>End Office End User Line Screening Options for Use with WATS Access Line</u> Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer. This option is provided in all Telephone Company electronic end offices. It is available with Feature Groups C and D.

(U) Hunt Group Arrangement for Use with WATS Access Line Service

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., TFC Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This figure is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

ISSUED: March 30, 2007 Mark D. Harper Director - State Regulatory 5454 W. 110th Street Overland Park, Kansas 66211



SPRINT MISSOURI, INC. d/b/a SPRINT

Third Revised Page 212 Cancels Second Revised Page 212

Service Commission

ACCESS SERVICE

6. <u>Switched Access Service</u> (Cont'd)

REC'D MAY 03 2000

- 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (S) Band Advance Arrangement for Use with WATS Access Line Service

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Feature Groups C and D.

(T) End Office End User Line Screening Options for Use with WATS Access Line Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer. This option is provided in all Telephone Company electronic end offices. It is available with Feature Groups C and D.

(C)

(U) Hunt Group Arrangement for Use with WATS Access Line Servi

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., TFC Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This figure is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.



FILED JUN 02 2000

ISSUED: May 3, 2000 Richard D. Lawson State Executive, External Affairs EFFECTIVE: June 2, 2000

Second Revised Page 212 Cancels First Revised Page 212

RECEIVED

ACCESS SERVICE

Switched Access Service (Cont'd)

MAR 27 1995

- 6.3 Local Switching Optional Features (where equipment is available)
 (Cont'd) Public Service Commission
 - (S) Band Advance Arrangement for Use with WATS Access Line Service

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Feature Groups C and D.

(T) End Office End User Line Screening Options for Use with WATS Access Line Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer, e.g., WATS. This option is provided in all Telephone e.g., WATS. This option is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(U) Hunt Group Arrangement for Use with WATS Access Line Service

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., TFC Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This figure is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

CANCELLED

JUN 0 2 2000

By 314 RP 212

Public Service Communion

MISSOURI

FILED

APR 29 1996

MC. PUBLIC SERVICE COMM

ISSUED:
March 27, 1996

Vice President - Carrier and Regulatory Services
5454 West 110th Street
Overland Park, Kansas 66211

EFFECTIVE: April 29, 1996

(T)

First Revised Page 212 Cancels Original Page 212

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
 - NOV 2 1993

 Local Switching Optional Features (where equipment is available) 6.3 (Cont'd)

(D) MO. PUBLIC SERVICE COMM.

(T)

(S) Band Advance Arrangement for Use with WATS Access Line Service

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Feature Groups C and D.

(T) End Office End User Line Screening Options for Use with WATS Access Line Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer, e.g., WATS. This option is provided in all Telephone e.g., WATS. This option is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(U) Hunt Group Arrangement for Use with WATS Access Line Service

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., 800 Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This figure is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

CANCELLED

FILED

MO. PUBLIC SERVICE COMM.

ISSUED: November 3, 1993

BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE: November 7, 1993

Original Page 212 CANCELLED

RECEIVED

KOV 7 1993

SEP 17 1992

ACCESS SERVICE OF RS. Public Service Commission Wild Service Commission

MISSOURI

6. <u>Switched Access Service</u> (Cont'd)

- 6.3 Common Switching and Transport Termination Optional Features (where equipment is available) (Cont'd)
 - 6.3.1 Common Switching Optional Features (where equipment is available) (Cont'd)
 - **(S)** Band Advance Arrangement for Use with WATS Access Line Service

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Feature Groups C and D.

(T) End Office End User Line Screening Options for Use with WATS Access Line Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer, e.g., WATS. This option is provided in all Telephone e.g., WATS. This option is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(U) Hunt Group Arrangement for Use with WATS Access Line Service

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., 800 Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This figure is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

7 1992 MUA

ISSUED: September 17, 1992

BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

1992 NOV 7

ACCESS SERVICE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (V) Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(X) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

ISSUED: March 30, 2007 Mark D. Harper Director - State Regulatory 5454 W. 110th Street Overland Park, Kansas 66211 EFFECTIVE: April 30, 2007



SPRINT MISSOURI, INC. d/b/a SPRINT

Fourth Revised Page 213
Cancels Third Revised Page 213
Villagoun Fublic
Servise Commission

ACCESS SERVICE

6. Switched Access Service (Cont'd)

- RECT) NOV 29 2000
- 6.3 Local Switching Optional Features (where equipment is available) (Cont'd)
 - (V) Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(X) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

(M)

(M)

(M) Text relocated to Page 214.

ISSUED: November 29, 2000 Richard D. Lawson State Executive, External Affairs 319 Madison Jefferson City, MO 65101 EFFECTIVE:

December 29, 2000

Missouri Public

Service Gemmission

FILED DEC 29 2000

UNITED TELEPHONE COMPANY OF MISSOURI d/b/a SPRINT

Third Revised Page 213 Cancels Second Revised Page 213

ACCESS SERVICE

RECEIVED

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)

MISSOUR: Public Service Commission

(V) <u>Uniform Call Distribution Arrangement for Use with WATS Access Line Service</u>

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(X) Rotary Dial Station Signaling

CANCELLED

DEC 2 9 2000

HORP 213

Public Service Commission

MISSOURI

(Y)

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

Operator Trunk - Pay Telephone

This option may be ordered to provide pay telephone operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Local Switching option.

APR 15 1997

(T)

ISSUED: January 15, 1997

BY: John L. Roe VP - Carrier and Regulatory Services 5454 West 110th Street Overland Park, Kansas 66211 MO.PURINCSERVICECOM

Second Revised Page 213 Cancels First Revised Page 213

ACCESS SERVICE

REGENED

Switched Access Service (Cont'd)

NOV 2 1993

6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)

MO. PUBLIC SERVICE COMM.

(T)

(D) (D)

(T)

(T)

(V) <u>Uniform Call Distribution Arrangement for Use with WATS Access</u> <u>Line Service</u>

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform

Call Distribution Arrangement for Use with WATS Access Line

Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(X) Rotary Dial Station Signaling

This option provides for the transmission of called party address (M) signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis. (M)

(Y) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin

This option may be ordered to provide coin, non-coin, or combined (M) coin and non-coin operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk five of Local Switching option. (T)(M)

FILED

NOV 7 1993 93 - 181 Mo. Public Service Comm.

ISSUED: November 3, 1993 BY: John L. Roe
Vice President - Administration
5454 West 110th Street
Overland Park, Kansas 66211

EFFECTIVE: November 7, 1993

First Revised Page 213 Cancels Original Page 213

ACCESS SERVICE

RECEIVED

6. <u>Switched Access Service</u> (Cont'd)

MAR 31 1993

- 6.3 <u>Common Switching and Transport Termination Optional Features</u> (where equipment is available) (Cont'd) <u>WO. PUBLIC SERVICE COMM</u>.
 - 6.3.1 <u>Common Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (V) <u>Uniform Call Distribution Arrangement for Use with WATS</u>
 Access <u>Line Service</u>

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

(X) Reserved for Future Use

(Y) Reserved for Future Use

(2) Reserved for Future Use

(AA) Reserved for Future Use

(BB) Reserved for Future Use

CANCELLED

NOV 7 1943

Public Service Commission

(N)

(CC) Flexible Automatic Number Identification MISSONIA)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1(F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

ISSUED: March 31, 1993 BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211 NG. PUBLIC SERVICE COMIA. EFFECTIVE:

May 1, 1993

Original

ACCESS SERVICE

SEP 17 1992

Miss Sim

- 6. Switched Access Service (Cont'd)
 - Common Switching and Transport Termination Optional Features (where Sion equipment is available) (Cont'd)
 - 6.3.1 Common Switching Optional Features (where equipment is available) (Cont'd)
 - (V) Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company designated WATS Serving Offices. It is available with Feature Groups C and D.

(W) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups C and D.

- 6.3.2 Transport Termination Optional Features
 - (A) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

CANCELLED

Public Service Commission

KOA

BY: John L. Roy SSOURI Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

NOV 7

ISSUED: September 17, 1992

ACCESS SERVICE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (Y) Operator Trunk Pay Telephone

This option may be ordered to provide pay telephone operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Local Switching option.

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating pay telephone calls requiring operator assistance to the customer's premises. Because operator assisted pay telephone traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only pro-vided in association with the Service Class Routing option.

The operator assistance pay telephone calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's premises equipment.

When so equipped, the ANI feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for pay telephone stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

ISSUED: March 30, 2007 Mark D. Harper
Director - State Regulatory
5454 W. 110th Street
Overland Park, Kansas 66211

EFFECTIVE: April 30, 2007



SPRINT MISSOURI, INC. d/b/a SPRINT

Fourth Revised Page 214
Cancels Third Revised Page 214
Missouri Public
Service Semminolen

ACCESS SERVICE

6. Switched Access Service (Cont'd)

REC'D NOV 29 2000

- 6.3 Local Switching Optional Features (where equipment is available) (Cont'd)
 - (Y) Operator Trunk Pay Telephone

This option may be ordered to provide pay telephone operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Local Switching option.

+, 01+ to the d over (M)

(M)

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating pay telephone calls requiring operator assistance to the customer's premises. Because operator assisted pay telephone traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance pay telephone calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's premises equipment.

When so equipped, the ANI feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for pay telephone stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

(M) Text relocated from Page 213.

ISSUED: November 29, 2000 Richard D. Lawson State Executive, External Affairs 319 Madison Jefferson City, MO 65101

EFFECTIVE:
December 29, 2000
Missouri Public
Service Commission

FILED DEC 29 2000

ACCESS SERVICE

RECEIVED

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 Local Switching Optional Features (where equipment is availabys) 15 1997 (Cont'd)
 - (Y) Operator Trunk Pay Telephone (Cont'd)

MISSOUR: Public Service Commission

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating pay telephone calls requiring operator assistance to the customer's premises. Because operator assisted pay telephone traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only pro-vided in association with the Service Class Routing option.

(T)

(D)

The operator assistance pay telephone calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's premises equipment.

(T)

(T)

(D)

(P)

When so equipped, the ANI feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for pay telephone stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

(T)

CANCELLED

DEC 2 9 2000

By 44 RP 214

Public Service Commission

FILED

APR 15 1997

MO.PUBLICSERVICE COMM

EFFECTIVE:

APR 1 5 1997

ISSUED: January 15, 1997

BY: John L. Roe

VP - Carrier and Regulatory Services
5454 West 110th Street

Overland Park, Kansas 66211

Second Revised Page 214
Cancels First Revised Page 214

ACCESS SERVICE

NOV 2 1993

6. <u>Switched Access Service</u> (Cont'd)

MO. PUBLIC SERVICE COMM.

(T)

(D)

(M)

(M)

- 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (Y) Operator Trunk Coin, Non-Coin, or Combined Coin and Non-Coin (Cont'd)

Coin:

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating coin calls requiring operator assistance to the customer's premises. Because operator assisted coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance coin calling arrangement is also normalized ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk ground equipped this arrangement will be terminated in the customer's manual cord by the systems, rather than in the customer's manual cord by the systems.

Non-Coin:

This arrangement provides for the routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating non-coin calls requiring operator assistance to the customer's premises. Because operator assisted non-coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance non-coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's manual cord boards. When so equipped, the ANI feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for coinless public stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

FILEP8 1

ISSUED: November 3, 1993 BY: John L. Roe NOV 7 1993 EFFECTIVE: Vice President - Administration November 7, 1993 5454 West 110th Street Public SERVICE COMM.

Overland Park, Kansas 66211

First Revised Page 214 Cancels Original Page 214

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
 - 6.3 Common Switching Transport Termination Optional Features (where equipment is available) (Cont'd)

 MAR 31 1993
 - 6.3.2 Transport Termination Optional Features (Cont'd) MO. PUBLIC SERVICE COMM
 - (A) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a directly trunked basis.

(B) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin

This option may be ordered to provide coin, non-coin, or combined coin and non-coin operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Transport Termination.

Coin:

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating coin calls requiring operator assistance to the customer's premises. Because operator assisted coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's manual cord boards.

CANCELLED

BY Service Commission

FILLID

LIAY 0 1 1993

MO. PUBLIC SERVICE COMM.

ISSUED: March 31, 1993 BY: John L. Roe
Vice President - Administration
5454 West 110th Street
Overland Park, Kansas 66211

EFFECTIVE: May 1, 1993

6.3

Original Page 214
RECEIVED

ACCESS SERVICE

SEP 171992

- 6. <u>Switched Access Service</u> (Cont'd)
 - Common Switching Transport Termination Optional Features (where Ommics!on
 - 6.3.2 Transport Termination Optional Features (Cont'd)
 - (B) Operator Trunk Coin, Non-Coin, or Combined Coin and Non-Coin

This option may be ordered to provide coin, non-coin, or combined coin and non-coin operation. It is available only with Feature Group C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Transport Termination.

Coin:

equipment is available) (Cont'd)

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating coin calls requiring operator assistance to the customer's premises. Because operator assisted coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's manual cord boards.

CANCELLED

MAY 1 1993

BY Lat R.S. 214

Public Service Commission

MISSOURI

KOV 7 1992

C. D. Port and a many halounde

EFFECTIVE:

Desoberate, 1998

NOV 7 1992

ISSUED: September 17, 1992 BY: John L. Roe
Vice President - Administration
5454 West 110th Street
Overland Park, Kansas 66211

ACCESS SERVICE

6. <u>Switched Access Service</u> (Cont'd)

6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)

(Z) Operator Trunk - Full Feature

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type of Local Switching option.

(AA) Call Screening

This feature provides for the passing of call screening digits on all calls that originate from Feature Group A lines. With Call Screening, the FGA dial tone office switched translations associated with the FGA line generate the ANI information digits of 07 on each call passed. Call Screening is available with FGA in suitably equipped end offices.

(BB) Call Restriction

This option allows for the screening of terminating calls and for the completion only of calls to a Telephone Company specified set of service codes and NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. It is available with Feature Group A only in those offices where such capabilities exist.

ISSUED: March 30, 2007 Mark D. Harper Director - State Regulatory 5454 W. 110th Street Overland Park, Kansas 66211 EFFECTIVE: April 30, 2007



SPRINT MISSOURI, INC. d/b/a SPRINT

Third Revised Page 215
Cancels Second Revised Page 215
Missouri Public
Servise Germiesien:

ACCESS SERVICE

6. Switched Access Service (Cont'd)

REC'D NOV 29 2000

- 6.3 Local Switching Optional Features (where equipment is available) (Cont'd)
 - (Z) Operator Trunk Full Feature

(M)

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type of Local Switching option.

(M)

(AA) Call Screening

(N)

This feature provides for the passing of call screening digits on all calls that originate from Feature Group A lines. With Call Screening, the FGA dial tone office switched translations associated with the FGA line generate the ANI information digits of 07 on each call passed. Call Screening is available with FGA in suitably equipped end offices.

(BB) Call Restriction

This option allows for the screening of terminating calls and for the completion only of calls to a Telephone Company specified set of service codes and NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. It is available with Feature Group A only in those offices where such capabilities exist.

(N)

(M) Text relocated from Page 216.

ISSUED: November 29, 2000 Richard D. Lawson State Executive, External Affairs 319 Madison Jefferson City, MO 65101 EFFECTIVE:
December 29, 2000
Misseyri Public
Service Gamminsion

Service Gemmicolen

UNITED TELEPHONE COMPANY OF MISSOURI d/b/a SPRINT

Second Revised Page 215 Cancels First Revised Page 215

RECEIVED

ACCESS SERVICE

6. <u>Switched Access Service</u> (Cont'd)

JAN 1 5 1997

6.3 <u>Local Switching Optional Features</u> (where equipment is available)
(Cont'd)

MISSOURI Public Service Commission

(p)

(D)

CANCELLED

DEC 2 9 2000

By 314 RP215

Public Service Commission

MISSOURI

FILED

APR 15 1997

MO.PUBLICSERVICE COMM

EFFECTIVE:

APR 1 5 1997

ISSUED: January 15, 1997

BY: John L. Roe

VP - Carrier and Regulatory Services
5454 West 110th Street

Overland Park, Kansas 66211

First Revised Page 215
Cancels Original Page 215

ACCESS SERVICE

NOV 2 1993

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 Local Switching Optional Features (where equipment is available) (T (Cont'd)

(D)

(M)

(M)

(Y) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin (T) (Cont'd)

Combined Coin and Non-Coin:
This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating operator assisted coin and non-coin calls requiring operator assistance to the customer's premises. Because operator assisted coin and non-coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

This arrangement is normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's operator services systems, rather than in the customer's manual cord boards. When so equipped, the ANI optional feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for coinless public stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

CANCELLED

Service Convintission

FILED

NOV 7 1993 93 - 181 MO PUBLIC SERVICE COMM.

ISSUED: November 3, 1993 BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE: November 7, 1993

Original Page 215

RECEIVED

ACCESS SERVICE

SEP 17 1992

- 6. <u>Switched Access Service</u> (Cont'd)
 - Common Switching Transport Termination Optional Features (where Ommission
 - 6.3.2 Transport Termination Optional Features (Cont'd)
 - (B) Operator Trunk Coin, Non-Coin, or Combined Coin and Non-Coin (Cont'd)

Non-Coin:

equipment is available) (Cont'd)

This arrangement provides for the routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating non-coin calls requiring operator assistance to the customer's premises. Because operator assisted non-coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance non-coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's manual cord boards. When so equipped, the ANI feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for coinless public stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

Combined Coin and Non-Coin:

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating operator assisted coin and non-coin calls requiring operator assistance to the customer's premises. Because operator assisted coin and non-coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

ss kouting option.

Public Service Commission MISSOURI

MOA 3 (39)

Constitution of the second defeating

ISSUED: September 17, 1992 BY: John L. Roe

Vice President - Administration
5454 West 110th Street

Overland Park, Kansas 66211

EFFECTIVE:

NOV 7 1992

ACCESS SERVICE

6. <u>Switched Access Service</u> (Cont'd)

6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)

(CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(EE) Switched 64 Clear Channel Capability

This option provides for a connection capable of transmitting 64.0 kbps digital data with clear channel capability between the customer's designated premises and a suitably equipped end office. Switched 64 Clear Channel Capability allows a customer to transport an all zero octet over a DS1/1.544 Mbps high capacity channel providing an available combined maximum 1.536 Mbps data rate. This option requires all digital facilities, including the use of Interface Group 6 or 9, and is available only with Feature Group D from end offices capable of providing SS7 signaling. Bipolar with Eight Zero Substitution (B8ZS) line code format, and Integrated Services Digital Network (ISDN) or other switched data base services. Switched 64 Clear Channel Capability is available in suitably equipped end offices as specified in the National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4.

ISSUED: March 30, 2007 Mark D. Harper Director - State Regulatory 5454 W. 110th Street Overland Park, Kansas 66211 EFFECTIVE: April 30, 2007



REC'D MAY 28 2003

P.S.C. MO.-No. 26

SPRINT MISSOURI, INC. d/b/a SPRINT

Sixth Revised Page 216 Cancels Fifth Revised Page 216

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
 - 6.3 Local Switching Optional Features (where equipment is available) (Cont'd)
 - (CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(EE) Switched 64 Clear Channel Capability

This option provides for a connection capable of transmitting 64.0 kbps digital data with clear channel capability between the customer's designated premises and a suitably equipped end office. Switched 64 Clear Channel Capability allows a customer to transport an all zero octet over a DS1/1.544 Mbps high capacity channel providing an available combined maximum 1.536 Mbps data rate. This option requires all digital facilities, including the use of Interface Group 6 or 9, and is available only with Feature Group D from end offices capable of providing SS7 signaling. Bipolar with Eight Zero Substitution (B8ZS) line code format, and Integrated Services Digital Network (ISDN) or other switched data base services. Switched 64 Clear Channel Capability is available in suitably equipped end offices as specified in the National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4.

(T)

ISSUED: May 28, 2003 Richard D. Lawson State Executive, External Affairs 319 Madison Jefferson City, MO 65101 EFFECTIVE: June 26, 2003

Missouri Public Service Commission SPRINT MISSOURI, INC. d/b/a SPRINT

Fifth Revised Page 216 Cancels Fourth Revised Page 216

Missouri Public

ACCESS SERVICE

6. Switched Access Service (Cont'd)

REC'D JAN 15 2002

- 6.3 Local Switching Optional Features (where equipment is available) (Cont'Service Commission
 - (CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(EE) Switched 64 Clear Channel Capability

This option provides for a connection capable of transmitting 64.0 kbps digital data with clear channel capability between the customer's designated premises and a suitably equipped end office. Switched 64 Clear Channel Capability allows a customer to transport an all zero octet over a DS1/1.544 Mbps high capacity channel providing an available combined maximum 1.536 Mbps data rate. This option requires all digital facilities, including the use of Interface Group 6 or 9, and is available only with Feature Group D from end offices capable of providing SS7 signaling. Bipolar with Eight Zero Substitution (B8ZS) line code format, and Integrated Services Digital Network (ISDN) or other switched data base services. Switched 64 Clear Channel Capability is available in suitably equipped end offices as specified in National Exchange Carrier Association, *Inc.* Tariff F.C.C. No. 4.

(T)

CANCELLED

JUN 2 6 2003

Missouri Public

FILED FEB 1 5 2002

Service Commission

ISSUED: January 15, 2002 Richard D. Lawson State Executive, External Affairs 319 Madison Jefferson City, MO 65101 EFFECTIVE: February 15, 2002

SPRINT MISSOURI, INC. d/b/a SPRINT

Fourth Revised Page 216
Cancels Migd Bevised Page 216
Service Commission

ACCESS SERVICE

RECD NOV 29 2000

- Switched Access Service (Cont'd)
 - 6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

CANCELIFD

(M)

(M)

FEB 1 5 2002

Fy 5th RP 214

Public Service Commission

MISSOLIDI

The Public Service Commission

(D) (D)

(CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(EE) Switched 64 Clear Channel Capability

(N)

This option provides for a connection capable of transmitting 64.0 kbps digital data with clear channel capability between the customer's designated premises and a suitably equipped end office. Switched 64 Clear Channel Capability allows a customer to transport an all zero octet over a DS1/1.544 Mbps high capacity channel providing an available combined maximum 1.536 Mbps data rate. This option requires all digital facilities, including the use of Interface Group 6 or 9, and is available only with Feature Group D from end offices capable of providing SS7 signaling. Bipolar with Eight Zero Substitution (B8ZS) line code format, and Integrated Services Digital Network (ISDN) or other switched data base services. Switched 64 Clear Channel Capability is available in suitably equipped end offices as specified in National Exchange Carrier Association Tariff F.C.C. No. 4.

(N)

(M) Text relocated to Page 215.

ISSUED: November 29, 2000 Richard D. Lawson State Executive, External Affairs 319 Madison Jefferson City, MO 65101 EFFECTIVE:
Mi@acadePublico
Service Gemmission

FILED DEC 29 2000

ACCESS SERVICE

6. Switched Access Service (Cont'd)

RECEIVED

- 6.3 Local Switching Optional Features (where equipment is available) (Cont'd) 2 1998
 - (Z) Operator Trunk Full Feature

MO. PUBLIC SERVICE COMM

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type of Local Switching option.

- (AA) Reserved for Future Use
- (BB) Reserved for Future Use
- (CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) <u>Carrier Identification Parameter (CIP)</u>

This option provides for the delivery of the Carrier Identification Code or the Access Code (101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

(c)

CANCELLED

DEC 2 9 2000

By HARP 214

Public Service Commission

MISSOURI

FILED

AUG 03 1998

MISSOURI Public Service Commission

ISSUED: July 2, 1998 BY: Richard Lawson State Executive, External Affairs 319 Madison Jefferson City, MO 65101 EFFECTIVE: August 3, 1998

UNITED TELEPHONE COMPANY OF MISSOURI d/b/a SPRINT

Second Revised Page 216 Cancels First Revised Page 216

REGINED

ACCESS SERVICE

Switched Access Service (Cont'd)

SEP - 4 1997

- 6.3 Local Switching Optional Features (where equipment is available) (Cont'd)

 MO. PUBLIC SERVICE COMM
 - (Z) Operator Trunk Full Feature

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type of Local Switching option.

- (AA) Reserved for Future Use
- (BB) Reserved for Future Use
- (CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

(DD) Carrier Identification Parameter (CIP)

This option provides for the delivery of the Carrier Identification Code or the Access Code (10XXX or 101XXXX) to the customer within the initial address message SS7 call setup protocol. CIP is forwarded on originating Feature Group D Switched Access calls transported over SS7 trunks. CIP is available, at no charge, from suitably equipped end offices and access tandems.

CANCELLED

AUG 03 1998

By 3vd 8 200

By

FILED

OCT - 6 1997

MISSOURI Public Service Commission

> EFFECTIVE: October 6, 1997

ISSUED: September 4, 1997

BY: John L. Roe VP - Carrier and Regulatory Services 5454 West 110th Street Overland Park, Kansas 66211 (N)

(N)

First Revised Page 216 Cancels Original Page 216

ACCESS SERVICE

6. Switched Access Service (Cont'd)

RECEIVED

6.3 Local Switching Optional Features (where equipment is available)
(Cont'd)

(D)

(1)

MO. PUBLIC SERVICE COMM.

(2) Operator Trunk - Full Feature

(T)

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type of Local Switching option.

.

- (AA) Reserved for Future Use
- (BB) Reserved for Future Use

(M)

(M)

(CC) Flexible Automatic Number Identification (Flex ANI)

The Flex ANI feature provides an enhancement to the existing ANI Information Indicator (ANI II) digits which are included in the ANI optional feature as described in 6.3.1 (F) preceding. The Flex ANI feature provides additional values for the ANI II digits that are associated with various classes of service not available with the standard ANI digits. This feature is provided per host central office on a Carrier Identification Code (CIC) basis. Flex ANI is available with Feature Group D service in equal access end offices where technically feasible and must be provisioned with the ten digit ANI optional feature.

CANCELLED

OCT - 6 1991 CA TO A STATE OF THE SHIP SERVICE COMMINISSION

FILED

NOV 7 1993 93 - 181 MO. PUBLIC SERVICE COMM.

ISSUED: September 17, 1992 BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

EFFECTIVE: October 17, 1992

Original Page 216

RECENTED

ACCESS SERVICE

SEP 171992

6. <u>Switched Access Service</u> (Cont'd)

- MISPAUM
- 6.3 Common Switching Transport Termination Optional Features (where Common equipment is available) (Cont'd)
 - 6.3.2 Transport Termination Optional Features (Cont'd)
 - (B) Operator Trunk Coin, Non-Coin, or Combined Coin and Non-Coin (Cont'd)

Combined Coin and Non-Coin: (Cont'd)

This arrangement is normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's operator services systems, rather than in the customer's manual cord boards. When so equipped, the ANI optional feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for coinless public stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

(C) Operator Trunk - Full Feature

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type for Transport Termination.

CANCELLED

Public Service Commission MISSOURI

MOV 7 1992

20.707172 7.12 120711.

EFFECTIVE:

NOV 7 : 1992

ISSUED: September 17, 1992 BY: John L. Roe Vice President - Administration 5454 West 110th Street Overland Park, Kansas 66211

Second Revised Page 216.1 Cancels First Revised Page 216.1

ACCESS SERVICE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (FF) Multifrequency Address Signaling

This feature, available with FGB, FGC, and FGD, provides for the transmission of number information and control signals (e.g., number address signals, automatic number identification) between the end office switch and the customer's premises (in either direction). Multifrequency signaling arrangements make use of pairs of frequencies out of a group of six frequencies. Specific information transmitted is dependent upon feature group and call type (i.e., POTS, coin or operator). This feature is not available in combination with SS7 signaling.

(GG) Carrier Selection Parameter (CSP)

This feature provides for the automatic transmission of a signaling indicator which signifies to the customer whether or not the call being processed originated from a presubscribed line. If the line was presubscribed, the indicator will signify if the end user did or did not dial 101XXXX. This feature is provided with originating FGD with SS7 signaling.

(N)

(N)

Embarq Missouri, Inc. d/b/a Embarq

First Revised Page 216.1 Cancels Original Page 216.1

ACCESS SERVICE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 <u>Local Switching Optional Features</u> (where equipment is available) (Cont'd)
 - (FF) <u>Multifrequency Address Signaling</u>

This feature, available with FGB, FGC, and FGD, provides for the transmission of number information and control signals (e.g., number address signals, automatic number identification) between the end office switch and the customer's premises (in either direction). Multifrequency signaling arrangements make use of pairs of frequencies out of a group of six frequencies. Specific information transmitted is dependent upon feature group and call type (i.e., POTS, coin or operator). This feature is not available in combination with SS7 signaling.

ISSUED: March 30, 2007 Mark D. Harper
Director - State Regulatory
5454 W. 110th Street
Overland Park, Kansas 66211

EFFECTIVE: April 30, 2007



SPRINT MISSOURI, INC. d/b/a SPRINT

Original Page 216.1

Missouri Public Servica Commission

ACCESS SERVICE

6. Switched Access Service (Cont'd)

- REC'D NOV 29 2000
- 6.3 Local Switching Optional Features (where equipment is available) (Cont'd)
 - (FF) Multifrequency Address Signaling

(N)

This feature, available with FGB, FGC, and FGD, provides for the transmission of number information and control signals (e.g., number address signals, automatic number identification) between the end office switch and the customer's premises (in either direction). Multifrequency signaling arrangements make use of pairs of frequencies out of a group of six frequencies. Specific information transmitted is dependent upon feature group and call type (i.e., POTS, coin or operator). This feature is not available in combination with SS7 signaling.

(N)

ISSUED: November 29, 2000

Richard D. Lawson State Executive, External Affairs 319 Madison Jefferson City, MO 65101 EFFECTIVE:

December 29, 2000

Missouri Public

Service Cemmiosion