P.S.C. Mo.- No. 38

No Supplement to this Tariff will be issued Except for the purpose of canceling this tariff. Digital Link Services Tariff Section 23 Index Original Sheet 1

INDEX

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

		SHEET
23.1 DE	SCRIPTION AND APPLICATION OF SERVICE	1-10
23.1.1	General	1
23.1.2	Definitions	3
23.1.3	Regulations	4
23.1.4	Allowance for Interruptions	7
23.1.5	Provision of Service	7
23.1.6	Technical Specifications	10
23.2 RA	TE CONFIGURATION	11-14
23.2.1	General	11
23.2.2	Nonrecurring Charges	11
23.2.3	Customer Premises Node	13
23.2.4	Central Office Node	13
23.2.5	Channel Mileage	14
23.2.6	Optical Amplifier	14
23.2.7	Regenerator	14
23.2.8	Bulk Power	14
23.2.9	Port	14
23.3 RA	TES AND CHARGES	15-19
23.3.1	Nonrecurring Charges	16
23.3.2	Recurring Rates	17

Issued: January 23, 2003 Effective: February 22, 2003



P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 23 3rd Revised Sheet 1 Replacing 2nd Revised Sheet 1

MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

(CT)

23.1 DESCRIPTION AND APPLICATION OF SERVICES

23.1.1 General

Effective December 1, 2012, Multi-Service Optical (MON) Ring Service is not available for new installations. Existing MON Ring customers will be permitted to modify their service by adding new circuits to their existing service, but will not be permitted to add new nodes in new locations. New circuits added to existing locations will utilize the customer's existing Term Payment Plan (TPP) and should be coterminous with the customer's existing TPP. Customers with TPPs that expire may not extend their service contract. Effective December 1, 2016, no Move, Add or Change orders of any type will be accepted.

(AT)

(AT)

Multi-service Optical Network Ring (MON Ring) Service provides high volume optical transport utilizing multiplexing technology in a ring configuration. Multiple data signals are transmitted over fiber-optic cable using different wavelengths of light. Each of these wavelengths represents a transmission channel in the MON system and is protocol-independent of every other channel in the system.

(CT)

MON Ring Service is only available within the Local Access and Transport Areas (LATAs) served by and within the service territories of the Company.

(CT)

MON Ring Service allows customers to combine their multiple data signals so that they can be amplified and transported over one network. MON Ring Service provides dedicated capacity over a single pair of fiber in two directions that increases capacity without limiting customer-required data interfaces.

(CT)

Effective: December 1, 2012

Digital Link Services Tariff
Section 23
2nd Revised Sheet 1
Replacing 1st Revised Sheet 1

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES

23.1.1 General

SBC Multi-service Optical Network Ring (MON Ring) Service provides high volume optical transport utilizing multiplexing technology in a ring configuration. Multiple data signals are transmitted over fiber-optic cable using different wavelengths of light. Each of these wavelengths represents a transmission channel in the MON system and is protocol-independent of every other channel in the system.

SBC MON Ring Service is only available within the Local Access and Transport Areas (LATAs) served by and within the service territories of the Company.

SBC MON Ring Service allows customers to combine their multiple data signals so that they can be amplified and transported over one network. MON Ring Service provides dedicated capacity over a single pair of fiber in two directions that increases capacity without limiting customer-required data interfaces.

(MT)

Issued: October 31, 2005 Effective: November 30, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Digital Link Services Tariff Section 23 1st Revised Sheet 1 Replacing Original Sheet 1

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES

23.1.1 General

SBC Multi-service Optical Network Ring (MON Ring) Service provides high volume optical transport utilizing multiplexing technology in a ring configuration. Multiple data signals are transmitted over fiber-optic cable using different wavelengths of light. Each of these wavelengths represents a transmission channel in the MON system and is protocol-independent of every other channel in the system.

SBC MON Ring Service is only available within the Local Access and Transport Areas (CT) (LATAs) served by and within the service territories of the Company.

SBC MON Ring Service allows customers to combine their multiple data signals so that they can be amplified and transported over one network. MON Ring Service provides dedicated capacity over a single pair of fiber in two directions that increases capacity without limiting customer-required data interfaces.

SBC MON Ring Service offers the following port interfaces:

IBM Protocols: (1)

 ${\sf ESCON^{TM}}$ (200 Mbps) – Enterprise Systems Connection. An IBM duplex optical connection used for computer-to-computer data exchange. ${\sf ESCON^{TM}}$ is limited to a maximum distance of 43 km and actual data throughput is distance sensitive.

ETRTM (8 Mbps – Manchester Encoded) – External Timing References. This protocol is used for IBM GDPSTM architecture for multiple-location host processors. ETRTM is limited to a maximum distance of 40 km.

FICONTM (1.0625 Gbps and 2.125 Gbps) – A higher-speed evolution of ESCONTM, enabling 1 Gbps connectivity among mainframes, storage devices and peripherals. FICONTM is limited to a maximum distance of 100 km and actual data throughput is distance sensitive.

 ISC^{TM} (1.0625 Gbps) – Inter-System Coupling. This protocol is used with IBM GDPSTM architecture for multiple-location host processors. ISC^{TM} is limited to a maximum distance of 40 km.

(1) ESCONTM, ETRTM, FICONTM, ISCTM and GDPSTM are registered trademarks of the International Business Machines (IBM) Corporation, Armonk, NY 10504.

Issued: May 5, 2004 Effective: June 7, 2004

(MT)

(MT)

Digital Link Services Tariff
Section 23
Original Sheet 1
Missouff Public

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES

RECD JAN 23 2003

23.1.1 General

SBC Multi-service Optical Network Ring (MON Ring) Service provides high volume optical transport utilizing multiplexing technology in a ring configuration. Multiple data signals are transmitted over fiber-optic cable using different wavelengths of light. Each of these wavelengths represents a transmission channel in the MON system and is protocol-independent of every other channel in the system.

SBC MON Ring Service is only available within the Local Access and Transport Areas (LATAs) served by and within the service territories of Southwestern Bell.

SBC MON Ring Service allows customers to combine their multiple data signals so that they can be amplified and transported over one network. MON Ring Service provides dedicated capacity over a single pair of fiber in two directions that increases capacity without limiting customer-required data interfaces.

SBC MON Ring Service offers the following port interfaces:

IBM Protocols: (1)

ESCON[™] (200 Mbps) – Enterprise Systems Connection. An IBM duplex optical connection used for computer-to-computer data exchange. ESCON[™] is limited to a maximum distance of 43 km and actual data throughput is distance sensitive.

ETRTM (8 Mbps – Manchester Encoded) – External Timing References. This protocol is used for IBM GDPSTM architecture for multiple-location host processors. ETRTM is limited to a maximum distance of 40 km.

FICONTM (1.0625 Gbps and 2.125 Gbps) – A higher-speed evolution of ESCONTM, enabling 1 Gbps connectivity among mainframes, storage devices and peripherals. FICONTM is limited to a maximum distance of 100 km and actual data throughput is distance sensitive.

(1) ESCONTM, ETRTM, FICONTM, ISCTM and GDPSTM are registered trademarks of the International Business Machines (IBM) Corporation, Armonk, NY 10504.

Issued: January 23, 2003

Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company
St. Louis, Missouri
Missouri Public
Service Comfridation

FILED FEB 22 2003

Digital Link Services Tariff Section 23 Original Sheet 1.1

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.1 General (cont'd)

Sub-Rate Systems

(MT) Sub-Rate System - provide a multiplexing system operating at 1.25 Gbps with 4 ports.

Applicable to ESCONTM, Fast Ethernet, D1 Video, DVB-ASI. and OC-3/OC-3c port interfaces. Sub-rate multiplexing is offered at the serving wire center only for OC-3/OC-3c.

(1)

ESCONTM Sub-Rate System - provides a multiplexing system which allows customers to put up to 8 ESCONTM Channels (no other protocol) on one port card. (1)

GigE/FC/FICONTM Sub-Rate System - provides a multiplexing system which allows customers to put 2 Gigabit Ethernet (GigE) Channels or 2 Fibre Channels or 2 FICONTM Channels on one port card. (1)

OC-3/OC-12 Sub-Rate System – provides a multiplexing system which allows customers to put up to either 4 OC-3/OC-3c signals or OC-12/OC-12c signals or combinations thereof on one card. This sub-rate multiplexing system will have independent timing which allows multiple OC-3/OC-3c services or OC-12/OC-12c services on one port card. (1)

- SONET OC-48 Sub-Rate System provides a multiplexing system which allows customers
- (AT) to put up to four (4) OC-48/OC-48c signals on one card.(2)

- (MT) (1) Available where facilities and equipment permit.
 - (2) Available where facilities and equipment permit beginning November 30, 2005.

Issued: October 31, 2005 Effective: November 30, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



(MT)

(AT)

Digital Link Services Tariff Section 23 Original Sheet 1.2

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES

23.1.1 General

(MT) SBC MON Ring Service offers the following port interfaces:

IBM Protocols: (1)

 ${\sf ESCON^{TM}}$ (200 Mbps) – Enterprise Systems Connection. An IBM duplex optical connection used for computer-to-computer data exchange. ${\sf ESCON^{TM}}$ is limited to a maximum distance of 43 km and actual data throughput is distance sensitive. ${\sf ESCON^{TM}}$ is offered as a riding circuit where facilities and equipment permit.

ETR/CLOTM (8 Mbps – Manchester Encoded) – External Timing References/Control Link Oscillator. This protocol is used for IBM GDPSTM architecture for multiple-location host processors. ETR/CLOTM is limited to a maximum distance of 40 km.

FICONTM (1.0625 Gbps and 2.125 Gbps) – A higher-speed evolution of ESCONTM, enabling 1 Gbps connectivity among mainframes, storage devices and peripherals. FICONTM is limited to a maximum distance of 100 km and actual data throughput is distance sensitive. 1.0625 Gbps service is offered as a riding circuit where facilities and equipment permit. 1.0625 Gbps service is capable of being multiplexed on the GigE/FC/FICONTM Sub-Rate System.

ISC-1TM (1.0625 Gbps) – Inter-System Coupling. This protocol is used with IBM GDPSTM architecture for multiple-location host processors. ISCTM is limited to a maximum distance of 40 km.

 $ISC-3^{TM}$ (2.125 Gbps) – Inter-System Channel. $ISC-3^{TM}$ links have a peak data rate of 2.125 Gbps and can interconnect IBM^{TM} eServer z900 systems for distances up to 100km.

(1) ESCONTM, ETR/CLOTM, FICONTM, ISC-1TM, ISC-3TM, and GDPSTM are registered trademarks of the International Business Machines (IBM) Corporation, Armonk, NY 10504.

Issued: October 31, 2005 Effective: November 30, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



(MT)

Digital Link Services Tariff
Section 23
3rd Revised Sheet 2
Replacing 2nd Revised Sheet 2

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

Fibre Channel (1.0625 Gbps and 2.125 Gbps) – an industry standard protocol used to

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.1 General (cont'd)

Other Protocols:

(AT) (AT)(MT) (MT)	interconnect Storage Area Networks (SANs). Fibre Channel is limited to a maximum distance of 100 km and actual data throughput is distance sensitive. 1.0625 Gbps service is offered as a riding circuit where facilities and equipment permit. 1.0625 Gbps service is capable of being multiplexed on the GigE/FC/FICON TM Sub-Rate System.
(AT)	Fast Ethernet – a version of Ethernet that allows data transmission rates of 100 Mbps. Offered as a riding circuit where facilities and equipment permit.
(AT)	Gigabit Ethernet – a version of Ethernet that allows data transmission rates of 1 Gbps. Gigabit Ethernet (GigE) is offered as a riding circuit where facilities and equipment permit.
	10 Gigabit Ethernet (WAN-PHY) – a version of Ethernet that allows data transmission rates of 9.953 Gbps with a WAN-PHY only interface.
	10 Gigabit Ethernet (LAN-PHY) – a version of Ethernet that allows data transmission rates of 10.3125 Gbps with a LAN-PHY only interface.
(AT)	D1 Video – uncompressed digital video signal operating at 270 Mbps. Offered as a riding circuit where facilities and equipment permit.
(AT)	DVB-ASI Video – Digital Video Broadcasting – provides a 1310 nm optical interface at 270 Mbps. Offered as a riding circuit where facilities and equipment permit.
(AT) (AT)	SONET OC-3/OC-3c - provides a fiber-based 155.52 Mbps synchronous optical full duplex data transmission capability. Offered as a riding circuit where facilities and equipment permit. (1)
(MT)	

(1) These port interfaces are available at both the Customer Premises Node and the Central Office Node. All other port interfaces are available only at the Customer Premises Node.

Issued: October 31, 2005 Effective: November 30, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



Digital Link Services Tariff
Section 23
2nd Revised Sheet 2
Replacing 1st Revised Sheet 2

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.1 General (cont'd)

(MT)

Other Protocols:

Fibre Channel (1.0625 Gbps and 2.125 Gbps) – an industry standard protocol used to interconnect Storage Area Networks (SANs). Fibre Channel is limited to a maximum distance of 100 km and actual data throughput is distance sensitive.

Fast Ethernet – a version of Ethernet that allows data transmission rates of 100 Mbps.

Gigabit Ethernet – a version of Ethernet that allows data transmission rates of 1 Gbps.

10 Gigabit Ethernet (WAN-PHY) – a version of Ethernet that allows data transmission rates of 9.953 Gbps with a WAN-PHY only interface.

- (AT) 10 Gigabit Ethernet (LAN-PHY) a version of Ethernet that allows data transmission (AT) rates of 10.3125 Gbps with a LAN-PHY only interface.
 - D1 Video uncompressed digital video signal operating at 270 Mbps.
- SONET OC-3/OC-3c provides a fiber-based 155.52 Mbps synchronous optical full duplex data transmission capability. (1)
- SONET OC-12/OC-12c provides a fiber-based 622.08 Mbps synchronous optical full duplex data transmission capability. (1)
- SONET OC-48/OC-48c provides a fiber-based 2488.32 Mbps synchronous optical full duplex data transmission capability. (1)
- SONET OC-192/OC-192c provides a fiber-based 9953.28 Mbps synchronous optical (CT) full duplex data transmission capability. (1)

(RT)

(FC) (1) These port interfaces are available at both the Customer Premises Node and the Central Office Node. All other port interfaces are available only at the Customer Premises Node.

Issued: May 5, 2004 Effective: June 7, 2004

Digital Link Services Tariff
Section 23
1st Revised Sheet 2
Replacing Original Sheet 2

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

Missouri Public

23.1.1 General (cont'd)

REC'D JAN 16 2004

IBM Protocols: (1) (cont'd)

Service Commission

ISCTM (1.0625 Gbps) – Inter-System Coupling. This protocol is used with IBM GDPSTM architecture for multiple-location host processors. ISCTM is limited to a maximum distance of 40 km.

Other Protocols:

JUN 9 7 2004
By JMARS A
ublic Service Commissi

Fibre Channel (1.0625 Gbps and 2.125 Gbps) – an industry standard protocol used to interconnect Storage Area Networks (SANs). Fibre Channel is limited to a maximum distance of 100 km and actual data throughput is distance sensitive.

Fast Ethernet - a version of Ethernet that allows data transmission rates of 100 Mbps.

Gigabit Ethernet - a version of Ethernet that allows data transmission rates of 1 Gbps.

10 Gigabit Ethernet (WAN-PHY) – a version of Ethernet that allows data transmission rates of 9.953 Gbps with a WAN-PHY only interface.

D1 Video – uncompressed digital video signal operating at 270 Mbps.

SONET OC-3/OC-3c - provides a fiber-based 155.52 Mbps synchronous optical full duplex data transmission capability. (2)

SONET OC-12/OC-12c - provides a fiber-based 622.08 Mbps synchronous optical full duplex data transmission capability. (2)

SONET OC-48/OC-48c - provides a fiber-based 2488.32 Mbps synchronous optical full duplex data transmission capability. (2)

SONET OC-192/OC-192c - provides a fiber-based 9953.28 Mbps synchronous optical full duplex data transmission capability. (2)

- (1) ESCONTM, ETRTM, FICONTM, ISCTM and GDPSTM are registered trademarks of the International Business Machines (IBM) Corporation, Armonk, NY 10504.
- (2) These port interfaces are available at both the Customer Premises Node and the Central Office Node. All other port interfaces are available only at the Customer Premises Node.

Issued: January 16, 2004

Effective: February 17, 2004

By CINDY BRINKLEY, President-SBC Missouri
Southwestern Bell Telephone, L.P., d/b/a SBC Missouri
St. Louis, Missouri
Service Commission

FLED FEB 17 2004

(MT)

(MT)

Digital Link Services Tariff
Section 23
Original Sheet 2

Missouf Public SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE COMMISSION

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

REGD JAN 23 2003

23.1.1 General (cont'd)

IBM Protocols: (1) (cont'd)

ISCTM (1.0625 Gbps) – Inter-System Coupling. This protocol is used with IBM GDPSTM architecture for multiple-location host processors. ISCTM is limited to a maximum distance of 40 km.

Other Protocols:

Fibre Channel (1.0625 Gbps and 2.125 Gbps) – an industry standard protocol used to interconnect Storage Area Networks (SANs). Fibre Channel is limited to a maximum distance of 100 km and actual data throughput is distance sensitive.

Fast Ethernet – a version of Ethernet that allows data transmission rates of 100 Mbps.

Gigabit Ethernet – a version of Ethernet that allows data transmission rates of 1 Gbps.

10 Gigabit Ethernet (WAN-PHY) – a version of Ethernet that allows data transmission rates of 9.953 Gbps with a WAN-PHY only interface.

D1 Video - uncompressed digital video signal operating at 270 Mbps.

SONET OC-3/OC-3c - provides a fiber-based 155.52 Mbps synchronous optical full duplex data transmission capability. (2)

SONET OC-12/OC-12c - provides a fiber-based 622.08 Mbps synchronous optical full duplex data transmission capability. (2)

CANCELLED
FEB 1 7 2004
STAN A
Iblic Service Commissio

- (1) ESCONTM, ETRTM, FICONTM, ISCTM and GDPSTM are registered trademarks of the International Business Machines (IBM) Corporation, Armonk, NY 10504.
- (2) These port interfaces are available at both the Customer Premises Node and the Central Office Node. All other port interfaces are available only at the Customer Premises Node.

Issued: January 23, 2003

Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Beil Telephone, L.P., d/b/a Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public Service Commission

FILED FEB 22 2003

Digital Link Services Tariff Section 23 4th Revised Sheet 3 Replacing 3rd Revised Sheet 3

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.1 General (cont'd)

Other Protocols (cont'd)

(MT) (AT) (AT)	SONET OC-12/OC-12c - provides a fiber-based 622.08 Mbps synchronous optical full duplex data transmission capability. Offered as a riding circuit where facilities and equipment permit. (1)
(AT) (AT)	SONET OC-48/OC-48c - provides a fiber-based 2488.32 Mbps synchronous optical full duplex data transmission capability. Offered as a riding circuit where facilities and equipment permit. beginning November 30, 2005. (1)
(MT)	SONET OC-192/OC-192c - provides a fiber-based 9953.28 Mbps synchronous optical full duplex data transmission capability. (1)
(MT)	



(CT) (1) These port interfaces are available at both the Customer Premises Node and the Central Office Node.
 (CT) All other port interfaces are available only at the Customer Premises Node.

Issued: October 31, 2005 Effective: November 30, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



Digital Link Services Tariff Section 23 3rd Revised Sheet 3 Replacing 2nd Revised Sheet 3

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.1 General (cont'd)

Other Protocols (cont'd)

Sub-Rate System - provide a multiplexing system operating at 1.25 Gbps with 4 ports. Applicable to ESCONTM, Fast Ethernet, D1 Video and OC-3/OC-3c port interfaces. Sub-rate multiplexing is offered at the serving wire center only for OC-3/OC-3c.

GigE/FC/FICONTM Sub-Rate System - provides a multiplexing system which allows customers to put 2 Gigabit Ethernet (GigE) Channels or 2 Fibre Channels or 2 FICONTM Channels on one port card.

ESCONTM Sub-Rate System - provides a multiplexing system which allows customers to put up to 8 ESCONTM Channels (no other protocol) on one port card.

OC-3/OC-12 Sub-Rate System – provides a multiplexing system which allows customers to put up to either 4 OC-3/OC-3c signals or OC-12/OC-12c signals or combinations thereof on one card. This sub-rate multiplexing system will have independent timing which allows multiple OC-3/OC-3c services or OC-12/OC-12c services on one port card.

> OC-12 Riding Circuit – capable of being multiplexed on the OC-3/OC-12 Sub-Rate system.

Gigabit Ethernet Riding Service – capable of being multiplexed on the GigE/FC/FICONTM Sub-Rate System. (1)

Fibre Channel Riding Service – 1.0625 Gbps rate service capable of being multiplexed on the GigE/FC/FICONTM Sub-Rate System. (1)

FICONTM Riding Service – 1.0625 Gbps rate service capable of being multiplexed on the GigE/FC/FICONTM Sub-Rate System. (1)

These port interfaces are only available when ordered with the GigE/FC/FICONTM Sub-Rate System. Gigabit Ethernet, Fibre Channel (2.125 Gbps) and FICONTM (2.125 Gbps) can also be ordered directly on the MON Ring.

Issued: May 5, 2004 Effective: June 7, 2004

(AT)

(AT)

(MT)

(AT)

(AT)

Digital Link Services Tariff Section 23 2nd Revised Sheet 3 Replacing 1st Revised Sheet 3

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

Missouri Public

23.1.1 General (cont'd)

RECD JAN 16 2004

Other Protocols (cont'd)

(MT)

Sub-Rate System - provide a multiplexing system operating at 1.25 Gbps with 4 ports. Applicable to ESCON[™], Fast Ethernet, D1 Video and OC-3/OC-3c port interfaces. Sub-rate multiplexing is offered at the serving wire center only for OC-3/OC-3c.

GigE/FC/FICONTM Sub-Rate System - provides a multiplexing system which allows (AT) customers to put 2 Gigabit Ethernet (GigE) Channels or 2 Fibre Channels or 2 FICONTM Channels on one port card.

> ESCONTM Sub-Rate System - provides a multiplexing system which allows customers to put up to 8 ESCONTM Channels (no other protocol) on one port card.

23.1.2 Definitions

(AT)

(RT)

Bulk Power - Provides for customer premises node power which will be required if the customer's power source is AC.

Central Office Node - Provides for the termination of service at a serving wire center.

Channel Mileage - Provides for the transmission facilities between the serving wire centers associated with the Central Office Nodes and Customer Premises Nodes.

Channel Protection (Optional) - Provides protection for a single channel toward the network. It does not protect the channel against failure towards the customer interface. Protection reduces the maximum individual channel capacity of the system.

Customer Premises Node - Provides for the termination of service at the customer's premises and presents the various selected ports to the customer.

CANCELLED

Public Service Commission

Issued: January 16, 2004

Effective: February 17, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Fublic Service Commission

FLED FEB 17 2004

tariff will be issued except for the purpose of canceling this tariff.

No Supplement to this

Digital Link Services Tariff Section 23 1st Revised Sheet 3 Replacing Original Sheet 3

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

Missouri Public Service Commission

23.1.I General (cont'd)

RFC'D APR 04 2003

Other Protocols: (cont'd)

SONET OC-48/OC-48c - provides a fiber-based 2488.32 Mbps synchronous optical full duplex data transmission capability. (1)

SONET OC-192/OC-192c - provides a fiber-based 9953,28 Mbps synchronous optical full duplex data transmission capability. (1)

Sub-Rate System - provide a multiplexing system operating at 1.25 Gbps with 4 ports. Applicable to ESCONTM, Fast Ethernet, DI Video and OC-3/OC-3c port interfaces. Sub-rate multiplexing is offered at the serving wire center only for OC-3/OC-3c.

23.1.2 Definitions

Bulk Power - Provides for customer premises node power which will be required if the customer's power source is AC.

Central Office Node - Provides for the termination of service at a serving wire center.

Channel Mileage - Provides for the transmission facilities between the serving wire centers associated with the Central Office Nodes and Customer Premises Nodes.

Channel Protection (Optional) - Provides protection for a single channel toward the network. It does not protect the channel against failure towards the customer interface. Protection reduces the maximum individual channel capacity of the system.

Customer Premises Node - Provides for the termination of service at the customer's premises and presents the various selected ports to the customer.

(1) These port interfaces are available at both the Customer Premises Node and the Central Office Node. All other port interfaces are available only at the Customer Premises Node.

Effective: May 4, 2003 Issued: April 4, 2003

> By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Service Commission

FILED MAY 04 2003

(AT)

(AT)

Digital Link Services Tariff Section 23 Original Sheet 3

Misseuri Public Service Commission

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

RECD JAN 23 2003

23.1.1 General (cont'd)

Other Protocols: (cont'd)

SONET OC-48/OC-48c - provides a fiber-based 2488.32 Mbps synchronous optical full duplex data transmission capability. (1)

SONET OC-192/OC-192c - provides a fiber-based 9953.28 Mbps synchronous optical full duplex data transmission capability. (1)

Sub-Rate System - provide a multiplexing system operating at 1.25 Gbps with 4 ports. Applicable to ESCONTM, Fast Ethernet, D1 Video and OC-3/OC-3c port interfaces.

23.1.2 Definitions

Bulk Power - Provides for customer premises node power which will be required if the customer's power source is AC.

Central Office Node - Provides for the termination of service at a serving wire center.

Channel Mileage – Provides for the transmission facilities between the serving wire centers associated with the Central Office Nodes and Customer Premises Nodes.

Channel Protection (Optional) - Provides protection for a single channel toward the network. It does not protect the channel against failure towards the customer interface. Protection reduces the maximum individual channel capacity of the system.

Customer Premises Node - Provides for the termination of service at the customer's premises and presents the various selected ports to the customer.

MAY 0 4 2003

CANCELLED

(1) These port interfaces are available at both the Customer Premises Notes and Central Office Node. All other port interfaces are available only at the Customer Premises Node.

Issued: January 23, 2003

Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public Servica Commission

FILED FEB 22 2003

Digital Link Services Tariff Section 23 Original Sheet 3.1

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

(MT) 23.1.2 Definitions

(MT)

Bulk Power - Provides for customer premises node power which will be required if the customer's power source is AC.

Central Office Node - Provides for the termination of service at a serving wire center.

Channel Mileage – Provides for the transmission facilities between the serving wire centers associated with the Central Office Nodes and Customer Premises Nodes.

Channel Protection (Optional) - Provides protection for a single channel toward the network. It does not protect the channel against failure towards the customer interface. Protection reduces the maximum individual channel capacity of the system.

Customer Premises Node - Provides for the termination of service at the customer's premises and presents the various selected ports to the customer.

Issued: May 5, 2004 Effective: June 7, 2004

Filed

Missouri Public
Service Commission

Digital Link Services Tariff Section 23 1st Revised Sheet 4 Replacing Original Sheet 4

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.2 Definitions (cont'd)

Optical Amplifier - Provides for an optical signal boost if the distance between nodes exceeds the transmission loss parameters (link loss specific). Engineering considerations may dictate the need for more than one optical amplifier on a circuit route. These additions may be service affecting. Optical amplifiers may be located at a Customer Premise node, a Central Office Node, or at a serving wire center.

Port - Provides the channel interface at any Node location for each unprotected or protected channel.

Regenerator - Provides for re-timing, re-shaping and regeneration of the signal if degradation exceeds the dispersion or optical amplifier noise limits.

(AT) Sub-Rate System - Allows for multiple ports, also called riding circuits, on a single wavelength.

23.1.3 Regulations

The regulations, rates and charges specified herein are in addition to other regulations, rates and charges as specified in this and other SWBT tariffs.

- A. The services provided for SBC MON Ring Service are primarily designed to meet the private line communications requirements of business customers, and the regulations herein reflect the reasonable support on the part of SWBT in assisting the customer in the ordering and provisioning of private line services. This assistance includes, but is not limited to, advice as to which private line service best meets the customer's requirements, taking into consideration the customer's present and future communications needs. In addition, SWBT will continue to assist and advise the customers and cooperatively respond to the requirements of the customer until such time as the private line service is discontinued. The aforementioned level of assistance is considered to be part of the private line service offering and will be provided at no additional charge.
- B. The customer-provided equipment must deliver the data signals for the SBC MON Ring Service transport within the industry specification for the subscribed data services

Issued: October 31, 2005 Effective: November 30, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



Digital Link Services Tariff Section 23 Original Sheet 4

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.2 Definitions (cont'd)

Optical Amplifier - Provides for an optical signal boost if the distance between nodes exceeds the transmission loss parameters (link loss specific). Engineering considerations may dictate the need for more than one optical amplifier on a circuit route. These additions may be service affecting. Optical amplifiers may be located at a Customer Premise node, a Central Office Node, or at a serving wire center.

Port - Provides the channel interface at any Node location for each unprotected or protected channel.

Regenerator - Provides for re-timing, re-shaping and regeneration of the signal if degradation exceeds the dispersion or optical amplifier noise limits.

23.1.3 Regulations

The regulations, rates and charges specified herein are in addition to other regulations, rates and charges as specified in this and other SWBT tariffs.

- A. The services provided for SBC MON Ring Service are primarily designed to meet the private line communications requirements of business customers, and the regulations herein reflect the reasonable support on the part of SWBT in assisting the customer in the ordering and provisioning of private line services. This assistance includes, but is not limited to, advice as to which private line service best meets the customer's requirements, taking into consideration the customer's present and future communications needs. In addition, SWBT will continue to assist and advise the customers and cooperatively respond to the requirements of the customer until such time as the private line service is discontinued. The aforementioned level of assistance is considered to be part of the private line service offering and will be provided at no additional charge.
- B. The customer-provided equipment must deliver the data signals for the SBC MON Ring Service transport within the industry specification for the subscribed data services.

Issued: January 23, 2003 Effective: February 22, 2003

Digital Link Services Tariff Section 23 1st Revised Sheet 5 Replacing Original Sheet 5

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.3 Regulations (cont'd)

- C. SBC MON Ring Service provides physical layer transport only. The Company assumes no responsibility for the signals generated by the customer, for the quality of or defects in such signals, for the reception of signals by the customer, or address signaling to the extent addressing is performed by the customer. Error detection and correction of data generated by the customer is the customer's responsibility.
- D. The service is considered interrupted when the customer reports a service disruption to the Company and the Company confirms that continuity of its service has been lost.
- E. SBC MON Ring Service may have distance limitations based on the services carried and may require routing through wire centers (central offices) based on loss limits between nodes. Services with facility length limitations may not be available on some MON rings, or may not be available between some nodes on certain MON rings.
- F. Optical Amplifiers and/or Regenerators may have to be added to a SBC MON Ring Service subsequent to the initial installation.
- G. When additional services are added, such installation may cause a service interruption to existing unprotected channels, or a protection switch on protected channels.
- (CT) H. Where conditions, equipment, and facilities permit, MON Ring Service will be offered in two configurations. Customers can purchase MON Ring with growth capacity up to 16 wavelengths or up to 32 wavelengths. The 32 wavelength systems may, at the discretion of the Company, be built as two 16 wavelength systems sharing common fiber and some common equipment.
 (CT) Depending upon the configuration, conversion from a 16 wavelength MON Ring to a 32 wavelength MON Ring may not be available.
 - I. SBC MON Ring Service is provided at the option of the Company where facilities permit. If appropriate facilities are not available, Special Construction charges, as set forth in Section 1.4.4 of this Tariff, may apply.
 - J. Floor space for subsequent shelf growth at a Central Office Node beyond the initial installation will be provided where available, but cannot be guaranteed for subsequent shelf growth beyond the initial installation.

Issued: October 31, 2005 Effective: November 30, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



Digital Link Services Tariff Section 23 Original Sheet 5

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.3 Regulations (cont'd)

- C. SBC MON Ring Service provides physical layer transport only. The Company assumes no responsibility for the signals generated by the customer, for the quality of or defects in such signals, for the reception of signals by the customer, or address signaling to the extent addressing is performed by the customer. Error detection and correction of data generated by the customer is the customer's responsibility.
- D. The service is considered interrupted when the customer reports a service disruption to the Company and the Company confirms that continuity of its service has been lost.
- E. SBC MON Ring Service may have distance limitations based on the services carried and may require routing through wire centers (central offices) based on loss limits between nodes. Services with facility length limitations may not be available on some MON rings, or may not be available between some nodes on certain MON rings.
- F. Optical Amplifiers and/or Regenerators may have to be added to a SBC MON Ring Service subsequent to the initial installation.
- G. When additional services are added, such installation may cause a service interruption to existing unprotected channels, or a protection switch on protected channels.
- H. SBC MON Ring Service will be offered in two configurations. Customers can purchase MON Ring with growth capacity up to 16 wavelengths or up to 32 wavelengths. The 32 wavelength systems may, at the discretion of the Company, be built as two 16 wavelength systems sharing common fiber and some common equipment. Conversion from a 16 wavelength MON Ring to a 32 wavelength MON Ring is not available.
- I. SBC MON Ring Service is provided at the option of the Company where facilities permit. If appropriate facilities are not available, Special Construction charges, as set forth in Section 1.4.4 of this Tariff, may apply.
- J. Floor space for subsequent shelf growth at a Central Office Node beyond the initial installation will be provided where available, but cannot be guaranteed for subsequent shelf growth beyond the initial installation.

Issued: January 23, 2003 Effective: February 22, 2003

Digital Link Services Tariff
Section 23
3rd Revised Sheet 6
Replacing 2nd Revised Sheet 6

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.3 Regulations (cont'd)

- K. Prior to confirming an order for service, the Company will provide a proposed route diagram to the customer.
- L. Installation of service will not begin until the customer has accepted the proposed routing by the Company.
- M. Services with time-delay sensitive protocols have facility length limitations and may affect the design/availability of SBC MON Ring Service, (e.g., CPU to CPU communications have a maximum distance limitation of 60 km.). The Company will work cooperatively with the customer to determine if the desired services can operate between the customer's designated premises.
- N. Channel protection may not be available for all interface types.
- O. Conversion from SBC MON (point-to-point) Service to SBC MON Ring Service is not available.
- P. Conversions from any other lower speed services to SBC MON Ring Service are not available.
- Q. Where conditions, equipment, and facilities permit, the customer must first order the MON Ring Transport System followed by the MON Ring Channels. When ordering riding services, the customer must first order the MON Ring Transport System, followed by a MON Ring Channel Sub-Rate System over which these services will be assigned. When riding services are ordered on a Sub-Rate System, they are represented by different rate elements than those services ordered directly on the MON ring.
- R. Neither electrical interfaces nor optical add/drop multiplexing are available with this service.
- S. OC-12/OC-12c, Gigabit Ethernet, Fibre Channel (1.0625 Gbps) and FICONTM (1.0625 Gbps) can be ordered directly on MON Ring, or as a riding service on a sub-rate system. Fibre Channel (2.125 Gbps) and FICONTM (2.125 Gbps) can only be ordered directly on MON Ring, and cannot be ordered on a sub-rate system. OC-12, Gigabit Ethernet, Fibre Channel (1.0625 Gbps) and FICONTM (1.0625 Gbps) when ordered on a sub-rate system, are represented by different rate elements than those ordered directly on the MON Ring.

Issued: October 31, 2005 Effective: November 30, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



CANCELLED
May 1, 2014
Missouri Public
Service Commission
JI-2014-0389

(CT)

(CT)

(AT)

(AT)

Digital Link Services Tariff Section 23 2nd Revised Sheet 6 Replacing 1st Revised Sheet 6

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.3 Regulations (cont'd)

- K. Prior to confirming an order for service, the Company will provide a proposed route diagram to the customer.
- L. Installation of service will not begin until the customer has accepted the proposed routing by the Company.
- M. Services with time-delay sensitive protocols have facility length limitations and may affect the design/availability of SBC MON Ring Service, (e.g., CPU to CPU communications have a maximum distance limitation of 60 km.). The Company will work cooperatively with the customer to determine if the desired services can operate between the customer's designated premises.

(RT)

- (FC) N. Channel protection may not be available for all interface types.
- (FC) O. Conversion from SBC MON (point-to-point) Service to SBC MON Ring Service is not available.
- (FC) P. Conversions from any other lower speed services to SBC MON Ring Service are not available.
- (FC) Q. The customer must first order the MON Ring Transport System followed by the MON Ring Channels. When ordering ESCONTM, Fast Ethernet, D1 Video and OC-3/OC-3c ports, the customer must first order a MON Ring Channel Sub-Rate System or a ESCONTM Sub-Rate System over which these services will be assigned.
- (FC) R. Neither electrical interfaces nor optical add/drop multiplexing are available with this service.
- (AT)

 S. OC-12/OC-12c, Gigabit Ethernet, Fibre Channel (1.0625 Gbps) and FICONTM (1.0625 Gbps) can be ordered directly on MON Ring, or as a riding service on a sub-rate system. Fibre Channel (2.125 Gbps) and FICONTM (2.125 Gbps) can only be ordered directly on MON Ring, and cannot be ordered on a sub-rate system. OC-12, Gigabit Ethernet, Fibre Channel (1.0625 Gbps) and FICONTM (1.0625 Gbps) when ordered on a sub-rate system, are represented by different rate elements than those ordered directly on the MON Ring.

Issued: May 5, 2004 Effective: June 7, 2004

Digital Link Services Tariff
Section 23
1st Revised Sheet 6
Replacing Original Sheet 6

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

RECD JAN 16 2004

23.1.3 Regulations (cont'd)

Service Commission

- K. Prior to confirming an order for service, the Company will provide a proposed route diagram to the customer.
- L. Installation of service will not begin until the customer has accepted the proposed routing by the Company.
- M. Services with time-delay sensitive protocols have facility length limitations and may affect the design/availability of SBC MON Ring Service, (E.g., CPU to CPU communications have a maximum distance limitation of 60 km.). The Company will work cooperatively with the customer to determine if the desired services can operate between the customer's designated premises.
- N. OC-192/OC-192c and 10 Gbps WAN-PHY services will be available on rings that offer only those services. SBC MON Ring Service will not offer both lower rate services (up to 2.5 Gbps) and 10 Gbps or OC-192/OC-192c services on the same ring.
- O. Channel protection may not be available for all interface types.
- P. Conversion from SBC MON (point-to-point) Service to SBC MON Ring Service is not available.
- Q. Conversions from any other lower speed services to SBC MON Ring Service are not available.
- R. The customer must first order the MON Ring Transport System followed by the MON Ring Channels. When ordering ESCONTM, Fast Ethernet, D1 Video and OC-3/OC-3c ports, the customer must first order a MON Ring Channel Sub-Rate System or a ESCONTM Sub-Rate System over which these services will be assigned.
- S. Neither electrical interfaces nor optical add/drop multiplexing are available with this service.

CANCELLED

JUN 0 7 2004

Public Service Commission

Issued: January 16, 2004

(AT)

Effective: February 17, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Sorvies Commission

FLED FEB 17 200A

Digital Link Services Tariff Section 23

Silduding delining solvies commission

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVED JAN 23 2003
23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.3 Regulations (cont'd)

- K. Prior to confirming an order for service, the Company will provide a proposed route diagram to the customer.
- L. Installation of service will not begin until the customer has accepted the proposed routing by the Company.
- M. Services with time-delay sensitive protocols have facility length limitations and may affect the design/availability of SBC MON Ring Service, (E.g., CPU to CPU communications have a maximum distance limitation of 60 km.). The Company will work cooperatively with the customer to determine if the desired services can operate between the customer's designated premises.
- N. OC-192/OC-192c and 10 Gbps WAN-PHY services will be available on rings that offer only those services. SBC MON Ring Service will not offer both lower rate services (up to 2.5 Gbps) and 10 Gbps or OC-192/OC-192c services on the same ring.
- O. Channel protection may not be available for all interface types.
- P. Conversion from SBC MON (point-to-point) Service to SBC MON Ring Service is not available.
- Q. Conversions from any other lower speed services to SBC MON Ring Service are not available.
- R. The customer must first order the MON Ring Transport System followed by the MON Ring Channels. When ordering ESCONTM, Fast Ethernet, D1 Video and OC-3/OC-3c ports, the customer must first order a MON Ring Channel Sub-Rate System over which these services will be assigned.
- S. Neither electrical interfaces nor optical add/drop multiplexing are available with this service.

CANCELLED

FEB 1 7 2004

Public Service Commission

Issued: January 23, 2003

Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Commission
St. Louis, Missouri

FILED FEB 22 2003

Digital Link Services Tariff
Section 23
3rd Revised Sheet 7
Replacing 2nd Revised Sheet 7

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.4 Allowance for Interruptions

A credit allowance will be given for interruptions of service. An interruption of service will start when an inoperative service is reported to the Company and end when the service is operative.

Any protected service interruption of greater than 2 consecutive seconds as a result of a failure on the protected portion of the circuit will result in a credit equal to one month's bill for the individual port-to-port connections involved.

If the interruption occurs on an unprotected portion of the circuit, normal terms and conditions for Credit Allowances as stated in Paragraph 1.4.8 of the Private Line Service Tariff will apply.

In any month, as a result of an interruption, the total credit per rate element of the interrupted service may not exceed 100 percent of the monthly charge for that particular rate element.

23.1.5 Provision of Service

23.1.5.1 Standard Configurations

(CT)

(CT)

MON Ring Service is available in different ring configurations utilizing Central Office Nodes and Customer Premises Nodes. The total number of circuits and total usable bandwidth to the customer depends upon the mix of services ordered and the specific traffic patterns of the customer. The company will determine the appropriate wavelength assignment and the design of the MON Ring.

The minimum configuration would be two nodes either at a serving wire center or a customer premise site. If the nodes are not in a serving wire center, a central office management site for monitoring is required. An optical amplifier located at a serving wire center can be used as a monitoring site.

A combination of these configurations may be used in a network design depending on the customer's traffic pattern.

Issued: October 31, 2005 Effective: November 30, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



Digital Link Services Tariff
Section 23
2nd Revised Sheet 7
Replacing 1st Revised Sheet 7

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.4 Allowance for Interruptions

A credit allowance will be given for interruptions of service. An interruption of service will start when an inoperative service is reported to the Company and end when the service is operative.

Any protected service interruption of greater than 2 consecutive seconds as a result of a failure on the protected portion of the circuit will result in a credit equal to one month's bill for the individual port-to-port connections involved.

If the interruption occurs on an unprotected portion of the circuit, normal terms and conditions for Credit Allowances as stated in Paragraph 1.4.8 of the Private Line Service Tariff will apply.

In any month, as a result of an interruption, the total credit per rate element of the interrupted service may not exceed 100 percent of the monthly charge for that particular rate element.

23.1.5 Provision of Service

23.1.5.1 Standard Configurations

SBC MON Ring Service is available in different ring configurations utilizing Central Office Nodes and Customer Premises Nodes, with a maximum of 8 sites and/or 40 shelves. A shelf consists of up to 4 protected or up to 8 unprotected wavelengths (bands). Two shelves may be placed in one physical shelf chassis.

The minimum configuration would be two nodes either at a serving wire center or a customer premise site. If the nodes are not in a serving wire center, a central office management site for monitoring is required. An optical amplifier located at a serving wire center can be used as a monitoring site.

A combination of these configurations may be used in a network design depending on the customer's traffic pattern.

Issued: May 5, 2004 Effective: June 7, 2004

(AT) (AT)

Digital Link Services Tariff Section 23 1st Revised Sheet 7 Replacing Original Sheet 7

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

Missouri Public Service Commission

23.1.4 Allowance for Interruptions

RECD APR 04 2003

A credit allowance will be given for interruptions of service. An interruption of service will start when an inoperative service is reported to the Company and end when the service is operative.

(AT)

Any protected service interruption of greater than 2 consecutive seconds as a result of a failure on the protected portion of the circuit will result in a credit equal to one month's bill for the individual port-to-port connections involved.

(CT)

If the interruption occurs on an unprotected portion of the circuit, normal terms and conditions for Credit Allowances as stated in Paragraph I.4.8 of the Private Line Service Tariff will apply.

In any month, as a result of an interruption, the total credit per rate element of the interrupted service may not exceed 100 percent of the monthly charge for that particular rate element.

23.1.5 Provision of Service

23.1.5.1 Standard Configurations

SBC MON Ring Service is available in different ring configurations utilizing Central Office Nodes and Customer Premises Nodes, with a maximum of 8 sites and/or 40 shelves.

The minimum configuration would be two nodes either at a serving wire center or a customer premise site. If the nodes are not in a serving wire center, a central office management site for monitoring is required. An optical amplifier located at a serving wire center can be used as a monitoring site.

A combination of these configurations may be used in a network design depending on the customer's traffic pattern.

CANCELLED

JUN 0 7 2004

and Ds

Issued: April 4, 2003

c Survice Commission

Effective: May 4, 2003

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Service Commission

FILED MAY 04 2003

Digital Link Services Tariff
Section 23
Original Sheet 7
Missouri Public
Sorvice Commission

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

REGO JAN 23 2003

23.1.4 Allowance for Interruptions

A credit allowance will be given for interruptions of service. An interruption of service will start when an inoperative service is reported to the Company and end when the service is operative.

Any protected service interruption as a result of a failure on the protected portion of the circuit will result in a credit equal to one month's bill for the circuits involved.

If the interruption occurs on an unprotected portion of the circuit, normal terms and conditions for Credit Allowances as stated in Paragraph 1.4.8 of the Private Line Service Tariff will apply.

In any month, as a result of an interruption, the total credit per rate element of the interrupted service may not exceed 100 percent of the monthly charge for that particular rate element.

23.1.5 Provision of Service

23.1.5.1 Standard Configurations

SBC MON Ring Service is available in different ring configurations utilizing Central Office Nodes and Customer Premises Nodes, with a maximum of 8 sites and/or 40 shelves.

The minimum configuration would be two nodes either at a serving wire center or a customer premise site. If the nodes are not in a serving wire center, a central office management site for monitoring is required. An optical amplifier located at a serving wire center can be used as a monitoring site.

A combination of these configurations may be used in a network design depending on the customer's traffic pattern.

CANCELLED

MAY 0 4 2003

Public Service Commission

Issued: January 23, 2003

Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company
St. Louis, Missouri

Missoud Public Service **Commiss**ion

FILED FEB 22 2003

Digital Link Services Tariff Section 23 Original Sheet 8


SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.5 Provision of Service (cont'd)

23.1.5.1 Standard Configurations (cont'd)

Diagram of MON Ring



Issued: January 23, 2003 Effective: February 22, 2003

Filed

Missouri Public
Service Commission

Digital Link Services Tariff
Section 23
1st Revised Sheet 9
Replacing Original Sheet 9

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.5 Provision of Service (cont'd)

23.1.5.2 Route Diversity

(CP)

(CT)

(CT)

- SBC MON Ring Service is configured with diversely routed fiber whenever possible.
 SBC MON Ring Service will be available for protected channels 99.999% of the time and protected channels will switch within 50 milliseconds (not to exceed 2 seconds).
 Equipment interfaces towards the customer are not protected. Unprotected channels will be lost in the event of a fiber path failure on which the circuit is assigned.
- Routing of fiber may be diversified from the customer's property line to their serving wire center or alternate serving wire center as determined by the Company, and where facilities are available, to ensure that loop fibers follow separate paths to the serving wire center or alternate serving wire center. Interoffice facility (IOF) fiber paths may be diversely routed between serving wire centers or alternate serving wire centers. In addition, IOF fiber (if applicable) paths may be diversified to ensure that with any serving wire center Central Office Node, the fibers do not egress and ingress at the same point. In cases where the serving wire center does not have multiple entrance fiber facilities, the section of the fiber from the closest manhole (to the serving wire center) will be routed within the same duct structure.
- At the customer's request, additional protection to the Customer Premises Nodes can be provided via dual entrance facilities. This special request may cause the customer to incur special construction cost. Without this special request, diverse fiber is provided to the closest manhole to the customer location property line. The customer or building owner is responsible for providing conduit designed to meet industry standards and local fire and safety codes from the property line to the building to within the premises. The customer determines the route and method of protection inside the premises.
- In the case where dual entrance facilities are not established at the customer premises, facilities routed within the same duct structure from the property line to the building equipment location are not diverse.

Issued: June 23, 2003 Effective: July 23, 2003

Filed

Missouri Public
Service Commission

Digital Link Services Tariff
Section 23

Missour Public Sorvice Commission

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE JAN 23 2003

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.5 Provision of Service (cont'd)

23.1.5.2 Route Diversity

- SBC MON Ring Service is configured with diversely routed fiber whenever possible.
 SBC MON Ring Service will be available 99.995% of the time and protected channels will switch within 50 milliseconds (not to exceed 2 seconds). Unprotected channels will be lost in the event of a fiber path failure on which the circuit is assigned.
 Equipment interfaces towards the customer are not protected.
- Routing of fiber may be diversified from the customer's property line to their serving wire center or alternate serving wire center as determined by the Company, and where facilities are available, to ensure that loop fibers follow separate paths to the serving wire center or alternate serving wire center. Interoffice facility (IOF) fiber paths may be diversely routed between serving wire centers or alternate serving wire centers. In addition, IOF fiber (if applicable) paths may be diversified to ensure that with any serving wire center Central Office Node, the fibers do not egress and ingress at the same point. In cases, where the serving wire center does not have multiple entrance fiber facilities, the section of the fiber from the closest manhole (to the serving wire center) will be routed within the same duct structure.
- At the customer's request, additional protection to the Customer Premises Nodes can be provided via dual entrance facilities. This special request may cause the customer to incur special construction cost. Without this special request, diverse fiber is provided to the closest manhole to the customer location property line. The customer or building owner is responsible for providing conduit designed to meet industry standards and local fire and safety codes from the property line to the building to within the premises. The customer determines the route and method of protection inside the premises.
- In the case where dual entrance facilities are not established at the customer premises, facilities routed within the same duct structure from the property line to the building equipment location are not diverse.

Issued: January 23, 2003

Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public Service Commission

FILED FEB 22 2003

Digital Link Services Tariff Section 23 2nd Revised Sheet 10 Replacing 1st Revised Sheet 10

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.6 Technical Specifications

The customer interfaces to SBC MON Ring Service are as specified in:

Subject	Technical Reference
Ameritech LAN Interconnect Service - Token Ring Interface Codes	AM-TR-NIS-000100
Ameritech LAN Interconnect Service - CSMA/CD Interface Specifications	AM TR-NIS-000104
Ameritech OC-3, OC-12, OC-48 and OC-192 Service Interface Specifications	AM-TR-NIS-000111
Ameritech Digital Service Transmission Parameters	AM-TR-TMO-000101
Ameritech Service's Network Channel and Network Channel Interface Codes	AM-TR-TMO-000080
Ameritech Technical Interface Specifications (ESCON TM)	AM-TR-NIS-000096 AM-TR-NIS-000107
IBM Documentation (ESCON TM)	IBM SA22-7202-XX IBM SA23-0394-XX
Fibre Channel (also includes FICON TM and ISC TM)	ANSI X3.T9.3
Fast Ethernet GigaBit Ethernet	ANSI/IEEE 802.3 IEEE 802.3x and z
D1 Video	IEEE 802.3ae ANSI/SMPTE 259M

The Technical References can be obtained from:

www.sbc.com/public_affairs/regulatory_documents/tariffs /1,5932,448,00.html?pid=240

The Telcordia Technologies Research Publication(s) can be obtained from:

Telcordia Technologies 8 Corporate Place Piscataway, New Jersey 08854

Issued: May 5, 2003 Effective: June 4, 2003



(CT)

Digital Link Services Tariff Section 23 1st Revised Sheet 10 Replacing Original Sheet 10

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE
MISSOURI Public
CRUPTION AND APPLICATION OF SERVICES (cont'd)
Service Commission

23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.6 Technical Specifications

RECD APR 04 2003

The customer interfaces to SBC MON Ring Service are as specified in:

Subject	Technical Reference
Ameritech LAN Interconnect Service - Token Ring Interface Codes	AM-TR-NIS-000100
Ameritech LAN Interconnect Service - CSMA/CD	AM TR-NIS-000104
Interface Specifications Ameritech OC-3, OC-12, OC-48 and OC-192 Service	AM-TR-NIS-000111
Interface Specifications Ameritech Digital Service Transmission	AM-TR-TMO-000101
Parameters Ameritech Service's Network Channel and	AM-TR-TMO-000080
Network Channel Interface Codes Ameritech Technical Interface Specifications	AM-TR-NIS-000096
(ESCON [™]) IBM Documentation (ESCON [™])	AM-TR-NIS-000107 IBM SA22-7202-XX
Fibre Channel	IBM SA23-0394-XX ANSI X3.T9.3
(also includes FICON TM and ISC TM)	
Fast Ethernet	ANSI/IEEE 802.3 IEEE 802.3x and z
GigaBit Ethernet	IEEE 802.3x and 2 IEEE 802.3ae
D1 Video	ANSI/SMPTE 259M

The Technical References can be obtained from:

(CT)

SBC at

www.sbc.com/public affairs/regulatory documents/tariffs /1,5932,448,00.html?pid=347 (CT)

The Telcordia Technologies Research Publication(s) can be obtained from:

Teleordia Technologies 8 Corporate Place

Piscataway, New Jersey 08854

Issued: April 4, 2003

Effective: May 4, 2003

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Misseuri Public Service Cemmission

FILED MAY 04 2003

Digital Link Services Tariff Section 23

> Migggraphic Sorvice Commission

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE JAN 23 2003
23.1 DESCRIPTION AND APPLICATION OF SERVICES (cont'd)

23.1.6 Technical Specifications

The customer interfaces to SBC MON Ring Service are as specified in:

Subject	Technical Reference
Ameritech LAN Interconnect Service - Token Ring Interface Codes	AM-TR-NIS-000100
Ameritech LAN Interconnect Service - CSMA/CD	AM TR-NIS-000104
Interface Specifications	
Ameritech OC-3, OC-12, OC-48 and OC-192 Service	AM-TR-NIS-000111
Interface Specifications	
Ameritech Digital Service Transmission	AM-TR-TMO-000101
Parameters	
Ameritech Service's Network Channel and	AM-TR-TMO-000080
Network Channel Interface Codes	
Ameritech Technical Interface Specifications	AM-TR-NIS-000096
(ESCON [™])	AM-TR-NIS-000107
IBM Documentation (ESCON TM)	IBM SA22-7202-XX
	IBM SA23-0394-XX
Fibre Channel	ANSI X3.T9.3
(also includes FICON TM and ISC TM)	
Fast Ethernet	ANSI/IEEE 802.3
GigaBit Ethernet	IEEE 802.3x and z
	IEEE 802.3ae
D1 Video	ANSI/SMPTE 259M
	C V WL. 1847

The Technical Reference can be obtained from:

APEx Help Desk (847) 248-5324

The Telcordia Technologies Research Publication(s) can be obtained in the Telcordia Technologies Research Publication (s) can be obtained in the Telcordia Technologies Research Publication (s) can be obtained in the Telcordia Technologies Research Publication (s) can be obtained in the Telcordia Technologies Research Publication (s) can be obtained in the Telcordia Technologies Research Publication (s) can be obtained in the Telcordia Technologies Research Publication (s) can be obtained in the Telcordia Technologies Research Publication (s) can be obtained in the Telcordia Technologies Research Publication (s) can be obtained in the Telcordia Telc

Telcordia Technologies 8 Corporate Place Piscataway, New Jersey 08854

Issued: January 23, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public Service Commission

Effective: February 22, 2003

FILED FEB 22 2003

Digital Link Services Tariff Section 23 Original Sheet 11

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.2 RATE CONFIGURATION

23.2.1 General

There are eight basic rate elements which may apply to SBC MON Ring Service:

- Nonrecurring Charges
- Customer Premises Node
- Central Office Node
- Channel Mileage
- Optical Amplifier
- Regenerators
- Bulk Power
- Ports

23.2.2 Nonrecurring Charges

23.2.2.1 General

Nonrecurring Charges are one-time charges that apply for specific work activities (i.e., installation of new service, moves and rearrangements of installed services). There are three different Nonrecurring Charges: Administrative Charge, Design and Central Office Connection Charge and Customer Connection Charge.

- The Administrative Charge applies any time a customer initiates an order for service. This charge applies once per service order.
- The Design and Central Office Connection Charge applies to each service installed, and is charged once per each riding circuit.
- The Customer Connection Service Establishment Charge applies to establish the MON Ring network, and is charged per node. Subsequent Installation charges apply to each subsequent shelf installed after the MON Ring Network is established.

Issued: January 23, 2003 Effective: February 22, 2003

Filed

Missouri Public
Service Commission

Digital Link Services Tariff Section 23 Original Sheet 12

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.2 RATE CONFIGURATION (cont'd)

23.2.2 Nonrecurring Charges (cont'd)

23.2.2.2. Service Rearrangements

Service rearrangements are changes to existing (installed) services which do not result in either a change in the minimum period requirements or a change in the physical location of the point of termination at a customer premises, and will be charged as follows

- If changing the customer of record, the Administrative Charge will apply. For the change of customer of record to be treated as a service rearrangement, the new customer must assume liability for both current and prior charges for the service.
- For all other changes not requiring physical work at the central office or customer
 premises, including a change in the customer assigned circuit identification or billing
 account number (when initiated by the customer), the Administrative Charge will
 apply.
- For all other service rearrangements requiring physical work to be performed, the Administrative Charge will apply. Additionally, one Design and Central Office Connection Charge and/or one Customer Connection Charge will apply.

23.2.2.3 Cancellation of Application for Service

- A. When an applicant cancels an order for service, other than those provided by Special Construction:
 - Prior to the issuance of an order, no charges apply.
 - After the issuance of an order, Nonrecurring Charges apply as follows:
 - Canceled before the Record Issue Date (RID), the Administrative Charge applies.
 - Canceled on or after the RID, but before the Plant Test Date (PTD), the Administrative Charge and the Design and Central Office Connection Charge apply.
 - Canceled on or after the PTD, the Administrative Charge, Design and Central Office Connection Charge and Customer Connection Charge apply.

Issued: January 23, 2003 Effective: February 22, 2003

Filed

Missouri Public
Service Commission

Digital Link Services Tariff Section 23 Original Sheet 13

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.2 RATE CONFIGURATION (cont'd)

23.2.2 Nonrecurring Charges (cont'd)

23.2.2.3 Cancellation of Application for Service (cont'd)

- B. When an applicant cancels an order for service involving Special Construction;
 - Prior to the issuance of an order, no charges apply.
 - After the issuance of an order, but prior to the start of construction, all Nonrecurring Charges associated with the design of the Special Construction and the Administrative Charge will apply.
 - After construction has begun;
 - If there is another requirement for the specially constructed facilities, the Administrative Charge, Design and Central Office Connection Charge, and the Customer Connection Charge will apply.
 - If there is no other use for the specially constructed facilities, a charge equal to all the costs incurred in the special construction (including overheads), less net salvage, applies in addition to the Administrative Charge, Design and Central Office Connection Charge, and the Customer Connection Charge.

Note: Installation or special construction of facilities for a customer starts when the Company incurs any expense in connection therewith which would not otherwise have been incurred and the customer has advised the Company to proceed with the installation or special construction.

23.2.3 Customer Premises Node

Provides for the termination of service at the customer's premises and presents the various selected ports to the customer. Applies per customer-designated premises, per first shelf and subsequent shelves.

23.2.4 Central Office Node

Provides for the termination of service at a Company serving wire center. Applies per first shelf and subsequent shelves.

Issued: January 23, 2003 Effective: February 22, 2003



Digital Link Services Tariff
Section 23
1st Revised Sheet 14
Replacing Original Sheet 14

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.2 RATE CONFIGURATION (cont'd)

23.2.5 Channel Mileage

Provides for the total airline distance between the serving wire center of each node involved on the MON Ring. The mileage measurement is developed utilizing the V&H coordinate method as set forth in the National Exchange Carrier Association, Inc. (NECA) Wire Center Information Tariff, FCC 4. A one-mile minimum will be billed between nodes. A two-node ring configuration has a two-mile minimum, one mile from the Central Office Node to the Customer Premises Node, and one mile from the Customer Premises Node to the Central Office Node.

23.2.6 Optical Amplifier

Provides for an optical signal boost if the distance between nodes exceeds the transmission loss parameters (link loss specific). Additional optical amplifiers may be required per location with certain circuit configurations. Optical amplifiers may be located at a Customer Premises Node, a Central Office Node, or at a serving wire center.

23.2.7 Regenerator

Provides for re-timing, re-shaping and regeneration of the signal level for up to 2.5 Gbps

(AT) service (on a per shelf basis), or 10 Gbps Ethernet service (on a per circuit, per each location the circuit is regenerated basis), if degradation exceeds the dispersion and/or Optical Amplifier noise limits.

23.2.8 Bulk Power

Provides for customer premises node power which will be required if the customer's power source is AC. Applies once per each four shelves, with the first shelf and fifth subsequent shelf at each applicable Customer Premises Node.

23.2.9 Port

Provides for the channel interface at any node location for each unprotected or protected channel. Applies per port/per circuit terminating location.

Issued: May 5, 2004 Effective: June 7, 2004



Digital Link Services Tariff Section 23 Original Sheet 14

Missouri Public Service Commission

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.2 RATE CONFIGURATION (cont'd)

REC'D JAN 23 2003

23.2.5 Channel Mileage

Provides for the total airline distance between the serving wire center of each node involved on the MON Ring. The mileage measurement is developed utilizing the V&H coordinate method as set forth in the National Exchange Carrier Association, Inc. (NECA) Wire Center Information Tariff, FCC 4. A one-mile minimum will be billed between nodes. A two-node ring configuration has a two-mile minimum, one mile from the Central Office Node to the Customer Premises Node, and one mile from the Customer Premises Node to the Central Office Node.

23.2.6 Optical Amplifier

Provides for an optical signal boost if the distance between nodes exceeds the transmission loss parameters (link loss specific). Additional optical amplifiers may be required per location with certain circuit configurations. Optical amplifiers may be located at a Customer Premises Node, a Central Office Node, or at a serving wire center.

23.2.7 Regenerator

Provides for re-timing, re-shaping and regeneration of the signal level for up to 2.5 Gbps service (on a per shelf basis), or 10 Gbps Ethernet service (on a per circuit basis), if degradation exceeds the dispersion and/or Optical Amplifier noise limits.

23.2.8 Bulk Power

Provides for customer premises node power which will be required if the customer's power source is AC. Applies once per each four shelves, with the first shelf and fifth subsequent shelf at each applicable Customer Premises Node.

23.2.9 Port

Provides for the channel interface at any node location for each unprotected or protected channel. Applies per port/per circuit terminating location.

CANCELLED

JUN 0 7 2004

Issued: January 23, 2003

Public Service Commission

Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public Service Commission

FILED FEB 22 2003

Digital Link Services Tariff Section 23 Original Sheet 15

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATE AND CHARGES

23.3.1 Nonrecurring Charges

	<u>USOC</u>	Nonrecurring Charge
Administrative Charge - per service order	ORCMX	ICB
Design and Central Office Connection Charge - per circuit	NRBCL	ICB
Customer Connection Charge		
1) Service Establishmentper node	NRBBL	ICB
2) Subsequent Installationper subsequent shelf	NHCNL	ICB

Issued: January 23, 2003 Effective: February 22, 2003

Filed

Missouri Public
Service Commission

Digital Link Services Tariff
Section 23
2nd Revised Sheet 16
Replacing 1st Revised Sheet 16

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

23.3.2 Recurring Rates

	MON Ring Transport System	<u>USOC</u>	Monthly Rate
	Customer Premises Node (includes first shelf)	F2ND1	ICB
	- per subsequent shelf	F2NDS	ICB
	Central Office Node (includes first shelf)	F2NC1	ICB
	- per subsequent shelf	F2NCS	ICB
	Channel Mileage - per V&H mile or fraction thereof	1L5XX	ICB
	Optical Amplifier (as required) - C band (per location)	67QXX	ICB
(AT)	- L band (per location) (1)	67QSX	ICB
	Regenerator (as required) - up to 2.5 Gbps (per shelf)	V8RXX	ICB
	- up to 10 Gbps (per circuit, per each location)	V8R2C	ICB
	Bulk Power (as required) - per first shelf (shelves 1-4)	CBVDX	ICB
	- per subsequent shelf (shelves 5-8)	CBVDS	ICB

(1) Available where facilities and equipment permit.

Issued: October 31, 2005 Effective: November 30, 2005



Digital Link Services Tariff Section 23 1st Revised Sheet 16 Replacing Original Sheet 16

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

23.3.2 Recurring Rates

	MON Ring Transport System	<u>USOC</u>	Monthly Rate
	Customer Premises Node (includes first shelf)	F2ND1	ICB
(CT)	- per subsequent shelf	F2NDS	ICB
	Central Office Node (includes first shelf)	F2NC1	ICB
	- per subsequent shelf	F2NCS	ICB
	Channel Mileage - per V&H mile or fraction thereof	1L5XX	ICB
	Optical Amplifier (as required) - C band (per location)	67QXX	ICB
	- L band (per location)	67QSX	ICB
	Regenerator (as required) - up to 2.5 Gbps (per shelf)	V8RXX	ICB
(AT)	- up to 10 Gbps (per circuit, per each location)	V8R2C	ICB
	Bulk Power (as required) - per first shelf (shelves 1-4)	CBVDX	ICB
	- per subsequent shelf (shelves 5-8)	CBVDS	ICB

Issued: May 5, 2004 Effective: June 7, 2004

Digital Link Services Tariff
Section 23
Original Sheet 16

Missouri Public Service Cemmissich

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

RECD JAN 23 2003

23.3.2 Recurring Rates

thiy Rate
ICB
ICB
IC B
ICB
ICB
ICB
ICB
IСВ
ICB
ICB
ICB

CANCELLED

JUN 0 7 2004

Public Service Commission
MISSOURI

Issued: January 23, 2003

Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public Service Commission

FLED FEB 22 2003

Digital Link Services Tariff Section 23 2nd Revised Sheet 17 Replacing 1st Revised Sheet 17

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

23.3.2 Recurring Rates (cont'd)

	MON Ring Channels	<u>USOC</u>	Monthly Rate
	Ports - per port/per circuit terminating location		
(CT)	ETR/CLO TM - unprotected channel	POYKW	ICB
	FICON TM (1.0625 Gbps) - unprotected channel - protected channel	POYMW POYMP	ICB ICB
	FICON TM (2.125 Gbps) - unprotected channel - protected channel	POYWW POYWP	ICB ICB
(CT) (AT)	ISC-1 TM - unprotected channel - protected channel	POYJW POYJP	ICB ICB
(AT)	ISC-3 TM - unprotected channel - protected channel	POY9W POY9P	ICB ICB
	Fibre Channel (1.0625 Gbps) - unprotected channel - protected channel	POYNW POYNP	ICB ICB
	Fibre Channel (2.125 Gbps) - unprotected channel - protected channel	POYYW POYYP	ICB ICB
(MT)			

Issued: October 31, 2005 Effective: November 30, 2005



Digital Link Services Tariff Section 23 1st Revised Sheet 17 Replacing Original Sheet 17

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

2	23.3.2	Recurring Rates (cont'd) MON Ring Channels	<u>USOC</u>	Monthly Rate
		Ports - per port/per circuit terminating location		
		ETR TM - unprotected channel	POYKW	ICB
		FICON TM (1.0625 Gbps) - unprotected channel - protected channel	POYMW POYMP	ICB ICB
		FICON TM (2.125 Gbps) - unprotected channel - protected channel	POYWW POYWP	ICB ICB
		ISC TM - unprotected channel	POYJW	ICB
(CT) (CT)		Fibre Channel (1.0625 Gbps) - unprotected channel - protected channel	POYNW POYNP	ICB ICB
		Fibre Channel (2.125 Gbps) - unprotected channel - protected channel	POYYW POYYP	ICB ICB
		Gigabit Ethernet - unprotected channel - protected channel	POYLW POYLP	ICB ICB
		10 Gigabit Ethernet (WAN PHY) - unprotected channel - protected channel	POYTW POYTP	ICB ICB
(NR) (NR)		10 Gigabit Ethernet (LAN-PHY) - unprotected channel - protected channel	POYUW POYUP	ICB ICB

Issued: May 5, 2004 Effective: June 7, 2004

Digital Link Services Tariff Section 23 Original Sheet 17 Missouri Public Service Commission

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE
RECD JAN 23 2003

23.3 RATES AND CHARGES (cont'd)

23.3.2 Recurring Rates (cont'd)

MON Ring Channels	<u>USOC</u>	Monthly Rate
Ports		
- per port/per circuit terminating location		
ETR [™]		
- unprotected channel	POYKW	ICB
FICON [™] (1.0625 Gbps)		
- unprotected channel	POYMW	ICB
- protected channel	POYMP	ICB
FICON™ (2.125 Gbps)		
- unprotected channel	POYWW	ICB
- protected channel	POYWP	ICB
ISC TM		
- unprotected channel	POYJW	ICB
Fibre Channel (1.0625 Gbps)		
- unprotected channel	POYNP	ICB
- protected channel	POYNW	ICB
Fibre Channel (2.125 Gbps)		
- unprotected channel	POYYW	ICB
- protected channel	POYYP	ICB
Gigabit Ethernet		
- unprotected channel	POYLW	ICB
- protected channel	POYLP	ICB
10 Gigabit Ethernet (WAN PHY)		
- unprotected channel CANCELLED	POYTW	1CB
- protected channel	POYTP	ICB

Issued: January 23, 2003 Public Service Commission Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company St. Louis, Missouri

Digital Link Services Tariff Section 23 3rd Revised Sheet 18 Replacing 2nd Revised Sheet 18

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

23.3.2 Recurring Rates (cont'd)

	MON Ring Channels	<u>USOC</u>	Monthly Rate
	Ports (cont'd) - per port/per circuit terminating location		
(MT)	Gigabit Ethernet - unprotected channel - protected channel	POYLW POYLP	ICB ICB
	10 Gigabit Ethernet (WAN PHY)unprotected channelprotected channel	POYTW POYTP	ICB ICB
(MT)	10 Gigabit Ethernet (LAN-PHY)unprotected channelprotected channel	POYUW POYUP	ICB ICB
	SONET OC-12/OC-12c - unprotected channel - protected channel	POYFW POYEP	ICB ICB
(AT)	SONET OC-48/OC-48c (1) - unprotected channel - protected channel	POYGW POYGP	ICB ICB
	SONET OC-192/OC-192c - unprotected channel - protected channel	POYOW POYOP	ICB ICB
(MT)			

(1) Available only where facilities and equipment permit.

Issued: October 31, 2005 Effective: November 30, 2005



Digital Link Services Tariff
Section 23
2nd Revised Sheet 18
Replacing 1st Revised Sheet 18

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

Recurring Rates (cont'd) MON Ring Channels	<u>USOC</u>	Monthly Rate
Ports (cont'd) - per port/per circuit terminating location		
SONET OC-12/OC-12c - unprotected channel - protected channel	POYFW POYEP	ICB ICB
SONET OC-48/OC-48c - unprotected channel	POYGW POYGP	ICB ICB
SONET OC-192/OC-192c		
- protected channel	POYOP	ICB ICB
Sub-Rate System - unprotected channel - protected channel	POYSW POYSP	ICB ICB
ESCON TM (1)		
unprotected channelprotected channel	POYHW POYHP	ICB ICB
Fast Ethernet (2) - unprotected channel - protected channel	POYCW POYCP	ICB ICB
D1 Video (2) - unprotected channel - protected channel	POYVW POYVP	ICB ICB
SONET OC-3/OC-3c (2)	POYEW	ICB
 protected channel ilable only when ordered with Sub-Rate System 	POYEP n or ESCON TM Sub-l	ICB
	Ports (cont'd) - per port/per circuit terminating location SONET OC-12/OC-12c - unprotected channel - protected channel SONET OC-48/OC-48c - unprotected channel - protected channel - protected channel SONET OC-192/OC-192c - unprotected channel - protected channel - protected channel - protected channel Sub-Rate System - unprotected channel - protected channel - protected channel ESCON TM (1) - unprotected channel - protected channel - protected channel Fast Ethernet (2) - unprotected channel - protected channel - protected channel SONET OC-3/OC-3c (2) - unprotected channel - protected channel - protected channel SONET OC-3/OC-3c (2) - unprotected channel - protected channel	Ports (cont'd) - per port/per circuit terminating location SONET OC-12/OC-12c - unprotected channel POYFW - protected channel POYEP SONET OC-48/OC-48c - unprotected channel POYGW - protected channel POYGP SONET OC-192/OC-192c - unprotected channel POYOP Sub-Rate System - unprotected channel POYSW - protected channel POYSP ESCON TM (1) - unprotected channel POYHW - protected channel POYHP Fast Ethernet (2) - unprotected channel POYCP D1 Video (2) - unprotected channel POYVP SONET OC-3/OC-3c (2) - unprotected channel POYEW - protected channel POYPP SONET OC-3/OC-3c (2) - unprotected channel POYEW - protected channel POYEW - protected channel POYEP SONET OC-3/OC-3c (2) - unprotected channel POYEP (1) Available only when ordered with Sub-Rate System or ESCON TM Sub-Poyep (1) Available only when ordered with Sub-Rate System or ESCON TM Sub-Poyep

Issued: May 5, 2004 Effective: June 7, 2004

Digital Link Services Tariff Section 23 1st Revised Sheet 18 Replacing Original Sheet 18

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)		Missouri Public
23.3.2 Recurring Rates (cont'd)		· DECTO 18 M 1 & 200/
MON Ring Channels	<u>USOC</u>	RECD JAN 16 2004 Monthly Rate
Ports (cont'd) - per port/per circuit terminating location		Service Commission
SONET OC-12/OC-12c - unprotected channel - protected channel	POYFW POYEP	ICB ICB
SONET OC-48/OC-48c - unprotected channel - protected channel	POYGW POYGP	ICB ICB
SONET OC-192/OC-192c - unprotected channel - protected channel	POYOW POYOP	ICB ICB

POYSW

POYCW

POYCP

protected channel **POYSP ICB** ESCONTM (1) unprotected channel **ICB POYHW POYHP** protected channel **ICB** (CT) Fast Ethernet (2) - unprotected channel CANCELLED

> JUN 0 7 2004 **Public Service Commission**

(1) Available only when ordered with Sub-Rate System or ESCON™ Sub-Rate System. (AT)

MISSOURI

(CT) (2) Available only when ordered with Sub-Rate System.

Sub-Rate System

unprotected channel

Issued: January 16, 2004

Effective: February 17, 2004

ICB

ICB

ICB

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Service Commission

Digital Link Services Tariff
Section 23
Original Sheet 18

Missouri Public Service Cemmission

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

RECD JAN 23 2003

23.3.2 Recurring Rates (cont'd)

MON Ring Channels	<u>USOC</u>	Monthly Rate
Ports (cont'd)		
- per port/per circuit terminating location		
SONET OC-12/OC-12e		
- unprotected channel	POYFW	ICB
- protected channel	POYEP	ICB
SONET OC-48/OC-48c		
- unprotected channel	POYGW	ICB
- protected channel	POYGP	ICB
SONET OC-192/OC-192c		
- unprotected channel	POYOW	ICB
- protected channel	POYOP	ICB
Sub-Rate System		
- unprotected channel	POYSW	lCB
- protected channel	POYSP	ICB
ESCON TM (1)		
- unprotected channel	POYHW	ICB
- protected channel	POYHP	ICB
Fast Ethernet (1)		
- unprotected channel	POYCW	ICB
- protected channel	POYCP	ICB

CANCELLED

FEB 1 7 2004

(1) Available only when ordered with Sub-Rate System.

Public Service Commission
MISSOURI

Issued: January 23, 2003

Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri
Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company
St. Louis, Missouri

Missouri Public Service Commission

FLED FEB 22 2003

Digital Link Services Tariff Section 23 3rd Revised Sheet 19 Replacing 2nd Revised Sheet 19

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

23.3.2 Recurring Rates (cont'd)

MON Ring Channels	<u>USOC</u>	Monthly Rate
Ports (cont'd) - per port/per circuit terminating location		
GigE/FC/FICON TM Sub-Rate System - unprotected channel - protected channel	POY1W POY1P	ICB ICB
GigE Riding Circuit (1) - unprotected channel - protected channel	POY4W POY4P	ICB ICB
Fibre Channel (1.065 Gbps) Riding Circuit (1) - unprotected channel - protected channel	POY6W POY6P	ICB ICB
FICON TM (1.065 Gbps) Riding Circuit (1) - unprotected channel - protected channel	POY7W POY7P	ICB ICB

(MT)

(1) Available only when ordered with GigE/FC/FICONTM Sub-Rate System.

Issued: October 31, 2005 Effective: November 30, 2005



Digital Link Services Tariff Section 23 2nd Revised Sheet 19 Replacing 1st Revised Sheet 19

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

23.3.2 Recurring Rates (cont'd)

	MON Ring Channels	<u>USOC</u>	Monthly Rate
(MT)	Ports (cont'd) - per port/per circuit terminating location		
(MT)	GigE/FC/FICON TM Sub-Rate System - unprotected channel - protected channel	POY1W POY1P	ICB ICB
(CT)	GigE Riding Circuit (1) - unprotected channel - protected channel	POY4W POY4P	ICB ICB
(CT)	Fibre Channel Riding Circuit (1) - unprotected channel - protected channel	POY6W POY6P	ICB ICB
(CT)	FICON TM Riding Circuit (1) - unprotected channel - protected channel	POY7W POY7P	ICB ICB
	ESCON TM Sub-Rate System - unprotected channel - protected channel	POY2W POY2P	ICB ICB
(NR)	OC-3/OC-12 Sub-Rate System - unprotected channel - protected channel	POY3W POY3P	ICB ICB
(NR)	OC-12 Riding Circuit (2) - unprotected channel - protected channel	POY5W POY5P	ICB ICB
(CT) (AT)	(1) Available only when ordered with GigE/FC/FICO!(2) Available only when ordered with OC-3/OC-12 Su		n.

Issued: May 5, 2004 Effective: June 7, 2004

Digital Link Services Tariff Section 23 1st Revised Sheet 19 Replacing Original Sheet 19

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AN	D CHARGES (ca	mt'd)
---------------	---------------	-------

23.3.2 Recurring Rates (cont'd)

Missouri Public

RECD JAN 16 2004

	sion	MON Ring Channels
TED.	2004 79 Ognmis RI	Ports (cont'd) - per port/per circuit termi
CANCELLED	JUN 0 7	D1 Video (1) - unprotected channel - protected channel
	Bygle B	SONET OC-3/OC-3c (1) - unprotected channel - protected channel

(NR)

(NR)

MON Ring Channels	<u>USOC</u>	Monthly Rate
Dente (constal)		Service Commission
Ports (cont'd)		
- per port/per circuit terminating location		
D1 Video (1)		
- unprotected channel	POYVW	ICB
- protected channel	POYVP	ICB
- protected channel	FOIVI	Ю
SONET OC-3/OC-3c (1)		
- unprotected channel	POYEW	ICB
- protected channel	POYEP	ICB
p	. •	
GigE/FC/FICON™ Sub-Rate System		
- unprotected channel	POYIW	ICB
- protected channel	POY1P	ICB
GigE Riding Circuit (2)		
- unprotected channel	POY4W	ICB
- protected channel	POY4P	ICB
Fibre Channel Riding Circuit (2)		
- unprotected channel	POY6W	ICB
- protected channel	POY6P	ICB
TIME AND ADDRESS OF THE PARTY O		
FICON TM Riding Circuit (2)		
 unprotected channel 	POY7W	ICB
- protected channel	POY7W	ICB
ESCON TM Sub-Rate System		
	DOV2W	ICB
- unprotected channel	POY2W	
 protected channel 	POY2P	ICB

(1) Available only when ordered with Sub-Rate System.

(AT) (2) Available only when ordered with GigE/FC/FICON™ Sub-Rate System.

Issued: January 16, 2004

Effective: February 17, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

ⁿⁱ Missouri Public Service Cemmission

FILED FEB 17 2004

Digital Link Services Tariff Section 23 Original Sheet 19

Missouri Public SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE COMMISSION

23.3 RATES AND CHARGES (cont'd)

RECD JAN 23 2003

23.3.2 Recurring Rates (cont'd)

.....

Ports (cont'd) - per port/per circuit terminating location		
D1 Video (1) - unprotected channel - protected channel	POYVW POYVP	ICB ICB
SONET OC-3/OC-3c (1) - unprotected channel	POYEW	ICB
- protected channel	POYEP	lCB

CANCELLED

FEB 1 7 2004 **Public Service Commission**

(1) Available only when ordered with Sub-Rate System.

Issued: January 23, 2003

Effective: February 22, 2003

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a Southwestern Bell Telephone Company St. Louis, Missouri

Missouri Public Service Commission

FILED FEB 22 2003

Digital Link Services Tariff Section 23 Original Sheet 20

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

23.3.2 Recurring Rates (cont'd)

MON Ring Channels	<u>USOC</u>	Monthly Rate
Ports (cont'd) - per port/per circuit terminating location		
ESCON TM (1) - unprotected channel - protected channel	PWY1W PWY1P	ICB ICB
Fast Ethernet (1) - unprotected channel - protected channel	PWY2W PWY2P	ICB ICB
D1 Video (1) - unprotected channel - protected channel	PWY3W PWY3P	ICB ICB
DVB-ASI Video (1) - unprotected channel - protected channel	POY8W POY8P	ICB ICB
SONET OC-3/OC-3c (1) - unprotected channel - protected channel	PWY4W PWY4P	ICB ICB
OC-48 Sub-Rate System (1) - unprotected channel - protected channel	POYRW POYRP	ICB ICB
OC-48 Riding Circuit (1) (2) - unprotected channel - protected channel	POYZW POYZP	ICB ICB

- (1) Available only where facilities and equipment permit beginning November 30, 2005.
- (2) Available only when ordered with OC-48 sub-Rate System beginning November 30, 2005.

Issued: October 31, 2005 Effective: November 30, 2005



Digital Link Services Tariff Section 23 Original Sheet 21

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

23.3.2 Recurring Rates (cont'd)

	MON Ring Channels	<u>USOC</u>	Monthly Rate
	Ports (cont'd) - per port/per circuit terminating location		
(MT)	Sub-Rate System (1) - unprotected channel - protected channel	POYSW POYSP	ICB ICB
	ESCON TM Riding Circuit (1)(2)(3) - unprotected channel - protected channel	POYHW POYHP	ICB ICB
	Fast Ethernet Riding Circuit (1)(2) - unprotected channel - protected channel	POYCW POYCP	ICB ICB
(MT)	D1 Video Riding Circuit (1)(2)unprotected channelprotected channel	POYVW POYVP	ICB ICB
(AT) (AT)	DVB-ASI Video Riding Circuit (1)(2) - unprotected channel - protected channel	PWY5W PWY5P	ICB ICB
(MT)(CT) (AT) (MT) (MT)	SONET OC-3/OC-3c Riding Circuit (1)(2)(4) - unprotected channel - protected channel	POYEW POYEP	ICB ICB

- (1) Available where facilities and equipment permit.
- (2) Available only when ordered with a Sub-Rate System.
 (3) Also available with ESCONTM Sub-Rate System.
- (4) Also available with SONET OC-3/OC-12 Sub-Rate System.

Issued: October 31, 2005 Effective: November 30, 2005



Digital Link Services Tariff Section 23 Original Sheet 22

SBC MULTI-SERVICE OPTICAL NETWORK RING (MON RING) SERVICE

23.3 RATES AND CHARGES (cont'd)

23.3.2 Recurring Rates (cont'd)

	MON Ring Channels	<u>USOC</u>	Monthly Rate
	Ports (cont'd) - per port/per circuit terminating location		
(MT)(CT)	ESCON TM Sub-Rate System (1) - unprotected channel - protected channel	POY2W POY2P	ICB ICB
(CT)	OC-3/OC-12 Sub-Rate System (1) - unprotected channel - protected channel	POY3W POY3P	ICB ICB
(CT) (MT)	OC-12/OC-12c Riding Circuit (1)(2) - unprotected channel - protected channel	POY5W POY5P	ICB ICB

- (1) Available where facilities and equipment permit.
- (2) Available only when ordered with OC-3/OC-12 Sub-Rate System.

Issued: October 31, 2005 Effective: November 30, 2005



P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 3rd Revised Sheet 1 Replacing 2nd Revised Sheet 1

(RT)

(RT)

Issued: December 29, 2010

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389 By JOHN SONDAG, President - Missouri St. Louis, Missouri

FILED Missouri Public Service Commission JI-2011-0316

Effective: January 28, 2011

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 2nd Revised Sheet 1 Replacing 1st Revised Sheet 1

FIBREMAN® SERVICE

(CT)

1. General Description

FibreMAN Service is a dedicated point-to-point service connecting customer's premises. FibreMAN Service is based on the Fibre Channel protocol. FibreMAN Service provides transport of the customer's data between computer devices at a data rate of up to 2 Gbps (two billion bits per second). FibreMAN extends the connectivity between customer premise sites to enable storage connectivity between servers.

FibreMAN provides interconnection functionality which supports concurrent communications among workstations, mainframes, servers, data storage systems, and other peripherals.

FibreMAN will be offered in the metropolitan marketplace as a point-to-point, dedicated service. FibreMAN will provide connectivity between end user customer premise locations, and extends connectivity between customer premise sites to enable access between storage devices.

2. Regulations

In addition to the regulations contained in this tariff, the following regulations apply to FibreMAN.

- **2.1** This service is only available to customers in those LATAs served by and within the service territories of the Company.
- **2.2** The services provided for FibreMAN are primarily designed to meet the private line communications requirements of business customers, i.e., non-interexchange carriers.

FibreMAN is a registered trademark of AT&T Knowledge Ventures

(CT)

Effective: September 22, 2006

By CINDY BRINKLEY, President – Missouri St. Louis, Missouri

CANCELLED
January 28, 2011
Missouri Public
Service Commission
JI-2011-0316

Issued: August 22, 2006



Digital Link Services Tariff
Section 24
1st Revised Sheet 1
Replacing Original Sheet 1

FIBREMANSM SERVICE

1. GENERAL DESCRIPTION

FibreMAN Service is a dedicated point-to-point service connecting customer's premises.

(AT) FibreMAN Service is based on the Fibre Channel protocol. FibreMAN Service provides transport of the customer's data between computer devices at a data rate of up to 2 Gbps (two billion bits per second). FibreMAN extends the connectivity between customer premise sites to enable storage connectivity between servers.

FibreMAN provides interconnection functionality which supports concurrent communications among workstations, mainframes, servers, data storage systems, and other peripherals.

FibreMAN will be offered in the metropolitan marketplace as a point-to-point, dedicated service. FibreMAN will provide connectivity between end user customer premise locations, and extends connectivity between customer premise sites to enable access between storage devices.

2. REGULATIONS

In addition to the regulations contained in this tariff, the following regulations apply to FibreMAN.

- 2.1. This service is only available to customers in those LATAs served by and within the service territories of the Company.
- 2.2 The services provided for FibreMAN are primarily designed to meet the private line communications requirements of business customers, i.e., non-interexchange carriers.

SM FibreMAN is a service mark of SBC Communications, Inc.

Issued: March 15, 2005 Effective: April 15, 2005





Digital Link Services Tariff
Section 24
Missouri Publicinal Sheet 1

FIBREMAN** SERVICECO DEC 03 2003

1. GENERAL DESCRIPTION

Service Commission
FibreMAN Service is a dedicated point-to-point service connecting customer's premises.
FibreMAN Service provides transport of the customer's data between computer devices at a data rate of up to 2 Gbps (two billion bits per second). FibreMAN extends the connectivity between customer premise sites to enable storage connectivity between servers.

FibreMAN provides interconnection functionality which supports concurrent communications among workstations, mainframes, servers, data storage systems, and other peripherals.

FibreMAN will be offered in the metropolitan marketplace as a point-to-point, dedicated service. FibreMAN will provide connectivity between end user customer premise locations, and extends connectivity between customer premise sites to enable access between storage devices.

2. REGULATIONS

In addition to the regulations contained in this tariff, the following regulations apply to FibreMAN.

- 2.1. This service is only available to customers in those LATAs served by and within the service territories of the Company.
- 2.2 The services provided for FibreMAN are primarily designed to meet the private line communications requirements of business customers, i.e., non-interexchange carriers.

CANCELLED

APR 1 5 2005

Public Service Commussion

SM FibreMAN is a service mark of SBC Communications, Inc.

Issued: December 3, 2003

Effective: January 5, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Miceculi Public Solvino Primir ilon

FILED JAN 05 2004

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 3rd Revised Sheet 2 Replacing 2nd Revised Sheet 2

(RT)

(RT)

FILED Missouri Public Service Commission JI-2011-0316

Effective: January 28, 2011

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 2nd Revised Sheet 2 Replacing 1st Revised Sheet 2

FIBREMAN® SERVICE

(CT)

2. Regulations (cont'd)

2.3. Allowance for Interruption

A service is interrupted when it becomes unusable to the customer because of a failure of a facility component used to furnish service under this tariff or in the event that the protective controls applied by the Company result in the complete loss of service by the customer. An interruption period starts when an inoperative service is reported to the Company and the Company confirms that continuity has been lost, and ends when the service is operative.

In case of an interruption to service, allowance for the period of interruption, if not due to the negligence of the customer or the customer's end user, shall be as follows: no credit shall be allowed for an interruption of less than 10 seconds. The customer shall be credited for an interruption of 10 seconds or more as follows: the credit shall be at the rate of 10/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues. The credit allowance(s) for service interruptions shall not exceed 100% of the applicable monthly rates.

The Company's failure to provide or maintain services under this tariff shall be excused by force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.

3. Provision of Service

- **3.1.** The customer provided equipment (CPE) must deliver the data signals for FibreMAN transport within the industry specification for the subscribed data service.
- 3.2. FibreMAN provides physical layer transport only. The Company assumes no responsibility for the through transmission of signals by CPE, for the quality of or defects in such transmission, for the reception of signals by CPE, or address signaling to the extent addressing is performed by CPE. Error detection and correction of data generated by CPE is the customer's responsibility.
- **3.3** FibreMAN is designed to provide connectivity at the discrete bit rate of up to 2 Gigabits per second (Gbps). The service is considered interrupted when the customer reports to the Company and the Company confirms that continuity has been lost.

Issued: August 22, 2006 Effective: September 22, 2006



Digital Link Services Tariff
Section 24
1st Revised Sheet 2
Replacing Original Sheet 2

FIBREMANSM SERVICE

2. REGULATIONS (cont'd)

2.3. Allowance for Interruption

A service is interrupted when it becomes unusable to the customer because of a failure of a facility component used to furnish service under this tariff or in the event that the protective controls applied by the Company result in the complete loss of service by the customer. An interruption period starts when an inoperative service is reported to the Company and the Company confirms that continuity has been lost, and ends when the service is operative.

In case of an interruption to service, allowance for the period of interruption, if not due to the negligence of the customer or the customer's end user, shall be as follows: no credit shall be allowed for an interruption of less than 10 seconds. The customer shall be credited for an interruption of 10 seconds or more as follows: the credit shall be at the rate of 10/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues. The credit allowance(s) for service interruptions shall not exceed 100% of the applicable monthly rates.

(CT)

The Company's failure to provide or maintain services under this tariff shall be excused by force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.

3. PROVISION OF SERVICE

- 3.1. The customer provided equipment (CPE) must deliver the data signals for FibreMAN transport within the industry specification for the subscribed data service.
- 3.2. FibreMAN provides physical layer transport only. The Company assumes no responsibility for the through transmission of signals by CPE, for the quality of or defects in such transmission, for the reception of signals by CPE, or address signaling to the extent addressing is performed by CPE. Error detection and correction of data generated by CPE is the customer's responsibility.
- 3.3 FibreMAN is designed to provide connectivity at the discrete bit rate of up to 2 Gigabits per second (Gbps). The service is considered interrupted when the customer reports to the Company and the Company confirms that continuity has been lost.

(MT)

Issued: March 15, 2005 Effective: April 15, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



Filed

Missouri Public
Service Commission

Digital Link Services Tariff
Section 24
Original Sheet 2
Missouri Public

FIBREMANSM SERVICE

REC'D DEC 03 2003

2. REGULATIONS (cont'd)

2.3. Allowance for Interruption

Service Commission

A service is interrupted when it becomes unusable to the customer because of a failure of a facility component used to furnish service under this tariff or in the event that the protective controls applied by the Company result in the complete loss of service by the customer. An interruption period starts when an inoperative service is reported to the Company and the Company confirms that continuity has been lost, and ends when the service is operative.

In case of an interruption to service, allowance for the period of interruption, if not due to the negligence of the customer or the customer's end user, shall be as follows: no credit shall be allowed for an interruption of less than 10 seconds. The customer shall be credited for an interruption of 10 seconds or more as follows: the credit shall be at the rate of 10/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues. The credit allowance(s) for service interruptions shall not exceed 100% of the applicable monthly rates.

The Company's failure to provide or maintain services under this tariff shall be excused by labor difficulties, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.

3. PROVISION OF SERVICE

- 3.1. The customer provided equipment (CPE) must deliver the data signals for FibreMAN transport within the industry specification for the subscribed data service.
- 3.2. FibreMAN provides physical layer transport only. The Company assumes no responsibility for the through transmission of signals by CPE, for the quality of or defects in such transmission, for the reception of signals by CPE, or address signaling to the extent addressing is performed by CPE. Error detection and correction of data generated by CPE is the customer's responsibility.
- 3.3 FibreMAN is designed to provide connectivity at the discrete bit rate of up to 2 Gigabits per second (Gbps). The service is considered interrupted when the customer reports to the Company and the Company confirms that continuity has been lost.
- 3.4 The provision of FibreMAN Service is subject to the availability and operational limitations of the equipment and associated facilities. In the event that suitable facilities are not available, or modifications to existing facilities are required, Special Construction charges may be applicable as set forth in Section 1, Paragraph 1.4.4 of this tariff.

Issued: December 3, 2003

Effective: January 5, 2004

CANCELLED

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

t. Louis, 1411550u

Miceouni Prolice Service Properties

FILED JAN 05 2000

APR 1 5 2005

Puhin Buryica Commission

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 4th Revised Sheet 3 Replacing 3rd Revised Sheet 3

(RT)

(RT)

FILED Missouri Public Service Commission JI-2011-0316

Effective: January 28, 2011

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 3rd Revised Sheet 3 Replacing 2nd Revised Sheet 3

FIBREMAN® SERVICE

(CT)

3. Provision of Service (cont'd)

- **3.4** The provision of FibreMAN Service is subject to the availability and operational limitations of the equipment and associated facilities. In the event that suitable facilities are not available, or modifications to existing facilities are required, Special Construction charges may be applicable as set forth in Section 1, Paragraph 1.4.4 of this tariff.
- 3.5 The actual throughput obtained with FibreMAN Service is distance sensitive, based on the Customer Provided Equipment (CPE) provided by the customer. FibreMAN Service will not be offered with guaranteed throughput thresholds since this is determined by the CPE provided by the customer.
- **3.6** Repeaters (circuit regenerators) will be located in Company wire centers as required. A monthly charge will be associated with each repeater network element, except for the first repeater in a circuit path (as the first repeater is also used for service alarming and monitoring purposes).

4. Channel Types

FibreMAN channel: an intraLATA, dedicated high capacity channel, limited to the transport of data signals between customer stations. FibreMAN provides for the transmission of data at a discrete bit rate of up to 2 Gbps in Ethernet format (Ethernet IEEE 802.3).

5. Technical Specifications Packages

Technical specifications for FibreMAN Service are described in the following technical references:

Ethernet Standards SBC TP-76412-000. Fibre Channel Physical and Signaling Interface ANSI X3.230

These publications may be obtained from:

APEx Support Team (CT) (734) 523-7348 (CT)

Issued: August 22, 2006 Effective: September 22, 2006

Digital Link Services Tariff
Section 24
2nd Revised Sheet 3
Replacing 1st Revised Sheet 3

FIBREMANSM SERVICE

- 3. PROVISION OF SERVICE (cont'd)
- (MT) 3.4 The provision of FibreMAN Service is subject to the availability and operational limitations of the equipment and associated facilities. In the event that suitable facilities are not available, or modifications to existing facilities are required, Special Construction charges may be applicable (MT) as set forth in Section 1, Paragraph 1.4.4 of this tariff.
 - 3.5 The actual throughput obtained with FibreMAN Service is distance sensitive, based on the Customer Provided Equipment (CPE) provided by the customer. FibreMAN Service will not be offered with guaranteed throughput thresholds since this is determined by the CPE provided by the customer.
 - 3.6 Repeaters (circuit regenerators) will be located in Company wire centers as required. A monthly charge will be associated with each repeater network element, except for the first repeater in a circuit path (as the first repeater is also used for service alarming and monitoring purposes).
 - 4. CHANNEL TYPES

FibreMAN channel: an intraLATA, dedicated high capacity channel, limited to the transport of data signals between customer stations. FibreMAN provides for the transmission of data at a discrete bit rate of up to 2 Gbps in Ethernet format (Ethernet IEEE 802.3).

5. TECHNICAL SPECIFICATIONS PACKAGES

Technical specifications for FibreMAN Service are described in the following technical references:

Ethernet Standards Fibre Channel Physical and Signaling Interface SBC TP-76412-000. ANSI X3.230

These publications may be obtained from:

SBC Help Desk and Document Center 517-788-6872

(MT)

Issued: March 15, 2005 Effective: April 15, 2005





P.S.C. Mo.- No. 38

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

Missouri Public

Digital Link Services Tariff Section 24 1st Revised Sheet 3 Replacing Original Sheet 3

RECD JAN 3 0 2004

FIBREMANSM SERVICE

3. PROVISION OF SERVICE (cont'd) Service Commission

3.5 The actual throughput obtained with FibreMAN Service is distance sensitive, based on the Customer Provided Equipment (CPE) provided by the customer. FibreMAN Service will not be offered with guaranteed throughput thresholds since this is determined by the CPE provided by the customer.

(RT)

(RT)

(AT) 3.6 Repeaters (circuit regenerators) will be located in Company wire centers as required. A monthly charge will be associated with each repeater network element, except for the first repeater in a circuit path (as the first repeater is also used for service alarming and monitoring purposes).

4. CHANNEL TYPES

FibreMAN channel: an intraLATA, dedicated high capacity channel, limited to the transport of data signals between customer stations. FibreMAN provides for the transmission of data at a discrete bit rate of up to 2 Gbps in Ethernet format (Ethernet IEEE 802.3).

5. TECHNICAL SPECIFICATIONS PACKAGES

Technical specifications for FibreMAN Service are described in the following technical references:

Ethernet Standards

Fibre Channel Physical and Signaling Interface

SBC TP-76412-000 ANSI X3.230

These publications may be obtained from:

SBC Help Desk and Document Center 517-788-6872

CANCELLED

APR 1 5 2005

(MT) 6. SERVICE COMPONENTS

(CT) There are four basic rate elements, which apply to FibreMAN Service Public Service Commission (MT)

- Local Distribution Channel

(NT) - Local Distribution Channel

(MT) - Interoffice Channel Mileage

(AT) - Repeater

(MT) - Diversity Options

Issued: January 30, 2004 Effective: March 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Service Commission

Digital Link Services Tariff Section 24 Missouri PublicOriginal Sheet 3

FIBREMANSM SER RECED DEC 03 2003

- 3. PROVISION OF SERVICE (cont'd)
- Service Commission
- 3.5. The actual throughput obtained with FibreMAN Service is distance sensitive, based on the Customer Provided Equipment (CPE) provided by the customer. FibreMAN Service will not be offered with guaranteed throughput thresholds since this is determined by the CPE provided by the customer.
- 3.6 FibreMAN Service is distance limited based on circuit configuration as determined by the Company.
- 4. CHANNEL TYPES

FibreMAN channel: an intraLATA, dedicated high capacity channel, limited to the transport of data signals between customer stations. FibreMAN provides for the transmission of data at a discrete bit rate of up to 2 Gbps in Ethernet format (Ethernet IEEE 802.3).

5. TECHNICAL SPECIFICATIONS PACKAGES

Technical specifications for FibreMAN Service are described in the following technical references:

Ethernet Standards

Fibre Channel Physical and Signaling Interface

SBC TP-76412-000 ANSI X3.230

These publications may be obtained from:

SBC Help Desk and Document Center 517-788-6872

CANCELLED

MAR 0 1 2004 Public Service Commission

Issued: December 3, 2003

Effective: January 5, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri Miscouri Publica Sorvice Charles on St. Louis, Missouri

FILED JAN 05 2004

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 2nd Revised Sheet 3.1 Replacing 1st Revised Sheet 3.1

(RT)

(RT)

Issued: December 29, 2010

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389 By JOHN SONDAG, President - Missouri St. Louis, Missouri Effective: January 28, 2011
FILED
Missouri Public
Service Commission
JI-2011-0316

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 1st Revised Sheet 3.1 Replacing Original Sheet 3.1

FIBREMAN® SERVICE

(CT)

6. Service Components

There are four basic rate elements, which apply to FibreMAN Service:

- Local Distribution Channel
- Interoffice Channel Mileage
- Repeater
- Diversity Options



Digital Link Services Tariff Section 24 Original Sheet 3.1

FIBREMANSM SERVICE

(MT) 6. SERVICE COMPONENTS

There are four basic rate elements, which apply to FibreMAN Service:

- Local Distribution Channel
- Interoffice Channel Mileage
- Repeater
- (MT) Diversity Options

Issued: March 15, 2005 Effective: April 15, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 3rd Revised Sheet 4 Replacing 2nd Revised Sheet 4

(RT)

(RT)

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 2nd Revised Sheet 4 Replacing 1st Revised Sheet 4

FIBREMAN® SERVICE

(CT)

6. Service Components (cont'd)

6.1 Local Distribution Channel (LDC)

The local distribution channel is the channel between a customer's premises and the serving wire center that normally provides service to that customer's premises.

6.2 Interoffice Channel Mileage (ICM)

Interoffice channel mileage is defined as the component of the service between two Company serving wire centers. The serving wire centers may be located in the same exchange area, as in a multi-office metropolitan exchange, or may be located in different exchange areas.

Interoffice channel mileage charges include a fixed charge, and a per mile charge, which is based on the vertical and horizontal (V-H) distance between serving wire centers, or between exchanges, measured in whole miles. Fractional miles are rounded to the next whole mile. V-H coordinates for serving wire centers can be found in the National Exchange Carrier Association, Inc. (NECA) Wire Center Information Tariff.

6.3 Repeater (RPTR)

A repeater (circuit regenerator) may be used to extend the transmission of FibreMAN Service. The Company will determine when repeaters are necessary. In addition, the first repeater in a multi-repeater circuit will be used for service alarming and monitoring purposes.

6.4 <u>Diversity Options</u>

There are three route diversity options available with FibreMAN. They are Local Channel Diversity, Inter-Wire Center Diversity and Alternate Wire Center Diversity. They are described in detail below under **Paragraph 7. Service Configurations**.

7. Service Configurations

All basic service configurations provide full duplex transmission. There is one basic type of FibreMAN Service configuration: Node-to-Node Service. FibreMAN services from a customer data hub location to multiple points, or multiple FibreMAN services between two customers' data hub locations are merely aggregated node-to-node services.



Digital Link Services Tariff
Section 24
1st Revised Sheet 4
Replacing Original Sheet 4

FIBREMANSM SERVICE

(AT) 6. SERVICE COMPONENTS (cont'd)

(MT)

6.1 Local Distribution Channel (LDC)

The local distribution channel is the channel between a customer's premises and the serving wire center that normally provides service to that customer's premises.

6.2 Interoffice Channel Mileage (ICM)

Interoffice channel mileage is defined as the component of the service between two Company serving wire centers. The serving wire centers may be located in the same exchange area, as in a multi-office metropolitan exchange, or may be located in different exchange areas.

Interoffice channel mileage charges include a fixed charge, and a per mile charge, which is based on the vertical and horizontal (V-H) distance between serving wire centers, or between exchanges, measured in whole miles. Fractional miles are rounded to the next whole mile. V-H coordinates for serving wire centers can be found in the National Exchange Carrier Association, Inc. (NECA) Wire Center Information Tariff.

(AT) 6.3 Repeater (RPTR)

(AT)

A repeater (circuit regenerator) may be used to extend the transmission of FibreMAN Service. The Company will determine when repeaters are necessary. In addition, the first repeater in a multi-repeater circuit will be used for service alarming and monitoring purposes.

(CT) 6.4 Diversity Options

There are three route diversity options available with FibreMAN. They are Local Channel Diversity, Inter-Wire Center Diversity and Alternate Wire Center Diversity. They are described in detail below under **Paragraph 7. Service Configurations**.

7. SERVICE CONFIGURATIONS

All basic service configurations provide full duplex transmission. There is one basic type of FibreMAN Service configuration: Node-to-Node Service. FibreMAN services from a customer data hub location to multiple points, or multiple FibreMAN services between two customers' data hub locations are merely aggregated node-to-node services.

Issued: January 30, 2004 Effective: March 1, 2004



Digital Link Services Tariff Section 24 Original Sheet 4

FIBREMANSM SERVICE

Miccouri Public

6. SERVICE COMPONENTS

There are three basic rate elements, which may apply to FibreMAN Service: RECD DEC 03 2003

- Local Distribution Channel
- Interoffice Channel Mileage
- Diversity Options

Service Commission

6.1 Local Distribution Channel (LDC)

The local distribution channel is the channel between a customer's premises and the serving wire center that normally provides service to that customer's premises.

6.2 Interoffice Channel Mileage (ICM)

Interoffice channel mileage is defined as the component of the service between two Company serving wire centers. The serving wire centers may be located in the same exchange area, as in a multi-office metropolitan exchange, or may be located in different exchange areas.

Interoffice channel mileage charges include a fixed charge, and a per mile charge, which is based on the vertical and horizontal (V-H) distance between serving wire centers, or between exchanges, measured in whole miles. Fractional miles are rounded to the next whole mile. V-H coordinates for serving wire centers can be found in the National Exchange Carrier Association, Inc. (NECA) Wire Center Information Tariff.

6.3 Diversity Options

There are three route diversity options available with FibreMAN. They are Local Channel Diversity, Inter-Wire Center Diversity and Alternate Wire Center Diversity. They are described in detail helow under Paragraph 7. Service Configurations.

7. SERVICE CONFIGURATIONS

All basic service configurations provide full duplex transmission. There is one basic type of FibreMAN Service configuration: Node-to-Node Service. FibreMAN services from a customer data hub location to multiple points, or multiple FibreMAN services between two customers' data hub locations are merely aggregated node-to-node services.

CANCELLED

MAR 0 1 2004

Issued: December 3, 2003

Effective: January 5, 2004

Public Service Commission
By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri

St. Louis, Missouri

Miscourt Proceding

FILED JAN 35 2004

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 3rd Revised Sheet 5 Replacing 2nd Revised Sheet 5

(RT)

(RT)

Issued: December 29, 2010

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389 By JOHN SONDAG, President - Missouri St. Louis, Missouri

FILED Missouri Public Service Commission JI-2011-0316

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 2nd Revised Sheet 5 Replacing 1st Revised Sheet 5

FIBREMAN® SERVICE


(CT)

7. Service Configurations (cont'd)

7.1 Node-to-Node

A node-to-node configuration connects two customer-designated premises either inter- or intra-wire center.


7.1.1 The following diagram depicts a node-to-node (intra-wire center) configuration connecting two customer-designated premises served from the same wire center.



LDC - Local Distribution Channel

In this case, the applicable rate element is:

- Local Distribution Channel (two applicable)
- 7.1.2 The following diagram depicts a node-to-node (inter-wire center) configuration connecting two customer-designated premises with Serving Wire Centers located "x" miles apart.



LDC – Local Distribution Channel ICM – Interoffice Channel Mileage RPTR – Repeater (as required)

In this case, applicable rate elements are:

- Local Distribution Channel (two applicable)
- Interoffice Channel Mileage Fixed (one applicable)
- Interoffice Channel Mileage Per Mile ("x" applicable)
- Repeater (as required)


Digital Link Services Tariff Section 24 1st Revised Sheet 5 Replacing Original Sheet 5

FIBREMANSM SERVICE

- 7. SERVICE CONFIGURATIONS (cont'd)
 - 7.1 Node-to-Node

A node-to-node configuration connects two customer-designated premises either inter- or intrawire center.


7.1.1 The following diagram depicts a node-to-node (intra-wire center) configuration connecting two customer-designated premises served from the same wire center.



LDC – Local Distribution Channel

In this case, the applicable rate element is:

- Local Distribution Channel (two applicable)
- 7.1.2 The following diagram depicts a node-to-node (inter-wire center) configuration connecting two customer-designated premises with Serving Wire Centers located "x" miles apart.



(AT)

LDC – Local Distribution Channel ICM – Interoffice Channel Mileage RPTR – Repeater (as required)

(AT)

In this case, applicable rate elements are:

- Local Distribution Channel (two applicable)
- Interoffice Channel Mileage Fixed (one applicable)
- Interoffice Channel Mileage Per Mile ("x" applicable)
- (AT) Repeater (as required)

Issued: January 30, 2004 Effective: March 1, 2004

ırı

Effective. Match 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Digital Link Services Tariff Section 24 Original Sheet 5

FIBREMANSM SERVICE

7. SERVICE CONFIGURATIONS (cont'd)

Miscouri Public


7.I Node-to-Node

REC'D DEC 03 2003

A node-to-node configuration connects two customer-designated premises either inter- or intrawire center.

Service Commission


7.1.1 The following diagram depicts a node-to-node (intra-wire center) configuration connecting two customer-designated premises served from the same wire center.



LDC - Local Distribution Channel

In this case, the applicable rate element is:

- Local Distribution Channel (two applicable)
- 7.1.2 The following diagram depicts a node-to-node (inter-wire center) configuration connecting two customer-designated premises with Serving Wire Centers located "x" miles apart.



LDC – Local Distribution Channel ICM – Interoffice Channel Mileage

CANCELLED

In this case, applicable rate elements are:

- Local Distribution Channel (two applicable)
- Interoffice Channel Mileage Fixed (one applicable)
- Interoffice Channel Mileage Per Mile ("x" applicable)


MAR 0 1 2004

ublic Service Commission
MISSOURI

Issued: December 3, 2003

Effective: January 5, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 4th Revised Sheet 6 Replacing 3rd Revised Sheet 6

(RT)

(RT)

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 3rd Revised Sheet 6 Replacing 2nd Revised Sheet 6

FIBREMAN® SERVICE

(CT)

Service Configurations (cont'd)


7.2 Diversity Options

Diversity options are available where facilities exist. If appropriate facilities do not exist, Special Construction charges may apply. End-to-end diversity can be achieved by coupling Alternate Wire Center Diversity with Inter-Wire Center Diversity, in those instances where each end of a circuit is served out of different serving wire centers.

FibreMAN offers the following diversity options:

7.2.1 Local Channel Diversity (LCD)

Local Channel Diversity provides for a transmission path between a designated customer premise and the standard serving wire center (SWC) that is diverse from the normal/standard transmission path. Local Channel Diversity requires two eligible services purchased by (or for the benefit of) the same customer. The Company will determine which services are eligible based on technical or operational limitations. With this arrangement, one or more local distribution channels will be provisioned over the standard route and one or more local distribution channels will be provisioned over a diverse route. Local Channel Diversity does not provide for full diversity; it only allows for diversity from the splice point closest to the customer's property line to the SWC. If a customer desires full diversity, arrangements must be made for constructing dual entrance facilities into the customer's premise, at the customer's expense.





Digital Link Services Tariff Section 24 2nd Revised Sheet 6 Replacing 1st Revised Sheet 6

FIBREMANSM SERVICE

SERVICE CONFIGURATIONS (cont'd)


7.2 Diversity Options

Diversity options are available where facilities exist. If appropriate facilities do not exist, Special Construction charges may apply. End-to-end diversity can be achieved by coupling Alternate Wire Center Diversity with Inter-Wire Center Diversity, in those instances where each end of a circuit is served out of different serving wire centers.

FibreMAN offers the following diversity options:

7.2.1 Local Channel Diversity (LCD)

Local Channel Diversity provides for a transmission path between a designated customer premise and the standard serving wire center (SWC) that is diverse from the normal/standard transmission path. Local Channel Diversity requires two eligible services purchased by (or for the benefit of) the same customer. The Company will determine which services are eligible based on technical or operational limitations. With this arrangement, one or more local distribution channels will be provisioned over the standard route and one or more local distribution channels will be provisioned over a diverse route. Local Channel Diversity does not provide for full diversity; it only allows for diversity from the splice point closest to the customer's property line to the SWC. If a customer desires full diversity, arrangements must be made for constructing dual entrance facilities into the customer's premise, at the customer's expense.



Issued: April 25, 2006 Effective: May 26, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



(CP)

(CP)



Digital Link Services Tariff Section 24 1st Revised Sheet 6 Replacing Original Sheet 6

FIBREMANSM SERVICE

7. SERVICE CONFIGURATIONS (cont'd)


7.2 Diversity Options

(CT) Diversity options are available where facilities exist. If appropriate facilities do not exist, Special (AT) Construction charges may apply. End-to-end diversity can be achieved by coupling Alternate Wire Center Diversity with Inter-Wire Center Diversity, in those instances where each end of a circuit is served out of different serving wire centers.

FibreMAN offers the following diversity options:

7.2.1 Local Channel Diversity (LCD)

Local Channel Diversity provides for a transmission path between a designated customer premise and the standard serving wire center (SWC) that is diverse from the normal/standard transmission path. Local Channel Diversity requires two FibreMAN Services purchased by the same customer of record. With this arrangement, one or more local distribution channels will be provisioned over the standard route and one or more local distribution channels will be provisioned over a diverse route. Local Channel Diversity does not provide for full diversity; it only allows for diversity from the splice point closest to the customer's property line to the SWC. If a customer desires full diversity, arrangements must be made for constructing dual entrance facilities into the customer's premise, at the customer's expense.



Issued: March 15, 2005 Effective: April 15, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



(CT)



Digital Link Services Tariff Section 24 Original Sheet 6

Missouri Public

FIBREMANSM SERVICE

7. SERVICE CONFIGURATIONS (cont'd)

RECT) DEC 03 2003

7.2 Diversity Options


Service Commission

Route diversity options are available where facilities exist. If appropriate facilities do not exist, Special Construction charges may apply. End-to-end diversity can be achieved by coupling Alternative Wire Center Diversity with Inter-Wire Center Diversity.

FibreMAN offers the following diversity options:

7.2.1 Local Channel Diversity (LCD)

Local Channel Diversity provides for a transmission path between a designated customer premise and the standard serving wire center (SWC) that is diverse from the normal/standard transmission path. Local Channel Diversity requires two FibreMAN Services purchased by the same customer of record. With this arrangement, one or more local distribution channels will be provisioned over the standard route and one or more local distribution channels will be provisioned over the diverse route. Local Channel Diversity does not provide for full diversity; it only allows for diversity from the splice point closest to the customer's property line to the SWC. If a customer desires full diversity, arrangements must be made for constructing dual entrance facilities into the customer's premise, at the customer's expense.



1St DS /

Public Service Commission

Issued: December 3, 2003

Effective: January 5, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Miceouri i hubeo Acicolom de corroca

FILED JAN 35 2004

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 3rd Revised Sheet 7 Replacing 2nd Revised Sheet 7

(RT)

(RT)

Issued: December 29, 2010

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389 By JOHN SONDAG, President - Missouri St. Louis, Missouri

FILED Missouri Public Service Commission JI-2011-0316

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 2nd Revised Sheet 7 Replacing 1st Revised Sheet 7

FIBREMAN® SERVICE

(CT)


7. Service Configurations (cont'd)

7.2 Diversity Options (cont'd)

7.2.2 Inter-Wire Center Diversity (IWCD)

Inter-Wire Center Diversity arrangements presume that each end of a FibreMAN local distribution channel is served out of a different serving wire center (SWC). This arrangement provides a transmission path for FibreMAN local distribution channels between the customer's designated SWC and the serving wire center at the distant end of the circuit, over a transmission path that is separate from the standard transmission path between the two wire centers. Interoffice mileage will be calculated between the intermediate serving wire centers along the circuit path of the diversely routed FibreMAN Service. Inter-Wire Center Diversity requires two eligible services purchased by (or for the benefit of) the same customer. The Company will determine which services are eligible based on technical or operational limitations.

Inter-wire center diversity does not provide for full diversity; it only offers interoffice diversity. If a customer desires full diversity, Alternate Wire Center Diversity must be implemented along with Inter-Wire Center Diversity. Additionally, arrangements must be made for constructing dual entrance facilities at the customer's premise, at the customer's expense.





Digital Link Services Tariff Section 24 1st Revised Sheet 7 Replacing Original Sheet 7

FIBREMANSM SERVICE


SERVICE CONFIGURATIONS (cont'd)

7.2 Diversity Options (cont'd)

7.2.2 Inter-Wire Center Diversity (IWCD)

Inter-Wire Center Diversity arrangements presume that each end of a FibreMAN local distribution channel is served out of a different serving wire center (SWC). This arrangement provides a transmission path for FibreMAN local distribution channels between the customer's designated SWC and the serving wire center at the distant end of the circuit, over a transmission path that is separate from the standard transmission path between the two wire centers. Interoffice mileage will be calculated between the intermediate serving wire centers along the circuit path of the diversely routed FibreMAN Service. Inter-Wire Center Diversity requires two eligible services purchased by (or for the benefit of) the same customer. The Company will determine which services are eligible based on technical or operational limitations.

Inter-wire center diversity does not provide for full diversity; it only offers interoffice diversity. If a customer desires full diversity, Alternate Wire Center Diversity must be implemented along with Inter-Wire Center Diversity. Additionally, arrangements must be made for constructing dual entrance facilities at the customer's premise, at the customer's expense.



Issued: April 25, 2006 Effective: May 26, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri





Digital Link Services Tariff Section 24 Original Sheet 7

FIBREMANSM SERVICE


SERVICE CONFIGURATIONS (cont'd)

7.2 Diversity Options (cont'd)


7.2.2 Inter-Wire Center Diversity (IWCD)

Inter-Wire Center Diversity arrangements presume that each end of a FibreMAN local distribution channel is served out of a different serving wire center (SWC). This arrangement provides a transmission path for FibreMAN local distribution channels between the customer's designated SWC and the serving wire center at the distant end of the circuit, over a transmission path that is separate from the standard transmission path between the two wire centers. Interoffice mileage will be calculated between the intermediate serving wire centers along the circuit path of the diversely routed FibreMAN Service. Inter-Wire Center Diversity requires two FibreMAN Services purchased by the same customer of record.

Inter-wire center diversity does not provide for full diversity; it only offers interoffice diversity. If a customer desires full diversity, Alternate Wire Center Diversity must be implemented along with Inter-Wire Center Diversity. Additionally, arrangements must be made for constructing dual entrance facilities at the customer's premise, at the customer's expense.



Issued: December 3, 2003 Effective: January 5, 2004







Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 3rd Revised Sheet 8 Replacing 2nd Revised Sheet 8

(RT)

(RT)

Issued: December 29, 2010 CANCELLED

May 1, 2014
Missouri Public
Service Commission
JI-2014-0389

By JOHN SONDAG, President - Missouri St. Louis, Missouri

FILED
Missouri Public
Service Commission
JI-2011-0316

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 2nd Revised Sheet 8 Replacing 1st Revised Sheet 8

FIBREMAN® SERVICE


(CT)

7. Service Configurations (cont'd)

7.2 Diversity Options (cont'd)

7.2.3 Alternate Wire Center Diversity (AWCD)

Alternate Wire Center Diversity is for the local loop only. It provides a local channel transmission path for FibreMAN Service between the customer's designated premises and a wire center that is not the normal (or standard) serving wire center. The Company will choose the alternate wire center closest to the customer's designated premise that is capable of providing FibreMAN Service over the alternate route. Alternate Wire Center Diversity does not require the purchase of two FibreMAN Services by (or for the benefit of) the same customer, nor does it require the customer to have an existing FibreMAN circuit operating over the normal (or standard) route to the normal (or standard) serving wire center. With this arrangement, one or more local distribution channels will be provisioned over the alternate route. If a customer desires full diversity, arrangements must be made for constructing dual entrance facilities into the customer's premise, at the customer's expense.





Digital Link Services Tariff Section 24 1st Revised Sheet 8 Replacing Original Sheet 8


FIBREMANSM SERVICE

SERVICE CONFIGURATIONS (cont'd)

7.2 Diversity Options (cont'd)

7.2.3 Alternate Wire Center Diversity (AWCD)

Alternate Wire Center Diversity is for the local loop only. It provides a local channel transmission path for FibreMAN Service between the customer's designated premises and a wire center that is not the normal (or standard) serving wire center. The Company will choose the alternate wire center closest to the customer's designated premise that is capable of providing FibreMAN Service over the alternate route. Alternate Wire Center Diversity does not require the purchase of two FibreMAN Services by (or for the benefit of) the same customer, nor does it require the customer to have an existing FibreMAN circuit operating over the normal (or standard) route to the normal (or standard) serving wire center. With this arrangement, one or more local distribution channels will be provisioned over the alternate route. If a customer desires full diversity, arrangements must be made for constructing dual entrance facilities into the customer's premise, at the customer's expense.



Issued: April 25, 2006 Effective: May 26, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri

(CT)

(CT)

Digital Link Services Tariff Section 24 Original Sheet 8


FIBREMANSM SERVICE

SERVICE CONFIGURATIONS (cont'd)

7.2 Diversity Options (cont'd)

7.2.3 Alternate Wire Center Diversity (AWCD)

Alternate Wire Center Diversity is for the local loop only. It provides a local channel transmission path for FibreMAN Service between the customer's designated premises and a wire center that is not the normal (or standard) serving wire center. The Company will choose the alternate wire center closest to the customer's designated premise that is capable of providing FibreMAN Service over the alternate route. Alternate Wire Center Diversity does not require two FibreMAN Services purchased by the same customer of record, nor does it require the customer to have an existing FibreMAN circuit operating over the normal (or standard) route to the normal (or standard) serving wire center. With this arrangement, one or more local distribution channels will be provisioned over the alternate route. If a customer desires full diversity, arrangements must be made for constructing dual entrance facilities into the customer's premise, at the customer's expense.



Issued: December 3, 2003 Effective: January 5, 2004





Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 3rd Revised Sheet 9 Replacing 2nd Revised Sheet 9

(RT)

(RT)

FILED Missouri Public Service Commission JI-2011-0316

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 2nd Revised Sheet 9 Replacing 1st Revised Sheet 9

FIBREMAN® SERVICE

(CT)

8. Rates and Charges

There are two types of rates and charges for FibreMAN: Installation Charges and Recurring Rates.

8.1 Installation Charges are one-time charges that apply for specific work activity related to the provisioning of FibreMAN Service.

Installation Charge

- per Local Distribution Channel (LDC)

\$ 1,500.00

8.2 Recurring rates are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 12-, 24-, 36-, or 60-month period under the terms and conditions of the Term Pricing Plan (TPP), described in Paragraph I. following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension Rates unless the customer requests a new TPP. No customer shall purchase FibreMAN at the Monthly Extension Rate basis prior to the completion of a TPP.

		Monthly Extension	Term Pricing Plan Monthly Contract Rates			
	<u>USOC</u>	Rate	12 Month	24 Month	36 Month	60 Month
LDC						
2 Gbps	1D99X	\$6,174.00	\$5,145.00	\$4,200.00	\$4,000.00	\$3,500.00
1 Gbps	1D98X	4,410.00	3,675.00	3,100.00	2,850.00	2,500.00
ICM	JZ4YS					
Fixed		250.00	250.00	225.00	200.00	100.00
Per Mile		125.00	125.00	115.00	100.00	75.00
RPTR	VU4	2,500.00	2,400.00	1,700.00	1,150.00	850.00
Diversity						
LCD	DJVYX	750.00	750.00	750.00	750.00	750.00
IWCD	DEQYX	500.00	500.00	500.00	500.00	500.00
AWCD	AVOYX	1,200.00	1,200.00	1,200.00	1,200.00	1,200.00



Digital Link Services Tariff
Section 24
1st Revised Sheet 9
Replacing Original Sheet 9

FIBREMANSM SERVICE

8. RATES AND CHARGES

There are two types of rates and charges for FibreMAN: Installation Charges and Recurring Rates.

8.1 Installation Charges are one-time charges that apply for specific work activity related to the provisioning of FibreMAN Service.

Installation Charge

- per Local Distribution Channel (LDC)

\$ 1,500.00

8.2 Recurring rates are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 12-, 24-, 36-, or 60-month period under the terms and conditions of the Term Pricing Plan (TPP), described in Paragraph I. following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension Rates unless the customer requests a new TPP. No customer shall purchase FibreMAN at the Monthly Extension Rate basis prior to the completion of a TPP.

			Monthly Extension		Term Pricing Plan Monthly Contract Rates			
		<u>USOC</u>	Rate_	12 Month	24 Month	36 Month	60 Month	
	LDC							
	2 Gbps	1D99X	\$6,174.00	\$5,145.00	\$4,200.00	\$4,000.00	\$3,500.00	
	1 Gbps	1D98X	4,410.00	3,675.00	3,100.00	2,850.00	2,500.00	
	ICM	JZ4YS						
	Fixed		250.00	250.00	225.00	200.00	100.00	
	Per Mile		125.00	125.00	115.00	100.00	75.00	
(AT)	RPTR	VU4	2,500.00	2,400.00	1,700.00	1,150.00	850.00	
	Diversity							
	LCD	DJVYX	750.00	750.00	750.00	750.00	750.00	
	IWCD	DEQYX	500.00	500.00	500.00	500.00	500.00	
	AWCD	AVOYX	1,200.00	1,200.00	1,200.00	1,200.00	1,200.00	
			*	•	*	*	*	

Issued: January 30, 2004 Effective: March 1, 2004



Digital Link Services Tariff

Missouri Public Section 24

Original Sheet 9

FIBREMANSM SERVICE DEC **03** 2003

8. RATES AND CHARGES

Service Commission

There are two types of rates and charges for FibreMAN: Installation Charges and Recurring Rates.

8.1 Installation Charges are one-time charges that apply for specific work activity related to the provisioning of FibreMAN Service.

Installation Charge

- per Local Distribution Channel (LDC)

\$ 1,500.00

8.2 Recurring rates are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 12-, 24-, 36-, or 60-month period under the terms and conditions of the Term Pricing Plan (TPP), described in Paragraph I. following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension Rates unless the customer requests a new TPP. No customer shall purchase FibreMAN at the Monthly Extension Rate basis prior to the completion of a TPP.

			Term Pricing Plan					
		Monthly	Monthly Contract Rates					
		Extension						
	<u>USOC</u>	Rate	12 Month	24 Month	36 Month	60 Month		
LDC								
2 Gbps	1D99X	\$6,174.00	\$5,145.00	\$4,200.00	\$4,000.00	\$3,500.00		
1 Gbps	1D98X	4,410.00	3,675.00	3,100.00	2,850.00	2,500.00		
1CM	JZ4YS							
Fixed	-	250.00	250.00	225.00	200.00	100.00		
Per Mile		125.00	125.00	115.00	100.00	75.00		
Diversity		•						
LCD	DJVYX	750.00	750.00	750.00	750.00	750.00		
IWCD	DEQYX	500.00	500.00	500.00	500.00	500.00		
AWCD	AVÔYX	1,200.00	1,200.00 CANCEL	1ED200.00	1,200.00	1,200.00		

Ey 325 9

Issued: December 3, 2003

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 3rd Revised Sheet 10 Replacing 2nd Revised Sheet 10

(RT)

(RT)

FILED Missouri Public Service Commission JI-2011-0316

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 2nd Revised Sheet 10 Replacing 1st Revised Sheet 10

FIBREMAN® SERVICE

(CT)

9. Term Pricing Plan (TPP)

- **9.1** The TPP provides for 12-, 24-, 36-, or 60-month rate stabilization. Decreases in term monthly recurring tariff rates will be passed on to customers who participate in a TPP. The Company will notify customers participating in a TPP when term monthly recurring rates are decreased.
 - Should the Company increase its rates during the TPP period, the customer would continue to pay the rates in effect at the time the customer elected to establish service under the TPP.
- **9.2** The customer may choose to terminate an existing TPP before the end of the 12-, 24-, 36-, or 60-month period and negotiate a new 12-, 24-, 36-, or 60-month TPP. The new TPP must be based upon the rates that are currently in effect and available to all customers.
- 9.3 The customer must provide the Company with a written notice of intent to renew a TPP no later than 90 days prior to its expiration. If the customer elects not to renew the TPP, or does not notify the Company of the customer's intent to renew the TPP, the service will automatically be billed under the tariffed monthly extension rates in effect at the time that TPP expires. Subsequently, customers under the tariffed monthly extension rates may convert their existing service to either a 12-, 24-, 36-, or 60-month TPP. Nonrecurring charges will be waived at the time of conversion.
- **9.4** Any special construction charges incurred for services billed under a TPP will be applicable as provided for in Section 1 of this tariff.
- **9.5** If the customer terminates the TPP agreement prior to the expiration of the 12-, 24-, 36-, or 60-month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. The termination charge shall be:
 - All unpaid Special Construction or nonrecurring charges (excluding any waived charges); plus
 - Fifty percent (50%) of all recurring charges for the remaining months of the customer's term



Digital Link Services Tariff
Section 24
1st Revised Sheet 10
Replacing Original Sheet 10

FIBREMANSM SERVICE

TERM PRICING PLAN (TPP)

- 9.1 The TPP provides for 12-, 24-, 36-, or 60-month rate stabilization. Decreases in term monthly recurring tariff rates will be passed on to customers who participate in a TPP. The Company will notify customers participating in a TPP when term monthly recurring rates are decreased.
 - Should the Company increase its rates during the TPP period, the customer would continue to pay the rates in effect at the time the customer elected to establish service under the TPP.
- 9.2 The customer may choose to terminate an existing TPP before the end of the 12-, 24-, 36-, or 60-month period and negotiate a new 12-, 24-, 36-, or 60-month TPP. The new TPP must be based upon the rates that are currently in effect and available to all customers.
- 9.3 The customer must provide the Company with a written notice of intent to renew a TPP no later than 90 days prior to its expiration. If the customer elects not to renew the TPP, or does not notify the Company of the customer's intent to renew the TPP, the service will automatically be billed under the tariffed monthly extension rates in effect at the time that TPP expires. Subsequently, customers under the tariffed monthly extension rates may convert their existing service to either a 12-, 24-, 36-, or 60-month TPP. Nonrecurring charges will be waived at the time of conversion.
- 9.4 Any special construction charges incurred for services billed under a TPP will be applicable as provided for in Section 1 of this tariff.
- 9.5 If the customer terminates the TPP agreement prior to the expiration of the 12-, 24-, 36-, or 60-month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. The termination charge shall be:
- (CT) All unpaid Special Construction or nonrecurring charges (excluding any waived charges); plus
- (CT) Fifty percent (50%) of all recurring charges for the remaining months of the customer's term

(MT)

Issued: March 15, 2005 Effective: April 15, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Digital Link Services Tariff

Missouri Public Section 24

Original Sheet 10

FIBREMANSM SERVICE DEC **03** 2003

9. TERM PRICING PLAN (TPP)

Service Commission

- 9.1 The TPP provides for 12-, 24-, 36-, or 60-month rate stabilization. Decreases in term monthly recurring tariff rates will be passed on to customers who participate in a TPP. The Company will notify customers participating in a TPP when term monthly recurring rates are decreased.
 - Should the Company increase its rates during the TPP period, the customer would continue to pay the rates in effect at the time the customer elected to establish service under the TPP.
- 9.2 The customer may choose to terminate an existing TPP before the end of the 12-, 24-, 36-, or 60-month period and negotiate a new 12-, 24-, 36-, or 60-month TPP. The new TPP must be based upon the rates that are currently in effect and available to all customers.
- 9.3 The customer must provide the Company with a written notice of intent to renew a TPP no later than 90 days prior to its expiration. If the customer elects not to renew the TPP, or does not notify the Company of the customer's intent to renew the TPP, the service will automatically be billed under the tariffed monthly extension rates in effect at the time that TPP expires. Subsequently, customers under the tariffed monthly extension rates may convert their existing service to either a 12-, 24-, 36-, or 60-month TPP. Nonrecurring charges will be waived at the time of conversion.
- 9.4 Any special construction charges incurred for services billed under a TPP will be applicable as provided for in Section 1 of this tariff.
- 9.5 If the customer terminates the TPP agreement prior to the expiration of the 12-, 24-, 36-, or 60-month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. The termination charge shall be:
 - All waived and/or unpaid nonrecurring charges; plus
 - Fifty percent (50%) of all recurring charges for the balance of the customer's term
- 9.6 During a TPP term, a customer may move one Local Distribution Channel of a FibreMAN Service to another location in the same LATA and keep the TPP in force (without assessment of Termination Charges), provided no lapse in service occurs. Nonrecurring charges, as appropriate, will apply.
 CANCELLED

<u>.</u>

APR 1 5 2005

Issued: December 3, 2003

Public Service Commission
MISSOURI

Effective: January 5, 2004

By CINDY BRINKLEY, President-SBC Missouri
Southwestern Bell Telephone, L.P., d/b/a SBC Missouri
St. Louis, Missouri
Service Commission

FILED JAN 05 2004

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 24 3rd Revised Sheet 11 Replacing 2nd Revised Sheet 11

(RT)

(RT)

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 2nd Revised Sheet 11 Replacing 1st Revised Sheet 11

FIBREMAN® SERVICE

9. TERM PRICING PLAN (TPP) (cont'd)

- 9.6 Customers will be permitted to move one end of a FibreMAN Service to another location, without incurring Termination Charges, given the following conditions are met:
 - The customer must issue a disconnect order for the existing location and place a new service order for FibreMAN Service at the new location. Termination Charges for the existing location will be waived. Standard nonrecurring charges to install FibreMAN Service as a new circuit will apply.
 - Negotiated down time will apply, as the new circuit will need to be designed and installed.
 - The term of the new contract must be equal to or greater than the remaining time left on the existing FibreMAN contract.
 - The existing FibreMAN Service must have been in service for a minimum period of 12 months for a 2-year contract, 15 months for a 3-year contract or 18 months for a 5-year contract. Existing FibreMAN Service with 1-year contracts will not be eligible for this Moves option.

Moves are contingent on availability of fiber from premise to premise. Other Special Construction charges, as necessary, may apply.

- 9.7 For service installed after July 20, 2007, customers will be permitted to upgrade to a higher-speed (AT) service provided by the Company, without incurring Termination Charges, given the following conditions are met:
 - an upgrade is considered an increase in speed or capacity when comparing FibreMAN Service to the new service.
 - the customer must issue a disconnect order for the existing FibreMAN Service and place a service order for the new, higher-speed service, such that there is no more than 90 days overlap in service.
 - the same customer locations must be utilized for the new, higher-speed service.
 - the expiration date for the new, higher-speed service is beyond the end of the original TPP term associated with the existing FibreMAN Service.
 - the existing FibreMAN Service must have been in service for a minimum period of 12 months for a 24-month contract, 15 months for a 36-month contract or 18 months for a 60-month contract. Existing FibreMAN Service with 12-month contracts will not be eligible for this Upgrade option. (AT)

Issued: June 19, 2007 Effective: July 20, 2007

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 24 1st Revised Sheet 11 Replacing Original Sheet 11

FIBREMAN® SERVICE

(CT)

9. Term Pricing Plan (TPP) (cont'd)

- **9.6** Customers will be permitted to move one end of a FibreMAN Service to another location, without incurring Termination Charges, given the following conditions are met:
 - The customer must issue a disconnect order for the existing location and place a new service order for FibreMAN Service at the new location. Termination Charges for the existing location will be waived. Standard nonrecurring charges to install FibreMAN Service as a new circuit will apply.
 - Negotiated down time will apply, as the new circuit will need to be designed and installed.
 - The term of the new contract must be equal to or greater than the remaining time left on the existing FibreMAN contract.
 - The existing FibreMAN Service must have been in service for a minimum period of 12 months for a 2-year contract, 15 months for a 3-year contract or 18 months for a 5-year contract. Existing FibreMAN Service with 1-year contracts will not be eligible for this Moves option.

Moves are contingent on availability of fiber from premise to premise. Other Special Construction charges, as necessary, may apply.



Digital Link Services Tariff Section 24 Original Sheet 11

FIBREMANSM SERVICE

(CT) 9. TERM PRICING PLAN (TPP) (cont'd)

(MT)(CP)

- 9.6 Customers will be permitted to move one end of a FibreMAN Service to another location, without incurring Termination Charges, given the following conditions are met:
 - The customer must issue a disconnect order for the existing location and place a new service order for FibreMAN Service at the new location. Termination Charges for the existing location will be waived. Standard nonrecurring charges to install FibreMAN Service as a new circuit will apply.
 - Negotiated down time will apply, as the new circuit will need to be designed and installed.
 - The term of the new contract must be equal to or greater than the remaining time left on the existing FibreMAN contract.
 - The existing FibreMAN Service must have been in service for a minimum period of 12 months for a 2-year contract, 15 months for a 3-year contract or 18 months for a 5-year contract. Existing FibreMAN Service with 1-year contracts will not be eligible for this Moves option.

(MT)(CP)

Moves are contingent on availability of fiber from premise to premise. Other Special Construction charges, as necessary, may apply.

Issued: March 15, 2005 Effective: April 15, 2005



Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 5th Revised Sheet 1 Replacing 4th Revised Sheet 1

OPT-E-MAN® SERVICE

1. GENERAL DESCRPTION

OPT-E-MAN® Service is an optically switched data service which allows for versatile scalability and flexibility over an Ethernet network provided by the Company. OPT-E-MAN Service allows businesses to interconnect customer locations within a Metropolitan Area Network (MAN) as if they were segments on the same LAN using packet-based switching technologies. Connections at the customer premises are made using Native Ethernet interfaces and traverse the MAN over fiber and/or copper facilities (at the Company's discretion). OPT-E-MAN Service provides dedicated bandwidth from 2 Mbps up to 1 Gbps.

(AT) (CP)

Customers connect to OPT-E-MAN Service via one of the following standard connections, as requested by the customer:

- 10/100BaseT (100 Mbps)

(CT)

Gigabit Ethernet (1000BaseSX, 1000BaseLX/LH or 1000BaseZX)^{/1/}

(CT)

Customers may connect any two or more locations together when utilizing a point-to-point or point-to-multipoint configuration, and a minimum of three or more locations when utilizing a multipoint-to-multipoint configuration^{/2/}, as long as they are in the same LATA or MAN and the service is available.

OPT-E-MAN Service includes the connection from the customer's premise to the Ethernet network, a port on the Ethernet network, a Committed Information Rate (CIR), and Ethernet Virtual Connections (EVCs). Ethernet Virtual Connections (EVCs) are logical connections that establish a logical path for customer traffic between two customer locations. A portion of the CIR is assigned to each EVC to establish how much bandwidth each path should have.

- /1/ CIR is inclusive of allowances for overhead within the Ethernet network. If a customer orders 1 Gbps of CIR on a single port, the Company reserves the right to use up to 10% of the bandwidth for traffic management.
- /2/ This provisioning requirement will only apply to new service installed after November 29, 2006.

Issued: November 16, 2007 Effective: December 18, 2007

By CINDY BRINKLEY, President – Missouri St. Louis, Missouri

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 25 4th Revised Sheet 1 Replacing 3rd Revised Sheet 1

OPT-E-MAN® SERVICE

(CT)

1. GENERAL DESCRPTION

OPT-E-MAN® Service is an optically switched data service which allows for versatile scalability and flexibility over an Ethernet network provided by the Company. OPT-E-MAN Service allows businesses to interconnect customer locations within a Metropolitan Area Network (MAN) as if they were segments on the same LAN using packet-based switching technologies. Connections at the customer premises are made using Native Ethernet interfaces and traverse the MAN over fiber facilities. OPT-E-MAN Service provides dedicated bandwidth from 5 Mbps up to 1 Gbps.

Customers connect to OPT-E-MAN Service via one of the following standard connections, as requested by the customer:

- 10/100 Base T (100 Mbps)
- Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX)^{/1/}

Customers may connect any two or more locations together when utilizing a point-to-point or point-to-multipoint configuration, and a minimum of three or more locations when utilizing a multipoint-to-multipoint configuration^{/2/}, as long as they are in the same LATA or MAN and the service is available.

OPT-E-MAN Service includes the connection from the customer's premise to the Ethernet network, a port on the Ethernet network, a Committed Information Rate (CIR), and Ethernet Virtual Connections (EVCs). Ethernet Virtual Connections (EVCs) are logical connections that establish a logical path for customer traffic between two customer locations. A portion of the CIR is assigned to each EVC to establish how much bandwidth each path should have.

- /1/ CIR is inclusive of allowances for overhead within the Ethernet network. If a customer orders 1 Gbps of CIR on a single port, the Company reserves the right to use up to 10% of the bandwidth for traffic management.
- /2/ This provisioning requirement will only apply to new service installed after November 29, 2006.

Issued: March 30, 2007 Effective: May 1, 2007

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 25 3rd Revised Sheet 1 Replacing 2nd Revised Sheet 1

OPT-E-MANsm SERVICE

1. General Description

OPT-E-MAN® Service is an optically switched data service which allows for versatile scalability and flexibility over an Ethernet network provided by the Company. OPT-E-MAN Service allows businesses to interconnect customer locations within a Metropolitan Area Network (MAN) as if they were segments on the same LAN using packet-based switching technologies. Connections at the customer premises are made using Native Ethernet interfaces and traverse the MAN over fiber facilities. OPT-E-MAN Service provides dedicated bandwidth from 5 Mbps up to 1 Gbps.

(RT)

Customers connect to OPT-E-MAN Service via one of the following standard connections, as requested by the customer:

- 10/100 Base T (100 Mbps)
- Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX)^{/1/}

Customers may connect any two or more locations together when utilizing a point-to-point or point-to-multipoint configuration, and a minimum of three or more locations when utilizing a multipoint-to-multipoint configuration¹²¹, as long as they are in the same LATA or MAN and the service is available.

(CP)

(CP)

(RT)

(RT)


OPT-E-MAN Service includes the connection from the customer's premise to the Ethernet network, a port on the Ethernet network, a Committed Information Rate (CIR), and Ethernet Virtual Connections (EVCs). Ethernet Virtual Connections (EVCs) are logical connections that establish a logical path for customer traffic between two customer locations. A portion of the CIR is assigned to each EVC to establish how much bandwidth each path should have.

/1/ CIR is inclusive of allowances for overhead within the Ethernet network. If a customer orders 1 Gbps of CIR on a single port, the Company reserves the right to use up to 10% of the bandwidth for traffic management.

/2/ This provisioning requirement will only apply to new service installed after November 29, 2006.

(AT)

Issued: October 27, 2006 Effective: November 29, 2006







Digital Link Services Tariff
Section 25
2nd Revised Sheet 1
Replacing 1st Revised Sheet 1

(CT)

OPT-E-MAN® SERVICE

1. GENERAL DESCRIPTION

OPT-E-MAN® Service is an optically switched data service which allows for versatile scalability and flexibility over an Ethernet network provided by the Company. OPT-E-MAN Service allows businesses to interconnect two or more customer locations within a Metropolitan Area Network (MAN) as if they were segments on the same LAN using packet-based switching technologies. Connections at the customer premises are made using Native Ethernet interfaces and traverse the MAN over fiber facilities. OPT-E-MAN Service provides dedicated bandwidth from 5 Mbps up to 1 Gbps.

Customers connect to OPT-E-MAN Service via one of the following standard connections, as requested by the customer:

- 10/100 Base T (100 Mbps)
- Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX)^{/1/}

Customers may connect any two or more locations together, as long as they are in the same LATA or MAN and the service is available. This service offers logical Ethernet-to-Ethernet LAN connections available in the following configurations:

- point-to-point
- point-to-multipoint, or
- multipoint-to-multipoint

OPT-E-MAN Service includes the connection from the customer's premise to the Ethernet network, a port on the Ethernet network, a Committed Information Rate (CIR), and Ethernet Virtual Connections (EVCs). Ethernet Virtual Connections (EVCs) are logical connections that establish a logical path for customer traffic between two customer locations. A portion of the CIR is assigned to each EVC to establish how much bandwidth each path should have.

/1/ CIR is inclusive of allowances for overhead within the Ethernet network. If a customer orders 1 Gbps of CIR on a single port, the Company reserves the right to use up to 10% of the bandwidth for traffic management.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



Digital Link Services Tariff
Section 25
1st Revised Sheet 1
Replacing Original Sheet 1

OPT-E-MANSM SERVICE

1. GENERAL DESCRIPTION

OPT-E-MANSM Service is an optically switched data service which allows for versatile scalability and flexibility over an Ethernet network provided by the Company. OPT-E-MAN Service allows businesses to interconnect two or more customer locations within a Metropolitan Area Network (MAN) as if they were segments on the same LAN using packet-based switching technologies. Connections at the customer premises are made using Native Ethernet interfaces and traverse the MAN over fiber facilities. OPT-E-MAN Service provides dedicated bandwidth from 5 Mbps up to 1 Gbps.

Customers connect to OPT-E-MAN Service via one of the following standard connections, as requested by the customer:

- 10/100 Base T (100 Mbps)
- Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX)^{/1/}

Customers may connect any two or more locations together, as long as they are in the same LATA or MAN and the service is available. This service offers logical Ethernet-to-Ethernet LAN connections available in the following configurations:

- (AT) point-to-point
- (AT) point-to-multipoint, or
- (AT) multipoint-to-multipoint

OPT-E-MAN Service includes the connection from the customer's premise to the Ethernet network, a port on the Ethernet network, a Committed Information Rate (CIR), and Ethernet Virtual Connections (EVCs). Ethernet Virtual Connections (EVCs) are logical connections that establish a logical path for customer traffic between two customer locations. A portion of the CIR is assigned to each EVC to establish how much bandwidth each path should have.

(MT)

(CT)

(CT) (CT)

(CT)

(CP)

(CT) /1/ CIR is inclusive of allowances for overhead within the Ethernet network. If a customer orders
 (CP) 1 Gbps of CIR on a single port, the Company reserves the right to use up to 10% of the bandwidth for traffic management.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Cancelled

Filed

Missouri Public

Service Commission

Digital Link Services Tariff

Public Section 25

Original Sheet 1

REC'D MAR 31 2004

OPT-E-MANSM SERVICE

1. GENERAL DESCRIPTION

Service Commission

OPT-E-MANSM Service is an optically switched data service which allows for versatile scalability and flexibility over an Ethernet network provided by the Company. OPT-E-MAN Service allows businesses to interconnect two or more customer locations within a Metropolitan Area Network (MAN) as if they were segments on the same LAN using packet-based switching technologies. Connections at the customer premises are made using Native Ethernet interfaces and traverse the MAN over fiber facilities. OPT-E-MAN Service provides dedicated bandwidth from 10 Mbps up to 1 Gbps.

Customers connect to OPT-E-MAN Service via one of the following standard connections, as requested by the customer:

- 10/100 Base T (100 Mbps)
- Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX)^{/1/}

Customers may connect any two or more locations together, as long as they are in the same LATA or MAN and the service is available. This service offers logical point-to-point or point-to-multipoint configurations that support Ethernet-to-Ethernet LAN connections.

OPT-E-MAN Service includes the connection from the customer's premise to the Ethernet network, a port on the Ethernet network and an assigned Bandwidth Usage (which includes a Committed Information Rate (CIR) and one Ethernet Virtual Connection (EVC)).

OPT-E-MAN is provided under several service configurations:

Basic

The OPT-E-MAN Basic service configuration provides the customer a switched, logical point-to-point connection between two customer locations, using a physical connection to the network, and a virtual connection through the OPT-E-MAN network.

MAR 1 8 2005

Public Service Commission
MISSOURI

Bandwidth Usage is inclusive of allowances for overhead within the Ethernet network. If a customer orders 1 Gbps of CIR on a single port, the Company reserves the right to use up to 70 Mbps of bandwidth for traffic management.

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri
Southwestern Bell Telephone, L.P., d/b/a SBC Missouri
St. Louis, Missouri
Service Commission

FILED MAY 01 2004

Digital Link Services Tariff Section 25 1st Revised Sheet 1.1 Replacing Original Sheet 1.1

(CT)

OPT-E-MAN® SERVICE

1. GENERAL DESCRIPTION (cont'd)

OPT-E-MAN is provided under several service configurations:

Basic The OPT-E-MAN Basic service configuration provides the customer a switched,

logical point-to-point or point-to-multipoint connection between customer locations, using a physical connection to the network, and virtual connections through the

OPT-E-MAN network.

Basic Plus The OPT-E-MAN Basic Plus service configuration provides the customer a switched,

logical point-to-point, point-to-multipoint or multipoint-to-multipoint connection between customer locations, using a physical connection to the network, and virtual

connections through the OPT-E-MAN network.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



Digital Link Services Tariff Section 25 Original Sheet 1.1

OPT-E-MANSM SERVICE

1. GENERAL DESCRIPTION (cont'd)

(MT)	OPT-E-MAN is provided under several service configurations:	
(AT) (CT) (MT)	Basic	The OPT-E-MAN Basic service configuration provides the customer a switched, logical point-to-point or point-to-multipoint connection between customer locations, using a physical connection to the network, and virtual connections through the OPT-E-MAN network.
(AT)	Basic Plus	The OPT-E-MAN Basic Plus service configuration provides the customer a switched, logical point-to-point, point-to-multipoint or multipoint-to-multipoint connection between customer locations, using a physical connection to the network, and virtual connections through the OPT-E-MAN network.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 3rd Revised Sheet 2 Replacing 2nd Revised Sheet 2

OPT-E-MAN® SERVICE

1. GENERAL DESCRPTION (cont'd)

Service configurations include a choice of one of three underlying Grades of Service: Best Effort, Bronze and Silver. Each Grade of Service offers a different level of service performance. The following describes the service parameters for each Grade of Service.

(AT)

Best Effort

This Grade of Service supports non-critical data applications with more tolerance for delay and/or those that are lower in priority (i.e. LAN traffic). There are no service

(AT) | (AT)

performance parameters associated with this Grade of Service.

Bronze

The applications best suited for this Grade of Service are general data applications with more tolerance for delay and/or those that are lower in priority. This Grade of Service is the appropriate selection for general data traffic since it tolerates bursty and time-varying traffic. The service parameters associated with this Grade of Service are Packet Delivery Rate (PDR) and Latency.

Packet Delivery Rate is at least 99.5% of total traffic from source Network Terminating Equipment (NTE) to the destination NTE to which the customer port is attached.

Latency is limited to a delay across a connection of no more than 27 ms (54 ms roundtrip) one-way end-to-end within the Company's network for packets 1500 bytes or less.

Silver

This Grade of Service supports applications that require minimal loss and low latency variation (jitter). Data in this Grade of Service will be provisioned in a priority queue indicating that it is delay sensitive. The service parameters associated with this Grade of Service are Packet Delivery Rate (PDR), Latency and Jitter.

Packet Delivery Rate is at least 99.9% of total traffic from source Network Terminating Equipment (NTE) to the destination NTE to which the customer port is attached.

Latency is limited to a delay across a connection of no more than 18 ms (36 ms roundtrip) one-way end-to-end within the Company's network for packets 1500 bytes or less.

Jitter is limited to less than 12 ms one-way end-to-end within the Company's network.

Issued: November 16, 2007 Effective: December 18, 2007

Digital Link Services Tariff
Section 25
2nd Revised Sheet 2
Replacing 1st Revised Sheet 2

(CT) OPT-E-MAN® SERVICE

1. GENERAL DESCRIPTION (cont'd)

Service configurations include a choice of one of two underlying Grades of Service: Bronze and Silver. Each Grade of Service offers a different level of service performance. The following describes the service parameters for each Grade of Service.

Bronze

Silver

The applications best suited for this Grade of Service are general data applications with more tolerance for delay and/or those that are lower in priority. This Grade of Service is the appropriate selection for general data traffic since it tolerates bursty and time-varying traffic. The service parameters associated with this Grade of Service are Packet Delivery Rate (PDR) and Latency.

Packet Delivery Rate is at least 99.5% of total traffic from source Network Terminating Equipment (NTE) to the destination NTE to which the customer port is attached.

Latency is limited to a delay across a connection of no more than 27 ms (54 ms roundtrip) one-way end-to-end within the Company's network for packets 1500 bytes or less.

This Grade of Service supports applications that require minimal loss and low latency variation (jitter). Data in this Grade of Service will be provisioned in a priority queue indicating that it is delay sensitive. The service parameters associated with this Grade of Service are Packet Delivery Rate (PDR), Latency and Jitter.

Packet Delivery Rate is at least 99.9% of total traffic from source Network Terminating Equipment (NTE) to the destination NTE to which the customer port is attached.

Latency is limited to a delay across a connection of no more than 18 ms (36 ms roundtrip) one-way end-to-end within the Company's network for packets 1500 bytes or less.

Jitter is limited to less than 12 ms one-way end-to-end within the Company's network.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri

(CP)

(CP)

(CP)

Digital Link Services Tariff
Section 25
1st Revised Sheet 2
Replacing Original Sheet 2

OPT-E-MANSM SERVICE

1. GENERAL DESCRIPTION (cont'd)

Service configurations include a choice of one of two underlying Grades of Service: Bronze and (CT) Silver. Each Grade of Service offers a different level of service performance. The following describes the service parameters for each Grade of Service.

Bronze

Silver

The applications best suited for this Grade of Service are general data applications with more tolerance for delay and/or those that are lower in priority. This Grade of Service is the appropriate selection for general data traffic since it tolerates bursty and time-varying traffic. The service parameters associated with this Grade of Service are Packet Delivery Rate (PDR) and Latency.

Packet Delivery Rate is at least 99.5% of total traffic from source Network Terminating Equipment (NTE) to the destination NTE to which the customer port is attached.

Latency is limited to a delay across a connection of no more than 35 ms (70 ms roundtrip) one-way end-to-end within the Company's network for packets 1500 bytes or less.

This Grade of Service supports applications that require minimal loss and low latency variation (jitter). Data in this Grade of Service will be provisioned in a priority queue indicating that it is delay sensitive. The service parameters associated with this Grade of Service are Packet Delivery Rate (PDR), Latency and Jitter.

Packet Delivery Rate is at least 99.9% of total traffic from source Network Terminating Equipment (NTE) to the destination NTE to which the customer port is attached.

Latency is limited to a delay across a connection of no more than 25 ms (50 ms roundtrip) one-way end-to-end within the Company's network for packets 1500 bytes or less.

Jitter is limited to less than 15 ms one-way end-to-end within the Company's network.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



(CP)

(CP)

(CP)



P.S.C. Mo.- No. 38

No Supplement to this tariff will be issued except for the purpose of canceling this tariff. Missouri Public Section 25
Original Sheet 2

REC'D MAR 31 2004

OPT-E-MANSM SERVICE

1. GENERAL DESCRIPTION (cont'd)

Service Commission

Service configurations include a choice of one of two underlying Grades of Service: Bronze and Silver. Each Grade of Service guarantees a different level of service performance. The following describes the service parameters guaranteed with each Grade of Service.

Bronze

The applications best suited for this Grade of Service are general data applications with more tolerance for delay and/or those that are lower in priority. This Grade of Service is the appropriate selection for general data traffic since it tolerates bursty and time-varying traffic. The service parameters associated with this Grade of Service are Packet Delivery Rate (PDR) and Latency.

Packet Delivery Rate is at least 99.5% of total traffic from source Network Terminating Equipment (NTE) to the destination NTE to which the customer port is attached.

Latency is limited to a delay across a connection of no more than 65 ms (130 ms roundtrip) one-way end-to-end within the Company's network for packets 1500 bytes or less.

Silver

This Grade of Service supports applications that require minimal loss and low latency variation (jitter). Data in this Grade of Service will be provisioned in a priority queue indicating that it is delay sensitive. The service parameters associated with this Grade of Service are Packet Delivery Rate (PDR), Latency and Jitter.

Packet Delivery Rate is at least 99.9% of total traffic from source Network Terminating Equipment (NTE) to the destination NTE to which the customer port is attached.

Latency is limited to a delay across a connection of no more than 55 ms (110 ms roundtrip) one-way end-to-end within the Company's network for packets 1500 bytes or less.

Jitter is limited to less than 20 ms one-way end-to-end within the Company's network.

CANCELL 8 2005 MAR 1 8 2005

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri
Southwestern Bell Telephone, L.P., d/b/a SBC Missouri
Missouri Missouri Sorvice Gemmission

FILED MAY 01 2004

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 4th Revised Sheet 3 Replacing 3rd Revised Sheet 3

OPT-E-MAN® SERVICE

2. **REGULATIONS**

In addition to the regulations contained in this tariff, the following regulations apply to this service:

- 2.1 This service is available to customers in those LATAs served by and within the service territories of the Company only.
- 2.2 OPT-E-MAN Service is provided at the option of the Company where equipment and facilities permit. If appropriate facilities are not available, Special Construction charges may apply.

(RT) (RT)

- 2.3 The customer provided equipment (CPE) must deliver the data signal for the OPT-E-MAN transport within the industry specification for the subscribed data service. See *TECHNICAL SPECIFICATIONS PACKAGES* following.
- 2.4 OPT-E-MAN Service supports full duplex communication.
- 2.5 OPT-E-MAN Service does not allow for oversubscription. The sum total of the Usage assigned to EVCs are mapped to a single port, and cannot exceed the ordered CIR.
- 2.6 If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port. See *RATES AND CHARGES* following.
- 2.7 If a customer desires service from a Serving Wire Center that is not equipped to provide OPT-E-MAN Service, additional charges may apply for use of a Repeater. A network engineering study will need to be completed to ensure adequate service provisioning is capable. See *RATES* AND CHARGES following.
- 2.8 For Basic Service, a total of 8 Ethernet Virtual Connections (EVCs) may be configured per 10/100BaseT connection, and a total of 64 EVCs may be configured per 1 Gbps connection. For Basic Plus Service, a total of 7 EVCs may be configured per 10/100BaseT connection, and a total of 63 EVCs may be configured per 1 Gbps connection. Should the customer request more than 64 EVCs on a Basic Service 1 Gbps connection, or more than 63 EVCs on a Basic Plus Service 1 Gbps connection, a technical review will need to be conducted to determine whether the network will support more EVCs.

Issued: February 27, 2009

CANCELLED
May 1, 2014
Missouri Public
Service Commission
JI-2014-0389

By DAVID NICHOLS, President - Missouri St. Louis, Missouri Effective: March 31, 2009 Filed Missouri Public Service Commission JI-2009-0616

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 3rd Revised Sheet 3 Replacing 2nd Revised Sheet 3

OPT-E-MAN® SERVICE

2. **REGULATIONS**

In addition to the regulations contained in this tariff, the following regulations apply to this service:

- 2.1 This service is available to customers in those LATAs served by and within the service territories of the Company only.
- 2.2 OPT-E-MAN Service is provided at the option of the Company where equipment and facilities permit. If appropriate facilities are not available, Special Construction charges may apply. OPT-E-MAN Service is available in Company Central Offices as specified in National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4 (NECA Tariff F.C.C. No. 4).
- 2.3 The customer provided equipment (CPE) must deliver the data signal for the OPT-E-MAN transport within the industry specification for the subscribed data service. See *TECHNICAL SPECIFICATIONS PACKAGES* following.
- 2.4 OPT-E-MAN Service supports full duplex communication.
- 2.5 OPT-E-MAN Service does not allow for oversubscription. The sum total of the Usage assigned to EVCs are mapped to a single port, and cannot exceed the ordered CIR.
- 2.6 If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port. See *RATES AND CHARGES* following.
- 2.7 If a customer desires service from a Serving Wire Center that is not equipped to provide OPT-E-MAN Service, additional charges may apply for use of a Repeater. A network engineering study will need to be completed to ensure adequate service provisioning is capable. See *RATES* AND CHARGES following.
- 2.8 For Basic Service, a total of 8 Ethernet Virtual Connections (EVCs) may be configured per 10/100BaseT connection, and a total of 64 EVCs may be configured per 1 Gbps connection. For Basic Plus Service, a total of 7 EVCs may be configured per 10/100BaseT connection, and a total of 63 EVCs may be configured per 1 Gbps connection. Should the customer request more than 64 EVCs on a Basic Service 1 Gbps connection, or more than 63 EVCs on a Basic Plus Service 1 Gbps connection, a technical review will need to be conducted to determine whether the network will support more EVCs.

Issued: November 16, 2007 Effective: December 18, 2007

By CINDY BRINKLEY, President – Missouri

(CT)

(CT)

Digital Link Services Tariff
Section 25
2nd Revised Sheet 3
Replacing 1st Revised Sheet 3

(CT)

OPT-E-MAN® SERVICE

2. REGULATIONS

In addition to the regulations contained in this tariff, the following regulations apply to this service:

- 2.1 This service is available to customers in those LATAs served by and within the service territories of the Company only.
- 2.2 OPT-E-MAN Service is provided at the option of the Company where equipment and facilities permit. If appropriate facilities are not available, Special Construction charges may apply. OPT-E-MAN Service is available in Company Central Offices as specified in National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4 (NECA Tariff F.C.C. No. 4).
- 2.3 The customer provided equipment (CPE) must deliver the data signal for the OPT-E-MAN transport within the industry specification for the subscribed data service. See *TECHNICAL SPECIFICATIONS PACKAGES* following.
- 2.4 OPT-E-MAN Service supports full duplex communication.
- 2.5 OPT-E-MAN Service does not allow for oversubscription. The sum total of the Usage assigned to EVCs are mapped to a single port, and cannot exceed the ordered CIR.
- 2.6 If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port. See *RATES AND CHARGES* following.
- 2.7 If a customer desires service from a Serving Wire Center that is not equipped to provide OPT-E-MAN Service, additional charges may apply for use of a Repeater. A network engineering study will need to be completed to ensure adequate service provisioning is capable. See *RATES AND CHARGES* following.
- 2.8 For Basic Service, a total of 8 Ethernet Virtual Connections (EVCs) may be configured per 10/100 Base T connection, and a total of 64 EVCs may be configured per 1 Gbps connection. For Basic Plus Service, a total of 7 EVCs may be configured per 10/100 Base T connection, and a total of 63 EVCs may be configured per 1 Gbps connection. Should the customer request more than 64 EVCs on a Basic Service 1 Gbps connection, or more than 63 EVCs on a Basic Plus Service 1 Gbps connection, a technical review will need to be conducted to determine whether the network will support more EVCs.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



Digital Link Services Tariff
Section 25
1st Revised Sheet 3
Replacing Original Sheet 3

OPT-E-MANSM SERVICE

2. REGULATIONS

In addition to the regulations contained in this tariff, the following regulations apply to this service:

- 2.1 This service is available to customers in those LATAs served by and within the service territories of the Company only.
- 2.2 OPT-E-MAN Service is provided at the option of the Company where equipment and facilities permit. If appropriate facilities are not available, Special Construction charges may apply. OPT-E-MAN Service is available in Company Central Offices as specified in National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4 (NECA Tariff F.C.C. No. 4).
- 2.3 The customer provided equipment (CPE) must deliver the data signal for the OPT-E-MAN transport within the industry specification for the subscribed data service. See *TECHNICAL SPECIFICATIONS PACKAGES* following.
- 2.4 OPT-E-MAN Service supports full duplex communication.
- 2.5 OPT-E-MAN Service does not allow for oversubscription. The sum total of the Usage assigned (CT) to EVCs are mapped to a single port, and cannot exceed the ordered CIR.
 - 2.6 If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port. See *RATES AND CHARGES* following.
 - 2.7 If a customer desires service from a Serving Wire Center that is not equipped to provide OPT-E-MAN Service, additional charges may apply for use of a Repeater. A network engineering study will need to be completed to ensure adequate service provisioning is capable. See *RATES AND CHARGES* following.
- (AT) 2.8 For Basic Service, a total of 8 Ethernet Virtual Connections (EVCs) may be configured per
 (CT) 10/100 Base T connection, and a total of 64 EVCs may be configured per 1 Gbps connection. For
 (AT) Basic Plus Service, a total of 7 EVCs may be configured per 10/100 Base T connection, and a total of 63 EVCs may be configured per 1 Gbps connection. Should the customer request more than 64 EVCs on a Basic Service 1 Gbps connection, or more than 63 EVCs on a Basic Plus
- (AT) Service 1 Gbps connection, a technical review will need to be conducted to determine whether the network will support more EVCs.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





CANCELLED

P.S.C. Mo.- No. 38

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

purpose ISTRE Commission
Public Service Commission
MISSOURI

Missouri Public

Section 25 Original Sheet 3

Digital Link Services Tariff

OPT-E-MANSM SERVICE 31 200

2. REGULATIONS

Service Commission

In addition to the regulations contained in this tariff, the following regulations apply to this service:

- 2.1 This service is available to customers in those LATAs served by and within the service territories of the Company only.
- 2.2 OPT-E-MAN Service is provided at the option of the Company where equipment and facilities permit. If appropriate facilities are not available, Special Construction charges may apply. OPT-E-MAN Service is available in Company Central Offices as specified in National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4 (NECA Tariff F.C.C. No. 4).
- 2.3 The customer provided equipment (CPE) must deliver the data signal for the OPT-E-MAN transport within the industry specification for the subscribed data service. See *TECHNICAL SPECIFICATIONS PACKAGES* following.
- 2.4 OPT-E-MAN Service supports full duplex communication.
- 2.5 OPT-E-MAN Service does not allow for oversubscription. The sum total of the Usage assigned to EVCs are mapped to a single port, and cannot exceed the ordered Bandwidth Usage.
- 2.6 If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port. See RATES AND CHARGES following.
- 2.7 If a customer desires service from a Serving Wire Center that is not equipped to provide OPT-E-MAN Service, additional charges may apply for use of a Repeater. A network engineering study will need to be completed to ensure adequate service provisioning is capable. See RATES AND CHARGES following.
- 2.8 A total of 8 Ethernet Virtual Connections (EVCs) may be configured per 10/100 Base T connection. A total of 64 EVCs may be configured per 1 Gbps connection. Should the customer request more than 64 EVCs on a 1 Gbps connection, a technical review will need to be conducted to determine whether the network will support more than 64 EVCs.

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri
Southwestern Bell Telephone, L.P., d/b/a SBC Missouri
St. Louis, Missouri
Service Semmination

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 3rd Revised Sheet 4 Replacing 2nd Revised Sheet 4

OPT-E-MAN® SERVICE

2. REGULATIONS (cont'd)

- 2.9 If a customer desires that service be provided on a due date less than the standard interval, the customer may request that service be provided on an expedited basis. If the Company determines that service can be provided on the requested expedited date and spare facilities are available, the Expedite Order Charge (per port, per location) will apply. See *RATES AND CHARGES* following.
- 2.10 If the customer cancels service prior to installation being completed, a Service Order Cancellation Charge (per port, per location) will apply. See *RATES AND CHARGES* following. The customer's intent to cancel service must be made in writing.
- 2.11 The CIR selected by the customer must be committed to for a 30 day period before an increase in CIR can be requested.
- 2.12 OPT-E-MAN Service may be available in a meet-point billing arrangement involving another Incumbent Local Exchange Carrier (ILEC) (sometimes also referred to as an Independent Company or ICO), where suitable facilities exist and where appropriate procedures for such arrangements have been put in place between the Company and the other ILEC. When the Company and another ILEC jointly provision OPT-E-MAN Service with the other ILEC's service, the ILEC involved shall bill the customer at that ILEC's applicable rates for their portion of the service located in their operating territory. Ordering and provisioning procedures may vary, and therefore Meet-Point rate elements and charges may not be applicable, when the other ILEC involved in the Meet-Point arrangement is an AT&T ILEC.
- 2.13 A Letter of Authorization (LOA) will need to be established if customers want to purchase a logical connection via an Ethernet Virtual Connection (EVC) to another customer in order to ensure security and accuracy in the connection.

2.14 Allowance for Interruption

In case of an interruption to service, allowance for the period of interruption, if not due to the negligence of the customer or the customer's end user, shall be as follows: no credit shall be allowed for an interruption of less than 10 seconds. The customer shall be credited for an interruption of 10 seconds or more as follows: the credit shall be at the rate of 10/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues. The credit allowance(s) for service interruptions shall not exceed 100% of the applicable monthly rates.

The Company's failure to provide or maintain services under this tariff shall be excused by force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.

Issued: February 27, 2009

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389 By DAVID NICHOLS, President - Missouri St. Louis, Missouri Effective: March 31, 2009 Filed Missouri Public Service Commission JI-2009-0616

(CP)

(CP)

Digital Link Services Tariff
Section 25
2nd Revised Sheet 4
Replacing 1st Revised Sheet 4

(CT)

OPT-E-MAN® SERVICE

- 2. REGULATIONS (cont'd)
 - 2.9 If a customer desires that service be provided on a due date less than the standard interval, the customer may request that service be provided on an expedited basis. If the Company determines that service can be provided on the requested expedited date and spare facilities are available, the Expedite Order Charge (per port, per location) will apply. See *RATES AND CHARGES* following.
 - 2.10 If the customer cancels service prior to installation being completed, a Service Order Cancellation Charge (per port, per location) will apply. See *RATES AND CHARGES* following. The customer's intent to cancel service must be made in writing.
 - 2.11 The CIR selected by the customer must be committed to for a 30 day period before an increase in CIR can be requested.
 - 2.12 OPT-E-MAN Service is not available in a meet-point billing arrangement involving other Carriers.
 - 2.13 A Letter of Authorization (LOA) will need to be established if customers want to purchase a logical connection via an Ethernet Virtual Connection (EVC) to another customer in order to ensure security and accuracy in the connection.
 - 2.14 Allowance for Interruption

In case of an interruption to service, allowance for the period of interruption, if not due to the negligence of the customer or the customer's end user, shall be as follows: no credit shall be allowed for an interruption of less than 10 seconds. The customer shall be credited for an interruption of 10 seconds or more as follows: the credit shall be at the rate of 10/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues. The credit allowance(s) for service interruptions shall not exceed 100% of the applicable monthly rates.

The Company's failure to provide or maintain services under this tariff shall be excused by force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



Digital Link Services Tariff
Section 25
1st Revised Sheet 4
Replacing Original Sheet 4

OPT-E-MANSM SERVICE

2. REGULATIONS (cont'd)

- 2.9 If a customer desires that service be provided on a due date less than the standard interval, the customer may request that service be provided on an expedited basis. If the Company determines that service can be provided on the requested expedited date and spare facilities are available, the Expedite Order Charge (per port, per location) will apply. See *RATES AND CHARGES* following.
- 2.10 If the customer cancels service prior to installation being completed, a Service Order (CT) Cancellation Charge (per port, per location) will apply. See *RATES AND CHARGES* following. The customer's intent to cancel service must be made in writing.
- (CT) 2.11 The CIR selected by the customer must be committed to for a 30 day period before an increase in CIR can be requested.
 - 2.12 OPT-E-MAN Service is not available in a meet-point billing arrangement involving other Carriers.
 - 2.13 A Letter of Authorization (LOA) will need to be established if customers want to purchase a logical connection via an Ethernet Virtual Connection (EVC) to another customer in order to ensure security and accuracy in the connection.

2.14 Allowance for Interruption

In case of an interruption to service, allowance for the period of interruption, if not due to the negligence of the customer or the customer's end user, shall be as follows: no credit shall be allowed for an interruption of less than 10 seconds. The customer shall be credited for an interruption of 10 seconds or more as follows: the credit shall be at the rate of 10/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues. The credit allowance(s) for service interruptions shall not exceed 100% of the applicable monthly rates.

The Company's failure to provide or maintain services under this tariff shall be excused by force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





P.S.C. Mo.- No. 38

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

Digital Link Services Tariff Missouri Public

Section 25

Original Sheet 4

RECT) MAR 31 2004 SSOPT-E-MANSM SERVICE

2. REGULATIONS (cont'd) Service Commission

- If a customer desires that service be provided on a due date less than the standard interval, the customer may request that service be provided on an expedited basis. If the Company determines that service can be provided on the requested expedited date and spare facilities are available, the Expedite Order Charge (per port, per location) will apply. See RATES AND **CHARGES** following.
- 2.10 If the customer cancels service prior to installation being completed, a Service Order Cancellation charge (per port, per location) will apply. See RATES AND CHARGES following. The customer's intent to cancel service must be made in writing.
- 2.11 The Bandwidth Usage selected by the customer must be committed to for a 30 day period before an increase in Bandwidth Usage can be requested.
- 2.12 OPT-E-MAN Service is not available in a meet-point billing arrangement involving other Carriers.
- 2.13 A Letter of Authorization (LOA) will need to be established if customers want to purchase a logical connection via an Ethernet Virtual Connection (EVC) to another customer in order to ensure security and accuracy in the connection.

2.14 Allowance for Interruption

In case of an interruption to service, allowance for the period of interruption, if not due to the negligence of the customer or the customer's end user, shall be as follows: no credit shall be allowed for an interruption of less than 10 seconds. The customer shall be credited for an interruption of 10 seconds or more as follows: the credit shall be at the rate of 10/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues. The credit allowance(s) for service interruptions shall not exceed 100% of the applicable monthly rates.

The Company's failure to provide or maintain services under this tariff shall be excused by force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.

Issued: March 31, 2004

Effective: May 1, 2004

Southwestern Bell Telephone Company d/b/a AT&T Missouri

Section 25 3rd Revised Sheet 5 Replacing 2nd Revised Sheet 5

OPT-E-MAN® SERVICE

REGULATIONS (cont'd)

2.15 Service Level Agreements (SLAs) are offered with this service for the Bronze and Silver Grades of (CP) Service, and provide customers with end-to-end performance backed by service credits if (CP) minimum quality standards are not met by the Company.

Network Availability

Network Availability of 99.95% per month, including the local loop, is provided by the Company. This equates to less than 21.6 minutes of downtime per month (based on a 30-day month), excluding maintenance windows and other appropriate exclusions (see Exclusions following). Network Availability is calculated as the percentage of time that the OPT-E-MAN network is capable of accepting and delivering customer data to the total time in the measurement period. The calculation for Network Availability for a given calendar month is as follows:

Network Availability =

[24 hours x days in month x 60 minutes x number of customer sites] - network outage time (measured in minutes)

[24 hours x days in month x 60 minutes x number of customer sites]

- As noted in the above formula, all ports included in a customer's network are utilized in calculating Network Availability.
- The customer is responsible for (1) notifying the Company within 45 days after the end of the month when the service parameter falls below the committed level, and (2) requesting a
- Upon verification by the Company that the actual service performance for that parameter was less than the committed level, the customer will be provided a service credit equal to 10% of the monthly recurring charge for that service parameter for all affected ports.

Issued: November 16, 2007 Effective: December 18, 2007

Digital Link Services Tariff
Section 25
2nd Revised Sheet 5
Replacing 1st Revised Sheet 5

(CT)

OPT-E-MAN® SERVICE

- 2. REGULATIONS (cont'd)
 - 2.15 Service Level Agreements (SLAs) are offered with this service, and provide customers with endto-end performance backed by service credits if minimum quality standards are not met by the Company.

Network Availability

Network Availability of 99.95% per month, including the local loop, is provided by the Company. This equates to less than 21.6 minutes of downtime per month (based on a 30-day month), excluding maintenance windows and other appropriate exclusions (see Exclusions following). Network Availability is calculated as the percentage of time that the OPT-E-MAN network is capable of accepting and delivering customer data to the total time in the measurement period. The calculation for Network Availability for a given calendar month is as follows:

Network Availability =

[24 hours x days in month x 60 minutes x number of customer sites] – network outage time (measured in minutes)

[24 hours x days in month x 60 minutes x number of customer sites]

- o As noted in the above formula, all ports included in a customer's network are utilized in calculating *Network Availability*.
- The customer is responsible for (1) notifying the Company within 45 days after the end of the month when the service parameter falls below the committed level, and (2) requesting a service credit.
- O Upon verification by the Company that the actual service performance for that parameter was less than the committed level, the customer will be provided a service credit equal to 10% of the monthly recurring charge for that service parameter for all affected ports.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



(CT)

(CT)

(AT)

(AT)

(AT)

(CT)

(CT)

(CP)

(CP)

Digital Link Services Tariff
Section 25
1st Revised Sheet 5
Replacing Original Sheet 5

OPT-E-MANSM SERVICE

2. REGULATIONS (cont'd)

2.15 Service Level Agreements (SLAs) are offered with this service, and provide customers with end-to-end performance backed by service credits if minimum quality standards are not met by the Company.

Network Availability

• Network Availability of 99.95% per month, including the local loop, is provided by the Company. This equates to less than 21.6 minutes of downtime per month (based on a 30-day month), excluding maintenance windows and other appropriate exclusions (see Exclusions following). Network Availability is calculated as the percentage of time that the OPT-E-MAN network is capable of accepting and delivering customer data to the total time in the measurement period. The calculation for Network Availability for a given calendar month is as follows:

Network Availability =

- (CT) [24 hours x days in month x 60 minutes x number of customer sites] network outage time (CT) (measured in minutes)
 - ______
- (CT) [24 hours x days in month x 60 minutes x number of customer sites]
 - As noted in the above formula, all ports included in a customer's network are utilized in calculating *Network Availability*.
 - The customer is responsible for (1) notifying the Company within 45 days after the end of the month when the service parameter falls below the committed level, and (2) requesting a service credit
 - Upon verification by the Company that the actual service performance for that parameter was less than the committed level, the customer will be provided a service credit equal to 10% of the monthly recurring charge for that service parameter for all affected ports.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





P.S.C. Mo.- No. 38

No Supplement to this tariff will be issued except for the purpose of canceling this tariff. Digital Link Services Tariff

Public Section 25

Original Sheet 5

REC'D MAR 31 2004

OPT-E-MANSM SERVICE

2. REGULATIONS (cont'd)

Service Commission

2.15 Service Level Agreements (SLAs) are offered with this service, and provide customers with end-to-end performance guarantees that are backed by service credits if minimum quality standards are not met by the Company.

Network Availability

Network Availability of 99.95% per month, including the local loop, is guaranteed by the Company. This equates to less than 8 hours and 46 minutes of downtime per year, excluding maintenance windows and other appropriate exclusions (see Exclusions following). Network Availability is calculated as the percentage of time that the OPT-E-MAN network is capable of accepting and delivering customer data to the total time in the measurement period. The calculation for Network Availability for a given month is as follows:

Network Availability =

[24 hours x days in month x number of customer sites] - network outage time

[24 hours x days in month x number of customer sites]

- The customer is responsible for notifying the Company when the service parameter within the calendar month falls below the committed level.
- The customer must request a service credit within 45 days after the end of the month when the failure occurred.
- Upon verification by the Company that the actual service performance for that parameter was less than the committed level, the Company has one month to correct the problem.
- If after one month, the service performance for that parameter is still less than the committed level, the customer will be provided a service credit equal to 10% of the monthly recurring charge for that service parameter for all affected ports.

CANCELLED

MAR 1 6 2000 EXPLOSION Line Service Commussion

Issued: March 31, 2004 Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Service Gemmicolen

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 3rd Revised Sheet 6 Replacing 2nd Revised Sheet 6

OPT-E-MAN® SERVICE

2. REGULATIONS (cont'd)

- 2.16 Grade of Service SLAs are provided for OPT-E-MAN Service for the Bronze and Silver Grades of Service. If the Company fails to meet service parameters defined for the Bronze or Silver Grades of Service, service credits will be offered to the customer given certain conditions are met:
 - The customer is responsible for (1) notifying the Company within 45 days after the end of the month when the service parameter falls below (or above) the committed level, and (2) requesting a service credit.
 - Upon notification by the customer that the actual service performance for that parameter was less than the committed level, the Company has 30 days to correct the problem.
 - o If after 30 days, the service performance for that parameter is still less than the committed level, the customer will be provided a service credit equal to 25% of the monthly recurring charge for that service parameter for all affected ports for the month in which the service parameters fall below (or above) the committed level.
 - Packet Delivery Rate, Latency and Jitter calculations will be measured only when the OPT-E-MAN network is available.
- 2.17 Exclusions (Service Level Agreements and Grade of Service credits)

The Company will be excluded from providing Service Level Agreements credits and Grade of Service credits for the Bronze and Silver Grades of Service should any of the following conditions (CP) occur:

- Force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.
- All SLAs are offered across the Company's network. The failure of any components beyond the local facility, including the Network Interface (NI), are excluded from the SLA calculation. (CT)
- Data loss during the Company's scheduled maintenance window.
- Data exceeding subscribed Usage.
- Failures attributed to facilities or equipment provided by customer or its contractors, equipment vendors, another local exchange carrier or inter-exchange carrier.
- o Any type of Customer Network Management functionality is not included in SLAs.

Issued: November 16, 2007 Effective: December 18, 2007

Digital Link Services Tariff
Section 25
2nd Revised Sheet 6
Replacing 1st Revised Sheet 6

(CT)

OPT-E-MAN® SERVICE

2. REGULATIONS (cont'd)

- 2.16 Grade of Service SLAs are provided for OPT-E-MAN Service. If the Company fails to meet service parameters defined for each Grade of Service, service credits will be offered to the customer given certain conditions are met:
 - The customer is responsible for (1) notifying the Company within 45 days after the end of the month when the service parameter falls below (or above) the committed level, and (2) requesting a service credit.
 - Upon notification by the customer that the actual service performance for that parameter was less than the committed level, the Company has 30 days to correct the problem.
 - o If after 30 days, the service performance for that parameter is still less than the committed level, the customer will be provided a service credit equal to 25% of the monthly recurring charge for that service parameter for all affected ports for the month in which the service parameters fall below (or above) the committed level.
 - OPT-E-MAN network is available.
- 2.17 Exclusions (Service Level Agreements and Grade of Service credits)

The Company will be excluded from providing Service Level Agreements credits and Grade of Service credits should any of the following conditions occur:

- o Force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.
- o All SLAs are offered across the Company's network. The failures of any components beyond the local facility including the Network Interface (NI), the CSU/DSU/Channel band/Extended Demarcation are excluded from the SLA calculation.
- o Data loss during the Company's scheduled maintenance window.
- o Data exceeding subscribed Usage.
- o Failures attributed to facilities or equipment provided by customer or its contractors, equipment vendors, another local exchange carrier or inter-exchange carrier.
- o Any type of Customer Network Management functionality is not included in SLAs.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri

(CT)



Digital Link Services Tariff
Section 25
1st Revised Sheet 6
Replacing Original Sheet 6

OPT-E-MANSM SERVICE

2. REGULATIONS (cont'd)

(CT) 2.16 Grade of Service SLAs are provided for OPT-E-MAN Service. If the Company fails to meet service parameters defined for each Grade of Service, service credits will be offered to the customer given certain conditions are met:

(CT) | (CT) (RT)(CT) (CT) (CT)

- The customer is responsible for (1) notifying the Company within 45 days after the end of the month when the service parameter falls below (or above) the committed level, and (2) requesting a service credit.
- Upon notification by the customer that the actual service performance for that parameter was less than the committed level, the Company has 30 days to correct the problem.
- If after 30 days, the service performance for that parameter is still less than the committed level, the customer will be provided a service credit equal to 25% of the monthly recurring charge for that service parameter for all affected ports for the month in which the service parameters fall below (or above) the committed level.
- Packet Delivery Rate, Latency and Jitter calculations will be measured only when the OPT-E-MAN network is available.
- 2.17 Exclusions (Service Level Agreements and Grade of Service credits)

The Company will be excluded from providing Service Level Agreements credits and Grade of Service credits should any of the following conditions occur:

- Force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.
- All SLAs are offered across SBC's network. The failures of any components beyond the local facility including the Network Interface (NI), the CSU/DSU/Channel band/Extended Demarcation are excluded from the SLA calculation.
- Data loss during the Company's scheduled maintenance window.
- Data exceeding subscribed Usage.
- Failures attributed to facilities or equipment provided by customer or its contractors, equipment vendors, another local exchange carrier or inter-exchange carrier.
- Any type of Customer Network Management functionality is not included in SLAs.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Cancelled

April 5, 2006 Missouri Public Service Commission Filed

Missouri Public
Service Commission

(CT)
(AT)
(AT)

(CT)

Digital Link Services Tariff

Missouri Public Section 25

Original Sheet 6

OPT-E-MANSM SERVICE 31 2004

2. REGULATIONS (cont'd)

Service Commission

- 2.16 Grade of Service guarantees are provided for OPT-E-MAN Service. If the Company fails to meet service parameters defined for each Grade of Service, service credits will be offered to the customer given certain conditions are met:
 - The customer is responsible for notifying the Company when the service parameters within the calendar month fall below (or above) the committed level.
 - The customer must request a service credit within 45 days after the end of the month when the failure occurred.
 - Upon verification by the Company that the actual service performance for that parameter was less than the committed level, the Company has one month to correct the problem.
 - If after one month, the service performance for that parameter is still less than the committed level, the customer will be provided a service credit equal to 25% of the monthly recurring charge for that service parameter for all affected ports.
- 2.17 Exclusions (Service Level Agreements and Grade of Service credits)

The Company will be excluded from providing Service Level Agreements credits and Grade of Service credits should any of the following conditions occur:

- Force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.
- All SLAs are guaranteed across SBC's network. The failures of any components beyond the local facility including the Network Interface (NI), the CSU/DSU/Channel band/Extended Demarcation are excluded from the SLA calculation.
- Data loss during the Company's scheduled maintenance window.
- Data exceeding subscribed Usage.
- Failures attributed to facilities or equipment provided by customer or its contractors, equipment vendors, another local exchange carrier or inter-exchange carrier.
- Any type of Customer Network Management functionality is not included in SLAs.

CANCELLED

MAR 1 8 2005

Public Service Commission

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri
Southwestern Bell Telephone, L.P., d/b/a SBC Missouri

St. Louis, Missouri

FILED MAY 01 2004

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 7th Revised Sheet 6.1 Replacing 6th Revised Sheet 6.1

OPT-E-MAN® SERVICE

2. REGULATIONS (cont'd)

- 2.18 For Basic and Basic Plus point-to-point and point-to-multipoint service, the Company will use controls to limit the amount of broadcast traffic to protect the OPT-E-MAN network against broadcast storms. The maximum throughput of broadcast traffic will be set at 10 Mbps per customer port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for broadcast traffic within the customer network(s).^{/1/}
- 2.19 For Basic Plus multipoint-to-multipoint service, the Company will use controls to limit the amount of multicast and broadcast traffic to protect the OPT-E-MAN network against traffic storms. The maximum throughput of multicast traffic will be set at 1 Mbps per customer port, while the maximum throughput of broadcast traffic will be set at 200 packets per second per port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for multicast, broadcast and unknown unicast traffic within the customer network(s).
- 2.20 Data exiting the network through the customer ports are excluded from SLA calculations to the extent that it exceeds the CIR for those ports.
- 2.21 The responsibility of the Company shall be limited to furnishing the OPT-E-MAN network. Subject to this responsibility, the Company shall not be responsible for the through transmission of signals generated by CPE or for the quality of, or defects in, such transmission or the rejection of signal by CPE. The Company shall not be responsible for installation, operation, maintenance or adapting OPT-E-MAN to the technological requirements of specific CPE. In addition, the Company shall not be responsible to the customer if changes in any of the equipment, operations or procedures of the Company used in the provisioning of OPT-E-MAN render any facilities provided by the customer obsolete; or require modification or alteration of such equipment or system; or otherwise affect its use or performance, provided the Company has met all applicable information disclosure requirements otherwise required by law.
- 2.22 Customers will be permitted to move from a 10/100BaseT to a Gigabit Ethernet interface option where facilities and equipment permit (staying within the Basic or Basic Plus Connection, or moving from the Basic to the Basic Plus Connection), however the Nonrecurring Charge associated with the new Gigabit Ethernet Connection will apply. However, should a customer simply wish to move from Basic to Basic Plus (without any change to the interface option; for example, retaining the 10/100BaseT interface), only the Service Order Change Charge will apply. See *RATES AND CHARGES* following.

(MT)

/1/ This provisioning requirement will only apply to new service installed after May 1, 2007.

(MT)

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389

Issued: February 27, 2009

By DAVID NICHOLS, President - Missouri St. Louis, Missouri Effective: March 31, 2009
Filed
Missouri Public
Service Commission
JI-2009-0616

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 6th Revised Sheet 6.1 Replacing 5th Revised Sheet 6.1

OPT-E-MAN® SERVICE

2. REGULATIONS (cont'd)

- 2.18 For Basic and Basic Plus point-to-point and point-to-multipoint service, the Company will use controls to limit the amount of broadcast traffic to protect the OPT-E-MAN network against broadcast storms. The maximum throughput of broadcast traffic will be set at 10 Mbps per customer port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for broadcast traffic within the customer network(s).^{/1/}
- 2.19 For Basic Plus multipoint-to-multipoint service, the Company will use controls to limit the amount of multicast and broadcast traffic to protect the OPT-E-MAN network against traffic storms. The maximum throughput of multicast traffic will be set at 1 Mbps per customer port, while the maximum throughput of broadcast traffic will be set at 200 packets per second per port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for multicast, broadcast and unknown unicast traffic within the customer network(s).
- 2.20 Data exiting the network through the customer ports are excluded from SLA calculations to the extent that it exceeds the CIR for those ports.
- 2.21 The responsibility of the Company shall be limited to furnishing the OPT-E-MAN network. Subject to this responsibility, the Company shall not be responsible for the through transmission of signals generated by CPE or for the quality of, or defects in, such transmission or the rejection of signal by CPE. The Company shall not be responsible for installation, operation, maintenance or adapting OPT-E-MAN to the technological requirements of specific CPE. In addition, the Company shall not be responsible to the customer if changes in any of the equipment, operations or procedures of the Company used in the provisioning of OPT-E-MAN render any facilities provided by the customer obsolete; or require modification or alteration of such equipment or system; or otherwise affect its use or performance, provided the Company has met all applicable information disclosure requirements otherwise required by law.
- 2.22 Customers will be permitted to move from a 10/100BaseT to a Gigabit Ethernet interface option where facilities and equipment permit (staying within the Basic or Basic Plus Connection, or moving from the Basic to the Basic Plus Connection), however the Nonrecurring Charge associated with the new Gigabit Ethernet Connection will apply. However, should a customer simply wish to move from Basic to Basic Plus (without any change to the interface option; for example, retaining the 10/100BaseT interface), only the Service Order Change Charge will apply. See *RATES AND CHARGES* following.
- 2.23 The aggregate assigned Committed Information Rate (CIR) across all Ethernet Virtual Connections (EVCs) between any two customer connections cannot exceed 600 Mbps per Basic or Basic Plus connection. (2)
- /1/ This provisioning requirement will only apply to new service installed after May 1, 2007.
- /2/ This provisioning requirement will only apply to new service installed after November 29, 2006.

Issued: November 16, 2007 Effective: December 18, 2007

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 25 5th Revised Sheet 6.1 Replacing 4th Revised Sheet 6.1

OPT-E-MAN® SERVICE

(CT)

2. REGULATIONS (cont'd)

2.18 For Basic and Basic Plus point-to-point and point-to-multipoint service, the Company will use controls to limit the amount of broadcast traffic to protect the OPT-E-MAN network against broadcast storms. The maximum throughput of broadcast traffic will be set at 10 Mbps per customer port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for broadcast traffic within the customer network(s).^{/1/}

(AT)

(AT)

2.19 For Basic Plus multipoint-to-multipoint service, the Company will use controls to limit the amount of multicast and broadcast traffic to protect the OPT-E-MAN network against traffic storms. The maximum throughput of multicast traffic will be set at 1 Mbps per customer port, while the maximum throughput of broadcast traffic will be set at 200 packets per second per port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for multicast, broadcast and unknown unicast traffic within the customer network(s).

(FC)

2.20 Data exiting the network through the customer ports are excluded from SLA calculations to the extent that it exceeds the CIR for those ports.

(FC)

2.21 The responsibility of the Company shall be limited to furnishing the OPT-E-MAN network. Subject to this responsibility, the Company shall not be responsible for the through transmission of signals generated by CPE or for the quality of, or defects in, such transmission or the rejection of signal by CPE. The Company shall not be responsible for installation, operation, maintenance or adapting OPT-E-MAN to the technological requirements of specific CPE. In addition, the Company shall not be responsible to the customer if changes in any of the equipment, operations or procedures of the Company used in the provisioning of OPT-E-MAN render any facilities provided by the customer obsolete; or require modification or alteration of such equipment or system; or otherwise affect its use or performance, provided the Company has met all applicable information disclosure requirements otherwise required by law.

(FC)

2.22 Customers will be permitted to move from a 10/100 Base T to a Gigabit Ethernet interface option (staying within the Basic or Basic Plus Connection, or moving from the Basic to the Basic Plus Connection), however the Nonrecurring Charge associated with the new Gigabit Ethernet Connection will apply. However, should a customer simply wish to move from Basic to Basic Plus (without any change to the interface option; for example, retaining the 10/100 Base T interface), only the Service Order Change Charge will apply. See *RATES AND CHARGES* following.

(FC)

2.23 The aggregate assigned Committed Information Rate (CIR) across all Ethernet Virtual Connections (EVCs) between any two customer connections cannot exceed 600 Mbps per Basic or Basic Plus connection. (2/

(FC)

(AT)

(FC)

- /1/ This provisioning requirement will only apply to new service installed after May 1, 2007.
- /2/ This provisioning requirement will only apply to new service installed after November 29, 2006.

Issued: March 30, 2007 Effective: May 1, 2007

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 25 4th Revised Sheet 6.1 Replacing 3rd Revised Sheet 6.1

OPT-E-MANsm SERVICE

2. Regulations (cont'd)

- 2.18 For Basic Plus multipoint-to-multipoint service, the Company will use controls to limit the amount of multicast and broadcast traffic to protect the OPT-E-MAN network against traffic storms. The maximum throughput of multicast traffic will be set at 1 Mbps per customer port, while the maximum throughput of broadcast traffic will be set at 200 packets per second per port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for multicast, broadcast and unknown unicast traffic within the customer network(s).
- **2.19** Data exiting the network through the customer ports are excluded from SLA calculations to the extent that it exceeds the CIR for those ports.
- 2.20 The responsibility of the Company shall be limited to furnishing the OPT-E-MAN network. Subject to this responsibility, the Company shall not be responsible for the through transmission of signals generated by CPE or for the quality of, or defects in, such transmission or the rejection of signal by CPE. The Company shall not be responsible for installation, operation, maintenance or adapting OPT-E-MAN to the technological requirements of specific CPE. In addition, the Company shall not be responsible to the customer if changes in any of the equipment, operations or procedures of the Company used in the provisioning of OPT-E-MAN render any facilities provided by the customer obsolete; or require modification or alteration of such equipment or system; or otherwise affect its use or performance, provided the Company has met all applicable information disclosure requirements otherwise required by law.
- 2.21 Customers will be permitted to move from a 10/100 Base T to a Gigabit Ethernet interface option (staying within the Basic or Basic Plus Connection, or moving from the Basic to the Basic Plus Connection), however the Nonrecurring Charge associated with the new Gigabit Ethernet Connection will apply. However, should a customer simply wish to move from Basic to Basic Plus (without any change to the interface option; for example, retaining the 10/100 Base T interface), only the Service Order Change Charge will apply. See RATES AND CHARGES following.
- 2.22 The aggregate assigned Committed Information Rate (CIR) across all Ethernet Virtual
 Connections (EVCs) between any two customer connections cannot exceed 600 Mbps per Basic
 or Basic Plus connection. (AT)

/1/ This provisioning requirement will only apply to new service installed after November 29, 2006.

Effective: November 29, 2006

By CINDY BRINKLEY, President – Missouri St. Louis, Missouri



Issued: October 27, 2006



(AT)

Digital Link Services Tariff Section 25 3rd Revised Sheet 6.1 Replacing 2nd Revised Sheet 6.1

(CT)

OPT-E-MAN® SERVICE

- 2. REGULATIONS (cont'd)
 - 2.18 For Basic Plus multipoint-to-multipoint service, the Company will use controls to limit the amount of multicast and broadcast traffic to protect the OPT-E-MAN network against traffic storms. The maximum throughput of multicast traffic will be set at 1 Mbps per customer port, while the maximum throughput of broadcast traffic will be set at 200 packets per second per port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for multicast, broadcast and unknown unicast traffic within the customer network(s).
 - 2.19 Data exiting the network through the customer ports are excluded from SLA calculations to the extent that it exceeds the CIR for those ports.
 - 2.20 The responsibility of the Company shall be limited to furnishing the OPT-E-MAN network. Subject to this responsibility, the Company shall not be responsible for the through transmission of signals generated by CPE or for the quality of, or defects in, such transmission or the rejection of signal by CPE. The Company shall not be responsible for installation, operation, maintenance or adapting OPT-E-MAN to the technological requirements of specific CPE. In addition, the Company shall not be responsible to the customer if changes in any of the equipment, operations or procedures of the Company used in the provisioning of OPT-E-MAN render any facilities provided by the customer obsolete; or require modification or alteration of such equipment or system; or otherwise affect its use or performance, provided the Company has met all applicable information disclosure requirements otherwise required by law.
 - 2.21 Customers will be permitted to move from a 10/100 Base T to a Gigabit Ethernet interface option (staying within the Basic or Basic Plus Connection, or moving from the Basic to the Basic Plus Connection), however the Nonrecurring Charge associated with the new Gigabit Ethernet Connection will apply. However, should a customer simply wish to move from Basic to Basic Plus (without any change to the interface option; for example, retaining the 10/100 Base T interface), only the Service Order Change Charge will apply. See *RATES AND CHARGES* following.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



Digital Link Services Tariff
Section 25
2nd Revised Sheet 6.1
Replacing 1st Revised Sheet 6.1

OPT-E-MANSM SERVICE

- 2. REGULATIONS (cont'd)
- (CT) 2.18 For Basic Plus multipoint-to-multipoint service, the Company will use controls to limit the amount of multicast and broadcast traffic to protect the OPT-E-MAN network against traffic storms. The maximum throughput of multicast traffic will be set at 1 Mbps per customer port, while the maximum throughput of broadcast traffic will be set at 200 packets per second per port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for multicast, broadcast and unknown unicast traffic within the customer network(s).
 - 2.19 Data exiting the network through the customer ports are excluded from SLA calculations to the extent that it exceeds the CIR for those ports.
 - 2.20 The responsibility of the Company shall be limited to furnishing the OPT-E-MAN network. Subject to this responsibility, the Company shall not be responsible for the through transmission of signals generated by CPE or for the quality of, or defects in, such transmission or the rejection of signal by CPE. The Company shall not be responsible for installation, operation, maintenance or adapting OPT-E-MAN to the technological requirements of specific CPE. In addition, the Company shall not be responsible to the customer if changes in any of the equipment, operations or procedures of the Company used in the provisioning of OPT-E-MAN render any facilities provided by the customer obsolete; or require modification or alteration of such equipment or system; or otherwise affect its use or performance, provided the Company has met all applicable information disclosure requirements otherwise required by law.
 - 2.21 Customers will be permitted to move from a 10/100 Base T to a Gigabit Ethernet interface option (staying within the Basic or Basic Plus Connection, or moving from the Basic to the Basic Plus Connection), however the Nonrecurring Charge associated with the new Gigabit Ethernet Connection will apply. However, should a customer simply wish to move from Basic to Basic Plus (without any change to the interface option; for example, retaining the 10/100 Base T interface), only the Service Order Change Charge will apply. See *RATES AND CHARGES* following.

Issued: August 1, 2005 Effective: September 1, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Digital Link Services Tariff Section 25 1st Revised Sheet 6.1 Replacing Original Sheet 6.1

OPT-E-MANSM SERVICE

2. REGULATIONS (cont'd)

- 2.18 The Company will use controls to limit the amount of multicast and broadcast traffic to protect the OPT-E-MAN network against traffic storms. The maximum throughput of multicast traffic will be set at 1 Mbps per customer port, while the maximum throughput of broadcast traffic will be set at 200 packets per second per port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for multicast, broadcast and unknown unicast traffic within the customer network(s).
- 2.19 Data exiting the network through the customer ports are excluded from SLA calculations to the extent that it exceeds the CIR for those ports.
- 2.20 The responsibility of the Company shall be limited to furnishing the OPT-E-MAN network. Subject to this responsibility, the Company shall not be responsible for the through transmission of signals generated by CPE or for the quality of, or defects in, such transmission or the rejection of signal by CPE. The Company shall not be responsible for installation, operation, maintenance or adapting OPT-E-MAN to the technological requirements of specific CPE. In addition, the Company shall not be responsible to the customer if changes in any of the equipment, operations or procedures of the Company used in the provisioning of OPT-E-MAN render any facilities provided by the customer obsolete; or require modification or alteration of such equipment or system; or otherwise affect its use or performance, provided the Company has met all applicable information disclosure requirements otherwise required by law.
- (AT)

 2.21 Customers will be permitted to move from a 10/100 Base T to a Gigabit Ethernet interface option (staying within the Basic or Basic Plus Connection, or moving from the Basic to the Basic Plus Connection), however the Nonrecurring Charge associated with the new Gigabit Ethernet Connection will apply. However, should a customer simply wish to move from Basic to Basic Plus (without any change to the interface option; for example, retaining the 10/100 Base T interface), only the Service Order Change Charge will apply. See *RATES AND CHARGES*(AT)

Issued: April 8, 2005 Effective: May 11, 2005

Digital Link Services Tariff Section 25 Original Sheet 6.1

OPT-E-MANSM SERVICE

REGULATIONS (cont'd)

- 2.18 The Company will use controls to limit the amount of multicast and broadcast traffic to protect the OPT-E-MAN network against traffic storms. The maximum throughput of multicast traffic will be set at 1 Mbps per customer port, while the maximum throughput of broadcast traffic will be set at 200 packets per second per port. Packets dropped by traffic controls will be excluded from SLA calculations. The Company recommends that customers enable controls for multicast, broadcast and unknown unicast traffic within the customer network(s).
- 2.19 Data exiting the network through the customer ports are excluded from SLA calculations to the extent that it exceeds the CIR for those ports.
- 2.20 The responsibility of the Company shall be limited to furnishing the OPT-E-MAN network. Subject to this responsibility, the Company shall not be responsible for the through transmission of signals generated by CPE or for the quality of, or defects in, such transmission or the rejection of signal by CPE. The Company shall not be responsible for installation, operation, maintenance or adapting OPT-E-MAN to the technological requirements of specific CPE. In addition, the Company shall not be responsible to the customer if changes in any of the equipment, operations or procedures of the Company used in the provisioning of OPT-E-MAN render any facilities provided by the customer obsolete; or require modification or alteration of such equipment or system; or otherwise affect its use or performance, provided the Company has met all applicable information disclosure requirements otherwise required by law.

CANCELLED


MAY 1 1 2005

(54 25 6.)

Public Service Commission
MISSOURI

Issued: February 15, 2005

Effective: March 18, 2005





Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 Original Sheet 6.2

OPT-E-MAN® SERVICE

2. REGULATIONS (cont'd)

2.23	The aggregate assigned Committed Information Rate (CIR) across all Ethernet Virtual Connections (EVCs) between any two customer connections cannot exceed 600 Mbps per Basic or Basic Plus connection. (11)	(MT) (MT)
	The aggregate assigned Committed Information Rate (CIR) across all ICO trunk connections (EVCs) between any two customer connections utilizing a meet-point GigE ICO Trunk Arrangement between the Company and an ILEC (ICO) cannot exceed 600 Mbps per Basic or Basic Plus connection. (2)	(AT) (AT)

This provisioning requirement will only apply to new service installed after November 29, 2006.

72/ This provisioning requirement will only apply to new service installed after March 31, 2009.

(MT) (AT)

Digital Link Services Tariff Section 25 2nd Revised Sheet 7 Replacing 1st Revised Sheet 7

(CT)

OPT-E-MAN® SERVICE

3. DEFINITIONS

3.1 Jitter

Jitter is the delay that occurs between 2 packets or Ethernet frames that are traversing the network. Jitter is calculated as the delay variance of the packets transported across the network or the delta of delay between two consecutive packets. It is measured between two endpoints, and will consist of measuring the time between a set of packets. Jitter is measured by averaging sample measurements taken during a 30 day period between network terminating equipment to which the customer ports are attached when the OPT-E-MAN network is available.

3.2 Latency

Latency is the amount of time necessary for a typical frame to traverse the network. Latency is calculated as the measurement of time taken for a customer frame to go from one end of the network (origination point) to the other end (termination point). The measurement will consist of measuring the time it takes to "ping" or travel from the origination to termination ports for the connection in question. Latency is measured by averaging sample measurements taken during a 30 day period between network terminating equipment to which the customer ports are attached when the OPT-E-MAN network is available.

3.3 Media Access Control (MAC) Addresses

Denotes a data link layer protocol used for Layer 2 connectivity.

3.4 Packet Delivery Rate (PDR)

Packet Delivery Rate (PDR) is a measurement of the actual amount of useful and non-redundant information that is transmitted or processed from end-to-end across the network. It is a function of bandwidth, error performance, congestion and other factors. PDR is expressed as a percentage of Ethernet frames offered to the network that successfully traverse the network, end-to-end, within the CIR, and within a 30 day period. PDR is calculated as the total number of effective Ethernet frames, per port, that successfully traverse the network divided by the total number of effective Ethernet frames, per port, offered to the network within a 30 day period. Those frames that violate the maximum range will be excluded from the calculation. PDR is measured by averaging sample measurements taken during a 30 day period from network terminating equipment to network terminating equipment to which the customer ports are attached when the OPT-E-MAN network is available.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



Digital Link Services Tariff Section 25 1st Revised Sheet 7 Replacing Original Sheet 7

OPT-E-MANSM SERVICE

3. **DEFINITIONS**

3.1 Jitter

(RT)

(CT)

(AT)

(RT)

(CT) (AT)

(AT)

(CT)

(CT)

(AT)

Jitter is the delay that occurs between 2 packets or Ethernet frames that are traversing the network. Jitter is calculated as the delay variance of the packets transported across the network or the delta of delay between two consecutive packets. It is measured between two endpoints, and will consist of measuring the time between a set of packets. Jitter is measured by averaging sample measurements taken during a 30 day period between network terminating equipment to which the customer ports are attached when the OPT-E-MAN network is available.

3.2 Latency

Latency is the amount of time necessary for a typical frame to traverse the network. Latency is calculated as the measurement of time taken for a customer frame to go from one end of the network (origination point) to the other end (termination point). The measurement will consist of measuring the time it takes to "ping" or travel from the origination to termination ports for the connection in question. Latency is measured by averaging sample measurements taken during a 30 day period between network terminating equipment to which the customer ports are attached when the OPT-E-MAN network is available.

3.3 Media Access Control (MAC) Addresses

Denotes a data link layer protocol used for Layer 2 connectivity.

3.4 Packet Delivery Rate (PDR)

information that is transmitted or processed from end-to-end across the network. It is a function of bandwidth, error performance, congestion and other factors. PDR is expressed as a percentage of Ethernet frames offered to the network that successfully traverse the network, end-to-end, within the CIR, and within a 30 day period. PDR is calculated as the total number of effective Ethernet frames, per port, that successfully traverse the network divided by the total number of effective Ethernet frames, per port, offered to the network within a 30 day period. Those frames that violate the maximum range will be excluded from the calculation. PDR is measured by averaging sample measurements taken during a 30 day period from network terminating equipment to network terminating equipment to which the customer ports are attached when the OPT-E-MAN network is available.

Packet Delivery Rate (PDR) is a measurement of the actual amount of useful and non-redundant

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Digital Link Services Tariff
Section 25

Missouri Public

C Original Sheet 7

OPT-E-MANSM STROYDCMAR 31 2004

3. DEFINITIONS

Service Commission

3.1 Jitter

Jitter is the delay that occurs between 2 packets or Ethernet frames that are traversing the network. Jitter is calculated as the delay variance of the packets transported across the network or the delta of delay between two consecutive packets. It is measured between two endpoints, and will be taken during the network busy hour and will consist of measuring the time between a set of packets. Jitter is measured by averaging sample measurements taken during a calendar month between network terminating equipment to which the customer ports are attached.

3.2 Latency

Latency is the amount of time necessary for a typical frame to traverse the network. Latency is calculated as the measurement of time taken for a customer frame to go from one end of the network (origination point) to the other end (termination point). The measurement will be taken during the network busy hour and will consist of measuring the time it takes to "ping" or travel from the origination to termination ports for the connection in question. Latency is measured by averaging sample measurements taken during a calendar month between network terminating equipment to which the customer ports are attached.

3.3 Media Access Control (MAC) Addresses

Denotes a data link layer protocol used for Layer 2 connectivity.

3.4 Packet Delivery Rate (PDR)

Packet Delivery Rate (PDR) is a measurement of the actual amount of useful and non-redundant information that is transmitted or processed from end-to-end across the network. It is a function of bandwidth, error performance, congestion and other factors. PDR is expressed as a percentage of Ethernet frames offered to the network that successfully traverse the network, end-to-end, within a calendar month. PDR is calculated as the total number of effective Ethernet frames, per port, that successfully traverse the network divided by the total number of effective Ethernet frames, per port, offered to the network within a calendar month. Those frames that violate the maximum range will be excluded from the calculation. PDR is measured by averaging sample measurements taken during a calendar month from network terminating equipment to network terminating equipment to which the customer ports are attached.

CANCELLED

MAR 1 8 2005

Public Service Commission

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri
Southwestern Bell Telephone, L.P., d/b/a SBC Missouri
St. Louis, Missouri
Service Commission

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 3rd Revised Sheet 8 Replacing 2nd Revised Sheet 8

OPT-E-MAN® SERVICE

4. TECHNICAL SPECIFICATIONS PACKAGES

The customer interface to OPT-E-MAN Service is as specified in:

Subject Technical Reference

Ethernet Standards SBC TP-76412-000
Network Equipment Design Requirements SBC TP-76200MP

These publications may be obtained from:

APEx Support Team 734-523-7348

5. SERVICE COMPONENTS

There are two standard (or required) rate elements which apply for OPT-E-MAN Service: Connection and Committed Information Rate (CIR).

5.1 Connection

Provides for the physical connection between the customer's premise and the serving wire center.

This is comprised of a transport component, interface component and a port connection component. Several interface protocols are available: 10/100BaseT and Gigabit Ethernet (CT) (1000BaseSX, 1000BaseLX/LH or 1000BaseZX). (CT)

5.2 Committed Information Rate (CIR)

CIR provides a committed level of transmission (or bandwidth) to the Connection. The customer can select a CIR from 2 Mbps to 1 Gbps per connection. The CIR is shared among one or more Ethernet Virtual Connections (EVCs), which provide a logical point-to-point connection between two customer locations.

Issued: November 16, 2007 Effective: December 18, 2007

Digital Link Services Tariff
Section 25
2nd Revised Sheet 8
Replacing 1st Revised Sheet 8

(CT)

OPT-E-MAN® SERVICE

4. TECHNICAL SPECIFICATIONS PACKAGES

The customer interface to OPT-E-MAN Service is as specified in:

<u>Subject</u> <u>Technical Reference</u>

Ethernet Standards SBC TP-76412-000 Network Equipment Design Requirements SBC TP-76200MP

These publications may be obtained from:

(CT) APEx Support Team

(CT) 734-523-7348

5. SERVICE COMPONENTS

There are two standard (or required) rate elements which apply for OPT-E-MAN Service: Connection and Committed Information Rate (CIR).

5.1 Connection

Provides for the physical connection between the customer's premise and the serving wire center. This is comprised of a transport component, interface component and a port connection component. Several interface protocols are available: 10/100 Base T and Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX).

5.2 Committed Information Rate (CIR)

CIR provides a committed level of transmission (or bandwidth) to the Connection. The customer can select a CIR from 5 Mbps to 1 Gbps per connection. The CIR is shared among one or more Ethernet Virtual Connections (EVCs), which provide a logical point-to-point connection between two customer locations.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



Digital Link Services Tariff Section 25 1st Revised Sheet 8 Replacing Original Sheet 8

OPT-E-MANSM SERVICE

4. TECHNICAL SPECIFICATIONS PACKAGES

The customer interface to OPT-E-MAN Service is as specified in:

<u>Subject</u> <u>Technical Reference</u>

Ethernet Standards SBC TP-76412-000 Network Equipment Design Requirements SBC TP-76200MP

These publications may be obtained from:

SBC Help Desk and Document Center 517-788-6872

5. SERVICE COMPONENTS

There are two standard (or required) rate elements which apply for OPT-E-MAN Service: (CT)

Connection and Committed Information Rate (CIR).

5.1 Connection

Provides for the physical connection between the customer's premise and the serving wire center. This is comprised of a transport component, interface component and a port connection component. Several interface protocols are available: 10/100 Base T and Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX).

- (CT) 5.2 Committed Information Rate (CIR)
- (CT) CIR provides a committed level of transmission (or bandwidth) to the Connection. The customer (AT) can select a CIR from 5 Mbps to 1 Gbps per connection. The CIR is shared among one or more (RT) Ethernet Virtual Connections (EVCs), which provide a logical point-to-point connection between

(AT) two customer locations.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Digital Link Services Tariff

Missouri Public

Section 25 Original Sheet 8

OPT-E-MANSM SERVICE A 1 2004

TECHNICAL SPECIFICATIONS PACKAGES Service Commission

The customer interface to OPT-E-MAN Service is as specified in:

Subject

Technical Reference

Ethernet Standards

Network Equipment Design Requirements

SBC TP-76412-000

CANCELLED SBC TP-76200MP

These publications may be obtained from:

SBC Help Desk and Document Center

517-788-6872

MAR 1 8 2005

Public Service Commission

SERVICE COMPONENTS

There are two standard (or required) rate elements which apply for OPT-E-MAN Service: Connection and Bandwidth Usage.

5.1 Connection

Provides for the physical connection between the customer's premise and the serving wire center. This is comprised of a transport component, interface component and a port connection component. Several interface protocols are available: 10/100 BaseT and Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX).

5.2 Bandwidth Usage

Bandwidth Usage is inclusive of the Committed Information Rate (CIR) and 1 Ethernet Virtual Connection (EVC). CIR provides a statistically guaranteed level of transmission (or guaranteed bandwidth) to the Connection. The customer can select a CIR from 10 Mbps to 1 Gbps per connection. The EVC provides a logical point-to-point connection between two customer locations.

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Service Commission

Southwestern Bell Telephone Company d/b/a AT&T Missouri

Section 25 6th Revised Sheet 9 Replacing 5th Revised Sheet 9

OPT-E-MAN® SERVICE

5. SERVICE COMPONENTS (cont'd)

In addition, there are optional rate elements which may apply to OPT-E-MAN, depending on the customer's configuration: (RT)

5.3 Repeater

For those customers who are located outside normal transmission parameters, or who are served by a Serving Wire Center that is not equipped for OPTE-MAN Service, service can be provided using a repeater. An engineering study will be completed to ensure transmission parameters can be met using a repeater, and the Company will determine when Repeaters are necessary. Additional charges will apply. Provisioning of OPT-E-MAN Service is subject to the availability and operational limitations of the equipment and associated facilities.

5.4 Ethernet Virtual Connections (EVC)

An Ethernet Virtual Connection is a logical point-to-point connection between two customer locations, and goes from the customer demarcation point at one location through the OPT-E-MAN network to terminate at the demarcation point at the second customer location. When multiple EVCs are provisioned, the customer must designate the portion of the CIR assigned to each EVC. For point-to-point and point-to-multipoint connections, EVCs can be set in 1 Mbps increments from 2 Mbps to 600 Mbps^{/1/}. For multipoint-to-multipoint connections, EVCs can be set in 1 Mbps increments from 2 Mbps to 1 Gbps.

If a customer purchases the Silver Grade of Service for CIR, the initial EVC will be prioritized as Silver. Additional EVCs can be prioritized as either Silver, Bronze or Best Effort.

If a customer purchases the Bronze Grade of Service for CIR, additional EVCs cannot be prioritized as Silver, but only as Bronze or Best Effort.

If a customer purchases the Best Effort Grade of Service for CIR, additional EVCs can only be prioritized as Best Effort.

5.5 Additional MAC Addresses

If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port.

/1/ This provisioning requirement will only apply to new service installed after November 29, 2006.

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389

Issued: February 27, 2009

By DAVID NICHOLS, President - Missouri St. Louis, Missouri Effective: March 31, 2009 Filed Missouri Public Service Commission JI-2009-0616

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 5th Revised Sheet 9 Replacing 4th Revised Sheet 9

OPT-E-MAN® SERVICE

5. SERVICE COMPONENTS (cont'd)

In addition, there are three optional rate elements which may apply to OPT-E-MAN, depending on the customer's configuration: Repeater, Ethernet Virtual Connections (EVC) and Additional MAC Addresses.

5.3 Repeater

For those customers who are located outside normal transmission parameters, or who are served by a Serving Wire Center that is not equipped for OPTE-MAN Service, service can be provided using a repeater. An engineering study will be completed to ensure transmission parameters can be met using a repeater, and the Company will determine when Repeaters are necessary. Additional charges will apply. Provisioning of OPT-E-MAN Service is subject to the availability and operational limitations of the equipment and associated facilities.

5.4 Ethernet Virtual Connections (EVC)

An Ethernet Virtual Connection is a logical point-to-point connection between two customer locations, and goes from the customer demarcation point at one location through the OPT-E-MAN network to terminate at the demarcation point at the second customer location. When multiple EVCs are provisioned, the customer must designate the portion of the CIR assigned to each EVC. For point-to-point and point-to-multipoint connections, EVCs can be set in 1 Mbps increments from 2 Mbps to 600 Mbps^{/1/}. For multipoint-to-multipoint connections, EVCs can be set in 1 Mbps increments from 2 Mbps to 1 Gbps.

(CP)

If a customer purchases the Silver Grade of Service for CIR, the initial EVC will be prioritized as Silver. Additional EVCs can be prioritized as either Silver, Bronze or Best Effort.

(CP)

If a customer purchases the Bronze Grade of Service for CIR, additional EVCs cannot be prioritized as Silver, but only as Bronze or Best Effort.

d (CT) (CP)

If a customer purchases the Best Effort Grade of Service for CIR, additional EVCs can only be prioritized as Best Effort.

(AT)

5.5 Additional MAC Addresses

If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port.

/1/ This provisioning requirement will only apply to new service installed after November 29, 2006.

Issued: November 16, 2007 Effective: December 18, 2007

By CINDY BRINKLEY, President – Missouri St. Louis, Missouri

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 25 4th Revised Sheet 9 Replacing 3rd Revised Sheet 9

OPT-E-MAN® SERVICE

(CT)

5. SERVICE COMPONENTS (cont'd)

In addition, there are three optional rate elements which may apply to OPT-E-MAN, depending on the customer's configuration: Repeater, Ethernet Virtual Connections (EVC) and Additional MAC Addresses.

5.3 Repeater

For those customers who are located outside normal transmission parameters, or who are served by a Serving Wire Center that is not equipped for OPTE-MAN Service, service can be provided using a repeater. An engineering study will be completed to ensure transmission parameters can be met using a repeater, and the Company will determine when Repeaters are necessary. Additional charges will apply. Provisioning of OPT-E-MAN Service is subject to the availability and operational limitations of the equipment and associated facilities.

5.4 Ethernet Virtual Connections (EVC)

An Ethernet Virtual Connection is a logical point-to-point connection between two customer locations, and goes from the customer demarcation point at one location through the OPT-E-MAN network to terminate at the demarcation point at the second customer location. When multiple EVCs are provisioned, the customer must designate the portion of the CIR assigned to each EVC. For point-to-point and point-to-multipoint connections, EVCs can be set in 1 Mbps increments from 5 Mbps to 600 Mbps^{/1/}. For multipoint-to-multipoint connections, EVCs can be set in 1 Mbps increments from 5 Mbps to 1 Gbps. If a customer purchases the Silver Grade of Service for CIR, the initial EVC will be prioritized as Silver. Additional EVCs can be prioritized as either Silver or Bronze. However, if a customer purchases the Bronze Grade of Service for CIR, additional EVCs cannot be prioritized as Silver, but only as Bronze.

5.5 Additional MAC Addresses

If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port.

/1/ This provisioning requirement will only apply to new service installed after November 29, 2006.

Issued: March 30, 2007 Effective: May 1, 2007

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 25 3rd Revised Sheet 9 Replacing 2nd Revised Sheet 9

OPT-E-MANsm SERVICE

5. Service Components (cont'd)

In addition, there are three optional rate elements which may apply to OPT-E-MAN, depending on the customer's configuration: Repeater, Ethernet Virtual Connections (EVC) and Additional MAC Addresses.

5.3 Repeater

For those customers who are located outside normal transmission parameters, or who are served by a Serving Wire Center that is not equipped for OPTE-MAN Service, service can be provided using a repeater. An engineering study will be completed to ensure transmission parameters can be met using a repeater, and the Company will determine when Repeaters are necessary. Additional charges will apply. Provisioning of OPT-E-MAN Service is subject to the availability and operational limitations of the equipment and associated facilities.

5.4 Ethernet Virtual Connections (EVC)

An Ethernet Virtual Connection is a logical point-to-point connection between two customer locations, and goes from the customer demarcation point at one location through the OPT-E-MAN network to terminate at the demarcation point at the second customer location. When multiple EVCs are provisioned, the customer must designate the portion of the CIR assigned to each EVC. For point-to-point and point-to-multipoint connections, EVCs can be set in 1 Mbps increments from 5 Mbps to 600 Mbps^{/1/}. For multipoint-to-multipoint connections, EVCs can be set in 1 Mbps increments from 5 Mbps to 1 Gbps. If a customer purchases the Silver Grade of Service for CIR, the initial EVC will be prioritized as Silver. Additional EVCs can be prioritized as either Silver or Bronze. However, if a customer purchases the Bronze Grade of Service for CIR, additional EVCs cannot be prioritized as Silver, but only as Bronze.

(CP)

(CP)

5.5 Additional MAC Addresses

If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port.

/1/ This provisioning requirement will only apply to new service installed after November 29, 2006.

(AT)

Issued: October 27, 2006 Effective: November 29, 2006





Digital Link Services Tariff
Section 25
2nd Revised Sheet 9
Replacing 1st Revised Sheet 9

(CT)

OPT-E-MAN® SERVICE

5. SERVICE COMPONENTS (cont'd)

In addition, there are three optional rate elements which may apply to OPT-E-MAN, depending on the customer's configuration: Repeater, Ethernet Virtual Connections (EVC) and Additional MAC Addresses.

5.3 Repeater

For those customers who are located outside normal transmission parameters, or who are served by a Serving Wire Center that is not equipped for OPTE-MAN Service, service can be provided using a repeater. An engineering study will be completed to ensure transmission parameters can be met using a repeater, and the Company will determine when Repeaters are necessary. Additional charges will apply. Provisioning of OPT-E-MAN Service is subject to the availability and operational limitations of the equipment and associated facilities.

5.4 Ethernet Virtual Connections (EVC)

An Ethernet Virtual Connection is a logical point-to-point connection between two customer locations, and goes from the customer demarcation point at one location through the OPT-E-MAN network to terminate at the demarcation point at the second customer location. When multiple EVCs are provisioned, the customer must designate the portion of the CIR assigned to each EVC. EVCs can be set in 1 Mbps increments from 5 Mbps to 1000 Mbps. If a customer purchases the Silver Grade of Service for CIR, the initial EVC will be prioritized as Silver. Additional EVCs can be prioritized as either Silver or Bronze. However, if a customer purchases the Bronze Grade of Service for CIR, additional EVCs cannot be prioritized as Silver, but only as Bronze.

5.5 Additional MAC Addresses

If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



Digital Link Services Tariff Section 25 1st Revised Sheet 9 Replacing Original Sheet 9

OPT-E-MANSM SERVICE

5. SERVICE COMPONENTS (cont'd)

In addition, there are three optional rate elements which may apply to OPT-E-MAN, depending on the customer's configuration: Repeater, Ethernet Virtual Connections (EVC) and Additional MAC Addresses.

5.3 Repeater

For those customers who are located outside normal transmission parameters, or who are served by a Serving Wire Center that is not equipped for OPTE-MAN Service, service can be provided using a repeater. An engineering study will be completed to ensure transmission parameters can be met using a repeater, and the Company will determine when Repeaters are necessary. Additional charges will apply. Provisioning of OPT-E-MAN Service is subject to the availability and operational limitations of the equipment and associated facilities.

5.4 Ethernet Virtual Connections (EVC)

An Ethernet Virtual Connection is a logical point-to-point connection between two customer locations, and goes from the customer demarcation point at one location through the OPT-E-MAN network to terminate at the demarcation point at the second customer location. When multiple EVCs are provisioned, the customer must designate the portion of the CIR assigned to each EVC. EVCs can be set in 1 Mbps increments from 5 Mbps to 1000 Mbps. If a customer purchases the Silver Grade of Service for CIR, the initial EVC will be prioritized as Silver. Additional EVCs can be prioritized as either Silver or Bronze. However, if a customer purchases the Bronze Grade of Service for CIR, additional EVCs cannot be prioritized as Silver, but only as Bronze.

5.5 Additional MAC Addresses

If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



(RT)

(CT)

(RT)

(CT)

(CT)



Digital Link Services Tariff Missour Public

Section 25 Original Sheet 9

OPT-E-MANSM SERVICE 31 2004

SERVICE COMPONENTS (cont'd)

Service Commission

In addition, there are three optional rate elements which may apply to OPT-E-MAN, depending on the customer's configuration: Repeater, Ethernet Virtual Connections (EVC) and Additional MAC Addresses.

5.3 Repeater

For those customers who are located outside normal transmission parameters, or who are served by a Serving Wire Center that is not equipped for OPT-E-MAN Service, service can be provided using a repeater. An engineering study will be completed to ensure transmission parameters can be met using a repeater, and the Company will determine when Repeaters are necessary. Additional charges will apply. Provisioning of OPT-E-MAN Service is subject to the availability and operational limitations of the equipment and associated facilities.

5.4 Ethernet Virtual Connections (EVC)

An Ethernet Virtual Connection is a logical point-to-point connection between two customer locations, and goes from the customer demarcation point at one location through the OPT-E-MAN network to terminate at the demarcation point at the second customer location. The first EVC is included with the Bandwidth Usage selected. Additional EVCs may be ordered to establish additional virtual connections over the same connection. When additional EVCs are ordered, the customer must designate the portion of the Bandwidth Usage assigned to each EVC. EVCs can be set in 1 Mbps increments from 5 Mbps to 1000 Mbps. Additional EVC rate elements are assessed per EVC in increments of 5-100 Mbps, 101-500 Mbps and 501-1000 Mbps. If a customer purchases the Silver Grade of Service for Bandwidth Usage, the initial EVC will be prioritized as Silver. Additional EVCs can be prioritized as either Silver or Bronze. However, if a customer purchases the Bronze Grade of Service for Bandwidth Usage, additional EVCs cannot be prioritized as Silver, but only as Bronze.

5.5 Additional MAC Addresses

If a customer connects to the OPT-E-MAN network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses will be assessed an additional charge, with a limit of 100 MAC addresses total per port.

MAR 1 8 2005

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri

St. Louis, Missouri

Missouri Public Service Commission

FILED MAY 01 2004

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 Original Sheet 9.1

OPT-E-MAN® SERVICE

(AT)

5. SERVICE COMPONENTS (cont'd)

5.6 Meet-Point Billing Options

Meet-Point is available in two configurations:

Direct LEC Connection is provisioned using a standard OPT-E-MAN Basic or Basic Plus Connection and associated CIR, plus Mileage. The mileage is measured in airline miles from the OPT-E-MAN switch location to the ILEC (ICO) meet-point location.

GigE ICO Trunking Arrangement applies an ICO Trunk Connection Charge between the OPT-E-MAN switch location and the ICO meet-point location that is shared with the ILEC (ICO) Ethernet switch. The ICO Trunk Connection Charge is applied to each customer Ethernet Virtual Connection (EVC) that is transported on the GigE trunk backbone to the ICO meet-point. The ICO Trunk Mileage charge is applicable to each customer Ethernet Virtual Connection (EVC) transported across the GigE trunk when mileage exceeds 10 miles. Mileage is calculated from the OPT-E-MAN switch location to the ICO meet-point location.

(AT)


Issued: February 27, 2009

Digital Link Services Tariff Section 25 2nd Revised Sheet 10 Replacing 1st Revised Sheet 10

(CT) OPT-E-MAN® SERVICE

6. SERVICE CONFIGURATIONS

The following diagram describes a standard service configuration:



/1/ Ethernet Virtual Connections are used to establish a path for certain traffic between two customer locations, and do not have a charge associated with them. Each EVC must have a portion of the Committed Information Rate (CIR) service element assigned to it.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri




Digital Link Services Tariff Section 25 1st Revised Sheet 10 Replacing Original Sheet 10

OPT-E-MANSM SERVICE

6. SERVICE CONFIGURATIONS

The following diagram describes a standard service configuration:



(CP) /1/ Ethernet Virtual Connections are used to establish a path for certain traffic between two customer locations, and do not have a charge associated with them. Each EVC must have a portion of the COMMITTED COMMITTED IN COMMITTED COMMITTED IN COMMITTED COMMITTED IN COMMITTED COMMI

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



Filed

Missouri Public
Service Commission

P.S.C. Mo.- No. 38


No Supplement to this tariff will be issued except for the purpose of canceling this tariff. Digital Link Services Tariff
Section 25
Original Sheet 10

OPT-E-MANSM SERVICE MAR 31 2004

6. SERVICE CONFIGURATIONS

Service Commission

The following diagram describes a standard service configuration:



MAR 1 8 2005

MAR 1 8 2005

MAR 1 8 2005

MAR 1 8 2005

/1/ One Ethernet Virtual Connection (EVC) is included in the Bandwidth Usage element ordered by the customer.

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Service Commission

FILED MAY 01 2004

Section 25 4th Revised Sheet 11 Replacing 3rd Revised Sheet 11

OPT-E-MAN® SERVICE

7. RATES AND CHARGES

There are two types of rates and charges for OPT-E-MAN Service: Nonrecurring Charges and Recurring Charges.

- 7.1 Nonrecurring Charges are one-time charges that apply for specific work activity related to the provisioning of OPT-E-MAN Service.
- 7.2 Recurring Charges are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 12, 24, 36, or 60^{/2/} month period under the terms and conditions of the Term Pricing Plan (TPP), described in 8. following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension rates unless the customer requests a new TPP. No customer shall purchase OPT-E-MAN Service on a month-to-month basis prior to the completion of a TPP.

	Nonrecurring	12	•	Payment ment Plans 36	60	Monthly	
Description	Charge ^{/1/}	Months	Months	<u>Months</u>	Months ^{/2/}	Extension	(CT)
Standard Charges							
Connection, each customer location							
Basic Service 10/100BaseT Gigabit Ethernet	\$1,925.00 2,100.00	\$ 780.00 1,200.00	\$ 750.00 1,150.00	\$ 650.00 1,000.00	\$575.00 850.00	\$ 925.00 1,400.00	
Basic Plus Service 10/100BaseT Gigabit Ethernet	1,925.00 2,100.00	780.00 1,200.00	750.00 1,150.00	650.00 1,000.00	575.00 850.00	925.00 1,400.00	

Issued: October 16, 2013

By JOHN SONDAG, President - Missouri St. Louis, Missouri Effective: November 15, 2013

^{/1/} Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

 ^{/2/} Effective November 15, 2013, customers may not establish new term plans greater than 36 months for OPT-E-MAN Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.
 (AT)

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 3rd Revised Sheet 11 Replacing 2nd Revised Sheet 11

OPT-E-MAN® SERVICE

7. RATES AND CHARGES

There are two types of rates and charges for OPT-E-MAN Service: Nonrecurring Charges and Recurring Charges.

- 7.1 Nonrecurring Charges are one-time charges that apply for specific work activity related to the provisioning of OPT-E-MAN Service.
- 7.2 Recurring Charges are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 12, 24, 36, or 60 month period under the terms and conditions of the Term Pricing Plan (TPP), described in 8. following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension rates unless the customer requests a new TPP. No customer shall purchase OPT-E-MAN Service on a month-to-month basis prior to the completion of a TPP.

	Non-		Term Pay	ment Plans			
	recurring	12	24	36	60	Monthly	
Description	Charge ^{/1/}	Months	Months	Months	Months	Extension	_
Standard Charges							
Connection, each customer location							
Basic Service	#4.005.00	Φ 700.00	4.750.00	4 050 00	4575 00	Φ 005 00	(0.7)
10/100BaseT	\$1,925.00	\$ 780.00	\$ 750.00	\$ 650.00	\$575.00	\$ 925.00	(CT)
Gigabit Ethernet	2,100.00	1,200.00	1,150.00	1,000.00	850.00	1,400.00	
Basic Plus Service							
10/100BaseT	1,925.00	780.00	750.00	650.00	575.00	925.00	(CT)
Gigabit Ethernet	2,100.00	1,200.00	1,150.00	1,000.00	850.00	1,400.00	

/1/ Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: November 16, 2007 Effective: December 18, 2007

By CINDY BRINKLEY, President – Missouri St. Louis, Missouri

Digital Link Services Tariff
Section 25
2nd Revised Sheet 11
Replacing 1st Revised Sheet 11

(CT)

OPT-E-MAN® SERVICE

7. RATES AND CHARGES

There are two types of rates and charges for OPT-E-MAN Service: Nonrecurring Charges and Recurring Charges.

- 7.1 Nonrecurring Charges are one-time charges that apply for specific work activity related to the provisioning of OPT-E-MAN Service.
- 7.2 Recurring Charges are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 12, 24, 36, or 60 month period under the terms and conditions of the Term Pricing Plan (TPP), described in 8. following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension rates unless the customer requests a new TPP. No customer shall purchase OPT-E-MAN Service on a month-to-month basis prior to the completion of a TPP.

			Monthly Payment			
	Non-		Term Pay	ment Plans		_
	recurring	12	24	36	60	Monthly
Description	Charge ^{/1/}	Months	Months	Months	Months	Extension
Standard Charges						
Connection, each customer location						
Basic Service						
10/100 Base T	\$1,925.00	\$ 780.00	\$ 750.00	\$ 650.00	\$575.00	\$ 925.00
Gigabit Ethernet	2,100.00	1,200.00	1,150.00	1,000.00	850.00	1,400.00
Basic Plus Service						
10/100 Base T	1,925.00	780.00	750.00	650.00	575.00	925.00
Gigabit Ethernet	2,100.00	1,200.00	1,150.00	1,000.00	850.00	1,400.00

/1/ Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



Digital Link Services Tariff Section 25 1st Revised Sheet 11 Replacing Original Sheet 11

OPT-E-MANSM SERVICE

7. RATES AND CHARGES

There are two types of rates and charges for OPT-E-MAN Service: Nonrecurring Charges and Recurring Charges.

- 7.1 Nonrecurring Charges are one-time charges that apply for specific work activity related to the provisioning of OPT-E-MAN Service.
- 7.2 Recurring Charges are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 12, 24, 36, or 60 month period under the terms and conditions of the Term Pricing Plan (TPP), described in 8. following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension rates unless the customer requests a new TPP. No customer shall purchase OPT-E-MAN Service on a month-to-month basis prior to the completion of a TPP.

				Monthly Payment				
		Non-		Term Pay	ment Plans		_	
		recurring	12	24	36	60	Monthly	
	Description	Charge ^{/I/}	Months	Months	Months	Months	Extension	
	Standard Charges							
	Connection, each customer location							
	Basic Service							
	10/100 Base T	\$1,925.00	\$ 780.00	\$ 750.00	\$ 650.00	\$575.00	\$ 925.00	
	Gigabit Ethernet	2,100.00	1,200.00	1,150.00	1,000.00	850.00	1,400.00	
(AT)	Basic Plus Service							
(NR)	10/100 Base T	1,925.00	780.00	750.00	650.00	575.00	925.00	
(NR)	Gigabit Ethernet	2,100.00	1,200.00	1,150.00	1,000.00	850.00	1,400.00	

/1/ Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Digital Link Services Tariff

Missouri Public Section 25

Original Sheet 11

REC'D MAR 31 2004

OPT-E-MANSM SERVICE

7. RATES AND CHARGES

Service Commission

There are two types of rates and charges for OPT-E-MAN Service: Nonrecurring Charges and Recurring Charges.

- 7.1 Nonrecurring Charges are one-time charges that apply for specific work activity related to the provisioning of OPT-E-MAN Service.
- 7.2 Recurring Charges are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 12, 24, 36, or 60 month period under the terms and conditions of the Term Pricing Plan (TPP), described in 8. following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension rates unless the customer requests a new TPP. No customer shall purchase OPT-E-MAN Service on a month-to-month basis prior to the completion of a TPP.

			Monthly Payment			
	Non-		Term Payı	nent Plans		-
	recurring	12	24	36	60	Monthly
Description	Charge ^{/17}	Months	Months	Months	Months	Extension

Standard Charges

Connection, each customer location

Basic Service

10/100 Base T Gigabit Ethernet \$1,925.00 2,100.00

\$ 780.00 1\(200.00

\$ 750.00 1150.00 \$ 650.00 1\(\)000.00 \$575.00 850.00 \$ 925.00 1,400.00

CANCELLED

MAR 1 8 2005

Public Service Commission MISSOURI

Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Sorvice Commission

FILED MAY 01 2004

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 6th Revised Sheet 12 Replacing 5th Revised Sheet 12

OPT-E-MAN® SERVICE

7. RATES AND CHARGES (cont'd)

			Grade of Servi	<u>ce</u>	
	Nonrecurring	Best			(AT)
Description	Charge ^{/1/}	Effort	Bronze	Silver	_
Standard Charges (cont'd)					
Committed Information Rate (CIR) (Mbps) - per port					
2	\$75.00	\$ 255.00	\$ 300.00	\$ 500.00	(NR)
4	75.00	295.00	350.00	550.00	(NR)
5	75.00	N/A	450.00	650.00	
8	75.00	465.00	550.00	750.00	(NR)
10	75.00	N/A	650.00	850.00	
20	75.00	N/A	900.00	1,100.00	
50	75.00	N/A	1,025.00	1,225.00	
100	75.00	N/A	1,200.00	1,400.00	
150	75.00	N/A	1,375.00	1,775.00	
250	75.00	N/A	1,575.00	1,975.00	
500	75.00	N/A	1,900.00	2,300.00	
600	75.00	N/A	2,225.00	2,625.00	
1000	75.00	N/A	2,575.00	2,975.00	(AT)

/1/ Nonrecurring charges will be waived for those customers selecting the 24-, 36- or 60-month Term Payment Plan (TPP) period for new service.

Issued: November 16, 2007 Effective: December 18, 2007

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 25 5th Revised Sheet 12 Replacing 4th Revised Sheet 12

OPT-E-MAN® SERVICE

7. RATES AND CHARGES (cont'd)

		Monthl		
		Grade of	Grade of Service	
Description	Nonrecurring Charge ^{/1/}	Bronze	Silver	
Standard Charges (cont'd)				
Committed Information Rate (CIR) (Mbps) - per port				
5	\$75.00	\$ 450.00	\$ 650.00	
10	75.00	650.00	850.00	
20	75.00	900.00	1,100.00	
50	75.00	1,025.00	1,225.00	
100	75.00	1,200.00	1,400.00	
150	75.00	1,375.00	1,775.00	(AT)
250	75.00	1,575.00	1,975.00	` ,
500	75.00	1,900.00	2,300.00	
600	75.00	2,225.00	2,625.00	(AT)
1000	75.00	2,575.00	2,975.00	. ,

/1/ Nonrecurring charges will be waived for those customers selecting the 24-, 36- or 60-month Term Payment Plan (TPP) period for new service.

Issued: March 30, 2007 Effective: May 1, 2007



Digital Link Services Tariff
Section 25
4th Revised Sheet 12
Replacing 3rd Revised Sheet 12

(CT)

OPT-E-MAN® SERVICE

7. RATES AND CHARGES (cont'd)

		Monthly Price		
	Nonrecurring	Grade of Service		
Description	Charge /1/	Bronze	Silver	
Standard Charges (cont'd)				
Committed Information Rate (CIR) (Mbps) - per port				
5	\$75.00	\$ 450.00	\$ 650.00	
10	75.00	650.00	850.00	
20	75.00	900.00	1,100.00	
50	75.00	1,025.00	1,225.00	
100	75.00	1,200.00	1,400.00	
250	75.00	1,575.00	1,975.00	
500	75.00	1,900.00	2,300.00	
1000	75.00	2,575.00	2,975.00	

/1/ Nonrecurring charges will be waived for those customers selecting the 24-, 36- or 60-month Term Payment Plan (TPP) period for new service.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri





Digital Link Services Tariff
Section 25
3rd Revised Sheet 12
Replacing 2nd Revised Sheet 12

OPT-E-MANSM SERVICE

7. RATES AND CHARGES (cont'd)

RATES AND CHARGES (cont a)			
		Monthly	Price
	Nonrecurring	Grade of	Service
Description	Charge ^{/1/}	Bronze	Silver
Standard Charges (cont'd) Committed Information Rate (CIR) (Mbps) - per port			
5	\$75.00	\$ 450.00 (CR)	\$ 650.00 (CR)
10	75.00	650.00 (CR)	850.00 (CR)
20	75.00	900.00 (CR)	1,100.00 (CR)
50	75.00	1,025.00 (CR)	1,225.00 (CR)
100	75.00	1,200.00 (CR)	1,400.00 (CR)
250	75.00	1,575.00 (CR)	
500	75.00	1,900.00 (CR)	, , ,
1000	75.00	2,575.00 (CR)	, , ,

Nonrecurring charges will be waived for those customers selecting the 24-, 36- or 60-month Term Payment Plan (TPP) period for new service.

Issued: August 1, 2005 Effective: September 1, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Digital Link Services Tariff
Section 25
2nd Revised Sheet 12
Replacing 1st Revised Sheet 12

OPT-E-MANSM SERVICE

7. RATES AND CHARGES (cont'd)

			Monthl	y Price			
		Nonrogurring	Grade of Service				
	Description	Nonrecurring Charge ^{/1/}	Bronze	Silver			
	Standard Charges (cont'd)						
	Committed Information Rate (CIR) (Mbps) - per port						
	5	\$75.00	\$1,000.00	\$1,200.00			
(DR)	10	75.00	1,200.00	1,375.00			
	20	75.00	1,350.00	1,525.00			
(DR)							
(DR)							
(DR)	50	75.00	1,675.00	1,900.00			
(DR)							
(DD)	100	75.00	2,350.00	2,675.00			
(DR)							
(DR)							
(DR)	250	75.00	3,100.00	3,750.00			
(DR)							
(DR)	500	75.00	3,750.00	4,500.00			
(DR)	1000	75.00	4,500.00	5,400.00			
	/1/ Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term						

Issued: March 25, 2005 Effective: April 26, 2005

Payment Plan (TPP) period for new service.

Digital Link Services Tariff Section 25 1st Revised Sheet 12 Replacing Original Sheet 12

OPT-E-MANSM SERVICE

7. RATES AND CHARGES (cont'd)

				Montl	nly Price
				Grade o	of Service
	Description		Nonrecurring Charge ^{/1/}	Bronze	Silver
	Standard C	harges (cont'd)			
(CT)	Committed - per port	Information Rate (CIR) (Mbps)			
(NR)	5		\$75.00	\$1,000.00	\$1,200.00
• /	10		75.00	1,200.00	1,375.00
	15		75.00	1,350.00	1,525.00
(CR)	20		75.00	1,350.00	1,525.00
` ,	25		75.00	1,675.00	1,900.00
	30		75.00	1,800.00	2,050.00
	40		75.00	1,950.00	2,200.00
(CR)	50	CANCELLED	√ 75.00	1,675.00	1,900.00
	60	CANCETED	75.00	2,350.00	2,675.00
	80		75.00	2,650.00	3,000.00
(CR)	100	APR,2 6 2005	75.00	2,350.00	2,675.00
	125	1na 0 < 10	75.00	2,900.00	3,275.00
	150		75.00	3,500.00	4,000.00
	175	Public Service Commission MISSOURI	75.00	4,200.00	4,750.00
	200	WISSOURI	75.00	4,400.00	4,975.00
(CR)	250		75.00	3,100.00	3,750.00
	300		75.00	5,000.00	5,650.00
	400		75.00	5,300.00	6,000.00
(CR)	500		75.00	3,750.00	4,500.00
	600		75.00	5,900.00	6,675.00
	700		75.00	6,200.00	7,000.00
	800		75.00	6,500.00	7,350.00
	900		75.00	6,800.00	7,700.00
(CR)	1000		75.00	4,500.00	5,400.00

/1/ Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: February 15, 2005

Effective: March 18, 2005

FILED MO PSC

Missouri Public

Digital Link Services Tariff
Section 25

Original Sheet 12

RECD MAR 31 2004 OPT-E-MANSM SERVICE

RATES AND CHARGES (cont'd)

Service Commission

MAR 1 8 2005

NOTE: Service Commission

Nonreculation

Monthly Price

Grade of Service

Description Public Service MISSOUR

Nonrecurring Charge^{/1/}

Bronze

Silver

Standard Charges (cont'd)

Bandwidth Usage (Mbps)

per port

10	\$75.00	\$1,200.00	\$1,375.00
15	75.00	1,350.00	1,525.00
20	75.00	1,550.00	1,775.00
25	75.00	1,675.00	1,900.00
30	75.00	1,800.00	2,050.00
40	75.00	1,950.00	2,200.00
50	75.00	2,150.00	2,425.00
60	75.00	2,350.00	2,675.00
80	75.00	2,650.00	3,000.00
100	75.00	2,825.00	3,200.00
125	75.00	2,900.00	3,275.00
150	75.00	3,500.00	4,000.00
175	75.00	4,200.00	4,750.00
200	75.00	4,400.00	4,975.00
250	75.00	4,800.00	5,425.00
300	75.00	5,000.00	5,650.00
400	75.00	5,300.00	6,000.00
500	75.00	5,600.00	6,325.00
600	75.00	5,900.00	6,675.00
700	75.00	6,200.00	7,000.00
800	75.00	6,500.00	7,350.00
900	75.00	6,800.00	7,700.00
1000	75.00	7,100.00	8,025.00

Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Service Gommission

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 4th Revised Sheet 13 Replacing 3rd Revised Sheet 13

OPT-E-MAN® SERVICE

7. RATES AND CHARGES (cont'd)

Monthly Price

					. ,		
		Nor	nrecurring	<i>Gra</i> Best	ade of Servic	e	
Description			harge ^{/1/}	<u>Effort</u>	Bronze	Silver	
Standard Charges (c	cont'd)						
Ethernet Virtual Connection (EVC) ^{/1/} - per connection			\$0.00	\$0.00	\$0.00	\$0.00	
			Term Payı	Payment ment Plans			
<u>Description</u>	Nonrecurring <u>Charge</u> ^{/2/}	12 <u>Months</u>	24 <u>Months</u>	36 <u>Months</u>	60 Months ^{/3/}	Monthly Extension	(CT)
Repeater, each	\$250.00	\$400.00	\$375.00	\$325.00	\$300.00	\$475.00	

Issued: October 16, 2013

By JOHN SONDAG, President - Missouri St. Louis, Missouri

JI-2014-0177

^{/1/} Ethernet Virtual Connections (EVCs) are required for provisioning purposes only, and as such will not have a charge associated with them.

^{/2/} Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

 ^{/3/} Effective November 15, 2013, customers may not establish new term plans greater than 36 months for OPT-E-MAN Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.
 (AT)

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 3rd Revised Sheet 13 Replacing 2nd Revised Sheet 13

OPT-E-MAN® SERVICE

7. RATES AND CHARGES (cont'd)

				Monthly Price			
				<u>Gra</u>	ade of Servic	<u>e</u>	
Description		Nonrecurring Charge ^{/1/}		Best		Cil	(AT)
Description			narge	Effort	Bronze	Silver	(AT)
Standard Charges (c	ont'd)						
Ethernet Virtual Conr - per connection	nection (EVC) ^{/1/}		\$0.00	\$0.00	\$0.00	\$0.00	(NR)
			Monthly	Payment			
	Non-		Term Payı	ment Plans		ч	
	recurring	12	24	36	60	Monthly	
Description	Charge ^{/1/}	Months	Months	Months	Months	Extension	
Repeater, each	\$250.00	\$400.00	\$375.00	\$325.00	\$300.00	\$475.00	

Issued: November 16, 2007 Effective: December 18, 2007

^{/1/} Ethernet Virtual Connections (EVCs) are required for provisioning purposes only, and as such will not have a charge associated with them.

^{/2/} Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Digital Link Services Tariff
Section 25
2nd Revised Sheet 13
Replacing 1st Revised Sheet 13

(CT)

OPT-E-MAN® SERVICE

7. RATES AND CHARGES (cont'd)

		Monthly Price				e	
		Grade of Servi				ice	
Description			nrecurring Charge	Bronze		Silver	
Description			Charge	DIOIIZO	,	Sirver	
Optional Charges							
Ethernet Virtual Connection (EVC) - per connection				\$0.00)	\$0.00	
		Monthly Payment					
	Non-	Term Payment Plans					
	Recurring	12	24	36	60	Monthly	
Description	Charge ^{/2/}	Months	Months	Months	Months	Extension	
Repeater, each	\$250.00	\$400.00	\$375.00	\$325.00	\$300.00	\$475.00	

- /1/ Ethernet Virtual Connections (EVCs) are required for provisioning purposes only, and as such will not have a charge associated with them.
- /2/ Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: March 3, 2006 Effective: April 5, 2006

By CINDY BRINKLEY, President-Missouri

Southwestern Bell Telephone, L.P., d/b/a AT&T Missouri St. Louis, Missouri



Digital Link Services Tariff Section 25 1st Revised Sheet 13 Replacing Original Sheet 13

OPT-E-MANSM SERVICE

7. RATES AND CHARGES (cont'd)

			Monthly Price			
			Grade of Service			
		Nonrecurring				
(CP)	Description	Charge	Bronze	Silver		
	<u>Optional Charges</u>					
(CR)	Ethernet Virtual Connection (EVC) ^{/1/} - per connection	\$0.00	\$0.00	\$0.00		
(DR) (DR)						
` ,		Monthly	Dayment			

			Monthly Payment				
	Non-		Term Payment Plans				
	Recurring	12	24	36	60	Monthly	
Description	Charge ^{/2/}	Months	Months	Months	Months	Extension	
Repeater, each	\$250.00	\$400.00	\$375.00	\$325.00	\$300.00	\$475.00	

- $\begin{array}{ll} \text{(CP)} & \text{/1/} & \text{Ethernet Virtual Connections (EVCs) are required for provisioning purposes only, and as such will} \\ \text{(RT)} & \text{not have a charge associated with them.} \end{array}$
 - /2/ Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: February 15, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri





Digital Link Services Tariff Missouri Public

Section 25

Original Sheet 13

REC'D MAR 31 2004

OPT-E-MANSM SERVICE

RATES AND CHARGES (cont'd)

Service Commission

					ce			
				C	vice			
Description	Nonrecu rr ing Charge ^{/2/}		Bronze		Silver			
Optional Charges								
Ethernet Virtual Cor - per additional co	` ,	/1/						
10 – 100 Mbps		\$70.00		\$ 50.00		\$ 60.00		
101 - 500 Mbps			70.00	100.00		115.00		
501 – 1,000 Mb ₁	ps	70.00		150.00		175.00		
			Monthly	Payment]		
	Non-		Term Payment Plans					
	Recurring	12	24	36	60	Monthly		
Description	Charge 11	Months	Months	Months	Months	Extension		
Repeater, each	\$250.00	\$400.00	\$375.00	\$325.00	\$300.00	\$475.00		

CANCELLED

MAR 1 8 2005

ice Commission

One EVC is included in the Bandwidth Usage selected by the customer. Charges shown above apply for additional EVCs required by the customer.

Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Servico Cemmicelon

FILED MAY 01 2004

Section 25 1st Revised Sheet 13.1 Replacing Original Sheet 13.1

OPT-E-MAN® SERVICE

7. RATES AND CHARGES (cont'd)

<u>Description</u>				Nonrecui Charg	•	Monthly <u>Price</u>	
Optional Charges (cont'	<u>d)</u>						
Meet-Point Billing Option - Direct LEC Connectio Above 0 and inclus Above 10 and inclu Above 25 and inclu Above 35 and inclu	n, Mileage ive of 10 miles isive of 25 miles isive of 35 miles			\$1,200.0 1,200.0 1,200.0 1,200.0	00 1,	5500.00 ,000.00 ,500.00 ,500.00	
		7	Monthly Pa				
	Nonroquerina	12	erm Payme 24	nt Plans 36	60	Monthly	
Description	Nonrecurring <u>Charge^{/1/}</u>	Months	Months	Months	Months ^{/2/}	Monthly Extension	(CT)
- GigE ICO Trunking Ar	rangement						
ICO Trunk Connection	n Charge, per EVC						
2 Mbps	\$300.00	\$340.00	\$290.00	\$250.00	\$220.00	\$400.00	
4 Mbps	345.00	380.00	330.00	285.00	250.00	440.00	
5 Mbps	400.00	430.00	370.00	315.00	270.00	500.00	
8 Mbps	460.00	490.00	420.00	360.00	310.00	570.00	
10 Mbps	525.00	570.00	490.00	420.00	360.00	660.00	
20 Mbps	600.00	670.00	580.00	504.00	430.00	780.00	
50 Mbps	700.00	840.00	730.00	630.00	540.00	970.00	
100 Mbps	800.00	1,120.00	970.00	840.00	720.00	1,290.00	
150 Mbps	925.00	1,670.00	1,450.00	1,260.00	1,080.00	1,930.00	
250 Mbps	1,100.00	2,160.00	1,870.00	1,620.00	1,380.00	2,490.00	
500 Mbps	1,100.00	4,640.00	4,030.00	3,500.00	2,980.00	5,340.00	
600 Mbps	1,100.00	5,560.00	4,830.00	4,200.00	3,570.00	6,400.00	
1 Gbps	1,100.00	6,390.00	5,500.00	4,830.00	4,100.00	7,360.00	

Effective: November 15, 2013

Issued: October 16, 2013

^{/1/} Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

 ^{/2/} Effective November 15, 2013, customers may not establish new term plans greater than 36 months for OPT-E-MAN Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.
 (AT)

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 Original Sheet 13.1

		OPT-E	E-MAN [®] SEF	RVICE				(AT)
7.	RATES AND CHARG	SES (cont'd)						
	<u>Description</u>				Nonrecur <u>Charg</u>	-	Monthly Price	
	Optional Charges (co.	<u>nt'd)</u>						
	Above 10 and in Above 25 and in				\$1,200.0 1,200.0 1,200.0 1,200.0	0 1	\$500.00 ,000.00 ,500.00 ,500.00	
				Monthly Pa	•			
				Term Payme				
	<u>Description</u>	Nonrecurring <u>Charge^{/1/}</u>	12 <u>Months</u>	24 <u>Months</u>	36 <u>Months</u>	60 <u>Months</u>	Monthly Extension	
	- GigE ICO Trunking	Arrangement						
	ICO Trunk Connect	ion Charge, per EVC						
	2 Mbps	\$300.00	\$340.00	\$290.00	\$250.00	\$220.00	\$400.00	
	4 Mbps	345.00	380.00	330.00	285.00	250.00	440.00	
	5 Mbps	400.00	430.00	370.00	315.00	270.00	500.00	
	8 Mbps	460.00	490.00	420.00	360.00	310.00	570.00	
	10 Mbps	525.00	570.00	490.00	420.00	360.00	660.00	
	20 Mbps	600.00	670.00	580.00	504.00	430.00	780.00	
	50 Mbps	700.00	840.00	730.00	630.00	540.00	970.00	
	100 Mbps	800.00	1,120.00	970.00	840.00	720.00	1,290.00	
	150 Mbps	925.00	1,670.00	1,450.00	1,260.00	1,080.00	1,930.00	
	250 Mbps	1,100.00	2,160.00	1,870.00	1,620.00	1,380.00	2,490.00	
	500 Mbps	1,100.00	4,640.00	4,030.00	3,500.00	2,980.00	5,340.00	
	600 Mbps	1,100.00	5,560.00	4,830.00	4,200.00	3,570.00	6,400.00	/ A T \
	1 Gbps	1,100.00	6,390.00	5,500.00	4,830.00	4,100.00	7,360.00	(AT)

/1/ Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

(AT)

(AT)

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 Original Sheet 13.2

	OPT-E-MAN® SERVICE		(AT)
7.	RATES AND CHARGES (cont'd)		
	<u>Description</u>	Monthly <u>Price</u>	
	Optional Charges (cont'd)		
	Meet-Point Billing Options (cont'd) - GigE ICO Trunking Arrangement (cont'd)		
	ICO Trunk Mileage, per EVC Above 0 and inclusive of 10 miles Above 10 and inclusive of 25 miles	N/A	
	2 Mbps to 20 Mbps 50 Mbps to 150 Mbps	\$170.00 375.00	
	250 Mbps to 1 Gbps Above 25 and inclusive of 35 miles	1,500.00	
	2 Mbps to 20 Mbps 50 Mbps to 150 Mbps	270.00 675.00	
	250 Mbps to 1 Gbps Above 35 and inclusive of 50 miles 2 Mbps to 20 Mbps	1,750.00 410.00	
	50 Mbps to 150 Mbps 250 Mbps to 1 Gbps	1,100.00 2,000.00	(AT)

Issued: February 27, 2009

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389 By DAVID NICHOLS, President - Missouri St. Louis, Missouri Effective: March 31, 2009 Filed Missouri Public Service Commission JI-2009-0616

Digital Link Services Tariff
Section 25
2nd Revised Sheet 14
Replacing 1st Revised Sheet 14

(CT)

OPT-E-MAN® SERVICE

7. RATES AND CHARGES (cont'd)

Description	Nonrecurring Charge	Monthly Price
Optional Charges		
Additional MAC Addresses ^{/1/} - 51-100 MAC addresses	\$ 70.00	\$ 5.00
Service Order Cancellation - per location	200.00	
Expedite Order Charge - per location	300.00	
Service Order Change Charge - applies to CIR Changes, EVC Changes and Configuration Changes, per location	75.00	

/1/ Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: March 3, 2006 Effective: April 5, 2006



Digital Link Services Tariff Section 25 1st Revised Sheet 14 Replacing Original Sheet 14

OPT-E-MANSM SERVICE

7. RATES AND CHARGES (cont'd)

	Description	Nonrecurring Charge	Monthly Price
	Optional Charges		
	Additional MAC Addresses ^{/1/} - 51-100 MAC addresses	\$ 70.00	\$ 5.00
	Service Order Cancellation - per location	200.00	
	Expedite Order Charge - per location	300.00	
(CT)	Service Order Change Chargeapplies to CIR Changes, EVC Changes and Configuration Changes, per location	75.00	

/1/ Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: February 15, 2005 Effective: March 18, 2005





No Supplement to this tariff will be issued except for the purpose of canceling this tariff. Digital Link Services Tariff

Miccouri Public Section 25

Original Sheet 14

REC'D MAR 31 2004

OPT-E-MANSM SERVICE

7. RATES AND CHARGES (cont'd)

Service Commission

Description	Nonrecurring Charge	Monthly Price
Optional Charges		
Additional MAC Addresses ^{/1/} - 51-100 MAC addresses	\$ 70.00	\$ 5.00
Service Order Cancellation - per location	200.00	
Expedite Order Charge - per location	300.00	
Service Order Change Charge - applies to Bandwidth Usage Changes, EVC Changes and Configuration Changes, per location	75.00	

CANCELLED

MAR 1 8 2005

Nonrecurring charges will be waived for those customers selecting the 24, 36 or 60 month Term Payment Plan (TPP) period for new service.

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Publie Service Commission

FILED MAY 01 2004

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 3rd Revised Sheet 15 Replacing 2nd Revised Sheet 15

OPT-E-MAN® SERVICE

8. TERM PRICING PLAN

8.1 The Term Pricing Plan provides the customer with rate stabilization and discounted tariff rates.

The Term Pricing Plan provides for one, two, three or five^{/1/} year rate stabilization. Decreases in

Term monthly recurring tariff rates will be passed on to customers who participate in a

Term Pricing Plan.

(CT)

- 8.2 Should the Company increase its rates during the Term Pricing Plan period, the customer would continue to pay the rates in effect at the time the customer elected to establish service under the Term Pricing Plan.
- 8.3 The customer may choose to terminate an existing TPP before the end of the 12-, 24-, 36-, or 60-^{/1/} month period and negotiate a new 12-, 24-, 36-, or 60-^{/1/} month TPP only when the new TPP period is longer than the remaining period currently in effect. The new TPP must be based upon the rates that are currently in effect and available to all customers.

(CT)

8.4 The customer must provide the Company with a written notice of intent to renew a TPP no later than 90 days prior to its expiration. If the customer elects not to renew the TPP, or does not notify the Company of the customer's intent to renew the TPP, the service will automatically be billed under the tariffed monthly extension rates in effect at the time that TPP expires. Subsequently, customers under the tariffed monthly extension rates may convert their existing service to either a 12-, 24-, 36-, or 60-^{/1/} month TPP. Nonrecurring charges will be waived at the time of conversion.

(CT)

- 8.5 Any special construction charges incurred for services billed under a TPP will be applicable as provided for in Section 1 of this tariff.
- 8.6 If the customer terminates the TPP agreement prior to the expiration of the 12-, 24-, 36-, or 60-month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to:
 - Fifty percent (50%) of all recurring charges for the remaining months of the customer's term

/1/ Effective November 15, 2013, customers may not establish new term plans greater than 36 months for OPT-E-MAN Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.

(AT) (AT)

(AT)

Digital Link Services Tariff
Section 25
2nd Revised Sheet 15
Replacing 1st Revised Sheet 15

(CT)

OPT-E-MAN® SERVICE

8. TERM PRICING PLAN

- 8.1 The Term Pricing Plan provides the customer with rate stabilization and discounted tariff rates. The Term Pricing Plan provides for one, two, three or five year rate stabilization. Decreases in Term monthly recurring tariff rates will be passed on to customers who participate in a Term Pricing Plan.
- 8.2 Should the Company increase its rates during the Term Pricing Plan period, the customer would continue to pay the rates in effect at the time the customer elected to establish service under the Term Pricing Plan.
- 8.3 The customer may choose to terminate an existing TPP before the end of the 12-, 24-, 36-, or 60-month period and negotiate a new 12-, 24-, 36-, or 60-month TPP only when the new TPP period is longer than the remaining period currently in effect. The new TPP must be based upon the rates that are currently in effect and available to all customers.
- 8.4 The customer must provide the Company with a written notice of intent to renew a TPP no later than 90 days prior to its expiration. If the customer elects not to renew the TPP, or does not notify the Company of the customer's intent to renew the TPP, the service will automatically be billed under the tariffed monthly extension rates in effect at the time that TPP expires. Subsequently, customers under the tariffed monthly extension rates may convert their existing service to either a 12-, 24-, 36-, or 60- month TPP. Nonrecurring charges will be waived at the time of conversion.
- 8.5 Any special construction charges incurred for services billed under a TPP will be applicable as provided for in Section 1 of this tariff.
- 8.6 If the customer terminates the TPP agreement prior to the expiration of the 12-, 24-, 36-, or 60-month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to:
 - Fifty percent (50%) of all recurring charges for the remaining months of the customer's term

Issued: March 3, 2006 Effective: April 5, 2006



(CP)

Digital Link Services Tariff Section 25 1st Revised Sheet 15 Replacing Original Sheet 15

OPT-E-MANSM SERVICE

8. TERM PRICING PLAN

8.1 The Term Pricing Plan provides the customer with rate stabilization and discounted tariff rates. The Term Pricing Plan provides for one, two, three or five year rate stabilization. Decreases in Term monthly recurring tariff rates will be passed on to customers who participate in a Term Pricing Plan.

- 8.2 Should the Company increase its rates during the Term Pricing Plan period, the customer would continue to pay the rates in effect at the time the customer elected to establish service under the Term Pricing Plan.
- 8.3 The customer may choose to terminate an existing TPP before the end of the 12-, 24-, 36-, or 60-month period and negotiate a new 12-, 24-, 36-, or 60-month TPP only when the new TPP period is longer than the remaining period currently in effect. The new TPP must be based upon the rates that are currently in effect and available to all customers.
- 8.4 The customer must provide the Company with a written notice of intent to renew a TPP no later than 90 days prior to its expiration. If the customer elects not to renew the TPP, or does not notify the Company of the customer's intent to renew the TPP, the service will automatically be billed under the tariffed monthly extension rates in effect at the time that TPP expires. Subsequently, customers under the tariffed monthly extension rates may convert their existing service to either a 12-, 24-, 36-, or 60- month TPP. Nonrecurring charges will be waived at the time of conversion.
- 8.5 Any special construction charges incurred for services billed under a TPP will be applicable as provided for in Section 1 of this tariff.
- 8.6 If the customer terminates the TPP agreement prior to the expiration of the 12-, 24-, 36-, or 60-month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to:
 - Fifty percent (50%) of all recurring charges for the remaining months of the customer's term

Issued: April 8, 2005 Effective: May 11, 2005





CANCELLED P.S.C. Mo.- No. 38

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

MAY 1 1 2005 LARS Sommission SOUTH BROURI Digital Link Services Tariff
Section 25
Miocouri Public Original Sheet 15

RI OPT-E-MANSM SE**RTIC**E MAR **3**1 2004

8. TERM PRICING PLAN

Service Commission

- 8.1 The Term Pricing Plan provides the customer with rate stabilization and discounted tariff rates. The Term Pricing Plan provides for one, two, three or five year rate stabilization. Decreases in Term monthly recurring tariff rates will be passed on to customers who participate in a Term Pricing Plan. The Company will notify customers participating in a Term Pricing Plan when Term monthly recurring rates are decreased.
- 8.2 Should the Company increase its rates during the Term Pricing Plan period, the customer would continue to pay the rates in effect at the time the customer elected to establish service under the Term Pricing Plan.
- 8.3 The customer may choose to terminate an existing TPP before the end of the 12, 24, 36, or 60 month period and negotiate a new 12, 24, 36, or 60 month TPP only when the new TPP period is longer than the remaining period currently in effect. The new TPP must be based upon the rates that are currently in effect and available to all customers.
- 8.4 The customer must provide the Company with a written notice of intent to renew a TPP no later than 90 days prior to its expiration. If the customer elects not to renew the TPP, or does not notify the Company of the customer's intent to renew the TPP, the service will automatically be billed under the tariffed monthly extension rates in effect at the time that TPP expires. Subsequently, customers under the tariffed monthly extension rates may convert their existing service to either a 12, 24, 36, or 60 month TPP. Nonrecurring charges will be waived at the time of conversion.
- 8.5 Any special construction charges incurred for services billed under a TPP will be applicable as provided for in Section 1 of this tariff.
- 8.6 If the customer terminates the TPP agreement prior to the expiration of the 12, 24, 36, or 60 month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to:
 - Fifty percent (50%) of all recurring charges for the remaining months of the customer's term

Issued: March 31, 2004 Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Service Commission

FILED MAY 01 2004

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 4th Revised Sheet 16 Replacing 3rd Revised Sheet 16

OPT-E-MAN® SERVICE

8. TERM PRICING PLAN (cont'd)

- 8.7 Customers may upgrade their CIR to a higher speed without incurring Termination Charges, depending on facilities used. The Company will determine whether such an upgrade is permissible based on the type of facilities currently used to provide the service. In addition, customers may upgrade their Grade of Service without incurring Termination Charges provided the upgrade does not include any reduction in the customer's existing CIR.
- (CT) (AT)
- (AT)
- (RT)
- 8.8 Customers may move their existing service to a new location without incurring Termination Charges provided all of the following conditions are met:
 - The customer maintains the existing TPP at the new location or establishes a new TPP equal to or greater than the old location;
 - During the TPP, a customer may move an OPT-E-MAN Service location to another premises in the same LATA and keep the TPP in force without assessment of Termination Charges, provided no lapse in billing occurs;
 - The customer's request for disconnect at the existing location and the request for service at the new location are received at the same time, and the customer's disconnect order for the existing service references the new connect order for the new service;
 - Moves of one location to a premise in a different serving office may result in a change in the monthly charges. Nonrecurring charges as appropriate are applicable.
 - If the customer moves more than one location of the service concurrently, the customer will be liable for Termination Charges, as this is considered a complete disconnect of the service.
- 8.9 For service installed after July 20, 2007, customers will be permitted to upgrade to a higher-speed service provided by the Company, without incurring Termination Charges, given all of the following conditions are met:
 - An upgrade is considered an increase in speed or capacity when comparing OPT-E-MAN Service to the new service;
 - The customer must issue a disconnect order for the existing OPT-E-MAN Service and place a service order for the new higher-speed service at the same locations such that there is no more than 90 days overlap in service. Termination Charges for OPT-E-MAN Service at the current locations will be waived;
 - The term of the new higher-speed service contract must be equal to or greater than the remaining time left on the existing OPT-E-MAN contract;
 - The existing OPT-E-MAN Service must have been in service for a minimum period of 15 months for a 3-year contract or 18 months for a 5-year contract;
 - For customers upgrading from OPT-E-MAN to Customized Switched Metro Ethernet (CSME)
 Service, the number of CSME locations must be greater than or equal to the current number of OPT-E-MAN locations.

Issued: November 16, 2007 Effective: December 18, 2007

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 25 3rd Revised Sheet 16 Replacing 2nd Revised Sheet 16

OPT-E-MAN® SERVICE

8. TERM PRICING PLAN (cont'd)

- 8.7 Customers may upgrade their CIR to a higher speed without incurring Termination Charges. In addition, customers may upgrade their Grade of Service (i.e. Bronze to Silver) without incurring Termination Charges provided the upgrade does not include any reduction in the customer's existing CIR.
- 8.8 Customers may move their existing service to a new location without incurring Termination Charges provided all of the following conditions are met:
 - The customer maintains the existing TPP at the new location or establishes a new TPP equal to or greater than the old location;
 - During the TPP, a customer may move an OPT-E-MAN Service location to another premises in the same LATA and keep the TPP in force without assessment of Termination Charges, provided no lapse in billing occurs;
 - The customer's request for disconnect at the existing location and the request for service at the new location are received at the same time, and the customer's disconnect order for the existing service references the new connect order for the new service;
 - Moves of one location to a premise in a different serving office may result in a change in the monthly charges. Nonrecurring charges as appropriate are applicable.
 - If the customer moves more than one location of the service concurrently, the customer will be liable for Termination Charges, as this is considered a complete disconnect of the service.
 - 8.9 For service installed after July 20, 2007, customers will be permitted to upgrade to a higher-speed service provided by the Company, without incurring Termination Charges, given all of the following conditions are met:
 - An upgrade is considered an increase in speed or capacity when comparing OPT-E-MAN Service to the new service;
 - The customer must issue a disconnect order for the existing OPT-E-MAN Service and place a service order for the new higher-speed service at the same locations such that there is no more than 90 days overlap in service. Termination Charges for OPT-E-MAN Service at the current locations will be waived;
 - The term of the new higher-speed service contract must be equal to or greater than the remaining time left on the existing OPT-E-MAN contract;
 - The existing OPT-E-MAN Service must have been in service for a minimum period of 15 months for a 3-year contract or 18 months for a 5-year contract;
 - For customers upgrading from OPT-E-MAN to Customized Switched Metro Ethernet (CSME)
 Service, the number of CSME locations must be greater than or equal to the current number of
 OPT-E-MAN locations.

Issued: June 19, 2007 Effective: July 20, 2007

Digital Link Services Tariff
Section 25
2nd Revised Sheet 16
Replacing 1st Revised Sheet 16

(CT) OPT-E-MAN® SERVICE

8. TERM PRICING PLAN (cont'd)

- (AT) 8.7 Customers may upgrade their CIR to a higher speed without incurring Termination Charges. In addition, customers may upgrade their Grade of Service (i.e. Bronze to Silver) without incurring Termination Charges provided the upgrade does not include any reduction in the customer's existing CIR.
 - 8.8 Customers may move their existing service to a new location without incurring Termination Charges provided all of the following conditions are met:
 - The customer maintains the existing TPP at the new location or establishes a new TPP equal to or greater than the old location;
 - During the TPP, a customer may move an OPT-E-MAN Service location to another premises in the same LATA and keep the TPP in force without assessment of Termination Charges, provided no lapse in billing occurs;
 - The customer's request for disconnect at the existing location and the request for service at the new location are received at the same time, and the customer's disconnect order for the existing service references the new connect order for the new service;
 - Moves of one location to a premise in a different serving office may result in a change in the monthly charges. Nonrecurring charges as appropriate are applicable.
 - If the customer moves more than one location of the service concurrently, the customer will be liable for Termination Charges, as this is considered a complete disconnect of the service.

Issued: March 3, 2006 Effective: April 5, 2006



Digital Link Services Tariff
Section 25
1st Revised Sheet 16
Replacing Original Sheet 16

OPT-E-MANSM SERVICE

- 8. TERM PRICING PLAN (cont'd)
- (CT) 8.7 Customers may upgrade their CIR to a higher speed without incurring Termination Charges.
 - 8.8 Customers may move their existing service to a new location without incurring Termination Charges provided all of the following conditions are met:
 - The customer maintains the existing TPP at the new location or establishes a new TPP equal to or greater than the old location;
 - During the TPP, a customer may move an OPT-E-MAN Service location to another premises in the same LATA and keep the TPP in force without assessment of Termination Charges, provided no lapse in billing occurs;
 - The customer's request for disconnect at the existing location and the request for service at the new location are received at the same time, and the customer's disconnect order for the existing service references the new connect order for the new service;
 - Moves of one location to a premise in a different serving office may result in a change in the monthly charges. Nonrecurring charges as appropriate are applicable.
 - If the customer moves more than one location of the service concurrently, the customer will be liable for Termination Charges, as this is considered a complete disconnect of the service.

Issued: February 15, 2005 Effective: March 18, 2005





Digital Link Services Tariff
Section 25
Missouri Public Original Sheet 16

OPT-E-MANSM SECO MAR 31 2004

8. TERM PRICING PLAN (cont'd)

Service Commission

- 8.7 Customers may upgrade their Bandwidth Usage to a higher speed without incurring Termination Charges.
- 8.8 Customers may move their existing service to a new location without incurring Termination Charges provided all of the following conditions are met:
 - The customer maintains the existing TPP at the new location or establishes a new TPP equal to or greater than the old location;
 - During the TPP, a customer may move an OPT-E-MAN Service location to another premises in the same LATA and keep the TPP in force without assessment of Termination Charges, provided no lapse in billing occurs;
 - The customer's request for disconnect at the existing location and the request for service at the new location are received at the same time, and the customer's disconnect order for the existing service references the new connect order for the new service;
 - Moves of one location to a premise in a different serving office may result in a change in the monthly charges. Nonrecurring charges as appropriate are applicable.
 - If the customer moves more than one location of the service concurrently, the customer will be liable for Termination Charges, as this is considered a complete disconnect of the service.

CANCELLED

MAR 1 8 2005

MAR 2 8 2005

Public Service Commission

MISSOURI

Issued: March 31, 2004

Effective: May 1, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Missouri Public Service Commission

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 1st Revised Sheet 16.1 Replacing Original Sheet 16.1

OPT-E-MAN® SERVICE

8. TERM PRICING PLAN (cont'd)

8.10 Migration to AT&T Switched Ethernet ServiceSM

If the customer migrates from OPT-E-MAN Service to AT&T Switched Ethernet Service, the customer may do so without incurring termination charges given all of the following conditions are met: (CT)

- The customer must issue a disconnect order for their existing OPT-E-MAN service and place a service order for AT&T Switched Ethernet Service. If over-lapping service is required, billing will apply.
- Standard nonrecurring charges to install AT&T Switched Ethernet Service, if applicable, will apply.
- The term of the new contract must be equal to or greater than the remaining time left on the
 existing OPT-E-MAN contract and the Monthly Recurring Charge of the new AT&T Switched
 Ethernet Service must be equal to or greater than the Monthly Recurring Charge of the OPT-EMAN Service being replaced.
- The new AT&T Switched Ethernet Service and the OPT-E-MAN service must be billed to the same customer of record at the same location(s).
- The customer's existing OPT-E-MAN service must have been in service at least 12 months.
- Migration is contingent on availability of fiber and equipment to serve the location being migrated. Other Special Construction charges, as necessary, may apply.
- If Special Construction charges were applicable to the existing OPT-E-MAN service being replaced, and those charges were not already paid, they must be carried forward to the new AT&T Switched Ethernet Service contract.

SM AT&T Switched Ethernet Service is a service mark of AT&T Intellectual Property.

Issued: May 15, 2013

CANCELLED

May 1, 2014

Missouri Public

Service Commission

JI-2014-0389

By JOHN SONDAG, President - Missouri St. Louis, Missouri Effective: June 14, 2013

P.S.C. Mo. - No. 38 DIGITAL LINK SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 25 Original Sheet 16.1

OPT-E-MAN® SERVICE

8. TERM PRICING PLAN (cont'd)

8.10 Migration to AT&T Switched Ethernet ServiceSM

(AT)

As of February 1, 2012, if the customer migrates from OPT-E-MAN Service to AT&T Switched Ethernet Service in accordance with all terms and conditions in the AT&T Interstate Access Guidebook applicable to AT&T Switched Ethernet Service, then the customer may do so without termination charges given all of the following conditions are met:

- The customer must issue a disconnect order for their existing OPT-E-MAN service and place a service order for AT&T Switched Ethernet Service. If over-lapping service is required, billing will apply.
- Standard nonrecurring charges to install AT&T Switched Ethernet Service, if applicable, will apply.
- The term of the new contract must be equal to or greater than the remaining time left on the
 existing OPT-E-MAN contract and the Monthly Recurring Charge of the new AT&T Switched
 Ethernet Service must be equal to or greater than the Monthly Recurring Charge of the OPT-EMAN Service being replaced.
- The new AT&T Switched Ethernet Service and the OPT-E-MAN service must be billed to the same customer of record at the same location(s).
- The customer's existing OPT-E-MAN service must have been in service at least 12 months.
- Migration is contingent on availability of fiber and equipment to serve the location being migrated.
 Other Special Construction charges, as necessary, may apply.
- If Special Construction charges were applicable to the existing OPT-E-MAN service being replaced, and those charges were not already paid, they must be carried forward to the new AT&T Switched Ethernet Service contract.

(AT)

SM AT&T Switched Ethernet Service is a service mark of AT&T Intellectual Property.

(AT)

Effective: February 1, 2012

No Supplement to this tariff will be issued except for the purpose of canceling this tariff. Digital Link Services Tariff
Section 25
1st Revised Sheet 17
Replacing Original Sheet 17

OPT-E-MANSM SERVICE

(MT) Text formerly appearing on this sheet now appears in the Appendix found at the end of this Section.

Issued: March 8, 2005 Effective: March 18, 2005



CANCELLED P.S.C. Mo.- No. 38

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

MAR 1 8 2005

Service Commission

MISSOURI

OPT-E-MANSM SERVICE

Digital Link Services Tariff Section 25 Original Sheet 17

Missouri Public Service Commission

9. PROMOTIONS

REC'D MAY 19 2004

This section provides for promotions that will be available under the OPT-E-MAN Service tariff and, unless otherwise stated, the Rules and Regulations for OPT-E-MAN Service will apply. The rules and regulations are in addition to other rules and regulations as contained in this and other Company tariffs.

9.1 Promotional Period for OPT-E-MAN Service

A promotional period will be conducted from June 18, 2004 through September 16, 2004 for new customers subscribing to OPT-E-MAN Service. This promotion offers a variable discount to OPT-E-MAN customers who subscribe to both the Basic Service Connection and Bandwidth Usage rate elements for an agreed-upon number of connections, only at the 10 Mbps, 100 Mbps or 1 Gbps Bandwidth Usage rates. In addition, if the customer requires additional Ethernet Virtual Connections (EVCs), those are available under this promotion at a discounted rate.

9.2 Eligibility Criteria

In order to qualify for the OPT-E-MAN Service promotion, the following conditions must be met:

- The promotion will be available to new customers entering into either a 36 month or 60 month agreement.
- A written agreement must be executed by SBC that includes the term period, the discount
 rates and the service locations. The customer will not receive the discount if, at the time of
 billing, the number of connections in service is less than those specified in the written
 agreement.
- Special Construction Charges may apply.
- Nonrecurring charges for the Basic Service Connection, Bandwidth Usage and EVC elements will be waived when new service is established under this promotion.
- Tariff charges will apply for any Optional Features subscribed to by the customer during this promotional period.
- If the customer terminates the agreement prior to the expiration of the 36 or 60 month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to fifty percent (50%) of all recurring charges for the remaining months of the customer's term.

 Missouri Public

Service Commission

FILED JUN 18 2004

Issued: May 19, 2004 Effective: June 18, 2004

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

Digital Link Services Tariff Section 25 1st Revised Sheet 18 Replacing Original Sheet 18

OPT-E-MANSM SERVICE

(MT) Text formerly appearing on this sheet now appears in the Appendix found at the end of this Section.

Issued: March 8, 2005 Effective: March 18, 2005

By CINDY BRINKLEY, President-SBC Missouri

St. Louis, Missouri

Southwestern Bell Telephone, L.P., d/b/a SBC Missouri

Filed Missouri Public Service Commission

Digital Link Services Tariff Section 25 Original Sheet 18

OPT-E-MANSM SERVICE

Missouri Public Service Commission

9. PROMOTIONS (cont'd)

REC'D MAY 19 2004

9.3 Promotional Pricing

	Bronze Package		Silver Package	
Description	36 Month	60 Month	36 Month	60 Month

10 Mbps

10/100 Base T Basic Service Connection and Bandwidth Usage (10 Mbps)

- per Connection

2 – 4 Connections	\$1,320.00	\$1,200.00	Not Available
5 – 9 Connections	1,155.00	1,050.00	Not Available
10+ Connections	1,100.00	1,000.00	Not Available

100 Mbps

10/100 Base T Basic Service Connection and Bandwidth Usage (100 Mbps)

- per Connection

2 – 4 Connections	\$1,430.00	\$1,300.00	\$1,485.00	\$1,350.00
5 ~ 9 Connections	1,320.00	1,200.00	1,375.00	1,250.00
10+ Connections	1,265.00	1.150.00	1,320.00	1,200.00

1 Gbps

1 Gbps Optical Basic Service Connection and Bandwidth Usage (1 Gbps)

- per Connection

2 – 4 Connections	\$1,650.00	\$1,500.00	\$1,705.00	\$1,550.00
5 – 9 Connections	1,430.00	1,300.00	1,485.00	1,350.00
10+ Connections	1,320.00	1,200.00	1,375.00	1,250.00

Ethernet Virtual Connections (EVCs)

- per additional Connection

10 or 100 Mbps	\$25.00	\$25.00	\$30.00	\$30.00
1 Gbps	75.00	75.00	87.50	87.50

CANCELLED

MAR 1 8 2005

Public Service Commission
MISSOURI

Missouri Public Service Commission

FILED JUN 18 2004

Issued: May 19, 2004

Effective: June 18, 2004

No Supplement to this tariff will be issued except for the purpose of canceling this tariff. Digital Link Services Tariff
Section 25
1st Revised Sheet 19
Replacing Original Sheet 19

OPT-E-MANSM SERVICE

(MT) Text formerly appearing on this sheet now appears in the Appendix found at the end of this Section.

Issued: March 8, 2005 Effective: March 18, 2005



Digital Link Services Tariff Section 25 Original Sheet 19

OPT-E-MANSM SERVICE

9. PROMOTIONS (cont'd)

9.4 Promotional Period for OPT-E-MAN Service

A promotional period will be conducted from October 4, 2004 through January 5, 2005 for new customers subscribing to OPT-E-MAN Service. This promotion offers a variable discount to OPT-E-MAN customers who subscribe to the Basic Service Connection, Bandwidth Usage and Ethernet Virtual Connection (EVC) rate elements for an agreed-upon number of connections.

9.5 Eligibility Criteria

In order to qualify for the OPT-E-MAN Service promotion, the following conditions must be met:

- The promotion will be available to new customers entering into either a 36 month or 60 month agreement.
- A written agreement must be executed by SBC Missouri that includes the term period, the
 discount rates and the service locations. The customer will not receive the discount if, at the
 time of billing, the number of connections in service is less than those specified in the
 written agreement.
- Special Construction Charges may apply.
- Nonrecurring charges for the Basic Service Connection, Bandwidth Usage and EVC elements will be waived when new service is established under this promotion.
- Tariff charges will apply for any Optional Features subscribed to by the customer during this promotional period.
- If the customer terminates the agreement prior to the expiration of the 36 or 60 month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to fifty percent (50%) of all recurring charges for the remaining months of the customer's term.

CANCELLED

MAR 1 8 2005

Public Service Commission

Issued: September 24, 2004

Effective: October 4, 2004



No Supplement to this tariff will be issued except for the purpose of canceling this tariff. Digital Link Services Tariff
Section 25
1st Revised Sheet 20
Replacing Original Sheet 20

OPT-E-MANSM SERVICE

(MT) Text formerly appearing on this sheet now appears in the Appendix found at the end of this Section.

Issued: March 8, 2005 Effective: March 18, 2005



Digital Link Services Tariff Section 25 Original Sheet 20

OPT-E-MANSM SERVICE

CANCELLED

9. PROMOTIONS (cont'd)

9.6 Promotional Pricing

MAR 1 8 2005

Public Service Commission

\$1,985.00

1,500.00

\$1,800.00

1,375.00

10/100 Base T Connection Options

	Bronze	Package	Silver Package	
Description	36 Months	60 Months	36 Months	60 Months
10 Mbps Basic Service Connection, (10-100 Mbps) - per Connection	Bandwidth Usage (10	Mbps) and Eth	ernet Virtual Co	nnections

\$1,600.00

1,175.00

20	Mhn	

1 – 9 Connections

10+ Connections

Basic Service Connection, Bandwidth Usage (20 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

\$1,785.00

1,300.00

- per Connection				
1 – 9 Connections	2,150.00	1,950.00	2,350.00	2,150.00
10+ Connections	1,550.00	1,400.00	1,750.00	1,600.00

50 Mbps

Basic Service Connection, Bandwidth Usage (50 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

- per Connection				
1 – 9 Connections	2,300.00	2,075.00	2,500.00	2,275.00
10+ Connections	1,675.00	1,500.00	1,875.00	1,700.00

100 Mbps

Basic Service Connection, Bandwidth Usage (100 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

- per Connection				
1 – 9 Connections	2,550.00	2,300.00	2,750.00	2,500.00
10+ Connections	1,850.00	1,675.00	2,050.00	1,875.00

Issued: September 24, 2004

Effective: October 4, 2004



No Supplement to this tariff will be issued except for the purpose of canceling this tariff. Digital Link Services Tariff
Section 25
1st Revised Sheet 21
Replacing Original Sheet 21

OPT-E-MANSM SERVICE

(MT) Text formerly appearing on this sheet now appears in the Appendix found at the end of this Section.

Issued: March 8, 2005 Effective: March 18, 2005



Digital Link Services Tariff Section 25 Original Sheet 21

CANCELLED

OPT-E-MANSM SERVICE

9. PROMOTIONS (cont'd)

9.6 Promotional Pricing (cont'd)

MAR 1 8 2005 |STRS 21 |STRES Commission

10/100 Base T Connection Options (cont'd)

	Bronze Package		Silver Package	
Description	36 Months	60 Months	36 Months	60 Months

250 Mbps

Basic Service Connection, Bandwidth Usage (250 Mbps) and Ethernet Virtual Connections (101-500 Mbps)

per Connection

Not Available

Not Available

500 Mbps

Basic Service Connection, Bandwidth Usage (500 Mbps) and Ethernet Virtual Connections (101-500 Mbps)

- per Connection

Not Available

Not Available

1 Gbps

Basic Service Connection, Bandwidth Usage (1 Gbps) and Ethernet Virtual Connections (501-1,000 Mbps)

- per Connection

Not Available

Not Available

1 Gbps Optical Connection Options

	Bronze	Bronze Package		Package
Description	36 Months	60 Months	36 Months	60 Months

10 Mbps

Basic Service Connection, Bandwidth Usage (10 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

- per Connection

1 – 9 Connections 10+ Connections \$1,935.00 1,450.00

\$1,750.00 1,325.00 \$2,125.00 1,640.00 \$1,940.00 1,515.00

Issued: September 24, 2004

Effective: October 4, 2004



No Supplement to this tariff will be issued except for the purpose of canceling this tariff. Digital Link Services Tariff
Section 25
1st Revised Sheet 22
Replacing Original Sheet 22

OPT-E-MANSM SERVICE

(MT) Text formerly appearing on this sheet now appears in the Appendix found at the end of this Section.

Issued: March 8, 2005 Effective: March 18, 2005



Digital Link Services Tariff Section 25 Original Sheet 22

CANCELLED

OPT-E-MANSM SERVICE

PROMOTIONS (cont'd)

Promotional Pricing (cont'd)

1 Gbps Optical Connection Options (cont'd)

MAR 1 8 2005

	Bronze Package		Silver Package	
Description	36 Months	60 Months	36 Months	60 Months

	DIVINE	Diolize rackage		rackage
Description	36 Months	60 Months	36 Months	60 Months
20 Mbps				
•	on, Bandwidth Usage (26	0 Mbps) and Eth	ernet Virtual Con	nnections
(10-100 Mbps)		• 1		

 per Connection 1 – 9 Connections \$2,300.00 \$2,100.00 \$2,490.00 \$2,290.00 10+ Connections 1,700.00 1,550.00 1,890.00 1,740.00

50 Mbps

Basic Service Connection, Bandwidth Usage (50 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

- per Connection				
1 – 9 Connections	2,450.00	2,225.00	2,640.00	2,415.00
10+ Connections	1,825.00	1,650.00	2,015.00	1,840.00

100 Mbps

Basic Service Connection, Bandwidth Usage (100 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

- per Connection				
1 – 9 Connections	2,700.00	2,450.00	2,900.00	2,640.00
10+ Connections	2,000.00	1,825.00	2,200.00	2,015.00

250 Mbps

Basic Service Connection, Bandwidth Usage (250 Mbps) and Ethernet Virtual Connections (101-500 Mbps)

- per Connection				
1 - 9 Connections	3,750.00	3,375.00	3,950.00	3,575.00
10+ Connections	2,575.00	2,325.00	2,775.00	2,525.00

Issued: September 24, 2004

Effective: October 4, 2004



No Supplement to this tariff will be issued except for the purpose of canceling this tariff. Digital Link Services Tariff
Section 25
1st Revised Sheet 23
Replacing Original Sheet 23

OPT-E-MANSM SERVICE

(MT) Text formerly appearing on this sheet now appears in the Appendix found at the end of this Section.

Issued: March 8, 2005 Effective: March 18, 2005



Digital Link Services Tariff Section 25 Original Sheet 23

OPT-E-MANSM SERVICE

- 9. PROMOTIONS (cont'd)
 - Promotional Pricing (cont'd)

1 Gbps Optical Connection Options (cont'd)

	Bronze	Bronze Package		Package
Description	36 Months	36 Months 60 Months		60 Months
500 Mbps				

Basic Service Connection, Bandwidth Usage (500 Mbps) and Ethernet Virtual Connections (101-500 Mbps)

- per Connection

1 – 9 Connections	\$4,250.00	\$3,825.00	\$4,450.00	\$4,025.00
10+ Connections	2,900.00	2,600.00	3,100.00	2,800.00

1 Gbps

Basic Service Connection, Bandwidth Usage (1 Gbps) and Ethernet Virtual Connections (501-1,000 Mbps)

- per Connection

1 – 9 Connections	5,100.00	4,590.00	5,300.00	4,790.00
10+ Connections	3,575.00	3,225.00	3,775.00	3,425.00

Issued: September 24, 2004

Effective: October 4, 2004



Digital Link Services Tariff
Section 25
APPENDIX
Original Sheet 1

OPT-E-MANSM SERVICE

(MT) PROMOTIONS

This section provides for promotions that will be available under the OPT-E-MAN Service tariff and, unless otherwise stated, the Rules and Regulations for OPT-E-MAN Service will apply. The rules and regulations are in addition to other rules and regulations as contained in this and other Company tariffs.

1.0 Promotional Period for OPT-E-MAN Service

A promotional period will be conducted from June 18, 2004 through September 16, 2004 for new customers subscribing to OPT-E-MAN Service. This promotion offers a variable discount to OPT-E-MAN customers who subscribe to both the Basic Service Connection and Bandwidth Usage rate elements for an agreed-upon number of connections, only at the 10 Mbps, 100 Mbps or 1 Gbps Bandwidth Usage rates. In addition, if the customer requires additional Ethernet Virtual Connections (EVCs), those are available under this promotion at a discounted rate.

1.1 Eligibility Criteria

In order to qualify for the OPT-E-MAN Service promotion, the following conditions must be met:

- The promotion will be available to new customers entering into either a 36 month or 60 month agreement.
- A written agreement must be executed by SBC that includes the term period, the discount
 rates and the service locations. The customer will not receive the discount if, at the time of
 billing, the number of connections in service is less than those specified in the written
 agreement.
- Special Construction Charges may apply.
- Nonrecurring charges for the Basic Service Connection, Bandwidth Usage and EVC elements will be waived when new service is established under this promotion.
- Tariff charges will apply for any Optional Features subscribed to by the customer during this promotional period.
- If the customer terminates the agreement prior to the expiration of the 36 or 60 month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to fifty percent (50%) of all recurring charges for the remaining months of the customer's term.

(MT)

Issued: March 8, 2005 Effective: March 18, 2005



Digital Link Services Tariff Section 25 APPENDIX Original Sheet 2

OPT-E-MANSM SERVICE

(MT) PROMOTIONS (cont'd)

1.3 Promotional Pricing

	Bronze Package		Silver Package	
Description	36 Month 60 Month		36 Month	60 Month

10 Mbps

10/100 Base T Basic Service Connection and Bandwidth Usage (10 Mbps)

- per Connection

2 – 4 Connections	\$1,320.00	\$1,200.00	Not Available
5 – 9 Connections	1,155.00	1,050.00	Not Available
10+ Connections	1,100.00	1,000.00	Not Available

100 Mbps

10/100 Base T Basic Service Connection and Bandwidth Usage (100 Mbps)

- per Connection

2 – 4 Connections	\$1,430.00	\$1,300.00	\$1,485.00	\$1,350.00
5 – 9 Connections	1,320.00	1,200.00	1,375.00	1,250.00
10+ Connections	1.265.00	1.150.00	1.320.00	1.200.00

1 Gbps

1 Gbps Optical Basic Service Connection and Bandwidth Usage (1 Gbps)

- per Connection

2 – 4 Connections	\$1,650.00	\$1,500.00	\$1,705.00	\$1,550.00
5 – 9 Connections	1,430.00	1,300.00	1,485.00	1,350.00
10+ Connections	1.320.00	1.200.00	1.375.00	1.250.00

Ethernet Virtual Connections (EVCs)

- per additional Connection

10 or 100 Mbps	\$25.00	\$25.00	\$30.00	\$30.00
1 Gbps	75.00	75.00	87.50	87.50

Issued: March 8, 2005 Effective: March 18, 2005

Filed

Missouri Public

Service Commission

(MT)

Digital Link Services Tariff
Section 25
APPENDIX
Original Sheet 3

OPT-E-MANSM SERVICE

(MT) PROMOTIONS (cont'd)

2.0 Promotional Period for OPT-E-MAN Service

A promotional period will be conducted from October 4, 2004 through January 5, 2005 for new customers subscribing to OPT-E-MAN Service. This promotion offers a variable discount to OPT-E-MAN customers who subscribe to the Basic Service Connection, Bandwidth Usage and Ethernet Virtual Connection (EVC) rate elements for an agreed-upon number of connections.

2.1 Eligibility Criteria

In order to qualify for the OPT-E-MAN Service promotion, the following conditions must be met:

- The promotion will be available to new customers entering into either a 36 month or 60 month agreement.
- A written agreement must be executed by SBC Missouri that includes the term period, the
 discount rates and the service locations. The customer will not receive the discount if, at the
 time of billing, the number of connections in service is less than those specified in the
 written agreement.
- Special Construction Charges may apply.
- Nonrecurring charges for the Basic Service Connection, Bandwidth Usage and EVC elements will be waived when new service is established under this promotion.
- Tariff charges will apply for any Optional Features subscribed to by the customer during this promotional period.
- If the customer terminates the agreement prior to the expiration of the 36 or 60 month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to fifty percent (50%) of all recurring charges for the remaining months of the customer's term.

(MT)

Issued: March 8, 2005 Effective: March 18, 2005

Filed

Missouri Public
Service Commission

Digital Link Services Tariff
Section 25
APPENDIX
Original Sheet 4

OPT-E-MANSM SERVICE

(MT) PROMOTIONS (cont'd)

2.3 Promotional Pricing

10/100 Base T Connection Options

	Bronze Package		Silver F	Package
Description	36 Months	60 Months	36 Months	60 Months
10 Mbps				
Basic Service Connection, Ban	dwidth Usage (10	0 Mbps) and Ethe	ernet Virtual Cor	nnections
(10-100 Mbps)				

- per Connection

1 – 9 Connections	\$1,785.00	\$1,600.00	\$1,985.00	\$1,800.00
10+ Connections	1,300.00	1,175.00	1,500.00	1,375.00

20 Mbps

Basic Service Connection, Bandwidth Usage (20 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

- per Connection

1 – 9 Connections	2,150.00	1,950.00	2,350.00	2,150.00
10+ Connections	1.550.00	1.400.00	1 750 00	1.600.00

50 Mbps

Basic Service Connection, Bandwidth Usage (50 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

- per Connection	n
------------------	---

1 – 9 Connections	2,300.00	2,075.00	2,500.00	2,275.00
10+ Connections	1,675.00	1,500.00	1,875.00	1,700.00

100 Mbps

Basic Service Connection, Bandwidth Usage (100 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

		C	4:
-	per	Conn	ection

1 – 9 Connections	2,550.00	2,300.00	2,750.00	2,500.00
10+ Connections	1.850.00	1.675.00	2.050.00	1.875.00

Issued: March 8, 2005 Effective: March 18, 2005

Filed

Missouri Public
Service Commission

(MT)

Digital Link Services Tariff Section 25 APPENDIX Original Sheet 5

OPT-E-MANSM SERVICE

(MT) PROMOTIONS (cont'd)

2.3 Promotional Pricing (cont'd)

10/100 Base T Connection Options (cont'd)

	Bronze Package		Silver Package	
Description	36 Months	60 Months	36 Months	60 Months

250 Mbps

Basic Service Connection, Bandwidth Usage (250 Mbps) and Ethernet Virtual Connections (101-500 Mbps)

- per Connection

Not Available

Not Available

500 Mbps

Basic Service Connection, Bandwidth Usage (500 Mbps) and Ethernet Virtual Connections (101-500 Mbps)

- per Connection

Not Available

Not Available

1 Gbps

Basic Service Connection, Bandwidth Usage (1 Gbps) and Ethernet Virtual Connections (501-1,000 Mbps)

- per Connection

Not Available

Not Available

1 Gbps Optical Connection Options

	Bronze Package		Silver Package	
Description	36 Months	60 Months	36 Months	60 Months

10 Mbps

Basic Service Connection, Bandwidth Usage (10 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

- per Connection

1 – 9 Connections 10+ Connections \$1,935.00 1,450.00

\$1,750.00 1.325.00 \$2,125.00 1.640.00 \$1,940.00 1,515.00

(MT)

Issued: March 8, 2005 Effective: March 18, 2005

Filed

Missouri Public
Service Commission

Digital Link Services Tariff
Section 25
APPENDIX
Original Sheet 6

\$2,290.00

1,740.00

OPT-E-MANSM SERVICE

(MT) PROMOTIONS (cont'd)

2.3 Promotional Pricing (cont'd)

1 – 9 Connections

10+ Connections

1 Gbps Optical Connection Options (cont'd)

	Bronze	Package	Silver Package			
Description	36 Months	60 Months	36 Months	60 Months		
20 Mbps						
•						
Basic Service Connect	ion, Bandwidth Usage (20	O Mbps) and Ethe	ernet Virtual Cor	nnections		
-	ion, Bandwidth Usage (20	O Mbps) and Ethe	ernet Virtual Cor	nnections		

\$2,100.00

1,550.00

\$2,490.00

1,890.00

50 Mbps

Basic Service Connection, Bandwidth Usage (50 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

\$2,300.00

1,700.00

- per Connection				
1 – 9 Connections	2,450.00	2,225.00	2,640.00	2,415.00
10+ Connections	1,825.00	1,650.00	2,015.00	1,840.00

100 Mbps

Basic Service Connection, Bandwidth Usage (100 Mbps) and Ethernet Virtual Connections (10-100 Mbps)

- per Connection				
1 – 9 Connection	ns 2,700.00	2,450.00	2,900.00	2,640.00
10+ Connections	s 2,000.00	1,825.00	2,200.00	2,015.00

250 Mbps

Basic Service Connection, Bandwidth Usage (250 Mbps) and Ethernet Virtual Connections (101-500 Mbps)

-	per Connection				
	1 – 9 Connections	3,750.00	3,375.00	3,950.00	3,575.00
	10+ Connections	2,575.00	2,325.00	2,775.00	2,525.00

Issued: March 8, 2005 Effective: March 18, 2005

Filed

Missouri Public
Service Commission

(MT)

Digital Link Services Tariff
Section 25
APPENDIX
Original Sheet 7

OPT-E-MANSM SERVICE

(MT) PROMOTIONS (cont'd)

2.3 Promotional Pricing (cont'd)

1 Gbps Optical Connection Options (cont'd)

	Bronze Package		Silver Package	
Description	36 Months	60 Months	36 Months	60 Months

500 Mbps

Basic Service Connection, Bandwidth Usage (500 Mbps) and Ethernet Virtual Connections (101-500 Mbps)

- per Connection

1 – 9 Connections	\$4,250.00	\$3,825.00	\$4,450.00	\$4,025.00
10+ Connections	2,900.00	2,600.00	3,100.00	2,800.00

1 Gbps

Basic Service Connection, Bandwidth Usage (1 Gbps) and Ethernet Virtual Connections (501-1,000 Mbps)

- per Connection

1 – 9 Connections	5,100.00	4,590.00	5,300.00	4,790.00
10+ Connections	3 575 00	3.225.00	3 775 00	3.425.00

(MT)

Issued: March 8, 2005 Effective: March 18, 2005

Filed

Missouri Public
Service Commission

Digital Link Services Tariff
Section 25
APPENDIX
Original Sheet 8

OPT-E-MANSM SERVICE

PROMOTIONS (cont'd)

3.0 Promotional Period for OPT-E-MAN Service

A promotional period shall be established from March 18, 2005 through September 1, 2005 for customers newly subscribing to OPT-E-MAN Service. This promotion offers a variable discount on the Committed Information Rate (CIR) service element for those customers who are located within 15 miles from a Central Office equipped with OPT-E-MAN functionality as identified in the NECA4 tariff. This promotion is only available to those customers selecting the 5 Mbps, 10 Mbps, 20 Mbps, 50 Mbps, 100 Mbps, 250 Mbps, 500 Mbps or 1 Gbps CIR speeds.

3.1 Eligibility Criteria

In order to qualify for the OPT-E-MAN Service promotion, the following conditions must be met:

- The promotion will be available to new OPT-E-MAN customers entering into either a 36 month or 60 month agreement.
- A written agreement must be executed by SBC Missouri that includes the term period, the discount rates and the service locations.
- Special Construction Charges may apply.
- Nonrecurring charges for the CIR element will be waived as outlined in Paragraph 7 (Rates and Charges), Sheet 12 of this Section.
- Tariff charges will apply for any Optional Features subscribed to by the customer during this promotional period.
- If the customer terminates the agreement prior to the expiration of the 36 or 60 month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to fifty percent (50%) of all recurring charges for the remaining months of the customer's term.

Issued: March 8, 2005 Effective: March 18, 2005

Filed

Missouri Public
Service Commission

Digital Link Services Tariff
Section 25
APPENDIX
Original Sheet 9

OPT-E-MANSM SERVICE

PROMOTIONS (cont'd)

3.3 Promotional Pricing

10/100 Base T Connection Options (Basic or Basic Plus Service)

	Bronze Package		Silver Package				
Description	36 Months	60 Months	36 Months	60 Months			
Committed Information Rate (CIR), per Connection							
5 Mbps	\$ 450.00	\$ 450.00	\$ 650.00	\$ 650.00			
10 Mbps	650.00	650.00	850.00	850.00			
20 Mbps	900.00	900.00	1,100.00	1,100.00			
50 Mbps	1,025.00	1,025.00	1,225.00	1,225.00			
100 Mbps	1,200.00	1,200.00	1,400.00	1,400.00			
250 Mbps	Not Available		Not Available				
500 Mbps	Not Available		Not Available				
1 Gbps	Not Available		Not Available				

1 Gbps Optical Connection Options (Basic or Basic Plus Service)

	Bronze Package		Silver I	Package		
Description	36 Months	60 Months	36 Months	60 Months		
Committed Information Rate (CIR), per Connection						
5 Mbps	\$ 450.00	\$ 450.00	\$ 650.00	\$ 650.00		
10 Mbps	650.00	650.00	850.00	850.00		
20 Mbps	900.00	900.00	1,100.00	1,100.00		
50 Mbps	1,025.00	1,025.00	1,225.00	1,225.00		
100 Mbps	1,200.00	1,200.00	1,400.00	1,400.00		
250 Mbps	1,575.00	1,575.00	1,975.00	1,975.00		
500 Mbps	1,900.00	1,900.00	2,300.00	2,300.00		
1 Gbps	2,575.00	2,575.00	2,975.00	2,975.00		

Issued: March 8, 2005 Effective: March 18, 2005

Filed

Missouri Public
Service Commission

(AT)

Digital Link Services Tariff
Section 26
2nd Revised Sheet 1
Replacing 1st Revised Sheet 1

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

GENERAL DESCRIPTION

Customized Switched Metro Ethernet Service (CSME Service) is a switched Layer 2 Ethernet network allowing for basic metropolitan Ethernet connectivity. CSME Service allows businesses to interconnect multiple customer locations within a LATA as if they were segments on the same LAN using packet-based switching technologies. Connections at the customer premises are made using Native Ethernet interfaces and traverse the MAN over fiber facilities. CSME Service provides bandwidth of either 10 Mbps, 100 Mbps or 1 Gbps(1).

Customers connect to CSME Service via one of the following standard connections, as requested by the customer:

- (AT) 10/100 Base T (10 Mbps or 100 Mbps)
 - Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX)

Customers may connect multiple locations together, as long as they are in the same LATA or MAN and the service is available. This service acts as an Ethernet bridge supporting LAN-to-LAN connections.

CSME Service includes the connection from the customer's premise to the Ethernet network, a port on the Ethernet network and the bandwidth that will be used across the network. An optional feature is the ability to segregate customer traffic, as deemed necessary by the customer. This traffic segregation is accomplished using Ethernet Virtual Connections (EVCs), at an additional charge.

(1) Bandwidth is inclusive of allowances for overhead within the Ethernet network. If a customer orders 1 Gbps of bandwidth on a single port, the Company reserves the right to use up to 10 % of the bandwidth for traffic management.

Issued: February 25, 2005 Effective: March 28, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



(CP)

(CT)

Digital Link Services Tariff
Section 26
1st Revised Sheet 1
Replacing Original Sheet 1

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

1. GENERAL DESCRIPTION

Customized Switched Metro Ethernet Service (CSME Service) is a switched Layer 2 Ethernet network allowing for basic metropolitan Ethernet connectivity. CSME Service allows businesses to interconnect multiple customer locations within a LATA as if they were segments on the same LAN using packet-based switching technologies. Connections at the customer premises are made using Native Ethernet interfaces and traverse the MAN over fiber facilities. CSME Service provides bandwidth of either 100 Mbps or 1 Gbps(1).

(RT)(AT)

Customers connect to CSME Service via one of the following standard connections, as requested by the customer:

- 10/100 Base T (100 Mbps)
- Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX)

Customers may connect multiple locations together, as long as they are in the same LATA or MAN and the service is available. This service acts as an Ethernet bridge supporting LAN-to-LAN connections.

CSME Service includes the connection from the customer's premise to the Ethernet network, a port on the Ethernet network and the bandwidth that will be used across the network. An optional feature is the ability to segregate customer traffic, as deemed necessary by the customer. This traffic segregation is accomplished using Ethernet Virtual Connections (EVCs), at an additional charge.

CANCELLED

MAR. 2 8 2005

Public Service Commission

(AT) (1) Bandwidth is inclusive of allowances for overhead within the Ethernet network. If a customer orders 1 Gbps of bandwidth on a single port, the Company reserves the right to use up to 70 Mbps of bandwidth for traffic management.

Issued: October 12, 2004

Effective: November 12, 2004



Digital Link Services Tariff Section 26 Original Sheet 1

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

1. GENERAL DESCRIPTION

Customized Switched Metro Ethernet Service (CSME Service) is a switched Layer 2 Ethernet network allowing for basic metropolitan Ethernet connectivity. CSME Service allows businesses to interconnect multiple customer locations within a LATA as if they were segments on the same LAN using packet-based switching technologies. Connections at the customer premises are made using Native Ethernet interfaces and traverse the MAN over fiber facilities. CSME Service provides bandwidth of either up to 100 Mbps or up to 1 Gbps.

Customers connect to CSME Service via one of the following standard connections, as requested by the customer:

- 10/100 Base T (100 Mbps)
- Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX)

Customers may connect multiple locations together, as long as they are in the same LATA or MAN and the service is available. This service acts as an Ethernet bridge supporting LAN-to-LAN connections.

CSME Service includes the connection from the customer's premise to the Ethernet network, a port on the Ethernet network and the bandwidth that will be used across the network. An optional feature is the ability to segregate customer traffic, as deemed necessary by the customer. This traffic segregation is accomplished using Ethernet Virtual Connections (EVCs), at an additional charge.

CANCELLED

NOV 1 2 2004

NOV 1 2 Commission

Ely Service Commission

MISSOURI

Issued: August 10, 2004 Effective: September 10, 2004



Digital Link Services Tariff
Section 26
2nd Revised Sheet 2
Replacing 1st Revised Sheet 2

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

2. REGULATIONS

In addition to the regulations contained in this tariff, the following regulations apply to CSME Service:

2.1 CSME Service is provided at the option of the Company where equipment and facilities permit. If appropriate facilities are not available, Special Construction charges may apply.

- (RT) | (RT)
- (FC) 2.2 The customer provided equipment (CPE) must deliver the data signal for the CSME transport within the industry specification for the subscribed data service. See *TECHNICAL REFERENCES* following.
- (FC) 2.3 CSME Service supports full duplex communication.
- (FC)

 2.4 If a customer connects to the CSME network using a bridge or switch for Layer 2 connectivity, only 150 MAC addresses can be used per Layer 2 device, per port. Any additional addresses over the first 150 will be assessed an additional charge, with a limit of 200 MAC addresses total per port. An additional charge will be assessed per block of 151-200 addresses. See *RATES AND CHARGES* following.
- (FC) 2.5 CSME Service is distance limited, based on circuit configuration as determined by the Company. A repeater may be used to extend the transmission of CSME Service. See Repeater under *SERVICE COMPONENTS* following for further definition. See *RATES AND CHARGES* following.
- (FC) 2.6 Should the customer wish to segregate traffic, a total of 8 Ethernet Virtual Connections (EVCs) may be configured per 10/100 Base T connection. A total of 64 EVCs may be configured per 1 Gbps connection. Should the customer request more than 64 EVCs on a 1 Gbps connection, a technical review will need to be conducted to determine whether the network will support more than 64 EVCs.

Issued: February 25, 2005 Effective: March 28, 2005



Digital Link Services Tariff
Section 26
1st Revised Sheet 2
Replacing Original Sheet 2

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

2. REGULATIONS

In addition to the regulations contained in this tariff, the following regulations apply to CSME Service:

(RT)

(RT)

- (FC) 2.1 CSME Service is provided at the option of the Company where equipment and facilities permit. If appropriate facilities are not available, Special Construction charges may apply.
- (FC)

 2.2 CSME Service does not provide redundancy in the core network. If the customer requires redundancy, an Inter-Switch Trunk Charge will apply. In addition, if the customer grows their network, which leads to growth in the backbone of the network, then an Inter-Switch Trunk Charge will also apply. See RATES AND CHARGES following.
- (FC) 2.3 The customer provided equipment (CPE) must deliver the data signal for the CSME transport within the industry specification for the subscribed data service. See *TECHNICAL REFERENCES* following.
- (FC) 2.4 CSME Service supports full duplex communication.
- (FC) 2.5 If a customer connects to the CSME network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses over the first 50 will be assessed an additional charge, with a limit of 100 MAC addresses total per port. The additional charge will be assessed per block of 51-100 addresses. See RATES AND CHARGES following.
- (FC)

 2.6 CSME Service is distance limited, based on circuit configuration as determined by the Company.

 A repeater may be used to extend the transmission of CSME Service. See Repeater under SERVICE COMPONENTS following for further definition. See RATES AND CHARGES following.
- (FC)

 2.7 Should the customer wish to segregate traffic, a total of 8 Ethernet Virtual Connections (EVCs) may be configured per 10/100 Base T connection. A total of 64 EVCs may be configured per 1 Gbps connection. Should the customer request more than 64 EVCs on a 1 Gbps connection, a technical review will need to be conducted to determine whether the network will support more than 64 EVCs.

MAR 2 8 2005

Issued: October 12, 2004

Public Service Commission

Effective: November 12, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

FILED MO PSC CANCELLED
P.S.C. Mo.- No. 38

No Supplement to this tariff will be issued except for the purpose of canceling this tariff.

NOV 1 2 2004

NOV 1 2 2004

Public Service Commission

MISSOURI

Digital Link Services Tariff Section 26 Original Sheet 2

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

2. REGULATIONS

In addition to the regulations contained in this tariff, the following regulations apply to CSME Service:

- 2.1 CSME Service is available only to governmental entities, non-profit organizations, school districts, and public libraries.
- 2.2 CSME Service is provided at the option of the Company where equipment and facilities permit. If appropriate facilities are not available, Special Construction charges may apply.
- 2.3 CSME Service does not provide redundancy in the core network. If the customer requires redundancy, an Inter-Switch Trunk Charge will apply. In addition, if the customer grows their network, which leads to growth in the backbone of the network, then an Inter-Switch Trunk Charge will also apply. See *RATES AND CHARGES* following.
- 2.4 The customer provided equipment (CPE) must deliver the data signal for the CSME transport within the industry specification for the subscribed data service. See *TECHNICAL REFERENCES* following.
- 2.5 CSME Service supports full duplex communication.
- 2.6 If a customer connects to the CSME network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses over the first 50 will be assessed an additional charge, with a limit of 100 MAC addresses total per port. The additional charge will be assessed per block of 51-100 addresses. See RATES AND CHARGES following.
- 2.7 CSME Service is distance limited, based on circuit configuration as determined by the Company. A repeater may be used to extend the transmission of CSME Service. See Repeater under SERVICE COMPONENTS following for further definition. See RATES AND CHARGES following.
- 2.8 Should the customer wish to segregate traffic, a total of 8 Ethernet Virtual Connections (EVCs) may be configured per 10/100 Base T connection. A total of 64 EVCs may be configured per 1 Gbps connection. Should the customer request more than 64 EVCs on a 1 Gbps connection, a technical review will need to be conducted to determine whether the network will support more than 64 EVCs.

Issued: August 10, 2004 Effective: September 10, 2004



Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 26 4th Revised Sheet 3 Replacing 3rd Revised Sheet 3

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

2. Regulations (cont'd)

- 2.7 If a customer desires that service be provided on a due date less than the standard interval, the customer may request that service be provided on an expedited basis. If the Company determines that service can be provided on the requested expedited date and spare facilities are available, the Expedite Order Charge (per port, per location) will apply. See RATES AND CHARGES following.
- 2.8 If the customer cancels service prior to installation being completed, a Service Order Cancellation charge (per port, per location) will apply. See *RATES AND CHARGES* following. The customer's intent to cancel service must be made in writing.
- 2.9 CSME Service may be available in a meet-point billing arrangement involving another Incumbent Local Exchange Carrier (ILEC) (sometimes also referred to as an Independent Company or ICO), where suitable facilities exist and where appropriate procedures for such arrangements have been put in place between the Company and the other ILEC. When the Company and another ILEC jointly provision CSME Service with the other ILEC's service, the ILEC involved shall bill the customer at that ILEC's applicable rates for their portion of the service located in their operating territory. Ordering and provisioning procedures may vary, and therefore Meet-Point rate elements and charges may not be applicable, when the other ILEC involved in the Meet-Point arrangement is an AT&T ILEC.
- (CP)
- **2.10** Service Level Agreements are not offered with this service. However, Credit Allowances are applicable. See *RATES AND CHARGES* following.
- 2.11 The Company will use controls to limit the amount of multicast and broadcast traffic to protect the CSME network against traffic storms. The maximum throughput of multicast traffic will be set at 1 Mbps per customer port, while the maximum throughput of broadcast traffic will be set at 200 packets per second per port. The Company recommends that customers enable controls for multicast, broadcast and unknown unicast traffic within the customer network(s).
- **2.12** If the 10 Mbps or 100 Mbps connection is ordered, it will only be provisioned using the 10/100BaseT connection.

Issued: February 27, 2009

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389 By DAVID NICHOLS, President - Missouri St. Louis, Missouri Effective: March 31, 2009 Filed Missouri Public Service Commission JI-2009-0616

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 26 3rd Revised Sheet 3 Replacing 2nd Revised Sheet 3

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

2. Regulations (cont'd)

- 2.7 If a customer desires that service be provided on a due date less than the standard interval, the customer may request that service be provided on an expedited basis. If the Company determines that service can be provided on the requested expedited date and spare facilities are available, the Expedite Order Charge (per port, per location) will apply. See RATES AND CHARGES following.
- 2.8 If the customer cancels service prior to installation being completed, a Service Order Cancellation charge (per port, per location) will apply. See RATES AND CHARGES following. The customer's intent to cancel service must be made in writing.
- 2.9 CSME Service is not available in a meet-point billing arrangement involving other Carriers.
- **2.10** Service Level Agreements are not offered with this service. However, Credit Allowances are applicable. See *RATES AND CHARGES* following.
- 2.11 The Company will use controls to limit the amount of multicast and broadcast traffic to protect the CSME network against traffic storms. The maximum throughput of multicast traffic will be set at 1 Mbps per customer port, while the maximum throughput of broadcast traffic will be set at 200 packets per second per port. The Company recommends that customers enable controls for multicast, broadcast and unknown unicast traffic within the customer network(s).

 (AT)(RT)
- **2.12** If the 10 Mbps or 100 Mbps connection is ordered, it will only be provisioned using the 10/100 Base T connection.

Issued: July 25, 2006 Effective: August 25, 2006



Digital Link Services Tariff
Section 26
2nd Revised Sheet 3
Replacing 1st Revised Sheet 3

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

- 2. REGULATIONS (cont'd)
- (FC) 2.7 If a customer desires that service be provided on a due date less than the standard interval, the customer may request that service be provided on an expedited basis. If the Company determines that service can be provided on the requested expedited date and spare facilities are available, the Expedite Order Charge (per port, per location) will apply. See *RATES AND CHARGES* following.
- (FC) 2.8 If the customer cancels service prior to installation being completed, a Service Order Cancellation charge (per port, per location) will apply. See *RATES AND CHARGES* following. The customer's intent to cancel service must be made in writing.
- (FC) 2.9 CSME Service is not available in a meet-point billing arrangement involving other Carriers.
- (FC) 2.10 Service Level Agreements are not offered with this service. However, Credit Allowances are applicable. See *RATES AND CHARGES* following.
- (FC) 2.11 CSME customers will be required to migrate CSME Service to OPT-E-MAN Service when it becomes available within the serving area. The Company will notify affected customers when such migration is required. Existing contract terms for CSME will be honored, however a new service agreement for OPT-E-MAN Service will need to be negotiated upon the CSME contract expiration.
- (AT)(FC) 2.12 If the 10 Mbps or 100 Mbps connection is ordered, it will only be provisioned using the 10/100 Base T connection.

Issued: February 25, 2005 Effective: March 28, 2005





Digital Link Services Tariff Section 26 1st Revised Sheet 3 Replacing Original Sheet 3

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

REGULATIONS (cont'd)

- (FC)

 2.8 If a customer desires that service be provided on a due date less than the standard interval, the customer may request that service be provided on an expedited basis. If the Company determines that service can be provided on the requested expedited date and spare facilities are available, the Expedite Order Charge (per port, per location) will apply. See RATES AND CHARGES following.
- (FC) 2.9 If the customer cancels service prior to installation being completed, a Service Order Cancellation charge (per port, per location) will apply. See *RATES AND CHARGES* following. The customer's intent to cancel service must be made in writing.
- (FC) 2.10 CSME Service is not available in a meet-point billing arrangement involving other Carriers.
- (FC) 2.11 Service Level Agreements are not offered with this service. However, Credit Allowances are applicable. See *RATES AND CHARGES* following.
- (FC)

 2.12 CSME customers will be required to migrate CSME Service to OPT-E-MAN Service when it becomes available within the serving area. The Company will notify affected customers when such migration is required. Existing contract terms for CSME will be honored, however a new service agreement for OPT-E-MAN Service will need to be negotiated upon the CSME contract expiration.
- (FC) 2.13 If the 100 Mbps connection is ordered, it will only be provisioned using the 10/100 Base T connection.

CANCELLED

MAR₂ 8 2005

Public Service Commission MISSOURI

Issued: October 12, 2004

Effective: November 12, 2004

FILED WO PSC

Digital Link Services Tariff Section 26 Original Sheet 3

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

- REGULATIONS (cont'd)
 - If a customer desires that service be provided on a due date less than the standard interval, the customer may request that service be provided on an expedited basis. If the Company determines that service can be provided on the requested expedited date and spare facilities are available, the Expedite Order Charge (per port, per location) will apply. See RATES AND CHARGES following.
 - 2.10 If the customer cancels service prior to installation being completed, a Service Order Cancellation charge (per port, per location) will apply. See RATES AND CHARGES following. The customer's intent to cancel service must be made in writing.
 - 2.11 CSME Service is not available in a meet-point billing arrangement involving other Carriers.
 - 2.12 Service Level Agreements are not offered with this service. However, Credit Allowances are applicable. See RATES AND CHARGES following.
 - 2.13 CSME customers will be required to migrate CSME Service to OPT-E-MAN Service when it becomes available within the serving area. The Company will notify affected customers when such migration is required. Existing contract terms for CSME will be honored, however a new service agreement for OPT-E-MAN Service will need to be negotiated upon the CSME contract expiration.
 - 2.14 If the 100 Mbps connection is ordered, it will only be provisioned using the 10/100 Base T

CANCELLED

Effective: September 10, 2004 Issued: August 10, 2004

Digital Link Services Tariff
Section 26
2nd Revised Sheet 4
Replacing 1st Revised Sheet 4

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

REGULATIONS (cont'd)

2.13 Allowance for Interruption

In case of an interruption to service, allowance for the period of interruption, if not due to the negligence of the customer or the customer's end user, shall be as follows: no credit shall be allowed for an interruption of less than 10 seconds. The customer shall be credited for an interruption of 10 seconds or more as follows: the credit shall be at the rate of 10/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues. The credit allowance(s) for service interruptions shall not exceed 100% of the applicable monthly rates.

The Company will be excluded from providing an Allowance for Interruption should any of the following conditions occur:

- Force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.
- The failures of any components beyond the local facility including the Network Interface (NI), the CSU/DSU/Channel band/Extended Demarcation are excluded from the service outage calculation.
- Data loss during the Company's scheduled maintenance window.
- Failures attributed to facilities or equipment provided by customer or its contractors, equipment vendors, another local exchange carrier or inter-exchange carrier.
- 2.14 The responsibility of the Company shall be limited to furnishing the CSME network. Subject to this responsibility, the Company shall not be responsible for the through transmission of signals generated by CPE or for the quality of, or defects in, such transmission or the rejection of signal by CPE. The Company shall not be responsible for installation, operation, maintenance or adapting CSME to the technological requirements of specific CPE. In addition, the Company shall not be responsible to the customer if changes in any of the equipment, operations or procedures of the Company used in the provisioning of CSME render any facilities provided by the customer obsolete; or require modification or alteration of such equipment or system; or otherwise affect its use or performance, provided the Company has met all applicable information disclosure requirements otherwise required by law.
- 2.15 Customers will be permitted to move from a 10 Mbps or 100 Mbps Connection to a 1 Gbps Connection, however, the Nonrecurring Charge associated with the new 1 Gbps Connection will apply. See *PRICES* following.

Issued: April 8, 2005 Effective: May 11, 2005

Filed

Missouri Public
Service Commission

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

(AT)

(AT)

Digital Link Services Tariff Section 26 1st Revised Sheet 4 Replacing Original Sheet 4

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

- REGULATIONS (cont'd)
- (FC) 2.13 Allowance for Interruption

In case of an interruption to service, allowance for the period of interruption, if not due to the negligence of the customer or the customer's end user, shall be as follows: no credit shall be allowed for an interruption of less than 10 seconds. The customer shall be credited for an interruption of 10 seconds or more as follows: the credit shall be at the rate of 10/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues. The credit allowance(s) for service interruptions shall not exceed 100% of the applicable monthly rates.

The Company will be excluded from providing an Allowance for Interruption should any of the following conditions occur:

- Force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.
- The failures of any components beyond the local facility including the Network Interface (NI), the CSU/DSU/Channel band/Extended Demarcation are excluded from the service outage calculation.
- Data loss during the Company's scheduled maintenance window.
- Failures attributed to facilities or equipment provided by customer or its contractors, equipment vendors, another local exchange carrier or inter-exchange carrier.

(AT) 2.14 The responsibility of the Company shall be limited to furnishing the CSME network. Subject to this responsibility, the Company shall not be responsible for the through transmission of signals generated by CPE or for the quality of, or defects in, such transmission or the rejection of signal by CPE. The Company shall not be responsible for installation, operation, maintenance or adapting CSME to the technological requirements of specific CPE. In addition, the Company shall not be responsible to the customer if changes in any of the equipment, operations or procedures of the Company used in the provisioning of CSME render any facilities provided by the customer obsolete; or require modification or alteration of such equipment or system; or otherwise affect its use or performance, provided the Company has met all applicable information disclosure requirements otherwise required by law.

MAY 1 1 2005

(AT)

Issued: February 25, 2005

Public Service Commission

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

Effective: March 28, 2005

Digital Link Services Tariff Section 26 Original Sheet 4

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

2. REGULATIONS (cont'd)

2.14 Allowance for Interruption

In case of an interruption to service, allowance for the period of interruption, if not due to the negligence of the customer or the customer's end user, shall be as follows: no credit shall be allowed for an interruption of less than 10 seconds. The customer shall be credited for an interruption of 10 seconds or more as follows: the credit shall be at the rate of 10/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues. The credit allowance(s) for service interruptions shall not exceed 100% of the applicable monthly rates.

The Company will be excluded from providing an Allowance for Interruption should any of the following conditions occur:

- Force majeure events such as, but not limited to, an earthquake, hurricane, flood, fire, storms, tornadoes, explosion, lightning, power surges or failure, fiber cuts, strikes or labor disputes, acts of war, civil disturbances, acts of civil or military authorities or public enemy, governmental orders, civil commotion, criminal actions taken against the Company, acts of God and other circumstances beyond the Company's reasonable control.
- The failures of any components beyond the local facility including the Network Interface (NI), the CSU/DSU/Channel band/Extended Demarcation are excluded from the service outage calculation.
- Data loss during the Company's scheduled maintenance window.
- Failures attributed to facilities or equipment provided by customer or its contractors, equipment vendors, another local exchange carrier or inter-exchange carrier.

CANCELLED

MAR 2 8 2005

Public Service Commission MISSOURI

Issued: August 10, 2004

Effective: September 10, 2004



Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 26 3rd Revised Sheet 5 Replacing 2nd Revised Sheet 5

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

3. Technical Specifications Packages

Technical specifications for CSME Service are described in the following technical references:

Ethernet Standards
Network Equipment Design Requirements

SBC TP-76412-000 SBC TP-76200MP

These publications may be obtained from:

APEx Support Team 734-523-7348

4. Service Components

There is one standard (or required) rate element which applies for CSME Service: Usage, Port, Transport and Interface.

4.1 <u>Usage, Port, Transport and Interface</u>

Provides for the physical connection between the customer's premise and the serving wire center, as well as the bandwidth that will be used by the customer at each location. Several interface protocols are available: 10/100 Base T and Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX).

In addition, there are optional rate elements which may apply to CSME, depending on the customer's configuration: (RT)

4.2 Additional MAC Addresses

Media Access Control (MAC) Addresses denote a data link layer protocol used for Layer 2 connectivity. If a customer connects to the CSME network using a bridge or switch for Layer 2 connectivity, only 150 MAC addresses can be used per Layer 2 device, per port. Any additional addresses over the first 150 will be assessed an additional charge, with a limit of 200 MAC addresses total per port. An additional charge will be assessed per block of 151-200 addresses.

Issued: February 27, 2009

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389 By DAVID NICHOLS, President - Missouri St. Louis, Missouri Effective: March 31, 2009 Filed Missouri Public Service Commission JI-2009-0616

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 26 2nd Revised Sheet 5 Replacing 1st Revised Sheet 5

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

3. Technical Specifications Packages

Technical specifications for CSME Service are described in the following technical references:

Ethernet Standards SBC TP-76412-000
Network Equipment Design Requirements SBC TP-76200MP

These publications may be obtained from:

APEx Support Team (CT) 734-523-7348 (CT)

4. Service Components

There is one standard (or required) rate element which applies for CSME Service: Usage, Port, Transport and Interface.

4.1 Usage, Port, Transport and Interface

Provides for the physical connection between the customer's premise and the serving wire center, as well as the bandwidth that will be used by the customer at each location. Several interface protocols are available: 10/100 Base T and Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX).

In addition, there are three optional rate elements which may apply to CSME, depending on the customer's configuration: Additional MAC Addresses, Ethernet Virtual Connections (EVC), and Repeater.

4.2 Additional MAC Addresses

Media Access Control (MAC) Addresses denote a data link layer protocol used for Layer 2 connectivity. If a customer connects to the CSME network using a bridge or switch for Layer 2 connectivity, only 150 MAC addresses can be used per Layer 2 device, per port. Any additional addresses over the first 150 will be assessed an additional charge, with a limit of 200 MAC addresses total per port. An additional charge will be assessed per block of 151-200 addresses.

Issued: July 25, 2006 Effective: August 25, 2006



Digital Link Services Tariff
Section 26
1st Revised Sheet 5
Replacing Original Sheet 5

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

3. TECHNICAL SPECIFICATIONS PACKAGES

Technical specifications for CSME Service are described in the following technical references:

Ethernet Standards Network Equipment Design Requirements SBC TP-76412-000 SBC TP-76200MP

These publications may be obtained from:

SBC Help Desk and Document Center 517-788-6872

4. SERVICE COMPONENTS

There is one standard (or required) rate element which applies for CSME Service: Usage, Port, Transport and Interface.

4.1 Usage, Port, Transport and Interface

Provides for the physical connection between the customer's premise and the serving wire center, as well as the bandwidth that will be used by the customer at each location. Several interface protocols are available: 10/100 Base T and Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX).

- (CT) In addition, there are three optional rate elements which may apply to CSME, depending on the customer's configuration: Additional MAC Addresses, Ethernet Virtual Connections (EVC), and Repeater.
 - 4.2 Additional MAC Addresses

Media Access Control (MAC) Addresses denote a data link layer protocol used for Layer 2 connectivity. If a customer connects to the CSME network using a bridge or switch for Layer 2 connectivity, only 150 MAC addresses can be used per Layer 2 device, per port. Any additional addresses over the first 150 will be assessed an additional charge, with a limit of 200 MAC addresses total per port. An additional charge will be assessed per block of 151-200 addresses.

Issued: February 25, 2005 Effective: March 28, 2005

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri



(CP)

(CP)



Digital Link Services Tariff Section 26 Original Sheet 5

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

3. TECHNICAL SPECIFICATIONS PACKAGES

Technical specifications for CSME Service are described in the following technical references:

Ethernet Standards

Network Equipment Design Requirements

SBC TP-76412-000 SBC TP-76200MP

These publications may be obtained from:

CANCELLED

SBC Help Desk and Document Center 517-788-6872

MAR, 2 8 2005 JS+ RS 5
unic Service Commission

SERVICE COMPONENTS

There is one standard (or required) rate element which applies for CSME Service. Usage, Port. Transport and Interface.

4.1 Usage, Port, Transport and Interface

Provides for the physical connection between the customer's premise and the serving wire center, as well as the bandwidth that will be used by the customer at each location. Several interface protocols are available: 10/100 Base T and Gigabit Ethernet (1000 Base SX, 1000 Base LX/LH or 1000 Base ZX).

In addition, there are four optional rate elements which may apply to CSME, depending on the customer's configuration: Additional MAC Addresses, Ethernet Virtual Connections (EVC), Inter-Switch Trunk Charge and Repeater.

4.2 Additional MAC Addresses

Media Access Control (MAC) Addresses denote a data link layer protocol used for Layer 2 connectivity. If a customer connects to the CSME network using a bridge or switch for Layer 2 connectivity, only 50 MAC addresses can be used per Layer 2 device, per port. Any additional addresses over the first 50 will be assessed an additional charge, with a limit of 100 MAC addresses total per port. The additional charge will be assessed per block of 51-100 addresses.

Effective: September 10, 2004 Issued: August 10, 2004



Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 26 2nd Revised Sheet 6 Replacing 1st Revised Sheet 6

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

4. Service Components (cont'd)

4.3 Ethernet Virtual Connections (EVCs)

An Ethernet Virtual Connection is a logical point-to-point connection between two customer locations, and goes from the customer demarcation point at one location through the network to terminate at the demarcation point at the second customer location. Customers use EVCs if they desire traffic segregation, but EVCs will not provide for traffic prioritization. EVCs may be ordered to establish additional virtual connections over the same physical connection. When EVCs are ordered, the customer must designate the amount of bandwidth to be assigned to each EVC. EVCs can be set in 1 Mbps increments from 5 Mbps to 1 Gbps.

4.4 Repeater

For those customers who are located outside normal transmission parameters, service can be provided using a repeater to be placed in Company wire centers. An engineering study will be completed to ensure transmission parameters can be met using a repeater, and the Company will determine when Repeaters are necessary. Additional charges will apply. Provisioning of CSME Service is subject to the availability and operational limitations of the equipment and associated facilities.

4.5 Meet-Point Billing Options

(AT)

Meet-Point is available in two configurations:

Direct LEC Connection is provisioned using a standard CSME Connection, plus Mileage. The mileage is measured in airline miles from the CSME switch location to the ILEC (ICO) meet-point location.

GigE ICO Trunking Arrangement applies an ICO Trunk Connection Charge between the CSME switch location and the ICO meet-point location that is shared with the ILEC (ICO) Ethernet switch. The ICO Trunk Connection Charge is applied to each customer Ethernet Virtual Channel (EVC) that is transported on the GigE trunk backbone to the ICO meet-point. The ICO Trunk Mileage charge is applicable to each customer Ethernet Virtual Channel (EVC) transported across the GigE trunk when mileage exceeds 10 miles. Mileage is calculated from the CSME switch location to the ICO meet-point location.

(AT)

Issued: February 27, 2009

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389 By DAVID NICHOLS, President - Missouri St. Louis, Missouri Effective: March 31, 2009 Filed Missouri Public Service Commission JI-2009-0616

Digital Link Services Tariff
Section 26
1st Revised Sheet 6
Replacing Original Sheet 6

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

4. SERVICE COMPONENTS (cont'd)

4.3 Ethernet Virtual Connections (EVCs)

An Ethernet Virtual Connection is a logical point-to-point connection between two customer locations, and goes from the customer demarcation point at one location through the network to terminate at the demarcation point at the second customer location. Customers use EVCs if they desire traffic segregation, but EVCs will not provide for traffic prioritization. EVCs may be ordered to establish additional virtual connections over the same physical connection. When EVCs are ordered, the customer must designate the amount of bandwidth to be assigned to each EVC. EVCs can be set in 1 Mbps increments from 5 Mbps to 1 Gbps.



(FC) 4.4 Repeater

For those customers who are located outside normal transmission parameters, service can be provided using a repeater to be placed in Company wire centers. An engineering study will be completed to ensure transmission parameters can be met using a repeater, and the Company will determine when Repeaters are necessary. Additional charges will apply. Provisioning of CSME Service is subject to the availability and operational limitations of the equipment and associated facilities.

Issued: February 25, 2005 Effective: March 28, 2005

Filed

Missouri Public
Service Commission

Digital Link Services Tariff Section 26 Original Sheet 6

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

4. SERVICE COMPONENTS (cont'd)

4.3 Ethernet Virtual Connections (EVCs)

An Ethernet Virtual Connection is a logical point-to-point connection between two customer locations, and goes from the customer demarcation point at one location through the network to terminate at the demarcation point at the second customer location. Customers use EVCs if they desire traffic segregation, but EVCs will not provide for traffic prioritization. EVCs may be ordered to establish additional virtual connections over the same physical connection. When EVCs are ordered, the customer must designate the amount of bandwidth to be assigned to each EVC. EVCs can be set in 1 Mbps increments from 5 Mbps to 1 Gbps.

4.4 Inter-Switch Trunk Charge

An Inter-Switch Trunk Charge provides for additional links between core network devices to provide redundancy and/or to support customer-requested bandwidth augments to the core network.

4.5 Repeater

For those customers who are located outside normal transmission parameters, service can be provided using a repeater to be placed in Company wire centers. An engineering study will be completed to ensure transmission parameters can be met using a repeater, and the Company will determine when Repeaters are necessary. Additional charges will apply. Provisioning of CSME Service is subject to the availability and operational limitations of the equipment and associated facilities.

CANCELLED

MAR 2 8 2005

Public Service Commission

Issued: August 10, 2004

Effective: September 10, 2004



Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 26 2nd Revised Sheet 7 Replacing 1st Revised Sheet 7

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

5. RATES AND CHARGES

There are two types of rates and charges for CSME Service: Nonrecurring Charges and Recurring Charges.

- 5.1 Nonrecurring Charges are one-time charges that apply for specific work activity related to the provisioning of CSME Service.
- 5.2 Recurring Charges are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 36 or 60^{/1/} month period under the terms and conditions of the Term Pricing Plan (TPP), described in *TERM PAYMENT PLANS (TPP)* following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension rates unless the customer requests a new TPP. No customer shall purchase CSME Service on a month-to-month basis prior to the completion of a TPP.

/1/ Effective November 15, 2013, customers may not establish new term plans greater than 36 months for CSME Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.

(AT)

(AT)

(, , ,

Effective: November 15, 2013

Digital Link Services Tariff
Section 26
1st Revised Sheet 7
Replacing Original Sheet 7

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

5. RATES AND CHARGES

There are two types of rates and charges for CSME Service: Nonrecurring Charges and Recurring Charges.

- 5.1 Nonrecurring Charges are one-time charges that apply for specific work activity related to the provisioning of CSME Service.
- 5.2 Recurring Charges are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 36 or 60 month period under the terms and conditions of the Term Pricing Plan (TPP), described in *TERM PAYMENT PLANS (TPP)* following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension rates unless the customer requests a new TPP. No customer shall purchase CSME Service on a month-to-month basis prior to the completion of a TPP.

(MT)

Issued: February 25, 2005 Effective: March 28, 2005



Digital Link Services Tariff Section 26 Original Sheet 7

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

5. RATES AND CHARGES

There are two types of rates and charges for CSME Service: Nonrecurring Charges and Recurring Charges.

- 5.1 Nonrecurring Charges are one-time charges that apply for specific work activity related to the provisioning of CSME Service.
- 5.2 Recurring Charges are flat recurring rates that apply each month or fraction thereof that the service is provided. Recurring rates may be applied only over a 36 or 60 month period under the terms and conditions of the Term Pricing Plan (TPP), described in *TERM PAYMENT PLANS (TPP)* following. Upon completion of a TPP, a customer's service will automatically convert to the Monthly Extension rates unless the customer requests a new TPP. No customer shall purchase CSME Service on a month-to-month basis prior to the completion of a TPP.

		Monthly l]
	1	Term Paym		7
	Nonrecurring	36	60	Monthly
Description	Charge	Months	Months	Extension
Standard Charges		· · · · · · · · · · · · · · · · · · ·		CANCELLED
Usage, Port, Transport,				MAR 2 8 2005
Interface, each customer				1st Ps 7
location			Public	Service Commission
100 Mbps				MISSOURI
- Initial Connection	\$1,925.00	\$2,250.00	\$1,925.00	\$2,800.00
- Subsequent	,	,		
Connection	1,200.00	1,200.00	1,025.00	1,560.00
1 Gbps	2,500.00	4,000.00	3,500.00	4,900.00
Optional Charges				
Repeater				
- each	250.00	400.00	375.00	475.00

Issued: August 10, 2004

Effective: September 10, 2004

FILE MO P

Section 26 2nd Revised Sheet 7.1 Replacing 1st Revised Sheet 7.1

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

5. Rates and Charges (cont'd)

	Monthly Payment Term Payment Plans				
<u>Description</u>	Nonrecurring <u>Charge</u>	36 <u>Months</u>	60 <u>Months</u> ^{/2/}	Monthly <u>Extension</u>	(CT)
Standard Charges					
Usage, Port, Transport, Interface, each customer location					
10 Mbps Connection /P9FYX/	\$1,600.00	\$1,170.00	\$1,100.00	\$1,550.00	
 Subsequent 10 Mbps Connection^{/1/} /P9FZX/ 	1,150.00	950.00	800.00	1,200.00	(CT)
100 Mbps Connection /P9FKX/ - Subsequent 100 Mbps	1,925.00	1,665.00	1,600.00	2,500.00	
Connection ^{/1/} /P9FPX/	1,200.00	1,200.00	1,025.00	1,560.00	(CT)
1 Gbps /P9FLX/	2,500.00	3,220.00	3,080.00	3,900.00	
Optional Charges					
Repeater - each /VU4/	250.00	400.00	375.00	475.00	

Issued: October 16, 2013 Effective: November 15, 2013

^{/1/} Any Subsequent 10 Mbps or 100 Mbps Connections must terminate at the same locations as the original 10 Mbps or 100 Mbps Connections. (CT)

 ^{/2/} Effective November 15, 2013, customers may not establish new term plans greater than 36 months for CSME Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.
 (AT)

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

1st Revised Sheet 7.1 Replacing Original Sheet 7.1

Section 26

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

5. Rates and Charges (cont'd)

			7	
		Monthly		
		Term Payı	ment Plans	
	Nonrecurring	36	60	Monthly
Description	Charge	Months	Months	Extension
Standard Charges				
Usage, Port, Transport, Interface, each customer location				
10 Mbps Connection /P9FYX/ - Subsequent 10 Mbps	\$1,600.00	\$1,170.00(CR)	\$1,100.00(CR)	\$1,550.00(CR)
Connection(1) /P9FZX/	1,150.00	950.00	800.00	1,200.00
100 Mbps Connection /P9FKX/	1,925.00	1,665.00(CR)	1,600.00(CR)	2,500.00(CR)
 Subsequent 100 Mbps Connection(1) /P9FPX/ 	1,200.00	1,200.00	1,025.00	1,560.00
1 Gbps /P9FLX/	2,500.00	3,220.00(CR)	3,080.00(CR)	3,900.00(CR)
Optional Charges				
Repeater - each /VU4/	250.00	400.00	375.00	475.00

(1) Any Subsequent 10 Mbps or 100 Mbps Connections must terminate at the same locations as the original 10 Mbps or 100 Mbps Connections.

Issued: July 25, 2006 Effective: August 25, 2006



Digital Link Services Tariff Section 26 Original Sheet 7.1

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

5. RATES AND CHARGES (cont'd)

ge, Port, Transport, erface, each customer ation Mbps Connection EYX/ Subsequent 10 Mbps	Nonrecurring Charge \$1,600.00	Term Pay. 36 Months \$1,500.00	60 Months \$1,350.00	Monthly Extension
ge, Port, Transport, erface, each customer ation Mbps Connection EYX/ Subsequent 10 Mbps	Charge	Months	Months	Extension
ge, Port, Transport, erface, each customer ation Mbps Connection EYX/ Subsequent 10 Mbps				
ge, Port, Transport, erface, each customer ation Mbps Connection EYX/ Subsequent 10 Mbps	\$1,600.00	\$1,500.00	\$1,350.00	\$1,800,00
erface, each customer ation Mbps Connection EYX/ Subsequent 10 Mbps	\$1,600.00	\$1,500.00	\$1,350.00	\$1,800,00
FYX/ Subsequent 10 Mbps	\$1,600.00	\$1,500.00	\$1,350.00	\$1 800 00
Subsequent 10 Mbps	\$1,600.00	\$1,500.00	\$1,350.00	\$1.800.00
				Ψ1,000.00
Connection(1)				
P9FZX/	1,150.00	950.00	800.00	1,200.00
Mbps Connection FKX/ Subsequent 100 Mbps	1,925.00	2,250.00	1,925.00	2,800.00
Connection(1) P9FPX/	1,200.00	1,200.00	1,025.00	1,560.00
bps /P9FLX/	2,500.00	4,000.00	3,500.00	4,900.00
ional Charges				
eater				
Catci	250.00	400.00	375.00	475.00
EG Pi bj	onnection(1) 9FPX/ os /P9FLX/	onnection(1) 9FPX/ 1,200.00 os /P9FLX/ 2,500.00 onal Charges ater	onnection(1) 9FPX/ 1,200.00 1,200.00 os /P9FLX/ 2,500.00 4,000.00 onal Charges atter	onnection(1) 9FPX/ 1,200.00 1,200.00 1,025.00 os /P9FLX/ 2,500.00 4,000.00 3,500.00 onal Charges atter

(AT) (1) Any Subsequent 10 Mbps or 100 Mbps Connections must terminate at the same locations as the original 10 Mbps or 100 Mbps Connections.

Issued: February 25, 2005 Effective: March 28, 200





Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 26 1st Revised Sheet 7.2 Replacing Original Sheet 7.2

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

5. Rates and Charges (cont'd)

<u>Description</u>		I	Nonrecurring <u>Charge</u>	Monthly <u>Price</u>		
Optional Charges (cont'd)						
Meet-Point Billing Options - Direct LEC Connection,						
Above 0 and inclusive of 10 miles			\$1,200.00	\$500.00		
Above 10 and inclus			1,200.00	1,000.00 1,500.00		
Above 25 and inclus	sive of 35 miles		1,200.00			
Above 35 and inclusive of 50 miles			1,200.00			
		Monthly Payment Term Payment Plans				
	Nonrecurring	36	60	Monthly		
<u>Description</u>	Charge ^{/1/}	<u>Months</u>	Months 121	Extension	(CT)	
- GigE ICO Trunking Arra	ingement					
ICO Trunk Connection (Charge, per EVC					
10 Mbps	\$525.00	\$420.00	\$360.00	\$660.00		
100 Mbps	800.00	840.00	720.00	1,290.00		
1 Gbps	1,100.00	4,830.00	4,100.00	7,360.00		

Effective: November 15, 2013

Issued: October 16, 2013

(AT)

(AT)

(AT)

^{/1/} Nonrecurring charges will be waived for those customers selecting the 36 or 60 month Term Payment Plan (TPP) period for new service.

^{/2/} Effective November 15, 2013, customers may not establish new term plans greater than 36 months for CSME Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 26 Original Sheet 7.2

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE						(AT)
5.	Rates and Charges (co	ont'd)				
	<u>Description</u>			Nonrecurring <u>Charge</u>	Monthly <u>Price</u>	
	Optional Charges (cont'	<u>d)</u>				
	Meet-Point Billing Option - Direct LEC Connection Above 0 and inclu Above 10 and incl		\$1,200.00 1,200.00	\$500.00 1,000.00		
	Above 25 and incl Above 35 and incl		1,200.00 1,200.00	1,500.00 2,500.00		
	<u>Description</u>	Nonrecurring <u>Charge</u> /1/				
	- GigE ICO Trunking Ar	rangement				
	ICO Trunk Connection 10 Mbps 100 Mbps 1 Gbps	Charge, per EVC \$525.00 800.00 1,100.00	\$420.00 840.00 4,830.00	\$360.00 720.00 4,100.00	\$660.00 1,290.00 7,360.00	(AT)

/1/ Nonrecurring charges will be waived for those customers selecting the 36 or 60 month Term Payment Plan (TPP) period for new service.

(AT) (AT)

Effective: March 31, 2009

Filed
Missouri Public
Service Commission
JI-2009-0616

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 26 Original Sheet 7.3

	CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE		(AT)
5.	Rates and Charges (cont'd)		
	Description	Monthly Price	
			
	Optional Charges (cont'd)		
	Meet-Point Billing Options (cont'd)		
	- GigE ICO Trunking Arrangement (cont'd)		
	ICO Trunk Mileage, per EVC		
	Above 0 and inclusive of 10 miles	N/A	
	Above 10 and inclusive of 25 miles		
	10 Mbps	\$170.00	
	100 Mbps	375.00	
	1 Gbps	1,500.00	
	Above 25 and inclusive of 35 miles		
	10 Mbps	270.00	
	100 Mbps	675.00	
	1 Gbps	1,750.00	
	Above 35 and inclusive of 50 miles		
	10 Mbps	410.00	
	100 Mbps	1,100.00	•
	1 Gbps	2,000.00	(AT)

Issued: February 27, 2009

CANCELLED May 1, 2014 Missouri Public Service Commission JI-2014-0389 By DAVID NICHOLS, President - Missouri St. Louis, Missouri Effective: March 31, 2009 Filed Missouri Public Service Commission JI-2009-0616

Digital Link Services Tariff
Section 26
1st Revised Sheet 8
Replacing Original Sheet 8

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

5. RATES AND CHARGES (cont'd)

	Description	Nonrecurring Charge	Monthly Price
	Optional Charges (cont'd)		
(AT)	Ethernet Virtual Connection (EVC) - per connection /EVNDE/	\$ 70.00	\$ 25.00
(RT) (DR)			
(AT)(CP)	Additional MAC Addresses - 151-200 MAC addresses /M2CAX/	70.00	5.00
(AT)	Service Order Cancellation - per location /OCGEO/	200.00	
(AT)	Expedite Order Charge - per location /EODEO/	300.00	
(AT)	 Service Order Change Charge applies to Bandwidth Usage Changes, EVC Changes and Configuration Changes for pending, initial service orders, per location /NHCEO/ 	75.00	
(AT)	 Miscellaneous Change Charge applies to Bandwidth Usage Changes, EVC Changes and Configuration Changes for subsequent changes to existing service, per location /NHCEN/ 	100.00	

Issued: February 25, 2005 Effective: March 28, 2005

Filed
Missouri Public

Service Commission

Digital Link Services Tariff Section 26 Original Sheet 8

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

5. RATES AND CHARGES (cont'd)

Description	Nonrecurring Charge	Monthly Price
Optional Charges (cont'd)		
Ethernet Virtual Connection (EVC) - per connection	\$ 70.00	\$ 25.00
Inter-Switch Trunk Charge - per trunk	2,000.00	4,000.00
Additional MAC Addresses - 51-100 MAC addresses	70.00	5.00
Service Order Cancellation - per location	200.00	
Expedite Order Charge - per location	300.00	
Service Order Change Charge - applies to Bandwidth Usage Changes, EVC Changes and Configuration Changes for pending, initial service orders, per location	75.00	
Miscellaneous Change Charge - applies to Bandwidth Usage Changes, EVC Changes and Configuration Changes for subsequent changes to existing service, per location	100.00	

CANCELLED

MAR 2 8 2005

Public Service Commission MISSOURI

Issued: August 10, 2004

Effective: September 10, 2004

By CINDY BRINKLEY, President-SBC Missouri Southwestern Bell Telephone, L.P., d/b/a SBC Missouri St. Louis, Missouri

FILED MO PSC

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 26 2nd Revised Sheet 9 Replacing 1st Revised Sheet 9

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

6. TERM PRICING PLAN (TPP)

- 6.1 The TPP provides for 36- or 60-^{/1/} month rate stabilization. Decreases in term monthly recurring tariff rates will be passed on to customers who participate in a TPP. Should the Company increase its rates during the TPP period, the customer would continue to pay the rates in effect at the time the customer elected to establish service under the TPP.
- 6.2 The customer may choose to terminate an existing TPP before the end of the 36- or 60-^{/1/} month period and negotiate a new 36- or 60-^{/1/} month TPP. The new TPP must be based upon the rates that are currently in effect and available to all customers. (CT)
- 6.3 The customer must provide the Company with a written notice of intent to renew a TPP no later than 90 days prior to its expiration. If the customer elects not to renew the TPP, or does not notify the Company of the customer's intent to renew the TPP, the service will automatically be billed under the tariffed monthly extension rates in effect at the time that TPP expires. Subsequently, customers under the tariffed monthly extension rates may convert their existing service to either a 36- or 60-11/month TPP. Nonrecurring charges will be waived at the time of conversion.
- 6.4 Any Special Construction charges incurred for services billed under a TPP will be applicable as provided for in 1.4.4 of this tariff.
- 6.5 If the customer terminates the TPP agreement prior to the expiration of the 36- or 60- month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to:
 - Fifty percent (50%) of all recurring charges for the remaining months of the customer's term.

/1/ Effective November 15, 2013, customers may not establish new term plans greater than 36 months for CSME Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.

Effective: November 15, 2013

Issued: October 16, 2013

(AT)

(AT)

(AT)

Digital Link Services Tariff
Section 26
1st Revised Sheet 9
Replacing Original Sheet 9

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

6. TERM PRICING PLAN (TPP)

- 6.1 The TPP provides for 36- or 60-month rate stabilization. Decreases in term monthly recurring tariff rates will be passed on to customers who participate in a TPP. Should the Company increase its rates during the TPP period, the customer would continue to pay the rates in effect at the time the customer elected to establish service under the TPP.
 - 6.2 The customer may choose to terminate an existing TPP before the end of the 36- or 60-month period and negotiate a new 36- or 60-month TPP. The new TPP must be based upon the rates that are currently in effect and available to all customers.
 - 6.3 The customer must provide the Company with a written notice of intent to renew a TPP no later than 90 days prior to its expiration. If the customer elects not to renew the TPP, or does not notify the Company of the customer's intent to renew the TPP, the service will automatically be billed under the tariffed monthly extension rates in effect at the time that TPP expires. Subsequently, customers under the tariffed monthly extension rates may convert their existing service to either a 36- or 60-month TPP. Nonrecurring charges will be waived at the time of conversion.
 - 6.4 Any Special Construction charges incurred for services billed under a TPP will be applicable as provided for in 1.4.4 of this tariff.
 - 6.5 If the customer terminates the TPP agreement prior to the expiration of the 36- or 60-month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to:
 - Fifty percent (50%) of all recurring charges for the remaining months of the customer's term.

Issued: April 8, 2005 Effective: May 11, 2005

Filed

Missouri Public
Service Commission

Digital Link Services Tariff Section 26 Original Sheet 9

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

- 6. TERM PRICING PLAN (TPP)
 - 6.1 The TPP provides for 36- or 60-month rate stabilization. Decreases in term monthly recurring tariff rates will be passed on to customers who participate in a TPP. The Company will notify customers participating in a TPP when term monthly recurring rates are decreased.
 - Should the Company increase its rates during the TPP period, the customer would continue to pay the rates in effect at the time the customer elected to establish service under the TPP.
 - 6.2 The customer may choose to terminate an existing TPP before the end of the 36- or 60-month period and negotiate a new 36- or 60-month TPP. The new TPP must be based upon the rates that are currently in effect and available to all customers.
 - 6.3 The customer must provide the Company with a written notice of intent to renew a TPP no later than 90 days prior to its expiration. If the customer elects not to renew the TPP, or does not notify the Company of the customer's intent to renew the TPP, the service will automatically be billed under the tariffed monthly extension rates in effect at the time that TPP expires. Subsequently, customers under the tariffed monthly extension rates may convert their existing service to either a 36- or 60-month TPP. Nonrecurring charges will be waived at the time of conversion.
 - 6.4 Any Special Construction charges incurred for services billed under a TPP will be applicable as provided for in 1.4.4 of this tariff.
 - 6.5 If the customer terminates the TPP agreement prior to the expiration of the 36- or 60-month service term, the customer shall pay a termination charge. Payment of the termination charge does not release the customer from other previous amounts owed to the Company. In addition to any unpaid Special Construction or nonrecurring charges (excluding any waived charges), Termination Charges will be equal to:
 - Fifty percent (50%) of all recurring charges for the remaining months of the customer's term.

CANCELLED

MAY 1 1 2005

Public Service Commission
MISSOURI

Issued: August 10, 2004

Effective: September 10, 2004



Digital Link Services Tariff Section 26 Original Sheet 10

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

- 6. TERM PRICING PLAN (TPP) (cont'd)
 - 6.6 Customers may move their existing service to a new location without incurring Termination Charges provided all of the following conditions are met:
 - The customer maintains the existing TPP at the new location or establishes a new TPP equal to or greater than the old location;
 - During the TPP, a customer may move a CSME Service location to another premises in the same LATA and keep the TPP in force without assessment of Termination Charges, provided no lapse in billing occurs;
 - The customer's request for disconnect at the existing location and the request for service at the new location are received at the same time, and the customer's disconnect order for the existing service references the new connect order for the new service;
 - Moves of one location to a premise in a different serving office may result in a change in the monthly charges. Nonrecurring charges as appropriate are applicable;
 - If the customer moves more than one location of the service concurrently, the customer will be liable for Termination Charges, as this is considered a complete disconnect of the service.

Issued: February 25, 2005 Effective: March 28, 2005



Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 26 1st Revised Sheet 11 Replacing Original Sheet 11

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

6.	TERM	PRICING	PLAN	(TPP)	(cont'd)

6.7	Customers will be permitted to upgrade from CSME Service to a higher-speed service provided by the Company, without incurring Termination Charges, given all of the following conditions are met:	(CT) (CT)
	 An upgrade is considered an increase in speed or capacity when comparing CSME Service to the new service. The customer must issue a disconnect order for the existing CSME locations and place a service order for the new higher-speed service at the same locations such that there is no more than 90 days overlap in service. 	(AT) (AT) (CT) (CT) (CT) (RT)
	 The term of the new higher-speed service contract must be equal to or greater than the remaining time left on the existing CSME contract. The existing CSME Service must have been in service for a minimum period of 15 months for a 3-year contract or 18 months for a 5-year contract. 	(RT) (RT)
	 For customers upgrading from CSME to OPT-E-MAN® Service, the customer's network configuration must remain the same (i.e. multipoint CSME to multipoint OPT-E-MAN). The number of OPT-E-MAN locations must be greater than or equal to the current number of CSME locations. 	(CT)
	 For customers upgrading from CSME to OPT-E-MAN Service, a minimum of 50% of the connection speed for each individual connection must be maintained: 	(CT)
	• If customer has a 1 Gbps CSME connection, then customer must purchase a minimum 500	

- If customer has a 1 Gbps CSME connection, then customer must purchase a minimum 500 Mbps OPT-E-MAN connection
- If customer has a 100 Mbps CSME connection, then customer must purchase a minimum 50 Mbps OPT-E-MAN connection
- If customer has a 10 Mbps CSME connection, then customer must purchase a minimum 5 Mbps OPT-E-MAN connection

Issued: June 19, 2007 Effective: July 20, 2007

Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri

Section 26 Original Sheet 11

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

6. Term Pricing Plan (TPP) (cont'd)

- **6.7** Customers will be permitted to upgrade from CSME Service to OPT-E-MAN® Service, without incurring Termination Charges, given all the following conditions are met:
 - The customer must issue a disconnect order for the existing CSME locations and place a new service order for OPT-E-MAN Service at the same locations. Termination Charges for CSME Service at the current locations will be waived.
 - The term of the new OPT-E-MAN Service contract must be equal to or greater than the remaining time left on the existing CSME contract.
 - The existing CSME Service must have been in service for a minimum period of 15 months for a 3-year contract or 18 months for a 5-year contract.
 - Upgrades are contingent on availability of fiber from premises to premises, and the availability of OPT-E-MAN Service in the serving area. Other Special Construction charges, as necessary, may apply.
 - The customer's network configuration must remain the same (i.e. multipoint CSME to multipoint OPT-E-MAN). The number of OPT-E-MAN locations must be greater than or equal to the current number of CSME locations.
 - A minimum of 50% of the connection speed for each individual connection must be maintained:
 - If customer has a 1 Gbps CSME connection, then customer must purchase a minimum 500 Mbps OPT-E-MAN connection
 - If customer has a 100 Mbps CSME connection, then customer must purchase a minimum 50 Mbps OPT-E-MAN connection
 - If customer has a 10 Mbps CSME connection, then customer must purchase a minimum 5 Mbps OPT-E-MAN connection

Issued: July 25, 2006 Effective: August 25, 2006



Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 26 1st Revised Sheet 11.1 Replacing Original Sheet 11.1

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

6. TERM PRICING PLAN (TPP) (cont'd)

6.8 Migration to AT&T Switched Ethernet ServiceSM

If the customer migrates from CSME Service to AT&T Switched Ethernet Service, the customer may do so without incurring termination charges given all of the following conditions are met: (CT)

- The customer must issue a disconnect order for their existing CSME service and place a service order for AT&T Switched Ethernet Service. If over-lapping service is required, billing will apply.
- Standard nonrecurring charges to install AT&T Switched Ethernet Service, if applicable, will apply.
- The term of the new contract must be equal to or greater than the remaining time left on the
 existing CSME contract and the Monthly Recurring Charge of the new AT&T Switched Ethernet
 Service must be equal to or greater than the Monthly Recurring Charge of the CSME Service
 being replaced.
- The new AT&T Switched Ethernet Service and the CSME service must be billed to the same customer of record at the same location(s).
- The customer's existing CSME service must have been in service at least 12 months.
- Migration is contingent on availability of fiber and equipment to serve the location being migrated.
 Other Special Construction charges, as necessary, may apply.
- If Special Construction charges were applicable to the existing CSME service being replaced, and those charges were not already paid, they must be carried forward to the new AT&T Switched Ethernet Service contract.

AT&T Switched Ethernet Service is a service mark of AT&T Intellectual Property.

Issued: May 15, 2013

CANCELLED

May 1, 2014

Missouri Public

Service Commission

JI-2014-0389

By JOHN SONDAG, President - Missouri St. Louis, Missouri Effective: June 14, 2013

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 26 Original Sheet 11.1

CUSTOMIZED SWITCHED METRO ETHERNET (CSME) SERVICE

TERM PRICING PLAN (TPP) (cont'd)

6.8 Migration to AT&T Switched Ethernet ServiceSM

(AT)

As of February 1, 2012, if the customer migrates from CSME Service to AT&T Switched Ethernet Service in accordance with all terms and conditions in the AT&T Interstate Access Guidebook applicable to AT&T Switched Ethernet Service, then the customer may do so without termination charges given all of the following conditions are met:

- The customer must issue a disconnect order for their existing CSME service and place a service order for AT&T Switched Ethernet Service. If over-lapping service is required, billing will apply.
- Standard nonrecurring charges to install AT&T Switched Ethernet Service, if applicable, will apply.
- The term of the new contract must be equal to or greater than the remaining time left on the
 existing CSME contract and the Monthly Recurring Charge of the new AT&T Switched Ethernet
 Service must be equal to or greater than the Monthly Recurring Charge of the CSME Service
 being replaced.
- The new AT&T Switched Ethernet Service and the CSME service must be billed to the same customer of record at the same location(s).
- The customer's existing CSME service must have been in service at least 12 months.
- Migration is contingent on availability of fiber and equipment to serve the location being migrated. Other Special Construction charges, as necessary, may apply.
- If Special Construction charges were applicable to the existing CSME service being replaced, and those charges were not already paid, they must be carried forward to the new AT&T Switched Ethernet Service contract.

(AT)

AT&T Switched Ethernet Service is a service mark of AT&T Intellectual Property.

(AT)

Effective: February 1, 2012