# Thousands-Block Application Form Part 1A

Type of Application (check one):	X New	□ Change <sup>l</sup>	□ Disconnect
GENER/	AL APPLICATION	INFORMATION	
1.1 Contact Information:			
Block Applicant: Company Name: Socket Telecom LLC Headquarters Address: 1005 Cherry St. Suit Contact Name: Anthony G. Lana Contact Address: 1005 Cherry St. Suite 104 Phone: 573-777-1991, ext. 553 Fa E-Mail: tlana@sockettelecom.com	City: Columbia		
Pooling Administrator <sup>ii</sup> : Contact Name: Genevieve Paulino Contact Address: 1800 Sutter St. Ste. 780 Phone: 925-363-7652 Fax: 925-36 E-Mail: genevieve.paulino@neustar.biz	City: <u>Concord</u> 33-7683	State: <u>CA</u> Z	ip: <u>94520</u>
1.2 General Information			
Check one: No LRN needed X	_LRN needed <sup>iii</sup>		
NPA: <u>636</u> LATA: <u>520</u> OCN <sup>iv</sup> : <u>554A</u> Number of Thousands-Blocks Requested: _	Parent Company	's OCN: <u>554A</u>	
Switch Identification (Switching Entity/POI Rate Center <sup>vi</sup> : <u>OLD MONROE</u> Rate	) <sup>v</sup> : <u>STLSMOZCDS</u> Center Sub Zone:	2 City or Wire	Center Name
1.3 Dates			
Date of Application <sup>vii</sup> : <u>December 27, 2006</u> Request Expedited Treatment? (See Section			uary 27, 2007
1.4 Type of Service Provider Requesting	the Thousands-Blo	ock:	
a) Type of Service Provider: CLEC b) Primary type of service Blocks to be c) Thousands-Block(s) (NXX-X) assign d) Thousands-Block(s) (NXX-X) that a e) If requesting a code for LRN purpose be given to the pool)	nment preference (our are undesirable for the s, indicate which be	optional): 636-665-7 his assignment, if an	y
1.5 Type of Request			

Tracking Number:	TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1
Pa	ck Application Form
Initial block for rate center: Yes, If Yes attach evider Service within 60 days	nce of authorization and proof of capability to provide
Growth block for rate center: Yes $X$ , If Yes, attach	months to exhaust worksheet
Change block: Yes, If Yes, indicate NPA-NXX-X	, type of and reason for change:
Disconnect block: Yes, If Yes, list NPA-NXX-X_	
I hereby certify that the above information requesting an that this application has been prepared in accordance wit	NXX-X block is true and accurate to the best of my knowledge and the Thousands-Block (NXX-X) Pooling Administration Guidelines

December 27, 2006

Date

Telecom Administrator
Title

(ATIS-0300066).

Signature of Block Applicant

Tracking Number:	
------------------	--

TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1

## Thousands-Block Application Form Part 1A

#### Instructions for filling out each Section of the Part 1A form:

- Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.
- Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN)are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia<sup>TM</sup> Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based provider viii. Explanations of these terms may be found in the footnotes.
- Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.
- Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.
- Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

Tracking Number: \_\_\_\_

TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1

## Thousands-Block Application Form Part 1A

Foot Notes:

i Identify type of and reason for change(s) in Section 1.5.

ii The Pool Administrator is available to assist in completing these forms.

iii A CO Code application will also need to be submitted to the PA

Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI<sup>TM</sup> code of the switch /POI.

vi Rate Center name must be a tariffed Rate Center.

vii Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

viii Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

		Pooling A	Admini	stration Sy	/stem	
<b>1</b> tlan	a@sockettelecom.c			- •		Sign Out
	Mon	ths to Exhaust and	Utilization	Certification Wor	ksheet - TN Level <sup>1</sup>	- 3
		Dete	18/			
			weanesda 554A	ıy, December 27,	2006	
				TELECOM - MO		
		Rate Center				
List a	il Codes NPA(s)-NX	(Xs and Blocks NPA(s)- NXX-X(s)				
636-	661-7					
AND THE PROPERTY OF THE PROPER						
	N	lame of Block Applicant	Mr Anthor	ıy G Lana		
				dministrator		
		Telephone Number				
		Fax Number				
			_	kettelecom.com		
		A. Available Numbers *	997			
		B. Assigned Numbers *	2			
	C. Total f	Numbering Resources *	1000			
D. C days a	Quantity of numbers and excluded from the	activated in the past 90 ne Utilization calculation *	0			
	List exclud	ded Code(s) or Block(s)				
		0				
E. Gro	wth History - Previo					
	Month 1	0		Month 2	0	
	Month 3	О	:	Month 4	O	
	Month 5	0		Month 6	0	

#### F. Forecast - Next 12 months<sup>3</sup> \*

Month 1	1	Month 2	5
Month 3	5	Month 4	5
Month 5	10	Month 6	10
Month 7	10	Month 8	15
Month 9	15	Month 10	15
Month 11	20	Month 12	20

G. Average Monthly Forecast (Sum of months # 1-6 (Part F above ) divided by 6) 6.000

H. Months to Exhaust <sup>4</sup> (Numbers Available for Assignment to customers (A) / Average Monthly Forecast (G))

Block Requested
1

A. Available Numbers

H. Months to Exhaust

997

166.167

l. Utilization $^5$ (Assigned Numbers (B)) / (Total Numbering Resources (C) - Excluded Numbers (D)) \* 100

0.200

Explanation

Request for block so that there are both MCA and non-MCA blocks for assignment to customers in this rate center.

<sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>3</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

<sup>4</sup>To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, ý 52.15 (g)(3)(iii)).

<sup>5</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g) (3)(ii))

Show Calculations

Continue

Cancel

### **Pooling Administration System**

tlana@sockettelecom.com (SP)

Sign Out

Months to Exhaust and Utilization Certification Worksheet - TN Level (Continued)

Your utilization calculates to 0.200 percent. The FCC requires a utilization of 75.000 percent.

#### **Select One Option and Submit**

- C Return to the Months To Exhaust Form
- C Discard all the information provided for the request and start with a fresh Part 1A
- State Waiver Option

Submit Cancel

# Thousands-Block Application Form Part 1A

Type of Application (check one):	X New	□ Change <sup>i</sup>	□ Disconnect			
GENERAL APPLICATION INFORMATION						
1.1 Contact Information:						
Block Applicant: Company Name: Socket Telecom LLC Headquarters Address: 1005 Cherry St. Su Contact Name: Anthony G. Lana Contact Address: 1005 Cherry St. Suite 104 Phone: 573-777-1991, ext. 553 E-Mail: tlana@sockettelecom.com	4 City: Columbi	a State: MO				
Pooling Administrator <sup>ii</sup> :  Contact Name: Genevieve Paulino Contact Address: 1800 Sutter St. Ste. 780 Phone: 925-363-7652 Fax: 925-3 E-Mail: genevieve.paulino@neustar.biz	City: <u>Concord</u> 63-7683	l State: <u>CA</u>	Zip: <u>94520</u>			
1.2 General Information						
Check one: No LRN needed X	LRN needed <sup>iii</sup>					
NPA: <u>636</u> LATA: <u>520</u> OCN <sup>iv</sup> : <u>554A</u> Number of Thousands-Blocks Requested:		y's OCN: <u>554A</u>	•			
Switch Identification (Switching Entity/PO Rate Center <sup>vi</sup> : <u>PORTAGSIUX</u> Rate						
1.3 Dates						
Date of Application <sup>vii</sup> : <u>December 27, 2006</u> Request Expedited Treatment? (See Section			anuary 27, 2007			
1.4 Type of Service Provider Requesting	g the Thousands-B	lock:				
a) Type of Service Provider: <u>CLEC</u> b) Primary type of service Blocks to be c) Thousands-Block(s) (NXX-X) assig d) Thousands-Block(s) (NXX-X) that e) If requesting a code for LRN purpos be given to the pool)	gnment preference are undesirable for ses, indicate which	(optional): 636-434 this assignment, if				
1.5 Type of Request						

Tracking Number:	TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1
Thousands-Block A Part 1	= <del>-</del>
Initial block for rate center: Yes, If Yes attach evidence of Service within 60 days	<del>-</del>
Growth block for rate center: Yes X_, If Yes, attach mont	hs to exhaust worksheet
Change block: Yes, If Yes, indicate NPA-NXX-X, type	of and reason for change:
Disconnect block: Yes, If Yes, list NPA-NXX-X	
I hereby certify that the above information requesting an NXX	K-X block is true and accurate to the best of my knowledge and

Signature of Block Applicant Title December 27, 2006

Date

that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guidelines

(ATIS-0300066).

TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1

# Thousands-Block Application Form Part 1A

#### Instructions for filling out each Section of the Part 1A form:

- Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.
- Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia<sup>TM</sup> Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based provider<sup>Viii</sup>. Explanations of these terms may be found in the footnotes.
- Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.
- Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.
- Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

<b>Pooling</b>	<b>Administration</b>	<b>System</b>
(SP)		_

Sign Out

Months to Exhaust and Utilization Certification Worksheet - TN Level<sup>1</sup>

Date Wednesday, December 27, 2006 OCN 554A

Company Name SOCKET TELECOM - MO

	PORTAGE DES SIOUX
List all Codes NPA(s)-NXXs and Blocks NPA(s)-	
NXX-X(s)	
636-899-3	
Name of Block Applicant	Mr Anthony G Lana
	Telecom Administrator
Telephone Number	
	(573) 256-6201
	tlana@sockettelecom.com
A. Available Numbers *	<b> 996</b>
B. Assigned Numbers *	3
C. Total Numbering Resources *	1000
D. Quantity of numbers activated in the past 90 days and excluded from the Utilization calculation	
List excluded Code(s) or Block(s)	
E. Growth History - Previous 6 months <sup>2</sup> *	
унстительный при	AND SHAPE OF THE S

Month 1	0	Month 2	0
Month 3	0	Month 4	0
Month 5	0	Month 6	0

#### F. Forecast - Next 12 months<sup>3</sup> \*

Month 1	1	Month 2	5
Month 3	5	Month 4	5
Month 5	10	Month 6	110
Month 7	10	Month 8	115
Month 9	15	Month 10	15
Month 11	20	Month 12	20

G. Average Monthly Forecast (Sum of months # 1-6 (Part F above ) divided by 6)

6.000

H. Months to Exhaust <sup>4</sup> (Numbers Available for Assignment to customers (A) / Average Monthly Forecast (G))

**Block Requested** 

A. Available Numbers

H. Months to Exhaust

996

166,000

I. Utilization<sup>5</sup>(Assigned Numbers (B)) / (Total Numbering Resources (C) - Excluded Numbers (D)) \* 100

0.300

Explanation

Request for block so that there are both MCA and non-MCA blocks for assignment to customers in this rate center.

<sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>3</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

<sup>4</sup>To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, ý 52.15 (g)(3)(iii)).

<sup>5</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g) (3)(ii))

**Show Calculations** 

Continue

Cancel

### **Pooling Administration System**

d tlana@sockettelecom.com (SP)

Sign Out

Months to Exhaust and Utilization Certification Worksheet - TN Level (Continued)

Your utilization calculates to 0.300 percent. The FCC requires a utilization of 75.000 percent.

#### **Select One Option and Submit**

- C Return to the Months To Exhaust Form
- C Discard all the information provided for the request and start with a fresh Part 1A
- State Waiver Option

Submit Cancel

# Thousands-Block Application Form Part 1A

Type of Application (check one):	X New	□ Change <sup>i</sup>	□ Disconnect
<u>GENER</u>	AL APPLICATIO	N INFORMATION	
1.1 Contact Information:			
Block Applicant: Company Name: Socket Telecom LLC Headquarters Address: 1005 Cherry St. Su: Contact Name: Anthony G. Lana Contact Address: 1005 Cherry St. Suite 104 Phone: 573-777-1991, ext. 553 E-Mail: tlana@sockettelecom.com	1 City: Columbia	State: MO Z	
Pooling Administratorii: Contact Name: Genevieve Paulino Contact Address: 1800 Sutter St. Ste. 780 Phone: 925-363-7652 Fax: 925-36 E-Mail: genevieve.paulino@neustar.biz	City: <u>Concord</u> 63-7683	State: <u>CA</u> Z	ip: <u>94520</u>
1.2 General Information			
Check one: No LRN needed X	_LRN needed <sup>iii</sup>		
NPA: <u>636</u> LATA: <u>520</u> OCN <sup>iv</sup> : <u>554A</u> Number of Thousands-Blocks Requested: _	Parent Company	y's OCN: <u>554A</u>	
Switch Identification (Switching Entity/PORate Center <sup>vi</sup> : <u>ST CHARLES</u> Rate	I) <sup>v</sup> : <u>STLSMOZCDS</u> Center Sub Zone: _	City or Wire	Center Name
1.3 Dates			
Date of Application <sup>vii</sup> : <u>December 27, 2006</u> Request Expedited Treatment? (See Section			uary 27, 2007
1.4 Type of Service Provider Requesting	the Thousands-Bl	ock:	
a) Type of Service Provider: CLEC b) Primary type of service Blocks to be c) Thousands-Block(s) (NXX-X) assig d) Thousands-Block(s) (NXX-X) that e) If requesting a code for LRN purpos be given to the pool)	nment preference ( are undesirable for es, indicate which b	optional): 636-866-3	y
1.5 Type of Request			

Tracking Number:	TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1
Thousands-Block A Part 1	
Initial block for rate center: Yes, If Yes attach evidence of Service within 60 days	f authorization and proof of capability to provide
Growth block for rate center: Yes X, If Yes, attach mont	hs to exhaust worksheet
Change block: Yes, If Yes, indicate NPA-NXX-X, type	e of and reason for change:
Disconnect block: Yes, If Yes, list NPA-NXX-X	
I hereby certify that the above information requesting an NXX that this application has been prepared in accordance with the (ATIS-0300066).	X-X block is true and accurate to the best of my knowledge and Thousands-Block (NXX-X) Pooling Administration Guidelines

Telecom Administrator December 27, 2006
Signature of Block Applicant Title Date

TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1

# Thousands-Block Application Form Part 1A

#### Instructions for filling out each Section of the Part 1A form:

- Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.
- Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN)are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia<sup>TM</sup> Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based provider<sup>Viii</sup>. Explanations of these terms may be found in the footnotes.
- Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.
- Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.
- Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

Tracking Number: \_\_\_\_

TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1

# Thousands-Block Application Form Part 1A

Foot Notes:

i Identify type of and reason for change(s) in Section 1.5.

The Pool Administrator is available to assist in completing these forms.

iii A CO Code application will also need to be submitted to the PA

Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI<sup>TM</sup> code of the switch /POI.

vi Rate Center name must be a tariffed Rate Center.

vii Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

viii Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

		Pooling A	Adminis	tration Sy	/stem	
<b>1</b> tlan	na@sockettelecom.co			-		Sign Out
	Mont	hs to Exhaust and	Utilization Co	ertification Wo	rksheet - TN Levei <sup>1</sup>	
		Date	Wednesday	, December 27	2006	
			554A	, December 27	, 2000	
		Company Name		LECOM - MO		
			ST CHARLE			
List a	ill Codes NPA(s)-NX>	(s and Blocks NPA(s)- NXX-X(s)				
636-	896-7		······································			
	Na	me of Block Applicant	Mr Anthony	G Lana		
		Title	Telecom Ad	ministrator		
		Telephone Number	(573) 256-62	00		
			(573) 256-62			
		E-Mail	tlana@sock	ettelecom.com		
	Δ	. Available Numbers *	998			
	В	. Assigned Numbers *	1			
	C. Total N	umbering Resources *	1000			
D. C days a	Quantity of numbers a and excluded from the	ctivated in the past 90 Utilization calculation *	0			
	List exclude	ed Code(s) or Block(s)				
E. Gro	wth History - Previou	s 6 months <sup>2</sup> *	The Little Control of the Control of			
	Month 1	0		Month 2	0	
	Month 3	0		Month 4	0	
	Month 5	0		Month 6	0	

F. Forecast - Next 12 months<sup>3</sup> \*

Month 1	1	Month 2	5
Month 3	5	Month 4	110
Month 5	110	Month 6	10
Month 7	<b>J</b> 15	Month 8	15
Month 9	<b>J15</b>	Month 10	20
Month 11	20	Month 12	20

G. Average Monthly Forecast (Sum of months # 1-6 (Part F above ) divided by 6)

6.833

H. Months to Exhaust <sup>4</sup> (Numbers Available for Assignment to customers (A) / Average Monthly Forecast (G))

**Block Requested** 

A. Available Numbers 998

H. Months to Exhaust

146.056

I. Utilization<sup>5</sup>(Assigned Numbers (B)) / (Total Numbering Resources (C) - Excluded Numbers (D)) \* 100

0.100

Explanation

Request for block so that there are both MCA and non-MCA blocks for assignment to customers in this rate center.

<sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>3</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

<sup>4</sup>To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, ý 52.15 (g)(3)(iii)).

<sup>5</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g) (3)(ii))

**Show Calculations** 

Continue

Cancel

### **Pooling Administration System**

d tlana@sockettelecom.com (SP)

Sign Out

Months to Exhaust and Utilization Certification Worksheet - TN Level (Continued)

Your utilization calculates to 0.100 percent. The FCC requires a utilization of 75.000 percent.

#### **Select One Option and Submit**

- C Return to the Months To Exhaust Form
- C Discard all the information provided for the request and start with a fresh Part 1A
- State Waiver Option

Submit Cancel

# Thousands-Block Application Form Part 1A

Type of Application (check one): X New □ Change □ Disconnect
GENERAL APPLICATION INFORMATION
1.1 Contact Information:
Block Applicant:  Company Name: Socket Telecom LLC  Headquarters Address: 1005 Cherry St. Suite 104
Pooling Administrator <sup>ii</sup> : Contact Name: Genevieve Paulino Contact Address: 1800 Sutter St. Ste. 780 City: Concord State: CA Zip: 94520 Phone: 925-363-7652 Fax: 925-363-7683 E-Mail: genevieve.paulino@neustar.biz
1.2 General Information
Check one: No LRN needed X LRN needed LRN needed LRN needed
NPA: 636 LATA: 520 OCN <sup>iv</sup> : 554A Parent Company's OCN: 554A Number of Thousands-Blocks Requested: 1
Switch Identification (Switching Entity/POI) <sup>v</sup> : <u>STLSMOZCDS2</u> City or Wire Center Name
1.3 Dates
Date of Application <sup>vii</sup> : December 27, 2006 Requested Block Effective Date: January 27, 2007 Request Expedited Treatment? (See Section 8.6) Yes NoX
1.4 Type of Service Provider Requesting the Thousands-Block:
a) Type of Service Provider: <a href="CLEC">CLEC</a> (LEC, IXC, CMRS, Other) b) Primary type of service Blocks to be used for: <a href="Wireline">Wireline</a> c) Thousands-Block(s) (NXX-X) assignment preference (optional): <a href="636-205-7">636-205-7</a> d) Thousands-Block(s) (NXX-X) that are undesirable for this assignment, if any e) If requesting a code for LRN purposes, indicate which block(s) you will be keeping (the remainder of the blocks will be given to the pool)
1.5 Type of Request

Tracking Number:	TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1
Thousands-Bloo	ck Application Form
_	art 1A
Initial block for rate center: Yes, If Yes attach evider Service within 60 days	nce of authorization and proof of capability to provide
Growth block for rate center: Yes $\underline{X}$ , If Yes, attach	months to exhaust worksheet
Change block: Yes, If Yes, indicate NPA-NXX-X	t, type of and reason for change:
Disconnect block: Yes, If Yes, list NPA-NXX-X	
I hereby certify that the above information requesting an that this application has been prepared in accordance with the above information requesting and that this application has been prepared in accordance with the above information requesting and the above information requestion requ	n NXX-X block is true and accurate to the best of my knowledge and th the Thousands-Block (NXX-X) Pooling Administration Guidelines

(ATIS-0300066).

_			
ı ra	ckina	Number:	
,,,	UI 11 1 U	TAGILIDOL.	

TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1

## Thousands-Block Application Form Part 1A

#### Instructions for filling out each Section of the Part 1A form:

- Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.
- Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia<sup>TM</sup> Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based provider<sup>Viii</sup>. Explanations of these terms may be found in the footnotes.
- Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.
- Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.
- Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

Tracking Number: \_\_\_\_

TBPAG Attachment 1 – November 21, 2003 ATIS-0300066.at1

# Thousands-Block Application Form Part 1A

Foot Notes:

i Identify type of and reason for change(s) in Section 1.5.

The Pool Administrator is available to assist in completing these forms.

iii A CO Code application will also need to be submitted to the PA

Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI™ code of the switch /POI.

vi Rate Center name must be a tariffed Rate Center.

vii Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

viii Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

		Pooling A	اdmini	stration Sy	<b>ystem</b>	
<b>1</b> tlar	a@sockettelecom.com (			-	•	Sign Out
	Months t	o Exhaust and I	Jtilization	Certification Wo	rksheet - TN Level <sup>1</sup>	
List a	ll Codes NPA(s)-NXXs a	OCN Company Name Rate Center	554A SOCKET	ay, December 27 FELECOM - MO	, 2006	
636-	566-7					On the second se
D. C days a	A. Av B. As C. Total Numb Quantity of numbers active and excluded from the Uti	relephone Number Fax Number E-Mail railable Numbers * signed Numbers * rering Resources * ated in the past 90	Telecom A (573) 256- (573) 256- tlana@soc [997] 2	Administrator 6200		
E. Gro	wth History - Previous 6	months <sup>2</sup> *		Manuals 2		
	Month 1	lo		Month 2	0	
	Month 3	0		Month 4	0	
	Month 5	0	3	Month 6	0	

#### F. Forecast - Next 12 months<sup>3</sup> \*

Month 1	1	Month 2	5
Month 3	5	Month 4	5
Month 5	10	Month 6	10
Month 7	10	Month 8	15
Month 9	15	Month 10	15
Month 11	20	Month 12	20

G. Average Monthly Forecast (Sum of months # 1-6 (Part F above ) divided by 6)

6.000

H. Months to Exhaust <sup>4</sup> (Numbers Available for Assignment to customers (A) / Average Monthly Forecast (G))

**Block Requested** 

A. Available Numbers

H. Months to Exhaust

997

166.167

I. Utilization<sup>5</sup>(Assigned Numbers (B)) / (Total Numbering Resources (C) - Excluded Numbers (D)) \* 100

0.200

Explanation

Request	for	bloc	ck	so	that	there	are	both	MCA	and	
non-MCA	bloo	cks f	for	as	signm	ent to	cus	stomer	s ir	ı	
this rat					_						<b>.</b>

<sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>3</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

<sup>4</sup>To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, ý 52.15 (g)(3)(iii)).

<sup>5</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g) (3)(ii))

Show Calcul	Continue	

### **Pooling Administration System**

d tlana@sockettelecom.com (SP)

Sign Out

Months to Exhaust and Utilization Certification Worksheet - TN Level (Continued)

Your utilization calculates to 0.200 percent. The FCC requires a utilization of 75.000 percent.

#### **Select One Option and Submit**

- Return to the Months To Exhaust Form
- C Discard all the information provided for the request and start with a fresh Part 1A
- State Waiver Option

Submit Cancel

### **Pooling Administration System** tlana@sockettelecom.com (SP) Sign Out Part 1A Type of Application: New Tracking Number: 636-CEDAR HILL-MO-111717 1.1 Contact Information: Note: If any of the contact info is incorrect, edit your user profile. **Block Applicant:** Company Name SOCKET TELECOM - MO Headquarters Address 1005 Cherry St., Suite 104 City Columbia State MO Zip 65201 Contact Name Anthony G Lana Contact Address 1005 Cherry St., Suite 104 City Columbia State MO Zip 65201 Fax (573) 256-6201 Telephone (573) 256-6200 E-mail tlana@sockettelecom.com Pooling Administrator i: Contact Name Genevieve Paulino Contact Address 1800 Sutter St. Ste. 780 City Concord State CA Zip 94520 Fax (925) 363-7683 Telephone (925) 363-7652 E-mail genevieve.paulino@neustar.biz 1.2 General Information LRN Neededii NO **NPA 636** LATA OCNIII 554A - SOCKET TELECOM - MO Parent Company OCN Number of Thousands-Blocks 0 Requested Switch Identification (Switching City or Wire Center Identity/POI)iv Name Rate Center V CEDAR HILL Rate Center Sub Zone 1.3 Dates

Date of Application<sup>vi</sup> **12/29/2006**Requested Block Effective Date **01/29/2007**Request Expedited Treatment **N** 

#### 1.4 Type of Service Provider Requesting the Thousands-Block

- a) Type of Service Provider
- b) Primary type of service Blocks to be used for
- c) Thousands-Block(s) (NPA-NXX-X) assignment preference **636-xxx-1**
- d) Thousands-Block(s) (NPA-NXX-X) that are undesirable for this assignment, if any
- e) If requesting a code for LRN purposes, indicate which block(s) you will be keeping (the remainder **636-xxx-1** of the blocks will be given to the pool)

#### 1.5 Type of Request

Initial block for rate center
Growth block for rate center **Yes**Change block
Disconnect block

I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge and that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guidelines (ATIS-0300066)

### Back Print

#### Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN)are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia<sup>TM</sup> Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based provider vii. Explanations of these terms may be found in the footnotes.

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any

thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

#### **Foot Notes:**

<sup>i</sup> The Pool Administrator is available to assist in completing these forms.

ii A CO Code application will also need to be submitted to the PA

iii Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

<sup>IV</sup> This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI<sup>TM</sup> code of the switch /POI.

<sup>v</sup> Rate Center name must be a tariffed Rate Center.

vi Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

vii Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

### **Pooling Administration System**

d tlana@sockettelecom.com (SP)

Sign Out

Months to Exhaust and Utilization Certification Worksheet - TN Level<sup>1</sup>

**Block Applicant:** 

Name of Block Applicant Anthony G Lana

Title Telecom Administrator

Telephone Number (573) 256-6200

Fax Number (573) 256-6201

E-Mail tlana@sockettelecom.com

Date 12/29/2006

OCN 554A

Rate Center CEDAR HILL

List all Codes NPA(s)-NXXs and Blocks NPA(s)-

NXX-X(s)

636-707-7

A. Available Numbers 0

B. Assigned Numbers 0

C. Total Numbering Resources 1000

D. Quantity of numbers activated in the past 90 days and excluded from the Utilization 1000 calculation

List excluded Code(s) or Block(s)

636-707-7

E. Growth History - Previous 6 months<sup>2</sup>

Month 1	0	Month 2	0
Month 3	0	Month 4	0
Month 5	0	Month 6	0

F. Forecast - Next 12 months<sup>3</sup>

Month 1	0	Month 2	5
Month 3	5	Month 4	10
Month 5	10	Month 6	10
Month 7	15	Month 8	15
Month 9	15	Month 10	20
Month 11	20	Month 12	20

G. Average Monthly Forecast (Sum of months # 1-6 (Part F above ) divided by 6)<sup>4</sup>

7

H. Months to Exhaust (Numbers Available for Assignment to customers (A) / Average Monthly Forecast (G))

Block Requested
1

A. Available Numbers

H. Months to Exhaust

- (

0.000

I. Utilization  $^5$  (Assigned Numbers (B)) / (Total Numbering Resources (C) - Excluded Numbers (D))  $^*$  100

N/A

Explanation

Request is to open a new MCA type code in this rate center because available blocks are non-MCA type only.

<sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>3</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

 $^4$ To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104,  $\circ$  52.15 (g)(3)(iii)).

<sup>5</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

Back Print

### **Pooling Administration System**

tlana@sockettelecom.com (SP)

Sign Out

### Thousands-Block Application Form Part 1B

#### Tracking Number 636-CEDAR HILL-MO-111717

**Activation Request** 

For Information Only

#### Section A:

(If request is for Activation, the thousand-block applicant is to provide all data except Block Range, Block Effective Date and LERG Assignee/ donating switch information; the PA will fill in those three fields. For a Modification request, the requestor is to provide all information.)

#### **Pooling Administrator:**

Contact Name Genevieve Paulino
Contact Address 1800 Sutter St. Ste. 780

City Concord

State CA

Zip 94520

Telephone (925) 363-7652

Fax (925) 363-7683

E-mail genevieve.paulino@neustar.biz

#### **Block Applicant:**

Company Name SOCKET TELECOM - MO

Contact Name Anthony G Lana

Contact Address 1005 Cherry St., Suite 104

City Columbia

State MO

Zip **65201** 

Telephone (573) 256-6200

Fax (573) 256-6201

E-mail tlana@sockettelecom.com

Service Provider NPAC SOA SPID1 0

LRN<sup>2</sup> 0

Block (1K) Range<sup>3</sup> 1

Block Effective Date 4 01/29/2007

Is Block being allocated back to LERG Assignee on donating switch? No

NPAC Activate Block Range<sup>5</sup> No

Pooling Admin Remarks

#### Section B:

Block Applicant to provide the data ONLY if NPAC Activate Block Range is marked "YES". For Intra SP Block Porting the Block Holder should reflect the routing information of the switch the block is being transferred to<sup>6</sup>

Class DPC7

Class SSN<sup>8</sup>

LIDB DPC9

LIDB SSN<sup>10</sup>

CNAM DPC11

CNAM SSN12

ISVM DPC13

ISVM SSN14

WSMSC DPC15

WSMSC SSN16

SOA Origination<sup>17</sup>

#### Section C:

(NPAC is to Activate/Modify the Block (1K), as indicated on this form. When the Block (1K) Activation/Modification is complete and the data in this section inserted, NPAC sends a copy of the completed form to the Pooling Administrator and Block Holder.)

Block (1K) Request Complete No

Complete Date (MMDDYYYY)

Complete Time (HHMM)

NPAC Personnel performing change

Block Holder sent Completed Form No

Mailed Date (MMDDYYYY)

Mailed Time (HHMM)

Contact Name

Pooling Administrator sent completed Form No

Mailed Date (MMDDYYYY)

Mailed Time (HHMM)

Contact Name

**NPAC Remarks** 

Back Print

#### Instructions for filling out each Section of the Part 1B form:

- 1) The requesting Block Applicant shall complete this form except for Block Range and Block Effective Date, when submitting PART 1 of the INC Thousands-Block Applicant form to the Pooling Administrator. A separate Part 1B form is to be completed for each 1K Block Range requested.
- 2) The Pooling Administrator will insert Block Range and Block Effective Date information, then submit this form to the regional NPAC at the same time PART 3 of the INC Thousands-Block Applicant form is returned to the requesting Block Applicant.
- 3) Pre-Block Activation:
- a) If the Block Holder is requesting a modification, the Block Holder needs to complete Sections A and any applicable data in Section B of this form and send it to the Pooling Administrator (PA). The PA will forward the form to the NPAC for processing.
- 4) Post- Block Activation: If Block Holder requests NPAC to perform the Block Modification, then Sections A & B of this form should be completed and send to the Pooling Administrator. The Pooling Administrator will send the information on to the NPAC. Upon completion of this request, NPAC sends a copy of the completed form to the Pooling Administrator and Block Holder.

#### **Foot Notes:**

- <sup>1</sup> The Service Provider ID of the block holder. The SPID must be a valid SPID in the NPAC system. If your company does not have a SPID, please call the NPAC at 1-888-NPAC-HEL(P) for assistance.
- <sup>2</sup> A Location Routing Number is a 10-digit number, in the format NPA-NXX-XXXX, that uniquely identifies a switch or point of interconnection (POI). The NPA-NXX portion of the LRN is used to route calls to numbers that have been ported.

#### <sup>6</sup> NANC 191

Whenever a DPC value is specified, an SSN value likewise must be provided (and vice versa). The three-digit values used for the first three-digit portion of the DPC must be between 001 and 255 and the three-digit values used for the next two three-digit portions of the DPC must be between 000 and 255.

#### **NANC 291**

The SSN value must be 000; no other value is accepted.

<sup>7</sup>Customer Local Area Signaling Services Destination Point Code for 10-digit GTT for CLASS features for the 1K block.

<sup>8</sup>Customer Local Area Signaling Services Subsystem Number for the 1K block.

<sup>9</sup>Line Information Database Destination Point Code for 10-digit GTT for LIDB features for the 1K block.

<sup>10</sup>Line information Database Subsystem Number for the 1K block.

<sup>11</sup>Calling Name Delivery Destination Point Code for 10-digit GTT for CNAM features for the 1K block.

<sup>12</sup>Calling Name Delivery Subsystem Number for the 1K block.

<sup>13</sup>Inter-Switch Voice Mail Destination Point Code for 10-digit GTT for ISVM features for the 1K Block

<sup>14</sup>Inter-Switch Voice Mail Services Subsystem Number for the 1K block.

<sup>15</sup>Wireless Short Message Service Center Destination Point Code for 10-digit GTT for WSMSC features. This field is only required if the service provider supports WSMSC data.

<sup>16</sup>Wireless Short Message Service Center Subsystem Number for the 1K block. This field is only required if the service provider supports WSMSC data.

<sup>17</sup>The SOA Origination Field must be populated with "No" if the NPAC Activate Block Range is marked "Yes" which specifies that the block applicant will not activate their own block range.

<sup>&</sup>lt;sup>3</sup> The Pooling Administrator will insert Block information. The Block will consist of NPA-NXX and the first digit of the 1K block.

<sup>&</sup>lt;sup>4</sup> The Pooling Administrator will insert Block Effective Date. See section 9.2.4 of the Thousands-Block (NXX-X) Number Pooling Administration Guidelines for specifics on effective date. This is the earliest date that the NPAC will broadcast the Block information to all Local SMSs.

<sup>&</sup>lt;sup>5</sup> If "YES" is marked the NPAC will activate the block range. If "NO" is marked it will be the responsibility of the SP to activate the block range.

Tracking Number:	
------------------	--

### Central Office Code (NXX) Assignment Request – Part 1 Revised: March 18, 2005

	Ту	pe of Application:	⊠ New	Change <sup>1</sup>	☐ Delete			
	1.0	GENERAL INFORM	MATION					
	1.1	Contact Information:						
	Code	Applicant:						
	Company/Entity Name: Socket Telecom LLC							
	Headquarters Address: 1005 Cherry St, Ste 104							
	City, State, Zip: Columbia, MO 65201							
	Contact Name: Anthony Lana							
	Contact Address: 1005 Cherry St., Ste 104							
	City, State, Zip: Columbia, MO 65201							
	Phone: <u>573-777-1991 ext. 553</u> FAX: <u>573-256-6201</u> E-Mail: <u>tlana@sockettelecom.com</u>							
	Code	Administrator: <sup>2</sup>						
	Name	e: Paulino, Genevieve A						
	Addre	ess:						
	City,	State, Zip:						
	Phone	e: <u>571-434-5409</u>		FAX: <u>571-434-5</u>	5502			
1.2 NPA: <u>636</u> NXX: <sup>3</sup> LATA: <u>520</u> OCN: <sup>4</sup> <u>554A</u> Parent Company's OCN(s) <u>none</u>								
Switching Identification (Switching Entity/POI) <sup>5</sup> <u>STLSMOZCDS2</u>								
		lity/City/Wire Center:C						
	Homi	ing Tandem Operating Co.	<sup>7</sup> : <u>AT&amp;T</u> Ta	andem Homing CLLI	TM: 8 STLSMO0501T			
1.3 I	Dates:	Date of Application: 12	2/29/2006	Requested Eff	fective Date: 9 10			
1 <u>4</u> T	Cyne of	f company/entity requestin	a the code:					
1.7 1	-	CLEC		MPS Other				
	-	pe of service Wireline			ne 2)			
		ode Assignment Preference		_ (o.g., contina - 1 y)	N 2 j			
	٠,. ٥	ao i issignment i reference	(Optional)					

d). Codes that are undesirable,	if any	
e). Type of change:		
1.5 Type of Request (Initial, growth	, etc.): New NPANXX for Pooling	
If an initial code, attach (1) eviservice within 60 days. If a gr	idence of certification and (2) proof rowth code, attach months to exhau	of ability to place code in st worksheet.
Pool Indicator Yes	11	
1.6 NPA Jeopardy Criteria Apply:	Yes No	
1.7 Code request for new service (Ex	xplain):	
1.8 Part 2 is attached	Part 2 is not attached X	for BIRRDS <sup>12, 13</sup>
I hereby certify that the above inform best of my knowledge and that this a Office Code (NXX) Assignment Gui (http://www.atis.org/atis/clc/inc/incd	pplication has been prepared in acc delines posted to the ATIS Web Sit	ordance with the Central
Signature of Code Applicant	<u>Telecom Administrator</u> Title	December 29, 2006  Date
or contribution	1.00	Duic

- 1. Identify type and reason for change(s) in Section 1.4(e).
- 2. A list of the current Code Administrator(s) who can provide assistance in completing this form is available upon request from NANPA.
- 3. The NXX field is required for any code request in which there is a change or the NXX is being returned.
- 4. Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments may contact NECA (973-884-8355) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignment should direct questions regarding appropriate OCN usage to the Telcordia™ Routing Administration (TRA) on 732-699-6700.
- 5. This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the eleven-character Telcordia<sup>TM</sup> COMMON LANGUAGE® CLLI<sup>TM</sup> Location Identification of the applicant's switch or POI. (Telcordia and CLLI are trademarks and COMMON LANGUAGE is a registered trademarks of Telcordia Technologies, Inc.)
- 6. Rate Center name must be a tariffed Rate Center associated with toll billing.
- 7. Applies to any code applicant connecting to the Public Switched Telephone Network via a tandem owned by a different carrier.
- 8. This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI<sup>TM</sup> Location Identification Code of the switching entity/POI, and is the same on Part 2, Form 1, Page 2 of 2.
- 9. Code applicants should request an effective date that is at least 66 calendar days from the submission of this form. It should be noted that interconnection arrangements and facilities need to be in place prior to activation of a code. Such arrangements are outside the scope of these guidelines.
- 10. Requests for code assignment should not be made more than six months prior to the requested effective date.
- 11. The Applicant will indicate "Yes" if the NXX being requested will be used for thousands-block number pooling and will leave this field blank if it is not.
- 12. Applicant is not required to submit Part 2 of the code request form if it is doing its own Telcordia™ Business Integrate Routing and Rating Database System (BIRRDS) entries, or if the applicant has arranged for a third party to input the Part 2 forms data on its behalf.
- 13. WARNING! It is the code applicant's responsibility to arrange input of Part 2 information into BIRRDS. The 45 calendar day nationwide minimum interval cut-over for BIRRDS will not begin until input into BIRRDS has been completed.
- 14. An incomplete form may result in delays in processing this request.

# MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORKSHEET - TN Level 1 (Thousands-Block Number Pooling Growth Block Request)

Dag	Date: December 29, 2006	0	OCN: 554A		Company Name: _	ı	ocket Tele	Socket Telecom LLC						
Ra	Rate Center: CEDAR HILL													
Lis	List all Codes NPA(s)-NXXs and Blocks NPA(s)-NXX-X(s): 636-707-7	VPA(s)-	NXX-X(s):	636-707-	7									1
Na	Name of Block Applicant: Anthony Lana					_ Signature	ture		and a				1	
Title: E-Ma	Title: Telecom Administrator  E-Mail: tlana@sockettelecom.com			Telepho	Telephone No.: 5	73-777-19	573-777-1991 ext. 553	\$	FAX No∴		573-256-6201			
₽	Available Numbers: 0													
œ	Assigned Numbers: 0													
Ċ	Total Numbering Resources: 1000		I											
Ö	Quantity of numbers activated in the past 90 days and excluded from the Utilization calculation: 1000 List excluded Code(s) or Block(s): 636-707-7	e-707-7	days and e	excluded f	rom the Ut	tilization ca	alculation:	1000						
		Month #1	Month #2	Month #3	Month #4	Month #5	Month #6	Month #7	Month #8	Month #9	Month #10	Month #11	Month #12	
iп	Growth History – Previous 6 . months <sup>2</sup>	0	0	0	0	0	0							
.π	Forecast – Next 12 months <sup>3</sup>	0	5	5	10	10	10	15	15	15	20	20	20	
Ģ	Average Monthly Forecast (Sum of months #1-6 (Part F above) divided by 6):	1-6 (Part	F above) div	ided by 6):	6.6	ı								
王	Months to Exhaust <sup>4</sup>		Number	s Available Average	Numbers Available for Assignment to Customers (A) Average Monthly Forecast (G)	ecast (G)	ners (A)		II	0				
-	Utilization <sup>5</sup>	Tota	Assigned Numbers (B) – Excluded Numbers (D) Total Numbering Resources (C) – Excluded Numbers (D)	<u>umbers (B) .</u> J Resources	Assigned Numbers (B) – Excluded Numbers (D) I Numbering Resources (C) – Excluded Numbers	<u>lumbers (D)</u> ded Numbers	\$ (D)	* 100	II	n/a				
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Explanation: Request is to open a new MCA (Metropolitan Calling Area) code in this rate center because all available blocks are non-MCA.	MCA (	Metropolita	ın Calling	Area) coc	de in this	rate cente	r because	all availa	ble block	s are non		An MCA block is	S S S S S S
nee	needed to be able to provide both types of service in this rate center.	fservice	in this ra	te center.									:	

<sup>1</sup> A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup> Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month,

<sup>3</sup> Forecast of TNs needed in each following month, starting with the most recent month as Month #1.
4 To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, § 52.15 (g) (3) (iii)).

<sup>&</sup>lt;sup>5</sup> Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

<b>A</b> 4	Pooling Administration	n System	
Tana@s	sockettelecom.com (SP)		Sign Out
60000000000000000000000000000000000000	Pooling Administrator's Response/C Part 3	Confirmation	
	Tracking Number 636-CEDAR HILL-MO-111717		
	Date of Application 12/29/2006	Block Effective Date	
	Date of Receipt 12/29/2006	Date of Response 01/02/2007	
	Service Provider Name Socket Telecom LLC	•	
(Telc	cordia <sup>TM</sup> LERG <sup>TM</sup> Routing Guide) OCN <b>554A-SOCKET TELECOM - MO</b>		
***************************************	NPAC SOA SPID 0		
Pooling /	Administrator Contact Information :		noncommence of the control of the co
	Name Genevieve Paulino		
	Phone (925) 363-7652	Fax <b>(925) 363-7683</b>	
	E-Mail genevieve.paulino@neustar.biz		
Response	е		
	NPA-NXX-X <b>0-0-0</b>	Block Assigned	
		Block Disconnected	
	Block Contaminated (Yes or No)		
	Block Allocation Date		
	Switch Identification (Switching Entity / POI) <sup>1</sup>		
	Rate Center CEDAR HILL		
	Rate Center Sub Zone		
_X_	Form Complete, block requested denied		
	Explanation:		
	DR-33: We are unable to process your application to replenish resources in the current inventory to fulfill your need. If you are request, please refer to the Thousands-Block Number (NXX-X) appeals process.	e in disagreement with the disposition of	f this
	Assignment activity suspended by the administrator Explanation :		
	Further Action :		
Remarks :			

<sup>1</sup>This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI<sup>TM</sup> Location Identification Code of the switching entity/POI shown on the Part 1A form. (Telcordia, LERG Routing Guide and CLLI are trademarks of Telcordia Technologies, Inc.)

Back

Print

## **Pooling Administration System** ★tlana@sockettelecom.com (SP) Sign Out Part 1A Type of Application: New Tracking Number: 636-POND-MO-111715 1.1 Contact Information: Note: If any of the contact info is incorrect, edit your user profile. **Block Applicant:** Company Name SOCKET TELECOM - MO Headquarters Address 1005 Cherry St., Suite 104 City Columbia State MO Zip 65201 Contact Name Anthony G Lana Contact Address 1005 Cherry St., Suite 104 City Columbia State MO Zip 65201 Fax (573) 256-6201 Telephone (573) 256-6200 E-mail tlana@sockettelecom.com Pooling Administrator i: Contact Name Genevieve Paulino Contact Address 1800 Sutter St. Ste. 780 City Concord State CA Zip 94520 Fax (925) 363-7683 Telephone (925) 363-7652 E-mail genevieve.paulino@neustar.biz 1.2 General Information LRN Neededii NO **NPA 636** LATA OCNIII 554A - SOCKET TELECOM - MO Parent Company OCN Number of Thousands-Blocks Requested 0 Switch Identification (Switching City or Wire Center Identity/POI)iv Name Rate Center<sup>v</sup> POND Rate Center Sub Zone 1.3 Dates

Date of Application<sup>vi</sup> 12/29/2006
Requested Block Effective Date 01/29/2007
Request Expedited Treatment N

## 1.4 Type of Service Provider Requesting the Thousands-Block

- a) Type of Service Provider
- b) Primary type of service Blocks to be used for
- c) Thousands-Block(s) (NPA-NXX-X) assignment preference **636-xxx-1**
- d) Thousands-Block(s) (NPA-NXX-X) that are undesirable for this assignment, if any
- e) If requesting a code for LRN purposes, indicate which block(s) you will be keeping (the remainder 636-xxx-1 of the blocks will be given to the pool)

### 1.5 Type of Request

Initial block for rate center
Growth block for rate center **Yes**Change block
Disconnect block

I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge and that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guidelines (ATIS-0300066)

# Back Print

### Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN)are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia<sup>TM</sup> Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based provider VII. Explanations of these terms may be found in the footnotes.

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any

thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

### **Foot Notes:**

- The Pool Administrator is available to assist in completing these forms.
- ii A CO Code application will also need to be submitted to the PA
- iii Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).
- <sup>iv</sup> This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI<sup>TM</sup> code of the switch /POI.
- <sup>v</sup> Rate Center name must be a tariffed Rate Center.
- vi Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.
- vii Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

# **Pooling Administration System**

tlana@sockettelecom.com (SP)

Sign Out

Months to Exhaust and Utilization Certification Worksheet - TN Level<sup>1</sup>

**Block Applicant:** 

Name of Block Applicant Anthony G Lana

Title Telecom Administrator

Telephone Number (573) 256-6200

Fax Number (573) 256-6201

E-Mail tlana@sockettelecom.com

Date 12/29/2006

OCN 554A

Rate Center POND

List all Codes NPA(s)-NXXs and Blocks NPA(s)-

NXX-X(s)

636-422-7

A. Available Numbers 0

B. Assigned Numbers 0

C. Total Numbering Resources 1000

D. Quantity of numbers activated in the past 90 days and excluded from the Utilization 1000 calculation

List excluded Code(s) or Block(s)

636-422-7

E. Growth History - Previous 6 months<sup>2</sup>

Month 1	0	Month 2	0
Month 3	0	Month 4	0
Month 5	0	Month 6	0

F. Forecast - Next 12 months<sup>3</sup>

Month 1	0	Month 2	5
Month 3	5	Month 4	10
Month 5	10	Month 6	10
Month 7	15	Month 8	15
Month 9	15	Month 10	15
Month 11	20	Month 12	20

G. Average Monthly Forecast (Sum of months # 1-6 (Part F above ) divided by 6)4

7

H. Months to Exhaust (Numbers Available for Assignment to customers (A) / Average Monthly Forecast (G))

Block Requested

A. Available Numbers

H. Months to Exhaust

1

•

0.000

I. Utilization  $^5$  (Assigned Numbers (B)) / (Total Numbering Resources (C) - Excluded Numbers (D)) \* 100

N/A

Explanation

Request is to open a new non-MCA type code in this rate center because all available blocks are MCA type only.

<sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>3</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

 $^4$ To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, ý 52.15 (g)(3)(iii)).

<sup>5</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

Back | Print

# **Pooling Administration System**

tlana@sockettelecom.com (SP)

Sign Out

# Thousands-Block Application Form Part 1B

### Tracking Number 636-POND-MO-111715

**Activation Request** 

For Information Only

### Section A:

(If request is for Activation, the thousand-block applicant is to provide all data except Block Range, Block Effective Date and LERG Assignee/ donating switch information; the PA will fill in those three fields. For a Modification request, the requestor is to provide all information.)

### Pooling Administrator:

Contact Name Genevieve Paulino
Contact Address 1800 Sutter St. Ste. 780

City Concord

State CA

Zip **94520** 

Telephone (925) 363-7652

Fax (925) 363-7683

E-mail genevieve.paulino@neustar.biz

### **Block Applicant:**

Company Name SOCKET TELECOM - MO

Contact Name Anthony G Lana

Contact Address 1005 Cherry St., Suite 104

City Columbia

State MO

Zip **65201** 

Telephone (573) 256-6200

Fax (573) 256-6201

E-mail tlana@sockettelecom.com

Service Provider NPAC SOA SPID1 0

LRN<sup>2</sup> 0

Block (1K) Range<sup>3</sup> 1

Block Effective Date4 01/29/2007

Is Block being allocated back to LERG Assignee on donating switch?

. 5 t 5 5 t 5

NPAC Activate Block Range<sup>5</sup> No

**Pooling Admin Remarks** 

### Section B:

Block Applicant to provide the data ONLY if NPAC Activate Block Range is marked "YES". For Intra SP Block Porting the Block Holder should reflect the routing information of the switch the block is being transferred to<sup>6</sup>

Class DPC7

Class SSN8

LIDB DPC9

LIDB SSN<sup>10</sup>

CNAM DPC11

CNAM SSN12

ISVM DPC13

ISVM SSN14

WSMSC DPC15

TIOMOO DI O

WSMSC SSN<sup>16</sup>

SOA Origination 17

### Section C:

(NPAC is to Activate/Modify the Block (1K), as indicated on this form. When the Block (1K) Activation/Modification is complete and the data in this section inserted, NPAC sends a copy of the completed form to the Pooling Administrator and Block Holder.)

Block (1K) Request Complete No.

Complete Date (MMDDYYYY)

Complete Time (HHMM)

NPAC Personnel performing change

Block Holder sent Completed Form No

Mailed Date (MMDDYYYY)

Mailed Time (HHMM)

**Contact Name** 

Pooling Administrator sent completed Form No

Mailed Date (MMDDYYYY)

Mailed Time (HHMM)

Contact Name

**NPAC Remarks** 

Back Print

### Instructions for filling out each Section of the Part 1B form:

- 1) The requesting Block Applicant shall complete this form except for Block Range and Block Effective Date, when submitting PART 1 of the INC Thousands-Block Applicant form to the Pooling Administrator. A separate Part 1B form is to be completed for each 1K Block Range requested.
- 2) The Pooling Administrator will insert Block Range and Block Effective Date information, then submit this form to the regional NPAC at the same time PART 3 of the INC Thousands-Block Applicant form is returned to the requesting Block Applicant.
- 3) Pre-Block Activation:
- a) If the Block Holder is requesting a modification, the Block Holder needs to complete Sections A and any applicable data in Section B of this form and send it to the Pooling Administrator (PA). The PA will forward the form to the NPAC for processing.
- 4) Post- Block Activation: If Block Holder requests NPAC to perform the Block Modification, then Sections A & B of this form should be completed and send to the Pooling Administrator. The Pooling Administrator will send the information on to the NPAC. Upon completion of this request, NPAC sends a copy of the completed form to the Pooling Administrator and Block Holder.

### **Foot Notes:**

- <sup>1</sup> The Service Provider ID of the block holder. The SPID must be a valid SPID in the NPAC system. If your company does not have a SPID, please call the NPAC at 1-888-NPAC-HEL(P) for assistance.
- <sup>2</sup> A Location Routing Number is a 10-digit number, in the format NPA-NXX-XXXX, that uniquely identifies a switch or point of interconnection (POI). The NPA-NXX portion of the LRN is used to route calls to numbers that have been ported.

### <sup>6</sup> NANC 191

Whenever a DPC value is specified, an SSN value likewise must be provided (and vice versa). The three-digit values used for the first three-digit portion of the DPC must be between 001 and 255 and the three-digit values used for the next two three-digit portions of the DPC must be between 000 and 255.

### **NANC 291**

The SSN value must be 000; no other value is accepted.

<sup>7</sup>Customer Local Area Signaling Services Destination Point Code for 10-digit GTT for CLASS features for the 1K block.

<sup>8</sup>Customer Local Area Signaling Services Subsystem Number for the 1K block.

<sup>9</sup>Line Information Database Destination Point Code for 10-digit GTT for LIDB features for the 1K block.

10 Line information Database Subsystem Number for the 1K block.

<sup>11</sup>Calling Name Delivery Destination Point Code for 10-digit GTT for CNAM features for the 1K block.

<sup>12</sup>Calling Name Delivery Subsystem Number for the 1K block.

<sup>13</sup>Inter-Switch Voice Mail Destination Point Code for 10-digit GTT for ISVM features for the 1K Block

<sup>14</sup>Inter-Switch Voice Mail Services Subsystem Number for the 1K block.

<sup>15</sup>Wireless Short Message Service Center Destination Point Code for 10-digit GTT for WSMSC features. This field is only required if the service provider supports WSMSC data.

<sup>16</sup>Wireless Short Message Service Center Subsystem Number for the 1K block. This field is only required if the service provider supports WSMSC data.

<sup>17</sup>The SOA Origination Field must be populated with "No" if the NPAC Activate Block Range is marked "Yes" which specifies that the block applicant will not activate their own block range.

<sup>&</sup>lt;sup>3</sup> The Pooling Administrator will insert Block information. The Block will consist of NPA-NXX and the first digit of the 1K block.

<sup>&</sup>lt;sup>4</sup> The Pooling Administrator will insert Block Effective Date. See section 9.2.4 of the Thousands-Block (NXX-X) Number Pooling Administration Guidelines for specifics on effective date. This is the earliest date that the NPAC will broadcast the Block information to all Local SMSs.

<sup>&</sup>lt;sup>5</sup> If "YES" is marked the NPAC will activate the block range. If "NO" is marked it will be the responsibility of the SP to activate the block range.

<b>Tracking</b>	Number:
-----------------	---------

# Central Office Code (NXX) Assignment Request – Part 1 Revised: March 18, 2005

1 ype of	Application:	⊠ New	Change	Delete
1.0	GENERAL INFORMA	ATION		
1.1 Conta	ct Information:			
Code Appl	<u>icant</u> :			
Company/I	Entity Name: Socket To	elecom LLC		
<u>Headquarte</u>	ers Address: 1005 Che	erry St, Ste 104		
City, State.	Zip: Columb	ia, MO 65201		
Contact Na	me: Anthony Lana			
Contact Ac	ldress: <u>1005 Cherry S</u>	t., Ste 104		
City, State,	Zip: Columbia, MO 6	5201		
Phone: _ <u>57</u>	73-777-1991 ext. 553 F	FAX: <u>573-256-6</u>	201 E-Mail: <u>tlana@</u>	sockettelecom.com
Code Adm	inistrator: <sup>2</sup>			
Name: Pau	ılino, Genevieve A			
Address: _				· · · · · · · · · · · · · · · · · · ·
City, State,	, Zip:			
Phone: <u>5</u>	71-434-5409		FAX: <u>571-434-550</u>	02
1.2 NPA: <u>636</u>	NXX: <sup>3</sup> LATA	: <u>520</u> OCN:	554A Parent Comp	pany's OCN(s) none
Switching	Identification (Switchin	ng Entity/POI) <sup>5</sup> _S	TLSMOZCDS2	
Locality/C	ity/Wire Center: <u>PON</u>	ND Rate C	Center: POND	
Homing Ta	andem Operating Co. 7:	AT&T Tan	dem Homing CLLI™	1:8 <u>STLSMO2101T</u>
1.3 Dates: Dat	e of Application: 12/2	29/2006	Requested Effect	ctive Date: 9 10
1.4 True of com		uh		
	pany/entity requesting t		ma od s	
a). <u>CLEC</u>				2)
	service Wireline		(e.g., Cenular - Type	<i>4)</i>
c). Code A	ssignment Preference (	optionai)		

If an initial code, attach (1) eviservice within 60 days. If a gr	dence of certification and (2) proor owth code, attach months to exhau	f of ability to place code in st worksheet.
Pool Indicator <u>Yes</u>	11	
1.6 NPA Jeopardy Criteria Apply:	Yes No	_
1.7 Code request for new service (Ex	xplain):	
.8 Part 2 is attached ]		
hereby certify that the above informoest of my knowledge and that this a Office Code (NXX) Assignment Gui http://www.atis.org/atis/clc/inc/incd	nation requesting an NXX code is t pplication has been prepared in acc delines posted to the ATIS Web Si ocs.htm) as of the date of this appli	rue and accurate to the cordance with the Central te ication <sup>14</sup> :
hereby certify that the above informoest of my knowledge and that this a Office Code (NXX) Assignment Gui http://www.atis.org/atis/clc/inc/incd	nation requesting an NXX code is t pplication has been prepared in acc delines posted to the ATIS Web Si	rue and accurate to the cordance with the Central te ication <sup>14</sup> :

- 1. Identify type and reason for change(s) in Section 1.4(e).
- 2. A list of the current Code Administrator(s) who can provide assistance in completing this form is available upon request from NANPA.
- 3. The NXX field is required for any code request in which there is a change or the NXX is being returned.
- 4. Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments may contact NECA (973-884-8355) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignment should direct questions regarding appropriate OCN usage to the Telcordia<sup>TM</sup> Routing Administration (TRA) on 732-699-6700.
- 5. This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the eleven-character Telcordia™ COMMON LANGUAGE® CLLI™ Location Identification of the applicant's switch or POI. (Telcordia and CLLI are trademarks and COMMON LANGUAGE is a registered trademarks of Telcordia Technologies, Inc.)
- 6. Rate Center name must be a tariffed Rate Center associated with toll billing.
- 7. Applies to any code applicant connecting to the Public Switched Telephone Network via a tandem owned by a different carrier.
- 8. This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI<sup>TM</sup> Location Identification Code of the switching entity/POI, and is the same on Part 2, Form 1, Page 2 of 2.
- 9. Code applicants should request an effective date that is at least 66 calendar days from the submission of this form. It should be noted that interconnection arrangements and facilities need to be in place prior to activation of a code. Such arrangements are outside the scope of these guidelines.
- 10. Requests for code assignment should not be made more than six months prior to the requested effective date.
- 11. The Applicant will indicate "Yes" if the NXX being requested will be used for thousands-block number pooling and will leave this field blank if it is not.
- 12. Applicant is not required to submit Part 2 of the code request form if it is doing its own Telcordia<sup>™</sup> Business Integrate Routing and Rating Database System (BIRRDS) entries, or if the applicant has arranged for a third party to input the Part 2 forms data on its behalf.
- 13. WARNING! It is the code applicant's responsibility to arrange input of Part 2 information into BIRRDS. The 45 calendar day nationwide minimum interval cut-over for BIRRDS will not begin until input into BIRRDS has been completed.
- 14. An incomplete form may result in delays in processing this request.

# MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORKSHEET - TN Level 1 (Thousands-Block Number Pooling Growth Block Request)

	<u>,</u> _	Θ.	.''	in		ر Q	о. Н	В. Э.	P	Title: E-Mai	Vam	iste	Rate	Date:
ת	Months to Exhaust <sup>4</sup>	Average Monthly Forecast (Sum of months #1-6 (Part F above) divided by 6):	Forecast – Next 12 months <sup>3</sup>	Growth History – Previous 6 months <sup>2</sup>		Quantity of numbers activated in the past 90 days and excluded from the Utilization calculation: 1000 List excluded Code(s) or Block(s): 636-422-7	Total Numbering Resources: 1000	Assigned Numbers: 0	Available Numbers: 0	Title: Telecom Administrator  E-Mail: tlana@sockettelecom.com	Name of Block Applicant: <u>Anthony Lana</u>	List all Codes NPA(s)-NXXs and Blocks NPA(s)-NXX-X(s): <u>636-422-7</u>	Rate Center: POND	December 29, 2006
		#1-6 (Part	0	0	Month #1	past 90 o						s NPA(s)-		0
Accioned N	Numbe	F above) div	رن ن	0	Month #2	days and e	l					NXX-X(s):	I	OCN: 554A
umbers (B)	<u>rs Available</u> Average	ided by 6):	ហ	0	Month #3	excluded f				_ Telepho		636-422-		
- Excluded	<u>vailable for Assignment to Cu</u> Average Monthly Forecast (G)	6.6	10	0	Month #4	rom the U				one No∴		7		Company Name: _
Assigned Numbers (B) - Excluded Numbers (D)	Numbers Available for Assignment to Customers (A) Average Monthly Forecast (G)		10	0	Month #5	tilization c				573-777-1	Signa			vame: S
	mers (A)		10	0	Month #6	alculation				Telephone No.: <u>573-777-1991 ext. 553</u>	Signature:			Socket Tel
* 100			15		Month #7	1000				53				Socket Telecom LLC
H	II		15		Month #8					FA)				
n/a	0		15		Month #9					FAX No.: 573-256-6201				
			15		Month #10	-				3-256-620				
			20		Month #11									
			20		Month #12						j			
												1		

Explanation: Request is to open a new non-MCA (Metropolitan Calling Area) code in this rate center because all available blocks are MCA. A non-MCA block is needed to be able to provide both types of service in this rate center.

A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup> Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month

<sup>3</sup> Forecast of TNs needed in each following month, starting with the most recent month as Month #1.
4 To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, § 52.15 (g) (3) (iii)).

<sup>&</sup>lt;sup>5</sup> Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

· · ·	Pooling Administrat	ion System
<b>d</b> tlana@	Dsockettelecom.com (SP)	Sign Out
	Pooling Administrator's Respor Part 3	
	Tracking Number 636-POND-MO-111715	
	Date of Application 12/29/2006	Block Effective Date
	Date of Receipt 12/29/2006	Date of Response 01/02/2007
	Service Provider Name Socket Telecom LLC	
(Те	elcordia <sup>TM</sup> LERG <sup>TM</sup> Routing <b>554A-SOCKET TELECOM</b> - I	мо
	NPAC SOA SPID 0	
Pooling	Administrator Contact Information :	
	Name Genevieve Paulino	
	Phone (925) 363-7652	Fax <b>(925) 363-7683</b>
	E-Mail genevieve.paulino@neustar.biz	(,
Respon	se	
	NPA-NXX-X <b>0-0-0</b>	Block Assigned
		Block Disconnected
	Block Contaminated (Yes or No)	
	Block Allocation Date	
	Switch Identification (Switching Entity / POI) <sup>1</sup>	
	Rate Center POND	
	Rate Center Sub Zone	
_X_	Form Complete, block requested denied	
	Explanation:	
	DR-33: We are unable to process your application to reple resources in the current inventory to fulfill your need. If your request, please refer to the Thousands-Block Number (NX) appeals process.	u are in disagreement with the disposition of this
	Assignment activity suspended by the administrator	
	Explanation :	
	Further Action :	
Remarks		

<sup>1</sup>This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI<sup>TM</sup> Location Identification Code of the switching entity/POI shown on the Part 1A form. (Telcordia, LERG Routing Guide and CLLI are trademarks of Telcordia Technologies, Inc.)

Back

Print