

Attachments /Schedules associated with Complaints, Testimony,
and Surrebuttals of Benjamin D. Pugh

Benjamin D. Pugh Complaint- Case # WC-2006-0090

11 attachments at end of complaint testimony

1. Letter; Ben Pugh from Reggie Golden
2. Letter; Reggie Golden from Ben Pugh
3. Letter, Ben Pugh from Charles McElyea Attorney
4. Letter, Ms. Ricketts DNR. from Reggie Golden
5. Letter; Reggie Golden from Ms. Ricketts
6. DNR regulations
7. Letter; Lees, Golden, Rusaw from John Walker attorney
8. Letter; Charles McElyea Attorney, from Lewis Bridges attorney
9. covenant draft; Wording stricken by Reggie Golden
- 10 Invoice: Ben Pugh from BIHOA
- 11 Letter; Dave Lees to existing Homeowners 1998

Benjamin D. Pugh , Testimony Case # WC-2006-0082 & # WO -2007-0277

At the end of the Testimony are the following Schedules;.

BP Schedule 1; DNR violation 1315JC

BP. Schedule 2.; 6 pages, Letters: in the year 1998 between Eng. Jim Jackson and DNR & Matt Marschke and DNR

BP Schedule 3; Letter, HOA (Golden) to Ben Pugh Letter; DNR Tim Neal to DNR files

BP Schedule 5; Picture of upright with sewer and water together

BP Schedule 6 ; Picture of sewer and water lines in same trench, picture of causeway, pictures of Blue flexible tubing extensions for water service lines

BP Schedule 7; Health Dept. Chart, Repaired leak at Filter bed, Letter from Jim Jackson Engineer to Folsom Ridge Partner David Lees. requiring 300 foot separation of filter bed and water well.

BP Schedule 8; Picture of sewer leak at Filter bed

BP Schedule 9 Stoyer Spring letter from McDuffey to Reggie Golden, 8 pictures of leak at Stoyer property

BP Schedule 10; 8 pages of miscellaneous. throughout Big Island.

BP Schedule 11; Letter from Camden County Road & Bridge Dept. to Reggie Golden , pictures of violations of road damage.

BP Schedule 13; Improper dumping complaint and article related to Camden County dumping

BP Schedule 14; DNR inspection and several unsatisfactory comments and recommendations.

BP Schedule 15: Notice of violation of illegal extension of lines off the island , without permits from DNR. Letter to Jim Schrader from Golden, Rusaw and Lees restricting the boundaries to only include the causeway and island and not the 160 acres off island.

BP Schedule 16; Letter from DNR to Golden, report of inspection and unsatisfactory features, 6 violation of Mo. Safe drinking water laws regulations.

BP Schedule 17; One count of assault, 3rd degree, one incident of Harassment

Benjamin D. Pugh Surrebuttal Testimony Case # WC-2006-0082 & # WO - 2007-0277

2 attachments at end of Surrebuttal Testimony

Letter, Ben Pugh from DNR engineer Steven Jones,

Letter , Ben Pugh from DNR engineer Tim Neal

Both letters are related to National codes being used where there is no jurisdiction related to installation of sewer and water lines