

4 CSR 240-50.050 Environmental Cost Adjustment Mechanism

PURPOSE: This rule allows the establishment of an Environmental Cost Adjustment Mechanism, which allows periodic rate adjustments to reflect net increases or decreases in a water utility's prudently incurred costs directly related to compliance with federal, state, or local environmental law, regulation, or rules.

(1) Definitions. As used in this rule, the below listed terms are defined as follows:

(A) Water utility means a water corporation as defined in section 386.020(59), RSMo, subject to commission regulation pursuant to Chapters 386 and 393, RSMo;

(B) Environmental Cost Adjustment Mechanism (ECAM) means a mechanism established in a general rate proceeding that allows periodic rate adjustments, outside a general rate proceeding, to reflect the net increases or decreases in a water utility's prudently incurred environmental costs;

(C) ECAM qualifying environmental costs means prudently incurred costs, both capital and expense, occurring after the later of the last day of the test year or last day of the true-up period in a water utility's most recent rate case, that resulted from:

1. The imposition of any federal, state or local law (including, without limitation, common law, statutes, ordinances, or regulations) pertaining to the regulation or protection of health, safety, and the environment for which compliance is required after the later of the last day of the test year or last day of the true-up period in the Company's most recent rate case; or

2. Any permit, license, agreement, or order developed or issued for which compliance is required after the last day of the test year or last day of the true-up period in the Company's most recent rate case in response to any federal, state or local law (including, without limitation, common law, statutes, ordinances, or regulations) pertaining to the regulation or protection of health, safety, and the environment; or

3. Changes in the natural environment beyond the water utility's control that cause noncompliance with any federal, state law, local law (including, without limitation, common law, statutes, ordinances, or regulations) or permit, license, agreement or order pertaining to the regulation or protection of health, safety, and the environment.

4. Environmental costs do not include any costs that are available for inclusion in any approved Infrastructure System Repair Surcharge as defined in 4 CSR 240-3.650^[1]:

5. Prudently incurred costs do not include any increased costs resulting from negligent or wrongful acts or omissions by the utility.

(D) The environmental revenue requirement shall be comprised of the following:

1. All expensed environmental costs (other than taxes and depreciation associated with capital projects) that are included in the water utility's revenue requirement in the general rate proceeding in which the ECAM is established; and

2. The costs (i.e., the return, taxes, and depreciation) of any major capital projects whose primary purpose is to permit the water utility to comply with any federal, state, or local environmental law, regulation, or rule. The costs of such capital projects shall be those identified on the water

utility's books and records as of the last day of the test year, as updated, utilized in the general rate proceeding in which the ECAM is established;

~~(DE)~~ General rate proceeding means a general rate proceeding or complaint proceeding before the commission in which all relevant factors that may affect the costs, or rates and charges, of the water utility are considered by the commission;

~~(EF)~~ Staff means the staff of the Public Service Commission.

(G) True-up year means the twelve (12)-month period beginning on the first day of the first calendar month following the effective date of the commission order approving an ECAM unless the effective date is on the first day of the calendar month. If the effective date of the commission order approving a rate mechanism is on the first day of a calendar month, then the true-up year begins on the effective date of the commission order. The first annual true-up period shall end on the last day of the twelfth calendar month following the effective date of the commission order establishing the ECAM. Subsequent true-up years shall be the succeeding twelve (12)-month periods. If a general rate proceeding is concluded prior to the conclusion of a true-up year, the true-up year may be less than twelve (12) months.

(2) Applications to Establish, Modify or Discontinue an ECAM.

Pursuant to the provisions of this rule, 4 CSR 240-2.060, and section 386.266, RSMo, only a water utility, in a general rate proceeding, may file an application with the commission to establish, modify or discontinue an ECAM by filing tariff schedules. Any party in a general rate proceeding in which an ECAM is proposed or in effect may seek to continue, modify, or oppose the proposed or existing ECAM. After a full hearing in a general rate proceeding, the commission shall approve, ~~or~~ modify, or reject the application to establish an ECAM. The final approved ECAM shall be designed to permit the water utility to make periodic rate adjustments to its rate schedules outside of a general rate proceeding to reflect changes in its environmental costs as defined in Section (1)(C).

(A) The ECAM shall be based on known and measurable ECAM Qualifying Environmental Costs ~~as defined in Section (1)(C).~~

(B) The water utility shall include in its initial notice to customers regarding the general rate case in which an ECAM is first proposed, a commission-approved description of how the water utility proposes that the ECAM would operate.

(C) The commission may take into account any change in business risk to the water utility resulting from establishment, continuation, or modification of the ECAM in setting the water utility's allowed return in any rate proceeding, in addition to any other changes in business risk experienced by the water utility.

(D) The commission may, in its discretion, determine what portion of prudently incurred environmental costs may be recovered in an ECAM and what portion shall be recovered in base rates.

(E) The ECAM shall be based on known and measurable environmental costs that have been incurred by the water utility.

(F) If an ECAM is approved, the commission shall determine the base environmental revenue requirement.

(G) If costs are requested to be recovered through the ECAM and the revenue to be collected in the ECAM rate schedules exceeds two and one-half percent (2.5%) of the water utility's Missouri annual gross jurisdictional revenues, the water utility cannot subsequently request that any cost identified as an environmental cost be recovered through a infrastructure system repair surcharge.

(3) Application for Discontinuation of an ECAM. The commission shall allow or require the rate schedules that define and implement an ECAM to be discontinued and withdrawn only after providing the opportunity for a full hearing in a general rate proceeding. The commission shall consider all relevant factors that affect the cost or overall rates and charges of the petitioning water utility.

(A) Any party to the general rate proceeding may oppose the discontinuation of an ECAM on the grounds that the water utility is currently experiencing, or in the next four (4) years is likely to experience, declining costs or on any other grounds that would result in a detriment to the public interest. If the commission finds that the water utility is seeking to discontinue the ECAM under these circumstances, the commission shall not permit the ECAM to be discontinued, and shall order its continuation or modification. To continue or modify the ECAM under such circumstances, the commission must find that it provides the water utility a sufficient opportunity to earn a fair rate of return.

(B) The commission may take into account any change in business risk to the water utility resulting from discontinuance of the ECAM in setting the water utility's allowed return in any rate proceeding, in addition to any other changes in business risk experienced by the water utility.

(C) The water utility shall include in its initial notice to customers regarding the general rate case, a commission-approved description of why it believes the ECAM should be discontinued.

(D) Subsections 2(C) through 2(G) shall apply to any proposal for continuation or modification.

(34) Periodic Adjustments of ECAMs. If a water utility files proposed rate schedules to establish or adjust its ECAM rates between general rate proceedings, the staff shall examine and analyze the information filed by the water utility and additional information obtained through discovery, if any, to determine if the proposed ECAM rate adjustment is in accordance with the provisions of this rule, section 386.266, RSMo, and the ECAM established in the water utility's most recent general rate proceeding.

(A)The staff shall submit a recommendation regarding its examination and analysis to the commission not later than thirty (30) days after the water utility files its tariff schedules to adjust its ECAM rates.

1. If the staff determines that the ECAM rate adjustment is in accordance with the provisions of the rule, section 386.266, RSMo, and the ECAM established in the water utility's most recent general rate proceeding, the commission shall either:

- A. Issue an interim rate adjustment order approving the tariff schedules and the ECAM rate adjustments within sixty (60) days of the water utility's filing; or,
- B. If no such order is issued, the tariff schedules and ECAM rate adjustments shall take

effect sixty (60) days after the tariff schedules were filed.

i. If the staff determines that the ECAM rate adjustment is not in accordance with the provisions of this rule, section 386.266, RSMo, or the ECAM established in the water utility's most recent rate proceeding and the water utility agrees with the staff's determination, the commission shall reject the rate schedules proposed in the water utility's filing and shall instead order implementation of appropriate tariff schedules and ECAM rate adjustments taking into consideration staff's determinations, with the tariff schedules and ECAM rate adjustments to be effective within sixty (60) days after the tariff schedules were filed.

ii. If the staff determines that the ECAM rate adjustment is not in accordance with the provisions of this rule, section 386.266, RSMo, and the ECAM established in the water utility's most recent general rate proceeding and the water utility disagrees with the staff's determination, the commission shall reject the rate schedules proposed in the water utility's filing, order implementation of an appropriate interim ECAM rate schedule and shall schedule an evidentiary hearing to be held within sixty (60) days after the tariff schedules were filed. After conclusion of the evidentiary hearing, the commission shall either:

a. Issue a rate adjustment order approving the tariff schedules as filed; or

B.b. Reject the proposed rate schedules of the water utility's filing and shall instead order implementation of an appropriate rate schedule taking into consideration evidence presented in the evidentiary hearing to be effective within ninety (90) days after the tariff schedules were filed.

~~(B) The ECAM rate adjustment shall reflect a comprehensive measurement of changes in revenue requirement due to any federal, state or local laws, permits, licenses, agreements, or orders that impact ECAM-qualifying environmental costs as defined in Section (1)(C) in either a positive or negative manner. The periodic adjustments shall be limited to the expense items and the capital projects that are used to determine the environmental revenue requirement in the previous general rate proceeding and those investments or expenses necessary to comply with the water utility's Environmental Compliance Plan for the period the ECAM is in effect.~~

~~1. The costs for capital projects will be eligible for recovery via a periodic adjustment so long as the capital cost of the item when it is placed into service is greater than or equal to the original cost (as of the time that such least costly capital item was placed into service) of the least costly capital item that was included in the environmental revenue requirement (to be determined as provided in 4 CSR 240-50.050 (1) (C)); and~~

~~2. Waivers from the limitations in this subsection (4)(B) may be sought for capital projects placed into service that could not have been anticipated in the previous general rate proceeding or that do not meet the threshold provided for in the immediately preceding sentence.~~

~~(C) The periodic adjustment shall reflect a comprehensive measurement of both increases and decreases to the environmental revenue requirement established in the prior general rate proceeding plus the additional environmental costs incurred since the prior rate proceeding.~~

~~(D)~~ Any periodic adjustment made to ECAM rate schedules shall not generate an annual amount of general revenue that exceeds two and one-half percent (2.5%) of the water utility's Missouri gross jurisdictional revenues established in the water utility's most recent general rate proceeding.

1. Missouri gross jurisdictional revenues shall be the amount established in the water utility's most recent general rate proceeding and shall exclude gross receipts tax, sales tax,

and other similar pass-through taxes not included in tariffed rates for regulated services;

2. The water utility shall be permitted to collect any applicable gross receipts tax, sales tax, or other similar pass-through taxes and such taxes shall not be counted against the two and one-half percent (2.5%) rate adjustment cap; and

3. Any environmental costs, to the extent addressed by the ECAM, not recovered as a result of the two and one-half percent (2.5%) limitation on rate adjustments, including depreciation and property taxes related to capital investments, may be deferred at a carrying cost each month equal to the water utility's net of tax cost of capital, for recovery in a subsequent ECAM periodic adjustment or in the water utility's next general rate proceeding. ~~The water utility's net of tax cost of capital shall be equal to the Company's allowance for funds used during construction rate.~~

~~(DE) A water utility with an ECAM shall file no more than two requests for adjustment to its existing ECAM in each twelve month period following the effective date of the commission order approving an ECAM.~~ A water utility with an ECAM shall file one (1) mandatory adjustment to its ECAM in each true-up year coinciding with the true-up of its ECAM. It may also file one (1) additional adjustment to its ECAM within a true-up year with the timing and number of such additional filings to be determined in the general rate proceeding establishing the ECAM and in general rate proceedings thereafter.

(F) The water utility must be current on its submission of its Surveillance Monitoring Reports as required in section (9) of this rule in order for the commission to process the water utility's requested ECAM adjustment increasing rates.

(G) ~~If the staff, Office of the Public Counsel (OPC), or other party who receives information the water utility is required to submit as ordered by the commission in a previous proceeding, believes has not received information required by commission rule or order that the information required to be submitted pursuant to that order and the commission order establishing the ECAM has not been submitted in compliance with that rule, it shall notify the water utility within ten (10) days of the water utility's filing of an application or tariff schedules to adjust the ECAM rates and identify the information required. The water utility, within ten (10) days of the request, shall supply the information identified by the party, or shall notify the party that, in its opinion, it believes the information provided was in compliance, within ten (10) day of the request. If the water utility does not timely supply the information, the party asserting the failure to provide the required information must timely file a motion to compel with the commission. While the commission is considering the motion to compel, the processing time line for the adjustment to increase ECAM rates shall be suspended. If the commission then issues an order requiring the information be provided, the time necessary for the information to be provided shall further extend the processing time line for the adjustment to increase ECAM rates. For good cause shown the commission may further suspend this timeline.~~

(45) True-ups of an ECAM.

A water utility that files for an ECAM shall include in its tariff schedules and application, if filed in addition to tariff schedules, provisions for true-ups on at least an annual basis that shall accurately and appropriately remedy any over-collection or under-collection through subsequent rate adjustments or refunds.

(A) The subsequent true-up rate adjustments or refunds shall include interest at the water utility's short-term borrowing rate. The interest rate on accumulated ECAM under-collections or over-collections shall be calculated on a monthly basis for each month the ECAM rate is in effect,

equal to the weighted average interest rate paid by the water utility on short-term debt for that calendar month. This rate shall then be applied to a simple average of the same month's beginning and ending cumulative ECAM over-collection or under-collection balance. Each month's accumulated interest shall be included in the ECAM over-collection or under-collection balances on an ongoing basis.

(B) The true-up adjustment shall be the difference between the revenue collected and the revenue authorized for collection during the true-up period and billed revenues associated with the ECAM during the true-up period.

(C) The water utility must be current on its submission of its Surveillance Monitoring Reports as required in section (9) of this rule at the time that it files its application for a true-up of its ECAM in order for the commission to process the water utility's requested annual true-up of any under-collection.

(D) The staff shall examine and analyze the information filed and additional information obtained through discovery, to determine whether the true-up is in accordance with the provisions of this rule, section 386.266, RSMo, and the ECAM established in the water utility's most recent general rate proceeding. The staff shall submit a recommendation regarding its examination and analysis to the commission not later than thirty (30) days after the water utility files its tariff schedules for a true-up. The commission shall either issue an order deciding the true-up within sixty (60) days of the water utility's filing, suspend the timeline of the true-up in order to receive additional evidence and hold a hearing if needed, or, if no such order is issued, the tariff schedules and the ECAM rate adjustments shall take effect by operation of law sixty (60) days after the water utility's filing.

~~(G)~~1. If the staff, Office of the Public Counsel (OPC), or other party has not received information required by commission rule or order, it shall notify the water utility within ten (10) days of the water utility's filing of an application or tariff schedules to adjust the ECAM rates and identify the information required. The water utility, within ten (10) days of the request, shall supply the information identified by the party, or shall notify the party that, in its opinion, the information provided was in compliance. If the water utility does not timely supply the information, the party asserting the failure to provide the required information must timely file a motion to compel with the commission. While the commission is considering the motion to compel, the processing time line for the adjustment to increase ECAM rates shall be suspended. If the commission then issues an order requiring the information be provided, the time necessary for the information to be provided shall further extend the processing time line for the adjustment to increase ECAM rates. For good cause shown the commission may further suspend this timeline.

~~1. If the staff, OPC, or other party who receives information the water utility is required to submit as ordered by the commission in a previous proceeding, believes that the information required to be submitted pursuant to that order and the commission order establishing the ECAM has not been submitted or is insufficient to make a recommendation regarding the water utility's true-up filing, it shall notify the water utility within ten (10) days of the water utility's filing of an application or tariff schedules to adjust the ECAM rates and identify the information required. The water utility shall supply the information identified by the party, or shall notify the party that it believes the information provided was in compliance, within ten (10) day of the request. If the water utility does not timely supply the information, the party asserting the failure to provide the required information must timely file a motion to compel with the commission. While the commission is considering the motion to compel, the processing time line for the adjustment to~~

~~increase ECAM rates shall be suspended. If the commission then issues an order requiring the information be provided, the time necessary for the information to be provided shall further extend the processing time line for the adjustment to increase ECAM rates. For good cause shown the commission may further suspend this timeline.~~

2. If the party requesting the information can demonstrate to the commission that the adjustment shall result in a reduction in the ECAM rates, the processing timeline shall continue with the best information available. When the water utility provides the necessary information, the ECAM shall be adjusted again, if necessary, to reflect the additional information provided by the water utility.

(~~56~~) Duration of ECAMs and Requirement for General Rate Case. Once an ECAM is approved by the commission, it shall remain in effect for a term of not more than four (4) years unless the commission earlier authorizes its modification, extension or discontinuance in a general rate proceeding.

(A) A water utility may submit proposed rate schedules to implement periodic adjustments to its ECAM rate between general rate proceedings.

(B) If an ECAM expires due to the four (4) year limitation, a water utility is not prohibited from requesting establishment of a new ECAM in connection with a subsequent rate case.

(C) If the commission approves an ECAM for a water utility, the water utility must file a general rate case with the effective date of new rates to be no later than four (4) years after the effective date of the commission order implementing the ECAM, assuming the maximum statutory suspension of the rates so filed.

~~1. The four (4)-year period shall not include any periods in which the water utility does not collect any charges under the ECAM, or any period for which charges collected under the ECAM must be fully refunded. The four (4)-year period shall not include any periods in which the water utility is prohibited from collecting any charges under the adjustment mechanism, or any period for which charges collected under the ECAM must be fully refunded. In the event a court determines that the ECAM is unlawful and all moneys collected are fully refunded as a result of such a decision, the water utility shall be relieved of any obligation to file a rate case. The term fully refunded as used in this section does not include amounts refunded as a result of reductions in net environmental compliance costs or prudence adjustments.~~

(7) Prudence Reviews Respecting an ECAM. A prudence review of the costs subject to the ECAM shall be conducted no less frequently than at eighteen (18)-month intervals.

(A) All amounts ordered refunded by the commission shall include interest at the water utility's short-term borrowing rate. The interest shall be calculated on a monthly basis in the same manner as describe in subsection (5)(A) of this rule.

(B) Staff shall submit a recommendation regarding its examination and analysis to the commission not later than one hundred eighty (180) days after the staff initiates its prudence audit. The timing and frequency of prudence audits for each ECAM shall be established in the general rate proceeding in which the ECAM is established. Staff shall file notice within ten (10) days of starting its prudence audit. The commission shall issue an order not later than two hundred ten (210) days after staff commences its prudence audit if no party to the proceeding in which the prudence audit is occurring files, within one hundred ninety (190) days of staff's commencement of its prudence audit, a request for hearing.

1. If staff, OPC, or other party auditing the ECAM believes that insufficient information has been supplied to make a recommendation regarding the prudence of the water utility's ECAM, it may utilize discovery to obtain the information it seeks. If the water utility does not timely supply the information, the party asserting the failure to provide the required information must timely file a motion to compel with the commission. While the commission is considering the motion to compel the processing timeline shall be suspended. If the commission then issues an order requiring the information to be provided, the time necessary for the information to be provided shall further extend the processing timeline. For good cause shown, the commission may further suspend the timeline.

2. If the timeline is extended due to a water utility's failure to timely provided sufficient responses to discovery, and a refund is due to the customers, the water utility shall refund all imprudently incurred costs plus interest at the water utility's short-term borrowing rate. The interest shall be calculated on a monthly basis in the same manner as described in subsection (5)(A) of this rule.

(6)8 Disclosure on Customers' Bills. Any amounts charged under an ECAM approved by the commission shall be separately disclosed on each customer's bill. Proposed language regarding this disclosure shall be submitted to the commission for the commission's approval.

(9) Submission of Surveillance Monitoring Reports. Each water utility, with more than 8,000 customers,^[d2] with an approved ECAM shall submit to staff, OPC and parties approved by the commission a Surveillance Monitoring Report in the form and having the content provided for by 4 CSR 240-3.162(6).

(A) The Surveillance Monitoring Report shall be submitted within fifteen (15) days of the water utility's next scheduled United States Securities and Exchange Commission (SEC) 10-Q or 10-K filing following the effective date of the commission order establishing the ECAM and within 15 days of each subsequent SEC 10-Q or 10-K filing. ~~with the initial submission within fifteen (15) days of the water utility's next scheduled SEC 10-Q or 10-K filing following the effective date of the commission order establishing the ECAM.~~

(~~C~~B) Upon a finding that a utility has knowingly or recklessly provided materially false or inaccurate information to the commission regarding the surveillance date prescribed in 4 CSR 240-3.162(6), after notice and an opportunity for a hearing, the commission may suspend an ECAM or order other appropriate remedies as provided by law.

(10) Pre-Existing Adjustment Mechanisms, Tariffs, and Regulatory Plans. The provisions of this rule shall not affect the following:

(A) Any adjustment mechanism, rate schedule, tariff, incentive plan, or other ratemaking mechanism that was approved by the commission and in effect prior to the effective date of this rule; and

(B) Any experimental regulatory plan that was approved by the commission and in effect prior to the effective date of this rule.

(11) Nothing in this rule shall preclude a complaint case from being filed, as provided by law, on the grounds that a utility is earning more than a fair return on equity, nor shall a water utility be permitted to use the existence of its ECAM as a defense to a complaint case based upon an allegation that it is earning more than a fair return on equity. If a complaint is filed on the

grounds that a utility is earning more than a fair return on equity, the commission shall issue a procedural schedule that includes a clear delineation of the case timeline no later than sixty (60) days from the date the complaint is filed.

~~(12) Rule Review. The commission shall review the effectiveness of the rule by no later than December 31, 2015, and may, if it deems necessary, initiate rulemaking proceedings to revise this rule.~~

(12) Waiver of Provisions of this Rule. Provisions of this rule may be waived by the commission for good cause shown after an opportunity for hearing.