FILED
February 7, 2024
Data Center
Missouri Public
Service Commission

Exhibit No. 6

Evergy – Exhibit 6 Lutz errata filing File No. EO-2024-0002

BEFORE THE PUBLIC SERVICE COMMISSION OF THE STATE OF MISSOURI

In the Matter of Requests for Customer)	File No. EO-2024-0002
Account Data Production)	

NOTICE OF ERRATA TO SURREBUTTAL TESTIMONY OF BRADLEY D. LUTZ

COMES NOW, Evergy Metro, Inc. d/b/a Evergy Missouri Metro ("EMM") and Evergy Missouri West, Inc. d/b/a Evergy Missouri West ("EMW") (collectively, the "Company"), and for its *Notice of Errata to Surrebuttal Testimony of Bradley D. Lutz* ("Errata"), states as follows:

- 1. On January 8, 2024, the Company filed the surrebuttal testimony of Bradley D. Lutz ("Lutz Surrebuttal").
- 2. After filing, the Company discovered several unintentional errors in the Lutz Surrebuttal, as detailed below:
 - (i) Page 26, lns. 10-11:
 - h. For Data Request #8b, confirm the Company response is appropriate, satisfying the Data Request the Commission should reject this item because deployment of on-peak demand charges or changes to reactive demand charges have not been ordered for the Company by the Commission nor explored in any detail as part of a general rate proceeding.

(ii) Page 26, lns. 20-21:

- 1. For Data Request #8(d), confirm the Company response is appropriate, satisfying the Data Request appropriateness of the data requested and approve regulatory treatment for prompt Company recovery of expenditures to deliver the data requested.
- 3. Attached hereto is a clean copy of the updated pages with the corrections detailed above.
- 4. The Company does not believe submitting these corrections will prejudice any party's ability to address the underlying testimony in surrebuttal.

WHEREFORE, EMM and EMW submit this Errata to the Missouri Public Service Commission ("Commission").

Respectfully submitted,

s Roger W. Steiner

Roger W. Steiner, MBN 39586

Phone: (816) 556-2314

E-mail:

roger.steiner@evergy.com

Evergy, Inc.

1200 Main – 16th Floor

Kansas City, Missouri 64105

Fax: (816) 556-2110

James M. Fischer, MBN 27543 Fischer & Dority, P.C. 2081 Honeysuckle Lane Jefferson City, Missouri 65109

Phone: (573) 353-8647 ifischerpc@aol.com

Attorneys for Evergy Missouri Metro and Evergy Missouri West

CERTIFICATE OF SERVICE

I hereby certify that a true and correct copy of the above and foregoing document was served upon counsel for all parties on this 30th day of January 2024 by either e-mail or U.S. Mail, postage prepaid.

|s| Roger W. Steiner

Roger W. Steiner,

1	d.	For Data Request #5, confirm appropriateness of the data requested and
2		approve regulatory treatment for prompt Company recovery of expenditures
3		to deliver the data requested.
4	e.	For Data Request #6, affirm that this is a prospective request and cannot be
5		appropriately assessed at this time.
6	f.	For Data Request #7, confirm the Company response is appropriate,
7		satisfying the Data Request.
8	g.	For Data Request #8a, confirm the Company response is appropriate,
9		satisfying the Data Request.
10	h.	For Data Request #8b, the Commission should reject this item because
11		deployment of on-peak demand charges or changes to reactive demand
12		charges have not been ordered for the Company by the Commission nor
13		explored in any detail as part of a general rate proceeding.
14	i.	For Data Request #8(c)2, confirm the Company response is appropriate,
15		satisfying the Data Request.
16	j.	For Data Request #8(c)3, confirm appropriateness of the data requested and
17		approve regulatory treatment for prompt Company recovery of expenditures
18		to deliver the data requested.
19	k.	For Data Request #8(c)4, confirm appropriateness of the data requested and
20		approve regulatory treatment for prompt Company recovery of expenditures
21		to deliver the data requested.

- 1. For Data Request #8(d), confirm appropriateness of the data requested and
 2 approve regulatory treatment for prompt Company recovery of expenditures
 3 to deliver the data requested.
- 4 Q: Does that conclude your testimony?
- 5 A: Yes, it does.