Case: 4:11-cv-00077-RWS Doc. #: 1263 Filed: 09/30/23 Page: 1 of 2 PageID #: 64849

UNITED STATES DISTRICT COURT EASTERN DISTRICT OF MISSOURI EASTERN DIVISION

UNITED STATES OF AMERICA,)
)
Plaintiff,)
)
SIERRA CLUB,)
)
Plaintiff-Intervenor,)
)
V.)
AMEREN MISSOURI,)
)
)
Defendant.)

Case No. 4:11 CV 77 RWS

ORDER

IT IS HEREBY ORDERED that Defendant Ameren Missouri's motion (as supplemented) to modify my Remedy Order dated September 30, 2019 [1196] is **GRANTED** as follows:

- The retirement of the Rush Island facility obviates the need for Ameren to apply for a PSD permit, install FGD controls, or meet an emissions limit of 0.05 lb/mmBtu at Rush Island;
- 2. The retirement date of Rush Island is extended from March 30, 2024 to no later than October 25, 2024. Ameren is allowed to continue to operate both Rush Island units during that time, though only as directed by MISO. Ameren shall diligently pursue the implementation of reliability

alternatives that will allow for Rush Island's retirement as soon as practicable;

- 3. Ameren shall terminate operation of Rush Island's coal-fires boilers (Units 1 and 2) no later than 11:59 p.m. on October 15, 2024.
- 4. Ameren shall provide Plaintiffs and this Court with monthly updates on Rush Island's emissions, operations, and generation, as well as the company's efforts to implement reliability alternatives that will address any grid reliability risks MISO has identified related to Rush Island's retirement.

IT IS FURTHER ORDERED that the United States' motion to structure further consistent proceedings pursuant to addressing alternative mitigation remedies [1212] is **DENIED** as moot. The parties are and have been engaged in addressing this issue.

RODNEY W. SIPPEL UNITED STATES DISTRICT JUDGE

Dated this 30th day of September, 2023