CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 4th Revised Sheet 31 Replacing 3rd Revised Sheet 31

(RT) (R'T)

Access Services Tariff
Section 6
3rd Revised Sheet 31
Replacing 2nd Revised Sheet 31

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)

March 26, 1993

- A. Description-(Continued)
 - 5. (Continued)

is combined with Directory Assistance switching. The combination of FGC Switched Access Service with DA Service is provided as set forth in Section 9., following. FGC may not be switched, in the terminating direction, to access another Feature Group B, C or D

in the same LATA or switched to access a BSA-B, BSA-C or BSA-D in the same LATA.

6. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGC switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

CANCELLED
June 10, 2013
Missouri Public
Service Commission
JI-2013-0499

Issued:

(AT) (AT)

Effective:

April 11, 1993

Access Services Tariff Section 6 2nd Revised Sheet 31 Replacing 1st Revised Sheet 31

ACCESS SERVICES

OCT 1 3 1987

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - A. Description-(Continued)
 - (Continued)

is combined with Directory Assistance switching. The combination of FGC Switched Access Service with DA Service is provided as set forth in Section 9., following. FGC may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA.

The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGC switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(RT) (RT)

CANCELLED

APR 11 1993_ BY 3rd R.S.

Public Service Commission MISSOURI

FILED

OCT 16 1987

Effective: OCT 16 1987 ublic Service Commission

Issued: OCT 1 4 1987

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

Access Services Tariff
Section 6
1st Revised Sheet 31
Replacing Original Sheet 31

(CP)ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
- 6.2.3 Feature Group C (FGC)-(Continued)

Public Service Commission

JUN 27 1957

- A. Description-(Continued)
 - 5. (Continued)

is combined with Directory Assistance switching. The combination of FGC Switched Access Service with DA Service is provided as set forth in Section 9., following. FGC may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA.

- 6. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGC switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 7. A WATS Access Line as defined in Paragraph 6.2.4.A.8., following may, at the option of the customer, be provided for use with FGC Switched Access Service.

CANCELLED

OCT 16 1987

BYZUG Commission

Public Service Commission

MISSOUR!

JUL 1 1986

86-84
Public Service Commission

Issued:

JUN 27 1986

Effective:

JUL 1 1986

Access Services Tariff ME Section 6

ACCESS SERVICES

DEC 2 3 1883

LISSOURI

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-Gontinu
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - Description-(Continued)
 - The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGC switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGC switching arrangement provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
 - B. Optional Features
 - Common Switching Optional Features
 - Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Dial Pulse Address Signaling
 - d. Revertive Pulse Address Signaling
 - e. Immediate Dial Pulse Address Signaling
 - Panel Call Indicator Address Signaling
 - g. Alternate Traffic Routing
 - h. Trunk Access Limitation
 - End Office Customer Line Service Screening for use with Dedicated Access Line Service
 - Hunt Group Arrangement for use with Dedicated Access Line Service
 - Uniform Call Distribution Arrangement for use with Dedicated Access Line Service (available only at Telephone Company electronic end offices)

Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement from use with Dedicated Access Line Service
Band Advance Armangement for use with Dedicated Access Line Service

JUL 1 1986

Issued: DEC 2 9 1983 Effective: JAN 0 1 1984

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 5th Revised Sheet 32 Replacing 4th Revised Sheet 32

(RT) (R'T)

Access Services Tariff
Section 6
4th Revised Sheet 32
Replacing 3rd Revised Sheet 32

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - B. Features
 - 1. Common Switching Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Dial Pulse Address Signaling
 - d. Delay Dial Start-Pulsing Signaling
 - e. Immediate Dial Pulse Address Signaling
 - f. Alternate Traffic Routing
 - g. End Office End User Line Service Screening for use with WATS Access Line Service
 - h. Hunt Group Arrangement for use with WATS Access Line Service
 - i. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - j. Nonhunting Number Arrangement for use with (h) or (i) preceding
 - k. Band Advance Arrangement for use with WATS Access Line Service
 - 1. Trunk Access Limitation
 - m. Wink Start Address Signaling
 - n. Multifrequency Address Signaling

Issued: March 7, 1994 Effective: April 7, 1994

(AT)

Access Services Tariff Section 6 3rd Revised Sheet 32 Replacing 2nd Revised Sheet 32

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI ublic Service Commission

6.2.3 Feature Group C (FGC)-(Continued)

(RT) B. Features

(AT)

(RT) 1. Common Switching Features

Automatic Number Identification (ANI)

b. Service Class Routing

c. Dial Pulse Address Signaling

d. Delay Dial Start-Pulsing Signaling

Immediate Dial Pulse Address Signaling

Alternate Traffic Routing

End Office End User Line Service Screening for use with WATS Access Line Service

Hunt Group Arrangement for use with WATS Access Line

Uniform Call Distribution Arrangement for use with WATS Access Line Service

Nonhunting Number Arrangement for use with (h) or (i) preceding

K. Band Advance Arrangement for use with WATS Access Line Service

1. Trunk Access Limitation

m. Wink Start Address Signaling

CANCELLED

APR 7 1994 BY 4# R-5,#32 **Public Service Commission MISSOURI**

Issued: **AUG 0 9 199**1

SEP 0 9 1991 SEP 3 0 1991

FILED

Access Services Tariff
Section 6
2nd Revised Sheet 32
Replacing 1st Revised Sheet 32

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 1 3 1987

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 Public Service Commission
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - B. Optional Features

(CT)

(CT)

- Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Dial Pulse Address Signaling
 - d. Delay Dial Start-Pulsing Signaling
 - e. Immediate Dial Pulse Address Signaling
 - f. Alternate Traffic Routing
 - g. End Office End User Line Service Screening for use with WATS Access Line Service
 - h. Hunt Group Arrangement for use with WATS Access Line Service
 - Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - j. Nonhunting Number Arrangement for use with (h) or (i) preceding
 - k. Band Advance Arrangement for use with WATS Access Line Service
 - 1. Trunk Access Limitation

CANCELLED

SEP 3 0 1991 By 3 4 R.S. 32

Public Service Commission MISSOURI

FILED

OCT 16 1987 TO-87-42 Public Service Commission

Issued: OCT 1 4 1987

Effective: 0CT 16 1987

Access Services Tariff
Section 6
1st Revised Sheet 32
Replacing Original Sheet 32

(CP)ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

6.2.3 Feature Group C (FGC)-(Continued)

MISSUURI
Public Service Commission

- B. Optional Features
 - Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Dial Pulse Address Signaling
 - d. Delay Dial Start-Pulsing Signaling
 - e. Immediate Dial Pulse Address Signaling
 - f. Alternate Traffic Routing
 - g. End Office Customer Line Service Screening for use with WATS Access Line Service
 - h. Hunt Group Arrangement for use with WATS Access Line Service
 - i. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - j. Nonhunting Number for use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - k. Band Advance Arrangement for use with WATS Access Line Service
 - 1. Trunk Access Limitation

CANCELLED

OCT 16 1987

BY ZANS #32

Public Service Commission
MISSOUFI

FILED

JUL 1 1986

Public Service Commission

Issued:

JUN 27 1986

Effective:

JUL 1 1986

Access Services Tariff Section 6 Original Sheet 32

Public Service Commission

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
 - DEC 20 1000 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued) LIISSOURI
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - Optional Features-(Continued)
 - Transport Termination Optional Features
 - Operator Trunks i.e., Coin Non-Coin and Combined Coin and Non-Coin. (Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.)
 - 3. Local Transport Optional Features
 - IC Specification of Feature Group Directionality
 - Provision of Other Than Telephone Company Selected Traffic Routing
 - C. Transmission Performance

FGC is provided with either Type B or Type C Transmission Performance as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to an access tandem, only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

Type DB Data Transmission Parameters are provided for the transmission path when directly routed to the end positive, and Type DB Data Transmission Parameters are provided for the Transmission path between the IC terminal location and the access tandem and between the access. tandem and the end office when routed via an access tandem.

> PUBLIC SERVICE COMMISSION OF MISSOURI

Issued: DEC 2 9 1983

JAN 0 1 1984 Effective:

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 4th Revised Sheet 33 Replacing 3rd Revised Sheet 33

(RT) (R'T)

Access Services Tariff
Section 6
3rd Revised Sheet 33
Replacing 2nd Revised Sheet 33

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
- (RT) B. Features-(Continued)
- (RT) 2. Transport Termination Features
 - a. Operator Trunks Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.
- (RT) 3. Local Transport Features
- (RT) a. Supervisory Signaling
- (RT)
 b. Customer Specified Entry Switch Receive Level
 - C. Transmission Performance

FGC is provided with either Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or Type C is provided.
- When routed to an access tandem, only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

Type DB Data Transmission Parameters are provided with FGC for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office when routed via an access tandem.

Issued: August 9, 1991 Effective: September 30, 1991

Access Services Tariff
Section 6
2nd Revised Sheet 33
Replacing 1st Revised Sheet 33

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 1 3 1987

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)

Public Service Commission

- B. Optional Features-(Continued)
 - 2. Transport Termination Optional Features
 - a. Operator Trunks Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.
 - 3. Local Transport Optional Features
 - Supervisory Signaling (as set forth in Paragraph 6.1.2.A.12.a., preceding)
 - b. Customer Specified Entry Switch Receive Level

CANCELLED

SEP 3 0 1991 BY 3 MR.S. 33

C. Transmission Performance

Public Service Commission

MISSOUR Performance

FGC is provided with either Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or Type C is provided.
- When routed to an access tandem, only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

Type DB Data Transmission Parameters are provided with FGC for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the lend office when routed via an access tandem.

Issued: OCT 1 4 1987

Effective: OCT 16 1987

Public Service Commission

001-16 1987

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

(RT)

(RT)

(RT)

Access Services Tariff Section 6 1st Revised Sheet 33 Replacing Original Sheet 33

(CP)ACCESS SERVICES

REGEOVED

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - B. Optional Features-(Continued)
 - 2. Transport Termination Optional Features

MISSUUK Public Service Commission

- Operator Trunks Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available.
- 3. Local Transport Optional Features
 - a. Supervisory Signaling (as set forth in Paragraph 6.1.2.A.12.a., preceding)
 - CANCELLED b. Customer Specified Entry Switch Receive Level
 - 4. WATS Access Lines

Optional features are the same as those specified in Paragraph 6.2.4.B.4., following. Public Service Commission

C. Transmission Performance

FGC is provided with either Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or Type C is provided.
- When routed to an access tandem, only Type B is provided.
- Type B or Type C is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to an access tandem.

Type DB Data Transmission Parameters are provided with FGC for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office when routed via an access tandem.

Public Service Commission

Issued:

JUN 27 1986

Effective:

JUL

Access Services Tariff

Original Sheet 33

DEC 28 LT

DEGETYED

Section 6

No supplement to this tariff will be issued except for the purpose of canceling this tariff.

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - D. Testing Capabilities

FGC is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. Additional Cooperative Acceptance Testing, nonoptional Automatic Scheduled Testing, Cooperative Scheduled Testing or Manual Scheduled Testing, and Nonscheduled Testing will be provided as set forth in Section 13, following, for FGC.

6.2.4 Feature Group D (FGD)

Description

- FGD is provided at Telephone Company-designated electronic end office switches whether routed directly or via Telephone Company-designated electronic access tandem switches.
- 2. FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
- FGD switching is provided with multifrequency address signaling. to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the IC terminal location where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Access Connections and Local Transport provided.
- FGD switching, when used in the terminating direction, may be used to access valid NXX's in the PANAL limbs or weather announcement1services of the Telephone Company, community information service 8 8 -av 53 rmation service provider, and other 1Cs 98 ervices (by dialing the appro-

PUBLIC SERVICE COMMISSION

Issued: DEC 29 1983

JAN 0 1 1984 Effective:

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 3rd Revised Sheet 34 Replacing 2nd Revised Sheet 34

K	1)	
(D	T)	
ıκ	Τ)	

Access Services Tariff
Section 6
2nd Revised Sheet 34
Replacing 1st Revised Sheet 34

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - D. Testing Capabilities

Testing capabilities are the same as those set forth in Paragraph 6.2.4.D., following.

- 6.2.4 Feature Group D (FGD)
 - A. Description
 - 1. FGD is provided at Telephone Company-designated electronic end office switches whether routed directly or via Telephone Company-designated electronic access tandem switches.
 - 2. FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink-start, start-pulsing signals and answer and disconnect supervisory signaling.
 - 3. FGD switching is provided with inband multifrequency address signaling or out of band SS7 signaling. With multifrequency address signaling and SS7 signaling, up to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the IC terminal location where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
 - 4. FGD switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider, and other ICs' services (by dialing the appro

-_____

Issued: March 7, 1994 Effective: April 7, 1994

(AT)

(AT)

Access Services Tariff
Section 6
1st Revised Sheet 34
Replacing-Original Sheet 34

Public Service Commission -

(CP)ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

 MISSUK:
 - 6.2.3 Feature Group C (FGC)-(Continued)
 - D. Testing Capabilities

Testing capabilities are the same as those set forth in AND Table 3.2.4.D., following.

6.2.4 Feature Group D (FGD)

A. Description

- 1. FGD is provided at Telephone Company-designate the Company of ice switches whether routed directly or via Telephone Company designated electronic access tandem switches.
- 2. FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink-start, start-pulsing signals and answer and disconnect supervisory signaling.
- 3. FGD switching is provided with multifrequency address signaling. Up to 12 digits of the called party number dialed by the IC's customer using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the IC terminal location where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
- 4. FGD switching, when used in the terminating direction, may be used to access valid NXX's in the LATA, time or weather announcement services of the Telephone Company, community information services of an information service provider, and other ICs' services (by dialing the appro-

FILED

JUL 1 1986

86-84

Public Service Commission

Issued:

JIIN 27 1986

Effective:

1 1986

JUL

ACCESS SERVICES

- Access Services Tariff Section 6 Original Sheet 34
 - DEC 28 1000

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)
 - 4. (Continued)

priate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. For calls to services of other IC's, additional charges may apply. The IC will also be billed additional charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Calls in the terminating direction will not be completed to 950-10XX access codes, local operator assistance (0- and 0+), service codes (611 and 911 where available) and 10XX access codes. Calls will not be completed to directory assistance (411 where available and 555-1212) unless FGD switching is combined with DA switching. FGD may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

- The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- The access code for FGD switching is a uniform access code of the form 10XX. No access code is required for calls to an IC over FGD Switched Access Service if the constoner's telephone exchange service is arranged for the substriction that IC, as set forth in Section 13, following. For a limited period of time, no access code is required for calls to a provider of MTS and WATS, when such calls are placed from a Telephone Company public or semi-public telephone. JAN - 1 1984

83 - 253 Public Sarvice Commiscie

Issued: DEC 29 1983 Effective: JAN 0 1 1984

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 8th Revised Sheet 35 Replacing 7th Revised Sheet 35

(RT) (R'T)

Access Services Tariff
Section 6
7th Revised Sheet 35
Replacing 6th Revised Sheet 35

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.2 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)
 - 4. (Continued)

priate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional nonaccess charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9., following. FGD may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA or switched to access a BSA-B, BSA-C, or BSA-D in the same LATA.

- 5. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 6. The uniform access code for FGD switching is a 101XXXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service (this includes MicroLink I Access Capability provided in conjunction with FGD) if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in Section 13, following. FGD Switched Access may be originated using the 950-XXXX access code if the customer requests the FGD or BSA-D with 950 Access feature.

Issued: September 21, 1998 Effective: October 21, 1998

CANCELLED
June 10, 2013
Missouri Public
Service Commission
JI-2013-0499

By PRISCILLA HILL-ARDOIN, President-Missouri Southwestern Bell Telephone Company St. Louis, Missouri

(CT)

Access Services Tariff Section 6 6th Revised Sheet 35 Replacing 5th Revised Sheet 35

ACCESS SERVICES

SWITCHED ACCESS SERVICE - (Continued)

- 6.2 Provision and Description of Switched Access Service Feature AUG 15 1995
 - 6.2.4 Feature Group D (FGD) (Continued)

MO. PUBLIC SERVICE COMM.

- A. Description-(Continued)
 - (Continued)

CANCELLED

priate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an By Service Company exchange service tariffs

Service

Service

Service

NAA codes served by end offices

The IC will also be

Company exchange services, for which rates are applicable under Tolorian

Company exchange service tariffs

Service Information services, for which rates are applicable under Telephone calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9., following. FGD may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA or switched to access a BSA-B, BSA-C, or BSA-D in the same LATA.

- 5. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- The uniform access code for FGD switching is a 10XXXX or 101XXXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service (this includes MicroLink I Access Capability provided in conjunction with FGD) if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in Section 13, following. FGD Switched Access may be originated using the 950 XXX access code if the customer requests the FGD or BSA-D # feature.

AUG 1 5 1995 Issued:

Effective:

By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri

MISSOURI Public Service Commission

(AT)

Access Services Tariff Section 6 5th Revised Sheet 35 Replacing 4th Revised Sheet 35

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

the same LATA.

RECEIVED

6.2 Provision and Description of Switched Access Service Feature
Groups-(Continued)

CANCELLED MAY 24 1994

MISSOURI

6.2.4 Feature Group D (FGD)-(Continued)

A. Description-(Continued)

4. (Continued)

(Continued)

SEP 151995

Public Service Commission

(Continued)

Priate codes) when such serphic captures captures captures and service with the codes.

Public Service Commission

Priate codes when such serphic captures captures captures and service and service captures and service captures. codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9., following. FGD may not be switched, in the terminating direction, to access another Feature Group B, C or D

The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

in the same LATA or switched to access a BSA-B, BSA-C, or BSA-D in

6. The access code for FGD switching is a uniform access code of the form 10XXX. A single access code will be the assigned number of walk-FGD access provided to the customer by the Telephone Company No access code is required for calls to a customer over FGD Switched Access Service (this includes MicroLink I Access Capability provided in conjunction with FGD) if the end user's telephone exchange service? is arranged for presubscription to that customer, as set forth in Section 13, following. FGD Switched Access may be originated using the 950-XXXX access code if the customer requests the FGD Service Commission With 950 Access feature.

(AT)

(AT)

Issued: MAY 2 4 1994 Effective: By M. H. SCHULTEIS, Division Manager-Regulatory & Industry Relations

> Southwestern Bell Telephone Company . St Louis Missouri

Access Services Tariff Section 6 4th Revised Sheet 35 Replacing 3rd Revised Sheet 35

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued) CANCELLED

OCT 04 1993

6.2.4 Feature Group D (FGD)-(Continued)

MISSOURI Public Service Commission

Description-(Continued)

(Continued)

(CT)

JUL 21994 Public Service Commission MISSOURI priate codes) when such services can be reached using valid NXX

codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-acce charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9., following. FGD may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA or switched to access a BSA-B, BSA-C, or BSA-D in the same LATA.

- The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- The access code for FGD switching is a uniform access code of the form 10XXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is the 950-XXXX access code if the customer requests the FGD or BSA-D With 950 Access feature.

Issued: DCT 1 1 1993 1 1 1993 Public Service Commission

Access Services Tariff
Section 6
3rd Revised Sheet 35
Replacing 2nd Revised Sheet 35

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

RECEIVED

MAR 29 1993

- 6.2.4 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)
 - 4. (Continued)

NOV 11 1993 MISSOUP

W R ST 3 S Public Service Commission

Public Service Commission

Public Service Commission

Public Services Can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9., following. FGD may not be switched, in the terminating direction, to access another Feature Group B. C or D in the same LATA or switched to access a BSA-B, BSA-C, or BSA-D in

- (AT) (AT)
- 5. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 6. The access code for FGD switching is a uniform access code of the form 10XXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in Section 13, following. FGD Switched Access may be originated using the 950-XXXX access code if the customer requests the FGD or BSA-D With 950 Access feature.

Issued:

AT)

MAR 2 6 1993

the same LATA.

Effective:

ABR 11 1993 92 - 3 0 4

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

MO PIRIC CEDUCE COSCO

Access Services Tariff
Section 6
2nd Revised Sheet 35
Replacing 1st Revised Sheet 35

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

- 6.2 Provision and Description of Switched Access Service Feature P 6 1991 Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued) CANCELLED ublic Service Commission
 - A. Description-(Continued)

4. (Continued)

APR 11 1993

BY 3 R. S 3 S

B Service Commission

priate codes) when such se**Public Service Commission**codes. When directly routed to an was Solvice, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from an FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in Section 9, following. FGD may not be switched, in the terminating direction, to access another Feature Group B, C or D in the same LATA.

- 5. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 6. The access code for FGD switching is a uniform access code of the form 10XXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in Section 13, following. FGD Switched Access may be originated using the 950-XXXX access code if the customer requests the FGD with 950 Access feature.

Issued:

SEP 0 9 1991

OCT 19 199 OCT

Access Services Tariff
Section 6
1st Revised Sheet 35
Replacing Original Sheet 35

(CP) ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature (Groups-(Continued)

6.2.4 Feature Group D (FGD)-(Continued)

A. Description-(Continued)

MISSUUR: Public Service Commission

4. (Continued)

priate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The IC will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, i.e., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from an FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXXANCELLED access codes, local operator assistance (0- and 0+), Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of 1991 FGD Switched Access Service with DA Service is provided as set 2 ~ forth in Section 9., following. FGD may not be switched in the terminating direction, to access another Feature Group B, Corepvice Commission in the same LATA.

- 5. The Telephone Company will establish a trunk group or groups for the IC at end office switches or access tandem switches where FGD switching is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 6. The access code for FGD switching is a uniform access code of the form 10XXX. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company 1000 access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for Easy Access Dialing to that customer, as set forth in Section 13., following.

Issued:

JUN 27 1986

Effective:

JUL 1 1986

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Contin
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - Description-(Continued)
 - (Continued)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven- to twelve-digit number may be dialed. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN. When the 10XX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

- 7. FGD switching will be arranged to accept calls from telephone exchange service locations without the need for dialing 10XX uniform access code. Each telephone exchange service line may be marked with a presubscription code to identify which 10XX code its calls will be directed to for interLATA service. Presubscription codes are applied as set forth in Section 13, following.
- B. Optional Features
 - Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Call Gapping Arrangement
 - Trunk Access Limitation International Carolier Ention e.



Access Services Tariff

DEC 25 1008

Original Sheet 35

Section 6

MSSOURI (Continued)

JAN - 1 1984

83-253 Public Service Conveniesion

JUL 1 1986

PUBLIC SERVICE COMMISSION OF MISSOURI

Issued: DEC 2 9 1983

Effective: JAN 0 1 1984

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 9th Revised Sheet 36 Replacing 8th Revised Sheet 36

(RT) (R'T)

Effective: June 10, 2013

Access Services Tariff
Section 6
8th Revised Sheet 36
Replacing 7th Revised Sheet 36

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.2 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)
 - 6. (Continued)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate ACIS, 800 NPAS and 900 Access Service. The customer's end user is not required to dial an access code for originating ACIS, 800 NPAS and 900 Access Service provided with FGD Switched Access Service. ACIS, 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 101XXXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-XXXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

Issued: September 21, 1998 Effective: October 21, 1998

(CT)

Access Services Tariff Section 6 7th Revised Sheet 36 Replacing 6th Revised Sheet 36

ACCESS SERVICES

SWITCHED ACCESS SERVICE - (Continued)

AUG 15 1995

6.2 Provision and Description of Switched Access Service Feature Groups - (Continued)

MO. PUBLIC SERVICE COMM.

- 6.2.4 Feature Group D (FGD) (Continued)
- A. Description-(Continued)
 - 6. (Continued)

(AT)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate ACIS, 800 NPAS and 900 Access Service. The customer's end user is not required to dial an access code for originating ACIS, 800 NPAS and 900 Access Service provided with FGD Switched Access Service. ACIS, 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX or 101XXXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-XXXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

CANCELLED

OCT 2 1 1998 By 844 RS#36 **Public Service Commission** MISSOURI

SEP 1 5 1995

AUG 1 5 1995 Issued:

Effective:

SEP 1 5 1995

MISSOURI

Access Services Tariff Section 6 6th Revised Sheet 36 Replacing 5th Revised Sheet 36

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

MAR 20 1995

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MO. PUBLIC SERVICE COMM.

- 6.2.4 Feature Group D (FGD)-(Continued)
- A. Description-(Continued)
 - 6. (Continued)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate ACIS, 800 NPAS and 900 Access Service. The customer's end user is not required to dial an access code for originating ACIS, 800 NPAS and 900 Access Service provided with FGD Switched Access Service. ACIS, 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-XXXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

CANCELLED

SEP 151995 Public Service Commission MISSOURI

Issued:

MAR 2 0 1995

Effective:

APR 2 0 1995 APR 2 0 1995

By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri

MISSOURI Public Service Commission

(AT)

(AT)

(AT)

Access Services Tariff Section 6 5th Revised Sheet 36 Replacing 4th Revised Sheet 36

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 04 1993

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI Public Service Commission

- 6.2.4 Feature Group D (FGD)-(Continued)
 - Description-(Continued)
 - 6. (Continued)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate 800 NPAS and 900 Access Service. The customer's end user is not required to dial an access code for originating 800 NPAS and 900 Access Service provided with FGD Switched Access Service. 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-XXXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching CANagres inutes will be rated as System General Requirements. FGD.

> APR 201995 Public Service Commission

MISSOURI

NOV 111993

Issued: OCT 1 1 1993

1,

(CT)

Effective:

Access Services Tariff
Section 6
4th Revised Sheet 36
Replacing 3rd Revised Sheet 36

ACCESS SERVICES

MAR 13 1993

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature COMMAGNUTE COMMAGNUTE CONCELED
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)

location.

6. (Continued)

(AT)

(AT)

(AT)

Public Service Commission
Public Service Commission
Public Service Commission
For calls in the North

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate 800 NPAS and 900 Access Service. The customer's end user is not required to dial an access code for originating 800 NPAS and 900 Access Service provided with FGD Switched Access Service. 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the

end-of-dialing digit (#) for cut-through access to the IC's terminal

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-0XXX and 950-1XXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

FIL ID

Issued: MAR 2 2 1993

Effective: MAY - 1 1993

MAY 0 1 1993

Access Services Tariff Section 6 3rd Revised Sheet 36 Replacing 2nd Revised Sheet 36

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI

6.2.4 Feature Group D (FGD)-(Continued) Public Service Commission CANCELLED

A. Description-(Continued)

(Continued)

MAY 1 1993 BY 44 R.S. # 3

(AT)

(AT)

(AT)

Where no access code is required violated himber dialed by the IC's customer shall be a seven bor ten digit humber for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate 800 and 900 Access Service. The customer's end user is not required to dial an access code for originating 800 and 900 Access Service provided with FGD Switched Access Service. 800 and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the

digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal

location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-0XXX and 950-1XXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

FILED)

Access Services Tariff Section 6 2nd Revised Sheet 36 Replacing 1st Revised Sheet 36

ACCESS SERVICES

OGT 1 3 1987

SWITCHED ACCESS SERVICE-(Continued)

MISSOURI

- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)
 - 6. (Continued)

Where no access code is required, the number dialed by the IC's customer shall be a seven or ten-digit number for calls in the North American Numbering Plan (NANP). FGD Switched Access Service may also be used to originate and terminate 800 Access Service. The customer's end user is not required to dial an access code for originating 800 Access Service provided with FGD Switched Access Service. 800 Access Service calls dialed with an access code will be blocked by the Telephone Company. The form of the numbers dialed by the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-0XXX and 950-1XXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

(RT)

(AT)

(AT)

CANCELLED

Public Service Commission

MISSOURI

FILED

OCT 16 1987 TO-87-42

Public Service Commission

Issued: OCT 1 4 1987

Effective: OCT 16 1987

Access Services Tariff Section 6 1st Revised Sheet 36 Replacing-Original-Sheet,36

(CP)ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

JUN 27 1955

Public Sen As Postimission

MISSUMELLED

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
- 6.2.4 Feature Group D (FGD)-(Continued)
- A. Description-(Continued)
 - (Continued)

the IC's customers is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX. When the 10XXX access code is used, FGD switching also provides for dialing the digit 0 for access to the IC's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cutthrough access to the IC's terminal location.

7. When a customer changes an existing FGB to FGD in the same end office, end users may dial either the previous FGB access code or the new FGD access code. This arrangement will be provided at the customer's request, for a maximum period of 90 days where facilities are available. In addition, use of the FGB access code may continue from public coin, coinless and hotel classes of service, until the customer requests otherwise.

The customer must be prepared to differentiate between 950-0XXX and 950-1XXX calls and the other FGD calls on the same trunks by using the signaling described in Technical Reference PUB. TSY-000064 LATA Switching System General Requirements. All access minutes will be rated as FGD.

A WATS Access Line may, at the option of the customer, be provided for use with FGD Switched Access Service. A WATS Access Line provides a connection between a customer's end user's premises and a Telephone Company end office switch capable of performing the necessary screening functions for 800 Service, WATS or similar services and is provided only for use at the closed end of such services.

WATS Access Lines are arranged for either originating calling only or terminating calling only. They are provided with rotary diallog dual tone multifrequency address signaling and either loop start or ground start supervisory signaling. The choice of the type of signaling is at the option of the customer.

86-84

Issued:

JUN 27 1986

Effective:

JUL

ACCESS SERVICES

Access Services Tariff Section 6 Original Sheet 36

DEC 29 1223

ILLSŠOURI

Public Service Commission

- SWITCHED ACCESS SERVICE-(Continued) 6.
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - B. Optional Features-(Continued)
 - 1. Common Switching Optional Features-(Continued)
 - End Office Customer Line Service Screening for use with Dedicated Access Line Service
 - h. Hunt Group Arrangement for use with Dedicated Access Line Service
 - i. Uniform Call Distribution Arrangement for use with Dedicated Access Line Service
 - j. Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for use with Dedicated Access Line Service
 - k. Band Advance Arrangement for use with Dedicated Access Line Service
 - 2. Transport Termination Optional Features
 - a. Operator Trunk Full Feature Arrangement
 - 3. Local Transport Optional Features
 - a. IC Specification of Feature Group Directionality
 - Provision of Other Than Telephone Company Selected Traffic Routing
 - C. Transmission Performance

FGD is provided with either Theral type B or Type C Transmission Performance as follows

- When routed directly to the lend office either Type B or C is pro-

SS Tangen Commission

SS Tangen Commission

SS Tangen Commission

Type A is provided. JAN - 1 1984 - When routed to an access

- Type A is provided on the transmission path from the access 83 - 253 tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1. Type A and Type B Transmission Performances are provided with Interface Groups 2 through 10.

DEC 2 9 1983 Issued:

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 12th Revised Sheet 37 Replacing 11th Revised Sheet 37

K	1)	
(R	T)	

Access Services Tariff
Section 6
11th Revised Sheet 37
Replacing 10th Revised Sheet 37

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - 1. Common Switching Optional Features

(FC)	a. Alternate Traffic Routing
	b. Automatic Number Identification (ANI)/Charge Number Parameter
	c. Band Advance Arrangement for use with WATS Access Line Service
(AT)	d. Calling Party Number (CPN) Parameter
(AT)	e. Carrier Identification Code (CIC)
(AT)	f. Carrier Identification Code Parameter (CIP)
	g. Carrier Selection Parameter (CSP)
	h. Cut-Through
	i. End Office End User Line Service Screening for use with WATS Access Line Service
	j. FGD or BSA-D With 950 Access
	k. Flexible Automatic Number Identification (Flex ANI)
	1. Hunt Group Arrangement for use with WATS Access Line Service
	m. International Carrier Feature
	n. MicroLink I Access Capability
	o. Multifrequency Signaling
	p. Multiple 64 Clear Channel Capability (64 CCC)
(CT)	q. Nonhunting Number for use with (1) or(w)
	r. Overlap Outpulsing
	s. Service Class Routing
	t. Signaling System 7 (SS7) Signaling
	u. 64 Clear Channel Capability (64 CCC)
(FC)	v. Trunk Access Limitation
	w. Uniform Call Distribution Arrangement for use with WATS Access Line Service

Issued: **JULY 27, 1999** Effective: **AUGUST 26, 1999**

Access Services Tariff Section 6 10th Revised Sheet 37 Replacing 9th Revised Sheet 37

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature AUG 15 1995 Groups - (Continued)
 - 6.2.4 Feature Group D (FGD) (Continued)

MO. PUBLIC SERVICE COMM.

- 1. Common Switching Optional Features
 - a. Automatic Number Identification (ANI)/Charge Number Parameter
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - m. International Carrier Feature
 - n. FGD or BSA-D With 950 Access
 - o. Flexible Automatic Number Identification (Flex ANI)

(RT)

- q. Carrier Selection Parameter (CSP)
- r. Multifrequency Signaling
- s. Signaling System 7 (SS7) Signaling
- t. MicroLink I Access Capability
- u. 64 Clear Channel Capability (64 CCC)
- v. Multiple 64 Clear Channel Capability (64 CCC)

CANCELLED

AUG 26 1999

BY 11 RS#37 Public Service Commission MISSOURI

Issued:

AUG 1 5 1995

Effective:

SEP 15 1995

MISSOURI Public Service Commission

Access Services Tariff Section 6 9th Revised Sheet 37 Replacing 8th Revised Sheet 37

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

OCT 17 1994

- 6.2 Provision and Description of Switched Access Service Feature MO. PUBLIC SERVICE COMM. Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - 1. Common Switching Optional Features
 - a. Automatic Number Identification (ANI)/Charge Number Parameter
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - Hunt Group Arrangement for use with WATS Access Line Service
 - Uniform Call Distribution Arrangement for use with WATS Access g. Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
 - k. Overlap Outpulsing
 - Carrier Identification Code
 - International Carrier Feature
 - n. FGD or BSA-D With 950 Access
 - o. Flexible Automatic Number Identification (Flex ANI)
 - p. Calling Party Number (CPN) Parameter
 - q. Carrier Selection Parameter (CSP)
 - r. Multifrequency Signaling
 - s. Signaling System 7 (SS7) Signaling
 - MicroLink I Access Capability
 - u. 64 Clear Channel Capability (64 CCC)
- Multiple 64 Clear Channel Capability (64 CCC) (AT)

CANCELLED

SEP 151995 Public Service Commission

NOV 2 4 1994

Issued: OCT 1 7 1994

(AT)

MISSOURI Effective: Commission

Access Services Tariff Section 6 8th Revised Sheet 37 Replacing 7th Revised Sheet 37

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature 2 4 1994 Groups-(Continued)

MISSOURI

6.2.4 Feature Group D (FGD)-(Continued)

Public Service Commission

- 1. Common Switching Optional Features
 - a. Automatic Number Identification (ANI)/Charge Number Parameter
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - Nonhunting Number for use with (f) or (g), preceding
 - Band Advance Arrangement for use with WATS Access Line Service i.
 - Cut-Through j.
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - m. International Carrier Feature

 - o. Flexible Automatic Number Identification (Flex ANI)
 p. Calling Party Number (CPN) Parameter
 q. Carrier Selection 7

 - q. Carrier Selection Parameter (CSP)
 - r. Multifrequency Signaling
 - s. Signaling System 7 (SS7) Signaling

t. MicroLink I Access Capability

Public Service

101 - 21994

MISSOURI Public Service Commission

JUL 0 2 1991

Issued:

(TA)

MAY 2 4 1994

Effective:

Access Services Tariff
Section 6
7th Revised Sheet 37
Replacing 6th Revised Sheet 37

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

- 6.2 Provision and Description of Switched Access Service Feature 07 1994 Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)

MISSOURI Public Service Commission

- 1. Common Switching Optional Features
- (AT) a. Automatic Number Identification (ANI)/Charge Number Parameter
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through

(AT)

- k. Overlap Outpulsing
- 1. Carrier Identification Code
- m. International Carrier Feature
- n. FGD or BSA-D With 950 Access
- o. Flexible Automatic Number Identification (Flex ANI)
- p. Calling Party Number (CPN) Parameter
- q. Carrier Selection Parameter (CSP)
- r. Multifrequency Signaling
- (AT) s. Signaling System 7 (SS7) Signaling

CANCELLED

JUL 8 1994 3 7

BY A R S. 3 7

Public Service Commission

MISSOURI

APR -7 1994

Issued: MAR 0 7 1994

Effective:

APRole Taggize Commission

Access Services Tariff
Section 6
6th Revised Sheet 37
Replacing 5th Revised Sheet 37

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

- 6.2 Provision and Description of Switched Access Service Feature B 03 1994 Groups-(Continued)
- 6.2.4 Feature Group D (FGD)-(Continued)

MISSOURI Public Service Commission

- 1. Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - m. International Ca.rier Feature
 - n. FGD or BSA-D With 950 Access
- (AT) o. Flexible Automatic Number Identification (Flex ANI)

CANCELLED

APR 7 1994

BY TRR.S.#37

Public Service Commission

MISSOURI

FILED

MAR 141994

MISSOURI Public Service Commission

MAR 1 4 1994

Issued: FEB 0 4 1994

Effective Effective

Access Services Tariff
Section 6
5th Revised Sheet 37
Replacing 4th Revised Sheet 37

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

- 6.2 Provision and Description of Switched Access Service Feature MAR 29 1993 Groups-(Continued)
- 6.2.4 Feature Group D (FGD)-(Continued)

MISSOURI

- 1. Common Switching Optional Features
 - Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - m. International Carrier Feature

n. FGD or BSA-D With 950 Access

CANCELLED

MAR 14 1937 TUR. ST Public Service Commission MISSOURI

FILED

APR 11 1993

92 - 30 4 MO PUBLIC SERVICE COMM

Issued:

(AT)

MAR 2 6 1993

Effective:

APR 1 1 1993

Access Services Tariff
Section 6
4th Revised Sheet 37
Replacing 3rd Revised Sheet 37

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

SEP 6 1991

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI
Public Service Commission

- 6.2.4 Feature Group D (FGD)-(Continued)
 - Common Switching Optional Features
 - Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office End User Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - g. Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - i. Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - m. International Carrier Feature
 - n. FGD with 950 Access

CANCELLED

APR 11 1993 By 5 th R.S. #37

Public Service Commission MISSOURI

Issued: SEP 0 9 1991

(TA)

Effective: GCT 1 9 1991

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri FILED

OCT 19 1991

Access Services Tariff Section 6 3rd Revised Sheet 37 Replacing 2nd Revised Sheet 37

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MISSOURI © Service Commission

6.2.4 Feature Group D (FGD)-(Continued)

(RT)

RT) В. Features

(RT)

(TM)

(MT)

(AT)

(AT)

- Common Switching Features
 - Automatic Number Identification (ANI)
 - Service Class Routing
 - Alternate Traffic Routing
 - Trunk Access Limitation
 - End Office End User Line Service Screening for use with WATS Access Line Service
 - Hunt Group Arrangement for use with WATS Access Line Service
 - Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - h. Nonhunting Number for use with (f) or (g), preceding
 - Band Advance Arrangement for use with WATS Access Line Service ED
 - Cut-Through j.
 - k. Overlap Outpulsing
 - 1. Carrier Identification Code
 - International Carrier Feature

OCT 19 1991

BY 4 R.S. * 37

Public Service Commission MISSOURI

Issued: AUG 0 9 1991

Effective: SEP 0.9.1991

FILED

Access Services Tariff Section 6 2nd Revised Sheet 37 Replacing 1st Revised Sheet 37

ACCESS SERVICES

OCT 1 3 1987

SWITCHED ACCESS SERVICE-(Continued)

- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - A. Description-(Continued)

(RT) (RT)

CANCELLED

Optional Features

Common Switching Optional Features

SEP 3 0 1991 **Public Service Commission**

MISSOURI

- Automatic Number Identification (ANI)
- Service Class Routing
- c. Alternate Traffic Routing
- d. Trunk Access Limitation
- End Office End User Line Service Screening for use with WATS Access Line Service
- f. Hunt Group Arrangement for use with WATS Access Line
- Uniform Call Distribution Arrangement for use with WATS Access Line Service

FILED

OCT **16 198**7 TO-87-42

Issued: OCT 14 1987

Effective: OCT 16 1987

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

(CT)

Access Services Tariff Section 6 1st Revised Sheet 37 Replacing Original Sheet 37

(CP) ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
- 6.2.4 Feature Group D (FGD)-(Continued)
- A. Description-(Continued)
 - (Continued)

WATS Access Lines are provided as either an effective two-wire or effective four-wire transmission path. Each transmission path is provided with Standard Transmission Specifications and Data Transmission Parameters as set forth in Paragraph 6.4., following. When optional extensions are provided, the echo control limits are not applicable. At the option of the customer, the WATS Access Line may be ordered with the Improved Two-Wire Voice Transmission Specifications or a DSI digital interface. CANCELLED

- B. Optional Features
 - Common Switching Optional Features
 - a. Automatic Number Identification (ANI)
 - b. Service Class Routing
 - c. Alternate Traffic Routing
 - d. Trunk Access Limitation
 - e. End Office Customer Line Service Screening for use with WATS Access Line Service
 - f. Hunt Group Arrangement for use with WATS Access Line Service
 - Uniform Call Distribution Arrangement for use with WATS Access Line Service

REGEIVED

WIZZORKI Public Service Commission

Public Service Commission

MISSOURI

JHL 1

86-84

Public Service Commission

Issued: JUN 27 1986 Effective:

1 1986 JUL

Access Services Tariff
Section 6
Signal Sheet 37

DEC 29 1003

fálssouri

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feeture Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - C. Transmission Performance—(Continued)

Type DA Data Transmission Parameters are provided for the transmission path between the IC terminal location and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the IC terminal location and the end office when directly routed to the end office.

D. Testing Capabilities

FGD is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. Additional Cooperative Acceptance Testing, non-optional Automatic Scheduled Testing, Cooperative Scheduled Testing, or Manual Scheduled Testing and Nonscheduled Testing, will be provided for FGD as set forth in Section 13, following.

CANGELLED

JUL 1 1986

BY A R S. #37
PUBLIC SERVICE COMMISSION
OF MISSOURI

JAN - 1 1984 83 - 253 Public Service Commission

Issued: DEC 29 1983

Effective: JAN 0 1 1984

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 4th Revised Sheet 38 Replacing 3rd Revised Sheet 38

(RT) (RT)

Access Services Tariff
Section 6
3rd Revised Sheet 38
Replacing 2nd Revised Sheet 38

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
- (RT) B. Features-(Continued)
- (MT)
- (RT) 2. Transport Termination Features
 - a. Operator Trunk Full Feature Arrangement
- (RT) 3. Local Transport Features
- (RT) a. Supervisory Signaling
- (RT)
- (AT) b. Customer Specified Entry Switch Receive Level
 - C. Transmission Performance

FGD is provided with either Type A, Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or C is provided.
- When routed to an access tandem only, Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1. Type A and Type B Transmission Performances are provided with Interface Groups 2 through 10.

Type DA Data Transmission Parameters are provided for the transmission path between the IC terminal location and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the IC terminal location and the end office when directly routed to the end office.

Issued: August 9, 1991 Effective: September 9, 1991

Access Services Tariff Section 6 2nd Revised Sheet 38 Replacing 1st Revised Sheet 38

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)

OCT 1 3 1987

Optional Features-(Continued)

MISSOURI

- Common Switching Optional Features-(Continued) Public Service Commission
 - Nonhunting Number for use with (f) or (g) preceding
 - Band Advance Arrangement for use with WATS Access Line Service
 - j. Cut-Through
- 2. Transport Termination Optional Features
 - a. Operator Trunk Full Feature Arrangement
- 3. Local Transport Optional Features
 - Supervisory Signaling (as set forth in Paragraph 6.1.2.A.12.a., preceding.)

(RT)

CANCELLED

SEP 3 0 1991

C. Transmission Performance

FGD is provided with either Type A, Type B or Type C Transmission Performance as follows: Performance as follows:

- When routed directly to the end office, either Type B or C is pro-
- When routed to an access tandem only, Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1. Type A and Type B Transmission Performances are provided with Interface Groups 2 through 10.

Type DA Data Transmission Parameters are provided for the transmission path between the IC terminal location and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the IC terminal location and the end office when directly routed to the end

DCT 1 4 1987 Issued:

Effective: OCT 16 1987 OCT 16 1987 TO-87-42

By R. D. BARRON, President-Missouri Divisionblic Service Commission Southwestern Bell Telephone Company St. Louis, Missouri

(RT)

(CT)

Access Services Tariff Section 6 1st Revised Sheet 38 Replacing Original Sheet 38

REGEIVED

WIZZNIKI

Public Service Commission

(CP)ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
 - B. Optional Features-(Continued)
 - Common Switching Optional Features-(Continued)
 - Nonhunting Number for use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for use with WATS Access Line Service
 - i. Band Advance Arrangement for use with WATS Access Line Service CANCELLED
 - j. Cut-Through

2. Transport Termination Optional Features

Operator Trunk Full Feature Arrangement

3. Local Transport Optional Features

BY 20075#3 Supervisory Signaling (as set forth in Paraglaph Service Commission MISSOUHI. ... preceding.)

4. WATS Access Lines

- a. Two-wire WATS Access Line
- b. Four-wire WATS Access Line
- Digital WATS Access Line
- Improved Two-wire Voice Transmission Performance
- C. Transmission Performance

FGD is provided with either Type A, Type B or Type C Transmission Performance as follows:

- When routed directly to the end office, either Type B or C is pro-
- When routed to an access tandem only, Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Performance is provided with Interface Group 1. Type A and Type B Transmission Performances are provided with Interface Groups 2 through 10.

Type DA Data Transmission Parameters are provided for the transmission path between the IC terminal location and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the AC 1986 terminal location and the end office when directly routed to the end Public Service Commission office.

Issued:

JUN 27 1986

Effective:

1 1986 JUL

Access Services Tariff Section 6 Original Sheet 38

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

DEC 20 reco

6.3 Common Switching and Transport Termination Nonchargeable Optional) Features

Public Service Commission !

6.3.1 Common Switching Optional Features

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the feature groups. They are provided as either common switching or transport termination options.

A. Call Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the LATA, and for the completion only of calls to 411, 611, 911, 800, 555-1212, and a Telephone Company-specified set of NXX's within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices. It is available with Feature Group A.

Service Code Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the LATA and for disallowing completion of calls to 0- and N11 (e.g., 411, 611 and 911). This feature is provided, where available, in all Telephone Company electronic end offices and electromechanical end offices. It is available with Feature Group A.

C. Hunt Group Arrangement

This option provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Tele phone Company end offices. It is available with Feature Group A.

D. Uniform Call Distribution Arrangement

pany electronic end offices only.

This option provides a type of multiline unting arrangement which provides for an even distribution calls among the available lines in anssormant group. Where available, this feature is provided in Telephone Company electronic and office of the second company electronic and the second company THORs available with Feature Group A.

JAN - 1 1921

Issued: DEC 29 1983

Effective:

JAN 0 1 1984

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 4th Revised Sheet 39 Replacing 3rd Revised Sheet 39



Access Services Tariff
Section 6
3rd Revised Sheet 39
Replacing 2nd Revised Sheet 39

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)
- (RT) B. Features-(Continued)
 - D. Testing Capabilities

FGD is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in Paragraph 6.1.5, preceding, which are included with the installation of service, Additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing and Nonscheduled Testing are available as set forth in Paragraph 13.3.5, following.



Issued: October 23, 1987 Effective: February 1, 1988



Access Services Tariff
Section 6
2nd Revised Sheet 39
Replacing 1st Revised Sheet 39

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OCT 1 3 1987

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.4 Feature Group D (FGD)-(Continued)

Public Service Commission

D. Testing Capabilities

FGD is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in Paragraph 6.1.5, preceding, which are included with the installation of service, Additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing and Nonscheduled Testing are available as set forth in Paragraph 13.3.5, following CELLED

(MT)

(TA)

6.2.5 Miscellaneous Switched Access Services

A. WATS Access Line Service Public Service Communication Service Communication Communi

WATS Access Line Service is a line side connection that combines Switched Access Service with a dedicated Special Access connection between an end user's premises and the WATS serving office. WATS Access Line Service is available only with Feature Group C and D Switched Access Service. WATS Access Line Service is available in either the originating direction or terminating direction as specified below. WATS Access Line Service used in the terminating direction may only be used to complete 800 Access Service calls. WATS Access Line Service must be used when the customer terminates 800 Access Service calls over Feature Group C or D. WATS Access Line Service will be provided as follows:

- Jointly with the Telephone Company providing intraLATA and the customer providing interLATA calling as specified in the Telephone Company's Wide Area Telecommunications Service Tariff. Jointly provisioned WATS Access Line Service is available in either the originating or terminating direction. When the customer uses Feature Group C or D for the completion of 800 Access Service calling, jointly provisioned WATS Access Line Service must be used until such time as intraLATA 800 Access Service calls can be distinguished from interLATA 800 Access Service calls.

FILED

OCT 16 1987

(AT)

Issued: DCT 141987

Effective: OCT 16 1987 ublic Service Commission

Access Services Tariff Section 6

1st Revised Sheet 39

RECEIVED 39

JUN 27 1986

Public Service Commission

(CP)ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
- 6.2.4 Feature Group D (FGD)-(Continued)
- D. Testing Capabilities

MISSUUKI Public Service Commission

FGD is provided, in the terminating direction where equipment is available, with seven-digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in Paragraph 6.1.4, preceding, which are included with the installation of service, Additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing and Nonscheduled Testing are available as set forth in Paragraph 13.3.5, following.

6.3 Common Switching and Transport Termination Optional Features

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the Feature Groups. They are provided as either Compositioning or Transport Termination options. 00T 16 1987 BY 2ND RS439

- 6.3.1 Common Switching Optional Features
- A. Call Denial on Line or Hunt Group

This option, available with FGA, allows for the screening of terminating call within the LATA, and for the completion only of calls to 411, 911, 800, 555-1212 and a Telephone Company-specified set of NXX's within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices.

B. Service Code Denial on Line or Hunt Group

This option, available with FGA, allows for the screening of terminating calls within the LATA and for disallowing completion of calls to 0-, 555 and N11 (i.e., 411 and 911). This feature is provided, where avail 1986 able in all Telephone Company electronic end offices and electromechanical end offices. Public Service Commission

Issued: JUN 27 1986 Effective:

1 1986 JUL

Access Services Tariff
Section 6

Original Sheet 39

ACCESS SERVICES

SWITCHED ACCESS SERVICE—(Continued)

DEC 28 1000

- 6.3 Common Switching and Transport Termination Nonchargeable Optional) Features—
 (Continued) Public Service Commission
 - 6.3.1 Common Switching Optional Features-(Continued)
 - E. Nonhunting Number for Use with Hunt Group or Uniform Call Distribution Arrangement.

This option provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is provided in Telephone Company electronic end offices only. It is available with Feature Group A.

F. Automatic Number Identification (ANI)

This option provides the automatic transmission of a seven- or tendigit number and information digits to the IC terminal location for calls originating in the LATA, to identify the calling station. The ANI feature is an end office software function which is associated on a call by call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and an IC's terminal location or, where technically feasible, with (2) all individual transmission paths in a trunk group between an end office and an access tandem and a trunk group between an access tandem and an IC's terminal location.

The seven-digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. Where direct trunking would not have been provided except as required by the provision of ANI, additional charges with apply for Provision of Other Than Telephone Company Selected Traffic Routing, as set forth in Paragraph 6.8.2. B., following. ANI will be transmitted on all calls except those originating from multiparty lines, coin stations and colliess pay 198; telephones using Feature Group B, or members and colliess pay 198; the ten-digit ANI telephone numbers as only available with Feature.

The ten-digit ANI telephone numbers only available with Feature. To. Group D. The ten-digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven-digit ANI telephone number. The ten-digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).


Issued: DEC 29 1983

Effective: JAN 0 1 1984

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 5th Revised Sheet 39.1 Replacing 4th Revised Sheet 39.1



Access Services Tariff
Section 6
4th Revised Sheet 39.01
Replacing 3rd Revised Sheet 39.01

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.5 Miscellaneous Switched Access Service
 - A. WATS Access Line Service

WATS Access Line Service combines Switched Access Service with Voice Grade Special Access Service that connects an end user premises with a WATS Serving Office. Access Line Service will be provisioned as intrastate when the service carries no more than ten percent interstate traffic. WATS Access Line Service will be provided as follows:

Originating

(AT)

(AT)

WATS Access Line Service used for originating calling purposes is available only in conjunction with FGC, FGD, BSA-C and BSA-D Switched Access Service.

When intrastate WATS Access Line Service is utilized for originating non-joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in Section 6 of this tariff will apply for such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following.

When intrastate WATS Access Line Service is utilized for originating joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in Section 6 of this tariff will apply for such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following, and in addition, a WATS Access Line charge will apply as specified in the Wide Area Telecommunications Service Tariff.

Terminating

WATS Access Line Service used for terminating calling purposes is available in conjunction with FGA, FGB, FGC, FGB, BSA-A, BSA-B, BSA-C, and BSA-D Switched Access Services.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of non-joint provided 800 NPAS calling as described in (B), following. For this arrangement, terminating

Issued: March 21, 1994 Effective: April 30, 1994

FILED MO PSC

Access Services Tariff Section 6 3rd Revised Sheet 39.01 Replacing 2nd Revised Sheet 39.01

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

MAR 13 1993

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

MO. PUBLIC SERV

- 6.2.5 Miscellaneous Switched Access Service
 - A. WATS Access Line Service

APR 301994 WATS Access Line Service combines Switched Access Service with Voice Orbital Special Access Service that connects an end user premises with a WATS Commission Serving Office. WATS Access Line Serving Office. Serving Office. WATS Access Line Service will be provided path to Plays 50UR!

Originating

WATS Access Line Service used for originating calling purposes is available only in conjunction with FGC, FGD, BSA-C and BSA-D Switched Access Service.

When intrastate WATS Access Line Service is utilized for originating non-joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in Section 6 of this tariff will apply for such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following.

When intrastate WATS Access Line Service is utilized for originating joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in Section 6 of this tariff will apply for such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following, and in addition, a WATS Access Line charge will apply as specified in the Wide Area Telecommunications Service Tariff.

Terminating

WATS Access Line Service used for terminating calling purposes is available in conjunction with FGA, FGB, FGC, FGB, BSA-A, BSA-B, BSA-C, and BSA-D Switched Access Services.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of non-joint provided 800 NPAS calling as described in (B), following. For this arrangement, terminating

Issued: MAR 2 2 1993

(CT)

Effective: MAY - 1 1993

Access Services Tariff
Section 6

2nd Revised Sheet 39.01

Replacing 1st Revised Sheet 39.01

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

A. WATS Access Line Service

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

RECEIVED

MAR 29 1993

6.2.5 Miscellaneous Switched Access Service

MISSOUR:
Public Service Commissio:

WATS Access Line Service combines Switched Access Service with Voice Grade Special Access Service that connects an end user premises with a WATS Serving Office. WATS Access Line Service will be provided as follows:

Originating

(AT)

WATS Access Line Service used for originating calling purposes is available only in conjunction with FGC, FGD, BSA-C and BSA-D Switched Access Service.

When intrastate WATS Access Line Service is utilized for originating non-joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in Section 6 of this tariff will apply for such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following.

When intrastate WATS Access Line Service is utilized for originating joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in Section 6 of this tariff will apply for such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following, and in addition, a WATS Access Line charge will apply as specified in the Wide Area Telecommunications LED Service Tariff.

Terminating

WATS Access Line Service used for terminating calling purposes is available in conjunction with FGA, FGB, FGC, FGD, BSA-A, BSA-B, SECALGE COMMISSION BSA-D Switched Access Services.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of non-joint provided 800 Access Service calling as described in (B), following. For this arrangement, terminating

Issued:

(AT)

MAR 2 6 1993

Effective:

36211 1997

MAY 1 1993

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

MO. PUBLIC SERVICE COMM

Access Services Tariff
Section 6
1st Revised Sheet 39.01
Replacing Original Sheet 39.01

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

OCT 2 3 1987

(RT) 6.2.5 Miscellaneous Switched Access Service

MISSOURI Public Service Commission

(RT) A. WATS Access Line Service

WATS Access Line Service combines Switched Access Service with Voice Grade Special Access Service that connects an end user premises with a WATS Serving Office. WATS Access Line Service will be provided as follows:

Originating

CANCELLED

WATS Access Line Service used for originating calling purposes is available only in conjunction with Feature Group C and D Switch PR41e4993 Service.

When intrastate WATS Access Line Service is utilized for **Pathic Service Commission** non-joint provided Wide Area Telecommunications Service, intralance is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in Section 6 of this tariff will apply for such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following.

When intrastate WATS Access Line Service is utilized for originating joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in Section 6 of this tariff will apply for such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following, and in addition, a WATS Access Line charge will apply as specified in the Wide Area Telecommunications. Service Tariff.

FEB 1 1988

Terminating

WATS Access Line Service used for terminating calling purposes is available in conjunction with Feature Groups A, B, C and D Switched Access Services.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of non-joint provided 800 Access Service calling as described in (B), following. For this arrangement, terminating

Issued: 007 2 3 1987

Effective:

FEB 1

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

Access Services Tariff Section 6 Original Sheet 39.01 RECEIVED

ACCESS SERVICES

OCT 1 3 1987

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups (Continued) 6.2.5 Miscellaneous Switched Access Services-(Continued). Public Service Commission
- (AT) A. WATS Access Line Service-(Continued)

WATS Access Line Service combines Switched Access Service with Voice Grade Special Access Service that connects an end user premises with a WATS Serving Office. WATS Access Line Service WHI be provided as follows:

Originating

WATS Access Line Service used for originating teal hims burposes is available only in conjunction with Feature (Span) available only in conjunction with Feature Cost South Switched Access Service.

When intrastate WATS Access Line Service is utilized for originating non-joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications Service Tariff. Inter-LATA calling is provided by the customer and Switched Access charges as specified in Section 6 of this tariff will apply for such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following.

When intrastate WATS Access Line Service is utilized for originating joint provided Wide Area Telecommunications Service, intraLATA calling is provided by the Telephone Company and will be billed as described in the Wide Area Telecommunications Service Tariff. InterLATA calling is provided by the customer and Switched Access charges as specified in Section 6 of this tariff will apply for such originating interLATA usage. For originating WATS Access Line Service, a WATS Access Line charge will apply as described in Section 7, following, and in addition, a WATS Access Line charge will apply as specified in the Wide Area Telecommunications Service Tariff.

Terminating

WATS Access Line Service used for terminating calling purposes is available in conjunction with Feature Groups A, B, C and D Switched

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of non-joint provided 800 Access Service calling as described in (B), following. For this arrangement, terminating

Issued: OCT 1 4 1987

(AT)


Effective: OCT 16 1987

TO-87-42 Public Service Commission

UUT 16 1987

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 3rd Revised Sheet 39.2 Replacing 2nd Revised Sheet 39.2



Access Services Tariff
Section 6
2nd Revised Sheet 39.02
Replacing 1st Revised Sheet 39.02

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.5 Miscellaneous Switched Access Service
 - A. WATS Access Line Service-(Continued)

interLATA and intraLATA usage will be billed Switched Access charges as specified in Section 6 of this tariff. For non-joint provided 800 Access Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling, a WATS Access Line charge will apply as described in Section 7, following.

- Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of joint provided 800 NPAS calls as described in Paragraph B., following. For this arrangement, terminating interLATA usage will be billed Switched Access charges as described in Section 6 of this Tariff. IntraLATA usage will be billed as specified in the Wide Area
- (CT) Telecommunications Service Tariff. For joint provided 800 NPAS which utilizes terminating WATS Access Line Service for the completion of 800
- (CT) NPAS calling, a WATS Access Line charge will apply as specified in Section 7, following, and in addition, a WATS Access Line charge will apply as described in the Wide Area Telecommunications Service Tariff.

Common Switching features and Line Terminations for WATS Access Line Service are provided in Section 6.

WATS Access Line Service is provided with either dial pulse or dual tone multifrequency address signaling and either loop start or ground start supervisory signaling. The choice of the type of signaling is at the option of the customer.

A description of WATS Access Line Service is provided in Section 7, Paragraph 7.1.3, C., following.

- (CT) B. 800 Number Portability Access Service (NPAS)
- (RT)
- (AT) 800 NPAS is an originating offering utilizing FGD/BSA-D trunk side Switched Access Service for the delivery of 800 calls. 800 NPAS is intended to allow the Telephone Company to route 800 calls to the appropriate 800 Service Provider. 800 NPAS allows end users to originate 800 calls on a 1+ basis without the use of an access code. The 800 NPAS

Issued: March 22, 1993 Effective: May 1, 1993



Access Services Tariff Section 6 1st Revised Sheet 39.02 Replacing Original Sheet 39.02

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

AUG 9 1991

6.2.5 Miscellaneous Switched Access Services-(Continued)

MISSOURI blic Service Commissio

(C) A. WATS Access Line Service-(Continued)

> interLATA and intraLATA usage will be billed Switched Access charges as specified in Section 6 of this tariff. For non-joint provided 800 Access Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling, a WATS Access Line charge will apply as described in Section 7, following.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of joint provided 800 Access Service calling as described in Paragraph B., following. For this arrangement, terminating interLATA usage will be billed Switched Access charges as described in Section 6 of this Tariff. IntraLATA usage will be billed as specified in the Wide Area Telecommunications Service Tariff. For joint provided 800 Access Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling, a WATS Access Line charge will apply as specified in Section 7, following, and in addition, a WATS Access Line charge will apply as described in the Wide Area Telecommunications Service Tariff.

(RT) Common Switching features and Line Terminations for WATS Access Line Service are provided in Section 6.

> WATS Access Line Service is provided with either dial pulse or dual tone multifrequency address signaling and either loop start or ground start supervisory signaling. The choice of the type of signaling is at the option of the customer.

A description of WATS Access Line Service is provided in SectionMAY 1 1393 BY 2 mt R. 5, #39.02. Paragraph 7.1.3, C., following.

800 Access Service B.

Public Service Commissic

800 Access Service is an originating offering utilizing trunk side Switched Access Services. 800 Access Service allows the customer's end user to originate 800 calls on a one plus basis without the use of an access code. The customer will be identified from the dialed 800 telephone number.

When a customer's end user originates a 1+800+NXX-XXXX call, the Telephone Company will perform the customer identification function at an 800 Access Service Screening Office to determine the customer to which the call is to be routed. The customer identification function will consist of the

Effective: SEP 0.9.1991 SEP 3 0 1991

AUG 0 9 1991

By R. D. BARRON, President-Missouri Division

By R. D. Barron, Bell Telephone Company St. Louis, Missouri

No supplement to this tariff will be issued except for the purpose Access Services Tariff
Section 6
Original Sheet 39.02

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

OST 1 3 1987

- 6.2 Provision and Description of Switched Access Service Feature Groups (Contined)
- 6.2.5 Miscellaneous Switched Access Services-(Continued) Public Service Commission
 - A. (800 Access Service-(Continued)

interLATA and intraLATA usage will be billed Switched Access charges as specified in Section 6 of this tariff. For non-joint provided 800 Access Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling, a WATS Access Line charge will apply as described in Section 7, following.

Intrastate WATS Access Line Service may be utilized in the terminating direction for the completion of joint provided 800 Access Service calling as described in (B), following. For this arrangement, terminating interLATA usage will be billed Switched Access charges as described in Section 6 of this tariff. IntraLATA usage will be billed as specified in the Wide Area Telecommunications Service Tariff. For joint provided 800 Access Service which utilizes terminating WATS Access Line Service for the completion of 800 Access Service calling, a WATS Access Line charge will apply as specified in Section 7, following, and in addition, a WATS Access Line charge will apply as described in the Wide Area Telecommunications Service Tariff.

Common Switching optional features and Line Terminations for WATS Access Line Service are provided in Section 6.

WATS Access Line Service is provided with either dial pulse or dual tone multifrequency address signaling and either loop start or ground start of supervisory signaling. The choice of the type of signaling is at the option of the customer.

By 1 R.S. 39.02

A description of WATS Access Line Service is provided in Section Paragraph 7.1.3(C), following.

B. 800 Access Service

800 Access Service is an originating offering utilizing trunk side Switched Access Services. 800 Access Service allows the customer's end user to originate 800 calls on a one plus basis without the use of an access code. The customer will be identified from the dialed 800 telephone number.

When a customer's end user originates a 1+800+NXX-XXXX call, the Telephone Company will perform the customer identification function at an 800 Access Service Screening Office to determine the customer to which the call is to be routed. The customer identification function will consist of the

(AT)

(AT)

OCT 16 1987

Issued: OCT 1 4 1987

Effective: OCT 16 1987

7 TO-87-42
Public Service Commission

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 3rd Revised Sheet 39.3 Replacing 2nd Revised Sheet 39.3



Access Services Tariff
Section 6
2nd Revised Sheet 39.03
Replacing 1st Revised Sheet 39.03

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.5 Miscellaneous Switched Access Service
 - A. WATS Access Line Service-(Continued)
- (CT) B. 800 Number Portability Access Service (NPAS)-(Continued)

(RT)

(AT)

Provider will be identified from the dialed 800 number (i.e., 1+800+NXX+XXXX). The 800 Service Provider has the option of receiving the dialed 800 number (i.e., 1+800+NXX+XXXX) or a translated ten-digit POTS number (i.e., 1+NPA+XXXX). For 800 NPAS calls outside of the North American Numbering Plan (NANP), the 800 Service Provider will receive a six digit data base translation.

When an end user originates a 1+800+NXX+XXXX call, the Telephone Company will determine how the call is to be routed, based on the 800 number dialed. If an 800 NPAS call originates in an end office not SSP equipped to provide the customer identification function, the call will be routed to an SSP equipped Telephone Company access tandem. Once the 800 NPAS Provider has been identified, the 800 call, served by the Telephone Company's SSP, will be routed to the 800 Service Providers defined FGD/BSA-D trunk group.

Originating 800 NPAS traffic must be provided over FGD or BSA-D trunk groups. The 800 Service Provider may use FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D to terminate an 800 call. When FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D is used to terminate an 800 call, the customer is required to deliver 800 calls to the Telephone Company in the standard POTS number North American Numbering Plan format.

Issued: March 22, 1993 Effective: May 1, 1993



Access Services Tariff Section 6 1st Revised Sheet 39.03 Replacing Original Sheet 39.03

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

DEC 2 1988

- 6.2 Provision and Description of Switched Access Service Feature Groups; (Continued)
- 6.2.5 Miscellaneous Switched Access Services-(Continued Public Service Commission
 - B. 800 Access Service-(Continued)

800 Access Service Screening Office examining the 800-NXX digits to determine which customer should receive the call. If an 800 Access Service call originates at an office not equipped to provide the customer identification function, the call will be routed to an office at which the function is available.

800 Access Service may be provided as either a joint provided or a non-joint provided service. Under the joint provided option, customers must complete 800 traffic to WATS Access Line Service, while under the non-joint provided option customers may complete their 800 traffic to WATS Access Line Service, Special Access, common lines or other facility arrangements. When WATS Access Lines are utilized for the completion of terminating 800 Access Service traffic, the customer's 800 Access Services within the state of Missouri that terminate on these WATS Access Lines, must all be joint provided, or they must all be non-joint provided.

Joint provided 800 Access Service is an offering which requires 800 traffic to complete on either intrastate WATS Access Line Service as described in (A) preceding, or on interstate WATS Access Line Service which carries both interstate and intrastate 800 traffic as described in the Telephone Company's Interstate Access Tariff FCC No. 68. Under joint provided 800 Access Service, the Telephone company will bill the 800 Access Service customer Switched Access rates for intrastate interLATA 800 usage, and the Telephone Company will bill the end user intrastate 800 Service rates for intrastate intraLATA 800 usage as described in the Wide Area Telecommunications Service Tariff.

Non-joint provided 800 Access Service is an offering which allows 800 traffic to complete on either intrastate WATS Access Line Service as described in (A) preceding, interstate VATS Access Line Service which carries both interstate and intrastate 800 traffic as provisioned in the Telephone Company's Interstate Access Tariff FCC No. 68, common lines, Special Access, or customer provided facilities. Under non-joint provided 800 Access Service, the Telephone Company will bill the 800 Access Service customer Switched Access rates for originating intrastate 800 usage.

(RT) (RT)

MAY 1 1393 # 39.03 DEC 914 1988
BY 2 Commission Public Service Commission

Public Service Commission

Issued: DEC 2 1988

Effective: no DEC 14 1988 No supplement to this tariff will be issued except for the purpose Access Services Tariff
Section 6
Original Sheet 39.03
RECEIVED

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

OCT 1 3 1987

- 6.2 Provision and Description of Switched Access Service Feature Groups (Contined)

 Public Service Commission
- 6.2.5 Miscellaneous Switched Access Services-(Continued)
 - B. 800 Access Service-(Continued)

800 Access Service Screening Office examining the 800-NXX digits to determine which customer should receive the call. If an 800 Access Service call originates at an office not equipped to provide the customer identification function, the call will be routed to an office at which the function is available.

800 Access Service may be provided as either a joint provided or a non-joint provided service. Under the joint provided option, customers must complete 800 traffic to WATS Access Line Service, while under the non-joint provided option customers may complete their 800 traffic to WATS Access Line Service, Special Access, common lines or other facility arrangements. When WATS Access Lines are utilized for the completion of terminating 800 Access Service traffic, the customer 50 800 Access Services within the state of Missouri that terminate for these WATS Access Lines, must all be joint provided, or they must all be non-joint provided.

Joint provided 800 Access Service is an offering which requires 800 Commission traffic to complete on either intrastate WATS Access Line Service ase Commission described in (A) preceding, or on interstate WATS Access Line Service out which carries both interstate and intrastate 800 traffic as described in the Telephone Company's Interstate Access Tariff FCC No. 68. Under joint provided 800 Access Service, the Telephone Company will bill the 800 Access Service customer Switched Access rates for intrastate inter-LATA 800 usage, and the Telephone Company will bill the end user intrastate 800 Service rates for intrastate intraLATA 800 usage as described in the Wide Area Telecommunications Service Tariff.

Non-joint provided 800 Access Service is an offering which allows 800 traffic to complete on either intrastate WATS Access Line Service as described in (A) preceding, interstate WATS Access Line Service which carries both interstate and intrastate 800 traffic as provisioned in the Telephone Company's Interstate Access Tariff FCC No. 68, common lines, Special Access, or customer provided facilities. Under non-joint provided 800 Access Service, the Telephone Company will bill the 800 Access Service customer Switched Access rates for originating intrastate interLATA 800 usage. In addition, under the non-joint provided offering, the Telephone Company will bill the 800 Access Service customer an originating intraLATA 800 Service rate for

(AT)

(AT)

FILED

Issued: OCT 1 4 1987

Effective: OCT 16 1987. OCT 16 1987

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 10th Revised Sheet 39.4 Replacing 9th Revised Sheet 39.4



Access Services Tariff
Section 6
9th Revised Sheet 39.04
Replacing 8th Revised Sheet 39.04

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.5 Miscellaneous Switched Access Service-(Continued)
 - C. 900 Access Service

900 Access Service is an originating offering utilizing trunk side Switched Access Services. 900 Access Service allows the customer's end user to originate 900 calls on a one plus basis without the use of an access code. In addition, customers may order 0+900 Access Service which allows the customer's end user to originate a 900 call on a zero plus (0+) basis and charge such calls to the customer's end user's calling card.

The following 1+900 Access Service calls will be blocked by the Telephone Company:

- (CT) calls dialed with a 101XXXX code,
 - calls originated from coin telephones, and
 - calls originated from hotels and motels without call rating systems.

The following 0+900 Access Service calls will be blocked by the Telephone Company:

- (CT) calls dialed with a 101XXXX code,
 - calls from Inmate Service,
 - calls utilizing the Telephone Company's calling card, and
 - calls originated to a customer that has not subscribed to 0+900 Access Service.

If a customer requests 0+900 Access Service, it is the customer's responsibility to insure that 0+900 calls are provided in conjunction with the customer's credit card billing. Operator assisted calls, such as collect and third party billing, are not provided with 0+900 Access Service.

Issued: September 21, 1998 Effective: October 21, 1998



Access Services Tariff
Section 6
8th Revised Sheet 39.04
Replacing 7th Revised Sheet 39.04

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

- AUG 15 1995
- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued) MU.10BLC SERVICE COMM.
 - 6.2.5 Miscellaneous Switched Access Service-(Continued)
 - C. 900 Access Service

900 Access Service is an originating offering utilizing trunk side Switched Access Services. 900 Access Service allows the customer's end user to originate 900 calls on a one plus basis without the use of an access code. In addition, customers may order 0+900 Access Service which allows the customer's end user to originate a 900 call on a zero plus (0+) basis and charge such calls to the customer's end user's calling card.

The following 1+900 Access Service calls will be blocked by the Telephone Company:

(AT)

- calls dialed with a 10XXX or 101XXXX code,
- calls originated from coin telephones, and
- calls originated from hotels and motels without call rating systems.

The following 0+900 Access Service calls will be blocked by the Telephone Company:

(AT)

- calls dialed with a 10XXX or 101XXXX code,
- calls from Inmate Service,
- calls utilizing the Telephone Company's calling card, and
- calls originated to a customer that has not subscribed to 0+900 Access Service.

If a customer requests 0+900 Access Service, it is the customer's responsibility to insure that 0+900 calls are provided in conjunction with the customer's credit card billing. Operator assisted calls, such as collect and third party billing, are not provided with 0+900 Access Service.

CANCELLED

OCT 2 1 1998

By HACH 39.04

Public Service Commission
MISSOURI

FILED

SEP 1 5 1995

Issued: AUG 1 5 1995

Effective:

SEP 1 5 1998

Access Services Tariff Section 6 7th Revised Sheet 39.04 Replacing 6th Revised Sheet 39.04

ACCESS SERVICES

SWITCHED ACCESS SERVICE - (Continued)

DEC 1994

- 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued) MO. PUBLIC SERVICE JOHNA.
 - 6.2.5 Miscellaneous Switched Access Service-(Continued)
 - C. 900 Access Service

(CT)

(CT)

(AT)

(AT)

900 Access Service is an originating offering utilizing trunk side Switched Access Services. 900 Access Service allows the customer's end user to originate 900 calls on a one plus basis without the use of an access code. In addition, customers may order 0+900 Access Service which allows the customer's end user to originate a 900 call on a zero plus (0+) basis and charge such calls to the customer's end user's calling card.

The following 1+900 Access Service calls will be blocked by the Telephone Company:

- calls dialed with a 10XXX access code,
- calls originated from coin telephones, and
- calls originated from hotels and motels without call rating systems.

The following 0+900 Access Service calls will be blocked by the Telephone Company:

- calls dialed with a 10XXX access code,
- calls from Inmate Service,
- calls utilizing the Telephone Company's calling card, and
- calls originated to a customer that has not subscribed to 0+900 Access Service.

If a customer requests 0+900 Access Service, it is the customer's responsibility to insure that 0+900 calls are provided in conjunction with the customer's credit card billing. Operator assisted calls, such as collect and third party billing, are not provided with 0+900 Access Service.

CANCELLED

1995 JAN 6

Issued:

DEC 0 6 1994

Effective:

JAN 0 6p1895 Service Commission

Access Services Tariff
Section 6
6th Revised Sheet 39.04
Replacing 5th Revised Sheet 39.04

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE-(Continued)

MAR 13 1993

- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
- 6.2.5 Miscellaneous Switched Access Service-(Continued)

(RT)

C. 900 Access Service

900 Access Service is an originating offering utilizing trunk side Switched Access Services. 900 Access Service allows the customer's end user to originate 900 calls on a one plus basis without the use of an access code. The customer will be identified from the dialed 900 telephone number.

900 Access Service calls dialed with a 10XXX access code will be blocked in addition to operator assisted 900 service calls, credit card calls, calls originated from coin telephones and 900 calls originated from hotels and motels without call rating systems.

CANCELLED

JAN 61995

BY 7 TA R.S. # 39.04

Public Service Commission

MISSOURI

FILED

<u>глду о 1 1993</u>

Issued: MAR 2 2 1993

Effective: MAY - 1 1993

Access Services Tariff Section 6 5th Revised Sheet 39.04 Replacing 4th Revised Sheet 39.04

ACCESS SERVICES

MAR 29 1993

SWITCHED ACCESS SERVICE-(Continued)

MISSOURI

MAY 1 1993

- 6.2 Provision and Description of Switched Access Serve Cebea Com (Continued) CANCELLED
 - 6.2.5 Miscellaneous Switched Access Service-(Continued)
 - B. 800 Access Service-(Continued)

Terminating usage and/or a line charge will be billed according type of facility arrangement utilized for termination and biompletion of the 800 Access Service call the 800 Access Service call.

Unless prohibited by technical limitations (e.g., different dialing plans), originating 800 Access Service traffic may, at the option of the customer, be combined in the same FGB, FGC, FGD, BSA-B, BSA-C or BSA-D trunk group with the customer's other Access Service traffic. At the option of the customer, 800 Access Service traffic which originates from a nonequal access end office may be combined with a customer's equal access Feature Group D or BSA-D Service. This arrangement is only available when a customer utilizes tandem-routed Feature Group D or tandem routed BSA-D Switched Access Service. However, when Feature Group D or BSA-D becomes available in an end office, originating 800 Access Service traffic from that end office must be provided with Feature Group D or BSA-D.

In addition, when required by technical limitations, or at the request of the customer, a separate FGB, FGC, FGD, BSA-B, BSA-C or BSA-D trunk group may be established for originating 800 Access Service type calls.

(AT) The customer may use FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D to (AT) terminate an 800 Access Service call. When FGA, FGB, FGC, FGD, BSA-A, (AT) BSA-B, BSA-C or BSA-D is used to terminate 800 Access Service, the customer is required to deliver 800 Access Service calls to the Telephone Company in standard POTS number North American Numbering Plan format.

C. 900 Access Service

900 Access Service is an originating offering utilizing trunk side Switched Access Services. 900 Access Service allows the customer's end user to originate 900 calls on a one plus basis without the use of an access code. The customer will be identified from the dialed 900 telephone number.

900 Access Service calls dialed with a 10XXX access code will be blocked in addition to operator assisted 900 service calls, credit card calls, calls originated from coin telephones and 900 calls originated from hotels and motels without call rating systems.

Issued:

(AT)

(AT) (AT)

(TA

(AT)

(AT)

Effective:

MAR 2 6 1993

By R. D. BARRON, President-Missouri Division 92 Southwestern Bell Telephone Company MO. PUBLIC SERVICE COMM.

Access Services Tariff Section 6 4th Revised Sheet 39.04 Replacing 3rd Revised Sheet 39.04

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

DEC 7 1989

- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 - 6.2.5 Miscellaneous Switched Access Service-(Continued) ublic Service Commission
 - B. 800 Access Service-(Continued)

Terminating usage and/or a line charge will be billed according to the type of facility arrangement utilized for termination and completion of the 800 Access Service call.

Unless prohibited by technical limitations (e.g., different dialing plans), originating 800 Access Service traffic may, at the option of the customer, be combined in the same Feature Group B, C or D trunk group with the customer's other Access Service traffic. At the option of the customer, 800 Access Service traffic which originates from a nonequal access end office may be combined with a customer's equal access Feature Group D Service. This arrangement is only available when a customer utilizes tandem-routed Feature Group D Svitched Access Service. However, when Feature Group D becomes available in an end office, originating 800 Access Service traffic from that end office must be provided with Feature Group D.

In addition, when required by technical limitations, or at the request of the customer, a separate Feature Group B, C or D trunk group may be established for originating 800 Access Service type calls.

The customer may use Feature Group A, B, C or D to terminate an 800 Access Service call. When Feature Group A, B, C or D is used to terminate 800 Access Service, the customer is required to deliver 800 Ac GANGELED calls to the Telephone Company in standard POTS number North American Numbering Plan format. APR 11 1993 BY 5 4 R.S. #39.04

C. 900 Access Service

telephone number.

(AT)

(AT)

Public Service Commission 900 Access Service is an originating offering utilizing trunk side OUD! Switched Access Services. 900 Access Service allows the customer's end user to originate 900 calls on a one plus basis without the use of an access code. The customer will be identified from the dialed 900

900 Access Service calls dialed with a 10XXX access code will be blocked in addition to operator assisted 900 service calls, credit card calls, calls originated from coin telephones and 900 calls originated from hotels and motels without call rating systems.

Issued: DEC 2 9 1989

JAN 2 9 1990 Effective:

JAN 29 1990

FILED

(AT)

(AT)

Access Services Tariff Section 6 3rd Revised Sheet 39.04 Replacing 2nd Revised Sheet 39.04 RECEIVED

ACCESS SERVICES

FFB 2 1989

- SWITCHED ACCESS SERVICE-(Continued)
- 6.2 Provision and Description of Switched Access Service Feature Groups (Continued)
 Public Service Commission
- 6.2.5 Miscellaneous Switched Access Service-(Continued)
 - B. 800 Access Service-(Continued)

Terminating usage and/or a line charge will be billed according to the type of facility arrangement utilized for termination and completion of the 800 Access Service call.

Unless prohibited by technical limitations (e.g., different dialing plans), originating 800 Access Service traffic may, at the option of the customer, be combined in the same Feature Group B, C or D trunk group with the customer's other Access Service traffic. At the option of the customer, 800 Access Service traffic which originates from a nonequal access end office may be combined with a customer's equal access Feature Group D Service. This arrangement is only available when a customer utilizes tandem-routed Feature Group D Switched Access Service. However, when Feature Group D becomes available in an end office, originating 800 Access Service traffic from that end office must be provided with Feature Group D.

In addition, when required by technical limitations, or at the request of the customer, a separate Feature Group B, C or D trunk group may be established for originating 800 Access Service type calls.

The customer may use Feature Group A, B, C or D to terminate an 800 Access

Service call. When Feature Group A, B, C or D is used to terminate 800 Access Service, the customer is required to deliver 800 Access Service calls to the Telephone Company in standard POTS number North American Numbering Plan format.

CANCELLED

JAN 29 1990 Public Service Commission

MISSOURI

FILED

Issued: FEB 1 3 1989

Effective: MAR 15 1989 MAR 15 1989

Access Services Tariff
Section 6
2nd Revised Sheet 39.04
Replacing 1st Revised Sheet 39.04

ACCESS SERVICES

DEC 2 1988

- SWITCHED ACCESS SERVICE—(Continued)
 - MISSOURI
 6.2 Provision and Description of Switched Access Service Feature Groups (Containted)
 - 6.2.5 Miscellaneous Switched Access Service-(Continued)
 - B. 800 Access Service-(Continued)

(RT)

Terminating usage and/or a line charge will be billed according to the type of facility arrangement utilized for termination and completion of the 800 Access Service call.

Unless prohibited by technical limitations (e.g., different dialing plans), originating 800 Access Service traffic may, at the option of the customer, be combined in the same Feature Group B, C or D trunk group with the customer's other Access Service traffic. However, when Feature Group D becomes available in an end office, originating 800 Access Service traffic from that end office must be provided with Feature Group D.

In addition, when required by technical limitations, or at the request of the customer, a separate Feature Group B, C or D trunk group may be established for originating 800 Access Service type calls.

The customer may use Feature Group A, B, C or D to terminate an 800 Access Service call. When Feature Group A, B, C or D is used to terminate 800 Access Service, the customer is required to deliver 800 Access Service calls to the Telephone Company in standard POTS number North American Numbering Plan format.

CANCELLED

MAR 15 1989

BY 315 1989

BY 315 1989

Commission

BY 315 1989

Commission

MISSOURI

FILED

DEC 14 1988 8 9 - 8 6 Public Service Commission

Issued: DEC 2 1988

Effective: DEC 14 1988

Access Services Tariff
Section 6
1st Revised Sheet 39.04
Replacing Original Sheet 39.04

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)

RECEIVED

OCT 23 1987

6.2.5 Miscellaneous Switched Access Service-(Continued)

MISSOURI

B. 800 Access Service-(Continued)

Public Service Commission

originating intrastate intraLATA 800 access minutes as specified in the Wide Area Telecommunications Service Tariff. Terminating usage and/or a line charge will be billed according to the type of facility arrangement utilized for termination and completion of the 800 Access Service call.

Unless prohibited by technical limitations (e.g., different dialing plans), originating 800 Access Service traffic may, at the option of the customer, be combined in the same Feature Group B, C or D trunk group with the customer's other Access Service traffic. However, when Feature Group D becomes available in an end office, originating 800 Access Service traffic from that end office must be provided with Feature Group D.

In addition, when required by technical limitations, or at the request of the customer, a separate Feature Group B, C or D trunk group may be established for originating 800 Access Service type calls.

(AT) The customer may use Feature Group A, B, C or D to terminate an 800 Access (AT) Service call. When Feature Group A, B, C or D is used to terminate 800 Access Service, the customer is required to deliver 800 Access Service calls to the Telephone Company in standard POTS number North American Numbering Plan format.

CANCELLED

DEC 14 1988

BY MISSOURI

MISSOURI

FILED

FEB 1 1988

Public Service Commission

Issued: OCT 2 3 1937

Effective:

FEB 1 1988

Southwestern Bell Telephone Company
St. Louis, Missouri

Access Services Tariff Section 6 Original Sheet 39.04 RECEIVED

ACCESS SERVICES

DCT 1 3 1987

- SWITCHED ACCESS SERVICE-(Continued)
- MISSOUFI 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued) or
 - 6.2.5 Miscellaneous Switched Access Services-(Continued)
- (TA) B. 800 Access Service-(Continued)

originating intrastate intraLATA 800 access minutes as specified in the Wide Area Telecommunications Service Tariff. Terminating usage and/or a line charge will be billed according to the type of facility arrangement utilized for termination and completion of the 800 Access Service call.

Unless prohibited by technical limitations (e.g., different dialing plans), originating 800 Access Service traffic may, at the option of the customer, be combined in the same Feature Group B, C or D trunk group with the customer's other Access Service traffic. However, when Feature Group D becomes available in an end office, originating 800 Access Service traffic from that end office must be provided with Feature Group D.

In addition, when required by technical limitations, or at the request of the customer, a separate Feature Group B, C or D trunk group may be established for originating 800 Access Service type calls.

The customer may use Feature Group C or D to terminate an 800 Access Service call. When Feature Group C or D is used to terminate 800 Access Service, the customer is required to deliver 800 Access Service calls to the Telephone Company in standard POTS number North American Numbering Plan format.

(AT)

CANCELLED

FEB 1 1988

BY PAR RS. # 39.04 Public Service Commission

MISSOURI

FILED

OCT 16 1987

Public Service Commission

Issued: OCT 14 1987

Effective: OCT 16 1987

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 6th Revised Sheet 39.5 Replacing 5th Revised Sheet 39.5



Access Services Tariff
Section 6
5th Revised Sheet 39.05
Replacing 4th Revised Sheet 39.05

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.5 Miscellaneous Switched Access Service
 - C. 900 Access Service-(Continued)
- (AT) When a customer's end user originates a 1+900+NXX-XXXX or 0+900+NXX-XXXX call, the Telephone Company will perform the customer identification function at a 900 Access Service Screening Office to determine the customer to which the call is to be routed. The customer identification function will consist of the 900 Access Service Screening Office examining the 900-NXX digits to determine which customer should receive the call. If a 900 Access Service call originates at an office not equipped to provide the customer identification function, the call will be routed to a tandem at which the function is available.
- (AT) Unless prohibited by technical limitations, originating 1+900 Access Service traffic may, at the option of the customer, be combined in the same FGB, FGC, FGD, BSA-B, BSA-C or BSA-D trunk group with the customer's other Access Service traffic. Where such technical limitations do exist, the Telephone Company will provide notification to the customer prior to
- (AT) establishment of 1+900 Access Service. At the option of the customer,
- (AT) 1+900 Access Service traffic which originates from a non-equal access end office may be combined with a customer's equal access Feature Group D or BSA-D Switched Access Service. The arrangement is only available when a customer utilizes tandem-routed Feature Group D or tandem routed BSA-D Switched Access Service.
- When Feature Group D or BSA-D becomes available in an end office,

 (AT) originating 1+900 Access Service traffic from that end office must be provided with Feature Group D or BSA-D.
- (AT) 0+900 Access Service is available only when combined with 1+900 Access
 (AT) Service provided with FGD or BSA-D.

The customer may use FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C, or BSA-D to terminate a 900 Access Service call. When FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C, or BSA-D is used to terminate 900 Access Service, the customer is required to deliver 900 Access Service calls to the Telephone Company in the standard POTS number North American Numbering Plan format.


Customer report requirements for 900 Access Service media stimulated mass calling events are as specified in Paragraph 6.9.1, B.3., following.

Issued: December 6, 1994

Effective: Jar



Access Services Tariff
Section 6
4th Revised See 39.05
Replacing 3rd Revised Sheet 39.05
ACCESS SERVICES MAR 29 1993



MISSOURI

- 6.2 Provision and Description of Switched Access Service Public Service (Continued)
 - 6.2.5 Miscellaneous Switched Access Service-(Continued)
 - C. 900 Access Service-(Continued)

When a customer's end user originates a 1+900+NXX-XXXX call, the Telephone Company will perform the customer identification function at a 900 Access Service Screening Office to determine the customer to which the call is to be routed. The customer identification function will consist of the 900 Access Service Screening Office examining the 900-NXX digits to determine which customer should receive the call. If a 900 Access Service call originates at an office not equipped to provide the customer identification function, the call will be routed to a tandem at which the function is available.

Unless prohibited by technical limitations, originating 900 Access Service traffic may, at the option of the customer, be combined in the same FGB, FGC, FGD, BSA-B, BSA-C or BSA-D trunk group with the customer's other Access Service traffic. Where such technical limitations do exist, the Telephone Company will provide notification to the customer prior to establishment of 900 Access Service. At the option of the customer, 900 Access Service traffic which originates from a non-equal access end office may be combined with a customer's equal access Feature Group D or BSA-D Switched Access Service. The arrangement is only available when a customer utilizes tandem-routed Feature Group D or tandem routed BSA-D Switched Access Service.

(AT) When Feature Group D or BSA-D becomes available in an end office, originating 900 Access Service traffic from that end office must be provided with Feature Group D or BSA-D.

(AT) The customer may use FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C, or BSA-D to terminate a 900 Access Service call. When FGA, FGB, FGC, FGD, BSA-A,

(AT) BSA-B, BSA-C, or BSA-D is used to terminate 900 Access Service, the customer is required to deliver 900 Access Service calls to the Telephone Company in the standard POTS number North American Numbering Plan format.

(FC) Customer report requirements for 900 Access Service media stimulated mass calling events are as specified in Paragraph 6.9.1, B.3., following.

JAN 61995

BY 5 Th R. S. # 39,05

ablic Service Commission

ablic Service Commission

FILEC

APR 11, 1993

Issued:

(AT)

(AT)

(AT)

MAR 2 6 1993

MO. PUBLIC SER

Access Services Tariff Section 6 3rd Revised Sheet 39.05 Replacing 2nd Revised Sheet 39.05

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

- 6.2 Provision and Description of Switched Access Service Feature Groups (Southled) ic Service Commission
 - 6.2.5 Miscellaneous Switched Access Service-(Continued)
 - C. 900 Access Service-(Continued)

When a customer's end user originates a 1+900+NXX-XXXX call, the Telephone Company will perform the customer identification function at a 900 Access Service Screening Office to determine the customer to which the call is to be routed. The customer identification function will consist of the 900 Access Service Screening Office examining the 900-NXX digits to determine which customer should receive the call. If a 900 Access Service call originates at an office not equipped to provide the customer identification function, the call will be routed to a tandem at which the function is available.

Unless prohibited by technical limitations, originating 900 Access Service traffic may, at the option of the customer, be combined in the same Feature Group B, C or D trunk group with the customer's other Access Service traffic. Where such technical limitations do exist, the Telephone Company will provide notification to the customer prior to establishment of 900 Access Service. At the option of the customer, 900 Access Service traffic which originates from a non-equal access end office may be com bined with a customer's equal access Feature Group D Switched Access Service. The arrangement is only available when a customer ut; tandem-routed Feature Group D Switched Access Service.

The customer may use Feature Group A, B, C or D to terminate and Access Service call. When Feature Group A, B, C or D is used to terminate 900 Access Service, the customer is required to deliver 900 Access Service calls to the Telephone Company in the standard POTS much Numbering Plan format.

Customer report requirements for 900 Access Service media stimulated mass (TA) calling events are as specified in Paragraph 6.6.1, B.3., following.

- (RT) 6.3 Common Switching and Transport Termination Features
- (RT) Following are descriptions of the various features that are available with
- (RT) the Feature Groups. They are provided as either Common Switching or
- (CT) Transport Termination features.

Issued: AUG 0 9 1991

Effective: SEP 0 9 99

FILED

By R. D. BARRON, President-Missouri Division 1991 Southwestern Bell Telephone Company St. Louis, Missouri

Access Services Tariff
Section 6
2nd Revised Sheet 39.05
Replacing 1st Revised Sheet 39.05

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

DEC 7 1989

- 6.2 Provision and Description of Switched Access Service Features Groups (Continued)
 - 6.2.5 Miscellaneous Switched Access Service-(Continued) Bublic Service Commission
 - C. 900 Access Service-(Continued)

When a customer's end user originates a 1+900+NXX-XXXX call, the Telephone Company will perform the customer identification function at a 900 Access Service Screening Office to determine the customer to which the call is to be routed. The customer identification function will consist of the 900 Access Service Screening Office examining the 900-NXX digits to determine which customer should receive the call. If a 900 Access Service call originates at an office not equipped to provide the customer identification function, the call will be routed to a tandem at which the function is available.

Unless prohibited by technical limitations, originating 900 Access Service traffic may, at the option of the customer, be combined in the same Feature Group B, C or D trunk group with the customer's other Access Service traffic. Where such technical limitations do exist, the Telephone Company will provide notification to the customer prior to establishment of 900 Access Service. At the option of the customer, 900 Access Service traffic which originates from a non-equal access end office may be combined with a customer's equal access Feature Group D Switched Access Service. The arrangement is only available when a customer utilizes tandem-routed Feature Group D Switched Access Service.

When Feature Group D becomes available in an end office, originating 900 Access Service traffic from that end office must be provided with Feature Group D.

The customer may use Feature Group A, B, C or D to terminate a 900 Access Service call. When Feature Group A, B, C or D is used to terminate 900 Access Service, the customer is required to deliver 900 Access Service calls to the Telephone Company in the standard POTS number North American Numbering Plan format.

Customer report requirements for 900 Access Service media stimulated mass calling events are as specified in 6.6.1., B., 3., following, 2 M R S 39.05

6.3 Common Switching and Transport Termination Optional Featubic Service Commission MISSOURI

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the Feature Groups. They are provided as either Common Switching or Transport Termination options.

(MT)

(AT)

(AT)

Issued: DEC 2 9 1989

Effective: 4AN 2 9 1990

JAN 29 1990

Access Services Tariff Section 6 1st Revised Sheet 39.05 Replacing Original Sheet 39.05

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

6.3 Common Switching and Transport Termination Optional Features

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided 1987 with the Feature Groups. They are provided as either Common Switching or Transport Termination options.

MISSOURI

6.3.1 Common Switching Optional Features

Public Service Commission

A. Call Denial on Line or Hunt Group

This option, available with FGA, allows for the screening of terminating calls within the LATA, and for the completion only of calls to 411, 911, 800, 555-1212 and a Telephone Company-specified set of NXX's within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices.

B. Service Code Denial on Line or Hunt Group

This option, available with FGA, allows for the screening of terminating calls within the LATA and for disallowing completion of calls to 0-, 555 and N11 (i.e., 411 and 911). This feature is provided, where available, in all Telephone Company electronic end offices and electromechanical end offices.

CANCELLED

JAN 29 1390 Public Service Commission MISSOUR!

FEB 1 1988

Public Service Commission

Issued: OCT 2 3 1987

1988 Effective:

Access Services Tariff Section 6 Original Sheet 39.05

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

GCT 1 3 1987

(MT) 6.3 Common Switching and Transport Termination Optional Features MISSOURI

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the Feature Groups. They are provided as either Common Switching or Transport Termination options.

- 6.3.1 Common Switching Optional Features
- A. Call Denial on Line or Hunt Group

This option, available with FGA, allows for the screening of terminating calls within the LATA, and for the completion only of calls to 411, 911, 800, 555-1212 and a Telephone Company-specified set of NXX's within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices.

B. Service Code Denial on Line or Hunt Group

This option, available with FGA, allows for the screening of terminating calls within the LATA and for disallowing completion of calls to 0-, 555 and N11 (i.e., 411 and 911). This feature is provided, where available, in all Telephone Company electronic end offices and electromechanical end offices.

CANCELLED

BY LARS #39.05

Fublic Service Commission

MISSOURI

FILED

OCT 16 1987

Public Service Commission

Issued: OCT 1 4 1987

Effective: OCT 16 1987,

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 3rd Revised Sheet 39.5.1 Replacing 2nd Revised Sheet 39.5.1



Access Services Tariff
Section 6
2nd Revised Sheet 39.0501
Replacing 1st Revised Sheet 39.0501

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
 - 6.2.5 Miscellaneous Switched Access Service-(Continued)
 - D. Advanced Carrier Identification Service (ACIS)

General

Advanced Carrier Identification Service (ACIS) is an originating offering utilizing trunk side Switched Access Services from both equal access and non-equal access offices and provides the ability for calls to be delivered to access customers based on the dialed Personal Communication Service (PCS) subscriber number. ACIS will use the dialed PCS subscriber number (e.g., 1+500+NXX-XXXX to identify the access customer (i.e., the transport carrier) to whom the call will be delivered and then deliver the call to the access customer.

The ACIS functionality will be available in suitably equipped end offices or access tandems. If an ACIS routed call originates in an office not equipped to provide the identification function, the call will be routed to an office where the function is available.

ACIS allows the PCS subscriber to originate calls using one-plus (1+), zero plus (0+) and from public coin phones. The Telephone Company will block an ACIS originated call if it originates through a 101XXXX access code, zero minus (0-) dialing or 0- Transfer Service.

Provisioning

Unless prohibited by technical limitations, originating traffic that is routed using ACIS may, at the option of customer, be combined in the same FGB, FGD, BSA-B, BSA-C or BSA-D trunk group with the customer's other Access Service traffic. Where such technical limitations do exist, the Telephone Company will provide notification to the customer prior to establishment of ACIS. At the option of the customer, ACIS routed traffic originating from a non-equal access office may be combined with a customer's equal access FGD or BSA-D Service. This arrangement is only available when a customer utilizes tandem routed FGD or BSA-D. Premium access charges will apply for such originating ACIS usage. When FGD or BSA-D becomes available in an end office, originating ACIS routed traffic from that end office must be provided with FGD or BSA-D.

The customer may use FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D to terminate a call that was routed using ACIS. When FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D is used to terminate a call that was routed using ACIS, the customer is required to deliver ACIS originated calls to the Telephone Company in the standard POTS number North American Numbering Plan format.

Issued: September 21, 1998 Effective: October 21, 1998

By PRISCILLA HILL-ARDOIN, President-Missouri Southwestern Bell Telephone Company St. Louis, Missouri

(CT)



(01)

Access Services Tariff
Section 6
1st Revised Sheet 39.0501
Replacing Original Sheet 39.0501

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
AUG 15 1995

6.2.5 Miscellaneous Switched Access Service-(Continued)

Advanced Carrier Identification Service (ACIS)

MO. PUBLIC SERVICE COMM.

Advanced Carrier Identification Service (ACIS) is an originating offering Contilizing trunk side Switched Access Services from both equal access and public Swisson-equal access offices and provides the ability for calls to be delivered to access customers based on the dialed Personal Communication Service (PCS) subscriber number. ACIS will use the dialed PCS subscriber number (e.g., 1+500+NXX-XXXX to identify the access customer (i.e., the transport carrier) to whom the call will be delivered and then deliver the call to the access customer.

The ACIS functionality will be available in suitably equipped end offices or access tandems. If an ACIS routed call originates in an office not equipped to provide the identification function, the call will be routed to an office where the function is available.

ACIS allows the PCS subscriber to originate calls using one-plus (1+), zero plus (0+) and from public coin phones. The Telephone Company will block an ACIS originated call if it originates through a 10XXX or 101XXXX access code, zero minus (0-) dialing or 0- Transfer Service.

Provisioning

Unless prohibited by technical limitations, originating traffic that is routed using ACIS may, at the option of customer, be combined in the same FGB, FGD, BSA-B, BSA-C or BSA-D trunk group with the customer's other Access Service traffic. Where such technical limitations do exist, the Telephone Company will provide notification to the customer prior to establishment of ACIS. At the option of the customer, ACIS routed traffic originating from a non-equal access office may be combined with a customer's equal access FGD or BSA-D Service. This arrangement is only available when a customer utilizes tandem routed FGD or BSA-D. Premium access charges will apply for such originating ACIS usage. When FGD or BSA-D becomes available in an end office, originating ACIS routed traffic from that end office must be provided with FGD or BSA-D.

The customer may use FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D to terminate a call that was routed using ACIS. When FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D is used to terminate a call that was routed using ACIS, the customer is required to deliver ACIS originated calls to the Telephone Company in the standard POTS number North American Numbering Plant formats.

SEP 1 5 1995

Issued:

AUG 1 5 1995

Effective:

SEP 1 5 1995

(AT)

Access Services Tariff Section 6 Original Sheet 39.0501

ACCESS SERVICES

RECEIVED

- SWITCHED ACCESS SERVICE-(Continued)
- MAR 201995 6.2 Provision and Description of Switched Access Service Feature Groups-(Continued)
- 6.2.5 Miscellaneous Switched Access Service-(Continued)

MO. PUBLIC SERVICE COMM.

D. Advanced Carrier Identification Service (ACIS)

General

Advanced Carrier Identification Service (ACIS) is an originating offering utilizing trunk side Switched Access Services from both equal access and non-equal access offices and provides the ability for calls to be delivered to access customers based on the dialed Personal Communication Service (PCS) subscriber number. ACIS will use the dialed PCS subscriber number (e.g., 1+500+NXX-XXXX to identify the access customer (i.e., the transport carrier) to whom the call will be delivered and then deliver the call to the access customer.

The ACIS functionality will be available in suitably equipped end offices or access tandems. If an ACIS routed call originates in an office not equipped to provide the identification function, the call will be routed to an office where the function is available.

ACIS allows the PCS subscriber to originate calls using one (1+), zero plus (0+) and from public coin phones. The Telephone pompany will block an ACIS originated call if it originates through a 10XXX access code, zero minus (0-) dialing or 0- Transfer Service.

Provisioning

Unless prohibited by technical limitations, originally traction of that is routed using ACIS may, at the option of customer, be combined in the Clame FGB, FGD, BSA-B, BSA-C or BSA-D trunk group with the customer's other Access Service traffic. Where such technical limitations do exist the Tallactus Service traffic. Where such technical limitations do exist, the Telephone Company will provide notification to the customer prior to establishment of ACIS. At the option of the customer, ACIS routed traffic originating from a non-equal access office may be combined with a customer's equal access FGD or BSA-D Service. This arrangement is only available when a customer utilizes tandem routed FGD or BSA-D. Premium access charges will apply for such originating ACIS usage. When FGD or BSA-D becomes available in an end office, originating ACIS routed traffic from that end office must be provided with FGD or BSA-D.

The customer may use FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D to terminate a call that was routed using ACIS. When FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D is used to terminate a call that was routed using ACIS, the customer is required to deliver ACIS originated calls to the Telephone Company in the standard POTS number North American Numbering Plan format.

Issued:

MAR 2 0 1995

Effective:

APR 201995


By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri

MISSOURI Public Service Commission

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 4th Revised Sheet 39.6 Replacing 3rd Revised Sheet 39.6



Access Services Tariff
Section 6
3rd Revised Sheet 39.06
Replacing 2nd Revised Sheet 39.06

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
- (CT) 6.3 Basic Serving Arrangement Descriptions
- (AT) BSAs are differentiated by their technical characteristics, e.g., line side or trunk side connection at the Telephone Company entry switch. The trunk side BSA is further differentiated into three Alternatives based upon the manner in which an end user would access the BSA for originating calling, e.g., with or without an access code.

There are various Local Transport features, Local Switching features and Basic Service Elements available with a BSA. Local Transport and Local Switching features are described in Paragraphs 6.1.2, A.2, and 6.4. Basic Service Elements are described in Paragraph 6.6. Unless specifically stated otherwise, these features and BSEs are available at all Telephone Company end office switches.

BSAs are arranged for either originating, terminating or two-way calling, based upon the customer's order specifications. Originating calling permits the delivery of calls from Telephone Exchange Service locations to the customer's premises. Terminating calling permits the delivery of calls from the customer's premises to Telephone Exchange Service locations. Two-way calling permits the delivery of calls in both directions, but not simultaneously.

Following are detailed descriptions of each Basic Serving Arrangement and Alternatives. Each BSA is described in terms of its specific physical characteristics and calling patterns. BSA transmission specifications are described in Paragraph 6.3.5. Descriptions of available features are located in Paragraphs 6.1.2, A.2, and 6.4. Descriptions of available BSEs are located in Paragraph 6.5.

6.3.1 Circuit Switched - Line Side BSA (BSA-A)

A. General

- 1. Circuit Switched Line Side BSA is provided in connection with Telephone Company electronic and electromechanical end offices.
- 2. Circuit Switched Line Side BSA provides network access in the form of a line side termination at the first point of switching and provides the basis for selection of Basic Service Elements. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the customer.
- 3. The customer shall specify the first point of switching within the selected LATA at which the line side termination is to be provided. The first point of switching must comply with Section 2, Paragraph 2.1.2, A., preceding

(MT)(AT)

Issued: March 26, 1993 Effective: April 11, 1993



Access Services Tariff Section 6 2nd Revised Sheet 39.06 Replacing 1st Revised Sheet 39.06

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Common Switching and Transport Termination Features-(Continued)

NOV 19 1991

6.3.1 Common Switching Features

MO. PUBLIC SERVICE COMM.

A. Call Denial on Line or Hunt Group

This feature, available with FGA, allows for the screening of terminating calls. This screening does not affect calls to 411, 911, 800, 900, and 555-1212. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices.

(AT) 1. Local Exchange Restriction

(CT)

(MT)

(AT)

(AT)

(MT)

(MT)

The screening is set up to allow calls to complete only to a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. As set forth in Section 2, Paragraph 2.1.2.A., this feature is required on all FGA Switched Access Services requested by an Enhanced Service Provider.

2. LATA Restriction

The screening is set up to allow calls to complete only those valid NXX codes within the LATA. All other calls are routed to a reorder tone or recorded announcement.

Service Code Denial on Line or Hunt Group

This feature, available with FGA, allows for the screening of terminating calls within the LATA and for disallowing completion of calls to 0-, 555 and N11 (i.e., 411 and 911). This feature is provided, where available, in all Telephone Company electronic end offices and electromechanical end offices.

CANCELLED

APR 11 1993 # 39,06
BY 3 14 R.S. # 39,06 Public Service Commission MISSOURI

Effective:

NOV 2 1 1991

By R. D. BARRON, President-Missouri Division

Tolephone Company Southwestern Bell Telephone Company

FEB 1 2 1992

Public Service Commission

St. Louis, Missouri

Access Services Tariff
Section 6
1st Revised Sheet 39.06
Replacing Original Sheet 39.06

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

(RT) 6.3 Common Switching and Transport Termination Features-(Continued) MISSOURI

(RT) 6.3.1 Common Switching Features

ublic Service Commission

A. Call Denial on Line or Hunt Group

(CT) This feature, available with FGA, allows for the screening of terminating calls within the LATA, and for the completion only of calls to 411, 911, 800, 900, 555-1212 and a Telephone Company-specified set of NXX's within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices.

- B. Service Code Denial on Line or Hunt Group
- (CT) This feature, available with FGA, allows for the screening of terminating calls within the LATA and for disallowing completion of calls to 0-, 555 and N11 (i.e., 411 and 911). This feature is provided, where available, in all Telephone Company electronic end offices and electromechanical end offices.

CANCELLED

FEB 12 1992
BY 2 ML R.S. #36.06
Public Service Commission
MISSOURI

Issued: AUG 0 9 1991

Effective: SEP 0 9 1991

FILED

SEP 3 0 1991

(AT)

Access Services Tariff
Section 6
Original Sheet 39.06

RECEIVED

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

DEC 7 1989

6.3 Common Switching and Transport Termination Optional Features (Confinued)

(MT)

Public Service Commission

6.3.1 Common Switching Optional Features

A. Call Denial on Line or Hunt Group

This option, available with FGA, allows for the screening of terminating calls within the LATA, and for the completion only of calls to 411, 911, 800, 900, 555-1212 and a Telephone Company-specified set of NXX's within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices.

B. Service Code Denial on Line or Hunt Group

This option, available with FGA, allows for the screening of terminating calls within the LATA and for disallowing completion of calls to 0-, 555 and N11 (i.e., 411 and 911). This feature is provided, where available, in all Telephone Company electronic end offices and electromechanical end offices.

CANCELLED

SEP 3 0 1991

Public Service Commission

MISSOURI

FILED


Issued: DEC 2 9 1989

Effective: JAN 2 9 1990

JAN 29 1990

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 3rd Revised Sheet 39.7 Replacing 2nd Revised Sheet 39.7



Access Services Tariff
Section 6
2nd Revised Sheet 39.07
Replacing 1st Revised Sheet 39.07

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.1 Circuit Switched Line Side BSA (BSA-A)
 - A. General-(Continued)
 - 4. When an individual customer's Circuit Switched Line Side BSA is discounted at an end office, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.
 - B. Originating Circuit Switched Line Side BSA (BSA-A)
 - 1. Originating Circuit Switched Line Side BSA may be utilized in conjunction with the following access services provided under this tariff:

WATS Access Line Service

- 2. A seven-digit local telephone number assigned by the Telephone Company is provided for access to Circuit Switched Line Side switching and provides the calling area associated with the exchange in which the local telephone number is assigned. The seven digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX. If the customer requests a specific seven digit telephone number and that number (as well as the necessary facilities and equipment) is available, the requested number will be assigned to the customer.
- 3. No address signaling is provided by the Telephone Company. If address signaling is required by the customer, it must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- C. Terminating Circuit Switched Line Side BSA-A
 - 1. Terminating Circuit Switched Line Side may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Directory Assistance
 - ACIS

Issued: March 20, 1995 Effective: April 20, 1995

By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri





Access Services Tariff Section 6 1st Revised Sheet 39.07 Replacing Original Sheet 39.07

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 13 1993

6.3.1 Circuit Switched - Line Side BSA (BSA-A)

MO. PUBLIC CENTICE COMM.

- A. General-(Continued)
 - 4. When an individual customer's Circuit Switched Line Side BSA is discounted at an end office, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.
- B. Originating Circuit Switched Line Side BSA (BSA-A)
 - Originating Circuit Switched Line Side BSA may be utilized in conjunction with the following access services provided under this tariff:

WATS Access Line Service

- 2. A seven-digit local telephone number assigned by the Telephone Company is provided for access to Circuit Switched Line Side switching and provides the calling area associated with the exchange in which the local telephone number is assigned. The seven digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX. If the customer requests a specific seven digit telephone number and that number (as well as the necessary facilities and equipment) is available, the requested number will be assigned to the customer.
- 3. No address signaling is provided by the Telephone Company. If address signaling is required by the customer, it must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- C. Terminating Circuit Switched Line Side BSA-A
 - 1. Terminating Circuit Switched Line Side may be utilized in conjunction with the following access provided under this tariff:

- WATS Access Line Service

- 800 NPAS

- 900 Access Service

- Directory Assistance

APR 201995

BY 2 A R. S # 39.07

Public Service Commission

MANUSCOURI MA

MAY 0 1 1993

MO. PUBLIC SERVICE COMM.

Issued: MAR 2 2 1993

(CT)

Effective: MAY - 1 1993

Access Services Tariff Section 6 Original Sheet 39.07

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 29 1993

6.3.1 Circuit Switched - Line Side BSA (BSA-A)-(Continued)

MISSOURI Public Service Commission

A. General-(Continued)

- 4. When an individual customer's Circuit Switched Line Side BSA is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.
- B. Originating Circuit Switched Line Side BSA (BSA-A)

CANCELLED

Originating Circuit Switched - Line Side BSA may be utiliNeW in 1 1993 - 39.07 conjunction with the following access services provided under the tariff: Public Service Commission MISSOURI

WATS Access Line Service

- A seven digit local telephone number assigned by the Telephone Company is provided for access to Circuit Switched - Line Side switching and provides the calling area associated with the exchange in which the local telephone number is assigned. The seven digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX. If the customer requests a specific seven digit telephone number and that number (as well as the necessary facilities and equipment) is available, the requested number will be assigned to the customer.
- No address signaling is provided by the Telephone Company. If address signaling is required by the customer, it must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- C. Terminating Circuit Switched Line Side BSA-A
 - Terminating Circuit Switched Line Side may be utilized in conjunction with the following access services provided under this tariff: **FILED**

- WATS Access Line Service

- 800 Access Service

- 900 Access Service

- Directory Assistance

MO. PUBLIC SERVICE COMM

Issued:


Effective:

APR 1 1 1993

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 1st Revised Sheet 39.8 Replacing Original Sheet 39.8



Access Services Tariff Section 6 Original Sheet 39.08

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.1 Circuit Switched Line Side BSA (BSA-A)-(Continued)
 - C. Terminating Circuit Switched Line Side BSA-A-(Continued)
 - 2. Circuit Switched Line Side may be used to access valid NXXs in the LATA. Local operator service (0- and 0+), Directory Assistance (411 where available and 555-1212), emergency reporting service (911 where available), exchange telephone repair, time or weather announcement services of the Telephone Company, community information services of an information service provider, and other customers' services may also be accessed by Circuit Switched Line Side services (by dialing the appropriate digits). Charges for Circuit Switched Line Side terminating calls requiring operator assistance or calls to 911 will only apply where sufficient call details are available.
 - 3. Circuit Switched Line Side switching is arranged with dial tone start-dial signaling. Circuit Switched Line Side switching may be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When Circuit Switched Line Side switching is provided in a hunt group or uniform call distribution arrangement, all Circuit Switched Line Side switching will be arranged for the same type of address signaling.
 - 6.3.2 Circuit Switched Trunk Side BSA

A. General

- 1. Circuit Switched Trunk Side BSA is provided in connection with Telephone Company electronic end offices and, where facilities permit, electromechanical end offices on a direct trunk basis or via Telephone Company designated access tandem switches.
- 2. Circuit Switched Trunk Side BSA is differentiated into three Alternatives which are distinguished by their technical characteristics and the manner in which an end user accesses them in originating calling, e.g., with or without an access code.
- 3. Each Circuit Switched Trunk Side Alternative BSA provides the customer with a trunk side access to the Telephone Company's network and provides the basis for the selection of available Basic Service Elements (BSEs).

Following are detailed descriptions of each of the Alternatives available with the Circuit Switched - Trunk Side Basic Serving Arrangement

Issued: March 26, 1993 Effective: April 11, 1993



CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 2nd Revised Sheet 39.9 Replacing 1st Revised Sheet 39.9



Access Services Tariff Section 6 1st Revised Sheet 39.09 Replacing Original Sheet 39.09

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
 - B. Alternative Trunk Side BSA Descriptions
 - 1. Alternative B (BSA-B)
 - General
 - 1. When directly routed to an end office (i.e., provided without the use of an access tandem switch), Alternative B is provided at appropriately equipped Telephone company electronic lend office switches. When provided via Telephone company designated electronic access tandem switches, Alternative B switching is provided at Telephone Company electronic and electromechanical end office switches.
 - 2. Alternative B is provided as trunk side switching. The switch trunk equipment is provided with wink start address signaling or immediate dial pulse address signaling as well as answer and disconnect supervisory signaling. Alternative B switching is provided with multifrequency address signaling in both the originating and terminating directions.
 - The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where Alternative B switching is provided. When required by technical limitations, a separate trunk group will be established for each type of Alternative B switching arrangement provided, e.g., 900 Access Service. Different types of Alternative B switching may be combined in a single trunk group at the option of the Telephone Company.
 - 4. When all Alternative B switching arrangements are discontinued at an end office or in a LATA, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.
 - b. Originating Alternative B (BSA-B)
 - 1. Originating Alternative B may be utilized in conjunction with the following access services provided under this tariff:

Issued: March 22, 1993 Effective: May 1, 1993



CANCELLED June 10, 2013 Missouri Public Service Commission JI-2013-0499

(RT)

Access Services Tariff Section 6 Original Sheet 39.09

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 29 1993

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MISSOURI

B. Alternative Trunk Side BSA Descriptions CANCELLED **Public Service Commission**

1. Alternative B (BSA-B)

MAY 1 1993 BY 10+R.5#39.09

General

Public Service Commission

- When directly routed to an end office (i.e., provided without the use of an access tandem switch), Alternative B is provided at appropriately equipped Telephone Company electronic end office switches. When provided via Telephone Company designated electronic access tandem switches, Alternative B switching is provided at Telephone Company electronic and electromechanical end office switches.
- 2. Alternative B is provided as trunk side switching. The switch trunk equipment is provided with wink start address signaling or immediate dial pulse address signaling as well as answer and disconnect supervisory signaling. Alternative B switching is provided with multifrequency address signaling in both the originating and terminating directions.
- The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where Alternative B switching is provided. When required by technical limitations, a separate trunk group will be established for each type of Alternative B switching arrangement provided, e.g., 800 and 900 Access Service. Different types of Alternative B switching may be combined in a single trunk group at the option of the Telephone Company.
- 4. When all Alternative B switching arrangements are discontinued at an end office or in a LATA, an intercept announcement is provided. This arrangement provides, for a maximum period of 90 days, an announcement that the service associated with the number dialed has been disconnected.
- b. Originating Alternative B (BSA-B)
 - Originating Alternative B may be utilized in conjunction with the following access services provided under this tariff:

Issued:

MAR 2 6 1993

Effective:

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 4th Revised Sheet 39.10 Replacing 3rd Revised Sheet 39.10

K		
R	 -	
. `	•••	

Access Services Tariff
Section 6
3rd Revised Sheet 39.10
Replacing 2nd Revised Sheet 39.10

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
 - B. Alternative Trunk Side BSA Descriptions
 - 1. Alternative B (BSA-B)-(Continued)
 - b. Originating Alternative B (BSA-B)
 - 1. (Continued)
 - WATS Access Line Service
 - ACIS
 - 900 Access Service

Alternative B may be used to originate ACIS and 900 Access Service until such time as Alternative D becomes available in the end office.

- 2. The uniform access code for Alternative B switching is 950-XXXX. These uniform codes will be the assigned access numbers of all Alternative B Switched Access Service provided to the customer by the Telephone Company. The customer's end user is not required to dial an access code for originating ACIS and 900 Access Service provided with Alternative B Switched Access Service.
- 3. Alternative B is provided with multifrequency address signaling. Except for Alternative B provided with rotary dial station signaling arrangements or the Automatic Number Identification (ANI) feature, any other address signaling in the originating direction, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- c. Terminating Alternative B (BSA-B)
 - 1. Terminating Alternative B may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Directory Assistance Service
 - ACIS

Issued: March 20, 1995 Effective: April 20, 1995

Missouri

(AT)

(AT)

(AT)

(AT)

P.S.C. Mo.-No. 36

No supplement to this tariff will be issued except for the purpose of canceling this tariff.

Access Services Tariff Section 6 2nd Revised Sheet 39.10

Replacing 1st Revised Sheet 39.10

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

OCT 04 1993

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MISSOURI Public Service Commission

Alternative Trunk Side BSA Descriptions-(Continued)

Alternative B (BSA-B)-(Continued)

CANCELLED

Originating Alternative B (BSA-B)

(Continued) 1.

WATS Access Line Service

900 Access Service

Alternative B may be used to originate 900 Access Service until such time as Alternative D becomes available in the end office.

(CT)(RT)

- The uniform access code for Alternative B switching is 950-XXXX. These uniform codes will be the assigned access numbers of all Alternative B Switched Access Service provided to the customer by the Telephone Company. The customer's end user is not required to dial an access code for originating 900 Access Service provided with Alternative B Switched Access Service.
- Alternative B is provided with multifrequency address signaling. Except for Alternative B provided with rotary dial station signaling arrangements or the Automatic Number Identification (ANI) feature, any other address signaling in the originating direction, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- Terminating Alternative B (BSA-B)
 - Terminating Alternative B may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Directory Assistance Service

NOV 111993

Issued: OCT 1 1 1993

Effective: NOV 1 1 1993

MISSOURI

Access Services Tariff Section 6 1st Revised Sheet 39.10 Replacing Original Sheet 39.10

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

6.3 Basic Serving Arrangement Descriptions-(Continued)

RECEIVED

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MAR 13 1993

B. Alternative Trunk Side BSA Descriptions-(Continued)

MO. PUBLIC CERVICE COMM

1. Alternative B (BSA-B)-(Continued)

Originating Alternative B (BSA-B)

CANCELLED

NOV 11 75:5

1. (Continued)

WATS Access Line Service

Public Service Commission

900 Access Service

Alternative B may be used to originate 900 Access Service until such time as Alternative D becomes available in the end office.

- 2. The uniform access code for Alternative B switching is either 950-0XXX or 950-1XXX (where XXX represents a unique three digit number for each access customer). These uniform codes will be the assigned access numbers of all Alternative B Switched Access Service provided to the customer by the Telephone Company. The customer's end user is not required to dial an access code for originating 900 Access Service provided with Alternative B Switched Access Service.
- 3. Alternative B is provided with multifrequency address signaling. Except for Alternative B provided with rotary dial station signaling arrangements or the Automatic Number Identification (ANI) feature, any other address signaling in the originating direction, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- c. Terminating Alternative B (BSA-B)
 - Terminating Alternative B may be utilized in conjunction with the following access services provided under this tariff:

WATS Access Line Service

BOO NPAS

900 Access Service

Directory Assistance Service

MAY 0 1 1993

Issued: MAR 2 2 1993

Effective: MAY - 1 1993

MO. PUBLIC SERVICE COMM.

By A. D. ROBERTSON, Assistant Vice President-External Affairs Southwestern Bell Telephone Company St. Louis, Missouri

(RT)

(RT)

(RT)

(CT)

Access Services Tariff Section 6 Original Sheet 39.10

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.3 Basic Serving Arrangement Descriptions-(Continued)

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

RECEIVED

MAR 29 1993

- B. Alternative Trunk Side BSA Descriptions-(Continued)
 - Alternative B (BSA-B)-(Continued)

MISSOURI Public Service Commission

b. Originating Alternative B (BSA-B)-(Continued)

1. (Continued)

CANCELLED

WATS Access Line Service

- 800 Access Service

900 Access Service

MAY 1 1993 BY fot R.S. #39.00

Alternative B may be used to originate 800 and \$300 Access Service until such time as Alternative D becomes available in the end office.

- 2. The uniform access code for Alternative B switching is either 950-0XXX or 950-1XXX (where XXX represents a unique three digit number for each access customer). These uniform codes will be the assigned access numbers of all Alternative B Switched Access Service provided to the customer by the Telephone Company. The customer's end user is not required to dial an access code for originating 800 or 900 Access Service provided with Alternative B Switched Access Service.
- 3. Alternative B is provided with multifrequency address signaling. Except for Alternative B provided with rotary dial station signaling arrangements or the Automatic Number Identification (ANI) feature, any other address signaling in the originating direction, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- c. Terminating Alternative B (BSA-B)
 - Terminating Alternative B may be utilized in conjunction with the following access services provided under this tariff:

WATS Access Line Service

FILED

800 Access Service

900 Access Service

Directory Assistance Service

Issued:


MAR 2 6 1993

Effective:

MO. PUBLIC SERVICE CAPRMI 1 1993

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 4th Revised Sheet 39.11 Replacing 3rd Revised Sheet 39.11



Access Services Tariff
Section 6
3rd Revised Sheet 39.11
Replacing 2nd Revised Sheet 39.11

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
 - B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 1. Alternative B (BSA-B)-(Continued)
 - c. Terminating Alternative B (BSA-B)-(Continued)
 - 2. When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information service provider and other customers' services (by dialing the appropriate digits), as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative B switching is combined with Directory Assistance switching.
 - 3. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 101XXXX codes. Alternative B may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched Trunk Side Basic Serving Arrangement, including another Alternative B in the same LATA.
 - 2. Alternative C (BSA-C)
 - a. General
 - 1. Alternative C is provided in all Telephone Company non-Equal Access end office switches on a direct trunk basis or via Telephone Company designated access tandem switches. Alternative C is only provided to the provider of MTS/WATS and only at an end office switch until Alternative D is provided in the same office. When Alternative D switching becomes available, Alternative C will not be provided.

Issued: September 21, 1998 Effective: October 21, 1998



(CT)

Access Services Tariff Section 6 2nd Revised Sheet 39.11 Replacing 1st Revised Sheet 39.11

ACCESS SERVICES

RECEIVED

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)

AUG 15 1995

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MO. PUBLIC SERVICE COMM.

- B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 1. Alternative B (BSA-B) (Continued)
 - Terminating Alternative B (BSA-B) (Continued)
 - When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information service provider and other customers' services (by dialing the appropriate digits), as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative B switching is combined with Directory Assistance switching.
 - 3. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 10XXXX or 101XXXX codes. Alternative B may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched - Trunk Side Basic Serving Arrangement, including another Alternative B in the same LATA.
 - 2. Alternative C (BSA-C)
 - General
 - Alternative C is provided in all Telephone Company non-Equal Access end office switches on a direct trunk basis or via Telephone Company designated access tandem switches. Alternative C is only provided to the provider of MTS/WATS and only at an end office switch until Alternative D is provided in the same office. When Alternative D switching becomes available, Alternative C will not be provided.

CANCELLED

Public Service Commission

SEP 1 5 1995

(AT)

AUG 1 5 1995

Effective:

MISSOURI

Access Services Tariff
Section 6
1st Revised Sheet 39.11
Replacing Original Sheet 39.11

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

OCT 04 1993

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MISSOURI Public Service Commission

- B. Alternative Trunk Side BSA Descriptions-(Continued)
 - Alternative B (BSA-B)-(Continued)
 - c. Terminating Alternative B (BSA-B)-(Continued)
 - 2. When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information service provider and other customers' services (by dialing the appropriate digits), as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative B switching is combined with Directory Assistance switching.
 - 3. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 10XXX access codes. Alternative B may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched Trunk Side Basic Serving Arrangement, including another Alternative B in the same LATA.
 - 2. Alternative C (BSA-C)
 - a. General

(CT)

1. Alternative C is provided in all Telephone Company non-Equal Access end office switches on a direct trunk basis or via Telephone Company designated access tandem switches. Alternative C is only provided to the provider of MTS/WATS and only at an end office switch until Alternative D is provided in the same office. When Alternative D switching becomes available, Alternative C will not provided.

NOV 111993

Issued: OCT 1 1 1993

Pivey/ISSOURI 1 Public Service Commission

Access Services Tariff Section 6 Original Sheet 39.11

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.3 Basic Serving Arrangement Descriptions-(Continued)

RECEIVED

MAR 29 1993

- 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
 - B. Alternative Trunk Side BSA Descriptions-(Continued)

MISSOURI **Public Service Commission**

- Alternative B (BSA-B)-(Continued)
 - Terminating Alternative B (BSA-B)-(Continued)
 - When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information service provider and other customers' services (by dialing the appropriate digits), as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative B switching is combined with Directory Assistance switching.
 - 3. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 10XXX access codes. Alternative B may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched - Trunk Side Basic Serving Arrangement, including another Alternative Religible came LATA. same LATA.
- 2. Alternative C (BSA-C)
 - a. General:

Alternative C is provided in all Telephone Company of the Parks Access end office switches on a direct trunk basis or Telephone Company designated access tandem switches. Alternative C is only provided to the provider of MTS/WATS and only at an end office switch until Alternative D is provided in the same office. When Alternative D switching becomes available, Alternative C will not be provided.

APR 11 1993

Issued:

MAR 2 6 1993

By R. D. BARRON, President-Missouri Division

Southwestern Bell Telephone Communication St. Louis, Missouri

Issued: May 10, 2013

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 3rd Revised Sheet 39.12 Replacing 2nd Revised Sheet 39.12

Effective: June 10, 2013

R	(1) I	
R	T)	

Access Services Tariff
Section 6
2nd Revised Sheet 39.12
Replacing 1st Revised Sheet 39.12

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
 - B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 2. Alternative C (BSA-C)-(Continued)
 - a. General-(Continued)
 - 3. The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where Alternative C switching is provided. When required by technical limitations, a separate trunk group will be established for each type of Alternative C switching arrangement provided. Different types of Alternative C or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
 - 4. Alternative C is provided with multifrequency address signaling except in certain electromechanical end office switches where multifrequency signaling is not available. In such switches, the address signaling will be dial pulse or immediate dial pulse, whichever is available. Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by the Telephone Company equipment to the customer's premises where the Switched Access Services terminates. Such called party number signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
 - b. Originating Alternative C (BSA-C)
 - 1. Originating Alternative C may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - ACIS
 - 900 Access Service
 - Operator Call Processing Service
 - 2. No access code is required for Alternative C switching. The telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside

Issued: March 20, 1995 Effective: April 20, 1995



(AT)

Access Services Tariff Section 6 1st Revised Sheet 39.12 Replacing Original Sheet 39.12 ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 13 1993

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

B. Alternative Trunk Side BSA Descriptions-(Continued)

MO. PUBLIC CERVICE COMM.

- Alternative C (BSA-C)-(Continued)
 - a. General-(Continued)
 - 3. The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where Alternative C switching is provided. When required by technical limitations, a separate trunk group will be established for each type of Alternative C switching arrangement provided. Different types of Alternative C or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
 - 4. Alternative C is provided with multifrequency address signaling except in certain electromechanical end office switches where multifrequency signaling is not available. In such switches, the address signaling will be dial pulse or immediate dial pulse, whichever is available. Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by the Telephone Company equipment to the customer's premises where the Switched Access Services terminates. Such called party number signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
 - b. Originating Alternative C (BSA-C)
 - Originating Alternative C may be utilized in conjunction with the following access services provided under the tariff:

- WATS Access Line Service

(RT) - 900 Access Service

2. No access code is required for Alternative C swiftening. The telephone number dialed by the customer's and seven or total. seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside 18 /

Issued: MAR 2 2 1993

Effective: MAY - 1 1993

MAY 0 1 1993

Access Services Tariff
Section 6
Original Sheet 39.12

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)

RECEIVED

MAR 29 1993

- 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
- MISSOLA
 Public Service Communication

B. Alternative Trunk Side BSA Descriptions-(Continued)

Alternative C (BSA-C)-(Continued)

- a. General-(Continued)
 - 3. The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where Alternative C switching is provided. When required by technical limitations, a separate trunk group will be established for each type of Alternative C switching arrangement provided. Different types of Alternative C or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
 - 4. Alternative C is provided with multifrequency address signaling except in certain electromechanical end office switches where multifrequency signaling is not available. In such switches, the address signaling will be dial pulse or immediate dial pulse, whichever is available. Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by the Telephone Company equipment to the customer's premises where the Switched Access Service terminates. Such called party number signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
- b. Originating Alternative C (BSA-C)
 - 1. Originating Alternative C may be utilized in conjunction with the following access services provided under the tile.
 - WATS Access Line Service
 - 800 Access Service
 - 900 Access Service
 - Operator Call Processing Service

MAY 1 1393 BY Lot R.S #39.12

Public Service Commission

2. No access code is required for Alternative C switching. The telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside

Issued:

MAR 2 6 1993

Effective:

APR 1 1 1993

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri APR 11 1993 92 - 30 4

MO. PUBLIC SERVICE COMM.

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 3rd Revised Sheet 39.13 Replacing 2nd Revised Sheet 39.13



Access Services Tariff
Section 6
2nd Revised Sheet 39.13
Replacing 1st Revised Sheet 39.13

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
 - B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 2. Alternative C (BSA-C)-(Continued)
 - b. Originating Alternative C (BSA-C)-(Continued)
 - 2. (Continued)

The NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for international Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN. (IDDD provides the capability of switching international calls with service prefix and address codes having more digits than are capable of being switched through a standard end office equipped with Alternative C capability.)

- c. Terminating Alternative C (BSA-C)
 - 1. Terminating Alternative C may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - -800 NPAS
 - 900 Access Service
 - Directory Assistance Service
 - Operator Call Processing Service
 - ACIS
 - 2. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes, as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative C switching is combined with Directory Assistance switching.

Issued: March 20, 1995 Effective: April 20, 1995



(AT)

Access Services Tariff
Section 6
1st Revised Sheet 39.13
Replacing Original Sheet 39.13

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.3 Basic Serving Arrangement Descriptions-(Continued)

RECEIVED

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MAR 13 1993

B. Alternative Trunk Side BSA Descriptions-(Continued)

MO. PUBLIC SERVICE COMM.

- Alternative C (BSA-C)-(Continued)
 - b. Originating Alternative C (BSA-C)-(Continued)
 - 2. (Continued)

The NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for international Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN. (IDDD provides the capability of switching international calls with service prefix and address codes having more digits than are capable of being switched through a standard end office equipped with Alternative C capability.)

- c. Terminating Alternative C (BSA-C)
 - 1. Terminating Alternative C may be utilized in conjunction with the following access services provided under this tarmff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Directory Assistance Service
 - Operator Call Processing Service

Public Service Commission
MISSOURI

2. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes, as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative C switching is combined with Directory Assistance switching.

Issued: MAR 2 2 1993

(CT)

Effective: MAY - 1 1993

[JAY 0 ± 1993

Access Services Tariff
Section 6
Original Sheet 39.13

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)

RECEIVED

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MAR 29 1993

B. Alternative Trunk Side BSA Descriptions-(Continued)

MISSOURI Public Service Commission

- Alternative C (BSA-C)-(Continued)
 - b. Originating Alternative C (BSA-C)-(Continued)
 - 2. (Continued)

The NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for international Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN. (IDDD provides the capability of switching international calls with service prefix and address codes having more digits than are capable of being switched through a standard end office equipped with Alternative C capability.)

- c. Terminating Alternative C (BSA-C)
 - Terminating Alternative C may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 Access Service
 - 900 Access Service
 - Directory Assistance Service
 - Operator Call Processing Service

CANCELLED

MAY 1 1993 BY 104-R.S. 39.13

Public Service Commission

2. When directly routed to an end office, only those walld NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes, as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative C switching is combined with Directory Assistance switching.

Issued:

MAR 2 6 1993

Effective:

APR 1F1 10ED


By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

APR 11 1993 92 - 304

MO. PUBLIC SERVICE COMM.

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 5th Revised Sheet 39.14 Replacing 4th Revised Sheet 39.14



Access Services Tariff
Section 6
4th Revised Sheet 39.14
Replacing 3rd Revised Sheet 39.14

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
 - B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 2. Alternative C (BSA-C)-(Continued)
 - c. Terminating Alternative C (BSA-C)-(Continued)
 - 3. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 101XXXX access codes. Alternative C may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched Trunk Side Basic Serving Arrangement, including another Alternative C, in the same LATA.
 - 3. Alternative D (BSA-D)
 - a. General
 - 1. Alternative D is provided at Telephone Company designated end office switches.
 - 2. Whether routed directly or via Telephone Company designated electronic access tandem switches, the end office or access tandem switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
 - 3. The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where Alternative D switching is provided. When required by technical limitations, a separate trunk group will be established for each type of Alternative D switching arrangement provided. Different types of Alternative D or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
 - 4. Alternative D switching is provided with inband multi-frequency address signaling or out of band SS7 signaling. Up to 12 digits of the called number dialed by the customer's end user using dual tone multi-frequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the

Issued: September 21, 1998 Effective: October 21, 1998



CANCELLED June 10, 2013 Missouri Public Service Commission JI-2013-0499

(CT)

Access Services Tariff
Section 6
3rd Revised Sheet 39.14
Replacing 2nd Revised Sheet 39.14

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE-(Continued)

6.3 Basic Serving Arrangement Descriptions-(Continued)

AUG 15 1995

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MO. PUBLIC SERVICE COMM.

- B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 2. Alternative C (BSA-C) (Continued)
 - c. Terminating Alternative C (BSA-C) (Continued)

3. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 10XXX or 101XXXX access codes. Alternative C may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched - Trunk Side Basic Serving Arrangement, including another Alternative C, in the same LATA.

3. Alternative D (BSA-D)

a. General

1. Alternative D is provided at Telephone Commission and office switches.

- Whether routed directly or via Telephone Company designated electronic access tandem switches, the end office or access tandem switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
- 3. The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where Alternative D switching is provided. When required by technical limitations, a separate trunk group will be established for each type of Alternative D switching arrangement provided. Different types of Alternative D or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 4. Alternative D switching is provided with inband multifrequency address signaling or out of band SS7 signaling. Up to 12 digits of the called number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the

Issued:

(AT)

AUG 1 5 1995

Effective:

SEP 1 5 1995 SEP 1 5 1995

Access Services Tariff
Section 6
2nd Revised Sheet 39.14
Replacing 1st Revised Sheet 39.14

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE-(Continued)

6.3 Basic Serving Arrangement Descriptions-(Continued) MAR 07 1994

6.3.2 Circuit Switched - Trunk Side BSA-(Continued) MISSOURI
Public Service Commission

- B. Alternative Trunk Side BSA Descriptions-(Continued)
 - Alternative C (BSA-C)-(Continued)
 - Terminating Alternative C (BSA-C)-(Continued)
 - 3. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 10XXX access codes. Alternative C may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched Trunk Side Basic Serving Arrangement, including another Alternative C, in the Fame LATA.
 - 3. Alternative D (BSA-D)
 - a. General
 - 1. Alternative D is provided at Telephone Company designated end office switches.

 NISSOUTH of the control of t
 - Whether routed directly or via Telephone Company designated electronic access tandem switches, the end office or access tandem switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
 - 3. The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where Alternative D switching is provided. When required by technical limitations, a separate trunk group will be established for each type of Alternative D switching arrangement provided. Different types of Alternative D or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

4. Alternative D switching is provided with inband multifrequency address signaling or out of band SS7 signaling. Up to 12 digits of the called number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the

(TA) (TA)

Issued: MAR 0 7 1994

Effective:

APR 0Public Service Commission

Access Services Tariff
Section 6
1st Revised Sheet 39.14
Replacing Original Sheet 39.14

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE-(Continued)

6.3 Basic Serving Arrangement Descriptions-(Continued)

OCT 04 1993

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MISSOURI
Public Service Commission

- B. Alternative Trunk Side BSA Descriptions-(Continued)
 - Alternative C (BSA-C)-(Continued)
 - c. Terminating Alternative C (BSA-C)-(Continued)

3. Calls in the terminating direction will not be completed to 950-XXXX access code, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 10XXX access codes. Alternative C may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched - Trunk Side Basic Serving Arrangement, including another Alternative Capital Same

LATA.

3. Alternative D (BSA-D)

a. General

APR 7 1994

y 2 md R.S. # 39.14

- 1. Alternative D is provided at TelephoRehimparyidesignated end office switches.

 MISSOURI
- Whether routed directly or via Telephone Company designated electronic access tandem switches, the end office or access tandem switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
- 3. The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where Alternative D switching is provided. When required by technical limitations, a separate trunk group will be established for each type of Alternative D switching arrangement provided. Different types of Alternative D or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 4. Alternative D switching is provided with multifrequency address signaling. Up to 12 digits of the called number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the

Issued: OCT 1 1 1993

Effective:

NOV 1 1 1993 MISSOURI
Public Service Commission



Access Services Tariff Section 6 Original Sheet 39.14

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)

RECEIVED

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MAR 29 1993

B. Alternative Trunk Side BSA Descriptions-(Continued)

MISSOURI Public Service Commission

- Alternative C (BSA-C)-(Continued)
 - c. Terminating Alternative C (BSA-C)-(Continued)
 - Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 10XXX access codes. Alternative C may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched - Trunk Side Basic Serving Arrangement, including another Alternative the same LATA.
- 3. Alternative D (BSA-D)
 - a. General

1. Alternative D is provided at Telephone Companic & office switches.

- 2. Whether routed directly or via Telephone Company designated electronic access tandem switches, the end office or access tandem switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
- The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where Alternative D switching is provided. When required by technical limitations, a separate trunk group will be established for each type of Alternative D switching arrangement provided. Different types of Alternative D or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- 4. Alternative D switching is provided with multifrequency address signaling. Up to 12 digits of the called number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the

Issued:

MAR 2 6 1993

Effective:

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

92 - 30 A MO. PUBLIC SERVICE COMM.

APR 11 1993

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 6th Revised Sheet 39.15 Replacing 5th Revised Sheet 39.15

K		
R	 -	
. `	•••	

Access Services Tariff
Section 6
5th Revised Sheet 39.15
Replacing 4th Revised Sheet 39.15

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
 - B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 3. Alternative D (BSA-D)-(Continued)
 - a. General
 - 4. (Continued)

Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

- b. Originating Alternative D (BSA-D)
 - 1. Originating Alternative D may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Operator Call Processing Service
 - ACIS
 - 2. The uniform access code for Alternative D switching is 101XXXX (where XXXX represents a unique three or four digit number for each access customer). This uniform code will be the assigned access number for all Alternative D Access Service provided to the customer by the Telephone Company. When the 101XXXX access codes are used, Alternative D switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the customer's premises. Alternative D Switched Access Service may be originated by using the 950-XXXX access code if the customer requests the FGD or BSA-D with 950 Access feature.
 - 3. When a customer changes an existing Alternative B to Alternative D in the same end office, end users (if facilities are available) may dial either the previous Alternative B access code or the new Alternative D access code for a maximum period of 90 days. This arrangement will be provided at the

Issued: September 21, 1998 Effective: October 21, 1998



(CT)

(CT)

Access Services Tariff
Section 6
4th Revised Sheet 39.15
Replacing 3rd Revised Sheet 39.15

ACCESS SERVICES

RECEIVED

- 6. SWITCHED ACCESS SERVICE (Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)

AUG 15 1995

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MO. PUBLIC SERVICE COMM.

- B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 3. Alternative D (BSA-D) (Continued)
 - a. General
 - 4. (Continued)

Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

- b. Originating Alternative D (BSA-D)
 - 1. Originating Alternative D may be utilized in conjugation with the following access services provided under CANC datas:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Operator Call Processing Service
 - ACIS

OCT 2 1 1998

By HACH3916

Public Service Commission
MISSOURI

- 2. The uniform access code for Alternative D switching is 10XXX or 101XXXX (where XXX or XXXX represents a unique three or four digit number for each access customer). This uniform code will be the assigned access number for all Alternative D Access Service provided to the customer by the Telephone Company. When the 10XXX or 101XXXX access codes are used, Alternative D switching also provides for dialing the digit O for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the customer's premises. Alternative D Switched Access Service may be originated by using the 950-XXXX access code if the customer requests the FGD or BSA-D with 950 Access feature.
- 3. When a customer changes an existing Alternative B to Alternative D in the same end office, end users (if facilities are available) may dial either the previous Alternative B access code or the new Alternative D access code for a maximum period of 90 days. This arrangement will be provided at the

SEP 1 5 1995

Issued: AUG 1 5 1995

(AT)

(AT)

Effective:

SEP 1 5ulss Service Commission

Access Services Tariff Section 6 3rd Revised Sheet 39.15 Replacing 2nd Revised Sheet 39.15

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 20 1995

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MO. PUBLIC SERVICE COMM.

- B. Alternative Trunk Side BSA Descriptions-(Continued)
 - Alternative D (BSA-D)-(Continued)
 - a. General
 - 4. (Continued)

Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

- b. Originating Alternative D (BSA-D)
 - Originating Alternative D may be utilized in conjugation with the following access services provided under the faithful tariff: SEP 151995 BY of Th. R.S. 39.15
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Operator Call Processing Service

2. The uniform access code for Alternative ublic Service Commission (where XXX represents a unique three digit number for access customer) access customer). This uniform code will be the assigned access number for all Alternative D Access Service provided to the customer by the Telephone Company. When the 10XXX access code is used, Alternative D switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the customer's premises. Alternative D Switched Access Service may be originated by using the 950-XXXX access code if the customer requests the FGD or BSA-D with 950 Access feature.

3. When a customer changes an existing Alternative B to Alternative D in the same end office, end users (if facilities are available) may dial either the previous Alternative B access code or the new Alternative D access code for a maximum period of 90 days. This arrangement will be provided at the

Issued: MAR 2 0 1995 Effective:

APR 2 0 1995APR 2 0 1995

By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri

MISSOURI Public Service Commission

(AT)

Access Services Tariff Section 6 2nd Revised Sheet 39.15 Replacing 1st Revised Sheet 39.15

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

6.3 Basic Serving Arrangement Descriptions-(Continued)

OCT 04 1993

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MISSOURI Public Service Commission

- **CANCELLED** B. Alternative Trunk Side BSA Descriptions-(Continued)
 - Alternative D (BSA-D)-(Continued)
 - General

APR 201995

Switched Access Service terminate Public Service Commission switched Access Service terminate Public Service Service will be subject to the ordinary transmission capabilities of the Local Transport provided.

- Originating Alternative D (BSA-D)
 - Originating Alternative D may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Operator Call Processing Service
 - The uniform access code for Alternative D switching is 10XXX (where XXX represents a unique three digit number for each access customer). This uniform code will be the assigned access number for all Alternative D Access Service provided to the customer by the Telephone Company. When the 10XXX access code is used, Alternative D switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the customer's premises. Alternative D Switched Access Service may be originated by using the 950-XXXX access code if the customer requests the FGD or BSA-D with 950 Access feature.

(CT)

When a customer changes an existing Alternative B to Alternative D in the same end office, end users (if facilities are available) may dial either the previous Alternativeaccess code or the new Alternative D access code for a maximum period of 90 days. This arrangement will be provided at the NOV 111993

OCT 1 1 1993 Issued:

Effective:

1 1 1993 MISSOURI

Access Services Tariff Section 6 1st Revised Sheet 39.15 Replacing Original Sheet 39.15

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 13 1993

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MO. PUBLIC SERVICE COMM.

B. Alternative Trunk Side BSA Descriptions-(Continued)

CANCELLED

Alternative D (BSA-D)-(Continued)

a. General

4. (Continued)

NON 11 JARZ

Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

- Originating Alternative D (BSA-D)
 - 1. Originating Alternative D may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Operator Call Processing Service
 - The uniform access code for Alternative D switching is 10XXX. (where XXX represents a unique three digit number for each access customer). This uniform code will be the assigned access number for all Alternative D Access Service provided to the customer by the Telephone Company. When the 10XXX access code is used, Alternative D switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the customer's premises. Alternative D Switched Access Service may be originated by using the 950-0XXX access code if the customer requests the FGD or BSA-D with 950 Access feature.
 - 3. When a customer changes an existing Alternative B to Alternative D in the same end office, end users (if facilities are available) may dial either the previous Alternative B access code or the new Alternative D access code for a maximum period of 90 days. This arrangement will be provided at the

Issued:

MAR 2 2 1993

Effective:

MAY - 1 1993

By A. D. ROBERTSON, Assistant Vice President-External Affair Southwestern Bell Telephone Company ONO. PUBLIC SERVICE COMM. St. Louis, Missouri

Access Services Tariff Section 6 Original Sheet 39.15

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 29 1993

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MISSOURI

- B. Alternative Trunk Side BSA Descriptions-(Continued) Public Service Commission
 - Alternative D (BSA-D)-(Continued)
 - General-(Continued)
 - 4. (Continued)

Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

- b. Originating Alternative D (BSA-D)
 - Originating Alternative D may be utilized in conjunction with the following access services provided under this tariffilED CANCELLED
 - WATS Access Line Service
 - 800 Access Service
 - 900 Access Service

MAY 1 1393#39.15 BY LOT R.S. 39.15

- 2. The uniform access code for Alternative D spinching is down.

 (where XXX represents a unique three digit number spinchers) access customer). This uniform code will be the assigned access number for all Alternative D Access Service provided to the customer by the Telephone Company. When the 10XXX access code is used, Alternative D switching also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit (#) for cut-through access to the customer's premises. Alternative D Switched Access Service may be originated by using the 950-0XXX access code if the customer requests the FGD or BSA-D With 950 Access feature.
- When a customer changes an existing Alternative B to Alternative D in the same end office, end users (if facilities are available) may dial either the previous Alternative B access code or the new Alternative D access code for a maximum period of 90 days. This arrangement will be provided at the

Issued:

MAR 2 6 1993

Effective:

APR 1 1 that


By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

APR 11 1993

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 5th Revised Sheet 39.16 Replacing 4th Revised Sheet 39.16



Access Services Tariff
Section 6
4th Revised Sheet 39.16
Replacing 3rd Revised Sheet 39.16

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
 - B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 3. Alternative D (BSA-D)-(Continued)
 - b. Originating Alternative D (BSA-D)-(Continued)
 - 3. (Continued)

customer's request where facilities are available. In addition, use of the Alternative B access code may continue from public coin, coinless and hotel classes of service until the customer requests otherwise. The customer must be prepared to differentiate between 950-XXXX calls and the other Alternative D calls on the same trunks by using the signaling described in Technical Reference TR-TSY-000064 LATA Switching System General Requirements for Feature Group D. All access minutes will be rated as Alternative D.

- 4. No access code is required for calls to a customer over Alternative D Switched Access Service (this includes MicroLink I Access Capability provided in conjunction with BSA-D) if the end user's telephone exchange service is arranged for presubscription to that customer, as specified in Section 13, Paragraph 13.3.3 (Easy Access Dialing). The customer's end user is not required to dial an access code for originating ACIS, 800 NPAS and 900 Access Service provided with
 Alternative D Switched Access Service and CIS, 800 NPAS and 900 Access Service
 - Alternative D Switched Access Service. ACIS, 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company.
- 5. Where no access code is required, the telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXXX, 0 or 1 + NPA + NXX-XXXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN. (IDDD provides the capability of switching international calls with service prefix and address codes having more digits than are capable of being switched through a standard end office equipped with Alternative D capability.)

Issued: March 20, 1995 Effective: April 20, 1995



(AT)

(AT)

Access Services Tariff
Section 6
3rd Revised Sheet 39.16
Replacing 2nd Revised Sheet 39.16

ACCECS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAY 24 1994

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MISSOURI

- B. Alternative Trunk Side BSA Descriptions-(Continued) Public Service Commission CANCELLED
 - Alternative D (BSA-D)-(Continued)
 - b. Originating Alternative D (BSA-D)-(Continued)

3. (Continued)

APR 201995

BY 4 R.S. #39.16

Public Service Commission

customer's request where facilities are available. MISSOURI addition, use of the Alternative B access code may continue from public coin, coinless and hotel classes of service until the customer requests otherwise. The customer must be prepared to differentiate between 950-XXXX calls and the other Alternative D calls on the same trunks by using the signaling described in Technical Reference TR-TSY-000064 LATA Switching System General Requirements for Feature Group D. All access minutes will be rated as Alternative D.

- 4. No access code is required for calls to a customer over Alternative D Switched Access Service (this includes MicroLink I Access Capability provided in conjunction with BSA-D) if the end user's telephone exchange service is arranged for presubscription to that customer, as specified in Section 13, Paragraph 13.3.3 (Easy Access Dialing). The customer's end user is not required to dial an access code for originating 800 NPAS and 900 Access Service provided with Alternative D Switched Access Service. 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company.
- by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDP), 101 + CC + NN or 011 + CC + NN. (IDDD provides the capability of switching international calls with service prefix and address codes having more digits than are capable of being switched through a standard end office equipped with Alternative D capability.)

 Public Service Commission

Issued: MAY 2 4 1994

Effective:

(AT) (AT)

Access Services Tariff Section 6 2nd Revised Sheet 39.16

Replacing 1st Revised Sheet 39.16

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

OCT 04 1993

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MISSOURI Public Service Commission CANCELLED

B. Alternative Trunk Side BSA Descriptions-(Continued)

Alternative D (BSA-D)-(Continued)

- Originating Alternative D (BSA-D)-(Continued)
 - 3. (Continued)

customer's request where facilities are apable of MISSOURI addition, use of the Alternative B access code may continue from public coin, coinless and hotel classes of come. the customer requests otherwise. The customer must be prepared to differentiate between 950-XXXX calls and the other Alternative D calls on the same trunks by using the signaling described in Technical Reference TR-TSY-000064 LATA Switching System General Requirements for Feature Group D. All access minutes will be rated as Alternative D.

- No access code is required for calls to a customer over Alternative D Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer, as specified in Section 13, Paragraph 13.3.3 (Easy Access Dialing). The customer's end user is not required to dial an access code for originating 800 NPAS and 900 Access Service provided with Alternative D Switched Access Service. 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company.
- Where no access code is required, the telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01 + CC + NN or O11 + CC + NN. (IDDD provides the capability of switching international calls with service prefix and address codes having more digits than are capable of being switched through a standard end office equipped with Alternativ capability.)

NOV 111993

Issued: OCT 1 1 1993

Effective:

1 1993 MISSOURI

(CT)

Access Services Tariff
Section 6
1st Revised Sheet 39.16
Replacing Original Sheet 39.16

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

6.3 Basic Serving Arrangement Descriptions-(Continued)

RECEIVED

MAR 13 1993

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

B. Alternative Trunk Side BSA Descriptions-(Continued)

MO. PUBLIC CERVICE COMM.

Alternative D (BSA-D)-(Continued)

CANCELLED

NOV 11 1993

- b. Originating Alternative D (BSA-D)-(Continued)
 - (Continued)

customer's request where facilities are available commission addition, use of the Alternative B access Public approache from public coin, coinless and hotel classes of service until the customer requests otherwise. The customer must be prepared to differentiate between 950-0XXX and 950-1XXX calls and the other Alternative D calls on the same trunks by using the signaling described in Technical Reference TR-TSY-000064 LATA Switching System General Requirements for Feature Group D. All access minutes will be rated as Alternative D.

- 4. No access code is required for calls to a customer over Alternative D Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer, as specified in Section 13, Paragraph 13.3.3 (Easy Access Dialing). The customer's end user is not required to dial an access code for originating 800 NPAS and 900 Access Service provided with Alternative D Switched Access Service. 800 NPAS and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company.
- 5. Where no access code is required, the telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN. (IDDD provides the capability of switching international calls with service prefix and address codes having more digits than are capable of being switched through a standard end office equipped with Alternative D capability.)

MAY 0 1 1993

Issued: MAR 2 2 1993

Effective: MAY - 1 1993

MO. PUBLIC SERVICE COMM.

(AT)

(AT)

Access Services Tariff Section 6 Original Sheet 39.16

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)

RECEIVED

MAR 29 1993

- 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
- B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 3. Alternative D (BSA-D)-(Continued)
 - Originating Alternative D (BSA-D)-(Continued)
 - (Continued)

MISSOURI Public Service Commission CANUE

MAY 1 1993

customer's request where facilities are available Service Commission addition, use of the Alternative B access code may commission from public soin from public coin, coinless and hotel classes of service until the customer requests otherwise. The customer must be prepared to differentiate between 950-0XXX and 950-1XXX calls and the other Alternative D calls on the same trunks by using the signaling described in Technical Reference TR-TSY-000064 LATA Switching System General Requirements for Feature Group D. All access minutes will be rated as Alternative D.

- No access code is required for calls to a customer over Alternative D Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer, as specified in Section 13, Paragraph 13.3.3 (Easy Access Dialing). The customer's end user is not required to dial an access code for originating 800 and 900 Access Service provided with Alternative D Switched Access Service. 800 and 900 Access Service calls dialed with an access code will be blocked by the Telephone Company.
- 5. Where no access code is required, the telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01 + CC + NN or Oll + CC + NN. (IDDD provides the capability of switching international calls with service prefix and address codes having more digits than are capable of being switched through a standard end office equipped with Alternative D capability.)

Issued:

MAR 2 6 1993

Effective:

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

APR 11 1993 92-304

MO. PUBLIC SERVICE COMM.

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 5th Revised Sheet 39.17 Replacing 4th Revised Sheet 39.17

K		
R	 T)	
. `	•••	

Access Services Tariff
Section 6
4th Revised Sheet 39.17
Replacing 3rd Revised Sheet 39.17

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
 - B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 3. Alternative D (BSA-D)-(Continued)
 - c. Terminating Alternative D (BSA-D)-(Continued)
 - 1. Terminating Alternative D may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Directory Assistance
 - Operator Call Processing Service
 - ACIS
 - 2. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes, as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative D switching is combined with Directory Assistance switching.
 - 3. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service, service code 911 or 101XXXX access codes. Alternative D may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched Trunk Side Basic Serving Arrangement, including another Alternative D, in the same LATA.

Issued: September 21, 1998 Effective: October 21, 1998



(CT)

Access Services Tariff
Section 6
3rd Revised Sheet 39.17
Replacing 2nd Revised Sheet 39.17

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE-(Continued)

AUG 15 1995

- 6.3 Basic Serving Arrangement Descriptions-(Continued)
- 6.3.2 Circuit Switched Trunk Side BSA-(Continued)

MO. PUBLIC SERVICE COMM.

- B. Alternative Trunk Side BSA Descriptions-(Continued)
 - 3. Alternative D (BSA-D) (Continued)
 - c. Terminating Alternative D (BSA-D) (Continued)
 - 1. Terminating Alternative D may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Directory Assistance
 - Operator Call Processing Service
 - ACIS
 - 2. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes, as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative D switching is combined with Directory Assistance switching.
 - 3. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service, service code 911 or 10XXX or 101XXXX access codes. Alternative D may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched - Trunk Side Basic Serving Arrangement, including another Alternative D, in the same LATA.

CANCELLED

OCT 2 1 1998

By HARS#39.17

Public Service Commission

FILED

SEP 1 5 1995

Issued:

(AT)

AUG 1 5 1995

Effective:

SEP 1 5 1995 IISSOURI

Access Services Tariff
Section 6
2nd Revised Sheet 39.17
Replacing 1st Revised Sheet 39.17

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 20 1995

- 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
- B. Alternative Trunk Side BSA Descriptions-(Continued) MO.PUBLICSERVICECOMM.
 - Alternative D (BSA-D)-(Continued)
 - Terminating Alternative D (BSA-D)-(Continued)
 - 1. Terminating Alternative D may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Directory Assistance
 - Operator Call Processing Service
 - ACIS
 - 2. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes, as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative D switching is combined with Directory Assistance switching.
 - 3. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 10XXX access codes. Alternative D may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched Trunk Side Basic Serving Arrangement, including to other Alternative D, in the same LATA.

SEP 151995
SEP 151995
SEP 151995
Service Commission
Service OURI

FILED

APR 201995

MISSOURI Public Service Commission

Issued: MAR 2 0 1995

Effective: APR 2 0 1995

By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri

(AT)

(CT)

Access Services Tariff
Section 6
1st Revised Sheet 39.17
Replacing Original Sheet 39.17

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.3 Basic Serving Arrangement Descriptions-(Continued)

RECEIVED

6.3.2 Circuit Switched - Trunk Side BSA-(Continued)

MAR 13 1993

B. Alternative Trunk Side BSA Descriptions-(Continued)

MO. PUBLIC CERVICE COMMI.

- Alternative D (BSA-D)-(Continued)
 - Terminating Alternative D (BSA-D)-(Continued)
 - 1. Terminating Alternative D may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 NPAS
 - 900 Access Service
 - Directory Assistance
 - Operator Call Processing Service
 - 2. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes, as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative D switching is combined with Directory Assistance switching.
 - 3. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 10XXX access codes. Alternative D may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched Trunk Side Basic Serving Arrangement, including another Alternative D, in the same LATA.

APR 201995

BY AR. S. 39.7

Public Service Commission

MISSOURI

FILED

Issued: MAR 2 2 1993

Effective: MAY - 1 1993

[JAY 0 11993

Access Services Tariff Section 6 Original Sheet 39.17

ACCESS SERVICES

- SWITCHED ACCESS SERVICE-(Continued)
- 6.3 Basic Serving Arrangement Descriptions-(Continued)

RECEIVED

MAR 29 1993

- 6.3.2 Circuit Switched Trunk Side BSA-(Continued)
- B. Alternative Trunk Side BSA Descriptions-(Continued) MISSOURI Public Service Commission
 - Alternative D (BSA-D)-(Continued)
 - c. Terminating Alternative D (BSA-D)
 - Terminating Alternative D may be utilized in conjunction with the following access services provided under this tariff:
 - WATS Access Line Service
 - 800 Access Service
 - 900 Access Service
 - Directory Assistance
 - Operator Call Processing Service

CANCELLED

MAY 1 1993 BY lot R.S. # 39.17

Public Service Commission

- 2. When directly routed to an end office, only those Salid NXX codes served by that office may be accessed. When routed through an access tandem, only those valid NXX codes served by offices subtending the access tandem may be accessed. Calls will also be completed to time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes, as well as to Directory Assistance (NPA-555-1212 or 555-1212) when Alternative D switching is combined with Directory Assistance switching.
- 3. Calls in the terminating direction will not be completed to 950-0XXX or 950-1XXX access codes, local operator assistance (0- and 0+), Directory Assistance (411), exchange telephone repair service or service code 911 or 10XXX access codes. Alternative D may not be switched to access FGB, FGC, FGD or another Alternative of the Circuit Switched - Trunk Side Basic Serving Arrangement, including another Alternative D, in the same LATA.

FILED

APR 11 1993 92 - 30 4 MO. PUBLIC SERVICE COMM.

Issued:

MAR 2 6 1993

Effective:

APR 1 1 1993

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 2nd Revised Sheet 39.18 Replacing 1st Revised Sheet 39.18

K		
R	 T)	
. `	•••	

Access Services Tariff
Section 6
1st Revised Sheet 39.18
Replacing Original Sheet 39.18

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.3 Dedicated Network Access Link (DNAL) BSA

A. General

- 1. DNAL BSA is provided in connection with Telephone Company electronic end offices where facilities permit.
- 2. DNAL BSA provides network access in the form of a dedicated two-wire channel using metallic or equivalent facilities and is capable of transmitting varying signals at transmission speeds of up to 30 baud.
- 3. DNAL BSA is only provided in conjunction with a line side or trunk side BSA to provide a separate link for transmitting signaling or control information required in the use of certain BSEs.
- 4. DNAL BSA is provided between the customer's designated premises and a Telephone Company switch. Interoffice DNAL mileage is limited in length to five miles.
- 5. DNAL BSA is subject to DNAL termination and DNAL Mileage as set forth in Paragraph 6.1.2, preceding.
- 6. DNAL is available with the technical specifications package MT-1 as set forth in Technical Reference TR-NPL-000336.
- 7. DNAL may be used in conjunction with the following BSEs provided under this tariff:
 - Remote Make Busy
 - Remote Make Busy Trunk Side
- 8. There are no features available with DNAL.

Issued: June 3, 1994 Effective: July 3, 1994



(RT)(CT)

Access Services Tariff Section 6 Original Sheet 39.18

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

MAR 29 1993

6.3 Basic Serving Arrangement Descriptions-(Continued)

6.3.3 Dedicated Network Access Link (DNAL) BSA

MISSOURI **Public Service Commission**

A. General

- 1. DNAL BSA is provided in connection with Telephone Company electronic end offices where facilities permit.
- DNAL BSA provides network access in the form of a dedicated two-wire channel using metallic or equivalent facilities and is capable of transmitting varying signals at transmission speeds of up to 30 baud.
- DNAL BSA is only provided in conjunction with a line side or trunk side BSA to provide a separate link for transmitting signaling or control information required in the use of certain BSEs.
- 4. DNAL BSA is provided between the customer's designated premises and a Telephone Company end office switch. The distance between the customer's designated premises and that end office switch is limited in length to five miles.
- 5. DNAL BSA is subject to DNAL termination and DNAL Mileage as set forth in Paragraph 6.1.2, preceding.
- 6. DNAL is available with the technical specifications package MT-1 as set forth in Technical Reference TR-NPL-000336.
- 7. DNAL may be used in conjunction with the following BSEs provided under this tariff: CANCELLED

- Remote Make Busy

- Remote Make Busy - Trunk Side

8. There are no features available with DNAL.

JUL 31994

BY let R.S. # 39.18 Public Service Commission

MISSOURI

FII FD

APR 11 1993 92 - 304

MO. PUBLIC SERVICE COMM.

Issued:


MAR 2 6 1993

Effective:

APR 1 1 1993

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 1st Revised Sheet 39.19 Replacing Original Sheet 39.19



Access Services Tariff Section 6 Original Sheet 39.19

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.4 Basic Serving Arrangement Features

There are various features available with the Basic Serving Arrangements. These features are provided as Local Transport and Local Switching (i.e., common switching, transport termination or line termination) features.

Certain other features which may be available in connection with Basic Serving Arrangements are provided under the Telephone Company's local or General Exchange service tariffs. These are:

- Custom Calling features (BSA-A)
- Billed Number Screening (BSA-A and BSA-B)
- IntraLATA Extensions (BSA-A)
- TeleBranch^R (BSA-A)

Following are matrices identifying the Basic Serving Arrangements and the Local Transport and Local Switching features available with each BSA. Descriptions of the features are set forth in Paragraphs 6.1.2, A.2, 6.4.1, 6.4.2, 6.4.3 and 6.4.4, following.

Issued: March 26, 1993 Effective: April 11, 1993



P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 3rd Revised Sheet 39.20 Replacing 2nd Revised Sheet 39.20



Access Services Tariff
Section 6
4th Revised Sheet 39.20
Replacing 3rd Revised Sheet 39.20

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

6.3 Basic Serving Arrangement Descriptions-(Continued)

6.3.4 Basic Serving Arrangement Features-(Continued)

Missouri Public Sorvico Commission

AFCID JUL 2 5 1999

A. Lo	cal Switchin	g - Common	Switching	Features
-------	--------------	------------	-----------	----------

		c c	Available Basic Serving Arrang Line Side Trunk Side			
			A	<u>B</u> _	<u>C</u> _	<u>D</u> _
		Automated Number Identification (ANI) Band Advance Arrangement for use with		X	X	
		WATS Access Line Service	X	X	X	X
	3.	Call Denial on Line or Hunt Group	X			
	4.	Carrier Identification Code		X		X
(FC)(AT)	5.	Carrier Identification Code Parameter (CIP)				X
	6.	Cut-Through				X
	7.	Delay Dial Start-Pulsing Signaling			X	
ì	8.	Dial Pulse Address Signaling			X	
	9.	End Office End User Line Service				
		Screening for use with WATS Access				
1		Line Service			X	X
	10.	FGD or BSA-D With 950 Access				X
	11.	Hunt Group Arrangement for use with				
		WATS Access Line Service	X	X	X	X
	12.	Immediate Dial Pulse Address Signaling		X	X	
ļ	13.	International Carrier Feature				X
	14.	Nonhunting Number for use with Hunt				
		Group Arrangement or Uniform Call				
		Distribution Arrangement for use with				
j		WATS Access Line Service	X	X	X	X
	15.	Overlap Outpulsing				X
l	16.	Service Class Routing			X	X
	17.	Service Code Denial on Line or Hunt Group	X			
	18.	Trunk Access Limitation			X	X
	19.	Uniform Call Distribution Arrangement				
		for use with WATS Access Line Service	X	X	X	X
	20.	Up to 7 Digit Outpulsing of Access				
ļ		Digits to Customer		X		
	21.	Wink Start Address Signaling		X	X	X
(AT)	22.	Calling Party Number (CPN) Parameter				X
	23.	Carrier Selection Parameter (CSP)	D. Allman and Mill	م الله الله الله الله الله الله الله الل		X
	24.	Multifrequency Signaling	Missouri P Sorvi c o Com		to a p	X
	25.		and the second of the second o			X
l	26.	64 Clear Channel Capability (64 CCC)	引引,406多。	1000		X
(FC)		Multiple 64 Clear Channel Capability (64 CCC)	FILL MODIA (. 1335	•	X
*						

Issued:

JULY 27, 1999

Effective:

AUGUST 26, 1999



Access Services Tariff
Section 6
3rd Revised Sheet 39.20
Replacing 2nd Revised Sheet 39.20

Available Basic Serving Arrangements

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE-(Continued)

6.3 Basic Serving Arrangement Descriptions-(Continued)

AUG 15 1995

6.3.4 Basic Serving Arrangement Features - (Continued)

A. Local Switching - Common Switching Features

MO. PUBLIC SERVICE COMM.

	1	Line Side Tr		ink Sid	đe
	<u></u>	<u> </u>	В	C	D
1.	Automated Number Identification (ANI)		X	X	
2.	Band Advance Arrangement for use with				
	WATS Access Line Service	X	X	Х	Х
3.	Call Denial on Line or Hunt Group	X			
4.	Carrier Identification Code		X		X
5.	Cut-Through				x
6.	Delay Dial Start-Pulsing Signaling			Х	
7.	Dial Pulse Address Signaling			Х	
8.	End Office End User Line Service				
	Screening for use with WATS Access				
	Line Service			Х	x
9.	FGD or BSA-D With 950 Access				x
10.	Hunt Group Arrangement for use with				
	WATS Access Line Service	X	X	X	х
11.	Immediate Dial Pulse Address Signaling		X	X	
12.	International Carrier Feature				x
13.	Nonhunting Number for use with Hunt				
	Group Arrangement or Uniform Call				
	Distribution Arrangement for use with				
	WATS Access Line Service	Х	Х	X	x
14.	Overlap Outpulsing				X
15.	Service Class Routing			Х	x
16.	Service Code Denial on Line or Hunt Grou	p X			
17.	Trunk Access Limitation			Х	X
18.	Uniform Call Distribution Arrangement				
	for use with WATS Access Line Service	X	X	X	x
19.	Up to 7 Digit Outpulsing of Access				
	Digits to Customer		x		
20.	Wink Start Address Signaling		X	X	x
22.	Carrier Selection Parameter (CSP)				X
23.	Multifrequency Signaling				X
24.	Signaling System 7 (SS7) Signaling				x
25.	Signaling (SS7) Signaling (64 CCC)				X
26.	Multiple 64 Clear Channel Capability (64	CCC)			Х
	AUG 2 6 1999				
	774 60 1333				

By Y RS # 39, 20 Fublic Service Commission MISAUCIPI 5 1995

(RT)

Effective:

SEP 15 190

ILED

By HORACE WILKINS, JR., President-Missouri Southwestern Bell Telephone St. Louis, Missouri

SEP 1 5 1995

Access Services Tariff
Section 6
2nd Revised Sheet 39.20
Replacing 1st Revised Sheet 39.20

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

OCT 17 1994

6.3 Basic Serving Arrangement Descriptions-(Continued)

MO. PUBLIC SERVICE COMM.

6.3.4 Basic Serving Arrangement Features-(Continued)

A. Local Switching - Common Switching Features

		able Basic Line Side		Arra: nk Sid	
		A	В	C	D
					
1.	Automated Number Identiacation (ANI)		X	X	
2.	Band Advance Arrangement for use with				
	WATS Access Line Service	X	X	X	X
3.	Call Denial on Line or Hunt Group	X			
4.	Carrier Identification Code		X		X
5.	Cut-Through				X
6.	Delay Dial Start-Pulsing Signaling			X	
7.	Dial Pulse Address Signaling	. •	NCELLET) X	
8.	End Office End User Line Service	CA)	MOELLL		
	Screening for use with WATS Access	•			
	Line Service		. = 10	15X	X _
9.	FGD or BSA-D With 950 Access	S	:b 1912	# 30	}. %
10.	Hunt Group Arrangement for use with	3	WARS	(Sion
	WATS Access Line Service	X	S' X'	SINKING	Sign
11.	Immediate Dial Pulse Address Signaling	BA-	Service	IRIX	
12.	International Carrier Feature	bapuc,	MISSOL	,, .	X
13.	Nonhunting Number for use with Hunt	Public ?			
	Group Arrangement or Uniform Call				
	Distribution Arrangement for use with				
	WATS Access Line Service	X	X	Х	Х
14.	Overlap Outpulsing				X
15.	Service Class Routing			X	Х
16.	Service Code Denial on Line or Hunt Grou	р Х			
17.	Trunk Access Limitation			X	Х
18.	Uniform Call Distribution Arrangement				
	for use with WATS Access Line Service	X	X	X	X
19.	Up to 7 Digit Outpulsing of Access				
	Digits to Customer		X		
20.	Wink Start Address Signaling		X	Х	Х
21.	Calling Party Number (CPN) Parameter				X
22.	Carrier Selection Parameter (CSP)				
23.	Multifrequency Signaling				X LLL
24.	Signaling System 7 (SS7) Signaling				X
25.	64 Clear Channel Capability (64 CCC)				KINV 24 1994
26.	Multiple 64 Clear Channel Capability (64	+ CCC)			XIO # W - 104

Issued: 007 1 7 1994

(TA) (TA)

MISSOURI Effective: Was a specific Service Commission

(TA)

(TA)

Access Services Tariff
Section 6
1st Revised Sheet 39.20
Replacing Original Sheet 39.20

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE-(Continued)

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 07 1994

6.3.4 Basic Serving Arrangement Features-(Continued) Public Service Commission

A. Local Switching - Common Switching Features

				Basi Side			Arran nk Sid	gements e
			I			В	C	<u>D</u>
1. 2.	Automated Number Identification (AN Band Advance Arrangement for use wi	- i-				X	X	
3.	WATS Access Line Service Call Denial on Line or Hunt Group	tn Pul	}	ζ ζ		X	X	X
4.	Carrier Identification Code			1	IEN	X		X
5.	Cut-Through		c١	NCE	LLL			X
6.	Delay Dial Start-Pulsing Signaling		Ur	/1.			X	
7.	Dial Pulse Address Signaling				.00	٨	Х	
8.	End Office End User Line Service			01 2	<i>\\</i>	4 H	19.3	NO.
	Screening for use with WATS Access		L.	Ma.	AR C	ς	<i>> 1</i>	
	Line Service			7 ~		mmi	SIMI	X
9.	FGD or BSA-D With 950 Access	7	-145	CON	Ce Cu	<u>عا</u> ،		Х
10.	Hunt Group Arrangement for use with	ווש	0//G	Servi	ຣູຣູດບ		**	77
4.4	WATS Access Line Service	,	X	13.	X		X	X
11.	Immediate Dial Pulse Address Signal	.ing			Х		Х	Х
12.	International Carrier Feature							Λ
13.	Nonhunting Number for use with Hunt							
	Group Arrangement or Uniform Call							
	Distribution Arrangement for use wi	l (n	17		У	,	Х	Х
1.6	WATS Access Line Service		X		2	١	Λ	X
14. 15.	Overlap Outpulsing						X	X
16.	Service Class Routing		v				Λ	Λ
17.	Service Code Denial on Line or Hunt	Group	X				Х	Х
18.	Trunk Access Limitation						Λ	Λ
10.	Uniform Call Distribution Arrangement for use with WATS Access Line Servi		X		•	ζ	Х	Х
19.		rce	Λ		4	,	Λ	Λ
19.	Up to 7 Digit Outpulsing of Access				,	ζ		
20.	Digits to Customer Wink Start Address Signaling					X Z	x	X
21.	Calling Party Number (CPN) Paramete	ar			•	Λ.	A	X
22.		ÇΙ						' x
23.	• /							_(x, / / /
24.	Signaling System 7 (SS7) Signaling						- u	X
27,	organizing by tem / (bb// biginaling					i	APR	7 1994

Issued: MAR 0 7 1994 Effective: APR 0 7

Access Services Tariff Section 6 Original Sheet 39.20

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 29 1993

6.3.4 Basic Serving Arrangement Features-(Continued)

MISSOUR

A. Local Switching - Common Switching Features

Public Service Commission

		Available	Basic	Serving	Arra	ngements
		Line	Side	Trun	k Si	de
			A	В	С	D
1.	Automated Number Identification (Al	NI)		X	X	
2.	Band Advance Arrangement for use w					
	WATS Access Line Service		X	X	X	Х
3.	Call Denial on Line or Hunt Group		X			
4.	Carrier Identification Code			. Х		X
5.	Cut-Through	Ω.Λ.	MODIL	ED		Х
6.	Delay Dial Start-Pulsing Signaling	UA	NCELL	. L D	X	
7.	Dial Pulse Address Signaling				X	
8.	End Office End User Line Service					
	Screening for use with WATS Access	AΡI	R 7 19	994		
	Line Service		, 00	# 76.20	X	X
9.	FGD or BSA-D With 950 Access	BY LA	<u> </u>	39.20		X
10.	Hunt Group Arrangement for use with	h P ublic Set	AICE OF	111111111111111111111111111111111111111	1	
	WATS Access Line Service	ix	ussou	$RI_{\mathbf{X}}$	X	X
11.	Immediate Dial Pulse Address Signa	ling		X	X	
12.	International Carrier Feature	-				X
13.	Nonhunting Number for use with Hun	t				
	Group Arrangement or Uniform Call					
	Distribution Arrangement for use w	ith				
	WATS Access Line Service	X		X	X	X
14.	Overlap Outpulsing					X
15.	Service Class Routing				X	X
16.	Service Code Denial on Line or Hun	t Group X	ζ			
17.	Trunk Access Limitation	_			X	X
18.	Uniform Call Distribution Arrangem	ent				
	for use with WATS Access Line Serv			X	X	X
19.	Up to 7 Digit Outpulsing of Access					
	Digits to Customer			X		
20.	Wink Start Address Signaling			X	X	X

FILED

APR 11 1995 92 - 3 0 4 MO. PUBLIC SERVICE CO

Issued:


MAR 2 6 1993

Effective:

APR 1 1 1993

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 1st Revised Sheet 39.21 Replacing Original Sheet 39.21



Access Services Tariff Section 6 Original Sheet 39.21

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.4 Basic Serving Arrangement Features-(Continued)
 - B. Local Switching Transport Termination Features Trunk Side Terminations

		A١	ailable Basic Se	e Basic Serving Arrangement					
			Line Side	Tru	le				
		<u> </u>	A	В	C	D			
1.	Dial Pulse Station Signaling			X					
2.	Operator Trunk - Coin, Non-Coin,								
	or Combined Coin and Non-Coin				X				
3.	Operator Trunk - Full Feature					X			

C. Local Switching - Line Termination Features (Per WATS Access Line)

Two-Way Operation:

- 1. Dial Pulse Address Signaling with Ground Start Supervisory Signaling
- 2. Dial Pulse Address Signaling with Loop Start Supervisory Signaling
- 3. Dual Tone Multifrequency Address Signaling with Ground Start Supervisory Signaling.

Originating Operation:

- 1. Dial Pulse Address Signaling with Ground Start Supervisory Signaling
- 2. Dial Pulse Address Signaling with Loop Start Supervisory Signaling
- 3. Dual Tone Multifrequency Address Signaling with Ground Start Supervisory Signaling
- 4. Dual Tone Multifrequency Address Signaling with Loop Start Supervisory Signaling

Terminating Operation:


- 1. Ground Start Supervisory Signaling
- 2. Loop Start Supervisory Signaling

Issued: March 26, 1993 Effective: April 11, 1993



P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 1st Revised Sheet 39.22 Replacing Original Sheet 39.22



Access Services Tariff Section 6 Original Sheet 39.22

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.4 Basic Serving Arrangement Features-(Continued)
 - D. Local Switching Transport Termination Features Line Side Terminations


Dial Pulse Address Signaling with Ground Start Supervisory Signaling X Dial Pulse Address Signaling with Loop Start Supervisory Signaling X Dual Tone Multifrequency Address Signaling with Ground Start Supervisory Signaling with Ground Start Supervisory			Available Basic S Line Side	_	Arrangements ink Side
Ground Start Supervisory Signaling X 2. Dial Pulse Address Signaling with Loop Start Supervisory Signaling X 3. Dual Tone Multifrequency Address			<u>.</u> A	В	C D
 2. Dial Pulse Address Signaling with Loop Start Supervisory Signaling 3. Dual Tone Multifrequency Address 	1.		V		
3. Dual Tone Multifrequency Address	2.	Dial Pulse Address Signaling with Loop			
Signamig with Ground Start Supervisory	3.		X		
Signaling X 4. Dual Tone Multifrequency Address Signaling with Loop Start Supervisory	4.	Signaling Dual Tone Multifrequency Address	X		
Signaling X			X		
Originating Operation:	Or	riginating Operation:			
 Ground Start Supervisory Signaling Loop Start Supervisory Signaling X 					
Terminating Operation:					
1. Dial Pulse Address Signaling with Ground	1.	0 0			
Start Supervisory Signaling X 2. Dial Pulse Address Signaling with Loop	2.	Dial Pulse Address Signaling with Loop	X		
Start Supervisory Signaling X 3. Dual Tone Multifrequency Address	3.	1 , 5	X		
Signaling with Ground Start Supervisory Signaling X			X		
4. Dual Tone Multifrequency Address Signaling with Loop Start Supervisory	4.	Dual Tone Multifrequency Address			
Signaling X			X		

Issued: March 26, 1993 Effective: April 11, 1993



P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 1st Revised Sheet 39.23 Replacing Original Sheet 39.23



Access Services Tariff Section 6 Original Sheet 39.23

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.4 Basic Serving Arrangement Features-(Continued)
 - E. Local Transport Features

		Available Basic S	erving A	rrange	ements
		Line Side	Tru	nk Sid	le
		. A	В	C	D
1.	Customer Specified Entry				
	Switch Receive Level	X	X	X	X
2.	Customer Specification of Local				
	Transport Termination		X		
3.	Supervisory Signaling				
	- DX Supervisory Signaling		X	X	X
	- SF Supervisory Signaling	X	X	X	X
	- E&M Type I Supervisory Signaling		X	X	X
	- E&M Type II Supervisory Signaling		X	X	X
	- E&M Type III Supervisory Signaling			X	X

6.3.5 Service Provisioning

A. Design and Traffic Routing of Basic Serving Arrangements

When ordering line side or trunk side Switched Access Service BSAs, the customer may specify routing to be direct to a suitably equipped end office or routing to be through an access tandem switch. The customer is required to specify whether the service should be provided by originating only, terminating only or two-way lines or trunks.

For Circuit Switched - Line Side and Circuit Switched - Trunk Side Alternative B, the line or trunk directionality and traffic routing of the BSA between the customer's premises and the entry switch are determined by the customer's order for service. The Telephone Company will compare the customers' requests with their own traffic routing plan and available facilities and equipment to determine whether the customer's request can be met. The Telephone Company is responsible for selection of facilities from the interface to any switching point and to the end offices where capacity is ordered. The Telephone Company will also decide whether trunk side access will be provided through the use of two-wire or four-wire trunk terminating equipment. For Circuit Switched - Trunk Side Alternative B, the customer may order the Customer Specification of Local Transport Termination Feature.


Effective: April 11, 1993



Issued: March 26, 1993

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 1st Revised Sheet 39.24 Replacing Original Sheet 39.24



Access Services Tariff Section 6 Original Sheet 39.24

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.5 Service Provisioning-(Continued)
 - A. Design and Traffic Routing of Basic Serving Arrangements-(Continued)

Selection of facilities and equipment and traffic routing of the service are based on standard engineering methods, available facilities and equipment, and the Telephone Company traffic routing plans. If the customer desires routing or directionality different from that determined by the Telephone Company, the Telephone Company will work cooperatively with the customer in determining whether the services is to be routed directly to an end office or through an access tandem switch and the directionality of the service.

B. Transmission Specifications

Each line side and trunk side Switched Access Basic Serving Arrangement transmission path is provided with standard transmission specifications. Transmission specifications for the DNAL BSA are set forth in Technical Reference TR-NPL-000336. For the line side or trunk side BSAs and for the Feature Groups, there are three different standard specifications (Types A, B, and C). The standard for a particular transmission path is dependent on the BSA, the interface group and whether the service is directly routed or routed via an access tandem. For example, interface Group 1 is provided with Type C and interface groups 2 through 10 are provided with Type A or B transmission specifications. Data transmission parameters are also provided with each BSA transmission path. Upon notification by the customer that the data parameters set are not being met, the Telephone Company will conduct tests independently or in cooperation with the customer, and take any necessary action to insure that the data parameters are met.

For line side and trunk side BSAs, transmission specifications are specified in Technical Reference TR-NPL-000334 in terms of (1) acceptance and immediate action limits for the five voice parameters and (2) immediate action limits for the data parameters. In addition, maintenance limits for the voice parameters of Circuit Switched - Trunk Side Alternatives B, C and D are specified in Southwestern Bell Telephone Company Technical Reference PUB 76500.

Issued: March 26, 1993 Effective: April 11, 1993



P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 1st Revised Sheet 39.25 Replacing Original Sheet 39.25



Access Services Tariff Section 6 Original Sheet 39.25

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.5 Service Provisioning-(Continued)
 - B. Transmission Specifications-(Continued)

The specific applications in terms of the BSAs and the interface groups with which the BSA standard transmission performances are provided are described below.

1. Circuit Switched - Line Side

Circuit Switched - Line Side is provided with either Type B or Type C transmission specifications. The specifications for the associated parameters are guaranteed to the first point of switching except when optional extensions are provided. Type C transmission specifications are provided with interface group 1 and Type B is provided with interface groups 2 through 10.

Type DB data transmission parameters are provided with Circuit Switched - Line Side to the first point of switching.

- 2. Circuit Switched Trunk Side
 - a. Alternative B

Circuit Switched - Trunk Side Alternative B is provided with either Type B or Type C transmission specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly, or to the first point of switching when routed via an access tandem. Type C transmission specifications are provided with interface group 1 and Type B is provided with interface groups 2 through 10.

Type DB data transmission parameters are provided with Circuit Switched - Trunk Side Alternative B to the first point of switching.

Effective: April 11, 1993



P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 1st Revised Sheet 39.26 Replacing Original Sheet 39.26



Access Services Tariff Section 6 Original Sheet 39.26

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.5 Service Provisioning-(Continued)
 - B. Transmission Specifications-(Continued)
 - 2. Circuit Switched Trunk Side-(Continued)
 - b. Alternative C

When BSA-C is routed directly to the end office, either Type B or Type C transmission specifications are provided. When BSA-C is routed via an access tandem, only Type B is provided. Type B transmission specifications are provided with interface groups 2 through 10 whether routed directly to an end office or to an access tandem. Type C transmission specifications are provided with interface group 1 when routed directly to an end office. Type B or Type C transmission specifications are provided on the transmission path from the access tandem to the end office.

Type DB data transmission parameters are provided for the transmission path from the customer's premises to the end office when routed directly to the end office. Type DB data transmission parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office when routed via an access tandem.

c. Alternative D

When BSA-D is routed directly to the end office, either Type B or Type C transmission specifications are provided. When BSA-D is routed via an access tandem, only Type A is provided. Type A and B transmission specifications are provided with interface groups 2 through 10. Type C transmission specifications are provided with interface group 1. Type A transmission specifications are provided on the transmission path from the access tandem to the end office.

Type DA data transmission parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office. Type DB data transmission parameters are provided for the transmission path between the customer's premises and the end office when directly routed to the end office.

Issued: March 26, 1993 Effective: April 11, 1993

.



P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 1st Revised Sheet 39.27 Replacing Original Sheet 39.27



St. Louis, Missouri

Access Services Tariff Section 6 Original Sheet 39.27

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

- 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.5 Service Provisioning-(Continued)
 - C. Testing Capabilities

In addition to the acceptance tests described in Paragraph 6.1.4, preceding, (which are included with the installation of the BSA), Additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing, and Nonscheduled Testing are available as described in Section 13, Paragraph 13.3.5 (Testing Services) for line side and trunk side BSAs. The following testing capabilities are available on an ongoing basis for the services provided under this tariff as described below:

1. Circuit Switched - Line Side

In the terminating direction where equipment is available, Circuit Switched - Line Side is provided with seven digit access to balance (100 type) test line and milliwatt (102 type) test line.

2. Circuit Switched - Trunk Side Alternatives B, C and D

In the terminating direction and where equipment is available, Circuit Switched - Trunk Side Alternatives B, C and D are provided with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line.

6.3.6 Non-Access Charges

Rates and charges for services other than Switched Access Service, e.g., a customer's interLATA toll message service, may also be applicable when Switched Access Service is used in conjunction with these other services.

Issued: March 26, 1993 Effective: April 11, 1993



CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 3rd Revised Sheet 39.28 Replacing 2nd Revised Sheet 39.28

K	1) 	
R	T)	
•	•,	

Access Services Tariff
Section 6
2nd Revised Sheet 39.28
Replacing 1st Revised Sheet 39.28

ACCESS SERVICES

- 6. SWITCHED ACCESS SERVICE-(Continued)
 - 6.3 Basic Serving Arrangement Descriptions-(Continued)
 - 6.3.7 Miscellaneous Switched Access Services
 - A. WATS Access Line Service

Rules and Regulations for the provision of WATS Access Line Service with Basic Serving Arrangements are the same as those for the existing bundled feature groups and are located in Paragraph 6.2.5, A.

B. 800 Number Portability Access Service (NPAS)

Rules and Regulations for the provision of 800 NPAS with Basic Serving Arrangements are the same as those for the existing bundled feature groups and are located in Paragraph 6.2.5, B.

C. 900 Access Service

Rules and Regulations for the provision of 900 Access Service with Basic Serving Arrangements are the same as those for the existing bundled feature groups and are located in Paragraph 6.2.5, C.

D. Advanced Carrier Identification Service (ACIS)

Rules and Regulations for the provision of ACIS are the same as those for the existing bundled feature groups and are located in Paragraph 6.2.5, D

6.4 Local Switching Features

March 20, 1995

Following are descriptions of the various Local Switching features that are available with either the Feature Groups or the Basic Serving Arrangements. They are provided as either Common Switching or Transport Termination features.



Issued:

(AT)

(AT)

 (M_1T)

(MT)

Effective: April 20, 1995

Access Services Tariff
Section 6
1st Revised Sheet 39.28
Replacing Original Sheet 39.28

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 13 1993

6.3.7 Miscellaneous Switched Access Services

MO PUBLIC CERVICE COMM.

A. WATS Access Line Service

Rules and Regulations for the provision of WATS Access Line Service with Basic Serving Arrangements are the same as those for the existing bundled feature groups and are located in Paragraph 6.2.5, A.

- (CT) B. 800 Number Portability Access Service (NPAS)
- (CT) Rules and Regulations for the provision of 800 NPAS with Basic Serving Arrangements are the same as those for the existing bundled feature groups and are located in Paragraph 6.2.5, B.
 - C. 900 Access Service

Rules and Regulations for the provision of 900 Access Service with Basic Serving Arrangements are the same as those for the existing bundled feature groups and are located in Paragraph 6.2.5, C.

6.4 Local Switching Features

Following are descriptions of the various Local Switching features that are available with either the Feature Groups or the Basic Serving Arrangements. They are provided as either Common Switching or Transport Termination features.

- 6.4.1 Common Switching Features
- A. Call Denial on Line or Hunt Group

This feature, available with FGA and BSA-A, allows for the Series Commission terminating calls. This screening does not affect calls to 445, 911, 800, 900 and 555-1212. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices.

Local Exchange Restriction

The screening is set up to allow calls to complete only to a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement.

Issued: MAR 2 2 1993

Effective: MAY - 1 1993

(JAY C 11993

APR 201995

Access Services Tariff Section 6 Original Sheet 39.28

ACCESS SERVICES

SWITCHED ACCESS SERVICE-(Continued)

RECEIVED

6.3 Basic Serving Arrangement Descriptions-(Continued)

MAR 29 1993

6.3.7 Miscellaneous Switched Access Services

MISSOURI Public Service Commission

A. WATS Access Line Service

Rules and Regulations for the provision of WATS Access Line Service with Basic Serving Arrangements are the same as those for the existing bundled feature groups and are located in Paragraph 6.2.5, A.

B. 800 Access Service

Rules and Regulations for the provision of 800 Access Service with Basic Serving Arrangements are the same as those for the existing bundled feature groups and are located in Paragraph 6.2.5, B.

C. 900 Access Service

Rules and Regulations for the provision of 900 Access Service with Basic Serving Arrangements are the same as those for the existing bundled feature groups and are located in Paragraph 6.2.5, C.

(MT)(FC) 6.4 Local Switching Features

Following are descriptions of the various Local Switching features that are available with either the Feature Groups or the Basic Serving Arrangements. They are provided as either Common Switching or Transport Termination features.

(FC) 6.4.1 Common Switching Features

A. Call Denial on Line or Hunt Group

This feature, available with FGA and BSA-A, allowauthic Service Commission terminating calls. This screening does not be a scr terminating calls. This screening does not affect calls to 411, 911, 800, 900 and 555-1212. This feature is needed. 900 and 555-1212. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end

offices.

1. Local Exchange Restriction

The screening is set up to allow calls to complete only to a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement.

Issued:

(AT)

MAR 2 6 1993

Effective:

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 2nd Revised Sheet 39.29 Replacing 1st Revised Sheet 39.29



(MT)

(MT)

Access Services Tariff
Section 6
1st Revised Sheet 39.29
Replacing Original Sheet 39.29

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

6.4 Local Switching Features-(Continued)

6.4.1 Common Switching Features

A. Call Denial on Line or Hunt Group

This feature, available with FGA and BSA-A, allows for the screening of terminating calls. This screening does not affect calls to 411, 911, 800, 900 and 555-1212. This feature is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices.

1. Local Exchange Restriction

The screening is set up to allow calls to complete only to a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement.

As set forth in Section 2, Paragraph 2.1.2, A., this feature is required on all FGA Switched Access Services requested by an Enhanced Service Provider.

2. LATA Restriction

The screening is set up to allow calls to complete only those valid NXX codes within the LATA. All other calls are routed to a reorder tone or recorded announcement.

B. Service Code Denial on Line or Hunt Group

This feature, available with FGA and BSA-A, allows for the screening of terminating calls within the LATA and for disallowing completion of calls to 0-, 555 and N11 (i.e., 411 and 911). This feature is provided, where available, in all Telephone Company electronic end offices and electromechanical end offices.

Issued: March 20, 1995 Effective: April 20, 1995



CANCELLED
June 10, 2013
Missouri Public
Service Commission
JI-2013-0499

Access Services Tariff Section 6 Original Sheet 39.29

ACCESS SERVICES

(MT) 6. SWITCHED ACCESS SERVICE-(Continued)

RECEIVED (FC)(CT) 6.4 Local Switching Features-(Continued)

MAR 29 1993

A. Call Denial on Line or Hunt Group-(Continued)

6.4.1 Common Switching Features-(Continued)

MISSOURI **Public Service Commission**

Local Exchange Restriction-(Continued)

As set forth in Section 2, Paragraph 2.1.2, A., this feature is required on all FGA Switched Access Services requested by an Enhanced Service Provider.

2. LATA Restriction

The screening is set up to allow calls to complete only those valid NXX codes within the LATA. All other calls are routed to a reorder tone or recorded announcement.

B. Service Code Denial on Line or Hunt Group

This feature, available with FGA and BSA-A, allows for the screening of terminating calls within the LATA and for disallowing completion of calls to 0-, 555 and N11 (i.e., 411 and 911). This feature is provided, where available, in all Telephone Company electronic end offices and electromechanical end offices.

CANCELLED

APR 201995

FILED

APR 11 1993 2-304

MO. PUBLIC SERVICE COMM.

Issued:

MAR 2 6 1993

Effective:

APR 1 1 1993

CANCELLED - Missouri Public Service Commission - 05/01/2024 - TN-2024-0278 - JI-2024-0140

P.S.C. Mo. - No. 36 ACCESS SERVICES TARIFF

Southwestern Bell Telephone Company d/b/a AT&T Missouri Section 6 5th Revised Sheet 40 Replacing 4th Revised Sheet 40



Access Services Tariff
Section 6
4th Revised Sheet 40
Replacing 3rd Revised Sheet 40

ACCESS SERVICES

6. SWITCHED ACCESS SERVICE-(Continued)

- 6.4 Local Switching Features-(Continued)
 - 6.4.1 Common Switching Features-(Continued)
 - C. Hunt Group Arrangement

This feature, available with FGA, provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Telephone Company end offices. Hunt group arrangements are available for BSA-A as a BSE as described in Paragraph 6.6.2, following.

D. Uniform Call Distribution Arrangement

This feature, available with FGA, provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Telephone Company electronic end offices only. Uniform Call Distribution Arrangement is available with BSA-A as a BSE as described in Paragraph 6.6.2, following.

E. Nonhunting Number Arrangement

This feature, available with FGA, provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is provided in Telephone Company electronic end offices only. Nonhunting Number Arrangement is available with BSA-A as a BSE as described in Paragraph 6.6.2, following.

F. Automatic Number Identification (ANI)

Available with FGB, FGC, FGD, BSA-B, and BSA-C. (Ten digit ANI/Charge Number Parameter for use BSA-D is provided as a BSE as specified in 6.6.1.

This feature provides the automatic transmission of:

Class of service information indicators, and

A seven or ten digit telephone number to the customer's premises to identify the calling station of calls originating in the LATA.

F. 1. W. 1.7.1004

Issued: March 7, 1994 Effective: April 7, 1994



(CT)

(CT)

Access Services Tariff Section 6 3rd Revised Sheet 40 Replacing 2nd Revised Sheet 40

ACCESS SERVICES

RECEIVED

6. SWITCHED ACCESS SERVICE-(Continued)

MAR 29 1993

(FC)(CT) 6.4 Local Switching Features-(Continued)

MISSOURI Public Service Commission

6.4.1 Common Switching Features-(Continued) (FC)

C. Hunt Group Arrangement

This feature, available with FGA, provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Telephone Company end offices. Hunt group arrangements are available for BSA-A as a BSE as described in Paragraph 6.6.2, following.

D. Uniform Call Distribution Arrangement

This feature, available with FGA, provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is a provided in Telephone Company electronic end offices only. Unit with Distribution Arrangement is available with BSA-A as a BSE as described in Paragraph 6.6.2, following. APR 7 1994

(AT)

(AT)

(AT)

(AT)

This feature, available with FGA, provides an arrangement BY HR.S. HO individual line within a multiline hunt or uniform call distribution that provides access to that line within a multiline hunt or uniform call distribution within a multiline hunt or uniform call distribution. that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is provided in Telephone Company electronic end offices only. Nonhunting Number Arrangement is available with BSA-A as a BSE as described in Paragraph 6.6.2, following.

(TA) (AT)

F. Automatic Number Identification (ANI)

This feature provides the automatic transmission of a seven- or tendigit number and information digits to the IC terminal location for calls originating in the LATA, to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and an IC's terminal location or, (2) where technically feasible, with all individual transmission paths in a trunk group between an end office and an access tandem and a trunk group between an access tandem and an IC's terminal location.

Issued:

MAR 2 6 1993

Effective:

By R. D. BARRON, President-Missouri Division Southwestern Bell Telephone Company St. Louis, Missouri

Access Services Tariff
Section 6
2nd Revised Sheet 40
Replacing 1st Revised Sheet 40

ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

AUG 9 1991

(RT) 6.3 Common Switching and Transport Termination Features-(Continued)

MISSOURI

(RT) 6.3.1 Common Switching Features-(Continued)

Public Service Commission

- C. Hunt Group Arrangement
- This feature, available with FGA, provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This facture is provided in all Telephone Company end offices.
 - D. Uniform Call Distribution Arrangement
 - (CT) This feature, available with FGA, provides a type of multiline bun in mission arrangement which provides for an even distribution of capital available lines in a hunt group. Where available, this provided in Telephone Company electronic end offices only.
 - E. Nonhunting Number Arrangement
- (CT) This feature, available with FGA, provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is provided in Telephone Company electronic end offices only.
 - F. Automatic Number Identification (ANI)
 - (CT) This feature provides the automatic transmission of a seven- or tendigit number and information digits to the IC terminal location for calls originating in the LATA, to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and an IC's terminal location or, (2) where technically feasible, with all individual transmission paths in a trunk group between an end office and an access tandem and a trunk group between an access tandem and an IC's terminal location.

Issued: AUG 0 9 1991

Effective: EFF 1391

FILED

Access Services Tariff Section 6 1st Revised Sheet 40 Replacing Original Sheet 40

(CP)ACCESS SERVICES

RECEIVED

SWITCHED ACCESS SERVICE-(Continued)

JUN 27 1986 6.3 Common Switching and Transport Termination Optional Features - (Continued)

MI220AKI

6.3.1 Common Switching Optional Features-(Continued Dublic Service Commission

C. Hunt Group Arrangement

This option, available with FGA, provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Telephone Company end offices.

D. Uniform Call Distribution Arrangement

This option, available with FGA, provides a type of multiline hunting arrangement which provides for an even distribution of calls Games Company available lines in a hunt group. Where available, this feature is provided in Telephone Company electronic end offices only. SEP $3.0\,1991$

E. Nonhunting Number Arrangement

Public Service Commission This option, available with FGA, provides an arrangement for an individual line within a multiline bunt or uniform call distributed to the control of the contro individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is provided in Telephone Company electronic end offices only.

F. Automatic Number Identification (ANI)

This option provides the automatic transmission of a seven- or tendigit number and information digits to the IC terminal location for calls originating in the LATA, to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and an IC's terminal location or, (2) where technically feasible, with all individual transmission paths in a trunk group between an end office and an accesstandem and a trunk group between an access tandem and an IC's terminal location.

> .FJE 1. 1986

86-84 Public Service Commission

JUN 27 1986 Issued:

Effective:

JUL 1 1986

Access Services Tariff
Section 6
Original Sheet 40

MEGELY EN

DEC 25 283

ACCESS SERVICES

- SWITCHED ACCESS SERVICE—(Continued)
 - 6.3 Common Switching and Transport Termination Nonchargeable Optional Features (Continued)

 Public Service Commission.
 - 6.3.1 Common Switching Optional Features-(Continued)
 - F. Automatic Number Identification (ANI)-(Continued)

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with 800 service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4-party services, information digits will be provided to the IC.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel-originated call which requires room number identification, (5) coinless station, hospital, inmate, etc., call which requires special screening or handling by the IC, and (6) call is an Automatic Identified Outward Dialed (AIOD) call from customer premises equipment. The ANI telephone number is the listed telephone number of the customer and is not the telephone number of the calling party. These ANI information digits are available with Feature Groups B, C and D.

Additional ANI information digits are available with Feature Group D only. They include:

1. InterLATA restricted - telephone number is identified line

2. InterLATA restricted - hotel hotel in

3. InterIATA restricted adminess, hospital, inmate, etc., line 25

These information digits will be transmitted as agreed to by the IC and the Telephone Company.

BY A

BY PUBLIC SERVICE COMMISSION
OF MISSOUN

Issued: DEC 29 1983

Effective: JAN 0 1 1984