FILED November 1, 2024 Data Center Missouri Public Service Commission

Exhibit No. 226

Staff – Exhibit 226 Coty King (Rate Design) Direct File No. ER-2024-0189

Exhibit No.: Issue(s): Non-standard Metering Charges Witness: Coty L. King Sponsoring Party: MoPSC Staff Type of Exhibit: Direct Testimony Case No.: ER-2024-0189 Date Testimony Prepared: July 12, 2024

MISSOURI PUBLIC SERVICE COMMISSION

INDUSTRY ANALYSIS DIVISION

ENGINEERING ANALYSIS DEPARTMENT

DIRECT TESTIMONY

OF

COTY L. KING

EVERGY MISSOURI WEST, INC.,

d/b/a Evergy Missouri West

CASE NO. ER-2024-0189

Jefferson City, Missouri July 12, 2024

1	TABLE OF CONTENTS OF								
2	DIRECT TESTIMONY OF								
3	COTY L. KING								
4	EVERGY MISSOURI WEST, INC.,								
5	d/b/a Every Missouri West								
6	CASE NO. ER-2024-0189								
7	Q. Please state your name and business address.								
8	A. Coty L. King, and my business address is P. O. Box 360,								
9	Jefferson City, MO 65102.								
10	Q. By whom are you employed and in what capacity?								
11	A. I am employed by the Missouri Public Service Commission ("Commission") as								
12	a Senior Compliance Analyst in the Engineering Analysis Department, Industry								
13	Analysis Division.								
14	Q. Please describe your work and educational background.								
15	A. A copy of my work and educational experience is attached to this testimony as								
16	Schedule CLK-d1.								
17	Q. What is the purpose of your direct testimony?								
18	A. The purpose of my testimony is to recommend a change in the non-standard								
19	metering charge contained in Evergy Missouri West's ("EMW") Non-Standard Metering								
20	Service Tariff. ¹								
21	Q. Please briefly describe EMW's Non-Standard Metering Service tariff.								
	¹ P.S.C. MO. No. 1, Original Sheet No. R-33.2 and P.S.C. MO. No. 1, 3 rd Revised Sheet No. R-66.								

Direct Testimony of Coty King

1	A. EM	EMW's Non-Standard Metering Service tariff allows customers to opt-out of							
2	using an automated	using an automated meter reading device. These customers pay an initial one-time meter setup							
3	fee of \$150 and a \$45 monthly non-standard meter read charge.								
4	Q. Is th	s the initial one-time set meter setup fee of \$150 charge reasonable?							
5	A. No.	No. Based on the information that the company has provided, the cost of a							
6	non-standard meter is \$99.28 and the cost of installation is \$41.20. The charge should be								
7	lowered to \$141 to better reflect actual costs.								
8	Q. Is the \$45 monthly non-standard meter read charge reasonable?								
9	A. The	A. The monthly charge of \$45 is reasonable.							
10	Q. Do	Q. Do other utilities allow customers to opt-out of advanced meters?							
11	A. Yes. Several electric and water utilities regulated by this Commission allow								
12	customers to opt-out of advanced meters. The table below is a non-exhaustive summary of								
13	other advanced meter opt-out rates:								
14									
	Utility	One-time fee	Monthly fee	Tariff Reference	Effective Date	Case			
	Ameren Missouri	\$100	\$40	Sheet No. 63 Sheet No. 129	2/19/2021 4/1/2020	EE-2019-0382; ER-2019-0335			
	Empire District Electric	\$150	\$45 \$10 (for additional meters)	Section 5, Sheet 11 & Section 3, Sheet 5	8/17/2020 9/16/2020	ER-2019-0374, AO-2020-0237			

15 16

18

19

17

Empire District Electric, Empire District Water, & Liberty Water tariffs include an Note: additional option of disabling two-way communications. Also, a customer who opts out prior to installation is not assessed the one-time fee.

10/11/2020

9/10/2020

Section 2, Sheet 6; Section 1, Sheet 3

Sheet 5, Sheet 20

AO-2020-0237

AO-2020-0237

Q. Does this conclude your direct testimony?

\$150

\$150

\$45

\$45

\$10 (for

\$10 (for

additional meters)

additional meters)

20 A. Yes it does.

Empire Water

Liberty Utilities

(Missouri Water)

BEFORE THE PUBLIC SERVICE COMMISSION

OF THE STATE OF MISSOURI

)

)

)

)

In the Matter of Evergy Missouri West, Inc. d/b/a Evergy Missouri West's Request for Authority to Implement A General Rate Increase for Electric Service

Case No. ER-2024-0189

AFFIDAVIT OF COTY L. KING

STATE OF MISSOURI)	
)	SS.
COUNTY OF COLE)	

COMES NOW COTY L. KING and on his oath declares that he is of sound mind and lawful age; that he contributed to the foregoing *Direct Testimony of Coty L. King*; and that the same is true and correct according to his best knowledge and belief.

Further the Affiant sayeth not.

ÓTY L. KING

JURAT

Subscribed and sworn before me, a duly constituted and authorized Notary Public, in and for the County of Cole, State of Missouri, at my office in Jefferson City, on this ______ day of July 2024.

rellankin

Notary Public

D. SUZIE MANKIN Notary Public - Notary Seal State of Missouri Commissioned for Cole County My Commission Expires: April 04, 2025 Commission Number: 12412070

Coty L. King

Present Position:

I am a Senior Compliance Analyst in the Engineering Analysis Department, of the Industry Analysis Division of the Missouri Public Service Commission.

Educational Background and Work Experience:

I received my Bachelor of Business Administration from the University of Excelsior in 2023. I served in the United States Army as a Heavy Equipment Supervisory from 2008 through 2021. I have been employed by the Commission since 2023.

Case History:

Case Number	Utility	Туре	Issue
GO-2023-0432	Spire	Gas	Infrastructure System Replacement Surcharge
E0-2024-0161	Evergy Missouri West	Electric	Change of Supplier
EO-2024-0281	Ameren	Electric	Vegetation Management Standards Variance
EO-2024-0297	Liberty (Empire)	Electric	RES Compliance Plan