

Water System Detail Information

Water System No.:	MO5036117	Federal Type:	C
Water System Name:	MOORE BEND WATER UTILITY, LLC	Federal Source:	GW
Principal County / City Served:	TANEY /	System Status :	A
Local Name:	WAS MOORE BEND SUBD	Activity Date :	01-01-1961
Operating Category Code:	2	Permit Date :	01-01-1961
GWR Monitoring Status:	GWR - Compliance Monitoring		

This list displays TCR Sample Results for the last 2 years by default. If you need to search for a specific date range, use the following date fields (you can also pick a date from the pop-up calendar next to the field) and click on Search.

Sample Collection Date From To 

TCR Sample Results												
Type/ RP Loc	Sample No.	Comp. Ind.	Date	Sample Pt.	Sample Pt. Description	Lab ID	CL Free	CL Total	Result / Analyte / Method / Mon Period			
RT	N16101788	Y	10-20-2016	17	551 DALLAS ROAD	400	1.560	1.600	Absent	COLIFORM (TCR) (3100)	10-01-2016 10-31-2016	
RT	N16101787	Y	10-20-2016	03	140 COX RD	400	1.420	1.440	Absent	COLIFORM (TCR) (3100)	10-01-2016 10-31-2016	
RT	N16091938	Y	09-24-2016	12	163 COX	400	0.940	0.970	Absent	COLIFORM (TCR) (3100)	09-01-2016 09-30-2016	
RT	N16091936	Y	09-24-2016	03	140 COX RD	400	1.020	1.040	Absent	COLIFORM (TCR) (3100)	09-01-2016 09-30-2016	
RT	N16091937	Y	09-11-2016	07	336 DALLAS	400	1.560	1.600	Absent	COLIFORM (TCR) (3100)	09-01-2016 09-30-2016	
RT	N16091935	Y	09-11-2016	03	140 COX RD	400	1.300	1.320	Absent	COLIFORM (TCR) (3100)	09-01-2016 09-30-2016	
RT	N16081889	Y	08-02-2016	07	336 DALLAS	400	1.450	0.900	Absent	COLIFORM (TCR) (3100)	08-01-2016 08-31-2016	
RT	N16081888	Y	08-02-2016	12	163 COX	400	1.570	1.410	Absent	COLIFORM (TCR) (3100)	08-01-2016 08-31-2016	
RT	N16071508	Y	07-06-2016	07	336 DALLAS	400	1.630	1.650	Absent	COLIFORM (TCR) (3100)	07-01-2016 07-31-2016	
RT	N16071507	Y	07-06-2016	12	163 COX	400	1.400	1.410	Absent	COLIFORM (TCR) (3100)	07-01-2016 07-31-2016	

RT	<u>N16061778</u>	Y	06-28-2016	07	336 DALLAS	400	0.720	0.740	Absent	COLIFORM (TCR) (3100)		06-01-2016 06-30-2016
RT	<u>N16061777</u>	Y	06-28-2016	12	163 COX	400	1.910	1.930	Absent	COLIFORM (TCR) (3100)		06-01-2016 06-30-2016
SP	<u>OE38766</u>	N	06-22-2016	MISSING	SAMPLING POINT ID NOT PROVIDED	3	1.060	1.050	Absent	COLIFORM (TCR) (3100)	9223B-PA	
									Absent	E. COLI(3014)	9223B-PA	
SP	<u>N16062020</u>	N	06-07-2016	SPECIAL	SPECIAL	280	1.340	1.310	Absent	COLIFORM (TCR) (3100)		
SP	<u>N16062019</u>	N	06-07-2016	SPECIAL	SPECIAL	280	1.390	1.280	Absent	COLIFORM (TCR) (3100)		
RT	<u>N16061924</u>	Y	05-21-2016	12	163 COX	400	1.620	1.640	Absent	COLIFORM (TCR) (3100)		05-01-2016 05-31-2016
RT	<u>N16051925</u>	Y	05-21-2016	07	336 DALLAS	400	1.500	1.520	Absent	COLIFORM (TCR) (3100)		05-01-2016 05-31-2016
RT	<u>OE30554</u>	Y	05-12-2016	MISSING	SAMPLING POINT ID NOT PROVIDED	3		0.000	Absent	COLIFORM (TCR) (3100)	9223B-PA	05-01-2016 05-31-2016
									Absent	E. COLI(3014)	9223B-PA	05-01-2016 05-31-2016
RT	<u>N16041737</u>	Y	04-01-2016	12	163 COX	400	1.220	1.240	Absent	COLIFORM (TCR) (3100)		04-01-2016 04-30-2016
RT	<u>N16041736</u>	Y	04-01-2016	07	336 DALLAS	400	0.820	0.840	Absent	COLIFORM (TCR) (3100)		04-01-2016 04-30-2016
RT	<u>N16031793</u>	Y	03-13-2016	03	140 COX RD	400	1.360	1.380	Absent	COLIFORM (TCR) (3100)		03-01-2016 03-31-2016
RT	<u>N16031794</u>	Y	03-11-2016	11	432 COX	400	0.930	0.950	Absent	COLIFORM (TCR) (3100)		03-01-2016 03-31-2016
RP UP	<u>OE12883</u> (OE12247) (02-04-2016)	Y	02-09-2016	MISSING	SAMPLING POINT ID NOT PROVIDED	3	2.080	1.990	Absent	COLIFORM (TCR) (3100)	9223B-PA	02-01-2016 02-29-2016
									Absent	E. COLI(3014)	9223B-PA	02-01-2016 02-29-2016
RP OT	<u>OE12882</u> (OE12247) (02-04-2016)	Y	02-09-2016	MISSING	SAMPLING POINT ID NOT PROVIDED	3	1.450	1.560	Absent	COLIFORM (TCR) (3100)	9223B-PA	02-01-2016 02-29-2016
									Absent	E. COLI(3014)	9223B-PA	02-01-2016 02-29-2016
RP OR	<u>OE12881</u> (OE12247) (02-04-2016)	Y	02-09-2016	MISSING	SAMPLING POINT ID NOT PROVIDED	3	0.170	0.510	Present	COLIFORM (TCR) (3100)	9223B-PA	02-01-2016 02-29-2016
									Absent	E. COLI(3014)	9223B-PA	02-01-2016 02-29-2016

RP DN	OE12880 (OE12247) (02-04-2016)	Y	02-09-2016	MISSING	SAMPLING POINT ID NOT PROVIDED	3	0.170	0.510	Present	COLIFORM (TCR) (3100)	9223B-PA	02-01-2016 02-29-2016
									Absent	E. COLI(3014)	9223B-PA	02-01-2016 02-29-2016
RT	A16021629	Y	02-09-2016	TCR	TOTAL COLIFORM RULE	400	1.240	1.260	Absent	COLIFORM (TCR) (3100)		02-01-2016 02-29-2016
RT	A16021628	Y	02-09-2016	03	140 COX RD	400	1.440	1.460	Absent	COLIFORM (TCR) (3100)		02-01-2016 02-29-2016
RT	OE12249	Y	02-04-2016	MISSING	SAMPLING POINT ID NOT PROVIDED	3		0.510	Absent	COLIFORM (TCR) (3100)	9223B-PA	02-01-2016 02-29-2016
									Absent	E. COLI(3014)	9223B-PA	02-01-2016 02-29-2016
RT	OE12248	Y	02-04-2016	MISSING	SAMPLING POINT ID NOT PROVIDED	3		8.800	Absent	COLIFORM (TCR) (3100)	9223B-PA	02-01-2016 02-29-2016
									Absent	E. COLI(3014)	9223B-PA	02-01-2016 02-29-2016
RT	OE12247	Y	02-04-2016	MISSING	SAMPLING POINT ID NOT PROVIDED	3		0.510	Present	COLIFORM (TCR) (3100)	9223B-PA	02-01-2016 02-29-2016
									Absent	E. COLI(3014)	9223B-PA	02-01-2016 02-29-2016
RT	OE12246	Y	02-04-2016	MISSING	SAMPLING POINT ID NOT PROVIDED	3		2.810	Absent	COLIFORM (TCR) (3100)	9223B-PA	02-01-2016 02-29-2016
									Absent	E. COLI(3014)	9223B-PA	02-01-2016 02-29-2016
RT	N16011819	Y	01-30-2016	03	140 COX RD	400	1.680	1.660	Absent	COLIFORM (TCR) (3100)		01-01-2016 01-31-2016
RT	N16011818	Y	01-30-2016	TCR	TOTAL COLIFORM RULE	400	1.160	1.140	Absent	COLIFORM (TCR) (3100)		01-01-2016 01-31-2016
RT	N15121631	Y	12-06-2015	TCR	TOTAL COLIFORM RULE	400	1.200	1.220	Absent	COLIFORM (TCR) (3100)		12-01-2015 12-31-2015
RT	N15121630	Y	12-06-2015	03	140 COX RD	400	1.400	1.420	Absent	COLIFORM (TCR) (3100)		12-01-2015 12-31-2015
RT	N15111845	Y	11-13-2015	03	140 COX RD	400	1.440	1.460	Absent	COLIFORM (TCR) (3100)		11-01-2015 11-30-2015
RT	N15111844	Y	11-13-2015	TCR	TOTAL COLIFORM RULE	400	1.320	1.340	Absent	COLIFORM (TCR) (3100)		11-01-2015 11-30-2015
RT	N15101835	Y	10-14-2015	TCR	TOTAL COLIFORM RULE	400	1.300	1.320	Absent	COLIFORM (TCR) (3100)		10-01-2015 10-31-2015
RT	N15101834	Y	10-14-2015	03	140 COX RD	400	1.200	1.220	Absent	COLIFORM (TCR) (3100)		10-01-2015 10-31-2015

RT	<u>N15091587</u>	Y	09-10-2015	TCR	TOTAL COLIFORM RULE	400	1.220	1.230	Absent	COLIFORM (TCR) (3100)	09-01-2015 09-30-2015
RT	<u>N15091586</u>	Y	09-10-2015	03	140 COX RD	400	1.000	1.010	Absent	COLIFORM (TCR) (3100)	09-01-2015 09-30-2015
RT	<u>N15081907</u>	Y	08-02-2015	03	140 COX RD	400	0.900	0.920	Absent	COLIFORM (TCR) (3100)	08-01-2015 08-31-2015
RT	<u>N15081906</u>	Y	08-02-2015	TCR	TOTAL COLIFORM RULE	400	1.490	1.500	Absent	COLIFORM (TCR) (3100)	08-01-2015 08-31-2015
RT	<u>N15071815</u>	Y	07-19-2015	TCR	TOTAL COLIFORM RULE	400	1.400	1.410	Absent	COLIFORM (TCR) (3100)	07-01-2015 07-31-2015
RT	<u>N15071814</u>	Y	07-19-2015	03	140 COX RD	400	1.600	1.620	Absent	COLIFORM (TCR) (3100)	07-01-2015 07-31-2015
RT	<u>N15061840</u>	Y	06-12-2015	TCR	TOTAL COLIFORM RULE	400	1.300	1.320	Absent	COLIFORM (TCR) (3100)	06-01-2015 06-30-2015
RT	<u>N15061839</u>	Y	06-12-2015	03	140 COX RD	400	1.850	1.880	Absent	COLIFORM (TCR) (3100)	06-01-2015 06-30-2015
RT	<u>N15051782</u>	Y	05-03-2015	TCR	TOTAL COLIFORM RULE	400	1.500	1.600	Absent	COLIFORM (TCR) (3100)	05-01-2015 05-31-2015
RT	<u>N15051781</u>	Y	05-03-2015	03	140 COX RD	400	1.400	1.500	Absent	COLIFORM (TCR) (3100)	05-01-2015 05-31-2015
RT	<u>N15041814</u>	Y	04-02-2015	07	336 DALLAS	400	1.990	2.020	Absent	COLIFORM (TCR) (3100)	04-01-2015 04-30-2015
RT	<u>N15041813</u>	Y	04-02-2015	03	140 COX RD	400	1.560	1.600	Absent	COLIFORM (TCR) (3100)	04-01-2015 04-30-2015
RT	<u>N15031578</u>	Y	03-08-2015	03	140 COX RD	400	1.510	1.530	Absent	COLIFORM (TCR) (3100)	03-01-2015 03-31-2015
RT	<u>N15031577</u>	Y	03-08-2015	07	336 DALLAS	400	1.100	1.120	Absent	COLIFORM (TCR) (3100)	03-01-2015 03-31-2015
RT	<u>N15021453</u>	Y	02-14-2015	11	432 COX	400	1.220	1.250	Absent	COLIFORM (TCR) (3100)	02-01-2015 02-28-2015
RT	<u>N15021452</u>	Y	02-14-2015	03	140 COX RD	400	1.800	1.820	Absent	COLIFORM (TCR) (3100)	02-01-2015 02-28-2015
RT	<u>N15011750</u>	Y	01-13-2015	11	432 COX	400	1.210	1.240	Absent	COLIFORM (TCR) (3100)	01-01-2015 01-31-2015
RT	<u>N15011749</u>	Y	01-13-2015	03	140 COX RD	400	1.110	1.130	Absent	COLIFORM (TCR) (3100)	01-01-2015 01-31-2015

RT	<u>N14121804</u>	Y	12-13-2014	04	122 DALLAS RD	400	1.200	1.220	Absent	COLIFORM (TCR) (3100)	12-01-2014 12-31-2014
RT	<u>N14121803</u>	Y	12-13-2014	07	336 DALLAS	400	1.180	1.210	Absent	COLIFORM (TCR) (3100)	12-01-2014 12-31-2014
RT	<u>N14111308</u>	Y	11-09-2014	07	336 DALLAS	400	0.780		Absent	COLIFORM (TCR) (3100)	11-01-2014 11-30-2014
RT	<u>N14111307</u>	Y	11-09-2014	03	140 COX RD	400	0.830		Absent	COLIFORM (TCR) (3100)	11-01-2014 11-30-2014
RT	<u>N14101633</u>	Y	10-19-2014	03	140 COX RD	400	0.710		Absent	COLIFORM (TCR) (3100)	10-01-2014 10-31-2014
RT	<u>N14101632</u>	Y	10-19-2014	07	336 DALLAS	400	0.760		Absent	COLIFORM (TCR) (3100)	10-01-2014 10-31-2014
RT	<u>J14091487</u>	Y	09-17-2014	09	354 COX RD	400	1.410		Absent	COLIFORM (TCR) (3100)	09-01-2014 09-30-2014
RT	<u>J14091486</u>	Y	09-17-2014	03	140 COX RD	400	1.200		Absent	COLIFORM (TCR) (3100)	09-01-2014 09-30-2014
RT	<u>J14081771</u>	Y	08-02-2014	11	432 COX	400	1.520		Absent	COLIFORM (TCR) (3100)	08-01-2014 08-31-2014
RT	<u>J14081770</u>	Y	08-02-2014	03	140 COX RD	400	1.610		Absent	COLIFORM (TCR) (3100)	08-01-2014 08-31-2014
RT	<u>J14071752</u>	Y	07-27-2014	03	140 COX RD	400	1.900		Absent	COLIFORM (TCR) (3100)	07-01-2014 07-31-2014
RT	<u>J14061802</u>	Y	06-22-2014	07	336 DALLAS	400	1.610		Absent	COLIFORM (TCR) (3100)	06-01-2014 06-30-2014
RT	<u>J14061801</u>	Y	06-15-2014	11	432 COX	400	1.450		Absent	COLIFORM (TCR) (3100)	06-01-2014 06-30-2014
RT	<u>J14051658</u>	Y	05-28-2014	06	226 ROGERS	400	1.600		Absent	COLIFORM (TCR) (3100)	05-01-2014 05-31-2014
RT	<u>J14051657</u>	Y	05-28-2014	03	140 COX RD	400	1.500		Absent	COLIFORM (TCR) (3100)	05-01-2014 05-31-2014
RT	<u>J14041699</u>	Y	04-06-2014	06	226 ROGERS	400	1.710		Absent	COLIFORM (TCR) (3100)	04-01-2014 04-30-2014
RT	<u>J14041698</u>	Y	04-06-2014	03	140 COX RD	400	1.660		Absent	COLIFORM (TCR) (3100)	04-01-2014 04-30-2014
RT	<u>J14031482</u>	Y	03-08-2014	06	226 ROGERS	400	1.800		Absent	COLIFORM (TCR) (3100)	03-01-2014 03-31-2014

RT	J14031481	Y	03-08-2014	03	140 COX RD	400	2.000	Absent	COLIFORM (TCR) (3100)	03-01-2014 03-31-2014
RT	J14021637	Y	02-25-2014	TCR	TOTAL COLIFORM RULE	400	1.400	Absent	COLIFORM (TCR) (3100)	02-01-2014 02-28-2014
RT	J14021636	Y	02-25-2014	TCR	TOTAL COLIFORM RULE	400	2.010	Absent	COLIFORM (TCR) (3100)	02-01-2014 02-28-2014
RT	J14011703	Y	01-25-2014	06	226 ROGERS	400	1.200	Absent	COLIFORM (TCR) (3100)	01-01-2014 01-31-2014
RT	J14011702	Y	01-25-2014	03	140 COX RD	400	1.200	Absent	COLIFORM (TCR) (3100)	01-01-2014 01-31-2014
RT	J13121753	Y	12-03-2013	08	242 GREGORY	400	1.090	Absent	COLIFORM (TCR) (3100)	12-01-2013 12-31-2013
RT	J13111501	Y	11-05-2013	08	242 GREGORY	400	1.070	Absent	COLIFORM (TCR) (3100)	11-01-2013 11-30-2013
RT	42055	Y	10-15-2013	TCR	TOTAL COLIFORM RULE	3	1.160	Absent	COLIFORM (TCR) (3100)	10-01-2013 10-31-2013
RT	42054	Y	10-15-2013	TCR	TOTAL COLIFORM RULE	3	1.160	Absent	COLIFORM (TCR) (3100)	10-01-2013 10-31-2013
RT	42043	Y	10-15-2013	12	163 COX	3	2.400	Absent	COLIFORM (TCR) (3100)	10-01-2013 10-31-2013
RT	42042	Y	10-15-2013	12	163 COX	3	2.400	Absent	COLIFORM (TCR) (3100) 9221B-10	10-01-2013 10-31-2013
RT	J13101686	Y	10-08-2013	08	242 GREGORY	400	1.130	Absent	COLIFORM (TCR) (3100)	10-01-2013 10-31-2013
RT	J13091733	Y	09-12-2013	03	140 COX RD	400	2.020	Absent	COLIFORM (TCR) (3100)	09-01-2013 09-30-2013
RT	J13081584	Y	08-28-2013	10 INAC	HOSE BIBB -INACTIVATED	990		Absent	COLIFORM (TCR) (3100)	08-01-2013 08-31-2013
RT	A13071145	Y	07-30-2013	TCR	TOTAL COLIFORM RULE	990		Absent	COLIFORM (TCR) (3100)	07-01-2013 07-31-2013
RT	A13071143	Y	07-30-2013	10 INAC	HOSE BIBB -INACTIVATED	990		Absent	COLIFORM (TCR) (3100)	07-01-2013 07-31-2013
RT	A13061608	Y	06-27-2013	10 INAC	HOSE BIBB -INACTIVATED	990		Absent	COLIFORM (TCR) (3100)	06-01-2013 06-30-2013
RT	A13051779	Y	05-29-2013	10 INAC	HOSE BIBB -INACTIVATED	990		Absent	COLIFORM (TCR) (3100)	05-01-2013 05-31-2013

RT	<u>D13041595</u>	Y	04-29-2013	03	140 COX RD	990	0.410	0.490	Present	COLIFORM (TCR) (3100)	04-01-2013 04-30-2013
									Present	E COLI(3014)	04-01-2013 04-30-2013
RT	<u>D13031654</u>	Y	03-31-2013	03	140 COX RD	990	0.410	0.490	Absent	COLIFORM (TCR) (3100)	03-01-2013 03-31-2013
RT	<u>D13021773</u>	Y	02-25-2013	03	140 COX RD	990			Absent	COLIFORM (TCR) (3100)	02-01-2013 02-28-2013
RT	<u>D13011836</u>	Y	01-30-2013	12	163 COX	990	0.410	0.490	Absent	COLIFORM (TCR) (3100)	01-01-2013 01-31-2013
RT	<u>D12121807</u>	Y	12-30-2012	03	140 COX RD	990	0.490	0.410	Absent	COLIFORM (TCR) (3100)	12-01-2012 12-31-2012
RT	<u>D12111802</u>	Y	11-29-2012	12	163 COX	990			Absent	COLIFORM (TCR) (3100)	11-01-2012 11-30-2012
RT	<u>D12101868</u>	Y	10-31-2012	12	163 COX	990			Absent	COLIFORM (TCR) (3100)	10-01-2012 10-31-2012
RT	<u>D12081624</u>	Y	08-30-2012	10 INAC	HOSE BIBB -INACTIVATED	990			Absent	COLIFORM (TCR) (3100)	08-01-2012 08-31-2012
RT	<u>D12071957</u>	Y	07-30-2012	12	163 COX	990			Absent	COLIFORM (TCR) (3100)	07-01-2012 07-31-2012
RT	<u>D12061900</u>	Y	06-29-2012	12	163 COX	990	0.510	0.560	Absent	COLIFORM (TCR) (3100)	06-01-2012 06-30-2012
RT	<u>D12051968</u>	Y	05-30-2012	12	163 COX	990			Absent	COLIFORM (TCR) (3100)	05-01-2012 05-31-2012
RT	<u>D12041887</u>	Y	04-26-2012	12	163 COX	990	0.520	0.610	Absent	COLIFORM (TCR) (3100)	04-01-2012 04-30-2012
RT	<u>D12031897</u>	Y	03-29-2012	12	163 COX	990			Absent	COLIFORM (TCR) (3100)	03-01-2012 03-31-2012
RT	<u>D12021861</u>	Y	02-28-2012	12	163 COX	990			Absent	COLIFORM (TCR) (3100)	02-01-2012 02-29-2012
RT	<u>07052</u>	Y	02-22-2012	12	163 COX	3	0.450	0.460	Absent	COLIFORM (TCR) (3100)	02-01-2012 02-29-2012
RT	<u>07051</u>	Y	02-22-2012	12	163 COX	3	0.450	0.460	Absent	COLIFORM (TCR) (3100)	02-01-2012 02-29-2012
RT	<u>D12011272</u>	Y	01-29-2012	12	163 COX	990			Absent	COLIFORM (TCR) (3100)	01-01-2012 01-31-2012
RT	<u>D11121316</u>	Y	12-29-2011	10 INAC	HOSE BIBB -INACTIVATED	990			Absent	COLIFORM (TCR) (3100)	12-01-2011 12-31-2011