

# Liberty Utilities (Midstates Natural Gas) Corp

2025-2026 Design Day and RFP Plan Summary  
File Last Updated: June 17, 2025

## Planned Volumes

### Design Day Summary and Deliverable Capacity

<b>Load Study:</b>	Kirksville, MO
<b>Weather Station Location:</b>	Kirksville, MO
<b>Weather Station Code:</b>	KIRK
<b>Data Sample:</b>	4/1/2022 3/31/2025
<b>HDD Selection Method:</b>	Coldest Day Since 1970

Forecasted Design Day DTH	
Forecasted DTH:	8,863
S.E. of Regression:	182
S.E. 95% Adjustment	357
3rd Party Obligations DTH:	0
Total Forecasted DTH:	9,402

Design Day Weather	Date	HDD
Coldest HDD on Record:	12/24/1983	80.5
HDD of Prior Day:	12/23/1983	75

Reserve Margin Summary	
Final Deliverable Capacity DTH:	9,465
Reserve Capacity DTH:	63
Reserve Capacity %:	0.67%

### Summary of Final Delivery Capacity

Pipeline	Contract # & Description	MDQ DTH	Notes
ANR	FTS 123226	1,500	
ANR	ETS 123225	3,115	Assumes W3 stg ratchet on FSS 123229 thru March 1st;
ANR	ETS 123228	3,850	
Winter Peaking Service		1,000	Winter Peaking Service
<b>Total Capacity</b>		<b>9,465</b>	

### Summary of Upstream Storage and Storage Capacity

Pipeline	Contract # & Description	MDQ DTH	Notes
ANR	FSS 123229	3,881	Rides on ETS 123225 Transport contract;
ANR	FSS 123230	3814	Rides on FTS 123226 Transport contract;
ANR	NNS 123231	1500	Rides on ETS 123225 Transport contract;
<b>Total Upstream and Storage Capacity</b>		<b>9,195</b>	

### Firm Sales Customers

Month	Year	Normal Weather		10% Colder		10% Warmer		20% Colder		20% Warmer	
		HDD	DTH	HDD	DTH	HDD	DTH	HDD	DTH	HDD	DTH
January	2026	1,215	134,302	1,337	147,587	1,094	121,018	1,458	160,872	972	107,733
February	2026	979	108,898	1,077	119,645	881	98,150	1,175	130,393	783	87,402
March	2026	739	79,482	813	87,634	665	71,329	887	95,786	591	63,208
April	2026	394	47,389	433	50,423	355	44,877	473	53,830	315	42,968
May	2026	156	26,491	172	27,169	140	25,813	187	27,848	125	25,135
June	2026	16	17,275	18	17,344	14	17,207	19	17,412	13	17,139
July	2026	2	16,355	2	16,365	2	16,345	2	16,375	2	16,335
August	2026	6	15,520	7	15,545	5	15,496	7	15,570	5	15,471
September	2026	91	22,117	100	22,507	82	21,726	109	22,898	73	21,335
October	2026	363	36,078	399	38,489	327	34,055	436	41,193	290	32,431
November	2025	719	75,431	791	83,234	647	67,630	863	91,037	575	59,938
December	2025	1,066	116,850	1,173	128,466	959	105,234	1,279	140,081	853	93,619
Firm Winter DTH		4,718	514,963	5,190	566,566	4,246	463,361	5,662	618,169	3,774	411,900
Firm Annual DTH		5,746	696,188	6,321	754,408	5,171	638,880	6,895	813,295	4,597	582,714

### Interruptible Sales Customers

Month	Year	Normal Weather		10% Colder		10% Warmer		20% Colder		20% Warmer	
		HDD	DTH	HDD	DTH	HDD	DTH	HDD	DTH	HDD	DTH
January	2026	1,215	10,405	1,337	11,406	1,094	9,405	1,458	12,406	972	8,405
February	2026	979	9,795	1,077	10,607	881	8,984	1,175	11,418	783	8,172
March	2026	739	9,076	813	9,693	665	8,458	887	10,310	591	7,841
April	2026	394	7,250	433	7,600	355	6,880	473	7,933	315	6,484
May	2026	156	5,544	172	5,711	140	5,376	187	5,879	125	5,209
June	2026	16	4,256	18	4,274	14	4,237	19	4,293	13	4,219
July	2026	2	4,440	2	4,443	2	4,438	2	4,445	2	4,435
August	2026	6	4,197	7	4,202	5	4,191	7	4,207	5	4,186
September	2026	91	4,695	100	4,781	82	4,609	109	4,867	73	4,524
October	2026	363	6,569	399	6,899	327	6,225	436	7,218	290	5,872
November	2025	719	7,835	791	8,416	647	7,252	863	8,997	575	6,767
December	2025	1,066	9,968	1,173	10,841	959	9,096	1,279	11,714	853	8,223
INT Winter DTH		4,718	47,079	5,190	50,963	4,246	43,195	5,662	54,845	3,774	39,408
INT Annual DTH		5,746	84,030	6,321	88,873	5,171	79,151	6,895	93,687	4,597	74,337
Total Winter DTH		4,718	562,042	5,190	617,529	4,246	506,556	5,662	673,014	3,774	451,308
Total Annual DTH		5,746	780,218	6,321	843,281	5,171	718,031	6,895	906,982	4,597	657,051

83,266  
126,818  
144,707  
118,693  
88,558

W/ Firm DTH(-1) Model				
Dependent Variable: KIRKSVILLE_FIRM_DD				
Method: Least Squares				
Date: 06/17/25 Time: 09:16				
Sample: 4/01/2022 3/31/2025				
Included observations: 1096				
HAC standard errors & covariance (Bartlett kernel, Newey-West fixed bandwidth = 7.0000)				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
KIRKSVILLE_EDD	47.7185868	2.1819974	21.8692224	0.000
KIRKSVILLE_EDD50	29.82731848	2.7520339	10.8382816	0.000
KIRKSVILLE_EDD(-1)	-15.59875094	2.5609015	-6.0911172	0.000
KIRKSVILLE_FIRM_DD(-1)	0.438654007	0.0301095	14.5686007	0.000
MONTH12	176.6155388	36.429409	4.84815822	0.000
MONTH02	196.4350668	40.091894	4.89962056	0.000
MONTH01	204.3788999	44.907555	4.55110286	0.000
MONTH03	110.6163769	35.141251	3.14776439	0.002
MONTH11	106.5941016	29.553731	3.60679002	0.000
WEEKDAY01	328.489153	22.563817	14.558226	0.000
WEEKDAY02	365.2396313	25.860495	14.1234587	0.000
WEEKDAY03	369.4072653	21.527572	17.1597274	0.000
WEEKDAY04	362.7108823	23.539903	15.408342	0.000
WEEKDAY05	360.4154051	21.315211	16.9088359	0.000
WEEKDAY06	324.879343	22.713124	14.3035959	0.000
WEEKDAY07	259.7274721	21.442582	12.1126957	0.000
R-squared	0.987082863	Mean dependent var	1920.266	
Adjusted R-squared	0.986903458	S.D. dependent var	1586.298	
S.E. of regression	181.536181	Akaike info criterion	13.25528	
Sum squared resid	3.56E+07	Schwarz criterion	13.32826	
Log likelihood	-7247.89232	Hannan-Quinn criter.	13.28289	
Durbin-Watson stat	1.810282029			

W/O Firm DTH(-1) Model				
Dependent Variable: KIRKSVILLE_FIRM_DD				
Method: Least Squares				
Date: 06/17/25 Time: 09:16				
Sample: 4/01/2022 3/31/2025				
Included observations: 1096				
HAC standard errors & covariance (Bartlett kernel, Newey-West fixed bandwidth = 7.0000)				
Variable	Coefficient	Std. Error	t-Statistic	Prob.
KIRKSVILLE_EDD	42.02656239	2.89644252	14.509717	0.000
KIRKSVILLE_EDD50	39.02132507	3.84670701	10.144086	0.000
KIRKSVILLE_EDD(-1)	21.26413851	1.13743624	18.694796	0.000
MONTH12	370.8512247	56.6325184	6.5483795	0.000
MONTH02	421.3644552	62.4782994	6.7441729	0.000
MONTH01	482.82605	56.3064429	8.5749698	0.000
MONTH03	217.464208	53.718011	4.048255	0.000
MONTH11	172.3894945	52.256791	3.2988917	0.001
WEEKDAY01	548.5735425	16.9558484	32.353058	0.000
WEEKDAY02	602.7718953	21.0064204	28.694651	0.000
WEEKDAY03	632.6002336	19.5512895	32.355934	0.000
WEEKDAY04	630.706742	19.1628927	32.912919	0.000
WEEKDAY05	628.1838049	17.8145975	35.262307	0.000
WEEKDAY06	586.7415241	18.4091432	31.872288	0.000
WEEKDAY07	507.3787039	19.3529117	26.217177	0.000
R-squared	0.981440219	Mean dependent var	1920.266	
Adjusted R-squared	0.981199852	S.D. dependent var	1586.298	
S.E. of regression	217.5031317	Akaike info criterion	13.6159	
Sum squared resid	5.11E+07	Schwarz criterion	13.68432	
Log likelihood	-7446.510557	Hannan-Quinn criter.	13.64178	
Durbin-Watson stat	0.885364015			

Design Day DTH Calculations	
Design Day Date	HDD
12/24/1983	80.5
12/23/1983	75
Is HDD(-2) Known?	NO
N/A	75
<b>Calendar Load</b>	573.79
<b>Weather Load</b>	4625.13
<b>DTH Lag Load</b>	3663.91
<b>Total Forecasted D</b>	<b>8862.83</b>
DTH(-1) Calculations	
NO DTH	
<b>Calendar Load</b>	1115.43
<b>Weather Load</b>	7088.08
<b>Total Forecast DTH</b>	8203.51
DTH LRV method	
<b>Calendar Load</b>	573.79
<b>Weather Load</b>	4198.63
<b>Total Forecast DTH</b>	8501.73

65.5  
60


Dependent Variable: KIRKSVILLE\_FIRM  
Method: Least Squares  
Date: 06/17/25 Time: 09:09  
Sample: 11/01/2020 3/31/2021 11/01/2021 3/31/2022 11/01/2022 3/31/2023 11/01/2023 3/31/2024 11/01/2024 3/31/2025  
Included observations: 756  
HAC standard errors & covariance (Bartlett kernel, Newey-West fixed bandwidth = 7.0000)

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	109.05	3.06E+01	3.563867668	0.000388496
KIRKSVILLE_EDD	79.5661	1.45E+00	5.50E+01	0.00000
KIRKSVILLE_EDD(-1)	-25.0382	3.40E+00	-7.355826461	0.00000
KIRKSVILLE_FIRM(-1)	0.4839	0.032775529	14.76277719	0.00000
R-squared	0.9734	Mean dependent var		3388.25397
Adjusted R-squared	0.9733	S.D. dependent var		1415.31193
S.E. of regression	231.3327	Akaike info criterion		13.73087
Sum squared resid	40243149.7154	Schwarz criterion		13.75536
Log likelihood	-5186.2681	Hannan-Quinn criter.		13.74030
F-statistic	9169.4420	Durbin-Watson stat		1.93032
<b>Prob(F-statistic)</b>	0.0000	Wald F-statistic		3339.64374
Prob(Wald F-statistic)	0.0000			

Quandt-Andrews unknown breakpoint test  
Null Hypothesis: No breakpoints within 10% trimmed data  
Equation Sample: 11/01/2020 3/31/2021 11/01/2021 3/31/2022 11/01/2022 3/31/2023 11/01/2023 3/31/2024 11/01/2024 3/31/2025  
Test Sample: 1/16/2021 1/15/2025  
Number of breaks compared: 605

Statistic	Value	Prob.
Maximum LR F-statistic (3/24/2023)	11.35392	0.00000
Exp LR F-statistic	3.97446	0.00000
Ave LR F-statistic	6.32006	0.00000

Note: probabilities calculated using Hansen's (1997) method  
WARNING: estimation sample is non-continuous (probabilities calculated assuming a continuous sample)




Dependent Variable: KIRKSVILLE\_FIRM  
Method: Least Squares  
Date: 06/17/25 Time: 09:09  
Sample: 11/01/2022 3/31/2023 11/01/2023 3/31/2024 11/01/2024 3/31/2025  
Included observations: 454  
HAC standard errors & covariance (Bartlett kernel, Newey-West fixed bandwidth = 6.0000)

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	111.84	3.34E+01	3.351852439	0.0008704
KIRKSVILLE_EDD	77.8687536	1.5211481	51.1907771	0.0000000
KIRKSVILLE_EDD(-1)	-17.7148933	3.7219085	-4.7596262	0.0000026
KIRKSVILLE_FIRM(-1)	0.4222831	0.0383218	11.0193862	0.0000000
R-squared	0.971361473	Mean dependent var		3257.436123
Adjusted R-squared	0.9712	S.D. dependent var		1375.7659
S.E. of regression	233.5946	Akaike info criterion		13.7538
Sum squared resid	24554889.6412	Schwarz criterion		13.7901
Log likelihood	-3118.1177	Hannan-Quinn criter.		13.7681
F-statistic	5087.6995	Durbin-Watson stat		1.9727
<b>Prob(F-statistic)</b>	0.0000	Wald F-statistic		3233.5774
Prob(Wald F-statistic)	0.0000			

Quandt-Andrews unknown breakpoint test  
Null Hypothesis: No breakpoints within 10% trimmed data  
Equation Sample: 11/01/2022 3/31/2023 11/01/2023 3/31/2024 11/01/2024 3/31/2025  
Test Sample: 12/17/2022 2/14/2025  
Number of breaks compared: 363

Statistic	Value	Prob.
Maximum LR F-statistic (3/24/2023)	7.26668	0.00028
Exp LR F-statistic	1.75444	0.00871
Ave LR F-statistic	2.24923	0.01468

Note: probabilities calculated using Hansen's (1997) method  
WARNING: estimation sample is non-continuous (probabilities calculated assuming a continuous sample)



Note: Due to the limited sample size, the sample was not truncated.

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
4/1/2022	23	2567		275
4/2/2022	23	2340		251
4/3/2022	16	2037		218
4/4/2022	20	2328		250
4/5/2022	14	2071		222
4/6/2022	22	2568		275
4/7/2022	32	3389		363
4/8/2022	31	3499		373
4/9/2022	18	2218		237
4/10/2022	5	1390		149
4/11/2022	13	1599		172
4/12/2022	0	1075		115
4/13/2022	29	2771		298
4/14/2022	22	2412		259
4/15/2022	23	2448		261
4/16/2022	24	2384		256
4/17/2022	32	3261		348
4/18/2022	30	3176		340
4/19/2022	20	2423		259
4/20/2022	16	2307		247
4/21/2022	4	1195		128
4/22/2022	0	815		87
4/23/2022	0	888		95
4/24/2022	13	1342		144
4/25/2022	25	2299		247
4/26/2022	16	1746		187
4/27/2022	3	1075		115
4/28/2022	11	1384		148
4/29/2022	7	1333		143
4/30/2022	12	1449		155
5/1/2022	15	1666		297
5/2/2022	13	1603		285
5/3/2022	17	1881		334
5/4/2022	12	1522		271
5/5/2022	12	1570		278
5/6/2022	11	1309		233
5/7/2022	3	993		177
5/8/2022	0	884		156
5/9/2022	0	677		121
5/10/2022	0	674		120
5/11/2022	0	569		101
5/12/2022	0	530		95
5/13/2022	0	537		96
5/14/2022	0	523		93
5/15/2022	7	709		127
5/16/2022	0	603		108
5/17/2022	0	579		104
5/18/2022	0	596		106
5/19/2022	0	550		98
5/20/2022	5	719		128
5/21/2022	14	985		175
5/22/2022	11	722		128
5/23/2022	5	548		98
5/24/2022	4	591		105
5/25/2022	2	507		90
5/26/2022	6	882		157
5/27/2022	3	768		137

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
5/28/2022	0	613		110
5/29/2022	0	527		94
5/30/2022	0	508		90
5/31/2022	0	598		106
6/1/2022	3	647		150
6/2/2022	1	629		146
6/3/2022	0	541		125
6/4/2022	0	521		120
6/5/2022	0	514		119
6/6/2022	0	567		132
6/7/2022	0	610		142
6/8/2022	0	627		146
6/9/2022	0	575		134
6/10/2022	0	595		139
6/11/2022	0	497		116
6/12/2022	0	481		112
6/13/2022	0	492		114
6/14/2022	0	486		113
6/15/2022	0	489		114
6/16/2022	0	493		114
6/17/2022	0	469		109
6/18/2022	0	469		109
6/19/2022	0	504		117
6/20/2022	0	489		114
6/21/2022	0	505		117
6/22/2022	0	509		118
6/23/2022	0	510		119
6/24/2022	0	511		119
6/25/2022	0	472		110
6/26/2022	0	545		127
6/27/2022	0	517		120
6/28/2022	0	532		123
6/29/2022	0	502		116
6/30/2022	0	504		117
7/1/2022	0	523		121
7/2/2022	0	514		118
7/3/2022	0	459		106
7/4/2022	0	464		107
7/5/2022	0	490		113
7/6/2022	0	524		121
7/7/2022	0	539		125
7/8/2022	0	504		117
7/9/2022	0	485		112
7/10/2022	0	496		115
7/11/2022	0	517		119
7/12/2022	0	651		150
7/13/2022	0	563		130
7/14/2022	0	498		115
7/15/2022	0	460		106
7/16/2022	0	471		109
7/17/2022	0	461		107
7/18/2022	0	472		109
7/19/2022	0	484		111
7/20/2022	0	492		113
7/21/2022	0	493		114
7/22/2022	0	449		103
7/23/2022	0	414		95

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
7/24/2022	0	481		111
7/25/2022	0	550		127
7/26/2022	0	541		125
7/27/2022	0	514		119
7/28/2022	0	546		126
7/29/2022	0	536		124
7/30/2022	0	489		113
7/31/2022	0	464		107
8/1/2022	0	447		108
8/2/2022	0	446		108
8/3/2022	0	476		115
8/4/2022	0	508		124
8/5/2022	0	528		129
8/6/2022	0	495		121
8/7/2022	0	525		128
8/8/2022	0	627		153
8/9/2022	0	551		135
8/10/2022	0	509		124
8/11/2022	0	485		118
8/12/2022	0	477		116
8/13/2022	0	475		116
8/14/2022	0	472		115
8/15/2022	0	516		126
8/16/2022	0	481		117
8/17/2022	0	530		129
8/18/2022	0	536		131
8/19/2022	0	475		116
8/20/2022	0	517		126
8/21/2022	0	550		135
8/22/2022	0	548		135
8/23/2022	0	549		135
8/24/2022	0	525		129
8/25/2022	0	523		128
8/26/2022	0	502		123
8/27/2022	0	480		118
8/28/2022	0	489		120
8/29/2022	0	506		124
8/30/2022	0	531		130
8/31/2022	0	526		129
9/1/2022	0	554		98
9/2/2022	0	503		89
9/3/2022	0	476		84
9/4/2022	0	498		88
9/5/2022	0	527		93
9/6/2022	0	572		101
9/7/2022	0	535		94
9/8/2022	0	555		98
9/9/2022	0	530		94
9/10/2022	1	591		105
9/11/2022	5	636		113
9/12/2022	6	871		154
9/13/2022	0	818		144
9/14/2022	0	606		107
9/15/2022	0	705		125
9/16/2022	0	957		170
9/17/2022	0	553		98
9/18/2022	0	637		113

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	
9/19/2022	0	1126		200
9/20/2022	0	776		138
9/21/2022	0	699		124
9/22/2022	8	807		143
9/23/2022	14	1060		188
9/24/2022	0	719		128
9/25/2022	5	933		166
9/26/2022	11	1320		235
9/27/2022	12	1163		207
9/28/2022	15	1588		282
9/29/2022	12	1441		255
9/30/2022	9	1005		177
10/1/2022	6	860		115
10/2/2022	5	856		115
10/3/2022	6	948		127
10/4/2022	6	990		133
10/5/2022	6	896		120
10/6/2022	6	982		131
10/7/2022	23	1529		203
10/8/2022	16	1504		199
10/9/2022	10	1192		158
10/10/2022	0	952		126
10/11/2022	0	884		117
10/12/2022	12	1213		161
10/13/2022	21	1790		238
10/14/2022	20	1918		256
10/15/2022	15	1580		211
10/16/2022	20	1875		251
10/17/2022	33	2813		375
10/18/2022	33	2973		396
10/19/2022	25	2614		348
10/20/2022	11	1588		211
10/21/2022	0	1008		134
10/22/2022	0	810		108
10/23/2022	0	768		102
10/24/2022	10	1067		142
10/25/2022	24	2182		291
10/26/2022	16	1674		223
10/27/2022	18	1792		239
10/28/2022	19	1631		218
10/29/2022	12	1307		174
10/30/2022	12	1407		188
10/31/2022	16	1441		193
11/1/2022	9	1239		108
11/2/2022	3	983		85
11/3/2022	0	777		68
11/4/2022	15	1357		117
11/5/2022	20	1357		117
11/6/2022	18	1744		151
11/7/2022	19	2172		189
11/8/2022	9	1564		135
11/9/2022	0	889		77
11/10/2022	22	1989		172
11/11/2022	40	3913		339
11/12/2022	37	4076		351
11/13/2022	37	3670		316
11/14/2022	30	3541		305

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
11/15/2022	37	3964		342
11/16/2022	43	4821		414
11/17/2022	41	4598		395
11/18/2022	47	5152		444
11/19/2022	45	4929		424
11/20/2022	32	3991		344
11/21/2022	30	3187		275
11/22/2022	20	2606		226
11/23/2022	18	2120		183
11/24/2022	23	2519		218
11/25/2022	26	2821		244
11/26/2022	20	2551		220
11/27/2022	29	3146		272
11/28/2022	23	2744		237
11/29/2022	35	3584		310
11/30/2022	44	4668		405
12/1/2022	27	3728		275
12/2/2022	28	3140		233
12/3/2022	40	4268		316
12/4/2022	32	3558		264
12/5/2022	26	3016		224
12/6/2022	28	3101		230
12/7/2022	25	2803		207
12/8/2022	25	2761		204
12/9/2022	28	3124		231
12/10/2022	30	3221		238
12/11/2022	34	3487		258
12/12/2022	32	3811		282
12/13/2022	25	3146		233
12/14/2022	31	3402		251
12/15/2022	40	4542		335
12/16/2022	46	5070		375
12/17/2022	50	5395		399
12/18/2022	42	4772		352
12/19/2022	34	4176		308
12/20/2022	47	5266		388
12/21/2022	46	4780		353
12/22/2022	81	7864		581
12/23/2022	74	7660		567
12/24/2022	61	6281		467
12/25/2022	47	5167		383
12/26/2022	55	6031		449
12/27/2022	37	4852		360
12/28/2022	17	2748		204
12/29/2022	17	2255		167
12/30/2022	33	3425		253
12/31/2022	24	3006		227
1/1/2023	24	2873		217
1/2/2023	18	2679		202
1/3/2023	27	2930		221
1/4/2023	35	4134		312
1/5/2023	38	4401		332
1/6/2023	36	3862		292
1/7/2023	38	4360		331
1/8/2023	34	3784		286
1/9/2023	25	3025		229
1/10/2023	26	2944		223

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
1/11/2023	26	3044		230
1/12/2023	43	4770		362
1/13/2023	42	4567		347
1/14/2023	33	4006		305
1/15/2023	20	2912		221
1/16/2023	22	2625		199
1/17/2023	30	3168		240
1/18/2023	31	3815		289
1/19/2023	36	4221		321
1/20/2023	39	4311		328
1/21/2023	31	3646		277
1/22/2023	39	4169		316
1/23/2023	37	4378		332
1/24/2023	32	3660		277
1/25/2023	45	4722		357
1/26/2023	45	5157		390
1/27/2023	34	3967		300
1/28/2023	44	4737		359
1/29/2023	55	6017		456
1/30/2023	55	6307		477
1/31/2023	50	5719		433
2/1/2023	38	4799		398
2/2/2023	48	5045		417
2/3/2023	46	5438		447
2/4/2023	23	3326		277
2/5/2023	25	3022		251
2/6/2023	18	2499		207
2/7/2023	31	3135		260
2/8/2023	29	3368		279
2/9/2023	35	4018		333
2/10/2023	38	4097		341
2/11/2023	29	3300		275
2/12/2023	22	2646		220
2/13/2023	21	2414		200
2/14/2023	22	2711		225
2/15/2023	34	3656		303
2/16/2023	46	4898		405
2/17/2023	35	4124		341
2/18/2023	22	2973		246
2/19/2023	26	2683		223
2/20/2023	23	2696		225
2/21/2023	24	2714		225
2/22/2023	28	3085		255
2/23/2023	47	4747		393
2/24/2023	39	4517		375
2/25/2023	30	3302		274
2/26/2023	17	2333		193
2/27/2023	25	2725		226
2/28/2023	26	2861		238
3/1/2023	23	2633		243
3/2/2023	30	3401		313
3/3/2023	28	3138		289
3/4/2023	22	2664		245
3/5/2023	12	1973		181
3/6/2023	24	2462		226
3/7/2023	24	2752		252
3/8/2023	26	3024		278

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	
3/9/2023	31	3453		316
3/10/2023	33	3552		325
3/11/2023	32	2393		219
3/12/2023	38	4028		371
3/13/2023	38	4349		399
3/14/2023	32	3403		312
3/15/2023	15	2318		211
3/16/2023	32	3447		314
3/17/2023	44	4421		404
3/18/2023	48	5316		486
3/19/2023	34	3991		366
3/20/2023	19	2597		239
3/21/2023	23	2749		253
3/22/2023	19	2395		220
3/23/2023	29	3128		286
3/24/2023	25	2849		260
3/25/2023	19	2188		200
3/26/2023	26	2657		243
3/27/2023	24	2530		232
3/28/2023	24	2778		255
3/29/2023	24	3022		278
3/30/2023	3	1925		177
3/31/2023	15	1727		158
4/1/2023	25	2478		334
4/2/2023	7	1549		209
4/3/2023	9	1876		252
4/4/2023	0	1423		192
4/5/2023	27	2283		309
4/6/2023	21	2226		301
4/7/2023	17	1758		238
4/8/2023	12	1512		204
4/9/2023	9	1406		190
4/10/2023	6	1646		222
4/11/2023	0	1516		204
4/12/2023	0	1145		154
4/13/2023	1	1313		177
4/14/2023	0	1126		151
4/15/2023	17	1273		171
4/16/2023	29	2613		353
4/17/2023	16	1997		269
4/18/2023	5	1805		244
4/19/2023	0	1392		187
4/20/2023	15	1418		191
4/21/2023	23	2207		297
4/22/2023	30	2686		361
4/23/2023	25	2201		297
4/24/2023	11	1547		208
4/25/2023	13	1850		250
4/26/2023	15	1886		254
4/27/2023	9	1477		199
4/28/2023	5	1145		154
4/29/2023	18	1475		198
4/30/2023	17	1861		250
5/1/2023	15	1578		327
5/2/2023	15	2023		420
5/3/2023	9	1744		360
5/4/2023	3	1537		318

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
5/5/2023	2	1082		225
5/6/2023	0	664		138
5/7/2023	0	731		151
5/8/2023	0	880		182
5/9/2023	0	722		150
5/10/2023	0	675		140
5/11/2023	0	611		127
5/12/2023	0	619		128
5/13/2023	0	585		122
5/14/2023	0	659		137
5/15/2023	7	787		164
5/16/2023	3	664		138
5/17/2023	0	614		127
5/18/2023	0	588		122
5/19/2023	11	848		177
5/20/2023	8	728		153
5/21/2023	2	448		94
5/22/2023	1	468		98
5/23/2023	0	413		86
5/24/2023	0	450		94
5/25/2023	2	440		92
5/26/2023	4	690		144
5/27/2023	0	610		127
5/28/2023	0	554		115
5/29/2023	0	537		112
5/30/2023	0	538		112
5/31/2023	0	526		110
6/1/2023	0	566		122
6/2/2023	0	501		108
6/3/2023	0	476		102
6/4/2023	0	552		119
6/5/2023	0	646		139
6/6/2023	0	639		138
6/7/2023	0	647		139
6/8/2023	3	695		149
6/9/2023	0	672		145
6/10/2023	0	648		140
6/11/2023	8	807		174
6/12/2023	0	761		164
6/13/2023	0	678		147
6/14/2023	0	544		118
6/15/2023	0	513		111
6/16/2023	0	534		115
6/17/2023	0	504		109
6/18/2023	0	532		116
6/19/2023	0	644		140
6/20/2023	0	556		121
6/21/2023	0	521		112
6/22/2023	0	489		106
6/23/2023	0	523		113
6/24/2023	0	564		122
6/25/2023	0	611		133
6/26/2023	0	646		140
6/27/2023	0	649		141
6/28/2023	0	631		138
6/29/2023	0	649		142
6/30/2023	0	596		130

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
7/1/2023	0	601		142
7/2/2023	0	591		139
7/3/2023	0	587		139
7/4/2023	0	547		129
7/5/2023	0	490		116
7/6/2023	0	513		121
7/7/2023	0	530		125
7/8/2023	0	501		118
7/9/2023	0	496		117
7/10/2023	0	456		108
7/11/2023	0	473		112
7/12/2023	0	495		116
7/13/2023	0	660		156
7/14/2023	0	442		104
7/15/2023	0	438		103
7/16/2023	0	495		116
7/17/2023	0	720		169
7/18/2023	0	896		209
7/19/2023	0	685		160
7/20/2023	0	749		176
7/21/2023	0	638		149
7/22/2023	0	445		104
7/23/2023	0	445		104
7/24/2023	0	460		108
7/25/2023	0	428		100
7/26/2023	0	389		91
7/27/2023	0	386		90
7/28/2023	0	370		87
7/29/2023	0	386		90
7/30/2023	0	512		120
7/31/2023	0	600		140
8/1/2023	0	493		128
8/2/2023	0	588		153
8/3/2023	0	592		154
8/4/2023	0	618		160
8/5/2023	0	475		123
8/6/2023	0	525		137
8/7/2023	0	552		143
8/8/2023	0	496		129
8/9/2023	0	529		137
8/10/2023	0	484		125
8/11/2023	0	461		119
8/12/2023	0	469		122
8/13/2023	0	518		134
8/14/2023	0	613		159
8/15/2023	0	601		156
8/16/2023	0	504		132
8/17/2023	0	499		129
8/18/2023	0	492		127
8/19/2023	0	445		115
8/20/2023	0	414		107
8/21/2023	0	442		115
8/22/2023	0	423		110
8/23/2023	0	401		104
8/24/2023	0	405		105
8/25/2023	0	398		103
8/26/2023	0	446		115

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
8/27/2023	0	483		125
8/28/2023	0	482		124
8/29/2023	0	497		129
8/30/2023	0	506		131
8/31/2023	1	518		134
9/1/2023	0	501		130
9/2/2023	0	469		112
9/3/2023	0	440		105
9/4/2023	0	459		110
9/5/2023	0	497		119
9/6/2023	3	537		128
9/7/2023	1	640		153
9/8/2023	2	564		134
9/9/2023	0	537		128
9/10/2023	0	526		125
9/11/2023	5	608		145
9/12/2023	3	610		146
9/13/2023	0	607		146
9/14/2023	0	615		149
9/15/2023	0	557		133
9/16/2023	3	612		146
9/17/2023	6	651		156
9/18/2023	0	627		150
9/19/2023	0	632		151
9/20/2023	1	639		152
9/21/2023	0	679		163
9/22/2023	0	601		143
9/23/2023	0	617		147
9/24/2023	1	664		159
9/25/2023	0	686		164
9/26/2023	0	665		159
9/27/2023	2	687		164
9/28/2023	0	655		156
9/29/2023	0	588		144
9/30/2023	0	554		137
10/1/2023	0	568		139
10/2/2023	0	583		143
10/3/2023	0	605		148
10/4/2023	0	640		157
10/5/2023	5	761		186
10/6/2023	18	1186		289
10/7/2023	17	1128		275
10/8/2023	13	976		239
10/9/2023	18	1192		291
10/10/2023	10	1016		249
10/11/2023	1	853		208
10/12/2023	0	640		156
10/13/2023	11	854		209
10/14/2023	14	1282		312
10/15/2023	19	1584		384
10/16/2023	19	1378		336
10/17/2023	10	1041		255
10/18/2023	10	1148		282
10/19/2023	12	1086		267
10/20/2023	6	972		239
10/21/2023	10	1000		244
10/22/2023	9	1107		271

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
10/23/2023	0	911		225
10/24/2023	0	804		199
10/25/2023	0	783		87
10/26/2023	0	792		88
10/27/2023	28	2043		227
10/28/2023	30	2623		290
10/29/2023	34	3243		358
10/30/2023	33	3435		380
10/31/2023	38	3823		424
11/1/2023	29	3134		348
11/2/2023	16	2149		241
11/3/2023	16	1942		217
11/4/2023	22	1995		222
11/5/2023	7	1371		154
11/6/2023	11	1843		205
11/7/2023	5	1206		135
11/8/2023	13	1589		179
11/9/2023	20	2024		228
11/10/2023	27	2529		283
11/11/2023	22	2248		250
11/12/2023	16	1773		197
11/13/2023	17	1825		202
11/14/2023	15	1650		184
11/15/2023	10	1343		149
11/16/2023	13	1458		161
11/17/2023	28	2350		260
11/18/2023	21	1997		220
11/19/2023	16	1861		206
11/20/2023	24	2412		267
11/21/2023	30	2942		326
11/22/2023	28	2835		294
11/23/2023	32	2913		302
11/24/2023	36	3781		392
11/25/2023	30	3072		320
11/26/2023	41	3897		404
11/27/2023	42	4302		445
11/28/2023	37	3873		401
11/29/2023	22	2696		280
11/30/2023	22	2401		249
12/1/2023	31	3241		335
12/2/2023	31	3233		336
12/3/2023	31	3229		336
12/4/2023	28	3086		324
12/5/2023	33	3598		380
12/6/2023	24	2970		312
12/7/2023	11	1748		184
12/8/2023	16	1787		187
12/9/2023	35	3310		347
12/10/2023	34	3322		348
12/11/2023	29	3080		322
12/12/2023	32	3324		350
12/13/2023	30	3128		329
12/14/2023	22	2448		257
12/15/2023	18	2222		233
12/16/2023	26	2763		290
12/17/2023	30	3075		322
12/18/2023	42	4159		435

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
12/19/2023	33	3601		377
12/20/2023	19	2348		246
12/21/2023	16	1936		203
12/22/2023	14	1803		206
12/23/2023	14	1682		197
12/24/2023	11	1551		186
12/25/2023	30	2913		289
12/26/2023	30	3371		322
12/27/2023	32	3404		325
12/28/2023	34	3604		342
12/29/2023	35	3564		337
12/30/2023	31	3314		318
12/31/2023	37	3987		366
1/1/2024	40	4045		370
1/2/2024	34	3604		339
1/3/2024	35	3591		338
1/4/2024	35	3579		336
1/5/2024	33	3672		343
1/6/2024	34	3661		343
1/7/2024	35	3925		362
1/8/2024	34	3831		354
1/9/2024	42	4329		392
1/10/2024	39	4211		383
1/11/2024	41	4477		405
1/12/2024	58	5823		0
1/13/2024	78	7265		0
1/14/2024	77	7362		0
1/15/2024	71	7005		0
1/16/2024	62	6760		560
1/17/2024	44	5181		457
1/18/2024	54	5376		475
1/19/2024	68	6803		584
1/20/2024	62	6544		559
1/21/2024	43	5240		461
1/22/2024	33	4052		372
1/23/2024	31	3641		341
1/24/2024	30	3442		408
1/25/2024	30	3461		409
1/26/2024	29	3325		396
1/27/2024	32	3612		428
1/28/2024	33	3656		435
1/29/2024	23	2723		325
1/30/2024	31	3444		411
1/31/2024	20	2540		301
2/1/2024	17	2288		272
2/2/2024	28	3175		378
2/3/2024	26	2889		342
2/4/2024	28	3062		364
2/5/2024	26	2859		340
2/6/2024	21	2525		301
2/7/2024	16	2369		283
2/8/2024	15	1889		226
2/9/2024	23	2348		281
2/10/2024	30	2955		353
2/11/2024	34	3243		387
2/12/2024	28	2915		347
2/13/2024	25	2596		310

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
2/14/2024	19	2304		276
2/15/2024	31	3039		363
2/16/2024	48	4581		549
2/17/2024	43	4555		543
2/18/2024	32	3334		398
2/19/2024	24	2723		326
2/20/2024	16	2064		247
2/21/2024	9	1534		184
2/22/2024	16	1807		250
2/23/2024	24	2348		324
2/24/2024	26	2532		350
2/25/2024	14	1693		235
2/26/2024	3	1153		159
2/27/2024	29	2457		339
2/28/2024	40	3974		548
2/29/2024	25	2770		381
3/1/2024	27	2593		357
3/2/2024	9	1578		218
3/3/2024	2	1165		161
3/4/2024	13	1559		213
3/5/2024	26	2577		354
3/6/2024	18	2057		282
3/7/2024	19	2211		303
3/8/2024	30	3042		419
3/9/2024	30	1685		232
3/10/2024	22	2302		316
3/11/2024	8	1530		211
3/12/2024	6	1152		159
3/13/2024	4	1053		145
3/14/2024	15	1461		199
3/15/2024	16	1739		239
3/16/2024	19	1961		269
3/17/2024	37	3320		456
3/18/2024	35	3651		503
3/19/2024	17	2120		291
3/20/2024	28	2700		370
3/21/2024	24	2557		350
3/22/2024	33	3244		523
3/23/2024	27	2829		456
3/24/2024	14	2340		379
3/25/2024	16	1858		300
3/26/2024	36	3576		576
3/27/2024	30	2979		480
3/28/2024	11	1798		290
3/29/2024	1	1114		180
3/30/2024	11	1283		206
3/31/2024	11	1433		231
4/1/2024	10	1491		240
4/2/2024	28	2756		443
4/3/2024	25	2810		451
4/4/2024	26	2559		411
4/5/2024	21	2150		345
4/6/2024	16	1914		308
4/7/2024	7	1281		206
4/8/2024	8	1171		188
4/9/2024	13	1298		208
4/10/2024	6	1055		169

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	
4/11/2024	14	1526		244
4/12/2024	12	1324		212
4/13/2024	0	722		116
4/14/2024	0	685		109
4/15/2024	0	670		107
4/16/2024	0	739		118
4/17/2024	7	917		147
4/18/2024	21	1832		293
4/19/2024	18	1747		280
4/20/2024	24	2100		337
4/21/2024	18	1668		267
4/22/2024	6	1169		188
4/23/2024	12	1122		309
4/24/2024	10	968		266
4/25/2024	12	1279		350
4/26/2024	3	1109		304
4/27/2024	0	773		212
4/28/2024	2	853		234
4/29/2024	6	868		238
4/30/2024	0	665		183
5/1/2024	1	711		195
5/2/2024	5	828		227
5/3/2024	1	771		213
5/4/2024	10	980		271
5/5/2024	4	868		241
5/6/2024	0	798		221
5/7/2024	3	805		224
5/8/2024	0	776		215
5/9/2024	6	874		242
5/10/2024	3	815		226
5/11/2024	0	727		204
5/12/2024	0	660		185
5/13/2024	3	639		179
5/14/2024	3	651		182
5/15/2024	0	557		155
5/16/2024	0	567		158
5/17/2024	0	524		146
5/18/2024	0	478		133
5/19/2024	0	334		93
5/20/2024	0	302		84
5/21/2024	0	335		94
5/22/2024	4	390		105
5/23/2024	0	331		89
5/24/2024	4	617		166
5/25/2024	0	532		143
5/26/2024	0	519		139
5/27/2024	0	527		141
5/28/2024	3	610		165
5/29/2024	2	589		158
5/30/2024	0	550		148
5/31/2024	0	515		139
6/1/2024	0	528		142
6/2/2024	0	487		131
6/3/2024	0	446		121
6/4/2024	0	460		125
6/5/2024	0	488		132
6/6/2024	0	527		143

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
6/7/2024	0	433		116
6/8/2024	0	465		125
6/9/2024	0	526		141
6/10/2024	1	533		142
6/11/2024	0	553		149
6/12/2024	0	487		132
6/13/2024	0	434		117
6/14/2024	0	466		126
6/15/2024	0	429		115
6/16/2024	0	396		105
6/17/2024	0	402		107
6/18/2024	0	431		116
6/19/2024	0	517		139
6/20/2024	0	472		127
6/21/2024	0	314		252
6/22/2024	0	307		246
6/23/2024	0	329		264
6/24/2024	0	462		371
6/25/2024	0	308		246
6/26/2024	0	371		297
6/27/2024	0	746		206
6/28/2024	0	416		115
6/29/2024	0	414		113
6/30/2024	0	440		120
7/1/2024	0	511		139
7/2/2024	0	596		162
7/3/2024	0	673		183
7/4/2024	0	449		122
7/5/2024	0	483		131
7/6/2024	0	410		112
7/7/2024	0	480		130
7/8/2024	0	531		144
7/9/2024	0	775		211
7/10/2024	0	688		187
7/11/2024	0	556		151
7/12/2024	0	757		208
7/13/2024	0	373		101
7/14/2024	0	426		115
7/15/2024	0	530		144
7/16/2024	0	617		167
7/17/2024	0	955		258
7/18/2024	0	845		228
7/19/2024	0	760		205
7/20/2024	0	432		118
7/21/2024	0	584		159
7/22/2024	0	936		254
7/23/2024	0	995		253
7/24/2024	0	862		219
7/25/2024	0	912		233
7/26/2024	0	667		170
7/27/2024	0	437		111
7/28/2024	0	546		139
7/29/2024	0	834		213
7/30/2024	0	976		250
7/31/2024	0	911		235
8/1/2024	0	809		208
8/2/2024	0	493		126

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
8/3/2024	0	447		114
8/4/2024	0	450		115
8/5/2024	0	543		139
8/6/2024	0	519		132
8/7/2024	0	392		100
8/8/2024	0	417		106
8/9/2024	4	445		115
8/10/2024	0	402		103
8/11/2024	0	382		97
8/12/2024	0	432		110
8/13/2024	0	432		110
8/14/2024	0	594		151
8/15/2024	0	910		232
8/16/2024	0	949		243
8/17/2024	0	670		173
8/18/2024	0	533		137
8/19/2024	0	837		216
8/20/2024	0	620		160
8/21/2024	2	791		242
8/22/2024	1	965		294
8/23/2024	0	776		235
8/24/2024	0	387		118
8/25/2024	0	517		158
8/26/2024	0	899		276
8/27/2024	0	763		235
8/28/2024	0	725		222
8/29/2024	0	447		137
8/30/2024	0	387		120
8/31/2024	0	349		107
9/1/2024	1	343		105
9/2/2024	1	372		114
9/3/2024	2	424		129
9/4/2024	0	353		107
9/5/2024	0	426		130
9/6/2024	5	397		121
9/7/2024	10	449		136
9/8/2024	9	463		141
9/9/2024	3	461		141
9/10/2024	1	477		146
9/11/2024	0	420		129
9/12/2024	0	399		121
9/13/2024	0	401		122
9/14/2024	0	385		119
9/15/2024	0	452		140
9/16/2024	0	563		175
9/17/2024	0	518		161
9/18/2024	0	585		181
9/19/2024	0	578		180
9/20/2024	0	534		166
9/21/2024	0	508		106
9/22/2024	5	632		132
9/23/2024	4	500		104
9/24/2024	4	806		167
9/25/2024	2	1183		245
9/26/2024	0	770		158
9/27/2024	0	1131		231
9/28/2024	0	691		141

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
9/29/2024	0	658		134
9/30/2024	0	920		188
10/1/2024	13	795		162
10/2/2024	7	826		168
10/3/2024	0	653		133
10/4/2024	0	976		199
10/5/2024	0	644		131
10/6/2024	7	901		184
10/7/2024	13	1073		217
10/8/2024	9	952		193
10/9/2024	6	794		161
10/10/2024	1	591		120
10/11/2024	0	519		105
10/12/2024	0	544		110
10/13/2024	12	958		194
10/14/2024	16	1187		241
10/15/2024	23	1504		307
10/16/2024	19	1565		319
10/17/2024	16	1371		279
10/18/2024	11	1140		232
10/19/2024	6	945		191
10/20/2024	4	920		187
10/21/2024	1	838		169
10/22/2024	0	732		93
10/23/2024	19	1260		160
10/24/2024	3	939		119
10/25/2024	16	1225		155
10/26/2024	18	1472		186
10/27/2024	11	1190		150
10/28/2024	0	734		93
10/29/2024	0	615		78
10/30/2024	0	687		87
10/31/2024	23	1605		203
11/1/2024	18	1691		214
11/2/2024	8	855		108
11/3/2024	4	941		119
11/4/2024	2	780		99
11/5/2024	13	1216		155
11/6/2024	21	1668		212
11/7/2024	21	2056		260
11/8/2024	15	1715		217
11/9/2024	15	1655		210
11/10/2024	18	1664		212
11/11/2024	21	2155		275
11/12/2024	20	2270		289
11/13/2024	16	2023		257
11/14/2024	25	2228		282
11/15/2024	17	1730		218
11/16/2024	16	1995		253
11/17/2024	8	1298		165
11/18/2024	8	1274		162
11/19/2024	17	1754		222
11/20/2024	29	2746		350
11/21/2024	30	2978		379
11/22/2024	33	3171		284
11/23/2024	21	2244		201
11/24/2024	10	1463		130

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
11/25/2024	35	3277		293
11/26/2024	27	3105		277
11/27/2024	32	3274		292
11/28/2024	40	3921		351
11/29/2024	40	4262		384
11/30/2024	38	4009		361
12/1/2024	39	4046		363
12/2/2024	44	4696		422
12/3/2024	36	4014		360
12/4/2024	41	4061		365
12/5/2024	45	4779		431
12/6/2024	34	3828		343
12/7/2024	19	2537		229
12/8/2024	17	1971		177
12/9/2024	24	2588		233
12/10/2024	32	3296		297
12/11/2024	46	4509		407
12/12/2024	53	5537		501
12/13/2024	37	4572		413
12/14/2024	28	3446		310
12/15/2024	24	2931		265
12/16/2024	25	2679		241
12/17/2024	26	2921		263
12/18/2024	36	3594		324
12/19/2024	34	3681		331
12/20/2024	41	4512		347
12/21/2024	41	4296		333
12/22/2024	26	3218		249
12/23/2024	27	3010		232
12/24/2024	30	3225		248
12/25/2024	27	3002		231
12/26/2024	19	2361		182
12/27/2024	19	2279		176
12/28/2024	21	2373		184
12/29/2024	25	2699		209
12/30/2024	28	3123		243
12/31/2024	35	3824		297
1/1/2025	34	3672		284
1/2/2025	37	4176		324
1/3/2025	43	4613		358
1/4/2025	48	5080		395
1/5/2025	55	5603		437
1/6/2025	56	5343		415
1/7/2025	46	5031		391
1/8/2025	51	5272		410
1/9/2025	36	4282		335
1/10/2025	38	4154		322
1/11/2025	34	3937		304
1/12/2025	47	4748		368
1/13/2025	48	5278		410
1/14/2025	54	5685		442
1/15/2025	41	4924		383
1/16/2025	30	3499		271
1/17/2025	33	3501		270
1/18/2025	56	5683		440
1/19/2025	63	6856		528
1/20/2025	65	7178		558

<u>Gas Day</u>	Kirksville Firm		Kirksville Interruptible	
	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>	<u>Dth</u>
1/21/2025	60	7119		538
1/22/2025	42	5186		394
1/23/2025	54	5805		439
1/24/2025	38	4865		368
1/25/2025	33	3990		302
1/26/2025	40	4493		338
1/27/2025	32	3892		292
1/28/2025	26	3196		239
1/29/2025	24	2799		209
1/30/2025	22	2713		203
1/31/2025	31	3330		250
2/1/2025	27	3171		238
2/2/2025	17	2140		161
2/3/2025	26	2661		199
2/4/2025	39	4282		321
2/5/2025	35	4288		321
2/6/2025	34	3595		269
2/7/2025	32	3871		290
2/8/2025	38	4103		307
2/9/2025	42	4503		338
2/10/2025	38	4446		334
2/11/2025	47	5285		397
2/12/2025	55	5746		432
2/13/2025	54	5754		432
2/14/2025	36	4747		356
2/15/2025	46	4877		367
2/16/2025	56	5932		446
2/17/2025	63	6720		505
2/18/2025	67	7273		548
2/19/2025	65	7186		540
2/20/2025	60	6512		490
2/21/2025	50	5612		422
2/22/2025	35	4356		328
2/23/2025	21	2907		219
2/24/2025	16	2228		167
2/25/2025	16	1863		212
2/26/2025	20	2185		249
2/27/2025	20	2367		270
2/28/2025	22	2329		267
3/1/2025	39	3773		433
3/2/2025	28	3092		354
3/3/2025	7	1559		179
3/4/2025	23	2536		291
3/5/2025	41	4594		529
3/6/2025	25	2968		341
3/7/2025	27	2829		325
3/8/2025	24	1468		169
3/9/2025	15	1965		226
3/10/2025	4	1208		139
3/11/2025	13	1403		161
3/12/2025	11	1327		152
3/13/2025	1	872		100
3/14/2025	1	838		96
3/15/2025	30	2541		292
3/16/2025	29	2816		323
3/17/2025	5	1445		166
3/18/2025	0	884		101

<u>Gas Day</u>	<u>EDD</u>	<u>Dth</u>	<u>Dth</u>
3/19/2025	26	2393	274
3/20/2025	26	2630	295
3/21/2025	20	2126	295
3/22/2025	15	1760	246
3/23/2025	20	2101	293
3/24/2025	21	2029	282
3/25/2025	18	1770	246
3/26/2025	12	1399	195
3/27/2025	9	1496	206
3/28/2025	0	660	93
3/29/2025	2	680	95
3/30/2025	27	2254	315
3/31/2025	22	919	129

Calendar Date	KIRK	KBRL	KIRK	KMCI	KMWA	KPAH	KPOF	KSPI	KSTL	KUIN	KCSG	KGVL
January1	38.10	41	38	36	33	30	31	38	33	38	17	22.3
January2	38.30	41	38	36	33	30	31	38	33	38	17	22.4
January3	38.40	41	38	36	33	30	31	38	33	38	17	22.5
January4	38.60	41	39	36	33	31	31	38	33	38	17	22.5
January5	38.70	41	39	36	33	31	31	38	33	39	17	22.6
January6	38.80	41	39	36	33	31	31	38	33	39	17	22.6
January7	39.00	42	39	36	33	31	31	38	33	39	17	22.7
January8	39.10	42	39	36	33	31	31	38	34	39	17	22.7
January9	39.20	42	39	36	33	31	31	38	34	39	17	22.8
January10	39.30	42	39	36	33	31	31	38	34	39	17	22.8
January11	39.40	42	39	36	33	31	31	38	34	39	17	22.8
January12	39.40	42	39	36	33	31	31	39	34	39	17	22.8
January13	39.50	42	40	36	33	31	31	39	34	39	17	22.8
January14	39.60	42	40	36	33	31	31	39	34	39	17	22.8
January15	39.60	42	40	36	33	31	31	39	34	39	17	22.8
January16	39.60	42	40	36	33	31	31	39	33	39	17	22.8
January17	39.70	42	40	36	33	31	31	39	33	39	17	22.8
January18	39.70	42	40	36	33	31	31	39	33	39	17	22.8
January19	39.70	42	40	36	33	31	31	38	33	39	17	22.7
January20	39.70	42	40	36	33	31	31	38	33	39	17	22.7
January21	39.60	42	40	36	33	30	31	38	33	39	17	22.7
January22	39.60	42	40	36	32	30	31	38	33	39	17	22.6
January23	39.50	42	40	36	32	30	31	38	33	39	17	22.5
January24	39.50	42	40	36	32	30	30	38	33	39	16	22.5
January25	39.40	41	39	36	32	30	30	38	33	38	16	22.4
January26	39.30	41	39	36	32	30	30	38	33	38	16	22.3
January27	39.20	41	39	36	32	30	30	38	33	38	16	22.2
January28	39.10	41	39	36	32	30	30	38	33	38	16	22.2
January29	39.00	41	39	36	32	30	30	38	32	38	16	22.1
January30	38.90	41	39	35	31	30	30	38	32	38	16	22
January31	38.70	41	39	35	31	29	30	37	32	38	16	21.8
February1	38.50	41	39	35	31	29	29	37	32	38	15	21.7
February2	38.40	40	38	35	31	29	29	37	32	37	15	21.6
February3	38.20	40	38	35	31	29	29	37	32	37	15	21.5
February4	38.00	40	38	35	31	29	29	37	31	37	15	21.3
February5	37.80	40	38	34	30	28	29	37	31	37	15	21.2
February6	37.60	40	38	34	30	28	28	36	31	37	15	21
February7	37.30	39	37	34	30	28	28	36	31	36	14	20.9
February8	37.10	39	37	34	30	28	28	36	31	36	14	20.7
February9	36.80	39	37	33	30	27	28	36	30	36	14	20.5
February10	36.60	39	37	33	29	27	27	35	30	36	14	20.4
February11	36.30	38	36	33	29	27	27	35	30	35	14	20.2
February12	36.00	38	36	33	29	27	27	35	30	35	14	20
February13	35.70	38	36	32	29	26	27	35	29	35	13	19.8
February14	35.40	37	35	32	28	26	26	34	29	35	13	19.6
February15	35.10	37	35	32	28	26	26	34	29	34	13	19.4
February16	34.80	37	35	31	28	26	26	34	29	34	13	19.2
February17	34.40	36	34	31	28	25	25	33	28	34	12	19
February18	34.10	36	34	31	27	25	25	33	28	33	12	18.8
February19	33.70	36	34	30	27	25	25	33	28	33	12	18.6
February20	33.40	35	33	30	27	24	25	32	27	33	12	18.3
February21	33.00	35	33	29	27	24	24	32	27	32	12	18.1
February22	32.60	34	33	29	26	24	24	31	27	32	11	17.9
February23	32.30	34	32	29	26	23	24	31	26	32	11	17.7
February24	31.90	34	32	28	26	23	23	31	26	31	11	17.4
February25	31.50	33	32	28	25	23	23	30	26	31	11	17.2
February26	31.10	33	31	28	25	22	23	30	25	30	11	16.9
February27	30.70	32	31	27	25	22	22	30	25	30	10	16.7
February28	30.30	32	30	27	24	22	22	29	25	30	10	16.4
February29	30.10	32	30	27	24	22	22	29	24	29	10	16.3
March1	29.90	31	30	26	24	21	22	29	24	29	10	16.2
March2	29.50	31	30	26	24	21	21	28	24	29	10	15.9
March3	29.10	31	29	26	23	21	21	28	24	28	10	15.7
March4	28.70	30	29	25	23	21	21	28	23	28	9	15.4
March5	28.30	30	28	25	23	20	20	27	23	28	9	15.2
March6	27.90	29	28	25	22	20	20	27	23	27	9	14.9
March7	27.50	29	28	24	22	20	20	26	22	27	9	14.7
March8	27.00	28	27	24	22	19	19	26	22	26	9	14.4
March9	26.60	28	27	23	21	19	19	26	21	26	8	14.2
March10	26.20	28	26	23	21	19	19	25	21	26	8	13.9
March11	25.80	27	26	23	21	18	18	25	21	25	8	13.6
March12	25.40	27	25	22	20	18	18	24	20	25	8	13.4
March13	25.00	26	25	22	20	18	18	24	20	24	8	13.1
March14	24.60	26	25	21	20	17	17	24	20	24	7	12.9
March15	24.20	26	24	21	19	17	17	23	19	23	7	12.6
March16	23.80	25	24	21	19	17	17	23	19	23	7	12.4
March17	23.30	25	23	20	19	17	16	22	19	23	7	12.1
March18	23.00	24	23	20	18	16	16	22	18	22	7	11.9
March19	22.60	24	23	20	18	16	16	22	18	22	7	11.6
March20	22.20	23	22	19	17	16	15	21	17	22	6	11.4
March21	21.80	23	22	19	17	15	15	21	17	21	6	11.1
March22	21.40	23	21	19	17	15	15	21	17	21	6	10.9
March23	21.00	22	21	18	16	15	15	20	16	20	6	10.6
March24	20.60	22	21	18	16	14	14	20	16	20	6	10.3
March25	20.20	22	20	18	16	14	14	19	16	20	6	10.1
March26	19.80	21	20	17	15	14	14	19	15	19	5	9.8
March27	19.50	21	20	17	15	14	13	19	15	19	5	9.5
March28	19.10	20	19	17	15	13	13	18	15	19	5	9.3
March29	18.80	20	19	16	14	13	13	18	14	18	5	9
March30	18.40	20	18	16	14	13	12	18	14	18	5	8.8
March31	18.00	19	18	16	14	12	12	17	14	17	5	8.5
April1	17.70	19	18	15	13	12	12	17	14	17	4	8.3
April2	17.40	18	17	15	13	12	11	17	13	17	4	8.1

Station Name	Date	HDD	HDD(-1)
KBRL	2/3/1996	83	80
KMWA	1/19/1994	73.5	57.5
KSPI	12/24/1983	78.5	73
KUIN	12/22/1989	79	72
KPAH	1/20/1985	72	48.5
KIRK	12/24/1983	80.5	75
KMCI	12/22/1989	80.5	73.5
KPOF	1/21/1985	69	54.5
KSTL	1/20/1985	73.5	60
KCSG	1/21/1985	54.5	41.5
KGVL	1/21/1985	56	46



July6	-	0	0	0	0	0	0	0	0	0	0	0
July7	-	0	0	0	0	0	0	0	0	0	0	0
July8	-	0	0	0	0	0	0	0	0	0	0	0
July9	0.10	0	0	0	0	0	0	0	0	0	0	0
July10	0.10	0	0	0	0	0	0	0	0	0	0	0
July11	0.10	0	0	0	0	0	0	0	0	0	0	0
July12	0.10	0	0	0	0	0	0	0	0	0	0	0
July13	0.10	0	0	0	0	0	0	0	0	0	0	0
July14	0.10	0	0	0	0	0	0	0	0	0	0	0
July15	0.10	0	0	0	0	0	0	0	0	0	0	0
July16	0.10	0	0	0	0	0	0	0	0	0	0	0
July17	0.10	0	0	0	0	0	0	0	0	0	0	0
July18	0.10	0	0	0	0	0	0	0	0	0	0	0
July19	0.10	0	0	0	0	0	0	0	0	0	0	0
July20	0.10	0	0	0	0	0	0	0	0	0	0	0
July21	0.10	0	0	0	0	0	0	0	0	0	0	0
July22	0.10	0	0	0	0	0	0	0	0	0	0	0
July23	0.10	0	0	0	0	0	0	0	0	0	0	0
July24	0.10	0	0	0	0	0	0	0	0	0	0	0
July25	0.10	0	0	0	0	0	0	0	0	0	0	0
July26	0.10	0	0	0	0	0	0	0	0	0	0	0
July27	0.10	0	0	0	0	0	0	0	0	0	0	0
July28	-	0	0	0	0	0	0	0	0	0	0	0
July29	-	0	0	0	0	0	0	0	0	0	0	0
July30	-	0	0	0	0	0	0	0	0	0	0	0
July31	-	0	0	0	0	0	0	0	0	0	0	0
August1	-	0	0	0	0	0	0	0	0	0	0	0
August2	-	0	0	0	0	0	0	0	0	0	0	0
August3	-	0	0	0	0	0	0	0	0	0	0	0
August4	-	0	0	0	0	0	0	0	0	0	0	0
August5	-	0	0	0	0	0	0	0	0	0	0	0
August6	0.10	0	0	0	0	0	0	0	0	0	0	0
August7	0.10	0	0	0	0	0	0	0	0	0	0	0
August8	0.10	0	0	0	0	0	0	0	0	0	0	0
August9	0.10	0	0	0	0	0	0	0	0	0	0	0
August10	0.10	0	0	0	0	0	0	0	0	0	0	0
August11	0.10	0	0	0	0	0	0	0	0	0	0	0
August12	0.10	0	0	0	0	0	0	0	0	0	0	0
August13	0.10	0	0	0	0	0	0	0	0	0	0	0
August14	0.10	0	0	0	0	0	0	0	0	0	0	0
August15	0.10	0	0	0	0	0	0	0	0	0	0	0
August16	0.10	0	0	0	0	0	0	0	0	0	0	0
August17	0.10	0	0	0	0	0	0	0	0	0	0	0
August18	0.20	0	0	0	0	0	0	0	0	0	0	0
August19	0.20	0	0	0	0	0	0	0	0	0	0	0
August20	0.20	0	0	0	0	0	0	0	0	0	0	0
August21	0.20	0	0	0	0	0	0	0	0	0	0	0
August22	0.20	0	0	0	0	0	0	0	0	0	0	0
August23	0.20	0	0	0	0	0	0	0	0	0	0	0
August24	0.20	0	0	0	0	0	0	0	0	0	0	0
August25	0.30	0	0	0	0	0	0	0	0	0	0	0
August26	0.30	0	0	0	0	0	0	0	0	0	0	0
August27	0.40	0	0	0	0	0	0	0	0	0	0	0
August28	0.40	0	0	0	0	0	0	0	0	0	0	0
August29	0.50	0	1	0	0	0	0	0	0	0	0	0
August30	0.60	1	1	0	0	0	0	0	0	0	0	0
August31	0.70	1	1	0	0	0	0	0	0	0	0	0
September1	0.80	1	1	0	0	0	0	0	0	0	0	0
September2	0.80	1	1	0	0	0	0	0	0	1	0	0
September3	0.90	1	1	0	0	0	0	0	0	1	0	0
September4	1.00	1	1	0	0	0	0	1	0	1	0	0
September5	1.20	1	1	0	0	0	0	1	0	1	0	0
September6	1.30	1	1	1	0	0	0	1	0	1	0	0
September7	1.40	1	1	1	0	0	0	1	0	1	0	0.1
September8	1.50	1	2	1	0	0	0	1	0	1	0	0.1
September9	1.70	1	2	1	0	0	0	1	0	1	0	0.1
September10	1.80	1	2	1	1	0	0	1	0	1	0	0.1
September11	2.00	2	2	1	1	0	0	1	0	1	0	0.1
September12	2.10	2	2	1	1	0	0	1	1	2	0	0.1
September13	2.30	2	2	1	1	1	0	2	1	2	0	0.1
September14	2.50	2	3	2	1	1	0	2	1	2	0	0.1
September15	2.70	2	3	2	1	1	1	2	1	2	0	0.2
September16	2.90	3	3	2	1	1	1	2	1	2	0	0.2
September17	3.00	3	3	2	2	1	1	3	1	3	0	0.2
September18	3.20	3	3	2	2	1	1	3	1	3	0	0.3
September19	3.40	3	3	3	2	1	1	3	2	3	0	0.3
September20	3.60	4	4	3	2	2	1	3	2	3	0	0.4
September21	3.90	4	4	3	2	2	1	3	2	4	0	0.4
September22	4.10	4	4	3	3	2	2	4	2	4	0	0.5
September23	4.30	4	4	3	3	2	2	4	2	4	0	0.5
September24	4.60	5	5	4	3	2	2	4	2	5	0	0.6
September25	4.90	5	5	4	3	3	2	5	3	5	0	0.7
September26	5.20	5	5	4	3	3	2	5	3	5	0	0.8
September27	5.50	6	6	4	4	3	3	5	3	6	0	1
September28	5.80	6	6	5	4	3	3	6	3	6	0	1.1
September29	6.10	6	6	5	4	4	3	6	4	6	0	1.2
September30	6.30	7	6	5	4	4	3	6	4	6	0	1.3
October1	6.60	7	7	5	5	4	4	6	4	7	0	1.4
October2	6.90	7	7	6	5	4	4	7	4	7	0	1.6
October3	7.20	8	7	6	5	4	4	7	4	7	0	1.7
October4	7.50	8	8	6	5	5	4	7	5	7	0	1.9
October5	7.90	8	8	6	5	5	4	8	5	8	1	2
October6	8.20	9	8	7	6	5	5	8	5	8	1	2.2
October7	8.50	9	9	7	6	5	5	8	5	8	1	2.3

October8	8.80	9	9	7	6	6	5	8	6	9	1	2.4
October9	9.20	10	9	7	6	6	5	9	6	9	1	2.6
October10	9.50	10	10	8	7	6	5	9	6	9	1	2.8
October11	9.80	10	10	8	7	6	6	9	6	9	1	3.1
October12	10.10	10	10	8	7	6	6	9	6	10	1	3.3
October13	10.40	11	10	8	7	7	6	10	7	10	1	3.5
October14	10.70	11	11	9	8	7	6	10	7	10	1	3.7
October15	11.10	11	11	9	8	7	7	10	7	10	1	4
October16	11.50	12	12	9	8	7	7	11	7	11	1	4.2
October17	11.80	12	12	10	8	7	7	11	8	11	2	4.5
October18	12.20	12	12	10	9	8	7	11	8	11	2	4.8
October19	12.60	13	13	10	9	8	8	11	8	12	2	5.1
October20	13.00	13	13	10	9	8	8	12	8	12	2	5.4
October21	13.40	13	13	11	9	8	8	12	9	12	2	5.7
October22	13.80	14	14	11	10	9	8	12	9	12	3	6.1
October23	14.20	14	14	11	10	9	9	12	9	13	3	6.4
October24	14.60	14	15	12	10	9	9	13	10	13	3	6.7
October25	15.00	15	15	12	11	9	9	13	10	13	3	7
October26	15.40	15	15	12	11	10	9	13	10	14	4	7.3
October27	15.80	16	16	13	11	10	10	14	10	14	4	7.6
October28	16.30	16	16	13	12	10	10	14	11	14	4	7.9
October29	16.70	16	17	13	12	11	10	14	11	15	4	8.2
October30	17.10	17	17	14	12	11	11	15	11	15	5	8.6
October31	17.50	17	18	14	13	11	11	15	12	15	5	8.9
November1	17.90	18	18	14	13	12	11	15	12	16	5	9.2
November2	18.40	18	18	15	13	12	12	16	12	16	5	9.5
November3	18.80	19	19	15	13	12	12	16	13	17	6	9.8
November4	19.20	19	19	16	14	12	12	17	13	17	6	10.1
November5	19.60	19	20	16	14	13	13	17	14	17	6	10.3
November6	20.00	20	20	17	14	13	13	17	14	18	6	10.6
November7	20.50	20	21	17	15	14	13	18	14	18	7	10.9
November8	20.90	21	21	18	15	14	14	18	15	19	7	11.2
November9	21.30	21	21	18	16	14	14	19	15	19	7	11.5
November10	21.70	22	22	19	16	15	14	19	16	20	7	11.8
November11	22.20	23	22	19	16	15	15	20	16	20	8	12.1
November12	22.60	23	23	19	17	15	15	20	17	21	8	12.4
November13	23.00	24	23	20	17	16	16	21	17	21	8	12.6
November14	23.40	24	23	21	17	16	16	21	17	22	8	12.9
November15	23.90	25	24	21	18	17	16	21	18	22	8	13.2
November16	24.30	25	24	22	18	17	17	22	18	23	9	13.5
November17	24.70	26	25	22	19	17	17	22	19	23	9	13.7
November18	25.10	26	25	23	19	18	18	23	19	24	9	14
November19	25.50	27	26	23	19	18	18	24	20	24	9	14.3
November20	25.90	27	26	24	20	19	19	24	20	25	10	14.5
November21	26.30	28	26	24	20	19	19	25	21	25	10	14.8
November22	26.70	29	27	25	21	20	20	25	21	26	10	15.1
November23	27.10	29	27	25	21	20	20	26	22	26	10	15.3
November24	27.50	30	28	26	22	20	20	26	22	27	11	15.6
November25	27.90	30	28	26	22	21	21	27	23	27	11	15.8
November26	28.20	31	28	27	22	21	21	27	23	28	11	16.1
November27	28.60	31	29	27	23	22	22	28	24	28	11	16.3
November28	29.00	32	29	28	23	22	22	28	24	29	11	16.6
November29	29.30	32	29	28	24	23	23	29	25	29	12	16.8
November30	29.70	33	30	29	24	23	23	29	25	30	12	17.1
December1	30.00	33	30	29	25	23	23	30	26	30	12	17.3
December2	30.40	34	30	30	25	24	24	30	26	31	12	17.5
December3	30.70	34	31	30	25	24	24	30	26	31	12	17.8
December4	31.10	35	31	30	26	24	25	31	27	32	13	18
December5	31.40	35	31	31	26	25	25	31	27	32	13	18.2
December6	31.70	35	32	31	27	25	25	32	28	32	13	18.4
December7	32.00	36	32	31	27	26	26	32	28	33	13	18.6
December8	32.30	36	32	32	27	26	26	33	28	33	13	18.8
December9	32.60	37	33	32	28	26	26	33	29	34	14	19
December10	32.90	37	33	32	28	26	27	33	29	34	14	19.2
December11	33.20	37	33	33	28	27	27	34	29	34	14	19.4
December12	33.50	38	34	33	29	27	27	34	30	35	14	19.6
December13	33.80	38	34	33	29	27	28	34	30	35	14	19.8
December14	34.10	38	34	34	29	28	28	35	30	35	14	20
December15	34.40	38	34	34	29	28	28	35	31	35	15	20.1
December16	34.60	39	35	34	30	28	28	35	31	36	15	20.3
December17	34.90	39	35	34	30	28	29	35	31	36	15	20.5
December18	35.10	39	35	35	30	28	29	36	31	36	15	20.6
December19	35.40	39	35	35	30	29	29	36	31	36	15	20.8
December20	35.60	40	36	35	31	29	29	36	32	37	15	20.9
December21	35.90	40	36	35	31	29	30	36	32	37	15	21.1
December22	36.10	40	36	35	31	29	30	37	32	37	16	21.2
December23	36.30	40	36	35	31	29	30	37	32	37	16	21.4
December24	36.60	40	37	35	32	29	30	37	32	37	16	21.5
December25	36.80	40	37	36	32	30	30	37	33	38	16	21.6
December26	37.00	41	37	36	32	30	30	37	33	38	16	21.7
December27	37.20	41	37	36	32	30	30	37	33	38	16	21.9
December28	37.40	41	37	36	32	30	31	37	33	38	16	22
December29	37.60	41	38	36	32	30	31	38	33	38	16	22.1
December30	37.80	41	38	36	32	30	31	38	33	38	17	22.2
December31	37.90	41	38	36	32	30	31	38	33	38	17	22.2