Exhibit No.: 42 Issue: Depreciation Witness: John J. Spanos Type of Exhibit: Rebuttal Testimony Sponsoring Party: KCP&L Greater Missouri Operations Company Case No.: ER-2016-0156 Date Testimony Prepared: August 15, 2016 FILED

SEP 2 2 2016

MISSOURI PUBLIC SERVICE COMMISSION

Missouri Public Service Commission

CASE NO.: ER-2016-0156

REBUTTAL TESTIMONY

OF

JOHN J. SPANOS

ON BEHALF OF

KCP&L GREATER MISSOURI OPERATIONS COMPANY

Kansas City, Missouri August 2016

REBUTTAL TESTIMONY

\mathbf{OF}

JOHN J. SPANOS

Case No. ER-2016-0156

1	Q.	Please state your name and business address.					
2	A.	John J. Spanos, 207 Senate Avenue, Camp Hill, Pennsylvania, 17011.					
3	Q.	Are you the same John J. Spanos who prefiled Direct Testimony in this matter?					
4	Α.	Yes.					
5	Q.	What is the purpose of your Rebuttal Testimony?					
6	A.	The purpose of my testimony is to rebut the Direct Testimony set forth in the Staff Report					
7		filed by the Missouri Public Service Commission ("Commission") Staff ("Staff").					
8	Q.	What are the subjects of your Rebuttal Testimony?					
9	A.	The overall subject of my testimony is depreciation, however, the specific area that I					
10		address relates to the methodology used to develop the depreciation rates by the Staff.					
11		This generally relates to Staff's recommendation to use depreciation rates based on					
12		methods and techniques that are outdated and since been corrected for improved					
13		procedures.					
14	Q.	Why has Staff decided not to propose new depreciation rates?					
15	A.	Staff cited four concerns regarding depreciation issues that they would like to resolve					
16		through discussions and formal data requests. These issues include: 1) Account 312.00,					

Boiler Plant Equipment, Sibley Unit 1 showed a reduction in book reserves by account
between December 31, 2014 and December 31, 2015 and Sibley Unit 2 had similar
reductions; 2) For production plant the company's total net salvage percentage is set as
high as 25% of original cost for some units; 3) Staff could not derive reserve balances

based on information provided in data requests; and 4) "Probable Retirement Dates" in
the Company's depreciation study for Sibley Unit 1 (2019), Sibley Unit 2 (2019) and
Lake Road Unit 4 (2020) are different than the Integrated Resource Plan ("IRP"). The
IRP lists Sibley Unit 1 and Sibley Unit 2 as 2018 and Lake Road Unit 4 as 2019.

5

0.

Have these concerns been addressed?

- A. Yes. During multiple meetings with Staff since the issuance of the Staff Report all four
 concerns have been addressed and resolutions for each issue established.
- Q. What was the resolution for Account 312.00, Boiler Plant Equipment, Sibley Unit 1
 showing a reduction in book reserves by account between December 31, 2014 and
 December 31, 2015 and Sibley Unit 2 having similar reductions?
- A. The depreciation study was conducted through December 31, 2014 which included
 extensive review and analysis of the book reserve. However, Staff utilized information
 from a different source which was not compatible by unit for December 31, 2015.
 Therefore, the reduction that Staff was questioning between December 31, 2015 and
 December 31, 2014 did not exist.

16 Q. What was the resolution for the levels of net salvage as high as 25% of original cost 17 for some generating plants or units?

A. The net salvage in the depreciation study represented estimates of both terminal and
interim net salvage. It is possible that the actual terminal net salvage percentage and/or
the actual interim net salvage percentage to be different than the estimated net salvage
percentage. The estimated net salvage percentage is utilized in the depreciation rate
computation in order to systematically and rationally recover the full service value over
the life of the asset. Informed judgment also factors into the estimated net salvage
percentage. Additionally, only a couple of units actually have estimates as high as Staff

2

expressed a concern. Most units have estimated net salvage percentages between 5% and 15% in the depreciation study.

Q. What was the resolution to Staff's concern of deriving reserve balances based on
information provided in data requests?

5 A. Staff attempted to utilize data from two different sources which were not prepared in the
6 same fashion. Consequently, after explanation of the issue Staff was able to identify
7 reserve balance reconciliations and tie to the general ledger by utilizing the comparable
8 reports.

9 Q. What was the resolution to differences in the "Probable Retirement Dates" between
10 the Company's depreciation study for Sibley Unit 1 (2019), Sibley Unit 2 (2019) and
11 Lake Road Unit 4 (2020) and the IRP. The IRP lists Sibley Unit 1 and Sibley Unit 2
12 as 2018 and Lake Road Unit 4 as 2019.

A. At the time the depreciation study was conducted the probable retirement dates were
based on the information available and known at that time. Subsequently, updated
information sets forth probable retirement dates for Sibley Unit 1 and Unit 2 (2018) and
Lake Road Unit 4 at 2020.

17 Q. What are the methodology issues raised by your depreciation study and the Staff18 Report?

A. The currently approved rates were based on Case ER-2005-0436 for electric plant and HR-2004-0024 for industrial steam plant, with the exception of deprecation rates for latan Unit 2 and the approval of general plant amortization. Rates approved in ER-2005-0436 were reaffirmed in ER-2010-0356 and ER-2012-0175. Rates for latan Unit 2 and approval of general plant amortization occurred in ER-2010-0356 and reaffirmed in ER-2005-0436 and reaffirmed in ER-2012-0175. Iatan Unit 2 depreciation rates were based on latan Unit 1 rates in ER-2005-0436 and ER-2005-0436 and ER-2005-0436 and reaffirmed in ER-2010-0356 and reaffirmed in ER-2010-0356 and reaffirmed in ER-2010-0356 and reaffirmed in ER-2005-0436 and reaffirmed in ER-2005-0436 and reaffirmed in ER-2012-0175. Interval of general plant amortization occurred in ER-2010-0356 and reaffirmed in ER-2005-0436 and reaffirmed in ER-2005

0436. Rates in ER-2005-0436 and HR-2004-0024 did not include the life span approach
for all generating facilities and included the whole life method instead of remaining life.
Recent proceedings in Missouri have approved the use of the life span approach for all
generating facilities and the use of the remaining life method. Additionally, my
depreciation study includes a component of terminal net salvage which also has been
approved in recent proceedings.

7 Q. Can you detail the methodology issues stated above?

8 A. First, Staff has recommended maintaining depreciation rates which were based on plant 9 balances which are over 10 years old, which is completely inappropriate. Second, 10 outdated rates ignore recent transactions and knowledge of new assets as well as 11 Company plans and practices. More specifically, I disagree with Staff's treatment of 12 generating facilities as mass accounts instead of the more traditional life span approach 13 which is reflected with current rates. Third, Staff recommends the whole life method 14 instead of the remaining life method which does not account for changes over time of the 15 life and net salvage parameters for full recovery. The remaining life method is a superior 16 approach. Each of these issues will be addressed in detail throughout this testimony.

17

I. Consolidation to One Company

18 Q. Does the depreciation study consolidate assets and parameters for the three19 companies?

A. Yes. This case sets forth depreciation rates by account for the combination of all three
companies in an effort to establish one rate for all like assets.

22 Q. Is there an overall benefit to establishing one rate per account?

A. Yes. First and foremost, one rate per account means recovery of all assets within an
account are the same. In other words, a distribution pole for KCP&L Greater Missouri

1 Operations Company ("GMO" or the "Company") – Missouri Public Service ("MPS") is 2 depreciated at the same rate as a distribution pole for – Light & Power (L&P). All GMO 3 customers get the same benefits and the same costs. Second, the life and salvage 4 parameters are determined based on one company policy and practice. Not only is the 5 statistical analysis combined to produce one life and one net salvage percent per account. 6 but plans to replace versus repair are the same. Third, the recent changes in plant 7 activity, additions and retirements, which affect life and net salvage percentages, are 8 reflected consistently among all assets.

9

Q. Does your depreciation study treat all poles the same?

10 A. Yes. All poles in Account 364.00 are depreciated at a rate of 4.02 which is based on a
11 54-S2.5 survivor curve and 100% negative net salvage. Again, this is consistent with the
12 fact that all poles are treated the same regardless of predecessor company.

Q. Are there any other major concepts that are magnified by using the currentlyapproved rates?

A. Yes. The currently approved depreciation rates are based on the whole life method, not
the remaining life method. As I have established later in this testimony, remaining life is
the superior depreciation method. Therefore, using the wrong life and net salvage
parameters are magnified from year to year, since there is no correcting element in the
rate.

20

II. The Life Span Approach to Depreciation

21 Q. How does the Staff's approach compare to the use of the life span approach?

A. During the life of a power plant, interim additions, replacements, and retirements occur
 regularly. At the time of the final retirement of a power plant, all of the structures and
 equipment are retired, regardless of whether they were part of the original installation or

were added as recently as a year or two prior to the plant's retirement. The life span
approach reflects the unique average lives that are experienced by each year of
installation at a power plant by recognizing the period of time between each installation
and the final retirement of the plant.

5 Conversely, the Staff's approach which is based on current rates applies a single 6 average life or average survivor curve to all installation years of an entire power plant 7 account and does not recognize the unique survivor characteristics of each installation 8 year.

9 How does Staff's approach differ in a specific instance from the life span approach? **Q**. 10 A. For example, the MPS, Sibley Unit 3 began operation in 1969 and there have been 11 subsequent plant additions made each year since 1969 in Account 312, Boiler Plant 12 Equipment. For these plant additions, 1969 through 2014, there is a unique service life 13 and survivor curve for each vintage under the life span approach for a total of 46 different 14 survivor curves. Under the Staff's approach from their Report, there is one average 15 service life and survivor curve used to describe the life characteristics of all assets within 16 Account 312, Boiler Plant Equipment at Sibley. Further, the use of a single average life 17 is only applicable for one year, as with each year of improvements and replacements, the 18 overall average life of the power plant changes. Thus, depreciation based on the use of 19 the life span approach, rather than the use of a single average life, results in a more 20 accurate reflection of the loss in service value of a power plant.

Q. Has this Commission expressed its opinion on whether the life span approach isappropriate?

A. Yes. For example, the Commission adopted the life span approach to depreciation in its
 Report and Order in the Union Electric Company, d/b/a AmerenUE general rate case

1		issued on May 28, 2010 in Case No. ER-2010-0036 ("2010 Ameren Rate Case") as well
2		as Case No. ER-2014-0258. Additionally, in the Kansas City Power and Light Company
3		("KCP&L") Case No. ER-2014-0370, the life span approach was adopted. All of these
4		rulings are in contrast to the Staff's approach in GMO's case which essentially treats
5		power plants as mass plant property. Examples of mass plant include assets such as
6		meters, poles, and line transformers. Electric generating plants are significantly different
7		types of property compared with mass plant assets and need to be depreciated in
8		accordance with the life span approach, as the Commission determined in its AmerenUE
9		and KCP&L decisions.
10	Q.	Do authoritative texts on depreciation support your opinion that the service value of
11		power plants should be allocated based on the use of the life span approach?
12	А.	Yes, they do. Authoritative texts on the subject of depreciation support the proposal to
13		use the life span approach for power plants. The treatise entitled Public Utility
14		Depreciation Practices, published in 1996 by the National Association of Regulatory
15		Utility Commissioners ("NARUC"), states:
16		Life span property generally has the following characteristics:
17 18 19 20		 Large individual units, Forecasted overall life or estimated retirement date, Units experience interim retirements, and Future additions are integral part of initial installation.
21 22 23 24		The following classes of utility property may be most appropriately studied under this method, taking into consideration the availability of plant accounting data, and particularly the number of units of property involved: buildings, electric power plants. ¹
25		Another leading depreciation treatise, authored by Frank K. Wolf and W. Chester Fitch
26		and entitled Depreciation Systems, states:

¹ <u>Public Utility Depreciation Practices</u> at p. 141 (National Association of Regulatory Utility Commissioners, 1996). 7

1 2 3 4 5 6 7 8 9 10 11 12		Depreciation professionals use the term life span to describe both a unit of property and a group of property that will be retired as a unit. Examples of a unit of property are a hydroelectric dam or the building housing electrical generating equipment. Examples of a group of property that will be retired as a unit include the turbines, generators, and other equipment used to generate electrical power and housed in either the dam or building. The dispersion pattern of retirements from a group of life span property differs from the pattern of other (mass) property, because much of the life span property is retired simultaneously (unlike mass property). The resulting survivor curve is truncated (and instantaneously reaches zero percent surviving) rather than gradually curving to zero percent surviving. ²
13	Q.	What method for allocation of power plant service value has GMO proposed in this
14		proceeding?
15	Α.	GMO has proposed, consistent with authoritative texts and the Uniform System of
16		Accounts ("USOA"), the use of the life span method of allocating the service value of
17		power plants over the life of the facility.
18	Q.	Based on the definitions and instructions in the USOA, what do you conclude that it
19		requires regarding power plant net salvage?
20	A.	The USOA requires that power plant net salvage, as a component of its service value,
21		must also be allocated or accrued over the service life of the property in a systematic and
22		rational manner.
23	Q.	Do authoritative texts on depreciation support your conclusion that net salvage
24		should be accrued during the life of the related plant?
25	A.	Yes, they do. Every authoritative text on the subject of depreciation supports the
26		proposal to ratably accrue for net salvage during the life of the related property. The
27		1996 NARUC depreciation treatise, cited above, states:
28 29 30		Closely associated with this reasoning is the accounting principle that revenues be matched with costs and the regulatory principle that utility customers who benefit from the consumption of plant pay for the

² Depreciation Systems, Frank K. Wolf and W. Chester Fitch at p. 255 (Iowa State University Press, 1994).

1 2 3		cost of that plant, no more, no less. The application of the latter principle also requires that the estimated cost of removal of plant be recovered over its life. ³
4		Depreciation Systems, also cited above, states the concept in this manner:
5 6 7 8		The matching principle specifies that all costs incurred to produce a service should be matched against the revenue produced. Estimated future costs of retiring of an asset currently in service must be accrued and allocated as part of the current expenses. ⁴
9	Q.	Please describe the addition and retirement activity that occurs during the course of
10		a power plant's life span.
11	A.	The first addition at a power plant is its initial construction, a substantial expenditure.
12		For a plant with several units, this initial construction can occur over a period of several
13		years. Throughout the life of this initial expenditure, improvements and replacements
14		take place. For example, after the initial installation in 1969 for Sibley Unit 3, major
15		improvements were added in 1990, 1993, 1995, 2008, 2011, 2012 and 2014. These
16		improvements also included replacements of the original assets which represent interim
17		retirements. This type of activity occurs in almost every year of a power plant's life span
18		in varying degrees of magnitude. Some of these major additions can be nearly as large as
19		or larger than the original installation. Interim plant additions are made for various
20		reasons, at times to replace worn or unreliable components of the facility and other times
21		made to comply with newly enacted environmental regulations. After a period of 40, 50
22		or more years, it becomes uneconomic to continue to make improvements to keep the
23		plant running and the entire unit or plant is retired. This retirement includes the original
24		construction as well as all of the interim improvements and replacements.

 ³ <u>Public Utility Depreciation Practices</u> at p. 157 (National Association of Regulatory Utility Commissioners, 1996).
 ⁴ <u>Depreciation Systems</u>, Frank K. Wolf and W. Chester Fitch at p. 7 (Iowa State University Press, 1994).

Q. Given this pattern of additions and retirements, how can the survivor
characteristics of power plant structures and equipment be described?

3 A, The survivor characteristics of power plant structures and equipment can be described 4 through the use of interim survivor curves truncated at the date of final retirement of the 5 entire plant or unit. The interim survivor curve describes the rate of interim retirements 6 from the date of installation to the date of final retirement. These interim retirements are 7 the result of retirements of equipment with lives that are less than the overall life span of 8 the plant. These retirements would be of items such as boiler feedwater pumps, turbine rotors, control equipment, coal pulverizers, and numerous other items. The interim 9 10 survivor curve, graphically depicted, begins at 100 percent surviving at the date of 11 installation and decreases gradually throughout most of the life span. At the date of final 12 retirement, the interim survivor curve is truncated, reducing the percent surviving to 0 13 percent. The age at which truncation occurs is different for every year of installation, 14 resulting in a different average service life for each vintage.

15

Q. How is the interim survivor curve estimated?

16 A. The interim survivor curves for the several accounts at power plants are estimated based 17 on informed judgment that incorporates retirement rate analyses of historical interim 18 retirements and a consideration of the interim retirement rates observed for similar 19 accounts and plants at other electric utilities. Retirements that occur at the end of a 20 power plant's life are termed final retirements and are excluded from the life analyses for 21 purposes of determining an interim survivor curve. The results of the interim retirement 22 rate analyses for GMO Account 312.0, Boiler Plant Equipment, are presented on pages 23 VII-9 through VII-12 of the depreciation study (attached to my Direct Testimony as 24 Schedule JJS-1) and plotted along with the 60-S0.5 interim survivor curve on page VII-8.

1 **O**.

How is the final retirement date estimated?

2 A. The final retirement date is estimated based on informed judgment incorporating the 3 outlook of management and a consideration of both the life spans of retired stations and 4 units and the estimates of others for units currently in service. The recommended 5 retirement dates shown in each depreciation study are based upon a consideration of 6 relevant factors used to estimate life spans of steam plants. Some of these factors 7 include: (1) age and condition of the plant; (2) life span estimates used by other electric 8 generating companies; (3) industry experience with retired steam plants and those 9 currently in service; (4) future major refurbishments including expenditures related to 10 environmental compliance; and (5) design life of major components of the boiler and 11 steam systems. This information was accumulated to determine the most reasonable 12 retirement date for each unit for depreciation purposes.

13 .Q. Do the final retirement dates represent a date certain for the retirement of theplants?

15 A. No, they do not. The probable final retirement dates should not be interpreted as a firm 16 commitment to retire these plants on these dates, but rather, as reasonable estimates based 17 on currently available information. The probable final retirement dates, like other 18 estimates used for capital recovery purposes, are subject to modification in the future as 19 circumstances dictate. The estimated final retirement dates are based on current 20 information and a consideration of all relevant factors. The nature of using estimates is 21 that there is always a degree of uncertainty associated with them. The only time you can 22 precisely determine the service life of an asset or facility is after it has been retired, and 23 you can look back and state with certainty how long it was in service. However, for 24 purposes of determining appropriate depreciation rates we need to make estimates such as 25 service lives and net salvage percentages.

- Q. Is it necessary for management to have replacement plans in effect for these units in
 order to estimate a final retirement date?
- A. No, it would be premature for management to be making such plans at this point in time.
 Such plans occur when discussions begin on the construction of the replacement power
 plant which typically take between 5 and 10 years.
- Q. Is an economic study required in order to estimate the final retirement date of a
 power plant?
- 8 A. No, it is not. It is not possible to conduct such a study until near the end of the power 9 plant's life. The economics and regulatory requirements are subject to significant change 10 over the life of the plant, and it would be difficult, if not impossible, to forecast such 11 conditions so far into the future. However, it is possible to recognize that (1) regulatory 12 requirements continue to increase, making the operation of the plant more costly; (2) the 13 condition of many plant items deteriorates with age and cannot be fully arrested through 14 maintenance; and (3) technology continues to advance, making the installation of a new 15 facility ultimately more economic than the continued operation of the existing facility.
- Q. Is it appropriate to describe the life characteristics of power plants with the use of a
 single average survivor curve for each account?
- A. No, it is not. For life span property, the average service life of each year of installation is
 different. The closer the installation is to the date of final retirement, the shorter is the
 average life. Complete recovery of the original cost with the use of a single average life
 would require an annual adjustment to reduce the average to reflect the shorter life of the
 new additions. This continual reduction in average life for the account would result in a
 pattern of increasing accruals with age for each year of installation. That is not straightline depreciation as required by the USOA. Alternatively, an average life that reflects the

lives of plant in service and plant to be added in the future could be used from the time of
the initial installation. However, this approach results in too much annual depreciation in
the early years for the long-lived facilities and too little depreciation in the later years for
the short-lived facilities.

Q. Can actuarial analyses be used to develop a basis for estimating an overall average

5

6

life applicable to a power plant account?

7 A. No, they cannot. The mix of interim and final retirements in the historical database is not 8 consistent with the mix of future interim and final retirements. As a result, the analysis of 9 historical retirement rates is not appropriate for forecasting future retirement rates for 10 power plants. Also, there are only a small number of generating plants in service and a 11 few generating plants that have been retired to be analyzed using the actuarial analyses. 12 In contrast, there are thousands of poles, meters and line transformers added and retired 13 each year. It is not appropriate to use the same analytical approach to determine the 14 average service life of poles, meters, line transformers, etc., as it would be to determine 15 the average service life of power plants. The sample size for power plants in the 16 historical data base is too small.

17 Q. In this regard, do customer equity considerations support the use of the life span
18 method for power plants, contrary to the Staff Report?

A. Yes, they do. The life span method provides for a better match of depreciation expense
with service value rendered than does the use of a single average survivor curve for all
installation ycars.

22 Q. Please explain.

A. The life span method develops and uses a unique average service life for each installation
year. As a result of the decision to cease operations at a power plant, all property of

1 varying ages is retired concurrently. Therefore, the older installation years have longer 2 average service lives than the younger installation years. Under the life span approach, 3 the original cost of an older installation year is recovered during the average life of that 4 installation year. The original cost of a younger installation year is recovered during a 5 shorter average life. In comparison, the use of a single average service life and survivor 6 curve that is somewhere between the longer lives of the older installation years and the 7 shorter lives of the younger installation years, results in the over-recovery of cost for the 8 older installation years and the under-recovery of cost for the younger installation years.

9 Q. What is the policy of other regulatory commissions regarding the life span approach 10 for production plant?

A. Virtually all other regulatory commissions use the life span approach for production
plant, including this Commission as a result of its decision in past cases. Gannett
Fleming, the firm by whom I am employed, has assisted utilities in all 50 states, 10
Canadian provinces and 3 Canadian territories. My colleagues and I are not aware of a
jurisdiction that denies the life span approach for production facilities, although in this
case the Commission must make clear that the life span approach now applies to such
facilities owned by GMO.

18 Q. Would a decision by the Commission to apply the life span methodology to GMO's
19 generating production facilities be consistent with its regulations?

A. Yes. 4 CSR 240-3.175, Submission Requirements for Electric Utility Depreciation
Studies, requires that electric utilities provide an estimated date of final retirement for
each warehouse, electric generating facility, combustion turbine, general office building
or other large structure. Consequently, it would be illogical for this regulation to require

1		the life span approach for these facilities for depreciation studies, only to have the life
2		span approach rejected in base rate case proceedings.
3	Q.	Does the Commission Staff have a depreciation manual?
4	А.	Yes. This manual, entitled "Contents & Outline of a Depreciation Study," is a lengthy
5		document that sets forth extremely detailed steps required for conducting a depreciation
6		study and includes the utilization of the life span technique for generating facilities. As
7		noted by the Commission in its Report and Order in the 2010 Ameren Rate Case, the
8		Staff depreciation manual "indicates the life span approach is appropriately used to
9		determine depreciation for electric power plants." See 2010 Ameren Rate Case, Report
10		and Order at 30, n. 95 (May 28, 2010).
11		III. Whole Life vs. Remaining Life
12	Q.	Which accounts has Staff recommended to utilize the whole life method?
13	Α.	Staff recommends the whole life method for all accounts in the Staff Report, given that
14		Staff recommended the continued use of rates from Case No. ER-2012-0175. Rates in
15		ER-2012-0175 were the same as rates in ER-2005-0436, with the exception, of latan Unit
16		2 rates and general plant amortization.
17	Q.	Can you illustrate the whole life methodology recovery pattern?
18	A.	Yes. Assuming an account has a twenty-year average service life and zero net salvage
19		percent, then the rate is 5.00%. This rate will not change unless the average service life is
20		adjusted. Additionally, the whole life method does not consider the ratio of the
21		accumulated depreciation to the plant balance. In other words, after 10 years of a 20-year
22		service life, the accumulated reserve should be 50% of the plant balance. However, if it
23		is not due to the actual activity the whole life rate does not adjust to make sure full

2

recovery is achieved after 20 years. Consequently, an unfair recovery pattern would exist for both ratepayers and shareholders.

3 Q. Why is the remaining life methodology superior to the whole life method?

4 A simple example will explain why the remaining life methodology is superior. Assume A. 5 that there are three assets in an account which live 2, 5 and 8 years; therefore, the average 6 life is 5 years. Each asset costs \$100 for a total account cost of \$300. Using the whole 7 life method, the rate is 20.0%, so through year 5 the recovery for the 2-year unit is \$40, 8 the 5-year unit is \$100, and the 8-year unit is \$100. A new study is performed after year 9 5 and the average life is 8 years, so the rate is 12.5% and the recovery for the final three 10 years is \$37.50. Consequently, using the whole life method, recovery is \$277.50 of the 11 \$300 in original cost, which fails to make the company whole.

Under the remaining life methodology, the average service life is still 5 years and the initial rate is 20.00%. Thus, the total accruals after 5 years is still \$240.00 and the two retirements totaling \$200 for an accumulated depreciation total of \$40. Therefore, the remaining value is \$60 to be recovered over 3 years at a rate of 20.00%. Consequently, under the remaining life method, full recovery is achieved at the end of life for the three units.

18 Q. Does the foregoing example of the remaining life method apply to all accounts?

A. Yes, it does. The correcting component of the remaining life is appropriate for allaccounts, including generating accounts with the life span technique.

21

IV. Terminal Net Salvage

22 Q. What is terminal net salvage?

A. Terminal net salvage is the net salvage (i.e. gross salvage less cost of removal) related to
the final or terminal retirement of life span property. Life span property is the term used

1 to describe assets (such as power plants) for which all assets associated with a facility 2 will eventually be retired concurrently. The retirements that occur at the end of the life of 3 an entire power plant are referred to as "final" or "terminal" retirements. These contrast 4 with the retirements that occur throughout the life of the plant (e.g. the replacement of 5 individual components of the plant such as piping or pumps), which are referred to as 6 "interim" retirements. The "life span method" is used for life span property. For the life 7 span method, service life estimates are made for the final retirement of a facility as well 8 as for the interim retirements expected to occur throughout the life of the facility.

9 There are typically net salvage costs associated with both types of retirements. 10 Costs associated with interim retirements, such as the costs incurred to replace piping or 11 pumps throughout the life of the facility, are referred to as "interim net salvage." The 12 costs related to the final retirement of the facility, such as the demolition of the 13 superstructure and the remediation of ash ponds, are referred to as "final net salvage" or 14 "terminal net salvage."

15 Q. Has the Commission accepted the use of the life span method in the past?

A. Yes. The Commission first accepted the use of the life span method in Case No. ER-2010-0036 for Union Electric Company d/b/a Ameren Missouri ("AmerenMO", at the time AmerenUE), and has accepted the life span method in subsequent cases as well.
The life span approach was also accepted in KCP&L Case No. ER-2010-0355. Prior to Case No. ER-2010-0036 the Commission had historically not accepted the use of the life span method for most types of power plants.

1	Q.	Does	Staff	agree	with	the	use	of	the	life	span	method	for	assets	such	as	power
2		plants	s?														

A. Yes. Staff not only agrees with the use of this method but also agrees with the estimates
of final retirement dates except for a few units, interim survivor curves and interim net
salvage I have used in the depreciation study. Staff's only area of disagreement for the
GMO production plant assets is the inclusion of terminal net salvage in the depreciation
rates.

8 Q. Should net salvage be included in depreciation?

9 A. Yes. Net salvage costs experienced at the end of an asset's service life are part of the
10 service value of the asset. In order for customers to pay their cost of electric service,
11 depreciation must allocate the full service value (original cost less net salvage) over the
12 service life of the assets. This concept is set forth in the electric USOA, which states in
13 General Instruction 22:

Utilities must use a method of depreciation that allocates in a systematic and rational manner the service value of depreciable property over the service life of the property.

17 If net salvage is not included in depreciation, then the net salvage costs the company will 18 incur upon the retirement of its assets will have to be paid by future customers after the 19 assets are retired. Future customers will not be receiving service from assets that have 20 already been retired. Therefore, excluding net salvage from depreciation results in 21 intergenerational inequity because future customers will pay the costs of assets which 22 have already been retired and from which they receive no benefit.

1	Q.	Has the Commission ruled that net salvage should be included in depreciation?
2	A.	Yes. The Commission addressed the issue of net salvage in Case No. GR-99-315 for
3		Laclede Gas Company ("Laclede"), and ruled that net salvage should be included in
4		depreciation. The Commission stated:
5 6 7 8 9 10		The Commission finds that the fundamental goal of depreciation accounting is to allocate the full cost of an asset, including its net salvage cost, over its economic or service life so that utility customers will be charged for the cost of the asset in proportion to the benefit they receive from its consumption. The Commission further finds that the method utilized by Laclede is consistent with that fundamental goal. ⁵
11	Q.	Does Staff agree that net salvage should be included in depreciation?
12	A.	Yes, in general Staff appears to agree with this concept, as evidenced by Staff's
13		recommendations in this case (and in other cases). Staff has recommended net salvage
14		estimates for all of the Company's transmission, distribution and general plant accounts.
15		Staff has also recommended interim net salvage estimates for the Company's production
16		plant accounts. Staff's transmission, distribution and general plant net salvage estimates,
17		as well as Staff's interim net salvage estimates, are therefore consistent with the
18		Commission's decision in Laclede.
19		However, Staff has not included terminal net salvage in their recommendations
20		despite the fact that Staff has acknowledged that terminal net salvage is likely to occur in
21		the future as I will explain. Staff's recommendation for terminal net salvage is therefore
22		not consistent with the USOA, nor is it consistent with the Commission's Order in
23		Laclede. Staff's recommendation is also not consistent with its recommendations in this
24		case for other accounts and for interim net salvage.

⁵ Case No. GR-99-315, Third Report and Order, Issued January 11, 2005, p. 9 ("Laclede Order").

- 1 Q. Why has Staff excluded terminal net salvage from its recommended depreciation
 2 rates?
- A. Staff does not provide a clear response, however, it is implied that terminal net salvage is
 excluded by Staff because the net salvage percentages are higher than Staff's net salvage
 percentages for production plant accounts. This is not justification for deviating from the
 Commission's stated objective of depreciation as set forth in the Laclede Order.
- 7 Q. Please address Staff's reason for excluding terminal net salvage based on prior
 8 decisions of the Commission.
- 9 In the past, Staff cited the Commission's Report and Order in Case No. ER-2004-0570 A. 10 ("Empire Order") for The Empire District Electric Company ("Empire"). Staff's 11 testimony gives the impression that the Commission's order in the Empire case would 12 disallow terminal net salvage in all cases. However, a more detailed reading of the 13 Empire case makes clear that the Commission's decision in that case, issued more than a 14 decade ago, was based on assumptions that experience has shown to be incorrect. Given 15 the circumstances today, as well as more recent Commission decisions regarding life 16 span property, the Empire decision for terminal net salvage should not apply to GMO's 17 current case.
- 18

Staff quotes a portion of a sentence from page 53 of the Empire Order. However, a more complete citation also provides the Commission's reasoning in the Empire case.

- 20 Specifically, the Commission stated:
- 21 [W]ith respect to Terminal Net Salvage of Production Plant Accounts, this 22 Commission generally has not allowed the accrual of this item. The reason is that generating plants are rarely retired and any allowance for 23 24 this item would necessarily be purely speculative. It is true that all depreciation is founded upon estimates, but all estimates are not unduly 25 26 speculative. Just as utility companies plan rate cases around the projected 27 in-service dates of new plants, so Empire can plan around the retirement 28 of its generating plants so that the Net Salvage expense is incurred in a

1Test Year. Another alternative is the device of the Accounting Authority2Order. As already discussed in connection with the Production Account3Service Life issue, there is no evidence that the retirement of any of4Empire's plants is imminent and the estimated retirement dates considered5in this proceeding are not persuasive. For these reasons, the Commission6will not allow the accrual of any amount for Terminal Net Salvage of7Production Plants. (Emphasis added)

8

Q. Why did the Commission not allow for terminal net salvage in the Empire case?

A. As the underlined passages cited above demonstrate, the Commission's primary reason
for not allowing terminal net salvage was that at the time of the Empire decision the
Commission did not agree in concept with the use of the life span method. As I have
noted previously, the Commission did not allow the use of the life span method prior to
Case No. ER-2010-0036. Thus, in the Empire case, the Commission did not just reject
the use of terminal net salvage but also rejected the use of final retirement dates for
power plants.

However, in the time since the Empire decision the Commission has reversed its
opinion and has accepted the use of the life span method as appropriate for power plants.
The Commission's reasoning for excluding terminal net salvage in the Empire case
therefore no longer applies. Since the life span method is used, terminal net salvage must
also be included in order to be consistent with the USOA and the Commission's decision
in Laclede.

Q. In the passage from the Empire case you have cited above, the Commission stated
 that "generating plants are rarely retired and any allowance for this item would
 necessarily be purely speculative." Has experience since the Empire decision shown
 that generating plants are retired and that they experience terminal net salvage?

A. Yes. In the time since the Commission issued the Empire Order the number ofretirements of coal-fired power plants has increased significantly, due in part to changing

environmental regulations. There are also a number of plants expected to retire in the
coming years. As a result, there is far more evidence of the ultimate disposition of these
facilities upon their retirement than was available at the time of the Empire decision. The
retirement of these plants has typically resulted in costs not only related to the
dismantlement of the physical power plants, but also significant costs related to the cleanup of the site.

7 8

Q. In the current depreciation study for GMO, how were the terminal net salvage costs determined?

9 As described in my Direct Testimony, GMO retained the firm Sega, Inc. to perform a A. 10 detailed study of the expected retirement and dismantlement costs for the Company's 11 power plants. The results of this report ("Sega report") are set forth in Chris Rogers' 12 Direct Testimony, Schedule CRR-2. The Sega report determined the costs expected to be 13 incurred upon the retirement and dismantlement of the Company's plants. These costs 14 were based on a thorough review of the activities associated with the terminal net salvage 15 for these facilities. Further, the terminal net salvage used for the depreciation study are 16 based only on the retirement components of the Sega report, and do not include other 17 costs for site remediation that may potentially occur. The terminal net salvage costs used 18 for depreciation are therefore conservative estimates of the terminal net salvage costs. 19 The net salvage costs included in the depreciation study are not speculative estimates of 20 terminal net salvage, but are instead costs that the Company is very likely to incur.

Q. Can you provide an example of a power plant owned by a Missouri electric
 company that has been retired and experienced significant terminal net salvage
 costs?

4 A. Yes. The Venice Plant, operated until its closure by AmerenMO, provides an example 5 with which both Staff and I are familiar. Staff and I have both toured the site of the 6 Venice Plant subsequent to its decommissioning and dismantlement. This example is 7 instructive not only because it provides an illustration of the terminal net salvage costs 8 involved with power plants, but also because the site continues to be used for generation 9 by AmerenMO. This example therefore provides evidence that terminal net salvage 10 should be expected even if a generating site can be reused for other purposes after the 11 closure of the facility.

12

Q. What was the experience of AmerenMO with the Venice Plant?

13 Α. The Venice Power Plant was a six unit coal-fired power plant (which was converted to 14 burn oil and gas in the 1970s) sited on the east bank of the Mississippi River near St. 15 Louis. The plant was owned and operated by AmerenMO. The total capacity of the plant 16 was 474 MW. In 2002, the plant was retired. Decommissioning and dismantlement 17 occurred in the years subsequent to the retirement and was completed in 2013. Total 18 costs expended by AmerenMO to retire the Venice Plant were approximately \$36.3 19 million, which was offset by about \$12.1 million in gross salvage. Thus, the total 20 terminal net salvage cost for Venice was approximately \$24.2 million. This amount 21 includes not only the demolition of the plant itself, but also significant costs to close and 22 remediate the ash pond for the site.

1	Q.	Has Staff recognized that Venice has experienced terminal net salvage costs?
2	Α.	Yes. In the Staff Report for AmerenMO's most recent rate case, Case No. ER-2014-
3		0258, Staff discusses the Venice Plant:
4 5 7 8 9 10 11		The Venice steam production plant was retired in 2002, and environmental cleanup, demolition, and disposal were completed in 2013. During three visits over the past several years, Staff has observed the progression of the removal of the steam production plant at Venice. The cost of removal and salvage for these large plants often continues for many years, and is recorded to the company's plant depreciation reserves. The Venice steam plant accounts currently show an accumulated depreciation reserve deficit of \$17,219,969. ⁶
12	Q.	Were the terminal net salvage costs of the Venice Plant recovered over the life of the
13		plant?
14	A.	No. Because the Commission had not allowed for the recovery of terminal net salvage
15		through depreciation expense, the terminal net salvage costs for Venice were not
16		recovered over the plant's life. Current customers are paying for these costs, even though
17		they are not receiving service from Venice. ⁷
18		The experience for Venice should demonstrate why it is important that terminal
19		net salvage be recovered prospectively through depreciation expense over the life of each
20		generating facility. Under Staff's proposal to exclude terminal net salvage from
21		depreciation, future customers will have to pay for the terminal net salvage costs of these
22		plants – costs that Staff recognizes will occur. This is unfair to future customers, as they
23		will be paying costs related to assets that are retired and no longer providing service.

⁶ Case No. ER-2014-0258, Staff Cost of Service Report, p. 151, lines 21-27.

⁷ In Case No. ER-2014-0258, Staff's proposal was to offset the unrecovered Venice costs with accumulated depreciation reserves from certain general plant accounts. I should point out that mathematically Staff's proposal for Venice has the effect of recovering the Venice costs over the recovery period of these general plant accounts, as current customers will now pay more depreciation for the general plant assets. Thus, even with these reserve transfers current customers must pay higher rates due to the fact that earlier generations of customers did not pay the full cost of the Venice Plant.

Q. Has Staff also recognized that other Missouri power plants should be expected to have terminal net salvage costs?

A. Yes. In Case No. ER-2014-0258 Staff not only acknowledged the costs incurred at
Venice, but recognized that other plants will experience terminal net salvage when
retired. In the Surrebuttal Testimony of Arthur Rice in that case, Staff not only
acknowledged future terminal net salvage costs for AmerenMO's Meramec plant, but
provided a rough estimate of those future costs:

- 8 At this time Staff has only a very rough estimate of a cost for terminal net 9 salvage of the Meramec steam plant, (retirement and removal cost 10 corrected for salvage receipts). Based on this limited information, Staff 11 estimates the cost at approximately \$100 million, (15% of the current plant 12 in service for the Meramec steam plant).⁸
- Because Staff has recognized that there are terminal net salvage costs for Meramec, I would expect that they would also recognize that GMO will incur similar costs for its steam plants.
- 16 Q. How does Staff's estimate of terminal net salvage for the Meramec steam plant
 17 compare to the estimates GMO has proposed in this proceeding?
- 18 A. GMO's estimates are very conservative estimates of terminal net salvage when compared
- 19 to Staff's (admittedly rough) estimate of Meramec's terminal net salvage costs.

Table 2 of GMO's depreciation study (which can be found on pages VIII-2 through VIII-7 of the study) provides the total terminal net salvage estimates included in the depreciation rates recommended in the study. As can be seen on page VIII-5 of the study, the total terminal net salvage estimated for all of GMO's steam production plants is approximately \$53.4 million. This is only about 50% of the cost Staff estimates for just one of AmerenMO's power plants. This should emphasize that GMO's terminal net

⁸ Case No. ER-2014-0036, surrebuttal testimony of Arthur Rice, p. 5, lines 15-18.

2

salvage estimates are conservative estimates of the future costs the Company should be expected to incur.

- Q. One argument that has been made against the inclusion of terminal net salvage in
 depreciation is that generating sites can be reused for future generation. Does
 AmerenMO still use the Venice site for power generation?
- 6 A. Yes, it does. There are gas-fired generating units in operation on the site. The 7 decommissioning activities, such as the closure of ash ponds, were not required in order 8 to use the site for new generation and thus, cannot be charged to it. Indeed, much of the 9 site is not used for generation, as newer gas plants require a much smaller footprint than 10 coal-fired power plants. For example, the site of the ash pond, which represented a 11 significant portion of the terminal net salvage costs, is not used for generation. Instead, 12 this site is currently a grass field with wells to monitor the closed ash pond.

13 Q. How does the experience of the Venice Plant impact the inclusion of terminal net14 salvage in this case?

A. The facts surrounding the experience of the Venice Plant demonstrate that significant
costs should reasonably be expected upon the final retirement of coal-fired power plants.
These costs are not speculative, and instead experience shows that terminal net salvage
costs will occur.

First, consider the argument that the Company's plants can be reused for other purposes (such as future generation). Such a scenario has in fact occurred with the Venice site. The coal facility at this site was retired in 2002, and the site continues to be used for other types of generation. AmerenMO has spent a net amount of approximately \$24.2 million removing the retired power plant and remediating the site. Thus, this experience reveals that even when the site will be reused for new generation there will

- still be significant costs incurred for the retirement of the old plant. These costs therefore
 should be included prospectively in depreciation rates.
- 3 The costs and activities associated with the retirement of the ash pond at Venice 4 are also instructive. These are activities that are highly likely to be required upon the 5 retirement of the Company's power plants. Recent breaches of ash ponds at sites owned 6 by the Tennessee Valley Authority and by Duke Energy, in which the contents of the ash 7 ponds entered waterways, have increased scrutiny related to the remediation of the ash 8 ponds at coal plants across the country. It should therefore be expected that the costs 9 incurred at GMO's existing coal fleet at a minimum be similar in scope to the activities 10 that were undertaken at Venice.
- 11 Q. Can you provide examples from other jurisdictions of power plants that have been
 12 or are planned to be decommissioned?

A. Yes. There are many recent examples of plants that either have been or will be decommissioned and dismantled. Examples include:

- Black Hills Power will decommission its Ben French, Osage and Neil
 Simpson I plants.
- Black Hills Colorado Electric is in the process of decommissioning its Canon
 City (W.N. Clark) plant and units 5 and 6 at its Pueblo plant.
- Duke Energy plans to decommission a number of sites in the Carolinas, and
 activities related to the retirements of these sites include asbestos removal,
 demolition and the closure of ash ponds.
- Dominion Virginia Power is in the process of decommissioning coal units at
 its Chesapeake Energy Center, North Branch and Yorktown sites.
- PacifiCorp is in the process of decommissioning its Carbon coal power plant.

- 1 Q. Wi
 - Will any of these sites continue to be used for power generation?
- 2 A. Yes. Some of these facilities have other existing generating facilities on location.
- 3 Q. What do you conclude regarding terminal net salvage?

4 A. Depreciation principles as set forth in the USOA and the Commission require that net 5 salvage is included in depreciation expense. The exclusion of net salvage costs results in 6 intergenerational inequity because future customers will be required to pay for the costs 7 of retired assets that are no longer providing service. Despite the fact that Staff has 8 recognized that terminal net salvage costs will occur in the future, Staff has proposed to 9 exclude these costs from depreciation. Staff's recommendation therefore does not meet 10 the requirements of the USOA or the Commission and will produce intergenerational 11 inequity. For these reasons, the Commission should reject Staff's proposal and accept the 12 depreciation rates proposed in the depreciation study.

- 13 Q. Does this conclude your Rebuttal Testimony?
- 14 A. Yes, it does.

BEFORE THE PUBLIC SERVICE COMMISSION OF THE STATE OF MISSOURI

In the Matter of KCP&L Greater Missouri Operations Company's Request for Authority to Implement A General Rate Increase for Electric Service

Case No. ER-2016-0156

AFFIDAVIT OF JOHN J. SPANOS

) ss

)

COMMONWEALTH OF PENNSYLVANIA

COUNTY OF CUMBERLAND

John J. Spanos, being first duly sworn on his oath, states:

1. My name is John J. Spanos. I am employed by Gannett Fleming Valuation and Rate Consultants, LLC as a Senior Vice President. I have been retained to serve as an expert witness to provide testimony on behalf of KCP&L Greater Missouri Operations Company.

2. Attached hereto and made a part hereof for all purposes is my Rebuttal Testimony on behalf of KCP&L Greater Missouri Operations Company consisting of twinty - eight (29) pages, having been prepared in written form for introduction into evidence in the abovecaptioned docket.

3, I have knowledge of the matters set forth therein. I hereby swear and affirm that my answers contained in the attached testimony to the questions therein propounded, including any attachments thereto, are true and accurate to the best of my knowledge, information and belief.

Subscribed and sworn before me this _____ day of August, 2016.

Notary Public

My commission expires: Lebrary 20, 2019

COMMONWEALTH OF PENNSYLVANIA NOTARIAL SEAL Cheryl Ann Rutter, Notary Public East Pennsboro Twp., Cumberland County My Commission Expires Feb. 20, 2019 NEWEER, PENNSYLVANIA ASSOCIATION OF NOTARIES

. • *