FILED
May 25, 2023
Data Center
Missouri Public
Service Commission

Exhibit No. 9

Customer service or gas emergencies: 800-582-1234

մենեիդրությելներկիկիկինիկիրկիուկիումներիցինեկ


18404 1 AB 0.491 ADC 640 > 023224 2127054 0002 092049 102 Structural Glass Systems Inc 10203 E Us Highway 24 Independence, MO 64053-1533

Present Reading	Previous Reading	Usage (CCF) X	Pressure Factor	= Billable CCFs
7190	7189	1	1.0000	1.00
611	611	0	1.0000	0.00
7190	7190	0	1.0000	0.00
611	611	0	1.1195	0.00
Actual			Large Gen. C	ommercial

Customer Charge (1 Meter(s) at \$161.39 per Meter)	161.39	
Usage: 1 CCF @ \$0.13468	0.13	
Pipeline Upgrade Charge (ISRS)	5.94	
Natural Gas Cost	ohr enhistered	0.80
Usage: 1 CCF		
Taxes	2	27.51
City Tax	4.46	
County Tax	2.23	
State Tax	6.86	
Franchise Tax	12.99	
Pipeline Upgrade Charge (ISRS) Tax	0.97	
Other Charges	11	LO.82

Statement Date: Account Number: Service Address: 09/23/2022 7417660509 9700 E 56th St C

Bill at a Glance	Amount	
Previous Balance	7,777.62	
Payment - Thank you	(389.38)	
Total Current Charges	306.59	
Total Balance	7,694.83	
Amount Due	\$7,694.83	
Due By	10/10/22	
Late Fee Assessed After	10/17/22	



	Sep '21	Aug '22	Sep '22
Total Billable CCFs Used		0.00	1.00
Daily Average Billable CCFs		0.00	0.03
Days in Billing Cycle		29	34

Important Message

Please retain this portion for your records. See back of bill for other convenient ways to pay.

Please return this portion with your payment. We ask that you please don't fold, staple or paper clip payment to your bill.

Account Number: 7417660509 Service Address: 9700 E 56th St C

Amount Due \$7,694.83

Due By 10/10/22

Late Fee Assessed After 10/17/22

Amount Enclosed:







Together, we can make a difference.

Check the box to the left.

DollarHelp is an easy way
to help your neighbors who
struggle to pay their heating
bills. Share the warmth by checking the
red box here or signing up at DollarHelp.org.

spire () United (2)





Make Check Payable to:

Spire Drawer 2 St. Louis, MO 63171

Please do not write below.

