Filed
September 29, 2022
Data Center
Missouri Public
Service Commission

Exhibit No. 258

MoPSC Staff – Exhibit 258 David T. Buttig, PE Surrebuttal Testimony File Nos. ER-2022-0129 & ER-2022-0130

Exhibit No.:

Issue(s): Depreciation

Witness: David T. Buttig, PE

Sponsoring Party: MoPSC Staff

Type of Exhibit: Surrebuttal Testimony Case Nos.: ER-2022-0129 and

ER-2022-0130

Date Testimony Prepared: August 16, 2022

MISSOURI PUBLIC SERVICE COMMISSION FINANCIAL & BUSINESS ANALYSIS DIVISION PROCUREMENT ANALYSIS DEPARTMENT

SURREBUTTAL TESTIMONY

OF

DAVID T. BUTTIG, PE

Evergy Metro, Inc., d/b/a Evergy Missouri Metro Case No. ER-2022-0129

Evergy Missouri West, Inc., d/b/a Evergy Missouri West Case No. ER-2022-0130

> Jefferson City, Missouri August 2022

1		SURREBUTTAL TESTIMONY
2		OF
3		DAVID T. BUTTIG, PE
4 5		Evergy Metro, Inc., d/b/a Evergy Missouri Metro Case No. ER-2022-0129
6 7		Evergy Missouri West, Inc., d/b/a Evergy Missouri West Case No. ER-2022-0130
8	Q.	Please state your name and business address.
9	A.	My name is David T. Buttig, and my business address is 200 Madison Street,
10	Jefferson Cit	y, Missouri, 65101.
11	Q.	By whom are you employed?
12	A.	I am a Senior Professional Engineer employed by the Missouri Public Service
13	Commission	("Commission") in the Procurement Analysis Department.
14	Q.	Are you the same David T. Buttig who filed direct testimony on June 8, 2022 in
15	this case and	rebuttal testimony on July 13, 2022?
16	A.	Yes, I am.
17	EXECUTIV	E SUMMARY
18	Q.	What is the purpose of your surrebuttal testimony?
19	A.	The purpose of my surrebuttal testimony is to respond to the rebuttal testimony
20	of Evergy Me	etro, Inc., d/b/a Evergy Missouri Metro ("EMM") witness John Spanos concerning
21	proposed sur	vivor curves for certain accounts.
22	Q.	Does any other Staff witness address Mr. Spanos's testimony?

A. Yes. Staff witness Cedric E. Cunigan, PE responds to Mr. Spanos's rebuttal testimony in regards to service lives of certain accounts and terminal net salvage for both EMM and Evergy Missouri West, Inc., d/b/a Evergy Missouri West.

DEPRECIATION

1

2

3

4

5

6

7

8

9

10


11

12

13

14

- Q. What specifically in Mr. Spanos's testimony will you be responding to?
- A. I will be responding to the differences in proposed survivor curves of Staff and those of Mr. Spanos for the accounts that he has addressed in his rebuttal testimony.
 - Q. Which accounts are those?
- A. Mr. Spanos addressed Account 316.00 Miscellaneous Power Plant Equipment,
 Account 352.00 Structures and Improvements, and Account 368.00 Line Transformers
- Q. How do Staff and EMM's proposed survivor curves compare for Account 316.00 Miscellaneous Power Plant Equipment?
 - A. Below I have included a comparison of the two survivor curves proposed:




15

The white dots are the survivor data used in the analysis for the account. EMM has proposed a 40-R1.5 curve (represented in green) and Staff has proposed a 43-S0 curve (represented in white). Staff developed its recommendation based on the historical data provided by EMM and its analysis of the assets retirements. In order to calculate the average service life of the account, an empirically calculated Iowa curve is used to smooth the retirement data. Staff fits Iowa curves to the data sets using both visual and mathematical methods. The area under this Iowa curve is then calculated to be an estimation of the accounts average service life. Staff's analysis shows that its recommended survivor curve is a better representation of the account and should be used for the development of the depreciation rate.

Q. How do Staff and EMM's proposed survivor curves compare for Account 352.00 Structures and Improvements?

A. Below I have included a comparison of the two survivor curves proposed:





The white dots are the survivor data used in the analysis for the account. EMM has proposed a 65-R3 curve (represented in green) and Staff has proposed a 70-R3 curve (represented in white). Staff developed its recommendation based on the historical data provided by EMM and its analysis of the assets retirements. In order to calculate the average service life of the account, an empirically calculated Iowa curve is used to smooth the retirement data. The area under this Iowa curve is then calculated to be an estimation of the accounts average service life. Staff's analysis shows that its recommended survivor curve is a better representation of the account and should be used for the development of the depreciation rate.

- Q. How do Staff and EMM's proposed survivor curves compare for Account 368.00 Line Transformers?
 - A. Below I have included a comparison of the two survivor curves proposed:

ACCOUNT 36800: BANDS 001(E47-20,P19-20);

LIFE S2.0

TYPE CURVE L3

BN 001
39.0
R2.5
BN 001
42.0
L3

AGE

1

2

3

4

5

6

7

8

9

10

11

12

13

The white dots are the survivor data used in the analysis for the account. EMM has proposed a 39-R2.5 curve (represented in green) and Staff has proposed a 42-L3 curve (represented in white). Staff developed its recommendation based on the historical data provided by EMM and its analysis of the assets retirements. In order to calculate the average service life of the account, an empirically calculated Iowa curve is used to smooth the retirement data. The area under this Iowa curve is then calculated to be an estimation of the accounts average service life. Staff's analysis shows that its recommended survivor curve is a better representation of the account and should be used for the development of the depreciation rate.

CONCLUSION

- Q. What Does Staff recommend with this surrebuttal testimony?
- A. Staff recommends that the Commission order the use of Staff's depreciation rates. Staff's recommended depreciation rates for EMM are included as Schedule DTB-s1.
 - Q. Does this conclude your surrebuttal testimony?
- 14 A. Yes it does.

BEFORE THE PUBLIC SERVICE COMMISSION

OF THE STATE OF MISSOURI

In the Matter of Evergy Metro, Inc. d/b/a Evergy Missouri Metro's Request for Authority to Implement a General Rate Increase for Electric Service	() Case No. ER-2022-0129
In the Matter of Evergy Missouri West, Inc. d/b/a Evergy Missouri West's Request for Authority to Implement a General Rate Increase for Electric Service) Case No. ER-2022-0130)
AFFIDAVIT OF DA	AVID T. BUTTIG, PE
STATE OF MISSOURI)) ss. COUNTY OF COLE)	
and lawful age; that he contributed to the forego and that the same is true and correct according to Further the Affiant sayeth not.	ind on his oath declares that he is of sound mind ing Surrebuttal Testimony of David T. Buttig, PE; his best knowledge and belief. VID T. BUTTIG, PE
JU	RAT
Subscribed and sworn before me, a duly cor	nstituted and authorized Notary Public, in and for
the County of Cole, State of Missouri, at my offi	ce in Jefferson City, on this// # day of
August 2022.	2
D. SUZIE MANKIN Notary Public - Notary Seal State of Missouri Commissioned for Cole County My Commission Expires: April 04, 2025 Commission Number: 12412070	Suzullanken Notary Public

ACCOUNT NUMBER	ACCOUNT NAME	AVERAGE SERVICE LIFE	NET SALV. PCT.	DEPRECIATION RATE	AVERAGE AGE	AVERAGE REMAINING LIFE
	STEAM PRODUCTION PLANT					
311.00	STRUCTURES AND IMPROVEMENTS					
	HAWTHORN COMMON	85	-3%	3.62%		23.1
	HAWTHORN UNIT 5	85	-5%	3.45%		22.7
	HAWTHORN UNIT 9	85	-6%	3.46%		22.7
	IATAN COMMON	85	-11%	2.28%		43.8
	IATAN UNIT 1	85	-5%	4.62%		18.0
	LACYGNE COMMON	85	-2%	4.81%		18.2
	LACYGNE UNIT 1	85	-4%	6.34%		11.2
	LACYGNE UNIT 2	85	-4%	4.38%		17.9
312.00	BOILER PLANT EQUIPMENT					
	HAWTHORN COMMON	50	-3%	3.93%		21.5
	HAWTHORN UNIT 5	50	-5%	3.98%		21.4
	HAWTHORN UNIT 9	50	-6%	3.61%		20.4
	IATAN COMMON	50	-11%	2.70%		34.3
	IATAN UNIT 1	50	-5%	4.48%		16.7
	LACYGNE COMMON	50	-2%	4.76%		17.2
	LACYGNE UNIT 1	50	-4%	6.78%		11.0
	LACYGNE UNIT 2	50	-4%	4.63%		17.0
312.01	BOILER PLANT EQUIPMENT - UNIT TRAINS	25	0%	4.00%	15.0	
312.02	BOILER PLANT EQUIPMENT - AQC					
	LACYGNE UNIT 1	50	-4%	0.47%		10.3
312.05	BOILER PLANT EQUIPMENT - BAGS AND CATALYSTS					
	HAWTHORN UNIT 5	8	0%	12.49%		5.0
	HAWTHORN UNIT 9	8	0%	12.50%		
	IATAN COMMON	8	0%	12.47%		1.6
	IATAN UNIT 1	8	0%	12.50%		5.2
	IATAN UNIT 2	8	0%	12.49%		3.3
	LACYGNE COMMON	8	0%	12.51%		4.1
	LACYGNE UNIT 1	8	0%	12.59%		4.9
	LACYGNE UNIT 2	8	0%	12.49%		4.6

ACCOUNT NUMBER	ACCOUNT NAME	AVERAGE SERVICE LIFE	NET SALV. PCT.	DEPRECIATION RATE	AVERAGE AGE	AVERAGE REMAINING LIFE
314.00	TURBOGENERATOR UNITS					
	HAWTHORN COMMON	60	-3%	3.52%		22.6
	HAWTHORN UNIT 5	60	-5%	3.12%		21.9
	HAWTHORN UNIT 9	60	-6%	3.17%		22.2
	IATAN COMMON	60	-11%	2.26%		40.2
	IATAN UNIT 1	60	-5%	3.73%		17.3
	LACYGNE COMMON	60	-2%	4.69%		17.8
	LACYGNE UNIT 1	60	-4%	5.28%		11.1
	LACYGNE UNIT 2	60	-4%	3.22%		17.1
315.00	ACCESSORY ELECTRIC EQUIPMENT					
	HAWTHORN COMMON	50	-3%	3.28%		21.5
	HAWTHORN UNIT 5	50	-5%	3.54%		21.8
	HAWTHORN UNIT 9	50	-6%	3.15%		21.0
	IATAN COMMON	50	-11%	2.46%		35.5
	IATAN UNIT 1	50	-5%	3.70%		16.8
	LACYGNE COMMON	50	-2%	3.81%		17.2
	LACYGNE UNIT 1	50	-4%	4.67%		10.8
	LACYGNE UNIT 2	50	-4%	3.03%		16.3
316.00	MISCELLANEOUS POWER PLANT EQUIPMENT					
	HAWTHORN COMMON	43	-3%	4.51%		21.0
	HAWTHORN UNIT 5	43	-5%	4.60%		18.6
	HAWTHORN UNIT 9	43	-6%	4.60%		20.0
	IATAN COMMON	43	-11%	3.23%		31.8
	IATAN UNIT 1	43	-5%	5.61%		16.4
	LACYGNE COMMON	43	-2%	5.42%		16.7
	LACYGNE UNIT 1	43	-4%	8.22%		10.6
	LACYGNE UNIT 2	43	-4%	5.50%		15.1
	MISCELLANEOUS	43	0%	4.53%		20.6
	HAWTHORN UNIT 5 REBUILD					
311.02	STRUCTURES AND IMPROVEMENTS	85	-7%	0.48%		22.7
312.03	BOILER PLANT EQUIPMENT	50	-7%	0.68%		20.1
315.01	ACCESSORY ELECTRIC EQUIPMENT	50	-7%	0.72%		20.2
316.01	MISCELLANEOUS POWER PLANT EQUIPMENT	43	-7%	0.81%		19.1

ACCOUNT NUMBER	ACCOUNT NAME	AVERAGE SERVICE LIFE	NET SALV. PCT.	DEPRECIATION RATE	AVERAGE AGE	AVERAGE REMAINING LIFE
	IATAN UNIT 2					
311.04	STRUCTURES AND IMPROVEMENTS	85	-12%	1.72%		43.9
312.04	BOILER PLANT EQUIPMENT	50	-12%	2.15%		35.5
314.04	TURBOGENERATOR UNITS	60	-12%	2.15%		40.6
315.04	ACCESSORY ELECTRIC EQUIPMENT	50	-12%	2.37%		35.5
316.04	MISCELLANEOUS POWER PLANT EQUIPMENT	43	-12%	2.60%		32.8
	NUCLEAR PRODUCTION PLANT					
321.00	STRUCTURES AND IMPROVEMENTS	95	-2%	1.65%		23.2
322.00	REACTOR PLANT EQUIPMENT	60	-2%	2.29%		21.6
323.00	TURBOGENERATOR UNITS	45	-2%	2.73%		18.8
324.00	ACCESSORY ELECTRIC EQUIPMENT	50	-2%	2.44%		19.4
325.00	MISCELLANEOUS POWER PLANT EQUIPMENT	45	-2%	3.10%		20.1
	OTHER PRODUCTION PLANT					
341.00	STRUCTURES AND IMPROVEMENTS					
	NORTHEAST COMBUSTION TURBINES	70	-4%	3.89%		18.5
	WEST GARDNER COMBUSTION TURBINES	70	-3%	2.92%		25.7
	MIAMI COUNTY COMBUSTION TURBINES	70	-3%	2.75%		25.5
	HAWTHORN UNIT 6	70	-2%	2.92%		22.8
	HAWTHORN UNIT 7	70	-3%	2.76%		22.7
	HAWTHORN UNIT 8	70	-3%	2.69%		22.6
342.00	FUEL HOLDERS, PRODUCERS, AND ACCESSORIES					
	NORTHEAST COMBUSTION TURBINES	50	-4%	2.85%		16.6
	WEST GARDNER COMBUSTION TURBINES	50	-3%	2.57%		23.9
	MIAMI COUNTY COMBUSTION TURBINES	50	-3%	2.51%		23.9
	HAWTHORN UNIT 6	50	-2%	2.50%		21.4
	HAWTHORN UNIT 7	50	-3%	3.16%		22.4
	HAWTHORN UNIT 8	50	-3%	3.34%		22.6
344.00	GENERATORS					
	NORTHEAST COMBUSTION TURBINES	55	-4%	2.89%		17.5
	WEST GARDNER COMBUSTION TURBINES	55	-3%	2.16%		24.2
	MIAMI COUNTY COMBUSTION TURBINES	55	-3%	2.10%		24.2
	HAWTHORN UNIT 6	55	-2%	2.61%		22.4
	HAWTHORN UNIT 7	55	-3%	1.99%		21.6
	HAWTHORN UNIT 8	55	-3%	1.98%		21.6

ER-2022-0129 / ER-2022-0130 Schedule DTB-s1 Page 3 of 6

ACCOUNT NUMBER	ACCOUNT NAME	AVERAGE SERVICE LIFE	NET SALV. PCT.	DEPRECIATION RATE	AVERAGE AGE	AVERAGE REMAINING LIFE
345.00	ACCESSORY ELECTRIC EQUIPMENT					
	NORTHEAST COMBUSTION TURBINES	50	-4%	1.33%		13.3
	WEST GARDNER COMBUSTION TURBINES	50	-3%	2.23%		24.2
	MIAMI COUNTY COMBUSTION TURBINES	50	-3%	2.24%		24.3
	HAWTHORN UNIT 6	50	-2%	2.12%		21.7
	HAWTHORN UNIT 7	50	-3%	2.26%		21.8
	HAWTHORN UNIT 8	50	-3%	2.29%		21.9
346.00	MISCELLANEOUS POWER PLANT EQUIPMENT					
	NORTHEAST COMBUSTION TURBINES	45	-4%	4.75%		17.9
	WEST GARDNER COMBUSTION TURBINES	45	-3%	3.69%		25.3
	MIAMI COUNTY COMBUSTION TURBINES	45	-3%	3.70%		25.3
	HAWTHORN UNIT 7	45	-3%	2.29%		
	SOLAR PRODUCTION PLANT					
344.01	GENERATORS - SOLAR	30	-2%	4.01%		15.4
	WIND PRODUCTION PLANT					
341.02	STRUCTURES AND IMPROVEMENTS					
	SPEARVILLE COMMON	60	0%	4.44%		8.9
	SPEARVILLE UNIT 1	60	0%	4.44%		
	SPEARVILLE UNIT 2	60	0%	4.44%		
344.02	GENERATORS					
	SPEARVILLE COMMON	45	0%	4.60%		8.9
	SPEARVILLE UNIT 1	45	0%	5.07%		5.0
	SPEARVILLE UNIT 2	45	0%	4.84%		8.9
345.02	ACCESSORY ELECTRIC EQUIPMENT					
	SPEARVILLE COMMON	45	0%	5.59%		8.9
	SPEARVILLE UNIT 1	45	0%	5.59%		
346.02	MISCELLANEOUS POWER PLANT EQUIPMENT					
	SPEARVILLE COMMON	35	0%	9.65%		9.0
	SPEARVILLE UNIT 1	35	0%	18.74%		5.0

ACCOUNT NUMBER	ACCOUNT NAME	AVERAGE SERVICE LIFE	NET SALV. PCT.	DEPRECIATION RATE	AVERAGE AGE	AVERAGE REMAINING LIFE
	TRANSMISSION PLANT					
352.00	STRUCTURES AND IMPROVEMENTS	70	-10%	1.57%	22.2	
353.00	STATION EQUIPENT	60	-18%	1.97%	16.3	
353.03	STATION EQUIPMENT - COMMUNICATION EQUIPMENT	25	-10%	4.40%	28.3	
354.00	TOWERS AND FIXTURES	70	-20%	1.72%	47.9	
354.05	TOWERS AND FIXTURES - SUBTRANSMISSION	70	-20%	1.71%	68.0	
355.00	POLES AND FIXTURES	62	-85%	2.98%	17.4	
355.05	POLES AND FIXTURES - SUBTRANSMISSION	62	-85%	2.98%	24.7	
356.00	OVERHEAD CONDUCTORS AND DEVICES	60	-50%	2.50%	24.8	
356.05	OVERHEAD CONDUCTORS AND DEVICES - SUBTRANSMISSION	60	-50%	2.50%	26.4	
357.00	UNDERGROUND CONDUIT	65	0%	1.54%	26.9	
357.05	UNDERGROUND CONDUIT - SUBSTRANSMISSION	65	0%	1.54%	10.0	
358.00	UNDERGROUND CONDUCTORS AND DEVICES	60	0%	1.67%	29.2	
358.05	UNDERGROUND CONDUCTORS AND DEVICES - SUBTRANSMISSION	60	0%	1.67%	10.1	
	DISTRIBUTION PLANT					
361.00	STRUCTURES AND IMPROVEMENTS	60	-10%	1.84%	25.5	
362.00	STATION EQUIPMENT	57	-10%	1.92%	17.4	
362.03	STATION EQUIPMENT - COMMUNICATION EQUIPMENT	25	-5%	4.20%	23.3	
363.00	STORAGE BATTERY EQUIPMENT	15	0%	6.67%	9.0	
364.00	POLES, TOWERS, AND FIXTURES	47	-80%	3.83%	16.6	
365.00	OVERHEAD CONDUCTORS AND DEVICES	50	-50%	3.00%	17.9	
366.00	UNDERGROUND CONDUIT	65	-45%	2.23%	17.2	
367.00	UNDERGROUND CONDUCTORS AND DEVICES	53	-20%	2.27%	15.0	
368.00	LINE TRANSFORMERS	42	5%	2.26%	17.3	
369.00	SERVICES	60	-50%	2.50%	15.9	
370.00	METERS	30	0%	3.33%	27.8	
370.20	METERS - AMI	20	0%	5.00%	3.3	
371.00	INSTALLATIONS ON CUSTOMERS' PREMISES	22	-15%	5.23%	12.7	
371.10	INSTALL ON CUSTOMERS' PREMISES - EV STATIONS	10	0%	10.00%	4.2	
373.00	STREET LIGHTING AND SIGNAL SYSTEMS	23	-10%	4.79%	14.2	

ACCOUNT NUMBER	ACCOUNT NAME	AVERAGE SERVICE LIFE	NET SALV. PCT.	DEPRECIATION RATE	AVERAGE AGE	AVERAGE REMAINING LIFE
	GENERAL PLANT					
390.00	STRUCTURES AND IMPROVEMENTS	45	-20%	2.66%	14.2	
	OFFICE FURNITURE AND EQUIPMENT					
391.00	FURNITURE AND EQUIPMENT	20	0%	5.00%	9.9	
391.01	FURNITURE AND EQUIPMENT - WOLF CREEK	20	0%	5.00%	9.0	
391.02	COMPUTER EQUIPMENT	8	0%	12.50%	3.9	
	TRANSPORTATION EQUIPMENT					
392.00	AUTOS	8	23%	9.62%	1.8	
392.01	LIGHT TRUCKS	7	23%	11.00%	4.9	
392.02	HEAVY TRUCKS	10	23%	7.70%	5.9	
392.03	TRACTORS	13	23%	5.92%	1.6	
392.04	TRAILERS	28	23%	2.75%	9.3	
393.00	STORES EQUIPMENT	25	0%	4.00%	12.2	
394.00	TOOLS, SHOP, AND GARAGE EQUIPMENT	30	0%	3.33%	9.5	
395.00	LABORATORY EQUIPMENT	30	0%	3.33%	13.2	
396.00	POWER OPERATED EQUIPMENT	15	20%	5.34%	8.1	
397.00	COMMUNICATION EQUIPMENT	35	0%	2.86%	13.7	
398.00	MISCELLANEOUS EQUIPMENT	30	0%	3.33%	7.7	