UNION ELECTRIC COMPANY 901 GRATIOT STREET - ST. LOUIS

May 6, 1981

MAILING AUDRESS P.O. BOX 145

Mr. D. Michael Hearst, Secretary Missouri Public Service Commission P.O. Box 360 Jefferson City, Missouri 65102

> Re: Docket ER-80-190

Dear Mr. Hearst:

Pursuant to the Order entered by the Commission in this proceeding on November 17, 1980, I hereby forward to you three copies of the "Report of Select Committee to Consider Alternative Luminaires."

Very truly yours,

Michael F. Bainea

Michael F. Barnes Attorney

MFB/cuh

cc: w.atch.: Mr. Edward Cadieux, Hearing Examiner

Mr. Eric Banks, Assistant General Counsel Mr. B. J. Washburn, Electric & Gas Dept.

Select Committee members

Mr. Dennis F. Kay, City Attorney 6801 Delmar Blvd.


St. Louis, Missouri 63130

Mr. Robert G. Brady, Attorney Bryan, Cave, McPheaters & McRoberts

500 North Browadway

St. Louis, Missouri 63102

Mr. James Carl 7110 Washington Avenue St. Louis, Missouri 63130



## REPORT OF SELECT COMMITTEE TO CONSIDER ALTERNATIVE LUMINAIRES

Pursuant to the stipulations and agreement set before the Public Service Commission, State of Missouri, known as Rate Case No. ER-80-190, by the City of University City, Missouri, James L. Carl, and Union Electric Company, a select committee was formed composed of two members from the City of University City, four members from the Union Electric Company, and five additional members from other firms. A complete list of committee members is included as Attachment 1.

The select committee first met on November 26, 1980, and met three additional times. A total of six additional luminaires were given serious consideration with only two surviving as offering a significant difference from those luminaires presently offered by the Union Electric Company. Factors such as aesthetics, initial luminaire cost, customer acceptance, generally acceptable lighting level requirements, and the applicability to the entire Union Electric System were considered throughout the review process. High Pressure Sodium, Mercury Vapor and Metal Halide were looked at as possible light sources. Metal Halide was ruled out at these lower wattages. High Pressure Sodium was deemed the light source of the future. Samples of the two new luminaires were obtained and reviewed by Committee members.

The Committee recommendations are as follows, subject to pricing and meeting generally accepted lighting levels:

- a. Add Holophane RSL-350 luminaire with High Pressure Sodium light source. (See Attachment 2)
- b. Add Hadco Series 72 luminaire with High Pressure Sodium light source. (See Attachment 3)
- c. Add present early American luminaire with High Pressure Sodium light source. (See Attachment 4)
- d. Add present Colonial luminaire with High Pressure Sodium light source. (See Attachment 5)
  - e. Discontinue offering present Contemporary luminaire.

Respectfully submitted,

Ronald H. Belcher Recording Secretary

## COMMITTEE MEMBERS

## NAME

- l. Ronald H. Belcher
- 2. Jack Gillum
- 3. Frank P. Eppert
- 4. Frank Ollendorff
- 5. Allan Dieckgraefe
- 6. Joe Powell
- 7. Don Maragni
- 8. David Munson
- 9. Norman Krause
- 10. William Tao
- II. Eugene J. Mackey

## REPRESENTING FIRM & ADDRESS

Union Electric Co. P.O. Box 149 Mail Code 666 St. Louis, Mo. 63166

Union Electric Co. P.O. Box 149 Mail Code 654 St. Louis, Mo. 63166

Booker Assoc., Inc. 1139 Olive St. Louis, MO 63101

City of University City 6801 Delmar Blvd. University City, MO 63130

City of University City 680l Delmar Blvd. University City MO 63130

Union Electric Co. P.O. Box 149 Mail Code 903 St. Louis, Mo. 63166


Union Electric Co. P.O. Box 149 Mail Code 916 St. Louis, Mo. 63166


HOK Inc. 100 N. Broadway St. Louis, MO 63102

Sachs Electric Co. 16300 Justus Post Road Chasterfield, MO 63017


Tao & Associates, Inc. Engineers 2357 59th St. St. Louis, MO 63110

Mackey & Associates Architects 611 Olive St. Louis, MO 63101





HADOS DIVISION OF CRAFT LITE P. O. BOX 128 LITTLEBUM, PA. 17340



EARLY AMERICAN



COLONIAL