

Exhibit C
SO₂ Allowance Tracking Workbook

Asbury

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
1995	15,764	-14,099	-1,019	-646	0	0
1996	15,764	-15,764	0	0	0	0
1997	15,764	-14,514	0	-1,250	0	0
1998	15,764	-10,098	0	-3,040	0	2,626
1999	15,764	0	0	0	0	15,764
2000	6,975	0	0	0	0	6,975
2001	6,975	0	0	0	0	6,975
2002	6,975	0	0	0	0	6,975
2003	6,975	0	0	0	0	6,975
2004	6,975	0	0	0	0	6,975
2005	6,975	0	0	0	0	6,975
2006	6,975	0	0	0	0	6,975
2007	6,975	0	0	0	0	6,975
2008	6,975	0	0	0	0	6,975
2009	6,975	0	0	0	0	6,975
2010	6,986	0	0	0	0	6,986
2011	6,986	0	0	0	0	6,986
2012	6,986	0	0	0	0	6,986
2013	6,986	0	0	0	0	6,986
2014	6,986	0	0	0	0	6,986
2015	6,986	0	0	0	0	6,986
2016	6,986	0	0	0	0	6,986
2017	6,986	0	0	0	0	6,986
2018	6,986	0	0	0	0	6,986
2019	6,986	0	0	0	0	6,986
2020	6,986	0	0	0	0	6,986
2021	6,986	0	0	0	0	6,986
2022	6,986	0	0	0	0	6,986
2023	6,986	0	0	0	0	6,986
2024	6,986	0	0	0	0	6,986
2025	6,986	0	0	0	0	6,986
2026	6,986	0	0	0	0	6,986
2027	6,986	0	0	0	0	6,986
2028	6,986	0	0	0	0	6,986
2029	6,986	0	0	0	0	6,986
2030	6,986	0	0	0	0	6,986
2031	6,986	0	0	0	0	6,986
2032	6,986	0	0	0	0	6,986
2033	6,986	0	0	0	0	6,986
2034	6,986	0	0	0	0	6,986

Exhibit C
SO₂ Allowance Tracking Workbook

Energy Center Unit 3A

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
1998	0	0	0	0	10	10

Energy Center Unit 3B

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
1998	0	0	0	0	10	10

Energy Center Unit 4A

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
1998	0	0	0	0	10	10

Energy Center Unit 4B

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
1998	0	0	0	0	10	10

Exhibit C
SO₂ Allowance Tracking Workbook

Riverton Boiler #39

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
1997	0	-1,000	0	0	1,000	0
1998	0	-1,367	0	0	3,000	1,633
2000	1,039	-1,911	0	0	872	0
2001	1,039	-1,940	0	0	901	0
2002	1,039	-1,466	0	0	427	0
2003	1,039	-1,039	0	0	0	0
2004	1,039	0	0	0	0	1,039
2005	1,039	0	0	0	0	1,039
2006	1,039	0	0	0	0	1,039
2007	1,039	0	0	0	0	1,039
2008	1,039	0	0	0	0	1,039
2009	1,039	0	0	0	0	1,039
2010	1,041	0	0	0	0	1,041
2011	1,041	0	0	0	0	1,041
2012	1,041	0	0	0	0	1,041
2013	1,041	0	0	0	0	1,041
2014	1,041	0	0	0	0	1,041
2015	1,041	0	0	0	0	1,041
2016	1,041	0	0	0	0	1,041
2017	1,041	0	0	0	0	1,041
2018	1,041	0	0	0	0	1,041
2019	1,041	0	0	0	0	1,041
2020	1,041	0	0	0	0	1,041
2021	1,041	0	0	0	0	1,041
2022	1,041	0	0	0	0	1,041
2023	1,041	0	0	0	0	1,041
2024	1,041	0	0	0	0	1,041
2025	1,041	0	0	0	0	1,041
2026	1,041	0	0	0	0	1,041
2027	1,041	0	0	0	0	1,041
2028	1,041	0	0	0	0	1,041
2029	1,041	0	0	0	0	1,041
2030	1,041	0	0	0	0	1,041
2031	1,041	0	0	0	0	1,041
2032	1,041	0	0	0	0	1,041
2033	1,041	0	0	0	0	1,041
2034	1,041	0	0	0	0	1,041

Exhibit C
SO₂ Allowance Tracking Workbook

Riverton Boiler #40

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
2000	1,764	-892	0	-872	0	0
2001	1,764	-863	0	-901	0	0
2002	1,764	-1,322	0	-427	0	15
2003	1,764	-440	0	0	0	1,324
2004	1,764	0	0	0	0	1,764
2005	1,764	0	0	0	0	1,764
2006	1,764	0	0	0	0	1,764
2007	1,764	0	0	0	0	1,764
2008	1,764	0	0	0	0	1,764
2009	1,764	0	0	0	0	1,764
2010	1,766	0	0	0	0	1,766
2011	1,766	0	0	0	0	1,766
2012	1,766	0	0	0	0	1,766
2013	1,766	0	0	0	0	1,766
2014	1,766	0	0	0	0	1,766
2015	1,766	0	0	0	0	1,766
2016	1,766	0	0	0	0	1,766
2017	1,766	0	0	0	0	1,766
2018	1,766	0	0	0	0	1,766
2019	1,766	0	0	0	0	1,766
2020	1,766	0	0	0	0	1,766
2021	1,766	0	0	0	0	1,766
2022	1,766	0	0	0	0	1,766
2023	1,766	0	0	0	0	1,766
2024	1,766	0	0	0	0	1,766
2025	1,766	0	0	0	0	1,766
2026	1,766	0	0	0	0	1,766
2027	1,766	0	0	0	0	1,766
2028	1,766	0	0	0	0	1,766
2029	1,766	0	0	0	0	1,766
2030	1,766	0	0	0	0	1,766
2031	1,766	0	0	0	0	1,766
2032	1,766	0	0	0	0	1,766
2033	1,766	0	0	0	0	1,766
2034	1,766	0	0	0	0	1,766

Exhibit C
SO₂ Allowance Tracking Workbook

State Line Unit 1

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
1997	0	-2	0	0	30	28

State Line Unit 2-1

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
1997	0	-3	0	0	110	107

State Line Unit 2-2

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
1997	0	-5	0	0	110	105

Iatan (based on 12% ownership share)

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance
2000	1,945	-1,945	0	0	0	0
2001	1,945	-1,945	0	0	0	0
2002	1,945	-1,945	0	0	0	0
2003	1,945	-1,702	0	0	0	243

Total Company

Vintage	Allocations	Retired for Compliance	Underutilization Surrender	Traded Out	Traded in	Balance	Balance (Cumulative)
1995	15,764	-14,099	-1,019	-646	0	0	0
1996	15,764	-15,764	0	0	0	0	0
1997	15,764	-15,524	0	-1,250	1,250	240	240
1998	15,764	-11,465	0	-3,040	3,040	4,299	4,539
1999	15,764	0	0	0	0	15,764	20,303
2000	11,723	-4,748	0	-872	872	6,975	27,278
2001	11,723	-4,748	0	-901	901	6,975	34,253
2002	11,723	-4,733	0	-427	427	6,990	41,243
2003	11,723	-3,181	0	0	0	8,542	49,785